This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

GENERA, SPECIES ET SYNONYMA CANDOLLEANA

ALPHABETICO ORDINE DISPOSITA,

SEU

INDEX GENERALIS ET SPECIALIS

AD

A. P. DECANDOLLE

PRODROMUM SYSTEMATIS NATURALIS
REGNI VEGETABILIS.

PARS I.

CONTINENS TOMOS OPERIS CANDOLLEANI QUATUOR PRIORES).

AUCTORE

H. W. BUEK, M. D.

BEROLINI,
SUMPTIBUS LIBRARIAE NAUCKIANAE.

1842.

Hn. 31

BOTANICIS QVIBVSCVNQVE,

MEMORIAM

BEATI A. P. DECANDOLLE

PIO GRATOQVE ANIMO

COLENTIBVS,

HOCCE OPVSCVLVM

D. D. D.

AUCTOR.

PRAEFATIO.

haec pars Indicis Candolleani multo serius in lucem
quam ipse et putaveram et optaveram. Verum hoc
ra accidit culpa, quum manuscriptum, ut typis ex-
etur, jam ante hoc biennium, omnibus partibus suis
um et perfectum, in officinam librariam permissum
At hoc exscribendi negotium tam tarde administra-
et propter difficultatem typorum componendorum, cu-
e tollendis operarum peccatis a me ipso insumptam et
is jacturam inde factam, quum in singulis semi-plagu-
olino Hamburgum mittendis et remittendis plures dies
nerentur, non multo quidem promptius administrari
it, ut opus, cujus perfectio ad nundinas St. Michaelis
superioris promissa erat, nunc demum confectum pro-
posset. Quam moram eo magis doleo, quum benevo-
Botanicorum favorem in excipienda posteriore Indicis
huic priori, tomos paullulum antiquiores et vetu-
paene detritos Prodromi Candolleani complectenti,
eodem modo sperandum esse haud ignorem, praesertim
interea Nomenclator Steudelianus nova ac locuple-
a editione ornatus prodierit et fructum ex Indice meo
otanicis percipiendum minus largum et quasi cassum

redditurus videri possit. Reperiuntur enim in isto opere praeter alia multa, nomina quoque et synonyma pleraque in Prodromo Candolleano exhibita, diligentissime et accuratissime collecta et literarum ordine posita. Quod opus si meo Indice prius in lucem emissum esset, non facile ad Candolleanum Indicem edendum animum induxissem. Quum vero, Steudeliano Nomenclatore edito, Indicis mei pars altera absoluta, pars prior jam sub prelo esset, a continuando opere non destiti, quoniam mihi persuaseram, ex accuratiore ejus cum Steudeliano libro comparatione, id quoque mihi propositum fuerit, viros harum rerum peritos, etiam me tacente, intellecturos esse. Equidem in eo elaboravi ut facilior esset et magis expeditus Prodromi Candollean. usus per Indicem, qualem ego conficere studui. Hoc autem commodum Steudelianus Nomenclator, quippe qui aliud spectet latiusque pateat, praestare vel non potest, vel non eodem modo praestabit.

Num pars Indicis tertia in posterum a me edenda sit, uti in praefatione posterioris partis indicavi, pro certo nunc promittere non ausim. Pendet enim haec continuatio partim, et quidem maxime, ex continuatione ipsius Prodromi, per acerbam nec satis lugendam Celeberrimi Candollei mortem interrupti, sed, uti Celeberrimus Candolleus filius spem nobis fecit, non abjecti operis, partim ex favore et studio, quo duas priores partes excipient Botanici, atque ex fructu, quem bibliopola inde sibi percipere posse videatur, partim denique ex otio et viribus mihi ipsi porro non deficientibus. Chartae manu mea scriptae tertiae partis principium continentes, quatenus adhuc confici poterant, sectionem alteram tomi septimi Prodromi complectentes, jam pridem paratae et absolutae, mihique in perlustranda hac Prodromi sectione non inutiles, urbi nostrae luctuosissimis illis diebus 5-7 m. Maji,

una cum domo mea, maxima bibliothecae parte, herbario et collectione carpologica, saevis quidem flammis consumptae sunt, sed damnum ejusmodi est, quod caeteris facilius resarciri potest et caeteris prius etiam restituetur. Atque hic non possum quin, exoptata opportunitate oblata, lubenter gratum meum animum declarem atque testificer Botanicis, quum Germanis, tum peregrinis, viris ex longa consuetudine amicissimis aeque ac nomine tantum mihi notis, qui et prompte et liberaliter ex ipsorum herbariis thesauris mecum communicantes, uberrimis donis vel jam permissis vel in posterum transmittendis restituendo meo herbario auxilium ferre non dubitarunt.

Occurrunt in his primis quatuor voluminibus operis Candolleani, quorum nunc editurus sum Indicem, nomina quoque nonnulla, lapsu memoriae ab Illustrissimo auctore bis posita, in ipso Indice a me notata, quorum alterum ubicunque mutandum est. Mutationes istas jam prius cum mutationibus in altera parte Indicis instituendis Celeberrimo Candolleo proposui, ut ipso approbante in hac praefatione ederentur. Quum vero interea laudatum illud et certe maxime laudandum Celeberrimi Steudelii opus prodisset, in quo nomina ista delenda accuratissime indicata et nova illis substituta reperiantur, propositas a me et probatas ab ipso Ill. Candolleo mutationes, quantum ad quatuor priores Prodromi tomos spectant, omnino rejiciendas eorumque loco Steudelianas esse adhibendas non dubitavi, quantum vero ad tomos tres posteriores pertinent, non revocandas eas putavi, quum in praefatione ad posteriorem partem Indicis, mense Augusto a. 1840, Steudeliano Nomenclatori, annum 1841 nuncupanti, certe prius, a me propositae sint. Quae vero bisnominata in omnibus septem tomis operis Candolleani haec sunt:

Tom. I.

Ranunculus japonicus *Thunb.* I. 29 (No. 23) *et* R. japonicus *Lang* I. 38 (No. 107); *uterque delendus; prior cum* R. Gmelini *D* *posterior cum* R. Langsdorfii *Spr. conjungendus.*

Cleome arborea *H. B. et K.* I. 238, (No. 2) *et* C. arborea *Schrad.* 242 (No. 53); *posterior delenda; est enim observante Steu* *lio* Crataeva acuminata *DC.*

Grewia villosa *Roth* I. 511 (No. 41) *et* Gr. villosa *W.* I. 512 (No. 4 *prior a Celeb. Steudelio* Gr. Heynii *nuncupata.*

Tom. II.

Ilex elliptica *H. B. et K.* II. 15 (No. 13) *et* I. elliptica *Don* II. (No. 19); *utraque delenda; prior cum* I. Paltoria *Pers., pos* *rior cum* I. Doniana *DC. conjungenda.*

Crotalaria pumila *Schrank* II. 128 (No. 44) *et* C. pumila *Ort.* II. 1 (No. 94); *prior est* C. pusilla *Roth.*

Trifolium reflexum *W. et Kit.* II. 197 (No. 61) *et* T. reflexum *L.* 201 (No. 90); *nomen prius in* T. reclinatum *W. et Kit.* *tandum.*

Trifolium congestum *Guss.* II. 198 (No. 66) *et* T. congestum *Gu* II. 207 (No. 141), *a Celeb. Steudelio conjunguntur, ex descri* *tione vero diversa videntur; nomen prius itaque delendu* *mihi* Trif. catanense.

Trifolium rupestre *Ten.* II. 201 (No. 94) *et* T. rupestre *Ten.* II. 2 (No. 136), *a Celeb. Steudelio conjunguntur quoque, ex descri* *tione vero omnino diversa; posterius mihi* Trif. Tenoreanum.

Tephrosia brachystachya *DC.* II. 249 (No. 4) *non uti habet Cel* *Steudelius* (No. 41) *et* Tephr. brachystachya *DC.* II. 253 (No. 41 *posterior, in nomenclatore Steudeliano omissa, mihi* Tep Leschenaultiana.

Tephrosia sericea *DC.* II. 249 (No. 5) *et* T. sericea *Pers.* II. 255 (N 67); *prior ex Steudelio ad* T. suberosam *DC. conferenda.*

Desmodium diffusum *DC.* II. 335 (No. 88) *et* D. diffusum *DC.* 336 (No. 106); *prior est, docente Steudelio,* D. elongatum *Wa.*

Cassia triflora *Vahl* II. 498 (No. 109) *et* C. triflora *Jacq.* II. 502 (N 152); *posterior ex Celeb. Steudelio* Cassia venosa *Cast.*

Rosa ambigua *Waitz* II. 605 (No. 38) *et* R. ambigua *Lejeun.* II. 62 (No. 145); *prior ex Celeb. Steudelio ad* R. caninam *L. ref* *renda.*

Tom. III.

Myrcia polyantha *DC.* III. 252 (No. 72) *et* M. polyantha *DC.* III. 25 (No. 97); *posterior Celeb. Steudelio* Myrcia Kunthiana.

Eugenia maritima *DC.* III. 271 (No. 73) *et* E. maritima *DC.* III. 282 (No. 162); *posterior* Eugenia acapulcensis *Steud.*

Passiflora pallida *L.* III. 323 (No. 11) *et* P. pallida *Lour.* III. 331 (No. 116); *posterior secundum Clar. Steudelium* Passiflora cochinchinensis *Spr.*

Mesembryanthemum curvifolium *Haw.* III. 436 (No. 181) *et* M. curvifolium *Haw.* III. 439 (No. 199); *posterius observante Celeb. Steudelio cum* M. ceratophyllo *W. conjungendum.*

Tom. IV.

Saxifraga fimbriata *Don* IV. 21 (No. 17) *et* S. fimbriata *Wall.* IV. 45 (No. 137); *posterior* Saxifraga Wallichiana *Steud.*

Loranthus anceps *Desv.* IV. 289 (No. 21) *et* L. anceps *DC.* IV. 315 (No. 214); *posterior ex Steudelio* Loranthus oblongo-ellipticus *Pohl.*

Loranthus elegans *Mart.* IV. 291 (No. 36) *et* L. elegans *Wall.* IV. 304 (No. 139); *posterior* Loranthus elegantulus *Steud.*

Loranthus bracteatus *Heyn.* IV. 306 (No. 151) *et* L. bracteatus *Rich.* IV. 317 (No. 236); *prior, docente Celeb. Steudelio,* Loranthus Heyneanus *Schult.*

Nauclea rotundifolia *Roxb.* IV. 345 (No. 13) *et* N. rotundifolia *Bartl.* IV. 346 (No. 22); *posterior* Nauclea Haenkeana *Steud*

Coffea microcarpa *DC.* IV. 499 (No. 4) *et* C. microcarpa *R. et Pav.* IV. 502 (No. 30); *prior secundum Celeb. Steudelium* Coffea Perrottetii (?) *quae vero nec in Prodromo Candolleano nec in nomenclatore Steudeliano reperitur.*

Tom. V.

Vernonia Poeppigiana *DC.* V. 20. (No. 31) *et* V. Poeppigiana *DC.* V. 55 (No. 228); *posterior, ab Illust. Steudelio omissa, mihi* Vern. argyropappa.

Vernonia acuminata *DC.* V. 22 (No. 94) *et* V. acuminata *Less.* V. 47. (No. 186); *prior mihi* Vernonia cuspidata, *nomen a Celebr. Steudelio quoque propositum.*

Eupatorium pinnatifidum *DC.* V. 149 (No. 54) *et* E. pinnatifidum *Ell.* V. 176 (No. 232); *prius mihi* Eupatorium pinnatifissum *(E. pinnatisectum Steud.)*

Aster cordifolius *L.* V. 233 (No. 49.) *et* A. cordifolius *Mx.* V. 241 (No. 100), *in Indice quidem a me notati, in Praefatione vero omissi; posterior cum* Biotia corymbosa *DC. conjungendus*

Baccharis semiserrata *DC.* V. 404 (No. 38) *et* B. semiserrata *DC.* V. 419 (No. 149); *posterior mihi* Baccharis hemiprionodes; *Celsi Steudelius priorem delendam et nomen in B. Sternbergiana mutandum putat.*

Baccharis microphylla *DC.* V. 406 (No. 57) *et* B. microphylla *H. B. et K.* V. 407 (No. 65); *prior mihi* Baccharis Candolleana, *nomen a Celeb. Steudelio quoque adoptatum.*

Tom. VI.

Helichrysum leptolepis *DC.* VI. 170 (No. 9) *et* H. leptolepis *DC.* VI. 194 (No. 136); *prius mihi* Helichrysum Candolleanum *(H. detersum Steud.)*

Helichrysum caespitosum *DC.* VI. 173 (No. 23) *et* H. caespitosum *DC.* VI. 182 (No. 70); *prius mihi* Helichrysum barbellatum, *posterius Steudelio H. conglobatum.*

Senecio tripartitus *Rich. et Less.* VI. 372 (No. 174) *et* S. tripartitus *DC.* VI. 418 (No. 456); *posterior mihi* Senecio megapotamicus *prior Cel. Steudelio Senecio triplipartitus.*

Senecio adscendens *Bojer* VI. 378 (No. 217) *et* S. adscendens *DC* VI. 423 (No. 492); *posterior mihi* Senecio andinus (*S. floccoso-araneosus Steud.*)

Senecio heterophyllus *Thunb.* VI. 379 (No. 226) *et* S. heterophyllus *DC.* VI. 414 (No. 429); *posterior mihi* Senecio pilquensis *(S. phyllomorphus Steud.)*

Senecio subnudus *DC.* VI. 405 (No. 381) *et* S. subnudus *DC.* VI. 428 (No. 522); *posterior mihi* Senecio cymbalarioides, *prior Steudelio S. subpeltatus.*

Senecio laciniatus *DC.* VI. 411 (No. 413) *et* S. laciniatus *H. B. et K.* VI. 426 (No. 511); *prior mihi* Senecio Swartzianus, *posterior Celeb. Steudelio S. lacinifolius.*

Senecio cinereus *Coll.* VI. 418 (No. 453) *et* S. cinereus *Morett.* VI. 436 (No. 595); *posterior* Senecio Morettii *DC. (in literis), Celeb. Steudelius utrumque nomen immutatum citat.*

Centaurea rigida *W.* VI. 580 (No. 73) *et* C. rigida *Russel* VI. 604 *(sine numero); posteriorem Cent. Russelianem nuncupavi, nomen prius vero restituendum est, quum Cent. rigida W., observante Celeb. Steudelio, cum* Centaurea rigescenti *Horn. conjungenda sit.*

Cirsium polycephalum *DC.* VI. 639 (No. 27) *et* C. polycephalum *W.* VI. 655 (No. 130); *prius mihi* C. Candolleanum *(Cirs. byzantinum Steud.)*

Tom. VII.

cium gracile ***Froel.*** VII. 231 (No. 119) *et* H. gracile ***Hook.*** VII. 6 (*No.* 160); ***prius mihi*** Hieracium Froelichianum, ***posterius*** leb. ***Steudelio H. Hookeri.***

a chinensis ***Hook. et Arn.*** VII. 283 (No. 96) *et* B. chinensis ***DC.*** l. 444 (No. 70); ***prior mihi*** Blumea Hookeriana ***(B. Arnottiana*** ***ud.)***

Scripsi **Hamburgi mense Octobri 1842.**

H. W. Buek, M. D.

ADDENDA ET CORRIGENDA.

In Parte priori.

Pag. 25. *Col.* 2. *Lin.* 1. *pro* Arcnaria *lege* Arenaria.

- 28. - 2. - 25. *post involutum Labill. adde: multi Mx.* I. 555
- 41. - 1 - 44. *pro Belocre lege Beloere.*
- 56. - 2 - 4. *post Calanchoe Pers. adde: pinnata* III. 396.
- 170. - 2 - 41. *pro et lege ex.*
- 184. - 1 - 22. *post atrosanguinea Sweet adde: co liflora Sweet* I. 656.
- - - - - 29. *post selinifolia Sweet adde: setosa* I. 652.
- 213. - 2 - 18. *pro italium lege italicum.*
- 218. - 2 - 35. *post* fruticosus *Desf. adde: fruti Houtt.* II. 122.
- 228. - 1 - 7. *post* sertularia *DC.* III. 124 *adde* 484.
- 358. - 2 - 49. *post Schiedea Bartl. adde: martinic Rich.* IV. 481.
- 423. - 2 - 39. *pro Zozimia lege* Zozimia *et adde: zima*).

In Parte posteriori.

Pag. 11. *Col.* 2 *Lin.* 31. *post millefolia L. adde mixta L.* V
- 112. - 2 - 4. *post* pyrifolia *Don. adde: revoluta* VII. 10.
- 188. - 2 - 37. *deleatur: lobatus Poir.* VI. 432.

A

Abaremotemo Pis. II. 430
Abatia *R. et Pav.* I. 503
parviflora *R. et Pav.* I. 503
rugosa *R. et Pav.* I. 503
verbascifolia *H. B. et K.* I. 503
Abelia *R. Br.* IV. 339
chinensis *R. Br.* IV. 339
triflora *R. Br.* IV. 339
uniflora *R. Br.* IV. 339
Abelmoschus Med. DC. I. 449 (Hibiscus)
Aberemoa guianensis Aubl. I. 93
Ablania *Aubl.* I. 516
guianensis *Aubl.* I. 516
laurifolia Pers. I. 516
Abrahamia DC. III. 126 (Trembleya)
Abroma *L. fil.* I. 485
angusta *L. fil.* I. 485
augusta W. I. 485
fastuosa *R. Br.* I. 485
fastuosum Gaertn. I. 485
fastuosum Jacq. I. 485
mollis *DC.* I. 485
Wheleri W. I. 485
Abrus *L.* II. 381
precatorius *L.* II. 381
Absus DC. II. 500 (Cassia)
Abuta *Barrer.* I. 103
candicans *Rich.* I. 103
rufescens *Aubl.* I. 103
scandens Barrer. I. 103
Abutiloides DC. I. 466 (Sida)
Abutilon Kunth I. 459, 467 *DC.* I. 467 (Sida)
Avicennae Gaertn. I. 470
deflexum Moench I. 466
elongatum Moench I. 471
ferrugineum H. B. et K. I. 468
foetidum Moench I. 467
geminiflorum H. B. et K. I. 470
ibarrense H. B. et K. I. 470
pedunculare H. B. et K. I. 469
petiolare H. B. et K. I. 470
spicatum H. B. et K. I. 468
Acacia *Neck.* II. 448
abietina *W.* II. 453
Acacia
acanthocarpa *W.* II. 463
β uncinella *DC.* II. 463
acantholoba *H. et Bonpl.* II. 464
acapulcensis *Kunth* II. 457
acicularis *H. et Bonpl.* II. 472
acicularis R. Br. II. 449
aculeaticarpa Lag. II. 463
alata *R. Br.* II. 448
alba Hortul. II. 467
alba *W.* II. 462
albicans *Kunth* II. 462
albida *Delil.* II. 459
amara *W.* II. 469
amentacea *fl. mex.* II. 455
amoena *Wendl.* II. 452
anceps *DC.* II. 451
angulata *Desv.* II. 468
angustifolia Lodd. II. 453
angustifolia *Wendl.* II. 453
angustiloba *DC.* II. 470
arabica *W.* II. 461
arborea *W.* II. 469
arcuata Sieb. II. 452
arenosa *W.* II. 457
armata *R. Br.* II. 449
Arrophula *Don* II. 465
Asak *W.* II. 460
aspidioides *Meyer* II. 458
asplenioides Nees II. 440
asplenioides *Neuw.* II. 471
ataxacantha *DC.* II. 459
atomiphylla Burch. II. 462
Bancroftiana *Bert.* II. 473
Berteriana *Balb. herb.* II. 470
biceps *W.* II. 467
biflora *R. Br.* II. 449
bimucronata *DC.* II. 469
binervata *DC.* II. 452
bivenosa *DC.* II. 452
brachyacantha *H. et Bonpl.* II. 472
brachyloba W. II. 443
Browni *Steud.* II. 449
Burmanniana *DC.* II. 461
β *DC* II. 461
caduca *H. et Bonpl.* II. 460
caesia *W.* II. 465

Acacia
caffra *W.* II. 459
calamifolia *Sweet* II. 451
calamifolia Sieb. II. 451
capensis Burch. II. 461
caracasana *W.* II. 467
cassioides *W.* II. 456
Catechu *W.* II. 458
caudata *DC.* II. 456
centrophylla *DC.* II. 465
centrota Spr II. 465
Ceratonia W. II. 429
chrysantha *DC.* II. 471
Chundra W. II. 458
ciliata *H. et Bonpl.* II. 472
ciliata R. Br. II. 466
cinerascens *Sieb.* II. 454
cineraria *W.* II. 456
cochlearis *Wendl.* II. 451
cochliacantha *H. et Bonpl.* II. 462
concinna *DC.* II. 464
contorta *DC.* II. 470
coriacea *DC.* II. 451
cornigera *W.* II. 460
α americana *DC.* II. 460
β indica - - -
coronillaefolia *Desf.* II. 455
Courrantiana *DC.* II. 465
crassiuscula *Wendl.* II. 453
cumanensis W. II. 447
cyclosperma *DC.* II. 456
Dalea *Desv.* II. 459
dealbata *Link* II 458, 470
decipiens *R. Br.* II. 449
β trapezoidea *DC.* - -
decurrens *W.* II. 470
decurrens β mollis bot. reg. II. 470
detinens *Burch.* II. 456
diffusa *bot. reg.* II. 450
diptera *W.* II. 456
discolor Sims II. 468
discolor *W.* II. 468
distachya *fl. mex.* II. 456
divaricata *W.* II. 469
dodoneaefolia *W.* II. 450
dolabriformis Colla II. 449
dolabriformis *Wendl.* II. 448
domingensis *Bert.* II. 464
dumetorum *DC.* II. 458
eburnea *W.* II. 461
echinula *DC.* II. 449
edulis W. II. 447
eglandulosa *DC.* II. 450
elephanthorhiza *Burch.* II. 457
Acacia
elongata *Sieb.* II. 451
emarginata *Wendl.* II. 450
eriantha *Desv.* II. 456
esculenta *fl. mex.* II. 470
falcata Desf. II. 447
falcata *W.* II. 451
falciformis *DC.* II. 452
Farnesiana *W.* II. 461
β pedunculata *W.* II. 462
γ cavispina *DC.* - -
Farnesiana var. Colla II.
fasciculata *Kunth* II. 458
ferruginea *DC.* II. 458
filicina *W.* II. 468
flava *Spr* I. 469
flexuosa *H. et Bonpl.* II. 46
β ambigua *DC.* II. 463
flexuosa Lag. II. 447
floribunda Sieb. II. 454
floribunda *W.* II. 454
foetida H. B. et K. II. 437
formosa *Kunth* II. 466
frondosa *W.* II. 468
genistifolia *Link* II. 449
Giraffae Sieb. I. 462
Giraffae *W.* II. 472
glandulosa W. II. 443
glauca *W.* II. 467
glaucescens *W.* II. 454
grandiflora W. II. 442
grata *W.* II. 470
Guachapelle *H. B. et K.* II.
guadalupensis *DC.* II. 464
guayaquilensis *Desf.* II. 472
guianensis *W.* II. 457
Guilandinae *DC.* II. 465
gummifera *W.* II. 455
Habbas Link II. 466
hadiensis *DC.* II. 472
Haematoma *Bert* II. 456
Haematoxylon *W.* II. 462
hastulata *Sm.* II. 449
hebeclada *DC.* II. 461
heteracantha *Burch.* II. 473
heterophylla *W.* II. 452
hispidissima *DC.* II. 455
hispidula *W.* II. 450
Hoffmanseggii *DC.* II. 471
homomalla *Wendl.* II. 454
horrida *W.* II. 460
Houstoni W. II. 442
javanica *DC.* II. 471
indica *Desv.* II. 462
insignis Hoffmans. II. 45
intertexta *Sieb.* II. 454

Acacia
latisiliqua *W.* II. 464
latisiliquoides *DC.* II. 464
Julibrissin *W.* II. 469
juniperina Sieb. II. 449
juniperina *W.* II. 449
Jupuba *W.* II. 467
laevigata W. II. 447
Lambertiana *Dom* II. 468
lasiloba *W.* II. 468
β parvifolia *DC.* II. 468
latronum *W.* II. 460
laurifolia *W.* II. 451
lea *W.* II. 467
leiocarpa *DC.* II. 455
Lehmannii *W.* II. 466
lehmannioides *DC.* II. 467
leptoneurifolia *Desf.* II. 472
leprosa *Sieb.* II. 450
leptophylla *DC.* II. 472
leucocephala *Link* II. 467
leucophloea *Roxb.* II. 462
linearis Lodd. II. 454
linearis *Sims* II. 454
β longissima *Wendl.* II. 454
linifolia *W.* II. 453
lomatocarpa *DC.* II. 467
longifolia Sieb. II. 454
lucifolia *W.* II. 454
lophantha bot. cab. II. 457
lophantha *W.* II. 457
lophanthoides *DC.* II. 457
lunata bot. Cab. II. 452
lunata *Sieb.* II. 452
lycopodioides *Desv.* II. 468
macracantha *H. et Bonpl.* II. 463
macracanthoides *Bert.* II. 463
macroloba *W.* II. 458
macrostachya *Reich.* II. 459
Magdalenae *Bert.* II. 455
Magium *W.* II. 451
marginata *R. Br.* II. 452
mauroceana *DC.* II. 461
megaladena *Desv.* II. 465
Melanoxylon *R. Br.* II. 452
microcantha *Desv.* II. 473
microphylla *W.* II. 471
mollissima *W.* II. 470
monacantha *W.* II. 459
mucronata *W.* II. 454
multiflora *H. B. et K.* II. 466
multinervia *DC.* II. 450
muricata *W.* II. 457
myrtifolia *W.* II. 452
Nemu *W.* II. 469
nervosa *DC.* II. 449
Acacia
nigricans hot. mag. II. 466
nigricans *R. Br.* II. 466
nilotica Delil. II. 461
Niopo *Humb.* II. 471
nitida *W.* II. 460
nudiflora *W.* II. 457
nutans Spr. II. 429
obliqua Desv. II. 451
obtusa *H. et Bonpl.* II. 463
obtusata *Sieb.* II. 453
odorata Desv. II. 453
odoratissima *W.* II. 466
oligophylla *Hoffmans.* II. 471
Ouyrarema *DC.* II. 469
Oxycedrus *Sieb.* II. 453
paniculata W. II. 465
paniculata *W.* II. 471
paradoxa *DC.* II. 449
parvifolia *W.* II. 462
patula *H. et Bonpl.* II. 472
pectinata Hoffmans. II. 471
pectinata *H. B. et K.* II. 471
penicillifera *Lag.* II. 470
pennata *W.* II. 464
penninervis *Sieb.* II. 452
peregrina *W.* II. 470
peruviana *H. et Bonpl.* II. 472
pilosa *Bert.* II. 455
platyloba *Bert.* II. 472
polyacantha *W.* II. 459
polycephala *DC.* II. 473
polyphylla *DC.* II. 469
portoriccensis *W.* II. 467
prismatica *Hoffmans.* II. 472
procera *W.* II. 466
prosopoides *fl. mex.* II. 460
prostrata Lodd. II. 450
pseudo-trichodes *DC.* II. 466
psilostachya *DC.* II. 457
Psoralea *DC.* II. 464
pterophylla Hoffmans. II. 464
pubescens *R. Br.* II. 468
pugioniformis *Wendl.* II. 450
pulchella Link II. 455
pulchella *R. Br.* II. 455
pulcherrima *W.* II. 458
punctata *H. et Bonpl.* II. 463
pyrifolia *DC.* II. 452
quadrangularis *Link* II. 468
quadrilateralis *DC.* II. 451
reticulata *W.* II. 455
revoluta *Kunth* II. 463
rhodacantha *Desf.* II. 473
riparia Bert. II. 470
riparia *H. B. et K.* II. 465

II. 425
447
I. 448
II. 461
II. 465
56
I. 455
153
II. 463
et K. II. 458
II. 453
I. 450
II. 468
458
W. II. 464
W. II. 432
I. 453
II. 460
II. 468
DC. II. 456
II. 466
W. II. 462
Lag. II. 448
II. 461
Sieb. II. 451
Desv. II. 430
Cup. II. 147
fera *Kunth* II. 469
a *W.* II. 449
Desv. II. 466
II. 466
DC. II. 459
W. II. 471
W. II. 461
Sieb. II. 449

Acacia
β angusta *DC.* II. 453
γ latifolia - - 454
vestita *Ker* II. 452
villosa *W.* II. 468
virescens *DC.* II. 472
viridiflora *Kunth* II. 459
viridiramis *Burch.* II. 456
viscosa *Wendl.* II. 450
Wallichiana *DC.* II. 458
Westiana *DC.* II. 464
xylocarpa *W.* II. 439
Sieb. N. H. Nr. 436 II. 470
Sieb. N. H. Nr. 452 II. 452
Sieb. N. H. Nr. 504 II. 452
Sieb. N. H. Nr. 522 II. 451
Sieb. N. H. Nr. 616 II. 452
Sieb. seneg. Nr. 43 II. 463
Acaena *Vahl* II. 592 *L.* II. 592
adscendens *Vahl* II. 593
agrimonioides *H. B. et K.* II. 592
argentea *R. et Pav.* II. 593
cylindristachya *R. et Pav.* II. 592
elongata *L.* II. 592
laevigata *Ait.* II. 593
lappacea *R. et Pav.* II. 592
latebrosa *Ait.* II. 592
lucida *Vahl* II. 593
magellanica *Vahl* II. 593
ovalifolia *R. et Pav.* II. 592
pinnatifida *R. et Pav.* II. 592
pumila *Vahl* II. 593
Sanguisorbae *Vahl* II. 592
sarmentosa *Carm.* II. 592
sericea *Jacq.* II. 592
trifida *R. et Pav.* II. 593
Acajou Tourn. II. 62
Acajuba Gaertn. II. 62
Acanthocalyx DC. IV. 645 (Morina)
Acanthonychia DC. III. 372 (Paronychia)
Acer *Moench* I. 593
austriacum Tratt. I. 594
barbatum *Mx.* I. 595
campestre *L.* I. 594
ε hebecarpum *DC.* I. 594
δ collinum *Wallr.* - -
ζ austriacum *Tratt.* I. 594
campestre Wallr. I. 594
canadense Duham I. 593
carolinianum Walt. I. 595
circinnatum *Pursh* I. 594
collinum Wallr. I. 594
cretica Tourn. I. 594
creticum *L.* I. 594

Achania
cordata *Nees et Mart.* I. 445
Malvaviscus *Sw.* I. 445
mollis *Ait.* I. 445
pilosa *Sw.* I. 445
Achlys *DC.* I. 112
triphylla *DC.* I. 112
Achyranthes corymbosa L. III. 374
dichotoma *L.* III. 372
stellata *W.* III. 374
tenuifolia *W.* III. 374
Achyronia *Wendl.* II. 120
villosa *Wendl.* II. 121
Acia amara *W.* II. 526
dulcis *W.* II. 526
Acinotum *DC.* I. 134 (Mathiola)
Acioa *Aubl.* II. 526
guianensis *Aubl.* II. 526
Acriopsis *Don* III. 152
discolor *Don* III. 152
Aciphylla squarrosa Fo…
Acisanthera P. Browne
quadrata Juss. III. …
Acladodea pinnat…
Acmena *DC.* III. 2…
floribunda *DC.* …
elliptica
parviflora *DC.*
Acmena Adans
Aconitum To…
abbreviatum
acuminatum
acutum
album
albu…
ame…
ang…
An…
A…

Acer
crispum Lauth. I. 595
dasycarpum W. I. 595
dissectum Thunb. I. 595
eriocarpum Mx. I. 595
heterophyllum W. I. 595
hispanicum Pourr. I. 594
hybridum Besc I. 594
japonicum Thunb. I. 595
ibericum MB. I. 594
italum Lauth. I. 594
latimatum Ait. I. 595
macrophyllum Pursh I. 594
monspessulanum L. I. 594
montanum Ait. I. 593
montanum C. Bauh. I. 594
neapolitanum Ten. I. 594
Negundo L. I. 596
nigrum Mx. I. 595
oblongum Wall. I. 593
obtusatum Kit. I. 594
β *neapolitanum Ten.* I. 594
obtusifolium Sibth. et Sm. I. 594
opulifolium Thuill. I. 594
opulifolium Vill. I. 594
Opulus Ait. I. 594
palmatum Thunb. I. 595
pensylcanicum Duroi I. 593
pensylcanicum L. I. 593
pictum Thunb. I. 595
pinnatum Lour. I. 596
platanoides L. I. 595
β *laciniatum Ait.* I. 595
Pseudo-Platanus *L.* I. 593
β *nebulosum DC.* I. 594
rotundifolium Lam. I. 594
rubrum L. I. 595
saccharinum L. I. 595
semperrirens L. I. 595
septemlobum Thunb. I. 595
spicatum Lam. I. 593
striatum Lam. I. 593
tataricum L. I. 593
ternatum fl. mex. I. 596
tomentosum hort. Paris. I. 595
trilobum Thunb. I. 595
trifolia Duham. I. 594
trilobatum Lam. I. 594
verum Reynier I. 594
ACERA *Juss.* I. 593
Acerates *DC.* I. 519
oppositifolium DC. I. 519
ACERINEAE *DC.* I. 593
Achania Sw. I. 445 *DC.* I. 445 (Malvaviscus)
Achania
cordata Nees et Mart. I. 445
Malvaviscus Sw. I. 445
mollis Ait. I. 445
pilosa Sw. I. 445
Achlys *DC.* I. 112
triphylla *DC.* I. 112
Achyranthes corymbosa L. III. 374
dichotoma L. III. 372
stellata W. III. 374
tenuifolia W. III. 374
Achyronia *Wendl.* II. 120
villosa *Wendl.* II. 121
Acia amara W. II. 526
dulcis W. II. 526
Acinotum DC. I. 134 (Mathiola)
Acioa *Aubl.* II. 526
guianensis *Aubl.* II. 526
Aciotis *Don* III. 152
discolor *Don* III. 152
Aciphylla squarrosa Forst. IV. 159
Acisanthera *P. Browne* III. 88
quadrata *Juss.* III. 88
Acladodea pinnata R. et Pav. I. 609
Acmena *DC.* III. 262
floribunda *DC.* III. 262
α elliptica - - -
parviflora *DC.* III. 262
Acoma Adans. II. 53
Aconitum *Tourn.* I. 56
abbreviatum Langsd. I. 61
acuminatum Reich. I. 60
acutum Reich. I. 62
album Ait. I. 58
album DC. I. 60
amoenum Reich. I. 62
angustifolium Pall. I. 63
Anthora Jacq. I. 57
Anthora Koell. I. 57
Anthora *L.* I. 56
α vulgare *Ser.* I. 56
β grandiflorum *Reich.* I. 57
γ Jacquinianum *Ser.* - -
δ latilobum - - -
ε inclinatum - - -
ζ eulophum - - -
η versicolor *Stev.* - -
ϑ multicucullatum *Ser.* - -
Anthora β DC. I. 57
anthoroideum DC. I. 57
anthoroideum Reich. I. 57
australe Reich. I. 58

Aconitum
autumnale Reich. I. 63
barbatum *Patr.* I. 58
β hispidum *Ser.* - - -
Bernhardianum Waltr. I. 59
bicolor Schult. I. 63
biflorum *Fisch.* I. 64
α luteo-coeruleum *Fisch.* I. 64
β coeruleum - - -
biflorum Fisch. I. 64
biflorum Reich. I. 64
Braunii Reich I. 62
callybotryon Reich. I. 62, 63
Cammarum Jacq. I. 59
Cammarum MB. I. 59
Cammarum Schleich. I. 59
Cammarum Wahlenb. I. 59
cernuum flexicaule Reich. I. 60
cernuum α Reich I. 60
cernuum β pauciflorum Reich. I. 60
ciliare *DC.* I. 61
α oligotrichum *DC.* I. 61
β polytrichum - - -
ciliare Deless. I. 61
ciliare α oligotrichum DC. I. 63
Clusii Reich. I. 60
commutatum Reich. I. 62
cynoctonum Reich. I. 58
Decandollii Reich. I. 57
delphinifolium α americanum DC. I. 63
delphinifolium β sibiricum DC. I. 61
delphinifolium γ kamtschaticum DC. I. 62
eriostemum DC. I. 62
eulophum Reich I. 57
Eustachium Reich. I. 62
eustachyum Reich. I. 63
exaltatum *Bernh.* I. 61
ferox *Wall.* I. 64
flaccidum Reich. I. 61
flexicaule Hoppe I. 60
formosum Reich. I. 62
galeatum Stev I. 58
gibbosum *Ser.* I. 59
glabrum DC. I. 60
gracile Reich. I 59
grandiflorum Fisch. I 61
Halleri Reich. I. 62

Aconitum
Halleri bicolor Reich. I
hamatum Reich. I. 59
hebegynum *DC.* I. 59
β multifidum *Schleich.* I. 60
hispidum DC. I. 58
Hoppii Reich. I. 62
Jacquini Reich. I. 57
japonicum *Thunb.* I. 60
α carneum *Ser.* I. 60
β coeruleum - - -
illinitum Reich. I. 61
intermedium *DC.* I. 61
α glabrum *Ser.* I. 61
β versicolor - - -
γ latilobum - - -
δ pubescens - - 62
intermedium DC. I. 61
Koelleanum Reich. I. 62
Koelleanum firmum Rei
Koelleanum pygmaeum R
laetum Reich. I. 63
laxiflorum Schleich. I. 6
laxum Reich. I. 63
lupicida Reich. I. 57
Lycoctonum *L.* I. 57
α vulgare *Ser.* - -
β pyrenaicum - - -
γ grandiflorum - - -
δ pennicum - - -
ε puberulum - - 58
ζ altissimum - - -
η laxiflorum *DC.* - -
θ latiflorum *Ser.* - -
ι ramosissimum *DC.* I. 58
κ rubicundum *Ser.* - -
λ carpathicum - - -
μ septentrionale - - -
Lycoctonum altissimum
Lycoctonum glabriflorum
Lycoctonum α et β Wahl
maximum *Pall herb.* I. 61
molle *Reich.* I. 61, 60
monogynum Forsk. I. 52
Napellus *L.* I. 62
α tauricum *Ser.* I. 62
β spicatum - - -
γ bracteosum - - -

Aconitum
δ pygmaeum *Ser.* I. 62
ε macrostachyum - - -
ζ ramosum - - -
η virgatum - - -
θ amplexum - - -
ι Hoppeanum - - -
κ semigaleatum - - -
λ falcatum - - -
μ rostellatum - - -
ν multicaullatum - - -
ξ neubergense - - -
ο grosum - - 63
π laetum - - -
ρ viridiflorum - - -
σ maculatum - - -
τ rubellum - - -
υ bicolor - - -
φ albiflorum - - -
χ anthoraefolium - - -
ψ microphyllum *Gaud.* - -
ω laciniosum *Ser.* - -
αα delphinifolium - - -
ββ tenuifolium - - -
γγ pubescens *DC.* - -
δδ bulbiferum *Ser.* - -
εε volubile - - -
Napellus Sturm I. 61
Napellus floribus rubellis Schleich. I. 63
Napellus officinalis Störk I. 60
Napellus β DC. fl. fr. I. 63
nemorosum MB. I. 57
neomontanum Panz. I. 61
neubergense DC. I. 63
ochroleucum *W.* I. 58
β puberulum *DC.* - -
Pallasii Reich. I. 57
paniculatum *Lam.* I. 60
α penninum *Ser.* - -
β acuminatum - - -
γ Storkianum - - -
δ flexicaule - - -
ε laciniosum *Reich.* - -
ζ patentissimum *Ser.* - -
η cernuum *DC.* - -
paniculatum α DC. I. 60
paniculatum γ DC. I. 60
productum *Reich.* I. 61
pyrenaicum Lam. I. 57
rectum Reich. I. 58
rhynchanthum Reich. I. 59
— *β bicolor. Reich.* I. 59
Aconitum
rostratum *Bernh.* I. 59
α judenbergense *Ser.* - -
β Jacquinianum - - -
γ pilosiusculum - - -
δ latiflorum - - -
rostratum Bernh. I. 59
rubicundum Fisch. I. 58
Schleicheri Reich. I. 62, 63
semigaleatum Pall. I. 62
septentrionale Koell. I. 58
septentrionale β carpathicum DC. I. 58
speciosum *Otto* I. 60
squarrosum L. I. 58
Storkianum γ bicolor Reichenb. I. 61
strictum Bernh. I. 63
tauricum Reich. I. 62
tauricum Roem. I. 61
tauricum W. I. 63
tauricum Wulf. I. 62
theliphonum Reich. I. 57
theriophonum Reich. I. 57
tortuosum *W.* I. 61
α napellifolium *Ser.* I. 61
β illinitum - - -
tortuosum W. I. 61
tragoctonum Reich. I. 57
uncinatum *L.* I. 60
α Linnaeanum *Ser.* I. 60
β Michauxianum - - -
uncinatum L. I. 60
uncinatum Mx. I. 60
uncinatum α DC. I. 60
— *β* - - -
variegatum DC. I. 59
variegatum *L.* I. 59
α pauciflorum *Ser.* I. 59
β pallidiflorum - - -
γ coeruleum - - -
δ angustilobum - - -
ε albiflorum - - -
ζ grandiflorum - - -
η falcatum - - -
variegatum L. I. 59
variegatum bicolor Reich. I. 59
venustum Reich. I. 63
virgatum Reich. I. 62
volubile Koell. I. 62
volubile W. I. 61
vulgare γ bicolor DC. I. 63
Vulparia Reich. I. 57

Acosmus Desv. I. 583
Acouroa Aubl. II. 476
violacea Aubl. II. 476
Acrodryon angustifolium Spr. IV. 539
orientale Spr. IV. 539
Actaea *L.* I. 64
aspera Lour. I. 70
brachypetala *DC.* I. 65
α alba - - -
β rubra - - -
γ coerulea - - -
δ microcarpa - - -
Cimicifuga *L.* I. 64
β simplex *DC.* - -
cordifolia *DC.* I. 64
japonica *Thunb.* I. 65
monogyna Walt. I. 64
palmata *DC.* I. 64
podocarpa *DC.* I. 64
podocarpa Deless. I. 64
racemosa *L.* I. 64
spicata *L.* I 65
Actinanthus *Ehrenb.* IV. 668
syriacus *Ehrenb.* IV. 668
Actinophyllum R. et P. IV. 259
acuminatum R. et P. IV. 261
angulatum R. et P. IV. 261
conicum R. et P. IV. 260
divaricatum Blume IV. 260
farinosum Blume IV. 260
pedicellatum R. et P. IV. 261
pentandrum R et P. IV. 260
Actinotus *Labill.* IV. 83
Helianthi *Labill.* IV. 83
minor *DC.* IV. 83
Adamaram Rheed. III. 11
Adambea Lam. DC. III. 93 (Lagerstroemia)
glabra Lam. III. 93
hirsuta Lam. III. 93
Adamia *Wall.* IV. 16
cyanaea *Wall.* IV. 16, 666
Adamsia Fisch. II. 553
glacialis Fisch. II. 553
reptans Fisch. II. 553
rotundifolia Fisch. II. 552
Adansonia *L.* I. 478
Baobab Gaertn. I. 478
digitata *L.* I. 478
Adelobotrys *DC.* III. 127
scandens *DC.* III. 127
Adenandra W. DC. I. 713 (Diosma)
alba R. et Schult. I. 717
Adenandra
coriacea Lichtenst. I.
glandulosa Lichtenst.
marginata R. et Schul
tetragona Sweet. I. 71
Adenanthera *L.* II. 446
aculeata Roxb. II. 446
Bonplandiana *H. B. et K*
circinnalis *DC.* II. 446
falcata *L.* II. 446
Pavonina *L.* II. 446
scandens Forst. II. 42
Adenaria *H. B. et K.* III. 9
floribunda *H. B. et K.* II
grisleoides *H. B. et K.* I
purpurata *H. B. et K.* II
Adenarium *Raf.* III. 366
peploides *Raf.* III. 366
Adenocarpus *DC.* II. 158
foliolosus *DC.* II. 158
frankenioides *Choisy.* II.
hispanicus *DC.* II. 158
intermedius *DC.* II. 158
parvifolius *DC.* II. 158
telonensis *DC.* II. 158
Adenocalyx Bert. II. 48
remotus Bert. II. 481
Adenodus sylvestris L
Adenopis DC. II. 446 (P
Adenorachis DC. II. 637
Adesmia *DC.* II 318
bicolor *DC.* II. 319
dentata *DC.* II. 319
hispidula *DC.* II. 319
longiseta *DC.* II. 319
muricata *DC.* II. 318
papposa *DC.* II. 319
pendula *DC.* II. 319
punctata *DC.* II. 319
Smithiae *DC.* II. 319
Adianthum truncatum
Adina *Salisb.* IV. 349
globiflora *Salisb.* IV. 3
pedunculatis *DC.* IV. 3
Adleria Neck II. 510
Adlumia *Raf.* I. 126
cirrhosa *Raf.* I. 126
Adolia Rheed. Lam. II.
Adonia DC. I. 23 (Adoni
Adonis *Dill.* I. 23 *C. Bau*
aestivalis DC. I. 24
aestivalis *L.* I. 24
anomala *Wallr.* I. 24
apennina Jacq. I. 24

...ina *L.* I. 25
...ina *Schousw* I. 25
...alis *L.* I. 23
...ais *L.* I. 23
...phylla *Fisch.* I. 25
...a *DC.* I. 24
Hoffm. I. 24
...folia *Lam.* I. 23
...a *Del.* I. 24
...ata *DC.* I. 24
...ata - - -
...ta *Del.* I. 24
...a *Murr.* I. 24
...ill. I. 24
...ta *Poir.* I. 23
...a *DC.* I. 25
...lata α *Wallr.* I. 24
...lata β *Wallr.* I. 24
...ha *DC.* I. 24
...rpa *DC.* I. 24
...ta *Jacq.* I. 24
...ra *Fisch.* I. 24
...ica *DC.* I. 25
... - - -
...*L.* I. 24
...ndii *DC.* I. 25
...rica *Patria.* - -
...lia β *Lam.* I. 25
...taria *L. fil.* I. 23
...nis *Stev.* I. 25
...IV. 251
...stellina *L.* IV. 252
...a *DC.* I. 73
...lia *DC.* I. 73
...a *Scop. DC.* I. 160 (Alyssum)
...lia *Cav.* IV. 365
...ata *Graham* IV. 397
...flora *Cav.* IV. 366
...flora *Cav.* IV. 366
...orr. I. 538
...lata *Corr.* I. 538
...ia *DC.* I. 538
...erathrum *Koch DC.* IV. 237 (Cachrys)
...ima *L.* IV. 114
...e *Ledeb.* IV. 669
...ria *L.* IV. 114
...mene (Aeschinomene) *L.* II. 320 II. 264
...na *L.* II. 320
...*L.* II. 323
...a *Sieb.* II. 334

Aeschynomene
aristata Jacq. II. 314
aspera *L.* II. 320
bispinosa Jacq. II. 265
brasiliana *DC.* II. 322
brevifolia *Poir.* II. 322
cannabina Hortul. II. 265
cannabina Retz II. 265
coccinea L. fil. II. 266
crepitans *Jacq.* II. 323
dentata Lag. II. 319
diffusa *W.* II. 321
divisa *Nees et Mart.* II. 322
falcata *DC.* II. 322
gangetica Poir. II. 327
glaberrima *Poir.* II. 320
glandulosa *Poir.* II. 321
grandiflora L. II. 266
heterophylla *Lour.* II. 323
hirsuta *DC.* II. 322
hirta Lag. II. 323
hirta *Lam.* II. 323
hispida Roxb. II. 262
hispida *W.* II. 321
hispidula *H. B. et K.* II. 320
hispidula Lag. II. 319
honesta *Nees et Mart.* II. 322
Hystrix *Poir.* II. 321
incana Meyer II. 332
indica Burm. II. 264
indica *L.* II. 320
lagenaria Lour. II. 320
longifolia Cav. II. 267
longifolia Ort. II. 266
macropoda *DC.* II. 320
β Belvisii - - -
maculata Poir II. 327
micrantha *DC.* II. 321
microphylla *Desv.* II. 322
miniata Ort. II. 267
mollicula *H. B. et K.* II. 322
paludosa Roxb. II. 265
papposa Lag. II. 319
patagonica Hortul. II. 319
patula *Poir.* II. 320
paucijuga *DC.* II. 321
β subsecabra - - -
picta Cav. II. 265
pilosa *Poir.* II. 322
platycarpa Mx. II. 266
pleuronervia *DC.* II. 321
prostrata Poir. II. 322
pseudoacacia Roxb. II. 261
puberula *DC.* II. 321
pubescens *Poir.* II. 322
pubescens Vahl II. 265

Aeschynomene
pumila *L.* II. 321
remota Poir. II. 334
scoparia *H. B. et K.* II. 322
sensitiva Beauv II. 320
sensitiva *Sw.* II. 320
Sesban Burm. II. 264
Sesban Jacq. II. 265
Sesban L. II. 264
spicata Poir. II. 332
subviscosa *DC.* II. 321
sulcata *H. B. et K.* II. 320
ternata Spr. II. 314
villosa *Poir.* II. 321
virgata Cav. II. 264
viscidula *Mx.* II. 322
viscidula Roxb. II. 321
Aesculus *L.* I. 597
carnea Hortul. I. 597
discolor Pursh I. 598
flava Ait. I. 598
glabra *W.* I. 597
Hippocastanum *L.* I. 597
β florepleno - - -
hybrida DC. I. 598
lutea Wang. I. 598
macrostachya Mx. I. 598
ohioensis *Mx.* I. 597
pallida *W.* I. 597
parviflora Walt. I. 598
Pavia L. I. 598
rubicunda *herb. amat.* I. 597
Aethionema *R. Br.* I. 208
Buxbaumii *DC.* I. 209
coridifolium *DC.* I. 209
cristatum *DC.* I. 209
β *DC.* I. 209
gracile *DC.* I. 209
membranaceum *DC.* I. 209
monospermum *R. Br.* I. 209
polygaloides *DC.* I. 209
saxatile *R. Br.* I. 209
β obtusifolium *DC.* I. 209
γ ovalifolium - - -
stylosum *DC.* I. 209
Aethusa *L.* IV. 141 *Auct.* IV. 162
Ammi Spr. IV. 105
Bunius Murr. IV. 108
capillacea Nutt. IV. 106
cynapioides *MB.* IV. 141
Cynapium *L.* IV. 141
divaricata Nutt IV. 107
elata *Friedländ.* IV. 141
fatua Ait. IV. 115
leptophylla Spr. IV. 105

Aethusa
Meum L. IV. 162
montana Lam. IV. 106
Mutellina Lam. IV. 162
pinnata Nutt. IV. 141
Aetia Adans. III. 18
Afzelia *Sm.* II. 507
africana *Sm.* II. 507
Pancovia *DC.* II. 507
Agallochum secundarium Rumph II
Agardhia *Spr.* III. 30 II. 89
cryptantha *Spr.* III. 30
grandiflora *Spr.* III. 30
Agasillys *(Agasillis) Hoffm.* 199 *Spr.* IV. 175, 184
caucasica *Spr.* IV. 200
Galbanum Spr. IV. 185
salsa Spr. IV. 176
Agathisanthes *Blume* III. 10
javanica *Blume* III. 10
Agathosma W. DC. I. 714
acuminata W. I. 715
barbatum Spr I. 715
pubescens W. I. 714
reflexum Link I. 716
rugosum Link I. 715
Agati *Rheed.* II. 266
coccinea *Desv.* II. 266
grandiflora *Desv.* II. 266
virgata Desv. II. 264
Agdestis *Moç. et Sessé* I. 103
clematidea *Moç. et Sessé* I.
Ageria Adans. II. 16 *DC.* II (Pri
Agihalid Pr. Alpin. I. 708
Aglaia *Lour.* I. 537
odorata *Lour.* I. 537
Agonis DC. III. 226 (Leptos
Agrimonia *Tourn. L.* II. 587
agrimonioides L. II. 588
dahurica *W. herb.* II. 587
decumbens L. fil. II. 592
Eupatoria *L.* II. 587
Eupatoria B. Desf. II. 587
nepalensis *Don* II. 587
odorata *Camer.* II. 587
parviflora *Ait.* II. 588
pilosa *Ledeb.* II. 588
repens *L.* II. 588
striata *Mx.* II. 588
suaveolens *Pursh* II. 588
Agrimonioides Tourn. II. 58

Agriophyllum MB. IV. 97
Agrostema (Agrostemma) L. I. 385 *DC.* I. 386 (Lychnis)
Coeli rosa L. I. 386
coronaria L. I. 387
dioica L. Dufour. I. 387
Githago L. I. 387
Agylophora Neck. IV. 347
Aida *Lour.* IV. 340
cochinchinensis *Lour.* IV. 340
Ailantus *Desf.* II. 88
excelsa *Roxb.* II. 89
glandulosa *Desf.* II. 89
gracilis Salisb. II. 88
integrifolia Willd. II. 89
malabaricus *DC.* II. 89
moluccana *DC.* II. 89
procera Salisb. II. 89
Aizoon *L.* III. 453
canariense Andr. III. 453
canariense *L.* III. 453
fruticosum *L. fil.* III. 454
glinoides *L. fil.* III. 454
hispanicum Burm. III. 454
hispanicum *L.* III. 454
lanceolatum Murr. III. 454
paniculatum *L.* III. 454
perfoliatum *L. fil.* III. 454
rigidum *L. fil.* III. 454
sarmentosum *L. fil.* III. 454
secundum *L. fil.* III. 454
sessiliflorum Moench III. 454
stellatum *Lam.* III. 454
tomentosum *Lam.* III. 454
Aizoonia Tausch DC. IV. 18 (Saxifraga)
Aizopsis DC. I. 166 (Draba)
Ake Lunan. I. 609
Akesia Tussac I. 609
africana Tussac I. 609
Alacospermum Neck. IV. 118
Alaston Flacourt I. 256
Alaudina Neck. II. 478
ALANGIEAE *DC.* III. 203
Alangium *Lam.* III. 203
decapetalum *Lam.* III. 203
hexapetalum *Lam.* III. 203
tomentosum *Lam.* III. 204
Alaternus Tourn. DC. II. 23 (Rhamnus)
sempervirens Roehl IV. 332
Alcanna Rumph III. 91
Alcea L. DC. I. 437 (Althaea)
ficifolia L. I. 437
rosea L. I. 437
Alchemilla L. DC. II. 589 (Alchemilla)
Alchemilla *Tourn.* II. 589
alpina *L.* II. 589
alpina MB. II. 590
alpina hybrida L. II. 589
Aphanes Leers II. 590
aphanoides *Mutis* II. 590
argentea Lam. II. 590
arvensis *Scop.* II. 590
capensis *Thunb.* II. 589
cornucopioides *R. et Schult.* II. 591
hirsuta *H. B. et K.* II. 590
hybrida *Hoffm.* II. 589
montana W. II. 589
nivalis *H. B. et K.* II. 590
orbiculata *R. et Pav.* II. 590
pectinata *H. B. et K.* II. 590
pentaphylla *L.* II. 590
pinnata *R. et Pav.* II. 590
pubescens Lam. II. 589
pubescens *MB.* II. 589
pyrenaica Dufour II. 589
rupestris *H. B et K.* II. 590
sericea *W.* II. 590
sibbaldiaefolia *H. B. et K.* II. 590
tripartita *R. et Pav.* II. 690
vulgaris *L.* II 589
β glabra *DC.* II. 589
vulgaris hybrida W. II. 589
Aldina Adans. II. 421
Aldrovanda *Monti* I. 319
vesiculosa *L.* I. 319
Alectryon *Gaertn.* I. 617
canescens *DC.* I. 617
excelsum *Gaertn.* I. 617
Alegria *fl. mex.* I. 516
candida *fl. mex.* I. 517
Alepidea *Laroch.* IV. 87
ciliaris *Laroch.* IV. 87
Algarobia DC. II. 446 (Prosopis)
ALHAGEAE *DC.* II. 352
Alhagi *Tourn.* II. 352
Camelorum *Fisch.* II. 352
mannifera Desv. II. 352
maurorum *Tourn.* II. 352
napaulensium *DC.* II. 352
Alibertia *Rich.* IV. 443
edulis *Rich.* IV. 443
Allasia *Lour.* III. 319
Payos *Lour.* III. 320
Alliaria *Adans.* I. 196
brachycarpa *MB.* I. 196

Alliaria
officinalis *Andrz.* I. 196
β *Andrz.* I. 196
Allophyllus L. I. 610
africanus Beauv. I. 610
Cominia Sw. I. 610
ternatus Lour. I. 611
zeylanicus L. I. 611
Almeidea *St. Hil.* I. 729
acuminata *St. Hil.* I. 729
alba *St. Hil.* I. 729
coerulea *St. Hil.* I. 729
lilacina *St Hil.* I. 729
longifolia *St. Hil.* I. 729
rubra *St. Hil.* I. 729
Aloe pertusa Haw. III. 393
Aloexylon *Lour.* II. 518
Agallochum *Lour.* II. 519
Alomatium DC. I. 142 (Arabis)
Alphaea DC. I. 437 (Althaea)
Alseis *Schott* IV. 620
floribunda *Schott* IV. 620
Alsine (*L.* I. 369, 400) *Tourn.* III. 455
aristata Moç. et Sessé I. 396
corniculata Clus. I. 415
media L. I. 397
molluginea Lag. I. 400
mucronata Gou. I. 407
mucronata Lam. I. 407
nemorum Schreb. I. 396
prostrata Forsk. I. 400
repens Deless. herb. I. 411
rubella Wahlenb. I. 405
segetalis L. I. 400
succulenta Delil. I. 401
virgata Deless. herb. I. 396
ALSINEAE *DC.* I. 388
Alsinella biflora Sw. I. 398
rubella Sw. I. 405
Alsinoides Vaill. III. 362
Alsodeia *Pet. Th.* I. 313
angustifolia *Pet. Th.* I. 313
arborea *Pet. Th.* I. 313
latifolia *Pet. Th.* I. 313
pauciflora *Pet. Th.* I. 313
Physiphora R. Br. I. 314
pubescens *Pet. Th.* I. 313
racemosa *Mart.* I. 313
ALSODINEAE *R. Br.* I. 312
Alsomitra Blume DC. III. 298 (Zanonia)
Alternanthera erecta Reich. III. 375
Althaea *Cav. L.* I. 436
acaulis *Cav.* I. 437
africana *Lour.* I. 437
borbonica *DC.* I. 438
Burchellii *DC.* I. 438
cannabina *L.* I. 436
caribaea *Sims* I. 437
coromandeliana *Cav.* I. 43
corymbosa Sw. I. 444
ficifolia *Cav.* I. 437
flexuosa *Sims* I. 437
hirsuta *L.* I. 437
lavateraeflora *DC.* I. 437
Ludwigii *L.* I. 437
narbonensis *Pourr.* I. 43
officinalis *L.* I. 436
officinalis β W. I. 436
pallida *W. et K.* I. 437
rosea *Cav.* I. 437
β biloba *DC.* I. 437
sinensis *Cav.* I. 437
striata *DC.* I. 437
taurinensis *DC.* I. 436
Althaeastrum DC. I. 43
Altheria *Pet. Th.* I. 493
madagascariensis *DC.* I.
Alysicarpus *Neck.* II. 352
bupleurifolius *DC.* II. 35
β hybridus *Burm.* - -
glumaceus *DC.* II. 353
monilifer *DC.* II. 353
nummularifolius *DC.* II.
rugosus *DC.* II. 353
styracifolius *DC.* II. 353
vaginalis *DC.* II. 353
ALYSSINEAE *DC.* I. 1
Alyssoides DC. I. 159 (V
Alyssum *DC. L.* I. 160
albescens Schlecht. I.
alpestre *L.* I. 161
alpestre MB. I. 161
arcticum Horn. I. 159
arenarium Lois. I. 16
argenteum Bertol. I.
argenteum *Vitm.* I. 160
atlanticum *Desf.* I. 161
Bertolonii *Desv.* I. 160
brachystachyum MB.
calycinum *L.* I. 163
campestre *L.* I. 163
β *L.* I. 163
canescens *DC.* I. 164
α abbreviatum *DC.* I. 164
β elongatum - - -

Alyssum
cheiranthifolium *W.* I. 158
clypeatum *L.* I. 158
cochlearioides *Roth* I. 172
cretoceum *Adams* I. 160
cretoceum *L.* I. 59
cuneifolium *Ten.* I. 162
dasycarpum *Steph.* I. 163
dauricum *Schlecht.* I. 164
deltoideum *L.* I. 158
densiflorum *Desf.* I. 164
dentatum *Nutt.* I. 165
diffusum *Ten.* I. 162
Draba *W.* I. 163
dubium *Bory* I. 165
edentulum *W. et K.* I. 163
Fischerianum *DC.* I. 162
fulvescens *Sm.* I. 163
genuense *L.* I. 160
glomeratum *Burch* I. 163
gnaphalodes *DC.* I. 162
halimifolium *L.* I. 164
halimifolium *W.* I. 164
halimifolium β *DC. fl. fr.* I. 164
hirsutum *MB.* I. 163
hyperboreum *L.* I. 164
imbricatum *Schlecht.* I. 161
incanum *L.* I. 158
lanuginosum *DC.* I. 161
lanuginosum *Adams* I. 161
linifolium *Steph.* I. 165
ludovicianum *Nutt.* I. 159
macrocarpum *DC.* I. 164
maritimum *Lam.* I. 164
β canescens *DC.* - -
Meneghinianum *Andrz.* I. 161
microphyllum *Fisch.* I. 163
β procumbens *MB.* - -
minimum *L.* I. 164
minimum *W.* I. 163
montanum *Patrin.* I. 164
montanum *Schlecht.* I. 163
montanum *L.* I. 162
β *L.* I. 162
montanum *MB.* I. 162
montanum *Patrin.* I. 164
murale *MB.* I. 161
murale *W. et K.* I. 160
mutabile *Vent.* I. 158
nebrodense *Tineo* I. 161
obcordatum *DC.* I. 165
obliquum *Sibth. et Sm.* I. 158
obtusifolium *Ster.* I. 161
orientale *Ard.* I. 160
Alyssum
paniculatum *Desf.* I. 159
parviflorum *MB.* I. 163
petalodes *DC.* I. 162
procumbens *MB.* I. 163
purpureum *Lag.* I. 165
pyrenaicum *Lapeyr.* I. 164
repens *Baumg.* I. 161
rostratum *Stev.* I. 162
β *Stev.* I. 162
rupestre *Ten.* I. 164
samolifolium *Desf.* I. 177
saxatile *L.* I. 160
serpyllifolium *Desf.* I. 161
serpyllifolium *MB.* I. 161
sibiricum *Trevir.* I. 163
sibiricum *W.* I. 162
simplex *Rud.* I. 163
sinuatum *L.* I. 159
spinosum *L.* I. 164
spathulatum *Steph.* I. 160
strictum *W.* I. 165
strigosum *Russel* I. 165
tenuifolium *Steph.* I. 164
tortuosum *W. et K.* I. 161
β orientale *DC* I. 161
umbellatum *Desv.* I. 162
vernale *Horn.* I. 161
vernale *Kit.* I. 162
Vesicaria *L.* I. 159
Wulfenianum *W.* I. 162
Alzatea *R. et Pav.* II. 10
verticillata *R. et Pav.* II. 10
Amaioua *Aubl. (Amajoua. Spr.)* IV. 369
africana *Spr.* IV. 500
brasiliana *Rich.* IV. 370
corymbosa *H. B. et K.* IV. 369
fagifolia *Desf.* IV. 369
guianensis *Aubl.* IV. 369
intermedia *Mart.* IV. 369
peruviana *Desf.* IV. 369
saccifera *Mart.* IV. 370
Amaiova Desf. IV. 369
Amara sylvestris Rumph III. 316
Amaracarpus *Blume* IV. 472
pubescens *Blume* IV. 472
Amaria *Seb Mutis* II. 519
petiolata *Seb. Mutis* II. 519
sessilifolia *Seb. Mutis* II. 519
Ambalam Rheed. II. 75
Ambora tomentosa Bory III. 286
Ambraria *Cruse* IV. 580 *Heist.* IV. 579

Ambraria
glabra *Cruse* IV. 580
hirta *Cruse* IV. 580
Amelanchier *Medic.* II. 632
Botryapium *DC.* II. 632
cretica *DC.* II. 632
ovalis *DC.* II. 632
β subcordata *DC.* II. 632
sanguinea *DC.* II. 633
vulgaris *Moench* II. 632
Ameletia *DC.* III. 76
indica *DC.* III. 76
Amerimnum *P. Browne Sw.* II. 421
Brownei *Sw.* II. 421
Ebenus Sw. II. 421
latifolium W. II. 260
parviflorum Spr. II. 421
pinnatum Jacq. II. 261
pubescens W. II. 260
scandens W. II. 419
Sieberi Reichenb. II. 420
strigulosum *H B. et K.* II. 421
Amicia *H. B. et K.* II. 315
glandulosa *H. B et K.* II. 315
Zygomeris *DC.* II. 315
Amirola *Pers.* I. 616
mollis *DC.* I. 616
nitida *Pers.* I. 616
prunifolia *DC.* I. 616
Ammannia *Houst.* III. 77
aegyptiaca *W.* III. 78
auriculata *W.* III. 80
baccifera L. III. 78. 79
borysthenica *DC.* III. 78
caspica *MB.* III. 78
coccinea Pers. III. 80
debilis *Ait.* III. 79
densiflora *Roth* III. 79
diffusa *W.* III. 79
dodecandra *DC.* III. 80
elatinoides *DC.* III. 78
filiformis *DC.* III. 77
hastata *DC.* III. 78
hirta P. Browne IV. 434
humilis *Mx.* III. 79
indica *Lam.* III. 77
latifolia *L.* III. 78
microcarpa *DC.* III. 78
multiflora *Roxb.* III. 79
nana *Roxb.* III. 79
occidentalis *DC.* III. 78
octandra *L. fil.* III. 80
octandra β Poir. III. 80
pallida *Lehm.* III. 80
Ammannia
parviflora *DC.* III. 77
pentandra *Roxb.* III. 79
peploides Spr. III. 76
pinnatifida *L. fil.* III. 80
pinnatifida L fil. III. 69
purpurea Lam III. 78
racemosa Poir. III. 80
ramosior *L.* III. 78
ramosior Walt. III. 79
repens *Rottl.* III. 80
rosea *Poir.* III. 80
rotundifolia *Roxb.* III. 79
rubra *Hamilt.* III. 80
sagittata *DC.* III. 80
sanguinolenta *Sw.* III. 80
senegalensis *Lam.* III. 77
verticillata *Lam.* III. 79
vesicatoria *Roxb.* III. 78
viridis *W.* III. 80
Ammannioides DC. III. 81
Ammi *Tour.* IV. 112 *Mx. Ed.*
acaule Spr. IV. 116
anethifolium *Lam.* IV. 113
Baeheri Hacq. IV. 112
Boeberi Hoffm. IV. 112
Broussonetii *DC.* IV. 113
capillaceum Spr. IV. 106
cicutaefolium W. herb.
cicutarium *W.* IV. 113
copticum L. IV. 108
costatum Ell. IV. 107
crinitum *Guss.* IV. 113
daucifolium Scop. IV. 15
daucoides *Salzm.* IV. 113
divaricatum Mx. IV. 107
glaucifolium Lapeyr. IV.
glaucifolium *L.* IV. 112
intermedium *DC.* IV. 113
majus *L.* IV. 112
majus Walt. IV. 106
Mathioli Dalech. IV. 108
petroselinoides Presl IV.
pumilum *DC.* IV. 113
pyrenaicum *Lapeyr.* IV. 11
rubricaule *Horn.* IV. 114
Visnaga *Lam.* IV. 113
AMMINEAE *Koch DC.* IV.5
Ammios Moench IV. 669
coptica Moench IV. 669
Ammodendron *Fisch.* II. 523
Sieversii *DC.* II. 523

Ammoides Adans. IV. 107
Amoenia Nestl. II. 588
Amordica Neck. III. 311
Amorcuxia *fl. mex.* II. 638
palmatifida *fl. mex.* II. 638
Amorpha *L.* II. 256
canescens *Nutt.* II. 256
fruticosa *L.* II. 256
glabra *Desf.* II. 256
herbacea *Walt.* II. 256
microphylla *Pursh* II. 256
nana *Nutt.* II. 256
pubescens W. II. 256
pumila Mx. II. 256
Amsa Neck. II. 432
Ampacus angustifolia Rumph I. 724
latifolia Rumph I. 724
AMPELIDEAE *H. B. et K. DC.* I. 627
Ampelopsis Mx. I. 632
hirsuta *Mx.* I. 633
Bastia DC. I. 633
cordata *Mx.* I. 633
heterophylla *Mx.* I. 633
hirsuta *Donn.* I. 633
pinnata *R. et Schult.* I. 633
ternata *DC.* I. 633
Amphicarpa Ell. II. 383
Amphicarpaea DC. II. 383
monoica *Ell. et Nutt.* II. 383
ternatea *Ell. et Nutt.* II. 383
Amphilochia Mart. III. 26
cordata *Mart.* III. 26
dichotoma *Mart.* III. 26
Amphinomia DC. II. 522
decumbens *DC.* II. 522
Amphiotis DC. IV. 433 (Anotis)
Amphymenium Kunth DC. II. 418 (Pterocarpus)
pubescens H. B. et K. II. 418
AMYGDALEAE *Juss. DC.* II. 529
Amygdalophora Neck. II. 530
Amygdalus *Tourn.* II. 530 *L. Juss.* II. 530, 531
arabica *Oliv.* II. 530
argentea *Lam.* II. 530
Besseriana Schott II. 530
campestris *Bess.* II. 530
cochinchinensis *Lour.* II. 531
communis *L.* II. 530
α amara *DC.* - -
β dulcis - -
γ fragilis - - 531
Amygdalus
δ macrocarpa *DC.* II. 531
ε persicoides - - -
fragilis Hell. II. 531
georgica Desf. II. 530
incana Pall. II. 538
microphylla *H. B. et K.* II. 531
nana Curt. II. 530
nana *L.* II. 530
α vulgaris *DC.* II. 530
β georgica - - -
γ campestris - - -
orientalis *Ait.* II. 530
Persica Lam. II. 531
Persica L. II. 531
Persica nectarina Ait. II. 531
pumila L. II. 539
AMYRIDEAE *Kunth DC.* II. 81
AMYRIDEAE R. Br. II. 75
Amyris *L.* II. 81
acuminata Poir. II. 78
altissima W. II. 77
ambrosiaca fl. mex. II. 78
ambrosiaca L. fil. II. 77
ambrosiaca W. II. 77
anisata *W.* II. 82
balsamifera L. II. 82
bipinnata *fl. mex.* II. 82
carana Humb. II. 78
cymosa Reich. II. 81
decandra W. II. 77
dentata W. II. 78
dyatripa *Spr.* II. 81
elemifera L. II. 81
enneandra W. II. 77
floridana *Nutt.* II. 81
gileadensis L. II 76
guianensis W. II. 77
heptaphylla *Roxb.* II. 82
heterophylla W. II. 77
Kataf Forsk. II. 76
Lypelata Rob. I. 614
maritima fl. mex. II. 82
maritima *Jacq.* II. 81
nana *Roxb.* II. 82
oleosa Lam. II. 80
Opobalsamum Forsk. II. 76
Opobalsamum L. II. 76
Philippaea *Lunan.* II. 82
pinnata *H. B. et K.* II. 82
Plumieri *DC.* II. 81
polygama Cav. II. 74
Protium L. II. 78
Robinsonii *DC.* II. 82

Amyris
sylvatica *Jacq.* II. 81
Tecomaca *DC.* II. 82
toxifera *W.* II. 81
xeylanica Retz II. 77
Anacampseros *Sims* III. 355 *L.* III. 360 *Tourn. Haw. Adans.* III. 401
Aixoon Haw. III. 402
albicans Haw. III. 402
albida Haw. III. 402
angustifolia *DC.* III. 356
arachnoides *Sims* III. 355
arguta Haw. III. 402
Cepaea Haw. III. 404
ciliaris Haw. III. 403
dentata Haw. III. 403
divaricata Haw. III. 411
filamentosa *Sims* III. 356
hybrida Haw. III. 402
lanceolata *DC.* III. 356
lanigera *Burch.* III. 356
livida Haw. III. 403
maxima Haw. III. 402
paucidens Haw. III. 402
pectinata Haw. III. 403
polyphylla *DC.* III. 356
purpurea Haw. III. 402
rubens *DC.* III. 356
rufescens *DC.* III. 356
sempervirens Haw. III. 404
spuria Haw. III. 402
telephiastrum *DC.* III. 355
telephioides Haw. III. 402
ternata Haw. III. 403
trigona *DC.* III. 356
triphylla Haw. III. 402
vulgaris Haw. III. 402

ANACARDIEAE *R. Br. DC.* II. 62

Anacardium *Rotth.* II. 62 *Kunth* II. 62 *Lam.* II. 62
latifolium Lam. II. 63
longifolium Lam. II. 62
occidentale *L.* II. 62
α americanum *DC.* II. 62
β indicum - - -
officinarum Gaertn. II. 62
orientale Offic. II. 62
Rhinocarpus *DC.* II. 62
Anagyris *Tourn.* II. 99 *Lour.* II. 98
foetida *L.* II. 99
β glauca *Hortul.* II. 99
foetida Lour. II. 98
inodora Lour. II. 99
Anagyris
latifolia *W.* II. 99
sinensis Steud. II. 98
Anamenia Vent. I. 23
coriacea Vent. I. 23
gracilis Vent. I. 23
Anastatica *Gaertn.* I. 185
hierochuntina *L.* I. 185

ANASTATICEAE *DC.* I. 185

Anavinga Lam. Gaertn. II. 48
lanceolata Lam. II. 51
ovata Lam. II. 49
Samyda Gaertn. II. 51
Anavinga Rheed. II. 49

ANCHONIEAE *DC.* I. 212

Anchonium *DC.* I. 212
Billardierii *DC.* I. 212
Ancistrum Forst. DC. II. 592 (Acaena
Acorna Lag. II. 592
anserinaefolium Forst. II. 59
argenteum H. B. et K. II. 59
barbatum Lam. II. 591
decumbens Gaertn. II. 592
decumbens Thunb. II. 592
diandrum Forst. II. 592
humile Pers. II. 593
laevigatum Lag. II. 593
latebrosum Gaertn. II. 592
lucidum Lam. II. 593
magellanicum Lam. II. 593
repens Vent. II. 592
Sanguisorbae L. fil. II. 592
sarmentosum Pet. Thuar. II. 592
Ancylanthus *Desf.* IV. 468
rubiginosa *Desf.* IV. 468
Andersonia acuminata Roxb. III. 17
Andira *Lam.* II. 475
excelsa *H. B. et K.* II. 475
Horsfieldii *Leschen.* II. 476
inermis *H. B. et K.* II. 475
racemosa *Lam.* II. 475
retusa *H. B. et K.* II. 475
β surinamensis *DC.* - 476
riparia *H. B. et K.* II. 475
Andreoskia *DC.* I. 190
eglandulosa *DC.* I. 190
integrifolia *DC.* I. 190
pectinata *DC.* I. 190
α β γ - - -
Androsace cana R. et Schult. I. 171

Androsaemum *All.* I. 543
officinale *All.* I. 543
Ancistrea DC. II. 121 (Priestleya)
Anemonanthea DC. I. 18 (Anemone)
Anemone *DC.* I. 16
aconitifolia Mx. I. 21
alba *Juss.* I. 20
albana *Ster.* I. 17
alpina Jacq. I. 17
alpina *L.* I. 17
α major *DC.* I. 17
β millefoliata - - -
γ micrantha - - -
δ brevicaulis - - -
ε virens - - 18
ζ intermedia - - -
η multifida - - -
angulosa Lam. I. 22
apennina *L.* I. 19
β γ - - -
apiifolia Hoppe I. 17
apiifolia Scop. I. 17
apiifolia W. I. 18
baldensis *L.* I. 19
biflora *DC.* I. 19
α bifoliata *DC* I. 19
β trifoliata - - -
capensis *L.* I. 18
caroliniana *Walt.* I. 19
cerina *Thunb.* I. 16
cernua *DC.* I. 19
coronaria *L.* I. 18
crocifolia *Juss.* I. 19
daburica *Fisch.* I. 17
decapetala *L.* I. 19
dichotoma *L.* I. 21
dubia *Bell.* I. 22
fasciculata *L.* I. 22
Fischeriana *DC.* I. 20
formosa *Spr.* I. 19
fragifera *Murr.* I. 20
fulgens *Gay* I. 18
fumariaefolia *Juss.* I. 19
geraniifolia *J. Bauh.* I. 19
Halleri *All.* I. 16
helleborifolia *DC.* I. 21
Hepatica *L.* I. 22
Hepatica *var. acuta Bigel.* I. 22
hortensis *L.* I. 18
hortensis *Thor.* I. 18
integrifolia *H. B. et K.* I. 22
Anemone
intermedia Schult. I. 17
isopyroides *Juss.* I. 20
lancifolia *Pursh* I. 20
latifolia Moris. I. 18
longipetala Schleich. I. 17
Ludoviciana Nutt. I. 17
lutea Lam. I. 20
mexicana *H. B. et K.* I. 21
millefoliata Bertol. I. 17
minima *DC.* I. 20
multifida Banks herb. I. 21
multifida *DC.* I. 21
α magellanica *DC.* I. 21
β hudsoniana - - -
γ uniflora - - -
multifida Poir. I. 21
multifida γ Deless. I. 21
myrrhidifolia β Vill. I. 18
narcissiflora *L.* I. 21
β fasciculata *DC.* I. 22
γ monantha - - -
δ pedicellaris - - -
ε frigida - - -
ζ villosissima - - -
nemorosa *L.* I. 20
β quinquefolia *DC.* I. 20
Nuttalliana *DC.* I. 17
ochotensis Fisch. I. 21
palmata *L.* I. 19
β flore pleno *L.* I. 19
parviflora *Mx.* I. 19
patens *L.* I. 16
β ochroleuca *DC.* I. 17
pavonina *DC.* I. 18
β fulgens - - -
pavonina Lois. I. 18
pedata *Rafin.* I. 22
pensylvanica *L.* I. 21
β Laxmanni *DC.* - -
praecox Salisb. I. 22
pratensis *L.* I. 17
β obsoleta *DC.* I. 17
Pulsatilla *L.* I. 17
β rubra *Lam.* I. -
γ lilacina *DC.* - -
δ daburica - - -
pusilla *DC.* I. 18
pusilla Deless. I. 18
quinquefolia L. I. 20
ranunculoides *L.* I. 20
reflexa *Steph.* I. 20
rivularis *Buchan.* I. 21
sibirica *L.* I. 22

Anemone
stellata *Lam.* I. 18
sulphurea L. I. 18
sylvestris *L.* I. 20
β - - -
tenella Pursh I. 19
tenuifolia *DC.* I. 18
thalictroides L. I. 15
trifolia *L.* I. 20
trilobata Juss. I. 19
triternata *Vahl* I. 19
umbellata *W.* I. 22
uralensis *DC.* I. 19
vernalis *L.* I. 16
β γ - - -
versicolor Salisb. I. 18
virginiana *L.* I. 21
vitifolia *Buchan.* I. 21
Walteri *Pursh* I. 22
ANEMONEAE *DC.* I. 10
Anemonospermos DC. I. 21 (Anemone)
Anethum *Tourn.* IV. 185 *L.* IV. 185, 142
capense Thunb. IV. 142
cymbocarpum *DC.* IV. 186
dulce DC. IV. 142
erythraeum *DC.* IV. 186
Foeniculum L. IV. 142
Foeniculum Thunb. IV. 142
Foeniculum β piperitum DC. IV. 142
graveolens *L.* IV. 186
graveolens Ucria IV. 186
minus Gouan IV. 186
Panmorium Roxb. IV. 142
Pastinaca Wib. IV. 189
pinnatum R. et Pav. IV. 105
piperitum Bertol. IV. 142
pusillum Hortul. IV. 186
segetum *L.* IV. 186
Sowa *Roxb.* IV. 186
Angelica *Hoffm.* IV. 167 *L.* IV. 167, 169 *Spr.* IV. 165, 167, 168, 169 *Lag.* IV. 167, 169 *Lam.* IV. 164, 200 *All.* IV. 164 *Fisch.* IV. 167 *Hoffm.* IV. 183 *DC.* IV. 164 *Koch* IV. 168 *Tourn.* IV. 99
angustifolia Hoffm. IV. 183
aquilegifolia Lam. IV. 200
Archangelica L. IV. 169
atropurpurea *L.* IV. 168
Angelica
bracteata *Roxb.* IV. 16
Candollii Wall. IV. 1
carvifolia Spr. IV. 1
chaerophyllaea *Lotter*
ebulifolia Lapeyr. IV
Fischeri Spr. IV. 152
Gmelini Wormsk. IV
hirsuta Mühl. IV. 16
integrifolia *Walt.* IV. 1
laevigata Catalog. Go
Levisticum All. IV. 1
lobata Walt. IV. 168
lucida *L.* IV. 168
major Lag. IV. 170
montana *Schleich.* IV.
officinalis Bernh. IV
officinalis Moench IV
paludapifolia Lam. I
palustris Bess. IV. 16
paniculata Lam. IV.
pratensis MB. IV. 16
pyrenaea *Spr.* IV. 168
pyrenaica tenuifolia
Razoulii All. IV. 167
Rasoulsii *Gou.* IV. 167
β *DC.* IV. 167
Razulii var. β Lois.
sativa Mill. IV. 169
scabra *Petit* IV. 168
scotica Lam. IV. 157
sylvestris *L.* IV. 168
sylvestris var. Vill. I
Tournefortiana Cus
triquinata Big. IV. 16
triquinata *Mx.* IV. 168
verticillaris L. IV. 18
ANGELICEAE *Koch*
Angelicoides DC. IV. 18
Angolam Adans. III. 203
Angolamia Scop. III. 203
Angophora *Cav.* III. 222
cordifolia *Cav.* III. 222
intermedia *DC.* III. 222
lanceolata *Cav.* III. 222
Angostura R. et Schult.
Cuspare R. et Schult.
Anguina Mich. III. 313

Aegaria *L.* III. 318
integrifolia *Nees et Mart.* III. 319
pedata *L.* III. 319
pedatisecta *Nees et Mart.* III. 319
rosea *H. B. et K.* III. 319
trifoliata *L.* III. 319
trilobata *L.* III. 319
umbrosa *H. B. et K.* III. 319
Anidrum Neck. IV. 249
Anisactis DC. IV. 214 (Daucus)
Anisanthus W. IV. 338
microphyllus W. IV. 339
Anisosciadium *DC.* IV. 234
orientale *DC.* IV. 234
Anisum Adans. DC. IV. 122 (Pimpinella)
moluccanum Rumph IV. 254
officinale Moench IV. 122
vulgare Clus. IV. 122
Ankenda Herm. I. 722
Anneslea Salisb. II. 442
Anneslea spinosa Andr. I. 114
Anneserhiza *Cham. et Schlecht.* IV. 139
cupensis *Cham. et Sch.* IV. 140
Anocarpum DC. I. 222 (Diplotaxis)
Anoda *Cav.* I. 458
acerifolia *DC.* I. 459
crenatifolia Ort. I. 459
Dilleniana *Cav.* I. 458
hastata *Cav.* I. 458
incarnata *H. B. et K.* I. 459
parviflora *Cav.* I. 459
punicea Lag. I. 459
triangularis *DC.* I. 459
triloba *Cav.* I. 458
Anodontea DC. I. 163 (Alyssum)
Anogeissus DC. III. 16 (Conocarpus)
Anona *Lour.* II. 480
cochinchinensis *Lour.* II. 480
Moringa Lour. II. 478
Anomalopteris DC. I. 592 (Heteropteris)
Anona *Adans.* I. 83
africana *L.* I. 86
Ambotay *Aubl.* I. 84
amplexicaulis *Lam.* I. 86
asiatica *L.* I. 86
asiatica α Dunal I. 86
asiatica var. β Dunal I. 85
Anona
atabapensis *H. B. et K.* I. 86
axilliflora *DC.* I. 86
Bonplandiana *H. B. et K.* I. 86
Cherimolia *Mill.* I. 85
cinerea *Dunal* I. 85
distincta Willem. I. 94
dolabripetala *Raddi* I. 86
echinata *Dunal* I. 85
excelsa *H. B. et K.* I. 86
exsucca *Dunal* I. 86
Forskahlii *DC.* I. 85
glabra Forsk. I. 85
glabra *L.* I. 85
grandiflora *Lam.* I. 86
β madagascariensis *Pers.* I. 86
Humboldtiana Kunth I. 84
Humboldtii *Dunal* I. 84
laevis *H. B. et K.* I. 87
laurifolia *Dunal* I. 84
longifolia *Aubl.* I. 84
Manirote *H. B. et K.* I. 86
mucosa *Jacq.* I. 85
muricata *L.* I. 84
β - - -
Myristica Gaertn. I. 87
obtusifolia *Tussac* I. 84
paludosa *Aubl.* I. 85
palustris *L.* I. 84
peruviana *H. et Bonpl.* I. 84
punctata *Aubl.* I. 84
purpurea *Moç. et Sessé* I. 84
pygmaea Bartr. I. 87
quindiuensis *H. B. et K.* I. 87
reticulata Jacq. I. 85
reticulata *L.* I. 85
α β - - -
riparia *H. B. et K.* I. 86
senegalensis *Pers.* I. 86
sericea *Dunal* I. 85
squamosa *L.* I. 85
triloba L. I. 87
tripetala Ait. I. 85
uliginosa Kunth I. 84
uniflora *Dunal* I. 86
ANONACEAE *Juss. DC.* I. 83
Anonis Tourn. Moench II. 158
orientalis Vaill. II. 165
scariosa Moench II. 163
Anonymos aquatica Walt. III. 90
bracteata Walt. II. 317
procumbens Walt. IV. 433
rotundifolia Walt. II. 125

Anopterus *Labill.* IV. 6
glandulosa *Labill.* IV. 6
Anotea DC. I. 445 (Malvaviscus)
Anotis *DC.* IV. 431
Cervantesii *DC.* IV. 432
conferta *DC.* IV. 431
ericoides *DC.* IV. 433
filiformis *DC.* IV. 431
hypnoides *DC.* IV. 432
juniperifolia *DC.* IV. 432
lanceolata *DC.* IV. 433
laricifolia *DC.* IV. 432
microphylla *DC.* IV. 432
rotundifolia *DC.* IV. 433
Salzmanni *DC.* IV. 433
serpens *DC.* IV. 433
setosa *DC.* IV. 432
thymifolia *DC.* IV. 432
β thesioides - - -
γ hyssopifolia *DC.* IV. 432
Antacanthus Rich. IV. 484
Antelaea Gaertn. II. 41
Anthactinia Bory. III. 327
Anthema Med. DC. I. 439 (Lavatera)
Antherura *Lour.* IV. 503
rubra *Lour.* IV. 503
Antherylium *Rohr* III. 91 *Spr.* III. 91
floribundum Spr. III. 92
grisleoides Spr. III. 92
purpuratum Spr. III. 92
Rohrii *Vahl* III 91
Anthoclista Afz. II. 89
Anthodon *R. et Pav.* I. 569
crassifolium *Mart.* I. 570
decussatum *R. et Pav.* I. 569
ellipticum *Mart.* I. 569
glomeratum *Mart.* I. 570
grandifolium *Mart.* I. 569
micranthum *Mart.* I. 570
oblongifolium *Mart.* I. 569
paniculatum *Mart.* I. 569
undulatum *Mart.* I. 569
Anthodus Mart. I. 569
Antholoma *Labill.* I. 565
montana *Labill.* I. 565
Anthonota *Beauv.* II. 510
macrophylla *Beauv.* II. 510
Anthora DC. I. 56 (Aconitum)
versicolor Stev. I. 57
ANTHOSPERMEAE *Cham. et Schlecht. DC.* IV. 343, 578
Anthospermum *L.* IV. 579 *Thunb.* IV. 579
Anthospermum
aethiopicum *L.* IV. 580
Bergianum *Cruse* IV. 579
ciliare *L.* IV. 580
Galopina Thunb. IV. 579
herbaceum L. fil. IV. 580
hirsutum *Cruse* IV. 580
lanceolatum Sieb. IV. 580
lanceolatum *Thunb.* IV. 580
Lichtensteinii *Cruse* IV. 578
paniculatum *Cruse* IV. 580
scabrum *Thunb.* IV. 580
spathulatum *Spr.* IV. 580
Sieb. Nr. 239. IV. 580
Anthriscus *Hoffm. Spr.* IV. 22
capensis Spr. IV. 125
Caucalis MB. IV. 224
Cerefolium *Hoffm.* IV. 223
β trichospermum *Koch* - 224
Cicutaria *Duby* IV. 223
fumarioides *Spr.* IV. 224
humilis Bess. IV. 223
nemorosa Koch IV. 223
nemorosa *Spr.* IV. 223
β lucida *DC.* - -
nodosa Spr. IV. 225
procerus Bess. IV. 223
sicula *DC.* IV. 223
β scabra *DC.* IV. 223
sylvestris *Hoffm.* IV. 223
β tenuifolia *DC.* IV. 223
γ pilosula - - -
δ scabrida - - -
sylvestris γ DC. IV. 227
torquata *Duby* IV. 223
trichosperma Pers. IV. 22
trichosperma Schult. IV.
tuberculata Schult. IV. 2
vulgaris Hoffm. IV. 224
vulgaris *Pers.* IV. 224
Anthyllis *L.* II. 168 *Adans.* 373, 376 *Lam.* II.
Aspalathi *DC.* II. 169
aspalathoides L. II. 142
asphaltoides Burm. II. 1
Barba-Jovis *L.* II. 169
chilensis *DC.* II. 171
cornicina *L.* II. 171
cornicina Poir. II. 171
cretica Lam. II. 350
cuneata Dum. Cours II. 3
cuneata Hamilt. II. 349
cytisoides *L.* II. 169
Dillenii Schult. II. 170
erinacea *L.* II. 169
Genistae *Dufour* II. 169

Anthyllis
Gerardi *L.* II. 169
hamosa *Desf.* II. 171
Hermanniae *L.* II. 169
heterophylla *L.* II. 170
incisa *W.* II. 170
indica *Lour.* II. 170
involucrata *L.* II. 167
linifolia *L.* II. 142
lotoides *L.* II. 171
montana *L.* II. 170
onobrychioides *Cav.* II. 169
ononidea *Burm.* II. 168
polycephala *Desf.* II. 170
polyphylla *Kit.* II. 170
pumpueflora *L. fil.* II. 141
rustica *Mill.* II. 170
sericea *Lag.* II. 170
sericea *W.* II. 350
splendens *W.* II. 170
tetraphylla *L.* II. 171
tragacanthoides *Desf.* II. 299
tragacanthoides *Labill.* II. 299
vesicaria *L.* II. 168
Vulneraria *L.* II. 170
α flor. flavis *DC.* II. 170
β albiflora - - -
γ rubriflora - - -
δ hirsutissima - - -
ε Allionii - - -
ζ polyphylla - - -
η Schimperschii - - -
Vulneraria Schiw. II. 170
Antiscborus *L. fil.* I. 504
depressus *L. fil.* I. 504
Antiphylla *Haw.* IV. 17
arctica *Haw.* IV. 33
bifora *Haw.* IV. 18
coerulea *Haw.* IV. 18
retusa *Haw.* IV. 18
spathulata *Haw.* IV. 33
Antirhamnus *DC.* II. 26 (Rhamnus)
Antirrhoea *Comm.* IV. 459
borbonica *Gmel.* IV. 459
linifolia *Bory* IV. 459
β latifolia *DC.* IV. 460
γ ramosa - - -
lanceolata *DC.* IV. 460
Lottsiana *Comm.* IV. 459
verticillata *DC.* IV. 459
Anychia *Mx.* III. 369
argyrocoma *Mx.* III. 372
capillacea *DC.* III. 369
dichotoma *Mx.* III. 369
dichotoma α *Torr.* III. 369
Anychia
dichotoma β Torr. III. 369
Herniariae Pers. III. 372
herniarioides Ell. III. 368
herniarioides Mx. III. 372
Aotus *Sm.* II. 108
ferruginea Labill. II. 108
villosa *Sm.* II. 108
α ericoides *DC.* II. 108
β ferruginea - - -
villosa Sims II. 108
virgata *DC.* II. 108
Apalatoa Aubl. II. 519
spicata Aubl. II. 519
Apanxaloa Hern. III. 88
Aparine Tourn. IV. 581 *Moench Neck. Tourn.* IV. 593 *DC.* IV. 605 (Galium)
hispida Moench IV. 608
latifolia Moench IV. 606
minima All. IV. 610
verrucosa Moench IV. 608
APARINEAE Link IV. 580
APARINES Adans. IV. 341
Apatelia *DC.* I. 526
biserrata *DC.* I. 526
glabrata *DC.* I. 526
lanceolata *DC.* I. 526
β peduncularis *DC.* I. 526
Apatitia blakeoides Desv. III. 485
Apeiba *Aubl.* I. 514
aspera *Aubl.* I. 515
discolor *DC.* I. 515
echinata *Gaertn.* I. 515
glabra *Aubl.* I. 515
hirsuta Lam. I. 514
hispida Gaertn. I. 514
Petoumo *Aubl.* I. 514
Tibourbou *Aubl.* I. 514
ulmifolia *H. B. et K.* I. 514
Aphaca Tourn. II. 369
Aphanes L. DC. II. 590 (Alchemilla)
arvensis L. II. 590
cornucopioides Lag. II. 591
orbiculata Pers. II. 590
pinnata Pers. II. 590
Aphloia DC. I. 261 (Prockia)
Aphora Neck. II. 101
Aphragmus *Andrz.* I. 209
Eschscholtzianus *Andrz.* I. 210
Aphyllodium DC. II. 339 (Dicerma)
Apinella Neck. IV. 103

Arabis
supina Lam. I. 194
Thaliana *L.* I. 144
β - - -
thyrsoidea *Sibth. et Sm.* I. 143
toxophylla *MB.* I. 143
tuberosa Pers. I. 149
Turrita *L.* I. 146
β longisiliqua *DC.* I. 146
γ pendula *Lach.* - -
umbrosa Stev. I. 146
undulata *Link* I. 142
verna *R. Br.* I. 142
viscosa *DC.* I. 142
vochinensis *Spr.* I. 148
Aruchidna Plum. II. 474
Arachis *L.* II. 474
africana Burm. II. 474
africana Lour. II. 474
aprica Walt. II. 318
asiatica Lour. II. 474
fruticosa Retz II. 318
hypogaea *L.* II. 474
β glabra *DC.* - -
Arachnimorpha Desv. IV. 406
incana Ham. IV. 407
Aralia *Don* IV. 257 *L. et Auct.* IV. 257, 261 *Schult.* IV. 255 *Blume* IV. 257, 259, 261, 265
acerifolia W. IV. 264
acutifolia W. IV. 263
angularis W. IV. 263
arborea L. IV. 262
argentata H. B. et K. IV. 263
aromatica Blume IV. 265
avicenniaefolia H. B. et K. IV. 263
capitata Jacq. IV. 262
catalpaefolia W. IV. 263
cheirophylla Spr. IV. 264
chinensis *L.* IV. 259
cochleata Lam. II. 253
cordata *Thunb.* IV. 258
crassinervia H. B. et K. IV. 263
cumanensis H. B. et K. IV. 263
digitata W. IV. 264
discolor H. B. et K. IV. 263
disperma Blume IV. 265
Echinops Cham. et Schl. IV. 670
erinacea *Hook.* IV. 259
ferruginea H. B. et K. IV. 264
floribunda H. B. et K. IV. 264
glomerulata Blume IV. 265
Aralia
heterophylla Mutis IV. 26
heterophylla W. IV. 263
hispida *Mx.* IV. 258
Humboldtiana W. IV. 264
humilis *Cav.* IV. 258
japonica *Thunb.* IV. 258
jatrophaefolia H. B. et K.
incisa W. IV. 264
lucescens Blume IV. 265
Maralia Schult. IV. 255
micans W. mss. IV. 253
micans *W. herb.* IV. 258
montana *Blume* IV. 259
Muhlenbergiana Schult.
multiflora Pohl IV. 262
Mutisiana H. B. et K. IV.
nodosa Blume IV. 265
nudicaulis Blume IV. 257
nudicaulis *L.* IV. 257
obtusiloba H. B. et K. IV.
occidentalis W. herb. IV.
octophylla *Lour.* IV. 258
palmata *Lam.* IV. 258
palmata Lour. IV. 264
palmata W. herb. IV. 264
parasitica Hamilt. IV. 26
pentaphylla *Thunb.* IV. 259
pergamacea Blume IV. 26
platanifolia H. B. et K.
pubescens *DC.* IV. 258
quinduensis H. B. et K.
racemosa *L.* IV. 258
ramiflora Pohl IV. 262
reticulata W. IV. 264
rigida Blume IV. 266
rugosa Blume IV. 265
scabra Presl IV. 258
scandens Poir. IV. 264
Schefflera *Spr.* IV. 258
Sciodaphyllum Sw. IV. 26
septemnervia H. B. et K.
simillima Blume IV. 265
spinosa *L.* IV. 259
tarchonanthifolia W. IV.
trigyna Gaudich. IV. 253
triphylla Poir. IV. 252
turbacensis H. B. et K.
umbellata Pohl IV. 262

Arabis
ambigua *DC.* I. 145
α glabra - - 146
β intermedia *DC.* I. 146
γ erecta - - -
andicola H. B. et K. I. 142
angustifolia *Lam.* I. 148
arenosa *Scop.* I. 146
aspera All. I. 143
auriculata *Lam.* I. 143
α β γ δ - - -
bellidifolia Crantz I. 147
bellidifolia *Jacq.* I. 147
β - - -
Billardierii *DC.* I. 142
brassicaeformis Wallr. I. 199
brevifolia *DC.* I. 143
bursifolia Lam. I. 195
canadensis *L.* I. 147
α mollis *Raf.* - -
β falcata *Mx.* - -
capensis Burm. I. 231, 232
caucasica W. I. 142
cebennensis *DC.* I. 146
ciliaris W. I. 147
ciliata *R. Br.* I. 144
Clusiana Schrank I. 142
coerulea *Wulf.* I. 147
collina *Ten.* I. 148
Commersonii *DC.* I. 145
Crantziana Ehrh. I. 145
crispata *W.* I. 143
cartisiliqua *DC.* I. 144
dasycarpa *Andrz.* I. 149, 143
grandiflora L. I. 156
Halleri *L.* I. 146
hastulata Bert. I. 150
Heliophila *DC.* I. 147
hirsuta *Scop.* I. 144
hirsuta Sm. I. 144
humilis Schleich. I. 144
incana *Roth* I. 144
incarnata Pall. I. 141
integrifolia *Lapeyr.* I. 148
kamtschatica Fisch. I. 146
laevigata *DC.* I. 147
lasioloba *Link* I. 146
laxa *Sm.* I. 148
longifolia *DC.* I. 143
longisiliqua Wallr. I. 144
lucida *L. fil.* I. 148
lyraefolia *DC.* I. 148
lyrata *L.* I. 146
β kamtschatica *Fisch.* I. 146
mollis *Stev.* I. 143

Arabis
multiflora *DC.* I. 148
muralis *Bertol.* I. 144
nova Vill. I. 143
nudicaulis DC. I. 156
ovata Poir. I. 144
ovirensis *Wulf.* I. 146
oxyota *DC.* I. 147
parviflora Raf. I. 144
parvula *Dufour* I. 145
Patriniana *DC.* I. 147
pendula *L.* I. 147
pendula Patrin. herb. I. 147
pendula Steller I. 148
perfoliata Lam. I. 142
petiolata *MB.* I. 148
petraea *Lam.* I. 145
α Crantziana *DC.* I. 145
β hispida - - -
γ hastulata - - -
δ foeroensis - - -
ε runcinata - - -
petraea Lam. I. 145
pinnatifida Lam. I. 195
praecox *W. et K.* I. 145
procurrens *W. et K.* I. 145
pubescens *Poir.* I. 145
pumila *Wulf.* I. 147
purpurea Sibth. et Sm. I. 158
recta Baumg. I. 143
recta Vill. I. 143
recta Wallr. I. 143
reptans *Lam.* I. 148
resediflora H. B. et K. I. 139
resedifolia Lam. I. 150
rhomboidea Pers. I. 149
Roemeriana Andrz. I. 145
rosea *DC.* I. 142
sagittata *DC.* I. 143
α Gerardiana *DC.* I. 144
β subglabrata - - -
γ ovata - - -
δ oblongata - - -
ε longisiliqua - - -
saxatilis *All.* I. 143
β *Reyn.* I. 143
Schiwereckiana *Andrz.* I. 145
serpyllifolia *Vill.* I. 145
siliculosa *Lam.* I. 149
spathulata *DC.* I. 145
Stelleri *DC.* I. 148
stellulata *Bertol.* I. 147
stenopetala *W.* I. 148
stolonifera *Horn.* I. 146
stricta *Huds.* I. 144

Arenaria
glutinosa *MB.* I. 401
Gmelini *Fisch.* I. 402
graminifolia *Schrad.* I. 401
β glaberrima - - 402
graminifolia W. I. 402
grandiflora *L.* I. 404
β multiflora *DC.* - -
γ triflora - - -
δ stolonifera - - -
grandis *H. B. et K.* I. 401
gypsophiloides *Schreb.* I. 403
Helmii *Fisch.* I. 404
herniariaefolia Desf. I. 413
heteromalla MB. I. 407
heteromalla Pers. I. 407
hirsuta *MB* I. 406
hirta *Wormsk.* I. 405
hispida *L.* I. 405
holostea Beaupré I. 402
holostea *MB.* I. 402
hybrida Vill. I. 406
imbricata Lag. I. 409
imbricata *MB.* I. 403
imbricata Rafin. I. 409
intricata Duf. I. 410
juncea *MB.* I. 408
juniperina *L.* I. 403
juniperina Vill. I. 404
Juressi *W. herb.* I. 408
lanceolata *All.* I. 410
β cherlerioides *DC.* I. 410
laricifolia *L.* I. 404
α multiflora *Ser.* I. 404
β striata - - -
laricifolia Vill. I. 404
lateriflora *L.* I. 412
laxa Fisch. I. 404
Laxmanni Fisch. I. 402
linearifolia Poir. I. 410
liniflora Jacq. I. 404, 405
longifolia *MB.* I. 402
lychnidea *MB.* I. 402
β glabra - - -
lycopodioides *W. herb.* I. 404
macrocarpa Horn. I. 408
macrocarpa Kit. I. 404
macrocarpa *Pursh* I. 405
marginata DC. fl. fr. I. 401
marginata *MB* I. 408
marina Roth I. 401
marina Sm. I. 401
media *L.* I. 401
mediterranea *Ledeb.* I. 406

Arenaria
mixta Lapeyr. I. 4
modesta *Duf.* I. 41(
molluginea *Ser.* I. 4
molluginifolia *Pourr*
montana *L.* I. 410
β intricata *L.* I. 410
mucronata *DC.* I. 40
multicaulis Wulf.
muralis Sieb. I. 40
muscoides *H B et*
muscorum Adams
muscorum *Fisch.* I.
muscosa Med. I. 41
mutabilis Lapeyr.
nana W. herb. I. 4
nemorosa *H. B. et K*
α quitensis *DC.*
β novogranatensis -
norvegica *Gunn.* I.
obtusa All. I. 408
occulta Fisch. I. 40
otitoides *Adams* I. 4
oxypetala *Sibth. et S*
patula *Mx.* I. 405
pendula *W. et K.* I.
pentagyna Moç. et
pentandra Duf. I.
peploides Lapeyr.
peploides *L.* I. 413
peploides L. Ill. 36(
pharnaceoides *Ser.* I.
physodes *Fisch.* I. 4
picta *Sibth. et Sm.* I.
pinifolia *MB.* I. 403
polygonoides *Wulf.*
β occulta *DC.* I. 408
procera *Spr.* I. 403
procumbens *Vahl* I.
prostrata *Ser.* I. 400
pubescens *D'Urv.* I.
pulchra *W. herb.* I. 4
pungens *Clem.* I. 403
pungens Steph. I. 4
purpurascens *Ram.* I.
purpurea *Pers.* I. 401
purpurea W. herb.
Purshiana *Ser.* I. 414
Raddiana *Ser.* I. 412
Rafinesquiana *Ser.* I.
Ramondi Poir. I. 41
ramosissima *W.* I. 40
recurva *All.* I. 406
β hispidula *Ser.* I. 406
repens *Ser.* I. 410

Arenaria
rigida *MB.* I. 402
Rosani *Ten.* I. 413
rostrata W. et K. I. 404
rotundifolia *MB.* I. 412
rubra *L.* I. 401
α campestris *L.* I. 401
β marina - - -
rubra β Mx. I. 401
rupestris *Lahill.* I. 407
ruscifolia *Poir.* I. 410
sajanensis *W. herb.* I. 408
salina *Ser.* I. 401
saxatilis *L.* I. 405
saxatilis Lois. I. 407
scabra *Poir.* I. 411
scopulorum *H. B. et K.* I. 411
segetalis *Lam.* I. 400
sericea *Ser.* I. 414
serpens Fisch. I. 404
serpens *H. B. et K.* I. 412
serpyllifolia *L.* I. 411
β viscida *Ser.* - -
setacea Adams I. 403
setacea Fisch. I. 402
setacea *Thuill.* I. 407
α pilosa *Ser.* - -
β rugosa - - -
sibirica Pers. I. 403
spathulata *Desf.* I. 413
Spergula *Duf.* I. 401
spinuliflora *Ser.* I. 406
squarrosa *Mx.* I. 403
stellarioides Pers. I. 404
stellarioides *W. herb.* I. 414
stolonifera Vill. I. 404
striata Vill. I. 404
stricta *Mx.* I. 403
subulata *Ser.* I. 403
α glandulifera *Ser.* I. 403
β glabrata - - -
succulenta *Ser.* I. 400
sulcata Schlecht. I. 405
tenuifolia *L.* I. 405
α Vaillantiana *DC.* I. 406
β Barrelieri - - -
γ simpliciuscula *Ser.* I. 406
δ hybrida *DC.* - -
ε viscidula - - -
tenuifolia var. Schlecht. I. 406
tetragyna *W. herb.* I. 413
tetraquetra *L.* I. 409
α laxifolia *DC.* - -
β densifolia - - -
Arenaria
thymifolia Pursh I. 414
thymifolia *Sibth. et Sm.* I. 414
triandra *Schrank* I. 406
triflora L. I. 404
triflora Vill. I. 404
trinervia *L.* I. 412
uliginosa *Schleich.* I. 407
β purpurata *Ser.* - -
umbellata *Soland.* I. 414
verna *L.* I. 405
β caespitosa *DC.* I. 405
γ minor *Ser.* - -
verticillata *W.* I. 408
Villarsii Rolb. I. 404
villosa *Ledeb.* I. 406
violacea *Ledeb.* I. 410
viscidula Thuill. I. 406
viscosa Fisch. I. 403
viscosa Pers. I. 406
Wallichiana *Ser.* I. 411
ARENARIAE Lam. I. 351
Arenarium Ser. I. 401 (Arenaria)
Aretia cana W. herb. I. 171
Aretiastrum DC. IV. 633 (Valeriana)
Argemone *Tourn.* I. 120
armeniaca L. I. 120
mexicana *L.* I. 120
β albiflora *Horn.* I. 120
pyrenaica L. I. 118
Argostemma *Wall.* IV. 417
borragineum *Blume* IV. 417
montanum *Blume* IV. 418
pauciflorum *Blume* IV. 418
pictum *Wall.* IV. 417
rostratum *Wall.* IV. 417
sarmentosum *Wall.* IV. 417
uniflorum *Blume* IV. 418
verticillatum *Wall.* IV. 417
Aria DC. II. 635 (Pyrus)
Aristotelia *L'Herit.* II. 56
glandulosa R. et Pav. II. 56
Maqui *L'Herit.* II. 56
Armeniaca *Tourn.* II. 531
atropurpurea Lois. II. 532
brigantiaca *Pers.* II. 532
dasycarpa *Pers* II. 532
β persicifolia *Lois.* - -
sibirica *Pers.* II. 532
vulgaris *Lam.* II. 532
α ovalifolia *Ser.* - -
β cordifolia - - -

Armeriastrum Ser. I. 355 (Dianthus)
Armoracia DC. I. 172 (Cochlearia)
Arnoldia *Blume* IV. 12
heterophylla *Blume* IV. 12
pinnata *Blume* IV. 12
Arocira Marcg. II. 74
Arongana Pers. I. 541
Arouna vide Aruna
Aronia arbutifolia Pers. II. 637
Botryapium Pers. II. 632
cretica Pers. II. 633
pyrifolia Pers. II. 637
rotundifolia Pers. II. 632
sanguinea Nutt. II. 633
subcordata Rafin. II. 632
Arpitium Neck. IV. 163
Arracacha *Bancr.* IV. 243
esculenta *DC.* IV. 244
moschata *DC.* IV. 244
xanthorhiza Bancr. IV. 244
Artabotrys odoratissimus R.Br. I. 90
Artedia *L.* IV. 208
muricata L. IV. 210
squamata *L.* IV. 209
squamata Pall. IV. 98
Arthrophyllum *Blume* IV. 266
diversifolium *Blume* IV. 266
ellipticum *Blume* IV. 266
javanicum *Blume* IV. 266
Arthrostemma *Pav.* III. 135 *Don* III. 123, 138
angusturense *DC.* III. 135
Aubletii *DC.* III. 137
Bonplandii *DC.* III. 138
calcaratum *DC.* III. 138
campanulare *DC.* III. 136
ciliatum *Pav.* III. 138
dicranantherum *DC.* III. 138
herbaceum *DC.* III. 137
hirsutissimum *DC.* III. 137
ladanoides *DC.* III. 136
latifolium *Don* III. 138
lineatum *Don* III. 138
lutescens *DC.* III. 136
Martiusianum *DC.* III. 137
multiflorum *DC.* III. 138
multiflorum Don III. 138
myrtoideum *DC.* III. 138
nummularioides *DC.* III. 137
paniculatum Don III. 123
piloselloides *DC.* III. 136
polygonoides *DC.* III. 137
Arthrostemma
quinquenerve *DC.* III. 136
rosmarinifolium *DC.* III. 1
versicolor *DC.* III. 137
villosum *DC.* III. 137
Aruba Nees et Mart. I. 729
alba Nees et Mart. I. 72
coerulea Nees et Mart.
guianensis Aubl. I. 734
Aruna (Arouna) Schreb. 1
divaricata W. II. 520
guianensis Aubl. II. 520
Aruncus Ser. II. 545 (Spir
Asaphes *DC.* II. 90
undulata *DC.* II. 90
Asclepias lactifera Burm
Ascyreia Chois. I. 544 (H
Ascyrum *L.* I. 555
amplexicaule *M.r.* I. 555
Crux Andreae *L.* I. 555
β angustifolium - - -
humifusum Lahill. I. 549
hypericoides Ait. I. 555
hypericoides *L.* I. 155.
involutum Lahill. I. 549
pauciflorum *Nutt* I. 555
pumilum *M.r.* I. 555
stans *M.r.* I. 555
Ascyum Vahl I. 566
violaceum Vahl I. 566
Asephananthes Bory III. 3
Asimina *Adans.* I. 87
campechiana *H. B. et K.* I.
grandiflora *Dunal* I. 87
parviflora *Dunal* I. 87
pygmaea *Dunal* I. 87
triloba *Dunal* I. 87
Aspalathoides DC. II. 169 (thy
Aspalathus *L.* II. 137 *Neck.* II.
abietina *Thunb.* II. 141
aculeata *Thunb.* II. 138
acuminata *Lam.* II. 138
acuminata Thunb. II. 143
affinis *Thunb.* II. 140
Agardhiana *DC.* II. 143
albens L. II. 139
albens *Thunb.* II. 138
ambigua *DC.* II. 143
anthylloides *L.* II. 142
anthylloides Thunb. II. 14
araneosa *L.* II. 141

Aspalathus
arborea *Lour.* II. 144
argentea *L.* II. 142
argyraea *DC.* II. 139
armata *Thunb.* II. 139
asparagoides *L. fil.* II. 159
astroites *L.* II. 138
bracteata *Thunb.* II. 144
callosa *Burm.* II. 101
callosa *L.* II. 143
candicans *Ait.* II. 142
canescens *L.* II. 141
β *DC.* II. 141
canescens *Thunb.* II. 141
capitata *L.* II. 138
carnosa *L.* II. 140
cephalotes *Thunb.* II. 141
chenopoda *L.* II. 138
ciliaris *L.* II. 142
cinerea *Thunb.* II. 142
comosa *Thunb.* II. 141
corrudaefolia *Berg.* II. 139
crassifolia *Andr.* II. 140
cretica *L.* II. 169
cuneata *Don* II. 349
cymbaeformis *DC.* II. 140
α hirta - - -
β pubescens - - -
cytisoides *Lam.* II. 143
divaricata *Thunb.* II. 141
Ebenus *L.* II. 421
ericifolia *Berg.* II. 139
ericifolia *L.* II. 139
erinacea *Lam.* II. 169
flexuosa *Thunb.* II. 139
frankenioides *DC.* II. 139
fusca *Thunb.* II. 143
galioides *Berg.* II. 140
genistoides *L.* II. 140
glomerata *L. fil.* II. 138
heterophylla *L. fil.* II. 142
hispida *Thunb.* II. 139
hystrix *L. fil.* II. 139
incompta *Thunb.* II. 139
incurva *Thunb.* II. 140
indica *L.* II. 231
juniperina *Thunb.* II. 141
lactea *Thunb.* II. 140
laricifolia *Lam.* II. 138
laricifolia *Thunb.* II. 141
laricina *DC.* II. 141
laxata *L.* II. 143
linearifolia *DC.* II. 142
lotoides *Thunb.* II. 142
microcarpa *DC.* II. 139
Aspalathus
microphylla *DC.* II. 143
mollis *Lam.* II. 139
mucronata *L. fil.* II. 143
multiflora *Sieb.* II. 140
multiflora *Thunb.* II. 140
nigra *L.* II. 140
nivea *Thunb.* II. 144
obtusata *Thunb.* II. 143
orientalis *L.* II. 143
parviflora *Thunb.* II. 139
pedunculata *Houtt.* II. 144
pedunculata *L'Herit.* II. 143
persica *Burm.* II. 212
pilosa *L.* II. 142
pilosa *Sieb.* II. 141
pinea *Thunb.* II. 141
pinguis *Thunb.* II. 140
pinnata *L.* II. 144
pungens *Thunb.* II. 138
quinquefolia *L.* II. 142
retroflexa *L.* II. 141
rubens *Thunb.* II. 142
rugosa *Thunb.* II. 143
sanguinea *Thunb.* II. 140
sericea *Berg.* II. 142
sericea *Thunb.* II. 142
spicata *Thunb.* II. 139
spinescens *Thunb.* II. 138
spiniflora *L'Herit.* II. 169
spinosa *L.* II. 138
squamosa *Thunb.* II. 140
squarrosa *Thunb.* II. 140
subulata *Thunb.* II. 141
suffruticosa *DC.* II. 144
tenuifolia *DC.* II. 143
thymifolia *L.* II. 139
tridentata *Thunb.* II. 142
trigona *Thunb.* II. 141
triquetra *Thunb.* II. 141
uniflora *Lam.* II. 140
uniflora *L.* II. 140
vermiculata *Lam.* II. 141
verrucosa *L.* II. 138
villosa *Thunb.* II. 142
virgata *Thunb.* II. 142
vulnerans *Thunb.* II. 141
Aspera Moench IV. 593, 610
nutans *Moench* IV. 610
Asperula *L.* IV. 581 *L. fil.* IV. 577
algerica *Pers.* IV. 583
alpina *MB.* IV. 584
Aparine *MB.* IV. 585
arcadiensis *Sims* IV. 584
aristata *L. fil.* IV. 583
β flaccida *DC.* - -

Asperula
arvensis *L.* IV. 581
brevifolia *Vent.* IV. 583
calabrica L fil. IV. 577
ciliaris *DC.* IV. 582
ciliata Moench IV. 581
coerulea Dod. IV 581
commutata Presl IV. 584
crassifolia L. IV. 584
cretacea *W.* IV. 584
cynanchica *L.* IV. 582
β heterophylla *DC.* IV. 583
γ saxatilis - - -
δ elongata *Stev.* - - -
cynanchica var. Stev. IV. 584
cynanchica α Ten. IV. 583
cynanchica β et γ DC. fl. fr. IV. 583
debilis *Ledeb.* IV. 584
digyna Dufour IV. 584
dubia W. herb. IV. 581
flaccida Ten. IV. 583
galioides *MB.* IV. 585
β tyraica *DC.* - -
glauca Bess IV. 585
hexaphylla *All.* IV. 582
β rigidula *DC.* - -
hexaphylla Guss. IV. 582
hirsuta *Deaf.* IV. 583
hirta *Ramond* IV. 582
humifusa *MB.* IV. 585
incana *Sibth. et Sm.* IV. 584
incana Sibth. IV. 587
involucrata *Bergr. et Wahlenb.* IV. 586
laevigata *L.* IV. 582
laevigata α Lam. IV. 582
laevigata β Lam. IV. 599
littoralis *Sibth. et Sm.* IV. 584
longiflora Ten. IV. 583
longiflora *W. et K.* IV. 583
longifolia *Sibth. et Sm.* IV. 585
lutea *Sibth. et Sm.* IV. 583
macrorhiza Link IV. 584
montana *W.* IV. 583
multiflora Lapeyr. IV. 583
neglecta *Guss.* IV. 584
nitens *Guss.* IV. 584
nitida *Sibth. et Sm.* IV. 584
odorata *Dod.* IV. 585
pyrenaica L. IV. 583
pyrenaica L. herb. IV. 583
repens Brot. IV. 583
rigida *Sibth. et Sm.* IV. 555
rivalis Sibth. et Sm. IV. 585
rotundifolia L. IV. 582

Asperula
rubeola Gratel. IV. 5
rubeola α Lam. IV. 5
rubeola β Lam. IV. 5
saxatilis Lam. IV. 58
scabra Link IV. 584
scabra Moris. IV. 60
scabra *Presl* IV. 584
suaveolens Schrad. I
suberosa *Sibth. et Sm.*
subvelutina *DC.* IV. 58
supina *MB.* IV. 583
taurina *L.* IV. 582
tinctoria *L.* IV. 582
tinctoria β Lam. IV.
tomentosa *Ten.* IV. 58
β semiglabra *DC.* VI. 58
Tournefortii *Sieb.* VI. 5
trichodes *Gay* IV. 582
trinervia Lam. IV. 58
tubiflora Hortul. IV.
tyraica Bess. IV. 585
umbellata *W. herb.* IV.

ASPERULEAE Rich

Aspicarpa *Rich.* I. 583
urens *Lag.* I. 584
Aspidocarpus Neck. II.
Assa foetida Hop. IV. 1
Assonia *Cav.* I. 498
populnea *Cav.* I. 498
viburnoides *DC.* I. 498
Astartea *DC.* III. 210
fascicularis *DC.* III. 210
Aster linearifolius Burs
Asteriscium *Cham. et Schl*
chilense *Cham. et Schle*
β Haenkei *DC.* IV. 82
Poeppigii *DC.* IV. 82
Asterocephalus Vaill. 654 *Coult.* IV. 654 (S
agrestis Spr. IV. 659
amoenus Spr. IV. 658
argenteus Spr. IV. 65
atropurpureus Spr. I
banaticus Spr. IV. 65
canescens Spr. IV. 66
caucasicus Spr. IV. 65
cochinchinensis Spr.
Columbaria Wallr. IV
crenatus Spr. IV. 656
creticus Spr. IV. 654
daucoides Spr. IV. 657

Acrocephalus
dichotomus Lag. IV. 660
elegans Lag. IV. 654
graminifolius Spr. IV. 655
Gramantius Spr. IV. 659
intermedius Lag. IV. 653
isetensis Spr. IV. 656
legionensis Spr. IV. 652
limonifolius Spr. IV. 661
lucidus Spr. IV. 661
lyratus Spr. IV. 656
micranthus Spr. IV. 656
mollissimus Spr. IV. 659
ochroleucus Wallr. IV. 658
palaestinus Spr. IV. 655
pectinatus Lag. IV. 656
pilosus Lag. IV. 655
prolifer Spr. IV. 655
pumilus Spr. IV. 660
rotatus Spr. IV. 655
saxatilis Spr. IV. 661
sericeus Spr. IV. 659
setifer Spr. IV. 657
tilemifolius Spr. IV. 653
sphakioticus Spr. IV. 653
stellatus Spr. IV. 655
strictus Spr. IV. 658
suaveolens Wallr. IV. 660
Succisa Wallr. IV. 660
tomentosus Spr. IV. 659
urceolatus Spr. IV. 660
Webianus Spr. IV. 660
Astropeia *Pet. Th.* II. 55
multiflora *Pet. Th.* II. 56
Astilbe *Hamilt.* IV. 51
decandra Don IV. 51
rivularis *Hamilt.* IV. 51
Astoma *DC.* IV. 249
sesilifolium *DC.* IV. 250
ASTRAGALEAE *Adans.* II. 273
Astragaloides syphilitica Moench II. 302
Astragalus *DC.* II. 281 *L.* II. 275, 281
adsurgens *Pall.* II. 287
β prostratus *Fisch.* II. 287
aduncus *MB.* II. 286
Aegiceras *W.* II. 290
albicaulis *DC.* II. 289
albidus W. et K. II. 288
Alopecias *Pall.* II. 294
alopecuroides DC. II. 294
alopecuroides *L.* II. 294
alopecuroides Pall. II. 295
alopecurus DC. II. 294
Astragalus
alopecurus Pall. II. 294
alpinus var. L. II. 274
altaicus Pall. II. 277
alyssoides *Lam.* II. 282
amarus *Pall.* II. 299
ambiguus Pall. II. 276
Ammodytes *Pall.* II. 301
ampullatus Pall. II. 278
angulosus *DC.* II. 305
angustifolius *Lam.* II. 298
annularis *Forsk.* II. 289
annuus *DC.* II. 285
anthylloides *Lam.* II. 300
anthylloides Pall. II. 301
Arbuscula *Pall.* II. 286
arcticus *W.* II. 306
arenarius *L.* II. 283
arenarius Pall. II. 282
argentatus Pall. II. 276
aristatus *L'Herit.* II. 298
armatus W. II. 299
Arnacantha *MB.* II. 297
asper *Jacq.* II. 294
asperulus Dufour II. 291
aureus *W.* II. 296
austriacus Delarb. II. 290
austriacus *L.* II. 284
austriacus Thore II. 283
austriacus altaicus Fisch. II. 284
baeticus *L.* II. 291
baicalensis Pall. II. 276
Baicalia Pall. II. 279
Barba-Jovis *DC.* II. 296
barbatus *Lam.* II. 287
bayonensis *Lois.* II. 283
bidentatus *H. B. et K.* II. 283
bicolor *Lam.* II. 282
biflorus L. II. 127
biflorus Pall. II. 307
biflorus *Viv.* II. 285
brachycarpus *MB.* II. 305
brachyceras *Ledeb.* II. 290
brachylobus *DC.* II. 285
brachystachys *DC.* II. 303
bracteolatus *DC.* II. 298
brevicarinatus DC. II. 307
breviflorus *DC.* II. 296
β glaber - - -
Buceras W. II. 290
buchtormensis *Pall.* II. 303
caespitosus Pall. II. 278
calycinus *MB.* II. 300
campestris L. II. 278

Astragalus
canadensis *L.* II. 293
canaliculatus W. II. 289
candicans Pall. II. 277
canescens DC. II. 282
capitatus L. II. 291
caprinus *L.* II. 301
β glaber *DC.* II. 302
carolinianus *L.* II. 293
carnosus fl. mex. II. 523
carnosus Nutt. II. 287
carnosus Pursh II. 96
caryocarpus *bot. reg.* II. 287
caspicus MB. II. 297
caucasicus *Pall.* II. 296
caudatus Pall. II. 277
cephalanthus *DC.* II. 299
cephalotes Pall II. 282
ceratoides *MB.* II. 284
chinensis Buch. II. 371
chinensis *L. fil.* II. 294
chloranthus Pall. II. 294
christianus *L.* II. 295
Cicer *L.* II. 293
cinereus W. II. 304
cinereus longipes DC. II. 306
cinereus radiciflorus DC. II. 305
clavatus *DC.* II. 304
clavatus β brevibracteatus DC. II. 304
coeruleus Pall. II. 276
coluteoides *W.* II. 299
compactus *W.* II. 297
compactus β DC. II. 297
contortuplicatus *L.* II. 290
corniculatus *MB.* II. 284
cornutus Pall. II. 286
corrugatus *Bertol.* II. 289
Cracca *DC.* II. 284
crassicarpus Fras. II. 287
crenatus Schult. II. 290
cretaceus Pall. II. 284
cretensis Pall. II. 297
creticus *Lam.* II. 297
creticus W. II. 298
cristatus Gouan II. 287
cruciatus *Link* II. 288
cruentus Balb. II. 290
cryptocarpos *DC.* II. 296
cylindraceus *DC.* II. 303
cymbaecarpos *Brot.* II. 289
dahuricus *DC.* II. 285
dahuricus Pall. II. 279
dahuricus Patr. herb. II. 277
Astragalus
damascenus *DC.* II. 298
danicus Hoffm. II. 28
dasyanthus *Pall.* II. 301
dasyglottis *Fisch.* II. 28
dasyglottis Pall. II. 28
dasyphyllus Pall. II. 2
dealbatus Pall. II. 289
declinatus *W.* II. 303
deflexus Pall. II. 280
denudatus *Stev.* II. 297
depressus *L.* II. 293
dichopterus Pall. II. 2
diffusus *W.* II. 303
dolichophyllus Pall. I
Donianus *DC.* II. 283
dubius *DC.* II. 303
echinatus Lam. II. 28
Echinus *DC.* II. 297
echinoides *L'Herit.* II.
echioides W. II. 298
elongatus *W.* II. 305
emarginatus *DC.* II. 291
α densifolius *Lam.* II. 29
β Billardierii *DC.* - -
emarginatus Labill. I
epiglottis *L.* II. 290
β asperulus *DC.* II. 291
erianthus *W.* II. 296
eriocarpus *DC.* II. 306
eriocarpus MB. II. 30
eriocaulos *DC.* II. 296
eriocephalus W. et K.
eriocephalus W. II. 29
exscapus *L.* II. 302
fabaceus *MB.* II. 302
falcatus Desf. II. 293
falcatus *Lam.* II. 293
falciformis *Desf.* II. 293
flaccidus *MB.* II. 286
floribundus Pall. II. 28
floridus Scop. II. 295
foetidus Vill. II. 278
follicularis *Pall.* II. 301
fragiformis W. II. 301
fragrans *W.* II. 291
fraxinifolius *DC.* II. 292
fruticosus Forsk. II. 2
fruticosus *Pall.* II. 286
galactites *Pall.* II. 301
Garbancillo *Cav.* II. 283
galegiformis *L.* II. 294
galegoides Nutt. II. 29
geminiflorus *H. et Bonpl.*
geniculatus *Desf.* II. 290

Astragalus
gibbosus *DC.* II. 300
glaber *DC.* II. 291
glaber *Mx.* II. 293
glaucoides *Gmel.* II. 310
glaucus *MB.* II. 289
Glaux *L.* II. 288
Glaux *Vill* II 282
globosus *Vahl* II. 303
glycyphylloides *DC.* II. 292
glycyphyllos *L.* II. 292
gracilis *Nutt.* II. 284
gracilis *Stev.* II. 286
granatensis *Lam.* II. 298
grandiflorus *L.* II. 340
grandiflorus *Pall.* II. 277
gummifer *Labill.* II. 296
gummifer β *hispidulus DC.* II. 296
halicacabus *Lam.* II. 300
Halleri All. II. 278
hamosus *L.* II. 290
β macrocarpos *DC.* II. 290
hamosus β *Pall.* II. 290
hedysaroides W. II. 286
Helmii *Fisch.* II. 301
hians Jacq. II. 280
hirsutissimus DC. II. 303
hirsutus *Vahl* II. 306
hispidulus *DC.* II. 289
hispidus Labill. II. 287
humifusus W. II. 282
humilis *MB.* II. 303
hybridus Gmel. II. 286
Hypoglottis *L.* II. 281
hyrcanus *Pall.* II. 285
inarius Pall. II. 279
incanus *L.* II. 304
β Barrelieri *Dufour* II. 304
incanus Pall. II. 304
incanus var. Pall II. 304
incurvus *Desf.* II. 304
inflatus *DC.* II. 301
intensis Hortul. II. 293
Ishiricus *DC.* II. 292
Ishradoricus *DC.* II. 287
lagopodioides Vahl II. 299
lagopoides *Lam.* II. 298
β persicus *DC.* II. 299
lagopoides a Lam. II. 299
laguroides DC. II. 301
laguroides *Pall.* II. 300
Lagurus Pall. II. 300
Lagurus *W.* II. 299
lanatus *Labill.* II. 303
lanatus Pall. II. 280
lanceolatus Hamilt. II. 292
lanigerus *Desf.* II. 302
β subglabratus *DC.* II. 302
lasioglottis *Stev.* II. 283
latifolius *Lam.* II. 304
Laxmanni *Jacq.* II. 287
Laxmanni Pall. II. 287
leontinus *Jacq.* II. 283
leontinus Wahlenb. II. 275
leptophyllus *Desf.* II. 285
leptophyllus Pall. II. 278
leptostachys Pall. II. 284
leucanthus Pall II. 276
leucophaeus *Sm.* II. 293
leucophyllus W. II. 298
libanotis W. II. 303
lignosus *DC.* II 302
linarius W. II. 279
linearifolius *Pers.* II. 286
lineatus *Lam.* II. 288
longiflorus Delil. II. 292
longiflorus *Pall.* II. 302
α breviscapus *DC.* - -
β procerior - - -
longifolius *Lam.* II. 297
lotoides *Lam.* II. 282
lunatus *Pall.* II. 307
lupulinus *Pall.* II. 300
lusitanicus Lam. II. 273
macrocarpus *DC.* II. 295
macrocephalus *W.* II. 295
macrolobus *MB.* II. 285
macropterus *DC.* II. 283
macropterus Fisch. II. 283
macrorhizus *Cav.* II. 304
macrorhizus Don II. 283
macrostachys *DC.* II. 286
maculatus Lam. II. 289
mareoticus *Delil* II. 289
massiliensis *Lam.* II. 298
maximus *W.* II. 294
megalanthus *DC.* II. 288
melilotoides *Pall.* II. 284
membranaceus Moench II. 290
micranthus *Desv.* II. 293
micranthus Nutt. II. 289
microcarpus *DC.* II. 287
microcephalus *W.* II. 296
microphyllus *L.* II. 291
microphyllus Pall. II. 279
missouriensis *Nutt.* II. 287
mollis *MB.* II. 301
monspessulanus *L.* II. 304
β Polygala *DC.* II. 304

Astragalus
montanus Brot. II. 305
montanus Jacq. II. 274
montanus L. II. 275
montanus MB. II. 275
mucronatus *DC.* II. 292
multijugus *DC.* II. 301
muricatus Pall. II. 280
myriophyllus Pall. II. 279
nanus *DC.* II. 282
narbonensis *Gou.* II. 294
nigrescens Pall. II. 278
nubigenus *Don* II. 300
nummularioides *Desf.* II. 304
nummularius Desf. II. 304
nummularius *Lam.* II. 303
Nuttallianus *DC.* II. 289
obcordatus *Ell.* II. 306
obtusifolius *DC.* II. 295
odessanus Bess. II. 286
odoratus *Lam.* II. 291
oleaefolius *DC.* II. 297
olopterus *DC.* II. 284
olympicus *Pall.* II. 298
Onobrychis *L.* II. 286
α alpinus *DC.* - -
β moldavicus - - -
γ microphyllus *Bess.* II. 286
δ major *DC.* II. 286
Onobrychis angustifolius DC. II. 286
Onobrychis maximus DC. II. 286
Onobrychis stipulaceus DC. II. 286
onobrychioides *MB.* II. 282
orientalis Pers II. 295
ornithopodioides *Lam.* II. 285
oroboides Horn. II. 275
ovatus *DC.* II. 301
oxyglottis *Stev.* II 288
oxyphyllus Pall. II. 280
Pallasii *Fisch.* II. 305
pallescens *MB.* II. 294
parviflorus Lam. II. 280
pastellianus *Pollin.* II. 307
pauciflorus Pall. II. 307
penduliflorus Lam. II. 273
pendulus *DC.* II. 305
pentaglottis *L.* II. 287
peregrinus *Vahl* II. 292
physaloides *DC.* II. 300
physodes *L.* II. 305
α wolgensis *Pall.* II. 305
β tauricus - - -
γ altaicus - - -

Astragalus
physodes var. perpa
physodes δ DC. II. 3
pilosus L. II. 280
Pistacia Rost. II. 3
plumosus *W.* II. 297
Polygala Pall. II. 3
polyphyllus W. II. 3
ponticus *Pall.* II. 295
Poterium Pall. II. 2
Poterium *Vahl* II. 29
Poterium W. II. 29
procumbens Mill. II
pseudo-cicer *Opiz* II.
pseudo-tragacantha *P.*
psiloglottis *Stev.* II. 2
psoraloides *Lam.* II. 2
pterostylis *DC.* II. 29
pubiflorus *DC.* II. 302
pugniformis L'Her.
pugniformis W. II.
Pumilio *Pall.* II. 306
pungens W. II. 298
purpureus *Lam.* II. 28
pycnophyllus Stev.
pygmaeus *Pall.* II. 30
racemosus *Pursh* II. 2
radicans *Horn.* II. 30
Rauwolfii Vahl II. 2
reduncus *Pall.* II. 306
β brevipes *DC.* - -
reptans *W.* II. 291
resupinatus *MB.* II. 29
reticulatus *MB.* II. 29
retroflexus Pall. II.
retusus DC. II. 298
retusus *W.* II. 298
rotundifolius W. II.
rupifragus *Pall.* II. 30
α exscapus - - 30
β caulescens - - -
sanguinolentus *MB.* II.
Schangianus *Pall.* II.
scorpioides *Pourr.* II.
secundus *DC.* II. 292
secundus Mx. II. 287
semibilocularis *DC.* II.
sempervirens Lam. I
sericeus *DC.* II. 292
sesameus *L.* II. 288
sesameus Pall. II. 288
setiferus *DC.* II. 296
setosus Pall. II. 277
siculus *Biv.* II. 297
Sieberi *DC.* II. 295

Astragalus
Sieversianus *Pall.* II. 295
sinicus L. II. 282
songaricus Pall. II. 277
sordidus W. II. 276
spicatus Pall. II. 277
Stella *Gou.* II. 288
Stella MB. II. 288
stellatus Riv. II. 288
Stevenianus *DC.* II. 285
stipitatus Sims II. 292
stipularis Sims II. 292
stipulatus *Don* II. 292
striatellus MB. II. 289
strictus Siev. II. 301
strigulosus *H. B. et K.* II. 292
subbiflorus Lag. II. 289
subulatus Desf. II. 289
subulatus *MB.* II. 284
α major DC. - - -
β maculatus - - -
γ tataricus - - -
subulatus altaicus Pall. II. 285
subulatus uralensis Pall. II. 285
subuliformis DC. II. 284
suffruticosus *DC.* II. 287
sulcatus *L.* II. 284
sylvaticus W. II. 277
sylvicolus Pall. II. 277
syriacus *L.* II. 307
tauricus *Pall.* II. 283
tenellus Pursh II. 284
tenuifolius *Desf.* II. 282
tenuifolius L. II. 286
testiculatus *Pall.* II. 305
tomentosus *Lam.* II. 295
tortuosus *DC.* II. 299
Tragacantha Bern. II. 297
Tragacantha Pall. II. 298
Tragacantha α L. II. 298
Tragacantha β L. II. 298
tragacanthoides W. II. 302
triangularis *DC.* II. 291
triangularis Munt. II. 291
tribuloides *Delil.* II. 288
tribuloides Roth II. 288
tricholobus *DC.* II. 299
trigonus *DC.* II. 295
trigonus Sieb. II. 295
trimestris *L.* II. 290
trimestris MB. II. 290
trimorphus *Viv.* II. 289
triphyllus Pall. II. 278
Astragalus
triphyllus Pursh II. 274
tuberculosus *DC.* II. 290
tumidus MB. II. 302
tumidus *W.* II. 299
β armatus *DC.* II. 299
tunetanus W. II. 285
uliginosus *L.* II. 293
uncatus *L.* II. 306
uncinatus Moench II. 291
uniflorus *DC.* II. 306
unifultus *L'Herit.* II. 283
uralensis Jacq. II. 276
uralensis L. II. 276
uralensis Vahl II. 276
utriger *Pall.* II. 302
α ovatus - - -
β uralensis *Pall.* II. 302
vaginans *DC.* II. 299
vaginatus *Pall.* II. 283
varius Gmel. II. 285
versicolor *Pall.* II. 283
verticillaris L. II. 279
verus *Oliv.* II. 296
vesicarius *L.* II. 288
vesicarius Pall. II. 278
viciaefolius *DC.* II. 282
villosus Mx. II. 274
vimineus *Pall.* II. 286
vimineus var. Pall. II. 286
virescens Ait. II. 293
virgatus MB. II. 285
virgatus *Pall.* II. 285
β uralensis *DC.* - -
viscosus Vill. II. 278
Vulnerariae *DC.* II. 300
vulnerarioides All. II. 170
vulpinus *W.* II. 295
Astranthus *Lour.* II. 55
cochinchinensis *Lour.* II. 55
Astrantia *Tourn.* IV. 86 *L. fil.* IV. 85, 87
candida Mill. IV. 86
carniolica *Jacq.* IV. 86
caucasica Spr. IV. 86
ciliaris L. fil. IV. 87
Diapensia Scop. IV. 84
digitata Moench IV. 86
Epipactis L. fil. IV. 85
grandiflora Poepp. IV. 668
helleborifolia *Salish.* IV. 87
heterophylla W. IV. 87
intermedia *MB.* IV. 86
β DC. IV. 87
major *L.* IV. 86

Astrantia
major MB. IV. 87
major α Spr. IV. 86
major β Spr. IV. 86
maxima Pall. IV. 87
minor *L.* IV. 86
β macrodonta *DC.* IV. 86
minor Scop. IV. 86
minor α et β DC. fl. fr. IV. 86
nigra Lobel IV. 86
pauciflora *Bertol.* IV. 86
trifida Hoffm IV. 86
Astrapaea *Lindl.* I. 500
Wallichii *Lindl.* I. 500
Astrephia *Dufr.* IV. 629, 632
carnosa Dufr. IV. 635
chaerophylloides *DC.* IV. 629
coarctata Dufr. IV. 635
crispa *Dufr.* IV. 629
hyalinorhiza Dufr. IV. 638
interrupta Dufr. IV. 640
laciniata Dufr. IV. 629
polystachya Dufr. IV. 639
serrata Dufr. IV. 635
Astrocoma Neck. II. 45
Astrolobium *Desv.* II. 311
creticum Desv. II. 310
durum *DC.* II. 311
ebracteatum *DC.* II. 311
repandum *DC.* II. 311
scorpioides *DC.* II. 311
Astronia *Blume* III. 197
macrophylla *Blume* III. 197
spectabilis *Blume* III. 197
Astronium *Jacq.* II. 65
graveolens *Jacq.* II. 65
Astrophea DC. III. 322 (Passiflora)
Astrotricha *DC.* IV. 74
floccosa *DC.* IV. 74
ledifolia *DC.* IV. 74
Astydamia *DC.* IV. 190
canariensis *DC.* IV. 190
Atalanta Nutt. I. 237
Atalantia *Corr* I. 535
monophylla *DC.* I. 535
Ateleia fl. mex. DC. II. 419 (Pterocarpus)
pterocarpa fl. mex. II. 419
Athamantha *Koch* IV. 154 *Spr.* IV. 154, 241 *L.* IV. 149, 154 *Scop.* IV. 149
achilleifolia Wall. IV. 109
Ajowan Wall. IV. 109
alata MB. IV. 157

Athamantha
anethifolia Wall. IV
annua L. IV. 155
canescens *DC.* IV. 155
capensis Burm. IV.
Carvifolia Steph. IV
Carvifolia W. herb.
Cervaria L. IV. 180
cervariaefolia *DC.* IV.
cervariaefolia Schra
chinensis Lour. IV.
compacta Ledeb IV.
condensata L. IV. 1
cretensis Jacq. IV. 1
cretensis *L.* IV. 155
α hirsuta *DC.* IV.
β mutellinoides - -
cretensis Ucria IV.
crithmifolia Juss. he
crithmoides Lapeyr
daucifolia Host IV
denudata Fisch. IV.
depressa *Don* IV. 15
diffusa Wall. IV. 1
flexuosa Juss. IV. 1
Galatta Gmel. IV. 2
gigantea *Don* IV. 156
Golaka Hacq. IV. 2
incana W. IV. 150
lasiantha W. herb.
leucosperma Poir.
Libanotis L. IV. 15
Libanotis var. La
macedonica *Spr.* IV.
Mathioli DC. fl. fr
Mathioli *Wulf.* IV.
maxima Chois. IV.
Meum L. IV. 162
monstrosa Steph. I
multiflora Sibth. I
mutellinoides Lam
Oreoselinum Huds
Oreoselinum L. IV
panacifolia Spr. I
panacifolia var. S
pisana Sav. IV. 17
pubescens Retz IV
pyrenaica Jacq. I
ramosissima *Port.* I
rigida Fisch. IV. 1
rigida Horn. IV.
Roxburghiana W
rupestris Vill. IV.
scabra Burm. IV.
sibirica L. IV. 15

Athamanta
sicula *L.* IV. 155
sicula Ucria IV. 143
tenuifolia Pall. IV. 151
tenuifolia W. herb. IV. 182
teres Don IV. 156
tortuosa Spr. IV. 144
verticillata Sibth. IV. 151
Athenaea Schreb. II. 48, 49
Atlat-zapillin Hern. I. 445
Atocion Otth DC. I. 383 (Silene)
Atragene L. I. 9 *DC.* I. 9 (Clematis)
alpina L. I. 10
americana Sims I. 10
balearica Pers. I. 9
cirrhosa Pers. I. 9
japonica Thunb. I. 10
indica Desf. I. 8
occidentalis Horn. I. 10
ochotensis Pall. I. 10
polygama Jacq. I. 6
sibirica L. I. 10
tenuifolia L. fil. I. 18
triternata Desf. I. 6
zeylanica L. I. 10
zeylanica Roxb. I. 10
Atrema *DC.* IV. 250
americanum *DC.* IV. 250
Aubertia Bory I. 725
barbonica Bory I. 725
Aubletia Schreb. I. 514 *Pers.* I. 729 *Gaertn.* III. 231
cuneolaris Gaertn. III. 231
discolor Spr. I. 515
ramosissima Lour. II. 22
Aubrietia *Adans.* I. 158
deltoidea *DC.* I. 158
purpurea *DC.* I. 158
Aucuba *Thunb.* IV. 274
japonica *Thunb.* IV. 274
Augustea *DC. (Augusta Pohl)* IV. 404
attenuata *Pohl* IV. 404
glaucescens *Pohl* IV. 404
lanceolata *Pohl* IV. 404
oblongifolia *Pohl* IV. 404
parvifolia *Pohl* IV. 404
Aukuba Kaempf. IV. 274
Aulacia falcata Lour. I. 537
Aulacidium Rich. III. 112
cristatum Rich. III. 113
fasciculatum Rich. III. 113
Aulaxis Haw. IV. 41
micranthifolia Haw. IV. 41

AURANTIACEAE *Corr.* I. 535
Aureliana Cat. IV. 252
Aurinia obcordata Desv. I. 165
Austerium Poit. II. 385
Averrhoa *L.* I. 689
Bilimbi *L.* I. 689
Carambola *L.* I. 689
Axanthes *Blume* IV. 440
arborea *Blume* IV. 440
corymbosa *Blume* IV. 441
macrophylla *Blume* IV. 440
strigosa *Blume* IV. 440
timoriensis *DC.* IV. 441
tomentosa *Blume* IV. 440
Axinaea *R. et Pav.* III. 101
dependens *R. et Pav.* III. 102
glandulosa *R. et Pav.* III. 102
lanceolata *R. et Pav.* III. 102
muricata *Don* III. 102
purpurea *R. et Pav.* III. 102
Axolopha DC. I. 439 (Lavatera)
Ayenia *L.* I. 487
cardiopetala fl. mex. I. 488
cordifolia *fl. mex.* I. 488
laevigata *Sw.* I. 488
magna *L.* I. 488
pusilla *L.* I. 488
sidaefolia *Loefl.* I. 488
tomentosa *L.* I. 488
Aylmeria *Mart.* III. 363
rosea *Mart.* III. 363
violacea *Mart.* III. 363
Azanza fl. mex. DC. I. 453 (Hibiscus)
insignis fl. mex. I. 454
Azara *R. et Pav.* I. 262
dentata *R. et Pav.* I. 262
integrifolia *R. et Pav.* I. 262
serrata *R. et Pav.* I. 262
Azorella *Gaudich.* IV. 77 *Pers.* *Lam.* IV. 76, 78 *Labill.* *Cav.* IV. 72
aretioides *W. herb.* IV. 77
caespitosa *Cav.* IV. 77
caespitosa Vahl IV. 78
Chamitis Pers. IV. 77
cladorhiza Pers. IV. 76
compressa Labill. IV. 73
corymbosa Pers. IV. 76
crassifolia Pers. IV. 77
crenata Pers. IV. 76
daucoides *d'Urv.* IV. 77
filamentosa *Lam.* IV. 77
lanceolata Labill. IV. 73
linearifolia Cav. IV. 73

Azorella
linearifolia Pers. VI. 73
lycopodioides *Gaudich.* IV. 77
multifida Pers. IV. 76
ovata Labill. IV. 73
pedunculata W. herb. IV. 78
Ranunculus *d'Urv.* IV. 77
reniformis Pers. IV. 76
spinosa Pers. IV. 77

B

Baconia *DC.* IV. 485
corymbosa *DC.* IV. 485
β angustifolia *DC.* IV. 485
Bactyrilobium W. II. 489
ferrugineum Schrad. II. 489
Badamia Gaertn. III. 10, 12
Commersoni Gaertn. III. 13
Badiera *DC.* I. 334
acuminata *DC.* I. 335
divaricata *DC.* I. 335
diversifolia *DC.* I. 334
domingensis *DC.* I. 335
Penaea *DC.* I. 335
Badukka Rheed. I. 246
Baeckea *L.* III. 229 *Gaertn. Sm.* III. 229
brevifolia *DC.* III. 230
camphorata *R. Br.* III. 230
carnosula Sieb. III. 230
chinensis Gaertn. III. 229
crenulata *DC.* III. 230
densifolia *Sm.* III. 230
diffusa *Sieb.* III. 230
β striata *DC.* - -
diosmifolia *Rudg.* III. 230
diosmoides *Sieb.* III. 230
fasciculata Sieb. III. 230
frutescens *L.* III. 229
linifolia *Rudg.* III. 229
micrantha *DC.* III. 230
microphylla *Rudg.* III. 230
obovata *DC.* III. 230
parvula *DC.* III. 229
pinifolia *DC.* III. 229
pulchella *DC.* III. 230
trichophylla Sieb. III. 230
virgata *Andr.* III. 229
Bagatpat Ray III. 231
Balanites *Delil.* I. 708
aegyptiaca *Delil.* I. 708
β ferox - - -
Balanopteris Gaertn. I. 484
minor Gaertn. I. 484
Tothila Gaertn. I. 484
Balanus myrepsica Blackw
Balbisia verticillata Cav. I.
Balduina Raftn. III. 325
Balessan Bruce II. 76
Balsamea Gled. II. 76
meccanensis Gled. II. 76
Balsamina *Riv* I 685
bifida *DC.* I. 686
capensis *DC.* I. 686
chinensis *DC.* I. 686
coccinea *DC.* I. 685
cochleata *DC.* I. 686
cornuta *DC.* I. 686
fasciculata *DC.* I. 686
hortensis *Desp.* I. 685
latifolia *DC.* I. 686
Lechenaultii *DC.* I. 686
madagascariensis *DC.* I. 686
minor *DC.* I. 686
mutila *DC.* I. 686
mysorensis *DC.* I. 686
oppositifolia *DC.* I. 686
rosmarinifolia *DC.* I. 686
Tilo *DC.* I. 686
BALSAMINEAE *Rich.* I. 68
Balsamodendron *Kunth* II. 76
gileadense *Kunth* II. 76
Kafal *Kunth* II. 76
Kataf *Kunth* II. 76
Opobalsamum *Kunth* II. 76
β meccanense - - -
zeylanicum *Kunth* II. 76
Balsamona Vand. III. 83
Pinto Vand. III. 85
Banara *Aubl.* I. 259
guianensis *Aubl.* I. 259
Banava Cam. III. 93
Bancalus Rumph IV. 345
Bandhuca Jones IV. 486
Banffya *Baumg.* I. 355
petraea *Baumg* I. 355
Banisteria *H. B. et K.* I. 587 *Cav.* I. 587, 591
aculeata Mill. I. 591
angulosa *L.* I. 588
appendiculata *Lamb. herb.* I. 592
auriculata *Cav.* I. 588
benghalensis L. I. 583
brachyptera *DC.* I. 591
bracteata *DC.* I. 590
brevipes *fl. mex.* I. 591
chrysophylla Lam. I. 591
ciliata *Lam.* I. 588

Banisteria
coerulea Lam. I. 591
convolvulifolia Cav. I. 588
dichotoma *L.* I. 588
diversifolia Bert. I. 588
diversifolia *H. B. et K.* I. 590
eglandulosa *DC.* I. 590
elliptica *H. B. et K.* I. 590
emarginata *Cav.* I. 588
fagifolia *DC.* I. 590
ferruginea *Cav.* I. 589
β fulgens *Meyer* I. 589
floribunda *DC.* I. 589
fulgens Lam. I. 588
fulgens *L.* I. 590
fulgens Meyer I. 589
heterophylla W. I. 588
Humboldtiana *DC.* I. 588
laurifolia *L.* I. 589
ledifolia *H. B. et K.* I. 590
Leona Cav. I. 589
longifolia *Sw.* I. 590
lupuloides L. II. 39
macradena *DC.* I. 590
β guadalupensis *DC.* I. 590
macrocarpa *Pers.* I. 590
microphylla *Jacq.* I. 588
mucronata *DC.* I. 589
multiflora *DC.* I. 589
muricata *Cav.* I. 589
nitida Lam. I. 592
orinocensis *H. B. et K.* I. 591
ovata *Cav.* I. 590
palmata *Cav.* I. 588
paniculata *fl. mex.* I. 591
parvifolia Vent. I. 591
pauciflora *H. B. et K.* I. 590
periplocaefolia *Desf.* I. 589
α subovata *DC.* I. 589
β angustifolia - - 590
picta *H. B. et K.* I. 590
pubiflora *DC.* I. 591
purpurea L. I. 591
Quapara *Aubl.* I. 589
β mucronulata *DC.* I. 589
sagittata *Cav.* I. 588
salicifolia *DC.* I. 590
sericea *Cav.* I. 589
sinemariensis *Aubl.* I. 589
sinuata *DC.* I. 588
splendens *DC.* I. 588
ternata *fl. mex.* I. 591
tiliaefolia H. B. et K. I. 588
tiliaefolia *Vent.* I. 589
timoriensis *DC.* I. 588
Banisteria
tomentosa *Desf.* I. 589
umbellulata *DC.* I. 588
unicapsularis Lam. I. 583
variifolia *DC.* I. 588
vitifolia fl. mex. I. 588

BANISTERIEAE *DC.* I. 584

Banksia Domb. herb. III. 83
ciliata Domb. herb. III. 88
glutinosa Domb. herb. III. 88
Baphia *Afzel.* II. 424
nitida *Lodd.* II. 424
Baptisia *Vent.* II. 100
alba *R. Br.* II. 100
australis *R. Br.* II. 100
bracteata *Muehl.* II. 100
lanceolata *Ell.* II. 100
leucophaea *Nutt.* II. 100
mollis *Nutt.* II. 100
perfoliata *R. Br.* II. 100
tinctoria *R. Br.* II. 100
villosa *Ell.* II. 100
Baraldeia Pet. Th. II. 41
Baraultia Steud. I. 732
Barba Jovis argyrophylla Moench II. 170
Barbarea *R. Br.* I. 140
arcuata Andrz. I. 141
iberica *DC.* I. 141
integrifolia *DC.* I. 141
plantaginea *DC.* I. 141
praecox *R. Br.* I. 140
stricta Bess. I. 141
taurica *DC.* I. 141
vulgaris *R. Br.* I. 140
β gracilis - - -
Barbieria *DC.* II. 239
polyphylla *DC.* II. 239
Barbylus *P. Brown.* II. 91
jamaicensis *DC.* II. 91
Barleria hirsuta Jacq. IV. 437
Barola Adans. II. 91
Barosma W. I. 714 (Diosma)
latifolia R. et Schult. I. 714
Barraldeia *Pet. Th.* I. 732
madagascariensis *DC.* I. 732
Barreria Adans. II. 43
Barringtonia *Forst.* III. 288
acutangula Gaertn. III. 289
Butonica Forst. III. 288
excelsa Blume III. 289
racemosa *Blume* III. 288
speciosa *L. fil.* III. 288
spicata Blume III. 289

BARRINGTONIEAE *DC.* III. 288
Bartlingia Spr. Reichenb. IV. 577
scoparia Reichenb. IV. 577
Bartonia *Sims* III. 339
decapetala Sims III. 340
nuda *Nutt.* III. 340
ornata *Nutt.* III. 339
Bartrumea DC. I. 506 (Triumfetta)
Bartramia Gaertn. I. 506
angulata Lam. I. 507
glandulosa Lam. I. 507
Baryosma Pers. II. 477 *Gaertn.* II. 477
oppositifolium Pers. II. 478
Tongo Gaertn. II. 477
Baryxylum *Lour.* II. 487
rufum *Lour.* II. 488
Baseophyllum DC. II. 500 (Cassia)
Bastardia Kunth I. 459, 466
parvifolia H. B. et K. I. 467
viscosa H. B. et K. I. 467
Basteria Adans. III. 2
Bataucaulon DC. II. 429 (Mimosa)
Batrachium DC. I. 26 (Ranunculus)
Batschia Thunb. I. 103 *Vahl* II. 488
conferta Thunb. I. 103
laurifolia Vahl II. 488
racemosa Thunb. I. 103
Baudinia Leschen. III. 211
Bauera *Kenn.* IV. 13
capitata *Ser.* IV. 13
humilis *Sweet* IV. 13
microphylla *Sieb.* IV. 13
rubiaefolia Salish. IV. 13
rubioides *Andr.* IV. 13
rubioides microphylla Ser. IV. 13
BAUEREAE *DC.* IV. 13
Bauhinia *Plum.* II. 512 *Cav.* II. 512 *Kunth* II. 516
aculeata Jacq. II. 514
aculeata *L.* II. 513
acuminata Burm. II. 513
acuminata *L.* II. 513
americana *herb. amat.* II. 517
anatomica *Link* II. 518
anguina *Roxb.* II. 516
armata *Otto* II. 517
Bauhinia
aurita *Ait.* II. 513
candida *Ait.* II. 513
chrysophylla Vahl II
cinnamomea *DC.* II. 51
coccinea *DC.* II. 516
cordifolia *Roxb.* II. 51
coromandeliana *DC.* II.
corymbosa *Roxb.* II. 5
cucullata *Desv.* II. 514
cumanensis *H. B. et K.*
diphylla *Symes* II. 517
divaricata Lam. II. 5
divaricata *L.* II. 512
divaricata β L. II. 5
emarginata *Mill.* II. 51
Farek *Desv.* II. 517
ferruginea *Roxb.* II. 51
forficata *Link* II. 514
glabra *Jacq.* II. 516
glandulosa *DC.* II. 513
glaucescens *DC.* II. 515
grandiflora *Juss.* II. 51
guianensis *Aubl.* II. 51
guianensis var. Lam
heterophylla *Kunth* II.
inermis Forsk. II. 515
inermis *Pers.* II. 514
integrifolia *Roxb.* II. 51
Lamarckiana *DC.* II. 51
latifolia *Cav.* II. 513
latisiliqua *Cav.* II. 517
leptopetala *fl. mex.* II. 5
Lingua *DC.* II. 516
Lunaria *Cav.* II. 512
macrophylla *Poir.* II. 5
madagascariensis *Desv.*
malabarica *Roxb.* II. 51
multinervia *DC.* II. 515
Outimouta *Aubl.* II. 516
panamensis Spr. II. 5
parviflora *Vahl* II. 514
Pauletia *Pers.* II. 513
Pes-caprae *Cav.* II. 512
picta *DC.* II. 515
platysiliqua Perr. II. 5
porrecta *Sw.* II. 513
pubescens *DC.* II. 514
purpurea *L.* II. 515
racemifera *Desv.* II. 517
racemosa Lam. II. 515
racemosa *Vahl* II. 515
reticulata *DC.* II. 515
retusa Poir. II. 512
retusa *Roxb.* II. 515
Richardiana *DC.* II. 517

Bahinia
rotunda Mill. II. 514
rubescens Pers. II. 514
rubescens *Lam.* II. 514
scandens Burm. II. 515
scandens L. II. 516
scandens americana L. II. 517
semibifida *Roxb.* II. 518
spathacea *fl. mex.* II. 512
spinosa Poir. II. 513
splendens *H. B. et K.* II. 516
suaveolens *H. B. et K.* II. 517
subrotundifolia *Cav.* II. 512
tomentosa *L.* II. 514
triandra *Roxb.* II. 518
Ungula *Jacq.* II. 514
ungulata *L.* II. 514
variegata *L.* II. 514
β chinensis *DC.* II. 514
Beatsonia *Roxb.* I. 350
portulacifolia *Beats.* I. 350
Beaufortia *R. Br.* III. 211
decussata *R. Br.* III. 211
sparsa *R. Br.* III. 211
Beauharnoisia R. et Pav. I. 560
fructipendula R. et Pav. I. 560
Beckea africana Burm. II. 37
cordata Burm. II. 37
Been album Offic. II. 478
Behenantha Otth. DC. I. 367 (Silene)
Belangera *Camb.* IV. 11
cuneata *Camb.* IV. 12
glabra *Camb.* IV. 11
speciosa *Camb.* IV. 12
tomentosa *Camb.* IV. 12
Belilla Rheed. DC. IV. 370 (Mussaenda)
Bellardia Schreb. IV. 396
mollis W. herb. IV. 397
repens W. IV. 397
Tontanea R. et Sch. IV. 397
Bellonia L. IV. 622
Bellucia Neck. III. 195
Bellutta-Kannelli Rheed. III. 261
Belocre Rheed. I. 470
Belou Adans. I. 538
Bem-schetti Rheed. IV. 486, 487, 489
Benincasa *Savi* III. 303
cerifera *Savi.* III. 303
cylindrica Hortul. III. 303
Benzonia *Schum.* IV. 620
corymbosa *Schum.* IV. 620

BERBERIDEAE *Vent.* I. 105

Berberis *L.* I. 105
Aquifolium Pursh I. 108
aristata *DC.* I. 106
asiatica *Roxb.* I. 107
asperma Clus. I. 105
buxifolia *Lam.* I. 107
β microphylla *Forst.* I. 107
canadensis *Mill.* I. 106
caraganaefolia *DC.* I. 108
conferta *H. B. et K.* I. 107
crataegina *DC.* I. 106
cretica *L.* I. 116
β serratifolia *DC.* I. 106
cretica Thunb. I. 106
cuneata *DC.* I. 108
emarginata *W.* I. 105
empetrifolia *Lam.* I. 107
fasciculata Sims I. 108
flexuosa *R. et Pav.* I. 106
glauca *DC.* I. 106
heterophylla *Juss.* I. 108
ilicifolia *Forst.* I. 107
inermis *Pers.* I. 107
innominata Kielm. I. 105
lagenaria Poir. I. 107
latifolia *R. et Pav.* I. 106
laurina *Billh* I. 107
lutea *R. et Pav.* I. 107
lutea β DC. I. 107
monosperma *R. et Pav.* I. 106
nervosa Pursh I. 108
paniculata *Juss.* I. 106
pinnata Lag. I. 108
pinnata Roxb. I. 109
quindiuensis *H. B. et K.* I. 107
rigidifolia *H. B. et K.* I. 107
ruscifolia *Lam.* I. 106
sibirica *Pall.* I. 108
sinensis *Desf.* I. 106
Thunbergii *DC.* I. 106
tomentosa *R. et Pav.* I. 107
tragacanthoides *DC.* I. 108
virgata *R. et Pav.* I. 108
vulgaris *L.* I. 105
β lutea *DC.* I. -
γ violacea - - -
δ purpurea - - -
ε nigra - - -
ζ alba - - -
ϑ asperma - - -
ι iberica - - -
vulgaris iberica Stev. I. 105
Wallichiana *DC.* I. 107

Berchemia *Neck.* II. 22
Burmanniana *DC.* II. 23
lineata *DC.* II. 23
Loureiriana *DC.* II. 23
Poiretiana *DC.* II. 23
volubilis *DC.* II. 22
Bergenia Moench DC. IV. 37 (Saxifraga)
Bergera *Koen.* I. 537
integerrima *Roxb.* I. 537
Koenigii *L.* I. 537
Bergeretia DC. I. 165 (Clypeola)
echinata Desv. I. 166
Bergia *L.* I. 390
ammannioides *Roth* I. 390
capensis L. I. 390
glomerata *L. fil.* I. 390
verticillata *W.* I. 390
Bergkias Sonner. IV. 382
Berrya *Roxb.* I. 517
Amomilla *Roxb.* I. 518
Berteroa *DC.* I. 158
incana *DC.* I. 158
β prolifera *DC.* I. 158
mutabilis *DC.* I. 158
obliqua *DC.* I. 158
orbiculata *DC.* I. 158
peruviana *DC.* I. 158
Bertholletia *H. et Bonpl.* III. 293
excelsa *H et Bonpl.* III. 293
Bertiera DC. IV. 392 (Bertiera)
Bertiera *Aubl.* IV. 391, 392 *Blume* IV. 392
borbonica *Rich.* IV. 392
fasciculata *Blume* IV. 392
β macrophylla - - 393
ferruginea W. IV. 512
guianensis *Aubl.* IV. 392
javanica *Blume* IV. 392
lateriflora *Blume* IV. 393
mucronata *Gaertn.* IV. 392
palustris *Rich.* IV. 392
rufa *Rich.* IV. 392
Zaluzania *Gaertn.* IV. 392
Bertolonia *Raddi* III. 113 *fl. mex.* II. 589
guieroides fl. mex. II. 589
Leuzeana *DC.* III. 113
maculata *DC.* III. 114
nymphaeifolia *Raddi* III. 113
ovata *DC.* III. 113
Berula Koch DC. IV. 125 (Sium)
angustifolia Koch IV. 125
Bessera inermis Spr. I. 256
spinosa Spr. I. 256
Betckea *DC.* IV. 642
samolifolia *DC.* IV. 642
Beurreria Ehret. III. 2
Bichy Lunan. II. 92
Bieberstainia *Steph.* I. 707
multifida *DC.* I 708
odora *Steph.* I. 708
Bifora *Hoffm.* IV. 249
dicocca Hoffm. IV. 249
flosculosa MB. IV. 249
radians *MB.* IV. 249
testiculata *Spr* IV. 249
Biforis Spr. IV. 249
bengalensis Wall. IV. 14
glauca Wall. IV. 140
Bigelowia Spr. II. 41 IV *DC.*
corymbosa Bartl. IV. 55
elata Bartl. IV. 544
linearis Spr. IV. 553
linifolia Spr. IV. 551
parviflora Sieb. IV. 542,
psyllioides Bartl. IV. 54
pusilla Spr IV. 543
stricta Blume IV. 555
stricta Spr. IV. 555
suaveolens Spr. IV. 546,
umbellata Spr. IV. 551
vaginata Spr. IV. 551
Bikkia *Reinw.* IV. 405
australis *DC.* IV. 405
α Forsteriana *DC.* IV. 405
β Commersoniana - - -
δ Gaudichaudiana - - -
grandiflora Reinw. IV.
Billardiera *Sm.* I. 345 *Vahl*
angustifolia *DC.* I. 345
canariensis Wendl I. 3
fusiformis *Labill.* I. 345
longiflora *Labill.* I. 345
mutabilis *Salisb.* I. 345
paniculata Vahl IV. 494
parviflora *DC.* I. 346
rosmarinifolia *DC.* I. 345
scandens *Sm.* I. 345
variifolia *DC.* I. 346
Billiottia *DC.* IV. 618
psychotrioides *DC.* IV. 618
Billottia Colla III. 211
acerosa Colla III. 211
Biophytum *DC* I. 689
dendroides *DC.* I. 690
sensitivum *DC.* I. 690
Biporeia Pet. Th. I. 592

Iiralia paludosa Bell. I. 390
Iiscutella *L.* I. 181
alpestris W. et K. I. 183
ambigua *DC.* I. 183
α β - - - -
angustifolia *Schkuhr* I. 183
apula Gaertn. I. 182
apula *L.* I. 182
auriculata Dufour I. 181
auriculata *L.* I. 181
chilensis Lag. I. 184
cichoriifolia *Lois.* I. 181
ciliata *DC.* I. 182
Columnae *Ten.* I. 182
coronopifolia *All.* I. 183
coronopifolia L. I. 183
coronopifolia W. I. 182
depressa *W.* I. 182
didyma β L. I. 182
erigerifolia *DC.* I. 181
eriocarpa *DC.* I. 182
glabra Clairv. I. 183
hispida *DC.* I. 181
intermedia Gou. I. 183
laevigata *L.* I. 182
β γ - - 183
leiocarpa *DC.* I. 182
longifolia Vill. I. 183
lucida Balb. I. 183
lucida *DC.* I. 183
α β - - -
lyrata *L.* I. 182
major *Schkuhr* I. 183
maritima *Ten.* I. 182
megalocarpa Fisch. I. 184
microcarpa *DC.* I. 182
mollis Lois. I. 183
montana *Cav.* I. 182
obovata *DC.* I. 182
peruviana Lam. I. 184
raphanifolia *Poir.* I. 182
saxatilis *Schleich.* I. 183
α β γ - - -
sempervirens *L.* I. 183
spathulata Lam. I. 183
stenophylla *Dufour* I. 183
suffruticosa DC. I. 184
tomentosa *Lag.* I. 183
Iiserrula *L.* II. 307
Pelecinus *L.* II. 307
Iiutella Caill. et Delil. IV. 53
geminiflora Caill. et Delil. IV. 53
Iivonaea *DC.* I. 208 *fl. mex.* III. 372
Bivonaea
lutea *DC.* I. 208
multicaulis fl. mex. III. 373
Bixa *L.* I. 259
americana Poir. I. 259
Orellana *L.* I. 259
Urucurana *W.* I. 259
BIXINEAE *Kunth* I. 259
Blackia egensis Schrank III. 165
Blackbournea Kunth II. 83
Blackburnia *Forst* II. 83
pinnata *Forst.* II. 83
Blackwellia *Comm.* II. 54
axillaris *Lam.* II. 55
cerasifolia *Vent.* II. 54
glauca *Vent.* II. 54
integrifolia *Lam.* II. 54
napaulensis *DC.* II. 54
paniculata *Lam.* II. 54
spiralis *Wall.* II. 55
β glaberrima *DC.* II 55
tomentosa *Vent.* II. 55
Blakea *L.* III. 195
Cacatin *Don* III. 196
laevigata *Don* III. 196
latifolia *Don* III. 195
macrophylla *Don* III. 195
mexicana *Don* III. 195
multiflora *Don* III. 195
ovalis *Don* III. 195
parasitica *Don* III. 196
pulverulenta *Vahl* III. 196
quinquenervis *Aubl.* III. 195
repens *Don* III. 195
rosea *Don* III. 195
rotundifolia *Don* III. 195
trinervia *L.* III. 195
trinervis Pav. III. 196
triplinervia L. fil. III. 195
Blatti Rheed. III. 231
Blepharidium DC. I. 326 (Polygala)
Blighia *Koen.* I. 609
sapida *Koen.* I. 609
Blondia Neck IV. 50
Blumenbachia *Schrad.* III. 340
insignis *Schrad* III. 340
Bobaea Rich. IV. 461
elatior Gaudich. IV. 461
Bobua Adans. III. 23 *Herrm.* III. 24
Bobua *DC.* III. 23
laurina *DC.* III. 24

Bocconia *Plum.* I. 121
cordata *W.* I. 121
frutescens *L.* I. 121
β cernua *Moç. et Sessé* I. 121
γ subtomentosa *L'Herit.* - -
integrifolia *H. B. et K.* I. 121
α peruviana *DC.* I. 121
β mexicana - - -
Boerhaavia chaerophylloides W. IV. 629
Bohutschia Crantz I. 166
Bolanthus Ser. DC. I. 366 (Saponaria
Bolax *Comm.* IV. 78 *Spr.* IV. 76, 77, 78, 79 *Sieb.* IV. 74
angulatus Presl IV. 79
aretioides Spr. IV. 77
caespitosa Spr. IV. 77
cladorhizus Spr. IV. 76
complicata Spr. IV. 78
crenatus Spr. IV. 76
Echinus Presl. IV. 79
filamentosus Spr. IV 77
floccoides Sieb. IV. 74
geraniifolius Presl IV. 81
Glebaria *Comm.* IV. 78
gummifera Spr. IV. 78
ledifolius Sieb. IV 74
lycopodioides Spr IV. 76, 77
multifidus Spr. IV. 76
pedunculatus Spr. IV. 78
prolifer Spr. IV. 79
spinosus Spr. IV. 79
tridentata Spr. IV. 68
triloba Spr. IV. 69
Bolducia Neck. II. 478
Boleum *Desv.* I. 223
asperum *Desv.* I. 224
BOMBACEAE *Kunth* I. 475
Bombax *L.* I. 478
axillare fl. mex. I. 479
buonopozense *Beauv.* I. 479
carolinoides Donn. I. 478
Ceiba *L.* I. 478
Congo Burm. I. 527
cumanense *H. B. et K.* I. 479
discolor *H. B et K.* I. 479
ellipticum *H. B. et K.* I. 479
erianthos Cav. I. 479
globosum *Aubl.* I. 479
Gossypium L. I. 527
grandiflorum Cav. I. 478
grandiflorum Sonn. I. 527
heptaphyllum Cav. I. 479
Bombax
heptaphyllum L. I. 4
malabaricum *DC.* I. 47
mompoxense *H. B. et*
orinocense *H. B. et K.*
pentandrum L. I. 47
pyramidale Cav. I. 4
quinatum Jacq. I. 47
septenatum *Jacq.* I. 47
serratifolium fl. me
ventricosa Arrud. I
villosum *Mill.* I. 479
vitifolium W. I. 527
Bombicella DC. I 452 (
Bombu Petiv. III. 24
Bombyx Medik. I. 452
Bonafidia Neck. II. 25
Bonannia Rafin. I. 60
nitida Rafin. I. 609
Bonaveria Scop. Neck
Bonduc Plum II. 480
Bonnetia Schreb. I. 55
Bonplandia W. I. 730
trifoliata W. I. 731
Bootia Neck. DC. I. 36
vulgaris Neck. I. 365
Borbonia *L.* II. 120 *Th*
angustifolia Lam. II
axillaris Lam. II. 12
barbata *Lam.* II. 120
ciliata *W.* II. 120
cordata Andr. II. 118
cordata *L.* II. 120
cordifolia Lam. II. 1
crenata *L.* II. 120
ericifolia L. II. 122
laevigata L. II. 121
lanceolata *L.* II. 120
monosperma *DC.* II. 12
parviflora *Lam.* II. 120
perfoliata Thunb. II.
ruscifolia *Sims* II. 120
sericea Lam. I. 122
sphaerica Lam. II. 12
tomentosa L. II. 122
trinervia *L.* II. 120
undulata *Thunb.* II. 12
villosa *Thunb.* II. 120
Boronia *Sm.* I. 721
alata *Sm.* I. 721
crenulata *Sm.* I. 721
denticulata *Sm.* I. 721
ledifolia *Cay* I. 722
paradoxa *DC.* I. 722

Boronia
parvillora *Sm.* I. 721
pilonema *Labill.* I. 722
pilosa *Labill.* I. 721
pinnata *Sm.* I. 721
polygalaefolia *Sm.* I. 722
psoraleoides *DC.* I. 721
serrulata *Sm.* I. 721
tetrandra *Labill.* I. 721
tetrathecoides *DC.* I. 722
Borreria *Meyer* IV. 540
adscendens *Cham. et Schl.* IV. 551
affinis *DC.* IV. 546
alata *DC.* IV. 544
angustifolia *Cham. et Schl.* IV. 550
anthospermoides *DC.* IV. 550
aralioides *Cham. et Schl.* IV. 551
arida *DC.* IV. 549
asclepiadea *Cham. et Schl.* IV. 548
β glaberrima. *DC.* IV. 548
asperula *DC.* IV. 543
aturensis *Cham. et Schl.* IV. 545
Bartlingiana *DC.* IV. 544
bogotensis Spr. IV. 542
brachystemonoides *Cham. et Schl.* IV. 545
capitata *DC.* IV. 545
capitellata *Cham. et Schl.* IV. 545
centranthoides *Cham. et Schl.* IV. 550
β angustifolia *Cham. et Schl.* IV. 550
commutata Spr. IV. 541
cornifolia *DC.* IV. 545
corymbosa *DC.* IV. 550
cupularis *DC.* IV. 543
cymosa *Cham. et Schl.* IV. 549
densiflora *DC.* IV. 542
dichotoma *Cham. et Schl.* IV. 541
diffusa *DC.* IV. 544
discolor *Bartl.* IV. 545
distans *Cham. et Schl.* IV. 542
elongata *DC.* IV. 547
equisetoides *Cham. et Schl.* IV. 551
ericoides *Cham. et Schl.* IV. 550
eryngioides *Cham. et Schl.* IV. 546
eupatorioides *Cham. et Schl.* IV. 550
ferruginea *DC.* IV. 547
flavescens *DC.* IV. 548
globularioides *Cham. et Schl.* IV. 541
gracillima *DC.* IV. 543
Borreria
gymnocephala *DC.* IV. 549
Haenkeana *DC.* IV. 547
Kohautiana *Cham. et Schl.* IV. 541
laxa *Cham. et Schl.* IV. 551
linearis Spr. IV. 552
linifolia *DC.* IV. 551
linoides *DC.* IV. 548
lutescens *DC.* IV. 547
microphylla *DC.* IV. 546
minima *DC.* IV. 542
Necsiana *DC.* IV. 542
nervosa *DC.* IV. 548
ocymoides *DC.* IV. 544
parviflora *Meyer* IV. 544
Perrottetii *DC.* IV. 548
platyphylla *DC.* IV. 549
Poaya *DC.* IV. 549
podocephala *DC.* IV. 542
Pohliana *DC.* IV. 550
pratensis *DC.* IV. 548
psyllioides *H. B. et K.* IV. 548
pumila *DC.* IV. 543
pusilla *DC.* IV. 543
radiata *DC.* IV. 542
ramisparsa *DC.* IV. 544
remotifolia *DC.* IV. 544
repens *DC.* IV. 542
rubro-stipulata *DC.* IV. 546
saponariaefolia *Cham. et Schl.* IV. 549
saturejaefolia *Cham. et Schl.* IV. 546
scabiosoides *Cham. et Schl.* IV. 545
scabrida *DC.* IV. 548
scandens *DC.* IV. 546
Sideritis *Cham. et Schl.* IV. 546
sphaerica *DC.* IV. 547
spinosa *Cham. et Schl.* IV. 542
stricta *Meyer* IV. 541
stricta Spr. IV. 552
strictissima *DC.* IV. 547
suaveolens *Meyer* IV. 546
subulata *DC.* IV. 543
tampicana *DC.* IV. 544
tenella *Cham. et Schl.* IV. 547
β angustifolia *DC.* IV. 547
γ lavandulaefolia - - 548
tenera *DC.* IV. 543
tenuis *DC.* IV. 543
umbellata *Spr.* IV. 551
vaginata *Cham. et Schl.* IV. 551
valerianoides *Cham. et Schl.* IV. 551

Borreria
verbenoides *Cham. et Schl.* IV. 550
verticillata *Meyer* IV. 541
β brevifolia *DC.* - -
verticillata Sieb. IV. 541
verticillata Spr. IV. 541
virgata *Cham. et Schl.* IV. 549
Wydleriana *DC* IV. 545
Boscia *Lam.* I. 244 *Thunb.* II. 90
senegalensis *Lam.* I. 244
undulata Thunb. II. 90
Bossiaea *Vent.* II. 116
cinerea *R. Br.* II. 117
ensata *Sieb.* II. 117
heterophylla *Vent.* II. 117
lanceolata Sims II. 117
lenticularis *Sieb.* II. 117
linophylla *R. Br.* II. 117
microphylla *Sm.* II. 117
prostrata *R. Br.* II. 117
rhombifolia *Sieb.* II. 117
rotundifolia *DC.* II. 117
rufa *R. Br.* II. 117
scolopendria *Sm.* II. 116
Boswellia *Roxb.* II. 76
glabra *Roxb.* II. 76
hirsuta *Sm* II. 76
serrata *Stackh.* II. 76
thurifera Roxb. II. 76
Botor Adans. II. 403
Botria africana Lour. I. 633
Botrycarpum Rich. III. 479
Bouvardia *Salisb.* IV. 365 *Juss.* IV. 409
angustifolia *H. B. et K.* IV. 365
Cavanillesii *DC.* IV. 366
cordifolia *DC.* IV. 366
hirtella *H. B. et K* IV. 365
Jacquini *H. B. et K.* IV. 365
β exogyna *DC.* IV. 365
γ ovata - - -
linearis *H. B. et K.* IV. 365
longiflora *H. B. et K.* IV. 366
obovata *H B et K.* IV. 366
quaternifolia *DC.* IV. 365
triflora *H. B. et K.* IV. 366
triphylla var. α Salisb. IV. 365
— — β *Salisb* IV. 365
versicolor *H. B et K* IV. 366
Bowdichia *H. B et K.* II. 519
virgilioides *H. B et K.* II. 519
Bowlesia *R. et Pav.* IV. 75
crenata Desv. IV. 70
dichotoma *Porpp.* IV. 75
geniculata Spr. IV. 182
Bowlesia
geraniifolia *Cham. et Schl.*
incana hort. Paris. IV.
incana *R. et Pav.* IV. 75
lobata *R. et Pav.* IV. 75
nodiflora *Presl* IV. 75
oppositifolia Buch. IV.
palmata *R. et Pav.* IV. 75
tenera *Spr.* IV. 75
Brachyanthum DC. IV. 360
ste
Brachycarpaea *DC.* I. 236
varians *DC.* I. 236
α flava - - -
β purpurascens *DC.* I. 236
BRACHYCARPEAE *D*
Brachylobus DC. I. 137 (N
harbareaefolius Desv. I
domingensis Desv I. 138
Brachyotum DC. III. 136
throste
Brachypetalum DC. I. 271
lianthe
Brachysema *R. Br.* II. 105
latifolium *R Br.* II. 105
undulatum *Ker* II. 105
Brachystyla DC. I. 242 (
Brachystylis DC. IV. 225 (
rophy
Brachytropis DC. I. 332 (
Bractearia DC. III. 135 (
tog
Bracteogama DC. III. 334
s
Bradlaeia Neck. IV. 209
Bradlea Adans. II. 390
Bradypiptum DC. I. 204 (
d
Brasenia peltata Pursh I.
Brasilettia DC. II. 481 (C
I
Brassica DC. I. 213 (Brassi
Brassica *L.* I. 213
alpina L. I. 199
arvensis L. I. 221
austriaca Jacq I. 200
balearica DC. I. 217
balearica *Pers.* I. 215
Bunias *DC.* I. 217
campestris *L.* I. 214
α oleifera *DC.* - -

ra
pabularia *DC.* I. 214
Napo brassica - - -
α communis - - -
β fistulosa - - -
itata compressa Lam. I. 214
itata conica Lam. I. 214
itata major Lam. I. 213
itata subacuta Lam. I. 214
cirrhos *Vill.* I. 216
β γ - - -
frutiflora *DC.* I. 216
ensis *L.* I. 215
nifolia Forsk. I. 230
ica *Lam.* I. 215
pa *Rafin.* I. 217
gata *Ehrh.* I. 217
ica Blackw. I. 223
ica Bull. I. 223
ica L. I. 223
ica β Sibth. et Sm. I. 223
astrum *L.* I. 216
oides Horn. I. 223
kahlii *Schult.* I. 217
escens Soland. I. 221
culosa *Cyril.* I. 216
inae *Ten.* I. 215
iana *Burch.* I. 215
Moench I. 217
lis *DC.* I. 215
a *Ten.* I. 215
gata *Lag.* I. 216
a *Desf.* I. 215
ellanica *Juss.* I. 215
ensis *Huds.* I. 216
tana DC. fl. fr. I. 216
tana *Rafin.* I. 217
us *L.* I. 214
oleifera *DC.* I. 214
esculenta - - -
α alba - - -
β flava - - - -
γ nigricans *DC.* I. 214
racea Huds. I. 213
acea *L.* I. 213
sylvestris *DC.* I. 213
acephala - - -
α ramosa - - -
β vulgaris - - -
γ quercifolia - - -
δ sabellica - - -
ε palmifolia - - -
ζ costata - - -
t bullata - - -
α vulgaris - - -
β oblonga - - -

Brassica
γ major *DC.* I. 213
δ gemmifera - - 214
d capitata - - -
α depressa - - -
β sphaerica - - -
γ obovata - - -
δ elliptica - - -
ε conica - - -
e caulo-rapa - - -
α communis - - -
β crispa - - -
f Botrytis - - -
α cauliflora - - -
β asparagoides *DC.* I. 214
oleracea Napo-brassica L. I. 214
oleracea viridis Lam. I. 213
orientalis L. I 200
pinnatifida *Desf.* I. 215
polymorpha Murr. I. 191
praecox *W. et K* I. 214
pseudo-erucastrum *Brot.* I. 217
purpurascens *Russ.* I. 217
Rapa *L.* I. 214
a depressa *DC.* I. 214
b oblonga - - -
c oleifera - - -
repanda *DC.* I. 215
Richerii *Vill.* I. 216
sabularia *Brot.* I. 217
sempervirens Schrank I. 215
sisymbroides Fisch. I. 216
strigosa *DC.* I. 216
subhastata W. I. 192
suffruticosa Desf. I. 221
teretifolia Desf. I. 221
Tournefortii *Gou.* I. 216
β - - -
turgida Pers. I. 223
valentina *DC.* I. 216
vesicaria Asso I. 223
vesicaria L. I. 223
violacea *L.* I. 215
viridis crassa Lam. I. 213
viridis procerior Lam. I. 213

BRASSICEAE *DC.* I. 213

Brathys Chois. DC. I. 553 (Hypericum)

Braya *Sternb. et Hoppe* I. 141
alpina *Sternb. et Hoppe* I. 141
glabella *Richards.* I. 141

Brayera *Kunth* II. 588
anthelmintica *Kunth* II. 588

Bredemeyera *W.* I. 340
floribunda *W.* I. 340
Bremontiera *DC.* II. 353
Ammoxylon *DC.* II. 353
β Burmanni - - -
Breonia *Rich.* IV. 620
madagascariensis *Rich.* IV. 620
Breynia Plum. I. 250
indica L. I. 252
Breyniastrum DC. I. 250 (Capparis)
Brignolia *DC.* IV. 444 *Bertol.* IV. 143
acuminata *DC.* IV. 444
pastinacaefolia Bertol. IV. 143
Brindonia Aubl. Pet. Th. I. 560
DC. I. 561 (Garcinia)
celebica Pet. Th I. 561
indica Pet. Th. I. 561
Brissonia Neck. DC. II. 249 (Tephrosia)
coronillaefolia Desv. II. 252
stipularis Desv. II. 255
trapezicarpa Desv. II. 255
Brongniartia *H. B. et K.* II. 475
mollis *H. B. et K.* II. 475
podalyrioides *H. B. et K.* II. 475
Bronnia *H. B. et K.* III. 349
spinosa *H. B. et K.* III. 350
Brotera Cav. I. 498
ovata Cav. I. 498
Broussaisia *Gaudich.* IV. 17
arguta *Gaudich.* IV. 17
Broussonetia secundiflora Ort. II. 96
Browneа *Jacq.* II. 476
capitella *Jacq.* II. 477
coccinea *Jacq.* II. 477
grandiceps *Jacq.* II. 477
latifolia *Jacq.* II. 477
leucantha *Jacq.* II. 477
racemosa *Jacq.* II. 477
Rosa *Pers.* II. 477
rosa de monte Berg. II. 477
speciosa Reich. II. 477
Brucea *J. S. Mill.* II. 88
antidysenterica *Mill.* II. 88
ferruginea L'Herit. II. 88
gracilis *DC.* II. 88
sumatrana *Roxb.* II. 88
sumatrensis Spr. II. 88
Bruguiera *Pet. Th.* III. 23 *Lam.* III. 31, 32 *Rich. herb.* III. 173, 174
gymnorhiza Lam. III. 33
madagascariensis *DC.* III. 23
Bruguiera
sexangula Steud. III
sexangularis Spr. II
Brunellia *R. et Pav.* II. 8
aculeata *R. et Pav.* II.
acutangula *H. et Bonp*
comocladifolia *H. B. et*
inermis *R. et Pav.* II.
ovalifolia *H. et Bonpl.*
propinqua *H. B. et K.*
tomentosa *H. et Bonpl*
Brunia *L.* II. 43 *Adans.*

abrotanoides *Thunb.* I
alopecuroides *Thunb.*
arachnoidea *Wendl.* II.
capitata *Desf.* II. 45
capitella *Thunb.* II. 44
ciliata *L.* II. 45
comosa *Thunb.* II. 44
deusta *Thunb.* II. 43
elegans *Dum. Cours* I
ericoides *Wendl.* II. 4
formosa *Dum. Cours* I
fragarioides *W.* II. 45
globosa *Thunb.* II. 43
glutinosa L. II. 45
laevis *Thunb.* II. 43
lanuginosa *L.* II. 44
laxa *Thunb.* II. 44
macrocephala *W.* II. 44
microphylla *Thunb.* II.
nodiflora *L.* II. 43
paleacea *L.* II. 44
phylicoides *Thunb.* II.
plumosa *Lam.* II. 44
radiata L. II. 45
rubra *W.* II. 45
speciosa Hortul. II. 4
squarrosa *Thunb.* II. 44
superba *Don.* II. 44
tenuifolia W. II. 44
uniflora L. I. 716
verticillata *L. fil.* II. 44
BRUNIACEAE *R. Br.*
Brya *P. Browne* II. 421
Ebenus *DC.* II. 421
parviflora *DC.* II. 421
Bryonia *L.* III. 304
abyssinica *Lam.* III. 305
acuta *Desf.* III. 308
acutangula *Thunb.* III.
africana L. III. 309
africana *Thunb.* III. 308
agrestis Raeusch. III.

Bryonia
alba *L.* III. 307
alceaefolia *W.* III. 308
althaeoides *Ser.* III. 306
americana *Lam.* III. 307
amplexicaulis *Lam.* III. 306
angulata *Thunb.* III. 305
bonariensis *Mill.* III. 308
Blumei *Ser.* III. 305
cochinchinensis *Lour.* III. 305
cordata *Thunb.* III. 305
cordifolia *L.* III. 307
cretica *L.* III. 307
cucumeroides *Ser.* III. 308
digitata *Thunb.* III. 309
dioica *Jacq.* III. 307
β lutea *Ser.* III. 307
dissecta *Thunb.* III. 308
epigaea *Rottl.* III. 306
ficifolia *Lam.* III. 308
Garcini *W.* III. 308
geminata *Blume* III. 305
grandis *L.* III. 305
hastata *Lour.* III. 306
hederaefolia *Jacq.* III. 306
heterophylla *Blume* III. 305
heterophylla *Steud.* III. 306
japonica *Thunb.* III. 305
laciniosa *L.* III. 308
laevis *Thunb.* III. 308
latebrosa *Ait.* III. 307
leucocarpa *Blume* III. 305
lutea *Bast.* III. 307
macrophylla *Ser.* III. 308
maderaspatana *Berg.* III. 306
marginata *Blume* III. 305
Moimoi *Ser.* III. 305
mucronata *Blume* III. 304
β denticulata *Ser.* - -
nana *Lam.* III. 308
napaulensis *Ser.* III. 307
nitida *Link* III. 307
palmata *L.* III. 308
pedunculosa *Ser.* III. 306
Perrottetiana *Ser.* III. 304
pinnatifida *Burch.* III. 308
pubescens *Poir.* III. 306
punctata *Thunb.* III. 305
quinqueloba *Thunb.* III. 307
racemosa *Mill.* III. 308
repanda *Blume* III. 305
Rheedii *Blume* III. 306
rostrata *Rottl.* III. 304
sagittata *Blume* III. 305
scabra *Thunb.* III. 304
scabrata *Blume* III. 304
scabrella *L.* III. 306
α β *Blume* III. 307
stipulacea *W.* III. 307
β perpusilla *Blume* III. 307
Teedonda Roxb. III. 306
Thunbergiana Dietr. III. 305
triloba Lour. III. 307
trilobata *Thunb.* III. 307
umbellata *Klein* III. 305
variegata *Mill.* III. 308
verrucosa *Ait.* III. 304
Wallichiana *Ser.* III. 309
Bryophyllum *Salisb.* III. 395
calycinum *Salisb.* III. 396
Bubalina Raf. IV. 368
Bubon *Koch* IV. 184 *Spr.* IV. 144, 184 *L.* IV. 154 *Lag.* IV. 120, 122 *Auct.* IV. 143
aphyllus Cham. et Schlecht. IV. 143
buchtormensis Fisch. IV. 150
cuneifolius Spr. IV. 145
dichotomus Spr. IV. 145
eriocephalus Spr. IV. 145
Galbanum *L.* IV. 185
garganicum Ten. IV. 155
glaucus Spr. IV. 148
gummiferum *L.* IV. 185
laevigatum *Ait.* IV. 185
macedonicum L. IV. 155
peucedanifolius Spr. IV. 145
proliferum Burm. IV. 135
rigidior Spr. IV. 145
rigidius Ucria IV. 171
rigidus L. IV. 185
rigidus Spr. IV. 145
rigidus α Spr. IV. 145
rigidus β Spr. IV. 145
rigidus γ Spr. IV. 145
siculus Spr. IV. 148
tortuosus Desf. IV. 143
tortuosus Sieb. IV. 144
Bubroma Schreb. I. 485
Guazuma W. I. 485
Invira W. I. 485
polybotryum W. I. 485
Bucco Wendl. I. 714
acuminata Wendl. I. 715
betulina R. et Schult. I. 714
brevifolia R. et Schult. I. 716
Cerefolium R. et Schult. I. 715
erecta Wendl. I. 715
hispida R. et Schult. I. 716

Bucco
imbricata Wendl. I. 715
linifolia Licht. I. 715
obtusa R. et Schult. I. 714
ovata Wendl. I. 714
prolifera Wendl. I. 715
pulchella R. et Schult. I. 714
serpyllacea Licht. I. 715
spicata Licht. I. 715
Ventenatiana R. et Schult. I. 716
vestita Licht. I. 715
villosa Wendl. I. 715
Buceras Ser. II. 182 (Trigonella)
Buceras Moench II. 182, 184 *P. Browne* III. 9
elliptica Moench II. 183
grandiflora Moench II. 185
mutica Moench II. 184
spinosa Moench II. 182
Buchanania *Roxb.* II. 63 *Kunth* II. 63
angustifolia *Roxb.* II. 64
latifolia *Roxb* II. 64
Buchozia L'Herit IV. 575
coprosmoides L'Herit. IV. 575
Bucida *L.* III. 9
angustifolia *DC.* III. 10
Buceras *L.* III. 10
capitata *Vahl* III. 10
Bucquetia *DC.* III. 110
glutinosa *DC.* III. 110
Budlea glabrata Spr. IV. 539
Buena *Pohl* IV. 356 *Cav.* IV. 436
acuminata *DC.* IV. 356
hexandra *Pohl* IV. 356
obtusifolia *DC.* IV. 356
panamensis Cav. IV. 437
Buettneria Duham. III. 2
Buettneria v. Byttneria
BÜTTNERIACEAE verae Kunth I. 484
Buffonia *Sauv.* I. 388
annua *DC.* I. 388
macrocarpa *Ser.* I. 388
Oliveriana *Ser.* I. 388
perennis *Pourr.* I. 389
tenuifolia Lam. I. 388
tenuifolia Moç. et Sessé I. 390
Bugrana DC. II. 162 (Ononis)
Bugranoides DC. II. 164 (Ononis)
Bulbocastanum Lag. IV. 115
Adans. DC. IV. 115 (Carum)
Bulbocastanum
creticum Tourn. I
Bulliarda *DC.* III. 382
aquatica *DC.* III. 38
β prostrata *DC.* III
bonariensis DC. I
magellanica DC. I
Vaillantii *DC.* III. 3
Bumalda Thunb. II.
trifolia Thunb. II
Bunchosia *Juss.* I. 58
argentea *DC.* I. 582
armeniaca *DC.* I. 58
canescens *DC.* I. 58
cornifolia *H. B. et K*
glandulifera *H. B. et*
glandulosa *DC.* I. 5
glauca *H. B. et K.* I
media *DC.* I. 581
nitida *DC.* I. 582
odorata *DC.* I. 582
paniculata *DC.* I. 58
pilosa *H. B. et K.* I
polystachya *DC.* I. 5
sessilifolia *DC.* I. 58
tuberculata *DC.* I. 5
BUNIADEAE *DC.*
Bunias *R. Br.* I. 229
aegyptiaca L. I. 18
aspera Brot. I. 23
aspera *Retz* I. 230
β cristata *DC.* I. 230
cochlearioides Mu
cornuta L. I. 185
Erucago *L.* I. 230
orientalis *L.* I. 230
prostrata Desf. I.
raphanifolia Sibt
spinosa L. I. 224
syriaca Gaertn. I.
tenuifolia Sm. I. 2
Bunium *Koch* IV. 115 115 *L*
acaule *Hoffm.* IV. 1
alpinum *W. et K.* IV
β petraeum *DC.* IV. 1
ammoides Link IV.
aphyllum *Jan herb.*
aromaticum L. IV.
Bulbocastanum B
Bulbocastanum Hu
Bulbocastanum L.
Carvi MB. IV. 115

. 307
W. III. 308
Ser. III. 306
Lam. III. 307
lis Lam. III. 306
hunb. III. 305
is Mill. III. 308
r. III. 305
nsis Lour. III. 305
hunb. III. 305
L. III. 307
III. 307
les Ser. III. 308
hunb. III 309
q. III. 307
w. III 307
hunb. III. 308
ettl. III. 306
am. III. 308
. III. 308
Blume III. 305
III. 305
Lour. III. 306
a Jacq. III. 306
dia Blume III. 305
la Steud. III. 306
Thunb. III. 305
. III. 308
nb. III. 308
lit. III. 307
Blume III. 305
st. III. 307
la Ser. III. 308
ana Berg. III. 306
Blume III. 305
r. III. 305
Blume III. 304
ana Ser. - -
. III. 308
a Ser. III. 307
ck III. 307
. III. 308
ta Ser. III. 306
ata Ser. III. 304
Burch. III. 308
Poir. III. 306
Thunb. III. 305
ha Thunb. III. 307
Mill. III. 308
Blume III. 305
Blume III. 306
Ettl. III. 304
Blume III. 305
hunb. III. 304

Bryonia
scabrata *Blume* III. 304
scabrella *L.* III. 306
α β Blume III. 307
stipulacea *W.* III. 307
β perpusilla *Blume* III. 307
Teedonda Roxb. III. 306
Thunbergiana Dietr. III. 305
triloba Lour. III. 307
trilobata *Thunb.* III. 307
umbellata *Klein* III. 305
variegata *Mill.* III. 308
verrucosa *Ait.* III. 304
Wallichiana *Ser.* III. 309
Bryophyllum *Salisb.* III. 395
calycinum *Salisb.* III. 396
Bubalina Raf. IV. 368
Bubon *Koch* IV. 184 *Spr.* IV. 144, 184 *L.* IV. 154 *Lag.* IV. 120, 122 *Auct.* IV. 143
aphyllus Cham. et Schlecht. IV. 143
buchtormensis Fisch. IV. 150
cuneifolius Spr. IV. 145
dichotomus Spr. IV. 145
erincephalus Spr. IV. 145
Galbanum *L.* IV. 185
garganicum Ten. IV. 155
glaucus Spr. IV. 148
gummiferum *L.* IV. 185
laevigatum *Ait.* IV. 185
macedonicum L. IV. 155
peucedanifolius Spr. IV. 145
proliferum Burm. IV. 135
rigidior Spr. IV. 145
rigidius Ucria IV. 171
rigidus L. IV. 185
rigidus Spr. IV. 145
rigidus α Spr. IV. 145
rigidus β Spr. IV. 145
rigidus γ Spr. IV. 145
siculus Spr. IV. 148
tortuosus Desf. IV. 143
tortuosus Sieb. IV. 144
Bubroma Schreb. I. 485
Guazuma W. I. 485
Invira W. I. 485
polybotrys um W. I. 485
Bucco Wendl. I. 714
acuminata Wendl. I. 715
betulina R. et Schult. I. 714
brevifolia R. et Schult. I. 716
Cerefolium R. et Schult. I. 715
erecta Wendl. I. 715
hispida R. et Schult. I. 716

Bupleurum
Odontites *L.* IV. 129
Odontites Sow. IV. 129
oppositifolium *Lapeyr.* IV. 134
paniculatum *Brot.* IV. 131
papillosum *DC.* IV. 127
perfoliatum Lam. IV. 129
petiolare Lapeyr. IV. 132
petraeum Auct. IV. 130
petraeum Gener. IV. 131
petraeum L. IV. 131
petraeum Vill. IV. 130
petroselinoides Spr. IV. 102
plantagineum *Desf.* IV. 133
Pollichii Gmel. IV. 127
polyphyllum *Ledeb* IV. 134
procumbens *Desf.* IV. 127
proliferum Delil. IV. 129
protractum *Link* IV. 129
protractum Spr. IV. 129
pyrenaeum *Gou.* IV. 130
pyrenaicum W. IV. 130
quinquedentatum Thunb. IV. 242
ranunculoides Lapeyr. IV. 131
ranunculoides *L.* IV. 131
β caricinum *DC.* - -
repens Lapeyr. IV. 131
rigidum *L.* IV. 132
rigidum Spr. IV. 132
rigidum β Spr. IV. 132
Rissoni Rich. IV. 128
rotundifolium Brot. IV. 129
rotundifolium *L.* IV. 129
rotundifolium α Spr. IV. 129
rotundifolium β intermedium Lois. IV. 129
scorzoneraefolium *W.* IV. 132
semicompositum *L.* IV. 128
Sibthorpianum *Sm.* IV. 133
spinosum *L. fil.* IV. 133
stellatum *L.* IV. 130
subovatum Spr. IV. 129
sulcatum β africanum Berg. IV. 133
tenue *Don* IV. 128
β flexuosum *Wall.* IV. 128
tenuissimum Bouch. IV. 127
tenuissimum *L.* IV. 127
β nanum *DC.* IV. 127
trifidum *Ten.* IV. 132
trifolintum Wendl. IV. 134
triradiatum *Adams* IV. 130
vapincense Vill. IV. 131
verticale Ort. IV. 133
villosum L. IV. 242

Bupleurum
virgatum Wall. IV. 12
Buprestis Spr. IV. 127, 1
coriacea Spr. IV. 133
difformis Spr. IV. 134
fruticosa Spr. IV. 133
Gerardi Spr. IV. 128
Burasaia *Pet. Th.* I. 96
madagascariensis *Pet. T*
Burcardia Scop. III. 348
Burchardia Neck III. 2
Burchellia *R. Br.* IV. 368
bubalina hot mag. IV.
capensis *R. Br.* IV. 369
parviflora *Lindl.* IV. 369
Burghartia Neck. III. 34
Burglaria lucida Wend
Burneya Cham. et Schl. I
Forsteri Cham. et Schl. I
Gaudichaudii Cham. e I
Bursaria *Cav.* I. 347 II. 41
spinosa *Cav.* I. 347
Bursera *Jacq.* II. 78
acuminata *W.* II. 78
balsamifera Pers. II. 8
gummifera *Jacq.* II. 78
β polyphylla *DC.* - -
obtusifolia Lam. II. 79
paniculata Lam. II. 79
simplicifolia *DC.* II. 78
BURSERACEAE *Kunt*
Burtonia *R. Br.* II. 106 *Sa*
conferta *DC.* II. 106
minor *DC.* II. 106
scabra *R. Br.* II. 106
sessilifolia *DC.* II. 106
Butea *Roxb.* II. 414 *Pers.*
Braamiana *DC.* II. 415
frondosa Kern II. 415
frondosa *Roxb.* II. 415
parviflora *Roxb.* II. 415
superba *Roxb* II 415
Butonica Rumph Lam. II
speciosa Lam. III. 288
Byblis *Salisb.* I. 319
liniflora *Salisb.* I. 319
Byrsonima *Rich* I. 579
altissima *DC.* I. 579
angustifolia *H. B. et K.* I.
brachystachya *DC.* I. 581
chrysophylla *H. B. et K.*
cinerea *DC.* I. 580
coccolobaefolia *H. B. et K.*

Byrsonima
coriacea *DC.* I. 580
cotinifolia *H. B. et K.* I. 579
crassifolia *DC.* I. 579
β Moureila *Aubl.* I. 579
crassifolia H. B. et K. I. 579
densa *DC.* I. 580
diphylla *Jacq.* I. 581
elegans *DC.* I. 580
eriopoda *DC.* I. 579
ferruginea *H. B. et K.* I. 579
laevigata *DC.* I. 580
lanceolata *Poir.* I. 580
lucida *DC.* I. 580
mollis *DC.* I. 581
montana *H. B. et K.* I. 580
nervosa *DC.* I. 579
nitidissima *H. B. et K.* I. 580
pallida *DC.* I. 581
pulchra *DC.* I. 580
reticulata *DC.* I. 581
rhopalaefolia *H. B. et K.* I. 580
sericea *DC.* I. 580
spicata *DC.* I. 580
verbascifolia *DC.* I. 579
volubilis *DC.* I. 581
Byttneria *(Buettneria) Loefl.* I. 486
aculeata Jacq. I. 487
acuminata *Bred.* I. 487
aspera Roxb. I. 487
carthagenensis *Jacq.* I. 487
catalpaefolia *Jacq.* I. 487
cordata *Lam.* I. 487
corylifolia *H. et Bonpl.* I. 487
dasyphylla *Gay* I. 486
grandifolia *DC.* I. 486
herbacea *Roxb.* I. 486
hermanniaefolia *Gay* I. 486
hirsuta *R. et Pav.* I. 487
inodora Gay I. 486
lanceolata *fl. mex.* I. 487
macrophylla *H. B. et K.* I. 486
microphylla *L.* I. 487
mollis *H. B. et K.* I. 487
ovata *Lam.* I. 487
pannosa *DC.* I. 486
salicifolia *H. et Bonpl.* I. 487
scabra *L.* I. 487
sulcata *R. et Pav.* I. 487
tereticaulis *Lam.* I. 487
BYTTNERIACEAE *R. Br.* I. 481
BYTTNERIEAE *DC.* I. 484

C

Caanthe DC. IV. 372 (Mussaenda)
Cabomba *Aubl.* I. 112
aquatica *Aubl.* I. 112
CABOMBEAE Rich. I. 112
Cacao Tourn. I. 484
guianensis Aubl. I. 484
minus Gaertn. I. 484
sativa Lam. I. 484
Theobroma Tuss. I. 484
Cacara Pet Th. II. 402
Cachrys *Tourn.* IV. 236. 240 *Auct.* IV. 239, 241 *Lam.* IV. 240 *Link* IV. 236 *Koch* IV. 236 *MB.* IV. 199 *Spr.* IV. 98, 164, 199, 236, 240
acaulis *DC.* IV. 238
alata Hoffm. IV. 239
alpina *MB.* IV. 237
ambigua Salzm. IV. 241
athamanthoides MB. IV. 98
callosperma Pall. IV. 237
cretica Lam. IV. 240
crispa *Pers.* IV. 237
crispa Spr. IV. 237
cristata *DC.* IV. 238
cylindracea Guss. IV. 239
decursiva Horn. IV. 200
dichotoma Spr. IV. 199
eriantha *DC.* IV. 238
humilis *Schousb.* IV. 238
involucrata *Pall.* IV. 238
laevigata *Lam.* IV. 236
latifolia MB. IV. 200
Libanotis Gou. IV. 236
Libanotis Guss. IV. 239
Libanotis *L.* IV. 237
Libanotis Pall. IV. 237
littoralis Spr. IV. 210
longiloba *DC.* IV. 237
maritima Spr. IV. 164
microcarpa MB. IV. 98
microcarpa Stev. IV. 237
Morisonii All. IV. 236
nudicaulis Godet IV. 237
odontalgica *Pall.* IV. 236
panacifolia Vahl IV. 241
Panax siculum Ucria IV. 241
pastinacea Lam. IV. 241
peregrina Spr. IV. 199
peucedanoides *Desf.* IV. 237
pterochlaena *DC.* IV. 237
pungens *Jan* IV. 238
β echinophora *DC.* IV. 238

Cachrys
seseloides MB. IV. 98
sibirica Steph. IV. 151
sicula Guld. IV. 98
sicula L. IV. 237
sicula Ten. IV. 238
sicula d'Urv. IV. 238
sicula α Guss. IV. 238
sicula β longifolia Guss. IV. 238
sicula γ Guss. IV. 237
sphaerosperma Ten. IV. 237
taurica W. IV. 98
tomentosa Desf. IV. 241
triquetra Spr. IV. 240
vaginata *Ledeb.* IV. 670
verior Lob. IV. 237
Cacoucia *Aubl.* III. 22
chinensis *A. Juss* III. 22
coccinea *Aubl.* III. 22
trifoliata *DC.* III. 22
CACTEAE *DC.* III. 457
CACTI Juss. III. 457
CACTOIDEAE Vent. III. 457
Cactus *L.* III. 457 *Auct* III. 458, 460, 461, 463, 471, 474, 475
abnormis W. III. 464
aculeatissimus Zeih. III. 476
alatus Sw. III. 470
alatus W. III 470
ambiguus Bonpl. III. 467
Bonplandii H. B. et K. III. 472
bradypus Lehm. III. 464
brasiliensis W. III. 474
campechianus Thierry de Menonv. III. 476
canescens fl. mex. III. 459
caripensis H. B. et K. III. 467
cassythoides fl. mex. III. 476
cochenillifer fl. mex. III. 474
cochinillifer L. III. 473
columnaris fl. mex. III. 459
coquimbanus Hortul. III. 465
coquimbanus Molin. III. 465
cornigerus fl. mex III. 461
coronatus Lam. III. 460
coronatus W. III. 458
crispatus fl. mex. III. 462
curassavicus L. III. 472
cylindricus Lam. III. 471
cylindricus Ort. III. 458
decumanus W. III. 473
depressus DC. III. 459
depressus Haw. III. 463
Cactus
Dillenii hot. reg. III.
divaricatus Lam. III.
eburneus Link III. 46
elegans Link III. 470
elongatus W. III. 473
fasciculatus W. III. 4
ferox Nutt. III. 472
ferox W. III. 472
Ficus indica L. III. 4
fimbriatus fl. mex III
fimbriatus Lam. III. 4
flagelliformis L. III. 4
flavescens DC. III. 45
flavescens Spr. III. 45
flavispinus Colla III.
foliosus W. III. 471
fragilis Nutt III. 472
funalis Spr. III. 476
gibbosus Haw. III. 46
glomeratus Lam III.
grandiflorus L. III. 46
grandifolius Link III
Haworthii Spr. III. 46
Helicteres fl. mex. III.
heterogonus L. III. 47
hexagonus L. III. 470
hexagonus W. III. 464
Histrix Salm-Dyck II
Humboldtii H. B. et K.
humilis Haw. III. 472
humilis Lag. III. 472
icosigonus H. B. et K.
intortus Mill. III. 462
Kageneckii Gmel. III. 4
lanceolatus Haw. III.
Langsdorfii Lehm. III
lanuginosus L. III. 46
lanuginosus Mill. III.
latispinus Haw. III. 4
macracunthos Salm-D
mamillaris L. III. 459
mamillaris prolifer A
melocactoides Hoffma
Melocactus Besl. III. 4
Melocactus Lam. III. 4
Melocactus L. III. 460
mensarum Thierry nonv.
micranthus H. B et K
microthele Spr. III. 459
monacanthus W. III. 4

DC. I. 580
H. B. et K. I. 579
DC. I. 579
Aubl. I. 579
H. B. et K. I. 579
I. 580
Jacq. I. 581
DC. I. 580
DC. I. 579
H. B. et K. I. 579
DC. I. 580
Poir. I. 580
H. B. et K. I. 579
DC. I. 580
DC. I. 581
H. B. et K. I. 580
DC. I. 579
H. B. et K. I. 580
DC. I. 581
DC. I. 580
DC. I. 581
H. B. et K. I. 580
DC. I. 580
DC. I. 580
DC. I. 579
DC. I. 581
(Buettneria) Loefl. I. 486
Jacq. I. 487
Bred. I. 487
Roxb. I. 487
Jacq. I. 487
Jacq. I. 487
Lam. I. 487
H. et Bonpl. I. 487
Gay I. 486
DC. I. 486
Roxb. I. 486
Gay I. 486
R. et Pav. I. 487
Gay I. 486
fl. mex. I. 487
H. B. et K. I. 486
L. I. 487
H. B. et K. I. 487
Lam. I. 487
DC. I. 486
H. et Bonpl. I. 487
I. 487
R. et Pav. I. 487
Lam. I. 487
ERIACEAE *R. Br.* I. 481
ERIEAE *DC.* I. 484

C

Caanthe DC. IV. 372 (Mussaenda)
Cabomba *Aubl.* I. 112
aquatica *Aubl.* I. 112
CABOMBEAE Rich. I. 112
Cacao Tourn. I. 484
guianensis Aubl. I. 484
minus Gaertn. I. 484
sativa Lam. I. 484
Theobroma Tuss. I. 484
Cacara Pet. Th. II. 402
Cachrys *Tourn.* IV. 236. 240 *Auct.* IV. 239, 241 *Lam.* IV. 240 *Link* IV. 236 *Koch* IV. 236 *MB.* IV. 199 *Spr.* IV. 98, 164, 199, 236, 240
acaulis *DC.* IV. 238
alata Hoffm. IV. 239
alpina *MB.* IV. 237
ambigua Salzm. IV. 241
athamanthoides MB. IV. 98
callosperma Pall. IV. 237
cretica Lam. IV. 240
crispa *Pers.* IV. 237
crispa Spr. IV. 237
cristata *DC.* IV. 238
cylindracea Guss. IV. 239
decursiva Horn. IV. 200
dichotoma Spr. IV. 199
eriantha *DC.* IV. 238
humilis *Schousb.* IV. 238
involucrata *Pall.* IV. 238
laevigata *Lam.* IV. 236
latifolia MB. IV. 200
Libanotis Gou. IV. 236
Libanotis Guss. IV. 239
Libanotis *L.* IV. 237
Libanotis Pall. IV. 237
littoralis Spr. IV. 210
longiloba *DC.* IV. 237
maritima Spr. IV. 164
microcarpa MB. IV. 98
microcarpa Stev. IV. 237
Morisonii All. IV. 236
nudicaulis Godet IV. 237
odontalgica *Pall.* IV. 236
panacifolia Vahl IV. 241
Panax siculum Ucria IV. 241
pastinacea Lam. IV. 241
peregrina Spr. IV. 199
peucedanoides *Desf.* IV. 237
pterochlaena *DC.* IV. 237
pungens *Jan* IV. 238
β echinophora *DC.* IV. 238

CAESALPINEAE *R. Br.* II. 473
Caesalpinia *Plum.* II. 481
axillaris *DC.* II. 481
bahamensis *Lam.* II. 482
Berterii Spr. II. 482
bijuga *Sw.* II. 482
brasiliensis *L.* II. 482
Cacalaco *H et Bonpl.* II. 482
cassioides *W.* II. 483
coriaria Kunth II. 482
coriaria *W.* II. 483
Crista *L.* II. 482
digyna *Rottl.* II. 482
echinata *Lam.* II. 483
elata Sw. II. 484
Exostemma *fl. mex.* II. 483
glabrata *H. B. et K.* II. 482
glandulosa *Bert. herb.* II. 482
lebbeckoides *DC.* II. 483
ligulata Heyne II. 484
mimosoides *Lam.* II. 482
mucronata *W.* II. 483
Nuga *Ait.* II. 481
paniculata *Desf.* II. 481
pectinata Cav. II. 481
pluviosa *DC.* II. 483
pulcherrima Sw. II. 484
punctata *W.* II. 483
Sappan *L.* II. 482
scandens *Roth* II. 482
Thomaea Spr. II. 483
tinctoria Domb. II. 481
vesicaria fl. mex. II. 481
vesicaria L. II. 482
Nov. Spec. Heyne II. 484
Cajan Adans. II. 406
scarabaeoides Pet. Th. II. 387
Cajanus *DC.* II. 406
bicolor *DC.* II. 406
flavus *DC.* II. 406
megalanthus Spr. II. 288
Caja-puti Adans. III. 211
Caju-Bessi Rumph II. 509
Cakile *Tourn.* I. 185
aegyptiaca Tuss. I. 185
aegyptiaca W. I. 185
aequalis *L'Herit.* I. 185
americana *Nutt.* I. 185
β cubensis *H. B. et K.* I. 185
maritima *Scop.* I. 185
β sinuatifolia *DC.* - -
rugosa var. stylosa DC. fl. fr. I. 227
Cakile
Serapionis Gaertn. I.
CAKILINEAE *DC.* I. 1
Calanchoe Pers. III. 394.
Calandrinia *H. B. et K.* III.
acaulis *H. B. et K.* III. 3
alba *DC.* III. 359
caulescens *H. B. et K.* III
ciliata *DC.* III. 359
compressa *Schrad.* III. 3
β adscendens *DC.* - -
glauca *Schrad.* III. 359
linearifolia *DC.* III. 359
lingulata *DC.* III. 358
monandra *DC.* III. 359
nitida *DC.* III. 359
paniculata *DC.* III. 358
Phacosperma *DC.* III. 359
pilosiuscula *DC.* III. 359
umbellata *DC.* III. 358
Calanthea DC. I. 256 (Cep
Calceolar Loefl. I. 307
Caldasia *Lag.* IV. 229
Andicola *Lag.* IV. 229
chaerophyllaea *Lag.* IV. 2
α glabriuscula - - -
β hirsuta - - -
eriopoda *DC.* IV. 229
lasiopetala *Lag.* IV. 229
Calepina *Adans.* I. 225
Corvini *Desv.* I. 225
β *DC.* I. 225
Calinea scandens Aubl. I.
Callicocca Schreb. IV. 532
IV. 533 (Cepha
alba Gmel. IV. 535
elata Gmel. IV. 533
glabra Gmel. IV. 534
guianensis Gmel. IV. 53
Ipecacuanha Brot. IV. 5
purpurea Gmel. IV. 535
tomentosa Gmel. IV. 533
Callicoma *Andr.* IV. 7
serratifolia *Andr.* IV. 7
Calligonum asperum Lam
Callipeltis *Step.* IV. 613
Cucullaria *DC.* IV. 613
Calliphyllum Gaud. IV. 17
Callisace *Fisch.* IV. 184
cantabrigiensis Hoffm. IV.
dahurica *Fisch.* IV. 184
ruthenica Hoffm. IV. 184
Schiwereckii Hoffm. IV. 1

Callistachys *Vent.* II. 104
cuneifolia *Sm.* II. 104
elliptica Vent. II. 104
lanceolata *Vent.* II. 104
ovata *Sims* II. 104
Callistemma capitatum Reich. III. 225
Callistemon *R. Br.* III. 222
capitatum Reich. III. 225
hybridum *DC.* III. 224
lanceolatum *DC.* III. 223
linearis *DC.* III. 223
linearifolium *DC.* III. 223
marginatum *DC.* III. 224
pallidum *DC.* III. 223
pinifolium *DC.* III. 223
rigidum *R. Br.* III. 223
rugulosum *DC.* III. 223
salignum *DC.* III. 223
Sieberi *DC.* III. 223
speciosum *DC.* III. 224
β glaucum - - -
viridiflorum *DC.* III. 223
Callisthene *Mart.* III. 25
fasciculata *Mart.* III. 26
major *Mart* III. 25
minor *Mart.* III. 26
Callitriche *L.* III 70
aestivalis Thuill. III. 70
androgyna Schum. III. 71
angustifolia Hoppe III. 71
aquatica Bigel. III. 70
aquatica Huds. III. 70
aquatica var. Sm. III. 70, 71
autumnalis *L.* III. 71
brevifolia Pursh III. 71
brutia Petag. III. 71
dioica Petag. III. 71
dubia Thuill. III. 70
hermaphrodita Schum. III. 71
heterophylla Pursh III. 70
linearis Pursh III. 71
pallens Gray III. 70
pedunculata *DC. fl. fr.* III. 71
sessilis var. fl. fr. III. 70, 71
terrestris *Raf.* III. 71
verna fl. dan. III. 70
verna *L.* III. 70
α vulgaris *DC.* III. 70
β intermedia *Hoffm.* III. 70
γ linearis *DC.* - -
δ stellata *Hoppe* - -
ε caespitosa *Schultz* - -
ζ rigidula *Wallr.* - -
θ tenuifolia *Pers.* - 71
Callitriche
verna minima Wallr. III. 70
virens Goldb. III. 71
CALLITRICHINEAE *Link* III. 70
Calodendron *Thunb.* I. 712
capense *Thunb* I. 712
Calophaca *Fisch.* II. 270
wolgarica *Fisch.* II. 270
CALOPHYLLEAE *DC.* I. 561
Calophylloides lucida Smeathm. III. 272
Calophyllum *L.* I. 562
acuminatum Lam. I. 562
acuminatum *W.* I. 563
Akara Burm. I. 583
apetalum W. I. 563
Calaba *Jacq.* I. 562
Calaba L. I. 563
Cupi *H. B. et K.* I. 563
Inophyllum Lam. I. 562
Inophyllum *L.* I. 562
longifolium *W.* I. 563
Madrunno *H. B. et K.* I. 563
nagassarium Burm. I. 562
Soulatri Burm. I. 562
spectabile *W.* I. 562
spurium *Chois* I. 563
Tacamahaca *W.* I. 562
Calophysa *DC.* III. 166
tococoidea *DC.* III. 166
Calothamnus *Labill.* III. 211
gracilis *R. Br.* III. 211
quadrifida *R. Br.* III. 211
sanguinea *Labill.* III. 211
villosa *R. Br.* III. 211
Caltha *Pers.* I. 44 *L.* I. 44
appendiculata *Pers.* I. 44
asarifolia *DC.* I. 45
biflora *DC.* I. 45
ficarioides Pursh I. 45
flabellifolia *Pursh* I. 45
integerrima *Pursh* I. 45
leptosepala *DC.* I. 45
minor Mill. I. 45
multicapsularis Soland. I. 44
natans *Pall.* I. 45
palustris *L.* I. 44
β minor *DC.* I. 45
paradoxa Sol. I. 44
parnassifolia *Raf.* I. 45
radicans *Forst.* I. 45
sagittata *Cav.* I. 44
Calusia Bert. DC. II. 94 (Myrospermum)

CALYCANTHEAE *Lindl.* III. 1
CALYCANTHEMAE Vent. III. 75
CALYCANTHINAE Link III. 1
Calycanthus *Lindl.* III. 2 *L.* III. 1, 2
ferax Mx. III. 2
fertilis Walt. III. 2
floridus *L.* III. 2
α oblongus *DC.* III. 2
β ovatus - - -
glaucus *W.* III. 2
β oblongifolius *DC.* III. 2
laevigatus *W.* III. 2
praecox L. III. 2
sterilis Walt. III. 2
CALYCIFLORAE *DC.* II. 1
Calycogonium *DC.* III. 168
glabratum *DC.* III. 168
stellatum *DC.* III. 168
Calycomis R. Br. IV. 7
Calycophyllum *DC.* IV. 367
candidissimum *DC.* IV. 367
coccineum *DC.* IV. 367
tubulosum *DC.* IV. 367
Calycopteris Lam. III. 15 *Rich.* III. 168
floribunda Lam. III. 15
Calycotome Link II. 153 *DC.* III. 154 (Cytisus)
villosa Link II. 154
Calycotomon Hoffmans. II. 154
Calycotomus Rich III. 173
Calyplectus R. et Pav. III. 93
acuminatus R. et Pav. III. 94
punicaefolius Bert. III. 94
speciosus H. B. et K. III. 94
Calypso Pet. Th. I. 570, 571
Calyptranthes *Sw.* III. 256 *W.* III. 259
aromatica *St. Hil.* III. 258
brasiliensis *Spr.* III. 258
bullata *DC.* III. 258
Chytraculia *Sw.* III. 257
concinna *DC.* III. 258
cuspidata *Mart. herb.* III. 258
densa *DC.* III. 257
eriopoda *DC.* III. 257
guineensis W. III. 259
Jambolana W. III. 260
lateriflora *DC.* III. 258
latifolia Poir. III. 259
Calyptranthes
loranthifolia *DC.* III.
lucida *Mart. herb.* I
Martiusiana *DC.* III.
nigricans *DC.* III. 25
obscura *DC.* III. 257
paniculata *R. et Pav*
paniculata Spr. II
pulchella *DC.* III. 25
rigida Sw. III. 257
Zuzygium *Sw.* III. 2
Sieb. Maur. 2. Nr.
- - - - -
Calyptranthus Juss. Blu
aromatica Blume
caryophyllata Per
caryophyllifolia
corymbosa Blume
fastigiata Blume I
floribunda Blume
laxiflora Blume II
Pollicina Willem.
pyrifolia Blume II
racemosa Blume I
rostrata Blume III
Calyptrion *Ging.* I. 28
Aubletii *Ging.* I. 28
Berterii *Ging.* I. 28
α magdalenense *DC.* I
β mexicanum - -
citrifolium *Ging.* I.
diandrum *Ging.* I. 2
frangulaefolium *Ging*
orinocense *H. B. et*
Calythrix *Labill.* III. 2
decandra *DC.* III. 20
exstipulata *DC.* III.
glabra *R. Br.* III. 20
glabra Sieb. III. 20
scabra *DC.* III. 208
tetraptera *Labill.* III
Camaranhaja Marcg.
Camarea *St. Hil.* I. 58
axillaris *St. Hil.* I. 5
ericoides *St. Hil.* I.
hirsuta *St. Hil.* I. 58
linearifolia *St. Hil.* I
sericea *St. Hil* I. 58
Cambessedea Kunth
Cambessedia *DC.* III. 1
adamantium *DC.* III.
balsamifera *DC.* III.
bidentata *DC.* III. 11

Callistemma *Vent.* II. 104
cuneifolia *Sm.* II. 104
elliptica *Vent.* II. 104
lanceolata *Vent* II. 104
ovata *Sims* II. 104
Callistemma *capitatum Reich.* III. 225
Callistemon *R Br.* III. 222
capitatum *Reich.* III. 225
brevifolium *DC.* III. 224
lanceolatum *DC.* III. 223
linare *DC.* III. 223
lineifolium *DC.* III. 223
marginatum *DC.* III. 224
pallidum *DC.* III. 223
pinifolium *DC.* III. 223
rigidum *R Br* III. 223
rosmarinifolium *DC.* III. 223
salignum *DC.* III. 223
Salicinum *DC.* III. 223
speciosum *DC.* III. 224
β obovatum - - -
viridiflorum *DC.* III. 223
Callistrose *Mart.* III. 25
lanceolata *Mart.* III. 26
major *Mart* III. 25
minor *Mart.* III. 26
Callitriche *L.* III 70
autumnalis *Thuill.* III. 70
androgyna *Schum.* III. 71
autumnifolia *Hoppe* III. 71
aquatica *Bigel.* III. 70
aquatica *Huds.* III. 70
aquatica *var. Sm* III. 70, 71
autumnalis *L.* III. 71
brevifolia *Pursh* III. 71
brutia *Petag.* III. 71
cinica *Petag.* III. 71
dubia *Thuill.* III. 70
hermaphrodita *Schum.* III. 71
heterophylla *Pursh* III. 70
hirsuta *Pursh* III 71
pallens *Gray* III. 70
palustris *DC. fl. fr.* III. 71
vernalis *var. fl fr.* III. 70, 71
terrestris *Raf.* III. 71
verna *fl. dan.* III. 70
verna *L.* III. 70
α vulgaris *DC.* III. 70
β intermedia *Hoffm.* III. 70
γ hamata *DC.* - -
δ stellata *Hoppe* - -
ε cæspitosa *Schultz* - -
ζ rigidula *Wallr.* - -
η tenuifolia *Pers.* - 71
Callitriche
verna minima Wallr. III. 70
virens Goldb. III. 71
CALLITRICHINEAE *Link* III. 70
Calodendron *Thunb.* I. 712
capense *Thunb* I. 712
Calophaca *Fisch* II. 270
wolgarica *Fisch.* II. 270
CALOPHYLLEAE *DC.* I. 561
Calophylloides lucida Smeathm. III. 272
Calophyllum *L.* I. 562
acuminatum Lam. I. 562
acuminatum *W.* I. 563
Akara Burm. I. 583
apetalum W. I. 563
Calaba *Jacq.* I. 562
Calaba L. I. 563
Cupi *H. B. et K.* I. 563
Inophyllum Lam. I. 562
Inophyllum *L.* I. 562
longifolium *W.* I. 563
Madrunno *H. B. et K.* I. 563
nagassarium Burm. I. 562
Soulatri Burm. I. 562
spectabile *W.* I. 562
spurium *Chois* I. 563
Tacamahaca *W.* I. 562
Calophysa *DC.* III. 166
tococoidea *DC.* III. 166
Calothamnus *Labill.* III. 211
gracilis *R Br.* III. 211
quadrifida *R. Br.* III. 211
sanguinea *Labill.* III. 211
villosa *R. Br.* III. 211
Caltha *Pers.* I. 44 *L.* I. 44
appendiculata *Pers.* I. 44
asarifolia *DC.* I. 45
biflora *DC.* I. 45
ficariniodes Pursh I. 45
flabellifolia *Pursh* I. 45
integerrima *Pursh* I. 45
leptosepala *DC.* I. 45
minor Mill. I. 45
multicapsularis Soland. I. 44
natans *Pall.* I. 45
palustris *L.* I. 44
β minor *DC.* I. 45
paradoxa Sol. I. 44
parnassifolia *Raf.* I. 45
radicans *Forst.* I. 45
sagittata *Cav.* I. 44
Calusia Bert. DC. II. 94 (Myrospermum)

Canthium
coronatum Lam. IV. 385
corymbosum Pers. IV. 394
cymosum Pers. IV. 394
didymum *Gaertn.* IV. 473
dubium Lindl. IV. 477
fasciculatum *Blume* IV. 473
glabrum *Blume* IV. 474
β puberulum - - -
hebecladum *DC.* IV. 474
horridum *Blume* IV. 474
lycioides *Rich.* IV. 475
mite *Bartl.* IV. 474
moluccanum *Roxb.* IV. 473
Mundtianum *Cham. et Schl.* IV. 474
β pubescens *DC.* IV. 474
nitens *DC.* IV. 474
parviflorum Bartl. IV. 474
parviflorum *Lam.* IV. 474
parvifolium *Roxb* IV. 474
pedunculare *Cav.* IV. 475
quadrifidum Lahill. IV. 477
Rheedii *DC* IV. 474
scandens *Blume* IV. 475
senegalense Rich. IV. 476
subcordatum *DC.* IV. 473
Thunbergianum Cham. et Schl. IV. 476
thyrsoideum R. et Schl. IV. 394
Cantua spinosa W. III. 350
Capnites DC. I. 126 (Corydalis)
Capnoides Tourn. I. 126 *DC.* I. 128 (Corydalis)
lutea Gaertn. I. 129
Capnophyllum *Gaertn.* IV. 187 *Lag.* IV. 199
africanum *Koch* IV. 187
dichotomum Lag. IV. 199
Jacquini *DC.* IV. 187
CAPPAREAE *DC.* I. 242
Capparidastrum DC. I. 248 (Capparis)
CAPPARIDEAE *Juss.* I. 237
Capparis *L.* I. 245 *Plum.* I. 245
acuminata *W.* I. 247
aegyptia *Lam.* I. 245
Afzelii *DC.* I. 246
Aguba Banks herb. I. 248
albitrunca *Burch.* I. 248
amplissima *Lam.* I. 250
amygdalina *Lam.* I. 250
β umbellata *H. B. et K.* I. 250
Capparis
angulata *R. et Pav.*
angustifolia *H. B. et*
apetala Roth I. 24
aphylla *Roth* I. 246
arborescens Mill.
avicenniaefolia *H. B.*
Baducca L. I. 246
barcellonensis *H. B.*
Billardierii *DC.* I. 2
brasiliana *DC.* I. 24
Brassii *DC.* I. 248
brevis *Spr.* I. 253
brevisiliqua *fl. mex.*
brevispina *DC.* I. 24
Breynia *L.* I. 252
β uniflora *DC.* I. 252
canescens *Banks* I.
cantonensis *Lour.* I.
citrifolia *Lam.* I. 24
cluytiaefolia *Burch.*
commutata *Spr.* I. 2
comosa *Jacq.* I. 251
conferta *Mill* I. 253
cordata *R. et Pav.* I
cordifolia Lam. I.
coriacea *Burch.* I.
corymbosa *Lam.* I.
crotonoides *H. B. et*
cuneata *DC.* I. 249
cynophallophora *L.*
Dahim Forsk. I. 2
dealbata *DC.* I. 246
didymobotrys *R. et*
divaricata *Lam.* I. 2
domingensis *Spr.* I.
erythrocarpa *Isert.*
eustachiana *Jacq.* I.
falcata Lour. I. 24
fascicularis *DC.* I. 2
ferruginea *L.* I. 251
flexuosa L. I. 249
Fontanesii *DC.* 245
frondosa *Jacq.* I. 24
fruticosa *Mill.* I. 25
furfuracea *R. et Pav*
grandis *L. fil.* I. 248
guayaquilensis *H. B.*
hastata *L.* I. 249
herbacea *W.* I. 245
heteracantha *DC.* I.
heteroclita Roxb
heterophylla *R. et P*
horrida *L. fil.* I. 246
jamaicensis *Jacq.* I.
incana *H. B. et K.* I

is
escens *DC.* I. 247
nedia *H. B. et K.* I. 252
H. B. et K I. 249
olaris *DC.* I. 248
ilata *R et Pav.* I. 249
tha *R Br.* I. 247
a *H. B. et K.* I. 253
phylla *DC.* I. 246
ris *Jacq* I. 249
ta *Pers.* I. 252
folia *Sw.* I. 253
la *Banks herb.* I. 254
ncarpa *R et Pav* I. 250
phylla *H. B. et K.* I. 249
ta *Lour.* I. 243
na *Jacq.* I. 245
na *Roth* I. 248
canthia *DC.* I. 247
ridatica *Forsk.* I. 252
s *H. B. et K.* I. 250
sonia *Sw.* I. 254
densis *DC.* I. 246
rossa *Jacq.* I. 250
R. et Pav I. 252
nularis *DC.* I. 246
rgifolia *Forsk.* I. 244
ata *Buchan.* I. 248
tifolia *H. B. et K.* I. 251
ndra *Jacq.* I. 251
ttissima *Jacq.* I. 251
des *Burch.* I. 248
folia *R. et Pav.* I. 253
s *Desf.* I. 245
a *MB.* I. 245
ica *H B. et K.* I. 251
luriformis Lam. I. 254
luriformis Pet Th. I. 254
ndoxa *Jacq.* I. 253
iflora *H. B. et K.* I. 250
laris *H. B. et K.* I. 249
rula *DC.* I. 248
llora *DC.* I. 246
nerrima *Jacq.* I. 250
tata *Burch.* I. 248
olia *Lam.* I. 246
folia β Lam. I. 247
riflora *DC.* I. 247
iflora *DC.* I. 247
nifera *DC.* I. 248
nosa *Mill.* I. 253
mulosa *DC.* I. 248
intiflora R et Pav. I. 243
edii *DC.* I. 246
ndifolia *Rottl.* I. 245
dburghii *DC.* I. 247

Capparis
rupestris *Sibth. et Sm.* I. 245
saligna *Vahl* I. 249
sandwichiana *DC.* I. 245
saxatilis *H. B. et K.* I. 250
scabrida *H B. et K.* I. 251
sepiaria *L.* I. 247
β glabrata *DC.* I. 247
sessilis *Banks herb.* I. 249
sidaefolia *R. et Pav.* I. 252
siliquosa L. I. 252
spinosa *L.* I. 245
stylosa *DC.* I. 246
β velutina *DC.* I. 246
subbiloba *H. B. et K.* I. 250
tenuisiliqua *Jacq.* I. 251
terniflora *DC.* I. 247
tomentosa *Lam.* I. 246
torulosa *Sw.* I. 252
triflora *Mill.* I. 249
tritolinta Spr. I. 243
umbellata *R. Br.* I. 247
verrucosa *Jacq.* I. 250
viridiflora *H. B. et K.* I. 253
Volkameriae *DC* I. 247
zeylanica *L.* I. 247
zeylanica Lour. I. 247

CAPRIFOLIA Batsch IV. 329

CAPRIFOLIACEAE *Juss* IV. 321

CAPRIFOLIACEAE Juss. IV. 271

CAPRIFOLIACEAE CORNEAE Kunth IV. 271

CAPRIFOLIEAE Rich. IV. 329

Caprifolium Juss. R. et Schult. IV. 330 *Tourn.* IV. 330, 331 *DC.* IV. 331 (Lonicera)
alpigenum Gaertn. IV. 336
alpinum Lam. IV. 336
balearicum Dum.-Cours. IV. 331
bracteosum Mx IV. 332
ciliosum Pursh IV. 333
coeruleum Lam. IV. 337
dioicum R. et Sch. IV. 332
distinctum Moench IV. 332
Douglasii Lindl. IV. 332
dumetorum Lam. IV. 335
etruscum R. et Sch. IV. 331

Caprifolium
flavum Ell. IV. 332
Fraseri Pursh IV. 332
glaucum Moench IV. 332
gratum Pursh IV. 332
hortense Lam. IV. 331
japonicum Don IV. 333
javanicum Blume IV. 334
italicum R. et Sch. IV. 331
longiflorum Lindl. IV. 331
longiflorum Sabin. IV. 333
Loureiri Blume IV. 334
macranthum Don IV. 333
parviflorum Pursh IV. 332
Periclymenum R. et Sch. IV. 332
pilosum H. B. et K. IV. 333
pubescens Goldie IV. 332
pyrenaicum Lam. IV. 335
roseum Lam. IV. 335
rotundifolium Moench IV. 331
rubrum Raf. IV. 331
sempervirens Mx. IV. 332
sylvaticum Lam. IV. 332
Capsella *Vent.* I. 177
Bursa-pastoris *Moench* I. 177
β minor *DC.* I. 177
γ integrifolia - - -
δ coronopifolia - - -
ε apetala - - -
cornigera Medik. I. 175
Caquepiria Bergkia Gmel. IV. 382
Caragana *Lam.* II. 268
Altagana *Poir.* II. 268
Altagana var. Poir. II. 268
arborescens *Lam.* II. 268
argentea Lam. II. 269
Chamlagu *Lam.* II. 268
digitata Lam. II. 268
ferox Lam. II. 269
frutescens *DC.* II. 268
α latifolia - - -
β angustifolia - - -
γ mollis - - -
fruticosa *Bess.* II. 269
grandiflora *DC.* II. 268
jubata *Poir.* II. 269
microphylla *DC.* II. 268
microphylla Lam. II. 268
mollis Bess. II. 268
pygmaea *DC.* II. 268
β arenaria *Fisch.* II. 269
spinosa *DC.* II. 269
spinosa Rich. herb. II. 314
Caragana
tragacanthoides *Poir.* I
Carallia *Roxb.* III. 33
integerrima *DC.* III. 33
lanceaefolia *Roxb.* III.
lucida *Roxb.* III. 33
Carapa *Aubl.* I. 626
guianensis *Aubl.* I. 626
indica Juss. I. 626
molluccensis *L.* I. 626
procera *DC.* I. 626
Carapichea *Aubl.* IV. 536
Aubletii *DC.* IV. 536
guianensis Aubl. IV.
Patrisii *DC.* IV. 536
Carara DC. I. 203 (Sen
Cardamine *DC.* I. 149 *L*
africana *L.* I. 150
africana Vahl I. 150
amara *L.* I. 151
β trisecta *DC.* I. 151
γ umbrosa *Lejeun.* I. 15
amara MB. I. 151
angustifolia *Raf.* I. 154
anteniquana *Burch.* I.
articulata *Pursh* I. 154
asarifolia *L.* I. 149
β diversifolia *DC.* I. 149
bellidifolia Crantz I.
bellidifolia *L.* I. 150
α petiolaris *DC.* I. 150
β alpina - - -
γ subtriloba - - -
Bergeriana Andrz. I
bicolor *Presl* I. 154
bonariensis *Pers.* I. 15(
borbonica *Pers.* I. 150
β allevia *DC.* I. 150
γ arabica - - -
buchtormensis W. hes
carnosa W. et K. I. 1
chelidonia Lam. I. 15
chelidonia *L.* I. 152
chenopodifolia *Pers.* I.
chilensis *DC.* I. 150
dasycarpa MB. I. 152
debilis *Banks* I. 153
dentata *Schult* I. 151
digitata *Richards.* I. 1
faeroensis Horn. I. 1
geraniifolia *DC.* I. 153
glacialis *DC.* I. 153
β *DC.* I. 153
glauca *Spr.* I. 153

Cardamine
graeca L. I. 154
granulosa *All.* I. 151
hastulata Sm. I. 145
hederacea *DC.* I. 152
heterophylla Bory I. 154
heterophylla *Lapeyr.* I. 154
hirsuta *L.* I. 152
β maxima *DC.* I. 152
γ prolifera - - -
hirsuta Oed I. 151
hirsuta Pall. I. 151
hirsuta maxima Fisch. I. 152
impatiens *L.* I. 152
β sciocarpa *DC.* I. 152
impatiens Oed. I. 152
indica *Burm.* I. 149
latifolia *Vahl* I. 152
β hispanensis *DC.* I. 152
γ calabrica - - -
macrophylla *W.* I. 152
maritima *Portensch.* I. 153
Menziesii *DC.* I. 153
microphylla *Adams* I. 150
minuta W. herb. I. 150
multifida *Banks herb.* I. 153
nemorosa *Lejeun.* I. 153
nivalis Pall. I. 149
nudicaulis Pall. I. 156
occulta *Horn.* I. 154
Opicii *Presl* I. 154
parviflora *L.* I. 152
pectinata *Pall. herb.* I. 152
pensylvanica *Mühl.* I. 151
petiolaris *DC.* I. 152
Plumierii Vill. I. 153
pratensis *L.* I. 151
β grandiflora *DC.* I. 151
γ debilis - - -
δ stolonifera - - -
pratensis monstruosa Naumb. I. 151
prolifera St. Hil. I. 152
propinqua *Carmich.* I. 154
prorepens *Fisch.* I. 151
reflexa *Raf.* I. 154
repanda Sm. herb. I. 150
resedifolia *L.* I. 150
β integrifolia *L.* I. 150
rhomboidea *DC.* I. 149
rotundifolia *Mx.* I. 149
rubifolia Sm. herb. I. 150
sarmentosa *Forst.* I. 153
scutata *Thunb.* I. 153
spathulata *Mx.* I. 149
Cardamine
stolonifera Scop. I. 146
stylosa *DC.* I. 149
sylvatica *Link* I. 152
tenella Clark I. 152
teres *Mx.* I. 151
thalictroides *All.* I. 153
trifolia *L.* I. 150
trifolia Wahlenb. I. 151
tuberosa *DC.* I. 151
uliginosa *MB.* I. 151
umbrosa *Andrz.* I. 152
umbrosa Lejeun. I. 151
uniflora *Mx.* I. 150
virginica *L.* I. 151
viscosa Gmel. I. 142
Cardaminum DC. I. 137 (Nasturtium)
Cardamon DC I. 204 (Lepidium)
Cardaria DC. I. 203 Lepidium)
Cardiolepis Wallr. I. 203
Cardionema *DC.* III. 372
multicaule *DC.* III. 373
Cardiospermum *L.* I. 601
coluteoides *H. B. et K.* I. 602
Corindum *L.* I. 602
elegans *H. B. et K.* I. 602
grandiflorum *Sw.* I. 602
Halicacabum *L.* I. 601
hirsutum *W.* I. 602
hispidum *H. B. et K.* I. 602
loxense *H. B. et K.* I. 601
macrophyllum *H. B. et K.* I. 602
microcarpum *H. B. et K.* I. 601
molle *H. B. et K.* I. 601
pubescens *Lag.* I. 602
vesicarium Humb. I. 602
villosum Mill. I. 602
Cardopetus *Forst.* II. 29
serratus *Forst.* II. 29
Careum Adans. IV. 115
Careya *Roxb.* III. 295
arborea *Roxb.* III. 295
herbacea *Roxb.* III. 295
macrostachya *Jack* III. 295
Carictera Scop. I. 504
Carionanthus Schott IV. 647 *)
Vaillantii Schott IV. 648
Cariophyllastrum (Caryophyllastrum) Ser. II. 550 (Geum)
Cariophyllata (Caryophyllata) Tourn. II. 551 *Lam.* II. 553 *Ser.* II. 551 (Geum)

*) rectius Cerionanthus IV. 673.

Carissa spinarum Thunb. IV. 473
Carmelia DC. IV. 194 (Heracleum)
Caroides DC. IV. 116 (Bunium)
Carolinea *L. fil.* I. 478
alba *Lodd.* I. 478
fastuosa *fl. mex.* I. 478
insignis *Sw.* I. 478
minor *Sims* I. 478
pompalis fl. mex. I. 478
princeps *L. fil.* I. 478
Carota DC. IV. 211 (Daucus)
Carphalea *Juss.* IV. 413
corymbosa W. IV. 413
madagascariensis *Lam.* IV. 413
pubiflora fl. mex. IV. 365
Carpoceras DC. I. 175 (Thlaspi)
Carpodontos *Labill.* I. 556
lucida *Labill.* I. 556
Carponema DC. I. 231 (Heliophila)
Carpopodium DC. I. 235 (Heliophila)
Carpopogon Roxb. II. 404
atropurpureum Roxb. II. 406
bracteatum Roxb II. 406
giganteum Roxb. II. 405
imbricatum Roxb. II. 406
monospermum Roxb. II. 406
niveum Roxb. II. 406
pruriens Roxb. II. 405
Carrichtera *DC.* I. 224
Vellae *DC.* I. 224
Carum *Koch* IV. 114 *Spr.* IV. 114 *L.* IV. 115
Bulbocastanum *Koch* IV. 115
Bunius L. IV. 108
Carvi *L.* IV. 115
β pterochlaenum *L.* IV. 115
γ nanum - - -
rigidulum *Koch* IV. 115
simplex W. IV. 147
verticillatum *Koch* IV. 115
Carvi Riv. DC. IV. 115 (Carum)
lusitanicum Juss. IV. 115
Carvifolia Vaill. IV. 165
Caryocar *L.* I. 599
amygdaliferum *Cav.* I. 600
butyrosum *W.* I. 600
glabrum *Pers.* I. 599
nuciferum *L.* I. 599
tomentosum *W.* I. 600
Caryocar
villosum *Pers.* I.
Caryophyllaster r
Caryophyllastrum
Caryophyllata vid
kamtschatica L
nutans Moench
obliqua Moench
CARYOPHYLLE
CARYOPHYLL
Caryophyllum Ser.
Caryophyllus *Tourn*
antisepticus *Blum*
aromaticus *L.* III.
ellipticus *Labill*
fastigiatus *Blume*
floribundus *Blume*
fruticosus Mill.
racemosus Mill.
sylvestris VI. *Clu*
Cascarillo amaril
de hoja aguda R
delgado Ruiz IV.
lampino Ruiz IV
pallido Ruiz IV.
Pardo Ruiz IV.
Casearia *Jacq.* II. 4
G
aculenta Jacq. II.
acuminata *DC.* II.
Anavinga Pers.
celtidifolia *H. B. et*
comocladifolia *Ven*
coriacea *Vent.* II.
corymbosa *H. B.*
decandra Jacq. II
dentata *fl. mex.* II.
dubia *fl. mex* II. 5
elliptica *W.* II. 51
esculenta *Roxb.* II.
fragilis *Vent.* II. 5
glabra *Roxb.* II. 51
glomerata *Roxb.* II
grewiaefolia *Vent.*
hirsuta *Sw.* II. 50
β glabrata *DC.* II. 5

l. 154
ll. I. 151
Sm. I. 145
C. I. 152
la Bory I. 154
Lapeyr. I. 154
152
C. I. 152
- - -
d I. 151
all. I. 151
axima Fisch. I. 152
L. I. 152
DC. I. 152
Oed. I. 152
m. I. 149
dl I. 152
DC. I. 152
- - -
h W. I. 152
Pertensch. I. 153
DC. I. 153
h Adams I. 150
W herb. I. 150
Banks herb. I. 153
Lejeun. I. 153
Pall. I. 149
lis Pall. I. 156
lorn. I. 154
rest I. 154
L. I. 152
Pall. herb. I. 152
ica Mühl. I. 151
DC. I. 152
ri Vill. I. 153
L. I. 151
dlora DC. I. 151
- - -
nifera - - -
is monstruosa Naumb. I. 151
ra St Hil. I. 152
a Carmich. I. 154
a Fisch. I. 151
Raf. I. 154
da Sm. herb. I. 150
lia L. I. 150
pitata L. I 150
nifera DC. I. 149
lolia Mx. I. 149
olia Sm. herb. I. 150
ana Forst. I. 153
a Thunb. I. 153
lata Mx. I. 149

Cardamine
stolonifera Scop. I. 146
stylosa *DC.* I. 149
sylvatica *Link* I. 152
tenella Clark I. 152
teres *Mx.* I. 151
thalictroides *All.* I. 153
trifolia *L.* I. 150
trifolia Wahlenb. I. 151
tuberosa *DC.* I. 151
uliginosa *MB.* I. 151
umbrosa *Andrz.* I. 152
umbrosa Lejeun. I. 151
uniflora *Mx.* I. 150
virginica *L.* I. 151
viscosa Gmel. I. 142
Cardaminum DC. I. 137 (Nasturtium)
Cardamon DC I. 204 (Lepidium)
Cardaria DC. I. 203 Lepidium)
Cardiolepis Wallr. I. 203
Cardionema *DC.* III. 372
multicaule *DC.* III. 373
Cardiospermum *L.* I. 601
coluteoides *H. B et K.* I. 602
Corindum *L.* I. 602
elegans *H. B. et K.* I. 602
grandiflorum *Sw.* I. 602
Halicacabum *L.* I. 601
hirsutum *W.* I. 602
hispidum *H. B. et K.* I. 602
loxense *H. B. et K.* I. 601
macrophyllum *H. B. et K.* I. 602
microcarpum *H. B. et K.* I. 601
molle *H. B. et K.* I. 601
pubescens *Lag.* I. 602
vesicarium Humb. I. 602
villosum Mill. I. 602
Cardopetus *Forst.* II. 29
serratus *Forst.* II. 29
Careum Adans. IV. 115
Careya *Roxb.* III. 295
arborea *Roxb.* III. 295
herbacea *Roxb.* III. 295
macrostachya *Jack* III. 295
Carictera Scop. I. 504
Carionanthus Schott IV. 647 *)
Vaillantii Schott IV. 648
Cariophyllastrum (Caryophyllastrum) Ser. II. 550 (Geum)
Cariophyllata (Caryophyllata) Tourn. II. 551 *Lam.* II. 553 *Ser.* II. 551 (Geum)

*) rectius Carionanthus IV. 673.

Cassia
cuneata *DC.* II. 502
cuspidata W. II. 493
cytisoides *DC.* II. 500
decipiens *Desv.* II. 506
Desvauxii *Coll.* II. 505
diffusa *DC.* II. 504
dimidiata Roxb. II. 505
diphylla *Lam.* II. 501
diphylla L. II. 501
discolor Desv. II. 495
dispar *W.* II. 495
domingensis *Spr.* II. 499
dumetorum *Bert herb.* II. 499
eglandulosa *Dum.-Cours.* II. 506
elegans H. B. et K. II. 491
elliptica *H. B. et K.* II. 498
emarginata *L.* II. 499
emarginata Mill. II. 506
excelsa H. B. et K. II. 490
excelsa *Schrad* II. 492
fabaginifolia *H. B. et K.* II. 501
falcata Dum.-Cours. II. 491
falcata *L.* II. 497
fasciculata *Mx.* II. 502
fastigiata Nees II. 492
fastigiata *Vahl* II. 496
felipensis *H B. et K.* II. 503
ferruginea *Schrad.* II. 489
Fistula fl. mex II. 490
Fistula *L.* II. 490
β ovata *DC.* II. 490
fistuloides *Coll.* II. 490
flavicoma *H. B. et K.* II. 503
flexuosa Burm. II. 503
flexuosa *L.* II. 505
floribunda *Cav.* II. 491
florida *Vahl* II. 499
foetida Sal. II. 494
fraxinifolia *H. B. et K.* II. 493
frondosa *Ait.* II. 496
α tenuissima *Zucc.* II. 496
β Crista *Jacq.* - -
γ pubescens *Coll.* - -
δ galegifolia - - -
frutescens *Mill.* II. 506, 495
gallinaria Coll. II. 494
geminata Vahl II. 505
geminiflora *Moç. et Sessé* II. 496
geminiflora Schrank II. 497
gigantea *Bert. herb.* II. 492
glabra *Coll.* II. 505
glandulosa *L.* II. 503
glauca *Lam.* II. 495
glutinosa *DC.* II. 495
Cassia
gracilis *Kunth* II. 501
grammica *Spr.* II. 502
grandiflora Desf. II.
grandiflora Pers. II.
grandis L. fil. II. 489
herpetica Jacq. II. 49
hirsuta *L. fil.* II. 497
hirta *W.* II. 506
hispida *Coll.* II. 500
hispidula Vahl II. 50
homophylla *Hoffmans*
Hornemanni *DC.* II. 50
Houstoniana *Coll.* II. 5
Humboldtiana *DC.* II.
humilis *Coll* II. 493
javanica *L.* II. 490
inaequilatera *Bulb.* II.
indecora *H. B et K.* II
indica Poir. II. 491
inflata Spr. II. 495
laeta *H. B. et K.* II. 49
laevigata *W.* II. 491
lanceolata *Forsk.* II. 49
lanceolata Pers II. 5
latifolia Desf. II. 49
latifolia *Meyer* II. 505
Leschenaultiana *DC.* II
ligustrina *L.* II. 498
ligustrinoides *Schrank*
limensis *Lam.* II. 494
linearis *M.r.* II. 497
lineata *Sw.* II. 502
longisiliqua *L fil* II. 4
lotoides *H. B. et K.* II
macradena *Coll* II. 50
macranthera *DC.* II. 49
macrophylla *Kunth* II
marginata Roxb II.
marginata *W.* II. 497
marylandica *L.* II. 498
melanocarpa *Bert. her*
mexicana *Jacq* II. 496
micans Nees II. 490
microphylla *W.* II. 503
β guineensis *DC.* - -
γ heterophylla - - -
δ senegalensis - - -
Milleri *Coll.* II. 506
mimosoides *L.* II. 503
mollis Vahl II. 489
mollissima *H. et Bonp*
monantha *DC.* II. 506
montana *Roth* II. 499
moschata *H. B. et K.*

tijuga *Rich.* II. 507
ltiglandulosa Jacq. II. 496
isiana *Kunth* II. 497
orosa *H. B. et K.* II. 495
itans *L.* II. 503
icans *Vahl* II. 498
ida *Rich.* II. 494
mmularia *Vahl* II. 501
ans *Moç. et Sessé* II. 499
rata *Coll.* II. 492
rasifolia Burm. II. 494
usifolia *L.* II. 493
identalis Burm. II. 497
identalis *L.* II. 497

glabra *DC.* - -
setosa - - -

entalis Pers. II. 492
ithopoides Lam. II. 493
rbeinii *Meyer* II. 504
idena *DC.* II. 495
phylla *Kunth* II. 491
da *Vahl* II. 496
eriana *DC.* II. 504
llaria *DC.* II. 504
la *Ait.* II. 498
illora *H. B. et K.* II. 500
cellaris *DC.* II. 504
ula *W.* II. 491
agonia Mill II. 494
tandra Roddi II. 501
lleana *H. B. et K.* II. 499
onii *Coll.* II. 501
a *L.* II. 502
ciaefolia *H. B et K.* II. 493
isiliqua Burm. II. 466, 497
isiliqua Lam. II. 506
isiliqua L. II. 497
ieri *DC.* II. 506
idena *DC.* II. 502
intha *Moç. et Sessé* II. 498
phylla *Jacq.* II. 496
umbens Forsk II. 498
umbens Mill II. 505
umbens L. II. 504
umbens *W.* II. 504
inqua *H. B et K.* II. 503
trata *H. et Bonpl.* II. 502
rula *H B. et K* II. 491
scens *Jacq* II. 498
gera *Lag.* II. 506
chella Sal. II. 503
bra *H. B. et K.* II. 501
ila *Lam.* II. 504
purea *Roxb.* II. 497

Cassia
pygmaea *DC.* II. 502
quinquangulata *Rich.* II. 494
ramosissima *H. B. et K.* II. 503
reticulata *W.* II. 499
rhombifolia Roxb. II. 490
Richardiana *Kunth* II. 493
riparia *H. B. et K.* II. 504
robinioides *W.* II. 498
rotundifolia *Pers.* II. 501
Roxburghii *DC.* II. 489
ruscifolia *Jacq.* II. 498
Senna Lam. II. 492
sennoides *Jacq.* II. 494
sensitiva Jacq. II. 493
septentrionalis Zucc. II. 491
sericea *Sw.* II. 493
serpens *L.* II. 502
setigera *DC.* II. 499
siamea *Lam.* II. 499
Sieberiana *DC.* II. 489
simplicifolia *Desv.* II. 505
Sophera Lam. II. 506
Sophera *L.* II. 492
sopheroides *Coll* II. 506
speciosa H. B. et K. II. 489
speciosa *Schrad.* II. 490
spectabilis *DC.* II. 499
stipulacea *Ait.* II. 496
strobilacea *H. B. et K.* II. 493
succedanea Bell. II. 498
suffruticosa *Roth* II. 496
sulcata *DC.* II. 498
sulphurea *DC.* II. 495
sumatrana *Roxb.* II. 506
surrattensis Burm. II. 495
Tagera *Lam.* II. 494
Tagera L. II. 494
Tala Desv. II. 493
Tarantan *H. B. et K.* II. 493
tenella *H. B. et K.* II. 502
tetraphylla *Coll* II. 505
tetraphylla Desv. II. 505
Thonningii *DC.* II. 500
timoriensis *DC.* II. 499
tomentosa *L.* II. 496

β albida *Ort.* - -

Tora Burm. II. 494
Tora H. B. et K. II. 493
Tora *L* II. 493
Tora β L. II. 493
toroides Hortul. II. 494
torosa *Cav.* II. 491
torulosa Poir. II. 491
triflora *Jacq.* II. 502

Cassia
triflora *Vahl* II. 498 *)
Trinitatis *Reichenb.* II. 489
tristicula *H. B et K.* II. 503
tuberculata *Coll* II. 506
uniflora Mill. II. 506
uniflora *Spr.* II. 501
venenifera *Meyer* II. 497
venosa Castig. II. 502
venosa Desv. II. 505
venosa Horn. II. 507
venustula *H. B. et K.* II. 494
villosa *Mill* II. 506
viminea *L.* II. 494
virgata Rich. II. 494
virgata *Sw.* II. 503
viscosa *H. B. et K.* II. 500
viscosa Vahl herb. II. 500
Wallichiana *DC.* II. 505
Sieb. seneg. Nr. 48 II. 489
Cassidocarpus Presl IV. 82
chilensis Presl IV. 82

CASSIEAE *DC.* II. 478

Cassine *L.* II. 11
aethiopica *Thunb.* II. 12
barbara *L.* II. 12
capensis *L.* II. 12
β Colpoon *Thunb.* II. 12
caroliniana Walt. II. 17
concava Lam. II. 6
corymbosa Mill. IV. 326
Gongonha Mart. II. 13
laevigata Lam. II. 5
magellanica Lam. II. 8
Maurocenia Sieb. II. 15
Maurocenia *L.* II. 11
oppositifolia *Mill.* II. 12
Paragua L. IV. 326
Peragua Mill. II. 15
sphaerocarpa hort. Paris. II. 11
vera Catesb. II. 14
xylocarpa Vent. II. 14
Cassipourea *Aubl.* III. 33
congoensis *R. Br.* III. 34
elliptica *Poir.* III. 34
guianensis *Aubl* III 34
macrophylla *DC.* III. 34
madagascariensis *DC.* III. 34
Cassupa *H. et Bonpl.* IV. 373
verrucosa *H. et Bonpl.* IV. 374
CASSUVIEAE R. Br. II. 62

*) conf. Praefatio.

Cassuvium Lam. II
Cassytha baccifera
filiformis Mill. I
Castalia DC. I. 115
ampla Salisb. I.
edulis Salisb. I.
magnifica Salisb
mystica Salisb. I
Castanea Sloanea
CASTANEACE

Castela *Turp.* I. 738
depressa *Turp.* I.
erecta *Turp.* I. 7
Catappa Guertn.

Benzoin Gaertn.
brasiliensis Rad
guianensis Gaer
mauritiana Gae
Catepha Leschen. I
Catesbaea *L.* IV. 400
campanulata *La Sa*
elliptica Spr. IV.
erecta *fl. mex.* IV.
inermis Spr. IV.
latifolia *Lindl.* IV.
longiflora Sw. IV
parviflora Lam.
parviflora Spr. I
parvillora *Sw.* IV.
parviflora var.

parvifolia *DC.* IV.
spinosa *L.* IV. 401
trinacantha Spr.
Vavassorii *Spr.* IV
Catha Forsk. II. 5
edulis Vahl II. 6
spinosa Forsk. II
Cathartocarpus Pe
Bacillus Lindl. I
Catiang DC. II. 398
Catinga *Aubl* III. 29
aromatica *Aubl.* II
moschata *Aubl.* III
Catocarpum DC. I.

Cattu-picinna Rhe
CAUCALINEAE

Caucalis *Hoffm.* IV
Lag. Spr. IV.
Lag. IV. 209, 21

a Thunb. IV. 219
lia Forsk. IV. 217
cus Scop. IV. 218
Huds. IV. 219
Lam IV. 218
Lam. IV. 219
Lam. IV. 219
Crantz IV. 211
ia Wall. IV. 220
L. IV. 216
on IV. 220
Forsk. IV. 211
a Poir. IV. 216
ata Spr. IV. 216
ora L. IV. 209
Jacq. IV. 219
ta Cam. IV. 199
ta Lam. IV. 219
Desf. IV. 206
Jacq. IV. 216
Houtt. IV. 219
Cart. IV. 219
Vest IV. 219
cea Poepp. IV. 219
Lam. IV. 209
Reich. IV. 218
tlla Lam. IV. 216
lla L. IV. 216
olia Requien IV. 219
is MB. IV. 210
ta Gou. IV. 209
ica L. IV. 216
nica W. IV. 210
a Lam. IV. 219
Huds IV. 219
lis MB. IV. 210
ra Lam. IV. 216
rpos L. IV. 209
rima W. IV. 210
Gou. IV. 209
la Crantz IV. 84
x Scop. IV. 224
tina Roth IV. 224
n Thuil. IV. 219
Russ. IV. 217
Delil. IV. 216
ulata Poir. IV. 220
a Poir. IV. 210
s Forsk. I. 583
Lam. I. 583
Moench II. 383
nda Moench II. 383
yllum Mx. DC. I. 109 (Leontice)
roides Mx. I. 110

Caulotretus Rich. DC. II. 516 (Bauhinia)
cordifolius Rich. II. 517
Causea Scop. II. 528
Cavalam Rheed. I. 482
Cavanillesia R. et Pav. I. 477
platanifolia H. B. et K. I. 477
umbellata R. et Pav. I. 477
Cayratia Juss. II. 41
Ceanothus *L.* II. 29
africanus *L.* II. 32
Alamani *DC.* II. 31
americanus *L.* II. 31
arborescens Mill. II. 31
asiaticus *L.* II. 30
azureus *Desf.* II. 31
bicolor W. II. 31
buxifolius *W.* II. 32
capensis *DC.* II. 30
capsularis *Forst.* II. 32
circumscissus *Gaertn.* II. 30
β pauciflorus *DC.* II. 30
coeruleus Lag. II. 31
colubrinus *Lam* II. 31
cubensis *Lam* II. 31
ferreus *DC.* II. 30
globulosus *Labill.* II. 32
granulosus *R. et Pav.* II. 31
guineensis *DC.* II. 30
herbaceus Ruf. II. 32
hypericoides L'Herit. II. 32
infestus *H. B. et K.* II. 31
intermedius *Pursh* II. 32
laevigatus *DC.* II. 30
β Guadalupae *DC.* II. 30
laniger Andr. II. 33
Leschenaultii *DC.* II. 31
macrocarpus *Cav.* II. 31
macrocarpus fl. mex II. 33
microphyllus *Mx.* II. 32
Mocinianus *DC.* II. 32
mystacinus *DC.* II. 31
ovatus *Desf.* II. 31
paniculatus *Roth* II. 33
pauciflorus *fl. mex.* II. 33
perennis *Pursh* II. 32
pubescens *R. et Pav.* II. 30
pubiflorus *DC.* II. 30
reclinatus *L'Herit.* II. 31
sanguineus *Pursh* II. 32
Sarcomphalus *DC.* II. 30
serpyllifolius *Nutt.* II. 32
spathulatus *Labill.* II. 32
sphaerocarpus *DC.* II. 30
tardiflorus *Horn.* II. 31

Ceanothus
Wendlandianus *Schult.* II. 33
zeylanicus *Roth* II. 30
Sieb. maurit. Nr. 75 II. 30
Cebatha Forsk I. 99
Cedrela *L.* I. 624 *Lour.* IV. 6
alternifolia *Steud.* I. 625
angustifolia *fl mex.* I. 624
odorata *L.* I. 624
Rosmarinus Lour. IV. 7
Toona *Roxb* I. 624
velutina *DC.* I. 625
villosa Roxb. I. 625
CEDRELEAE *R. Br.* I. 624
Cedrus Mill. I. 624
alternifolia Mill. I. 625
Mahogoni Mill. I. 625
Ceiba *Plum.* I. 479
CELASTRINEAE *R. Br.* II. 2
Celastrus *L* II. 5
acuminatus *Thunb.* II. 6
alatus *Thunb.* II. 7
alnifolius *Don* II. 6
articulatus *Thunb.* II. 7
auriculatus Vitm. II. 7
bivalvis *Mulay. misc.* II. 6
bullatus *L.* II. 6
hullatus Spr. II. 6
buxifolius *L.* II. 8
β cymosus *Sol* - -
cassinoides *L'Herit.* II. 6
cernuus *Thunb* II. 7
confertus *R et Pav.* II. 7
crenatus *Forst.* II. 7
crenatus Roth II. 7
crispus *Thunb.* II. 5
cymatodes *Spr.* II. 7
decolor *Caillaud.* II. 9
dilatatus *Thunb* II. 7
edulis *Vahl* II. 6
ellipticus *Thunb* II. 6
emarginatus R. et Pav. II. 7
emarginatus *W.* II. 8
excisus *Thunb.* II. 8
filiformis *Thunb.* II. 5
flexuosus *Thunb.* II. 9
glaucus Vahl II. 11
Hamelii Spr. II. 27
Heyneanus *Roth* II. 7
hispanicus hort. Paris. II. 8
ilicifolius *Schrad.* II. 7
ilicinus *Burch.* II. 7
integer *Thunb.* II. 8
integrifolius Spr. II. 8
Celastrus
integrifolius *Thunb.* II.
laurinus *Thunb.* II. 5
linearis *Thunb.* II. 8
lucidus *L.* II. 5
lycioides *Brouss.* II. 6
macrocarpus *R. et Pav.*
magellanicus *DC.* II. 8
mauritianus *Willem.* II
Maytenus W. II. 9
mexicanus *Moç. et Sess*
microcarpus *Don* II. 6
microphyllus *Thunb.* I
montanus *Roth* II. 9
multiflorus *Lam.* II. 8
myrtifolius *L.* II. 7
nutans *Roxb.* II. 6
obtusus *Thunb.* II. 5
octogonus L'Herit. II
oleifolia Pers. II. 5
oleoides *Lam.* II. 5
oleoides Sieb. II. 5
orbicularis W. II. 9
orbiculatus Lam. II.
ovatus *Hill.* II. 9
paniculatus Roth II.
paniculatus *W* II. 6
parviflorus *Vahl* II. 9
peruvianus Dietr. II.
phyllacanthus L'Her.
Plectronia *DC.* II. 9 IV
populifolius Lam. II.
procumbens *Thunb.* II.
pterocarpus *DC.* II. 5
punctatus *Thunb.* II. 6
pyracanthus *L.* II. 8
pyrius Willem. II. 7
quadrangulatus *Schrad.*
retusus *Poir.* II. 7
rhamnoides *Poir.* II. 8
rigidus *Thunb.* II. 8
rostratus *Thunb.* II. 5
Rothianus *Schult.* II. 8
rotundifolius *Thunb.* II
scandens *L.* II. 6
senegalensis *Lam.* II. 8
β glaucifolius *DC.* - -
serrulatus Roth II. 7
striatus *Thunb.* II. 6
tetragonus *Thunb.* II. 7
tricuspidatus *Lam* II. 5
trigynus *Lam.* II. 6
uncinatus R. et Pav.
undatus *Thunb* II. 7
undulatus Lam. I. 34
verticillatus Roxb. I.

a Thunb. IV. 219
lia Forsk. IV. 217
ctus Scop. IV. 218
is Huds. IV. 219
a Lam IV. 218
β Lam. IV. 219
is Lam. IV. 219
Crantz IV. 211
dia Wall. IV. 220
ia L. IV. 216
Bon IV. 220
Forsk. IV. 211
ata Poir. IV. 216
liata Spr. IV. 216
flora L. IV. 209
ta Jacq. IV. 219
ica Cam. IV. 199
ica Lam. IV. 219
a Desf. IV. 206
is Jacq. IV. 216
ta Houtt. IV. 219
a Cart. IV. 219
a Vest IV. 219
lacea Poepp. IV. 219
lia Lam. IV. 209
lia Reich. IV. 218
hylla Lam. IV. 216
ylla L. IV. 216
ifolia Requien IV. 219
lis MB. IV. 210
ima Gou. IV. 209
aica L. IV. 216
tanica W. IV. 210
ra Lam. IV. 219
i Huds IV. 219
alis MB. IV. 210
lora Lam. IV. 216
arpos L. IV. 209
trima W. IV. 210
i Gou. IV. 209
da Crantz IV. 84
ix Scop. IV. 224
ctina Roth IV. 224
m Thuil. IV. 219
Russ IV. 217
Delil. IV. 216
ulata Poir. IV. 220
a Poir. IV. 210
a Forsk. I. 583
a Lam. I. 583
i Moench II. 383
nda Moench II. 383
yllum Mx. DC. I. 109 (Leontice)
troides Mx. I. 110

Caulotretus Rich. DC. II. 516 (Bauhinia)
cordifolius Rich. II. 517
Cavsea Scop. II. 528
Cavalam Rheed. I. 482
Cavanillesia R. et Pav. I. 477
platanifolia H. B. et K. I. 477
umbellata R. et Pav. I. 477
Cayratia Juss. II. 41
Ceanothus *L.* II. 29
africanus *L.* II. 32
Alamani *DC.* II. 31
americanus *L.* II. 31
arborescens Mill. II. 31
asiaticus *L.* II. 30
azureus *Desf.* II. 31
bicolor W. II. 31
buxifolius *W.* II. 32
capensis *DC.* II. 30
capsularis *Forst.* II. 32
circumscissus *Gaertn.* II. 30
β pauciflorus *DC.* II. 30
coeruleus Lag. II. 31
colubrinus *Lam* II. 31
cubensis *Lam* II. 31
ferreus *DC.* II. 30
globulosus *Labill.* II. 32
granulosus *R. et Pav.* II. 31
guineensis *DC.* II. 30
herbaceus Raf. II. 32
hypericoides L'Herit. II. 32
infestus *H. B. et K.* II. 31
intermedius *Pursh* II. 32
laevigatus *DC.* II. 30
β Guadalupae *DC.* II. 30
laniger Andr. II. 33
Leschenaultii *DC.* II. 31
macrocarpus *Cav.* II. 31
macrocarpus fl. mex II. 33
microphyllus *Mx.* II. 32
Mocinianus *DC.* II. 32
mystacinus *DC.* II. 31
ovatus *Desf.* II. 31
paniculatus *Roth* II. 33
pauciflorus *fl. mex.* II. 33
perennis *Pursh* II. 32
pubescens *R. et Pav.* II. 30
pubiflorus *DC.* II. 30
reclinatus *L'Herit.* II. 31
sanguineus *Pursh* II. 32
Sarcomphalus *DC.* II. 30
serpyllifolius *Nutt.* II. 32
spathulatus *Labill.* II. 32
sphaerocarpus *DC.* II. 30
tardiflorus *Horn.* II. 31

Cephalaria *Schrad.* IV. 647
albescens R. et Schult. IV. 649
alpina *Schrad.* IV. 647
ambrosioides R. et Schult. IV. 648
appendiculata Schrad. IV. 646
attenuata *R. et Schult.* IV. 649
β verbenacea - - - -
bidens R. et Schult. IV. 650
centauroides *Coult.* IV. 648
α communis *DC.* IV. 648
β corniculata - - -
γ uralensis - - -
δ cretacea - - -
centauroides R. et Schult. IV. 648
corniculata R. et Schult. IV. 648
cretacea R. et Schult. IV. 648
decurrens *R. et Schult.* IV. 648
decurrens Coult. IV. 648
diandra R. et Schult. IV. 652
elata Schrad. IV. 647
graeca *R. et Schult.* IV. 649
humilis *R. et Schult.* IV. 649
joppensis *Coult.* IV. 648
laevigata Schrad. IV. 648
leucantha R. et Schult. IV. 649
leucantha *Schrad.* IV. 648
α angustiloba *DC.* IV. 649
β incisa - - -
γ albescens - - -
δ Scopolii *Vis.* - -
leucanthema R. et Schult. IV. 649
plumosa R. et Schult. IV. 653
rigida *Schrad.* IV. 649
scabra *R. et Schult.* IV. 649
syriaca *Schrad.* IV. 648
α pedunculata *DC.* - -
β sessilis - - -
tatarica *Schrad.* IV. 647
β gigantea *Coult.* IV. 647
transylvanica *Schrad.* IV. 647
β semiariistata *Coult.* IV. 648
ustulata *R. et Schult.* IV. 649
Vaillantii R. et Schult. IV. 646
Willichii R. et Schult. IV. 652
Cephaleis Vahl IV. 532
punicea Vahl IV. 533
tomentosa Vahl IV. 533
Cephalidium Rich. IV. 672
Cephalina Thunn IV. 367
Cephalina
scandens Thonn. IV. 36
Cephalotus *Labill.* II. 591
follicularis *Labill.* II. 591
Ceranthera *Beauv.* I. 313
dentata *Beauv.* I. 314
subintegrifolia *Beauv.* I. 3
Cerasophora Neck. DC. II
(Ce
Cerastium *L.* I. 414
alpinum Hoppe I. 419
alpinum *L.* I. 419
alsinoides Pers. I. 416
ambiguum Fisch. I. 419
amplexicaule Sims I. 41
androsaceum *Ser.* I. 416
anomalum W. I. 397
aquaticum *L.* III. 366 I. 3
argenteum MB. I. 418
arvense *L.* I. 419
arvense trigynum Ba
barbulatum Wahlenb. I.
Biebersteinii *DC.* I. 418
brachypetalum *Desp.* I. 41
bracteatum *Raf.* I. 420
campanulatum *Viv.* I. 417
canescens Horn. I. 416
carinthiacum West I. 41
caucasicum *Fisch.* I. 414
Columnae Ten. I. 418
Commersonianum *Ser.* I. 41
connatum W. I. 415
dahuricum *Fisch.* I. 415
β holosteum - - -
deflexum *Ser.* I. 417
dichotomum *L.* I. 415
diffusum *Pers.* I. 417
dioicum *Ait.* I. 420
elegans Fisch. I. 400
elongatum MB. I. 414
elongatum *Pursh* I. 417
filiforme *Vest* I. 420
fimbriatum *Ledeb.* I. 421
Fischerianum *Ser.* I. 419
frigidum *MB.* I. 415
fulvum *Raf.* I. 417
glaciale *Gaud.* I. 419
glutinosum *H. B et K.* I. 4
glutinosum Nutt. I. 420
gracile *Duf.* I. 416
grandiflorum *W et K.* I. 41
hirsutum Fisch. I. 419
hirsutum *Tenor.* I. 421
holosteoides *Fries* I. 416

Cerastium
holosteum Fisch. I. 415
illyricum *Ardoin* I. 420
imbricatum *H. B. et K.* I. 418
incanum Hoffm. I. 418
incanum Ledeb. I. 418
lanatum *Lam.* I. 418
β Thomasianum *Ser.* I. 418
lanatum Pers. I. 420
laricifolium Vill. I. 419
latifolium *L.* I. 419
Lebeboarianum *Ser.* I. 420
ligusticum Viv. I. 418
lineare All. I. 419
lithospermifolium *Fisch.* I. 419
longepedunculatum Mühl. I. 420
longifolium Juss. I. 417
longifolium Ten. I. 421
longifolium *W.* I. 417
maximum *L.* I. 417
matrense *Kit.* I. 420
maximum *L.* I. 415
molle Vill. I. 419
mollissimum *Poir.* I. 415
murale *Desp.* I. 417
nemorale *MB.* I. 414
nitens *Stev.* I. 415
nutans *Raf.* I. 420
obtusum *Chaub.* I. 416
ovale *Pers.* I. 416
ovatum *Hoppe* I. 419
β filiforme *Schleich.* I. 419
Pallasii *Fest* I. 421
pauciflorum *Stev.* I. 414
pedunculatum *Gaud* I. 419
pellucidum *Chaub.* I. 416
pensylvanicum *Horn.* I. 420
pentandrum *L.* I. 416
perfoliatum *L.* I. 414
pilosum Castag. I. 416
pilosum *Horn.* I. 420
pilosum Ledeb. I. 419, 420
pilosum Silth. et Sm. I. 420
pilosum Ten. I. 421
praecox Ten. I. 418
pubescens *Goldie* I. 420
pumilum Raf. I. 416
purpurascens Adam. I. 415
pusillum *Ser.* I. 418
refractum All. I. 398
repens L. I. 419
repens MB. I. 418
rigidum *Ledeb.* I. 420
rotundifolium Sternb. et Hoppe I. 416
Cerastium
ruderale *MB.* I. 415
rupestre *Fisch.* I. 417
samnianum *Ser.* I. 421
Scarani *Tin.* I. 421
semidecandrum Auct. americ. I. 416
semidecandrum *L.* I. 416
γ alsinoides *DC.* - - -
serpillifolium MB. I. 417
serpyllifolium *W.* I. 417
sibiricum Stev. I. 419
spathulatum *Pers.* I. 416
Sprengelii *Ser.* I. 421
stellarioides Hartm. I. 398
stellarioides *Moç.* I. 415
strictum *L.* I. 419
α suffruticosum *DC.* I. 419
β molle - - -
γ lineare - - -
δ commune - - -
suffruticosum L. I. 419
sylvaticum *W. et K* I. 419
sylvaticum Schleich. I. 416
tauricum *Spr.* I. 415
tenellum Gaud. I. 416
Tenoreanum *Ser.* I. 421
tenuifolium Spr. I. 421
tenuifolium *Pursh* I. 417
tetrandrum Sm. I. 389
tomentosum Lam. I. 418
tomentosum *L.* I. 418
tomentosum var. α L. I. 418
trigynum Vill. I. 398
uniflorum Thom. I. 419
viscosum *L.* I. 416
viscosum MB. I. 415
vulgatum *L.* I. 415
β glomeratum *DC.* I. 416
γ americanum *Ser.* - -
δ tenellum - - -
vulgatum MB. I. 416
Willdenowii *H. B. et K.* I. 418
Cerasus *Juss.* II. 535 *Tourn.* II. 535, 539
aspera *Lois.* II. 538
avium *Moench* II. 535
α sylvestris *Ser.* - -
β macrocarpa - - -
γ pallida - - -
δ multiplex - - -
borealis *Mx.* II. 538
caroliniana *Mx.* II. 540
canadensis *Lois.* II. 539
Capollin *DC.* II. 539

Cerasus
caproniana *DC.* II. 536
α Montmorencyana *Ser.* II. 536
β pallescens *Ser.* II 536
γ Gobetta - - -
δ polygyna - - 537
ε multiplex - - -
ζ persicifiora - - -
η variegata - - -
ϑ Griotta - - -
ι cordigera - - -
Capuli *Ser.* II. 541
Chamaecerasus *Lois.* II. 537
Chicasa *Mx* II. 538
decumana Delaun. II. 536
depressa *Pursh* II. 538
duracina *DC.* II. 535
α cordigera *Ser.* II. 535
β obtusata - - -
γ mammillaris - - 536
elliptica *Lois.* II. 540
ferruginea *DC.* II. 540
glandulosa *Lois.* II. 538
glauca Moench II. 538
hyemalis *Mx.* II. 538
japonica *Lois.* II. 539
β multiplex *Ser.* II. 539
incisa *Lois.* II. 538
intermedia Lois. II. 537
juliana *DC.* II. 536
β Heaumiana *Ser.* II. 536
γ pendula - - -
Laurocerasus *Lois.* II. 540
lusitanica *Lois.* II. 540
β Hixa *Ser.* - -
Mahaleb *Mill.* II. 539
napaulensis *Ser.* II. 540
nicotianaefolia Hortul. II. 536
nigra *Lois.* II. 538
occidentalis *Lois.* II. 540
Padus *DC.* II. 539
α vulgaris *Ser.* II. 539
β parviflora - - -
γ rubra - - -
δ bracteosa - - -
***Padus α** DC.* II. 539
***Padus δ** DC.* II. 539
paniculata *Lois.* II. 539
pensylvanica *Lois.* II. 539
persicifolia *Lois.* II. 537
Phoshia *Hamilt.* II. 535
polygyna DC. II. 537
prostrata *Ser.* II. 538
pubescens *Ser.* II. 538
Puddum *Roxb.* II. 537
Cerasus
pumila *Mx.* II. 537, 538
pygmaea *Lois.* II. 538
salicifolia *Ser.* II. 540
semperflorens *DC.* II. 537
β sessiliflora *Ser.* II 537
serotina *Lois.* II. 540
β retusa *Ser* II. 540
sphaerocarpa *Lois.* II. 540
undulata *Ser.* II. 540
virginiana *Mx.* II. 539
vulgaris Mill. II. 536
Ceratocephalus *Moench* I. 26
falcatus *Pers.* I. 26
orthoceras *DC.* I. 26
***Ceratocoreta** DC.* I. 505
Ceratonia *L.* II. 486
chilensis *Molin.* II. 486
Siliqua *L.* II. 486
Ceratopetalum *Sm.* IV. 12
gummiferum *Sm.* IV. 13
CERATOPHYLLEAE
Ceratophyllum *L.* III. 73
cornutum Rich. III. 73
demersum *L.* III. 73
submersum *L.* III. 74
verrucosum Rich. III. 74
Ceratosanthes Juss. III. 315
tuberosa Spr. III. 315
***Ceratosinapis** DC.* I. 218
Ceratostachys *Blume* III. 23
arborea *Blume* III. 23
Cercodea Lam. III. 67
Cercodia *Murr.* III. 67
erecta *Murr.* III. 67
racemosa *DC.* III. 67
CERCODIANAE *Juss.*
Cerdi *fl. mex* III. 377
purpurescens *fl. mex.* III. 3
virescens *fl. mex.* III. 377
Cereus *DC.* III. 463
affinis *hort. Berol.* III. 471
alatus *DC.* III. 470
albisetosus *Haw.* III. 468
albispinus *Salm-Dyck* III
ambiguus *DC.* III. 467
aureus *Salm-Dyck* III. 46
bicornis Haw. III 468
caripensis *DC.* III. 467
chilensis *Coll.* III. 465
chlorocarpus *H. B. et K.* III

reus
occineus *Salm-Dyck* III. 469
rensulatus *Salm-Dyck* III. 465
β *Salm-Dyck* III. 465
ylindricus *Haw.* III. 471
Deppii *hort. Berol.* III. 471
ivaricatus *DC.* III. 466
horneus *Salm-Dyck* III. 464
β *monstrosus Salm-Dyck* III. 465
riniferus *Haw.* III. 471
uphorbioides *Haw.* III. 465
xcelsus *hort. Berol.* III. 471
xtensus *Salm-Dyck* III. 469
abriatus *DC.* III. 464
igelliformis *Mill.* III. 467
uispinus *Salm-Dyck* III. 465
lvispinosus *Haw.* III. 465
racilis *Haw.* III. 470
racilis *Mill.* III. 466
racilis *Salm-Dyck* III. 468
radiiformis *Mill.* III. 468
radis *Haw.* III. 466
rasus *Haw.* III. 465
werthii *DC.* III. 465
lagonus *Haw.* III. 470
agonus *Haw.* III. 470
trix *Salm-Dyck* III. 464
umboldtii *DC.* III. 467
nilis *DC.* III. 468
ntrix *Haw.* III. 471
acaru *DC.* III. 467
igonus *DC.* III 467
ricatus *Haw.* III. 471
ustatus *hort. Berol.* III. 471
s *H. B. et K.* III. 466
tus *H. B. et K.* III. 464
ginosus *Haw.* III. 466
chii *Cotta* III. 471
iliformis *DC.* III. 470
oclonos *DC.* III. 464
angularis *Haw.* III. 463
surus *Salm-Dyck* III. 469
s *DC.* III. 470
r *Haw.* III. 465
· *Salm-Dyck* III. 465
ilis *Haw.* III. 465
sus *Haw.* III. 467
etalus *DC.* III. 470
culatus *DC.* III. 466
agonus *L.* III. 468
vianus *Tabern.* III. 464
monstrosus *DC.* - -
lanthoides *DC.* III. 469
lanthus *DC.* III. 469
major *Sims* - -

Cereus
Pitajaya *DC.* III. 466
polygonus *DC.* III. 466
prismaticus *Salm-Dyck* III. 469
proteiformis *hort. Paris.* III. 471
quadrangularis *Haw.* III. 468
radicans *DC.* III. 468
reductus *DC.* III. 463
regalis *Haw.* III. 465
repandus *Haw.* III. 466
reptans Salm-Dyck III. 468
rosaceus *hort. Berol.* III. 471
Royeni *Haw.* III. 466
Scopa *Salm-Dyck* III. 464
senilis *Salm-Dyck* III. 464
sepium *DC.* III. 467
serpens *DC.* III. 470
serpentinus *Lag.* III. 467
setaceus *Salm-Dyck* III. 469
speciosissimus *DC.* III. 468
squamulosus *Salm-Dyck* III. 469
strictus *DC.* III. 465
subrepandus *Haw.* III. 466
tenuis *DC.* III. 469
tenuispinus *Haw.* III. 470
tetragonus *Haw.* III. 466
triangularis *Haw.* III. 468
β major *DC.* III. 468
γ pictus - - -
trigonus *Haw.* III. 468
tripteris *Salm-Dyck* III. 468
triqueter *Haw.* III. 469
truncatus *DC.* III. 470
undulosus *DC.* III. 467
Cercis *L.* II. 518
canadensis *L.* II. 518
β pubescens *Pursh* II. 518
Siliquastrum *L.* II. 518
β parviflora *DC.* - -
Cercocarpus *H. B. et K.* II. 589
fothergilloides *H. B. et K.* III. 589
Cerefolium Hall. IV. 222
sativum Bess. IV. 224
Cerionanthus vide Carionanthus
Ceriscus Nees IV. 377
fragans Nees IV. 377
malabaricus Gaertn. IV. 385
Cervaria Gaertn. DC. IV. 179 (Peucedanum)
alsatica Gaud. IV. 179
glauca Gaud. IV. 180
laevis Gaud. IV. 180
Oreoselinum Gaud. IV. 180
rigida Moench IV. 180

Cervaria
Rivini Gaertn. IV. 180
Cervispina Dill. DC. II.24 (Rhamnus)
Cestrum nervosum Mill. IV. 525
spermacocifolium W. IV. 366
Chabraea Adans. III. 76
Chadara arborea Forsk. I. 509
tenax Forsk I. 511
velutina Forsk. I. 512
Chaenanthera Rich. herb. III. 196
mucronata Rich. herb. III. 197
Chaenomeles Lindl. DC. II. 638 (Cydonia)
japonica Lindl. II. 638
Chaenopleura *Rich. herb.* III. 198
stenobotrys *DC.* III. 197
Chaerophyllum *Hoffm.* IV. 224 *L.* IV. 222, 224 *Spr.* IV. 224 *Lam.* IV. 231
alpinum Vill. IV. 223
angelicaefolium *MB.* IV. 227
Anthriscus Lam. IV. 224
arborescens *L.* IV. 228
aristatum *Thunb.* IV. 228
aromaticum *Jacq.* IV. 227
aromaticum L. IV. 227
aromaticum Matt. IV. 227
aromaticum α W. IV. 227
aromaticum β Pers. IV. 228
articulatum Bosc IV. 225
aureum *L.* IV. 226
aureum L. IV. 226
australe Crantz IV. 221
bifidum W. herb. IV. 225
brachycarpum MB. IV. 226
bulbosum *L.* IV. 225
calabricum *Guss.* IV. 227
canadense Pers. IV. 119
capense *Thunb.* IV. 228
Cerefolium Crantz IV. 224
chilense Poir. IV. 222
Cicutaria Murr. IV. 227
Cicutaria Vill. IV. 223
cilintum Kit. IV. 226
Claytoni Pers IV. 228
coloratum *L.* IV. 225
Cyminum Fisch. IV. 230
daucifolium Desf. IV. 223
divaricatum Poir. IV. 224
elegans Gaud. IV. 227
glaberrimum Pers. IV. 118
gracile Bess. IV. 230
grandiflorum Lam. IV. 222
hirsutum *L.* IV. 227
β glabratum *Lam.* IV. 227
Chaerophyllum
γ elegans *Schleich.* IV.
δ rubriflorum *DC.* -
hirsutum subvertic
Schleic
humile *MB.* IV. 227
hybridum *Ten.* IV. 22
lucidum Desf. IV. 2
maculatum *W.* IV. 22
magellense *Ten.* IV. 2
magellense α Ten. I
millefolium *DC.* IV. 2
minimum *Vand.* IV. 2
monogonum *Kit.* IV.
nemorosum Hoffm.
nemorosum Lag. IV.
nitidum Wahlenb. I
nodosum *Lam.* IV. 22
odoratum Lam. IV.
orientale W. herb. I
pallescens Presl IV.
Pecten-Veneris Cran
Prescottii *DC.* IV. 225
procumbens *Lam.* IV.
β Boscii *DC.* IV. 225
roseum *Stev.* IV. 226
roseum β MB. IV. 2
rostratum α Lam. I
rostratum β Lam. I
sativum Lam. IV. 2
scabrum Thunb. IV.
siculum Guss. IV. 2
sylvestre Auct amer
sylvestre L. IV. 223
temulum *L.* IV. 226
tenuifolium *Poir.* IV.
tenuifolium Stev. IV
torquatum DC. fl. f
trichospermum Bes
trichospermum Lam
trichospermum Schu
tuberculosum Poir.
verticillatum hort. P
villosum *Wall.* IV. 22
Chaetaea aculeata Ja
Chaetocalyx *DC.* II. 243
pubescens *DC.* II. 243
vincentina *DC.* II. 243
Chaetocrater *R. et Pav.*
capitatum *R. et Pav.* I
fasciculatum *R. et Pav*
Chaetogastra *DC.* III. 13
canescens *DC.* III. 134
cardinalis *DC.* III. 134
cernua *DC.* III. 135

Chaetogastra
ciliaris *DC.* III. 132
clinopodiifolia *DC.* III. 133
confertа *DC.* III. 135
divaricata *DC.* III. 132
echinata *DC.* III. 135
fraterna *DC.* III. 133
gracilis *DC.* III. 133
harveyana *DC.* III. 132
hieracioides *DC.* III. 133
hirsuta *DC.* III. 133
hispida *DC.* III. 132
hypericoides *DC.* III. 132
lanceolata *DC.* III. 131
lepidota *DC.* III. 134
longifolia *DC.* III. 132
lychnitoides *DC.* III. 132
mollis *DC.* III. 134
muricata *DC.* III. 134
reflexa *DC.* III. 131
sarmentosa *DC.* III. 134
sherardioides *DC.* III. 133
sherardioides Schrank III. 133
speciosa *DC.* III. 131
stachyoides *DC.* III. 132
stricta *DC.* III. 134
strigillosa *DC.* III. 133
strigosa *DC.* III. 134
tortuosa *DC.* III. 132
Chaetolepis DC. III. 140 (Osbeckia)
Chaetonychia DC. III. 370 (Paronychia)
Chaetopetalum DC. III. 135 (Arthrostemma)
Chaetostoma *DC.* III. 112
ericoides *DC.* III. 112
pungens *DC.* III. 112
tetrastichum *DC.* III. 112
α crassipes - - -
β tkrillosum - - -
Chaetotricha DC. II. 319 (Adesmia)
CHAILLETIACEAE *DC.* II. 57
CHAILLETEAE R. Br. II. 57
Chailletia *DC.* II. 57 *R. Br.* II. 58
Dichapetalum *R. Br.* II. 57
erecta *Don* II. 58
fasciculata Spr. II. 57
Leucosia Spr. II. 58
pedunculata *DC.* II. 57
sessiliflora DC. II. 58
timoriensis *DC.* II. 57
Chailletia
toxicaria *Don* II. 57
β compressa *DC.* II. 58
Chalarium DC. II. 327 (Desmodium)
Chalcas japonensis Lour. I. 537
paniculata Lour. I. 537
Chamaebuxus Dill. DC. I. 331 (Polygala)
Chamaecassia Breyn. II. 490
Chamaecerasus Tourn. IV. 330, 333
Alpigena Delarb. IV. 336
coerulea Delarb. IV. 337
fruticosa Pers. II. 537
nigra Delarb. IV. 335
Chamaecistus Clus. I. 276, 277, 282
Chamaecrista Breyn. DC. II 500 (Cassia)
Chamaedaphne Mitch. IV. 452
Chamaedryon Ser. II. 542 (Spiraea)
Chamaefistula DC. II. 490 (Cassia)
CHAMAELAUCIEAE *DC.* III. 208
Chamaelaucium *(Chamelaucium) DC.* III. 209 *Desf.* III. 208, 209
Brownii Desf. III. 209
ciliatum *Desf.* III. 209
plumosum Desf. III. 209
Chamaelea Tourn. II. 83
Chamaelinum DC. I. 201 (Camelina)
Chamaemelanium Ging. DC. I. 300 (Viola)
Chamaemeles *Lindl.* II. 631
coriacea *Lindl.* II. 631
Chamaemespilus DC. II. 637 (Pyrus)
Chamaenerion Tourn. III. 40
Tausch DC. III. 40 (Epilobium)
montanum Scop. III. 41
obscurum Schreb. III. 43
spicatum Gray. III. 40
Chamaesenna DC. II. 493 (Cassia)
Chamelaucium vide Chamaelaucium
Chamira *Thunb.* I. 231
cornuta *Thunb.* I. 231

Chamitis integrifolia Gaertn. IV. 77
Chapelieria *Rich.* IV. 389
madagascariensis *Rich.* IV. 389
Charantia Lob. III. 311
CHARIANTHEAE *Ser.* III. 196
Charianthus *Don* III. 196
Berteroanus Ser. III. 197
ciliatus *DC.* III. 197
coccineus *Don* III. 196
glaberrimus *DC.* III. 196
purpureus *Don* III. 197
tinifolius *Don* III. 197
Chasalia *Comm.* IV. 531
Borbonicae Comm. IV. 532
Boryana *DC.* IV. 532
capitata *DC.* IV. 531
clusiaefolia *DC* IV. 532
β *DC* IV. 532
coffeoides *DC.* IV. 531
Commersonii Juss. IV. 531
divaricata *DC.* IV. 532
Fontanesii *DC.* IV. 531
grandifolia *DC.* IV. 532
psychotrioides *DC.* IV. 531
stipulacea *DC.* IV. 532
Chastenaea *DC.* III. 102
Merianiae *DC.* III. 102
Chaya lettr. edif. IV. 426
Chayota edulis Jacq. III. 313
Cheiranthus *R. Br.* I. 135
acaulis Balb I. 133
alpinus Jacq. I. 198
alpinus *L.* I 135
aquaticus Lejeun. I. 198
armeniacus Sims I. 198
asper Nutt. I. 199
bicolor Horn. I. 200
bicornis Sibth. et Sm. I. 135
bicuspidatus W. I. 189
callosus L. fil. I. 235
Cheiri *L.* I. 135
β-μ - - -
Cheiri var. Chamaeleon Ker I. 136
chius L. I. 187
collinus MB. I. 198
contortuplicatus Steph. I. 195
coronopifolius Sibth. et Sm I. 134
cuspidatus MB. I. 197
dubius Horn. I. 199
dubius Sut. I. 136
elongatus Thunb. I. 235
Cheiranthus
erysimoides L. I.
Farsetia L. I. 157
fenestralis L. fil.
firmus W. I. 197
flexuosus *Sibth et*
fragrans Fisch. I.
frutescens Pers.
fruticosus L'Heri
graecus Juss. I.
gramineus Thunb
helveticus Jacq. I.
hirtus Schlecht. I.
humilis Spr. I. 13
ibericus W. I. 141
incanus L. I. 133
junceus W. et K.
lucerus L. I. 188
laciniatus Poir.
laevigatus W. her
lanatus Gmel. I. 2
lanceolatus W. I.
leptophyllus MB.
linearis Thunb. I.
linearis Vent. I.
linifolius *Pers.* I. 1
longifolius Vent.
longipetalus Vent.
lyratus Sibth. et S
maritimus L. I. 1
mutabilis *L'Herit.*
β *L'Herit.* I. 136
ochroleucus *Hall. fi*
Pallasii *Pursh* I. 1
parviflorus Schou
parviflorus Thiba
persicus Pall. I. 1
pinnatifidus W.
pulchellus *W.* I. 13
Pumilio Sibth. et
pygmaeus *Adams* I.
quadrangulus L'
rhaeticus Schleich
rupestris Sibth. e
salinus *L.* I. 136
scapigerus W. I.
scoparius *W.* I. 136
α purpurascens *DC.*
β aeruginosus
γ chamaeleo
semperflorens *Schou*
β *Schousb.* I. 136
siliculosus MB. I.
sinuatus L. I. 133
strictus L. fil. I. 2

ithus
tus Poir. I. 234
osus Ledeb. I. 199
hureus Russel I. 212
rus DC. I. 136
xcifolius Balb. I. 187
xifolius Schrank I. 186
folius *L'Herit.* I. 136
ntosus W. I. 212
losus MB. I. 213
losus Thunb. I. 133
upidatus L. I. 134
dus L. I. 188
is Forsk. I. 134
is L. I. 134
is v. sabauda All. I. 134
itoides Lam. I. 198
siacus Gay I. 134
us Sibth. et Sm. I. 134
icolor MB. I. 199
us Spr. I. 188
tus Poir. I. 196
Spec. Clark. I. 135
DC. I. 135 (Cheiranthus)
ides DC. I. 136 (Cheiranthus)
atis DC. I. 9 (Clematis)
rmon H. et Bonpl. I. 480
oides H. et Bonpl. I. 480
ium C. Bauh. I. 122 *L.* I. 122
culatum L. I. 122
ricum Hortul. I. 123
llum Mx. I. 121
andrum Forsk. I. 122
m Poir. I. 122
rium L. I. 122
florum *DC.* I. 123
dum L. I. 122
dum MB. I. 122
rum Thunb. I. 123
tum Mill. I. 123
mariaefolium DC. I. 123
r Laur. I. 123
Mill. I. 123
e L. I. 123
β L. I. 123
fidum Moç. III. 344
rifolium W. I. 123
e DC. I. 123
reum Lam. I. 122
a Hall. I. 421
ritosa Lam. I. 421
ata Ser. I. 421
les L. I. 421
rioides Hoppe I. 421

Chicoinnea Comm. IV. 462
Chimarrhis *Jacq.* IV. 403
cymosa herb IV. 514
cymosa *Jacq.* IV. 403
turbinata *DC.* IV. 404
Chimonanthus *Lindl.* III. 2
fragrans *Lindl.* III. 2
β grandiflorus *Lindl.* III. 2
Chiococca *P. Browne* IV. 482 *Spr.* IV. 482
alternifolia L. IV. 483
anguifuga *Mart.* IV. 482
β pubescens *DC.* IV. 483
axillaris fl. mex. IV. 483
barbata *Forst.* IV. 483
brachiata R. et Pav. IV. 482
densifolia *Mart.* IV. 482
β cubensis *DC.* - -
javanica *Blume* IV. 483
nocturna Jacq. IV. 483
opulina Spr. IV. 492
paniculata W. IV. 482
parviflora W. IV. 482
pubescens W. IV. 483
racemosa H. B. et K. IV. 482
racemosa *Jacq.* IV. 482
β scandens *Pers.* - -
γ laxiflora *DC.* - -
δ longifolia - - -
ε floridana - - -
racemosa Mx. IV. 482
sambucina Spr. IV. 492
spicata Blume IV. 413
triflora Spr. IV. 492
Chione *DC.* IV. 461
glabra *DC.* IV. 461
Chiranthodendron Larr. I. 480
Chitonia *fl. mex.* I. 707 *Don* III. 176
aurea Don III. 177
bulbulina Don III. 177
caudata Don III. 177
macrophylla Don III. 177
mexicana *fl. mex.* I. 707

CHLENACEAE *Pet. Th.* I. 521

Chloromyron *Pers.* I. 564
verticillatum *Pers.* I. 564
Chlorophytum Pohl IV. 540
nervosum Pohl IV. 548
pratense Pohl IV. 548
Chloroxylon *DC.* I. 625
Swietenia *DC.* I. 625
Choisya *H. B. et K.* I. 724
ternata *H. B. et K.* I. 724
Chomelia *Jacq.* IV. 484 *L.* IV. 393
brasiliana Rich. IV. 485

Chomelia
fasciculata *Sw.* IV. 484
obtusa *Cham. et Schl.* IV. 485
pubescens *Cham. et Schl.* IV. 485
spinosa *Jacq.* IV. 484
versicolor Spr. IV. 484
Chondrocarpus Nutt. IV. 59
sibthorpioides Sweet IV. 66
Chondodendron tomentosum R. et Pav. I. 98
Chondrosea Haw. IV. 18
Aizoon Haw. IV. 19
— γ *parviflora Haw.* IV. 19
Aizoon minor Haw. IV. 19
aretioides Haw. IV. 21
Burseriana Haw. IV. 23
caesia Haw. IV. 22
calyciflora Haw. IV. 20
cartilaginea Haw. IV. 20
dispensioides Haw. IV. 21
intermedia Haw. IV. 19
longifolia Haw. IV. 19
mutata Haw. IV. 20
nitida Haw. IV. 22
patens Haw. IV. 22
pyramidalis Haw. IV. 19
rosularis Haw. IV. 19
tenella Haw. IV. 22
Vandellii Haw. IV. 23
Chorisia *Kunth* I. 480
crispiflora *H. B. et K.* I. 480
insignis *H. B. et K.* I. 480
ventricosa Nees et Mart. I. 480
Chorisma Lindl. DC. I. 658 (Pelargonium)
Chorispermum tenellum R. Br. I. 186
Chorispora *DC.* I. 186
iberica *DC.* I 186
sibirica *DC.* I. 186
stricta *DC.* I. 186
tenella *DC.* I. 186
β taraxacifolia *DC.* I. 186
γ arcuata - - -
Chorizema *Labill.* II. 102
ilicifolia Bonpl. II. 103
ilicifolia *Labill.* II. 102
nana *Sims* II. 102
platylobioides *DC.* II. 103
rhombea *R. Br.* II. 103
Choroxema Sm. II. 102, 103
coriaceum Sm. II. 103
scandens Sm. II. 103
sericeum Sm. II. 103
trilobatum Sm. II. 103
Christia Moench II.
lunata Moench II.
Christiania *DC.* I. 516
africana *DC.* I. 516
Christimia Raf. IV.
Christophoriana To
Chronanthus DC. I
Chronobium DC. III
Chronosemium Ser.
Chryseum DC. IV. 1
CHRYSOBALAN
Chrysobalanus *L.* II.
ellipticus *Smeathm*
ellipticus Soland.
Icaco *L.* II. 525
β pellocarpus *Meyer*
luteus *Subin.* II. 52
oblongifolius *Mx.* I
purpureus Mill. I
Chrysoäraba DC. I
Chrysoliga W. herb.
Chrysophora DC. IV
Chrysopia *Pet. Th.* I.
fasciculata *Pet. Th.*
Chrysorhiza DC. I
Chrysosplenium *Tou*
alternifolium *L.* IV.
β sibiricum *Ser.* -
dubium *Gay* IV. 4
kamtschaticum *Fisc*
nepalense *Don* IV.
oppositifolium *L.* I
sibiricum Steph.
Chuncoa *Pav.* III. 15
oblonga *Poir.* III.
obovata *Poir.* III.
Chytraculia P. Bro.
arborea P. Brow
Chytralia Adans II
Cianitis *Reinw.* IV.
sylvatica *Reinw.* I
β paniculata *Blume*
γ corymbosa -
Cicer *Tourn.* II. 354
arietinum *L.* II. 35
ervoides Brig. II.
nummularifolium *L.*

tulatum Hortul. II 366
ricum Steph. II. 354
ula Moench II. 369 (non *Cicerella*)
a Moench II. 373
pe Moench II. 373
um Sweet I. 658
rum Sweet I. 659
culatum Sweet I. 659
L. IV. 99 *Tourn.* IV. 242
itana Lam. IV. 187
anum Crantz IV. 110
lem L. IV. 99
llacea Nutt. IV. 107
pium Targ. IV. 141
rica Fisch. IV. 110
lata Lam. IV. 242
lata L. IV. 99
r Lam. IV. 242
nis Zucc. IV. 152
L. IV. 99
nifolia Schrank IV. 99
ia Tourn. IV. 99
ica Lam. IV. 99
ata Lam. IV. 99
d. DC. III. 323 (Passiflora)
phylla Moench III. 324
ia W. I. 457
sia Cav. I. 457
a Cav. I. 457
DC. IV. 351 *Auct.* IV.
St. Hil. IV. 357 *Wall.*
357 *Roxb.* IV. 358 *Pers.*
351, 358 *Pet. Th.* IV. 361
ata Poir. IV. 356
R. et Pav. IV. 354
da Willem. IV. 361
folia Ruiz IV. 352
folia Sw. IV. 359
rpa Sw. IV. 359
sis Hoffmans. IV. 575
a Humb. et Bonpl. IV. 355
Burm. IV. 369
rna Poir. IV. 366
Jacq. IV. 359
guera Pav. IV. 352
vp. IV. 356
za Bory IV. 361
za Bory IV. 355
Pav. IV. 353
var. Pav. IV. 353
ea Humb. et Bonpl. IV. 352
arguera DC. IV. 352

Cinchona
cordifolia Mutis IV. 352, 353
coriacea Poir. IV. 359
corymbifera Forst. IV. 360
crassifolia *Pav.* IV. 354
dichotoma *R. et Pav.* IV. 354
dissimiliflora Mutis IV. 360
excelsa Roxb IV. 358
ferruginea St. Hil. IV. 357
flaccida W. IV. 355
floribunda Sw. IV. 360
fusca Ruiz IV. 355
glabra Ruiz IV. 352
glandulifera *R. et Pav.* IV. 354
globifera Pav. IV. 345
grandiflora R. et Pav. IV. 356
grandifolia Poir. IV. 353
gratissima Wall. IV. 358
Haenkeana Bartl. IV. 530
heterophylla Pav. IV. 353
hirsuta R. et Pav. IV. 353
Humboldtiana *R. et Schult.* IV. 353
jamaicensis Wright IV. 359
Kattu-Kambar Koenig IV. 347
lanceolata R. et Pav. IV. 352
lancifolia *Mutis* IV. 352
α nitida *R. et Schult.* - -
β lanceolata - - -
γ angustifolia *DC.* - -
lineata Vahl IV. 359
longiflora Lamb. IV. 359
luciana Vitm. IV. 360
lucumaefolia Pav. IV. 353
lutescens Ruiz IV. 353
macrocalyx *Pav.* IV. 353
β obtusifolia *DC.* - -
γ lucumaefolia - - -
δ Ucitusinga - - -
macrocarpa *Vahl* IV. 354
β *R. et Schult.* IV. 354
magniflora Pav. IV. 354
magnifolia Humb. et Bonpl. IV. 355
magnifolia *R. et Pav.* IV. 353
micrantha *R. et Pav.* IV. 354
montana Badier IV. 360
Morado Ruiz IV. 353
muzonensis *Goudot* IV. 355
nitida R. et Pav. IV. 352
oblongifolia Mutis IV. 353
obovata W. IV. 356
obtusifolia Pav. IV. 353
officinalis L. IV. 352
officinalis Ruiz IV. 352

Chomelia
fasciculata *Sw.* IV. 484
obtusa *Cham. et Schl.* IV. 485
pubescens *Cham. et Schl.* IV. 485
spinosa *Jacq.* IV. 484
versicolor Spr. IV. 484
Chondrocarpus Nutt. IV. 59
sibthorpioides Sweet IV. 66
Chondodendron tomentosum R. et Pav. I. 98
Chondrosea Haw. IV. 18
Aizoon Haw. IV. 19
— *γ parviflora Haw.* IV. 19
Aizoon minor Haw. IV. 19
aretioides Haw. IV. 21
Burseriana Haw. IV. 23
caesia Haw. IV. 22
calyciflora Haw. IV. 20
cartilaginea Haw. IV. 20
dispensioides Haw. IV. 21
intermedia Haw. IV. 19
longifolia Haw. IV. 19
mutata Haw. IV 20
nitida Haw. IV. 22
patens Haw. IV. 22
pyramidalis Haw. IV. 19
rosularis Haw. IV. 19
tenella Haw. IV. 22
Vandellii Haw. IV. 23
Chorisia *Kunth* I. 480
crispiflora *H. B. et K.* I. 480
insignis *H. B. et K.* I. 480
ventricosa Nees et Mart. I. 480
Chorisma Lindl. DC. I. 658 (Pelargonium)
Chorispermum tenellum R. Br. I. 186
Chorispora *DC.* I. 186
iberica *DC.* I. 186
sibirica *DC.* I. 186
stricta *DC.* I. 186
tenella *DC.* I. 186
β taraxacifolia *DC.* I. 186
γ arenata - - -
Chorizema *Labill.* II. 102
ilicifolia Bonpl. II. 103
ilicifolia *Labill.* II. 102
nana *Sims* II. 102
platylobioides *DC.* II. 103
rhombea *R. Br.* II. 103
Chorozema Sm. II. 102, 103
coriaceum Sm. II. 103
scandens Sm. II. 103
sericeum Sm. II. 103
trilobatum Sm. II. 103
Christia Moench II. 323
lunata Moench II. 324
Christiania *DC.* I. 516
africana *DC.* I. 516
Christimia Raf. IV. 365
Christophoriana Tourn. 65
Chronanthus DC. II.
Chronobium DC. III. 49
Chronosemium Ser. II.
Chryseum DC. IV. 116
CHRYSOBALANEA
Chrysobalanus *L.* II. 525
ellipticus *Smeathm.* II.
ellipticus Soland. II.
Icaco *L.* II. 525
β pellocarpus *Meyer* II.
luteus *Sabin.* II. 526
oblongifolius *Mx.* II.
purpureus Mill. II.
Chrysodraba DC. I. 167
Chrysoliga W. herb.
Chrysophora DC. IV.
Chrysopia *Pet. Th.* I. 565
fasciculata *Pet. Th.* I.
Chrysorhiza DC. IV.
Chrysosplenium *Tourn.*
alternifolium *L.* IV. 48
β sibiricum *Ser.* - -
dubium *Gay* IV. 48
kamtschaticum *Fisch.*
nepalense *Don* IV. 48
oppositifolium *L.* IV.
sibiricum Steph. IV.
Chuncoa *Pav.* III. 15
oblonga *Poir.* III. 15
obovata *Poir.* III. 15
Chytraculia P. Browne
arborea P. Browne
Chytralia Adans III.
Cianitis *Reinw.* IV. 16
sylvatica *Reinw.* IV.
β paniculata *Blume* IV.
γ corymbosa - -
Cicer *Tourn.* II. 354
arietinum *L.* II. 354
ervoides Brig. II. 366
nummularifolium *Lam.*

Cissus
cinerea *Lam.* I. 631
cirrhosa *Pers.* I. 631
compressicaulis *R. et Pav.* I. 628
connivens *Lam.* I. 632
cordata Roxb. I. 628
cordifolia *L.* I. 628
coriacea *DC.* I. 632
crenata *Vahl* I. 631
digitata *Lam.* I. 631
diversifolia *DC.* I. 631
dioica Roxb. I. 632
elongata *Roxb.* I. 631
erosa *Rich.* I. 630
ferruginea *Roxb.* I. 631
fuliginea *H. B. et K.* I. 629
glandulosa *Gmel.* I. 629
glandulosa Horn. I. 629
glandulosa Poir. I. 629
glauca *Roxb.* I. 628
granulosa *R. et Pav* I. 631
heterophylla Link I. 631
heterophylla *Poir.* I. 632
japonica *W.* I. 632
javana *DC.* I. 628
indica *Rottl.* I. 628
lanceolaria *Roxb.* I. 632
latifolia Lam. I. 628
latifolia *Vahl* I. 628
lucida *Poir.* I. 630
Luppia *Lam* I. 632
mexicana *fl. mex.* I. 631
micrantha *Poir.* I. 629
microcarpa *Vahl* I. 630
mpulensis *DC.* I. 632
obliqua *R. et Pav* I. 632
obovata *Vahl* I. 630
obscura *DC.* I. 629
obtusifolia Lam. I. 631
orientalis *Lam.* I. 632
ovata *Lam.* I. 629
ovata Rich. I. 629
palmata *Poir.* I. 631
pauciflora *DC.* I. 630
pedata *Lam.* I. 632
pentagona *Roxb.* I. 628
pentaphylla *W.* I. 631
pinnata *Russ.* I. 632
producta *Afz.* I. 629
pubescens *H. B. et K.* I. 631
puncticulosa *Rich* I. 628
quadrangularis *L.* I. 628
quadrialata *H. B. et K.* I. 630
quinata *Ait.* I. 631
quinquefolia Pursh I. 633
repanda *Vahl* I. 627

Cissus
repens *Lam.* I. 628
rhombifolia *Vahl* I. 631
rotundifolia *Vahl* I. 628
rugosa *DC.* I. 629
salutaris *H. B. et K.* I. 630
serrulata *Roxb.* I. 632
setosa *Roxb.* I. 630
sicyoides *L.* I. 628
sicyoides Poir. I. 629
smilacina *H. B. et K.* I. 628
smilacina W. I. 629
stans Pers. I. 633
striata *R. et Pav.* I. 631
ternata *Gmel.* I. 630
tiliacea *H. B. et K.* I. 628
timoriensis *DC.* I. 630
tomentosa *Lam.* I. 629
trifoliata *Jacq.* I. 630
trifoliata L. I. 631
trifoliata Lour. I. 630
trilobata *Lam.* I. 629
tuberosa *fl. mex.* I. 629
umbellata *Lour.* I. 629
umbrosa *H. B. et K.* I. 629
uvifera *Afz.* I. 628
vitiginea *L.* I. 627
β cochinchinensis *DC.* I. 627
vitiginea Lour. I. 627

CISTI Juss. DC. fl. fr. I. 263

CISTINEAE *DC.* I. 263

CISTOIDEAE Vent. I. 263

Cistus *Tourn.* I. 263 *L.* I. 263, 266
acuminatus Viv. I. 271, 280
aegyptiacus L. I. 273
albidus *L.* I. 264
algarvensis Sims I. 268
alpestris Crantz I. 276
alternifolius Vahl I. 269
alyssoides α *Lam.* I. 267
— β - - 268
anglicus L. I. 277
angustifolius hort. Paris. I. 282
angustifolius Jacq. I. 281
angustifolius Lag. I. 280
annuus Lamb. herb. I. 272
apenninus L. I. 282
arabicus L. I. 275
atriplicifolius Lam. I. 268
barbatus Lam. I. 280
brasiliensis Lam. I. 269
bupleurifolius Lam. I. 270

Cistus
calycinus Auct. I. 274
canadensis W. I. 269
canariensis Jacq I. 274
candidissimus *Dunal* I. 264
canus L. I. 277
capensis L. I. 266
cheiranthoides Lam. I. 268
ciliatus Cas. Rostung I. 281
ciliatus Desf. I. 283
cinereus Cav. I. 278
Clusii *Dunal* I. 266
complicatus *Lam.* I. 264
corbariensis *Pourr.* I. 265
creticus *L.* I. 264
β crispatus *DC.* I. 264
γ tauricus - - -
creticus MB. I. 264
crispus *L.* I. 264
croceus Desf. I. 279
cymosus *Dunal* I. 265
cyprius *Lam.* I. 266
dichotomus Cav. I. 276
distachyus Roth I. 284
echioides Lam. I. 277
ellipticus Desf. I. 274
elongatus Vahl I. 268
ericoides Cav. I. 274
femina Clus. I. 265
ferrugineus Lam. I. 275
florentinus *Lam.* I. 265
foetidus Jacq. I. 283
formosus Curt. I. 268
Fumana L. I. 275
Fumana A. Desf. I. 275
glaucus Cav. I. 279
glaucus Desf. I. 278
globulariaefolius Lam. I. 270
glomeratus Lag. I. 269
glutinosus L. I. 276
grandiflorus Scop. I. 280
guttatus L. I. 271
guttatus β punctatus Lam. I. 271
guttatus γ Lam. I. 270
halimifolius L. I. 269
Helianthemum L. I. 280
heterophyllus *Desf.* I. 264
hirsutus *Lam.* I. 265
hirsutus Lapeyr. I. 284
hirtus L. I. 281
hirtus Thib. herb. I. 283
hispidus Lam. I. 282
hispidus β Lam. I. 282
hybridus Pourr. I. 265
hybridus *Vahl* I. 265

Cistus
incanus *L.* I. 264
β *DC.* I. 264
involucratus Lam.
italicus L. I. 277
ladaniferus *L.* I. 266
α albiflorus *DC.* I. -
β maculatus - - -
laevipes Durand I.
laevipes L. I. 275
laevis Cav. I. 275
lasianthus Lam. I.
latifolius magno flo
laurifolius *L.* I. 266
lavandulaefolius L
laxus *Ait.* I. 265
ledifolius Gou. I. 27
ledifolius L. I. 272
Ledon *Lam.* I. 265
Libanotis L. I. 267
Libanotis β Lam. I.
linearis Cav. I. 282
Lippii L. I. 273
longifolius *Lam.* I. 26
lunulatus All. I. 271
majoranaefolius Go
marifolius L. I. 277
marifolius MB. I. 2
marifolius Thib. he
mas Clus. I. 264
mauritanicus Thib.
mollis Cav. I. 276
monspeliensis *L.* I. 26
mutabilis Jacq. I. 2
nigricans Pourr. I.
niloticus L. I. 272
nummularius Cav.
nummularius var. I
nummularius α L.
ocymoides Lam. I. 2
oelandicus Gou. I. 2
oelandicus Jacq. I. 2
oelandicus L. I. 276
oligophyllus Clark.
origanifolius Lam.
ovatus Viv. I. 280
parviflorus *Lam.* I. 26
piloselloides Lapeyr
pilosus DC. fl. fr. I.
pilosus L. I. 264, 282
pilosus Thib. herb. I
pilosus β Gou. I. 28
piluliferus Thib. I.
plantagineus W. I.

olius *Lam.* I. 282
olius *L.* I. 283
nthos *Desf.* I. 278
lifolius *Cav.* I. 266
ifolius *L.* I. 266
ajor *Pourr.* - -
inor *DC.* - -
erulentus *Pourr.* I. 282
ctatus *W.* I. 271
ureus *Lam.* I. 264
illus *Lamb. herb.* I. 273
mosus *Cav.* I. 279
mosus *L.* I. 281
us *All.* I. 283
us *Jacq.* I. 282
ifolius *Cav.* I. 272
ifolius *Gou. herb.* I. 273
ifolius *L.* I. 273
olius *L.* I. 265
rectiusculus *DC.* I. 265
ssifusus - - -
chroleucus - - -
folius β *DC. fl. fr.* I. 265
sucifolius *Cav.* I. 267
vineus *Lag.* I. 273
Bertol. I. 275
osus *Ait.* I. 268
eri *Pourr.* I. 277
us *Vahl* I. 265
lifolius *Balb.* I. 280
llifolius *L.* I. 280
tiflorus *Lamb. herb.* I. 271
tus *Cav.* I. 271
tus *Desf.* I. 270
iflorus *Desf.* I. 274
lens *Lam.* I. 283
matus *L.* I. 278
phyllus *Link* I. 266
latus α *Forsk.* I. 274
- β - - -
adifolius *Brot.* I. 279
adifolius *Hortul* I. 280
us *Cav.* I. 282
janus *L.* I. 280
hytifolius *Lam.* I. 265
cus *Jacq.* I. 279
folius *Thib.* I. 281
ifolius *L.* I. 276
tosus *Sm.* I. 279
raria *L.* I. 270
llatus *L.* I. 267
llatus α *Lam.* I. 267
llatus β *Lam.* I. 267
atus *Dunal* I. 264
atus *Ait.* I. 265

Cistus
verticillatus Brot. I. 267
villosus *Lam.* I. 264
β virescens *DC.* I. 264
villosus Thib. I. 272
vinealis W. I. 277
violaceus Cav. I. 281
virgatus Desf. I. 282
virgatus Thib. I. 269
Citambel Rheed. I. 115
Citamerdu Rheed. I. 97
Citrullus Neck. III. 316
Citrus *L.* I. 539
angulata *W.* I. 540
Aurantium bot. reg. I. 539
Aurantium *Risso* I. 539
Aurantium indicum Gall. I. 539
Aurantium sinense Gall. I. 539
Bigaradia Duham. I. 539
buxifolia *Poir.* I. 540
Calot Lag. I. 539
decumana *L.* I. 539
fusca *Lour.* I. 540
Hystrix *DC.* I. 539
japonica *Thunb.* I. 540
Limetta *Risso* I. 539
Limonum *Risso* I. 539
madurensis *Lour.* I. 540
Margarita *Lour.* I. 540
medica *Risso* I. 539
medica Cedra Gall. I. 539
medica Limon Gall. I. 539
nobilis *Lour.* I. 540
sinensis Pers. I. 539
spinosissima *Meyer* I. 539
trifoliata L. I. 538
vulgaris *Risso* I. 539
Citta Lour. II. 404
nigricans Lour. II. 405
Cittorhinchus javitensis W. herb. I. 737
Clandestinaria DC. I. 139 (Nasturtium)
Clarckia *Pursh* III. 52
pulchella *Pursh* III. 52
Clasta fragilis Comm. II. 50
Clausena *Burm.* I. 538
excavata *Burm.* I. 538
javensis Räusch. I. 538
pentaphylla *DC.* I. 538
Claytonia *L.* III. 360 *Haw.* III. 360
acutifolia *Pall.* III. 361
alsinoides *Sims* III. 360
β rosea *DC.* III. 361

Claytonia
arctica *Adams* III. 361
bifida W. herb. III. 361
caroliniana Mx. III. 361
Chamissoi *Ledeb.* III. 361
cubensis Bonpl. III. 360
Joanniana R. et Schult. III. 361
lanceolata *Pursh* III. 361
nemorosa *W.* III. 362
parvifolia *Moç.* III. 361
perfoliata *Donn* III. 360
Portulacaria L. III. 360
sibirica Hortul. III. 361
sibirica *L.* III. 361
spathulaefolia Salisb. III. 361
tuberosa fl. mex. III. 357
tuberosa *Pall.* III. 361
unalaschkensis *Fisch.* III. 361
virginiana *L* III. 361
α acutiflora *DC.* III. 361
β media - - -
γ spathulaefolia *DC.* III. 361

CLEMATIDEAE *DC.* I. 2

Clematis *DC.* I. 2
acuminata *DC.* I. 6
alpina *Mill.* I. 10
altera Clus. I 9
americana DC. I. 5
americana *Mill.* I. 5
angustifolia *Jacq.* I. 7
apiifolia *DC.* I. 6
aristata *R. Br.* I. 5
baccata Pers. I. 9
balearica Pers. I. 9
balearica *Rich.* I. 9
biternata *DC.* I. 6
bonariensis *Juss. herb.* I. 5
brachiata *Ker* I. 6
bracteata Moench I. 4
bracteosa Banks herb. I. 2
brasiliana *DC.* I. 4
brevicaudata *DC.* I. 3
bucamara var. Buchan I. 4
Buchaniana *DC.* I. 4
caespitosa Scop. I. 3
calycina Ait. I. 9
campaniflora *Brot.* I. 9
canaliculata *Lag.* I. 10
capensis Poir. I. 18
caracasana DC. I. 4
caripensis *H. B. et K.* I. 4
Catesbyana *Pursh* I. 4
chinensis *Retz* I. 3
Clematis
cirrhosa *L.* I. 9
β pedicellata *DC.* I. 9
cirrhosa Sims I. 9
clitorioides *DC.* I. 8
comosa *DC.* I. 8
connata *DC.* I. 4
cordata *Pursh* I. 4
coriacea *DC.* I. 5
α obtusa - - -
β acuta - - -
crispa Lam. I. 7
crispa *L.* I. 9
cylindrica *Sims* I. 7
dahurica *Pers.* I. 7
dioica *L.* I. 4
dioica Lour. I. 5
diversifolia *DC.* I 7
dominica *Lam.* I. 6
elongata Tratt. I. 8
erecta *All.* I. 2
β γ δ - - -
Flammula *L.* I. 2
α rotundifolia *DC.* I. 2
β vulgaris - - -
γ maritima - - -
δ rubella *Pers.* I. 3
ε caespitosa *DC.* - -
Flammula L. I. 2
Flammula var. L. I.
Flammula B. Bertol
florida *Thunb.* I. 8
Forsteri Gmel. I. 5
fragrans Ten. I. 2
gentianoides *DC.* I. 8
glabra *DC.* I. 4
glauca *W.* I. 3
glycinoides *DC.* I. 5
Gouriana *Roxb.* I. 3
grandiflora *DC.* I. 6
grewiaeflora *DC.* I. 4
Guadelupae Pers. I
havanensis *H. B. et K*
hedysarifolia *DC.* I. 6
heracleaefolia *DC.* I.
hexapetala L. fil. I
hexasepala *DC.* I. 5
hirsutissima Pursh
holosericea *Pursh* I.
japonica *Thunb.* I. 8
javana *DC.* I. 7
indivisa *W.* I. 5
integrifolia Forst.
integrifolia *L.* I. 8
β angustifolia *Fisch.* I

Clematis
γ elongata *DC.* I. 8
lasiantha Fisch. I. 7
Leschenaultiana *DC.* I. 6
lineariloba *DC.* I. 7
lossaefolia *DC.* I. 4
longiloba *DC.* I. 3
Loureiriana *DC.* I. 5
maritima *L.* I. 2
Massoniana *DC.* I. 3
mauritiana *Lam.* I. 6
microphylla *DC.* I. 5
minor *Lour.* I. 3
montana *Buchan* I. 9
montana var. Buchan I. 9
napaulensis *DC.* I. 9
Noronhiana *DC.* I. 6
occidentalis *DC.* I. 10
ochotensis *Poir.* I. 10
ochroleuca *Ait.* I. 8
orientalis *L.* I. 3
ovata *Pursh* I. 8
paniculata *Thunb.* I. 3
parviflora *DC.* I. 9
peruviana *DC.* I. 4
Plukenetii *DC.* I. 7
polypetala *Poir.* I. 10
pulchella Pers. I. 9
recta L. I. 2
reticulata *Walt.* I. 7
rosea Abbot. I. 8
scabiosaefolia *DC.* I. 7
semitriloba *Lag.* I. 9
sericea *H. B. et K.* I. 5
α striatula *DC* - -
β tereticaulis *DC.* - -
γ costata - - -
sericea Mx. I. 8
sibirica *Mill.* I. 10
smilacifolia *Wall.* I. 10
Sonneratii Pers. I. 6
stenopetala R. Br. I. 5
stenosepala *DC.* I. 5
tenuiflora *DC.* I. 3
tenuifolia lusitanica Tourn. I. 9
Tournefortii *DC.* I. 10
triflora Pers. I. 6
triflora Vahl I. 6
trifoliata *Thunb.* I. 6
triloba *Roth* I. 8
triternata *DC.* I. 6
verticillaris *DC.* I. 10
villosa *DC.* I. 7
Viorna Andr. I. 7

Clematis
Viorna *L.* I. 7
virginiana *L.* I. 4
β bracteata *DC.* I. 4
virginica Thunb I. 6
Vitalba Buchan I. 4
Vitalba *L.* I. 3
β integrata *DC.* I. 4
Vitalba japonica Houtt. I. 3
Viticella *L.* I. 9
α flore pleno *L.* I. 9
β tenuifolia *DC.* - -
γ baccata - - -
Walteri *Pursh* I. 7
Cleome *L.* I. 238, 237
aculeata *L.* I. 241
affinis *DC.* I. 241
angustifolia *Forsk.* I. 241
anomala *H. B. et K.* I. 238
arabica *L.* I. 240
arborea *H. B et K.* I. 238 *)
arborea *Schrad.* I. 242
aspera *Koen.* I. 241
brachycarpa *Vahl* I 240, 238
canescens *Stev.* I. 241
capensis L. I. 235
cardinalis *DC.* I. 238
Chelidonii L. fil. I. 242
chilensis *DC.* I. 238
α glabra - - -
β pubescens *DC.* I. 239
cordata *Burch.* I. 239
cuneifolia *Muehl.* I. 242
deflexa *DC.* I. 240
diandra Burch. I. 242
diffusa *Banks herb.* I. 241
Dilleniana *DC.* I. 240
dodecandra L. I. 242
dodecandra var. canadensis L. I. 242
droserifolia *Delil.* I. 239
felina L. fil. I. 242
filifolia Vahl I. 241
flava *Banks herb.* I. 241
foliolosa *DC.* I. 240
fruticosa L. I. 244
gigantea *L.* I. 238
glandulosa *R. et Pav.* I. 238
glauca *DC.* I. 239
glaucescens *DC.* I. 239
guianensis *Aubl.* I. 240
heptaphylla *L.* I. 238

*) conf. Praefatio.

Cleome
heterotricha Burch. I. 238
hirsuta R. et Pav. I. 238
Houstoni *R. Br.* I. 241
Humboldtii *DC.* I. 241
iberica *DC.* I. 240
icosandra L. I. 242
laevigata Soland. I. 200
latifolia *Vahl* I. 239
longifolia Vahl herb. I. 240
longipes *DC.* I. 239
monophylla *L.* I. 239
α malabarica *Rheed.* I. 239
β zeylanica *Burm.* - -
multicaulis *fl. mex.* I. 240
nummularia *DC.* I. 239
ornithopodioides Auct. I 240
ornithopodioides Forsk. I. 240
ornithopodioides iberica MB. I. 240
oxyphylla Burch. I. 242
paradoxa *R. Br.* I. 241
parviflora H. B. et K. I. 241
parviflora *R. Br.* I. 241
pentaphylla L. I. 238
pinnata Pursh I. 200
polygama *DC.* I. 241
α β *DC.* I 241
polygama L. I. 241
procumbens *Jacq.* I. 240
prostrata Hortul. II. 382
psoraleaefolia *DC.* I. 239
pubescens *Sims* I. 239
pungens H. B. et K. I. 239
pungens *W.* I. 239
purpurea *DC.* I. 239
quinquenervia *DC.* I. 239
raphanoides *DC* I. 240
rosea *Vahl* I. 239
rubella *Burch.* I. 241
rutidosperma *DC.* I. 241
scaposa *DC.* I. 239
serrata L. I. 241
serrulata Pursh I. 237
speciosa H. B. et K. I. 238
spinosa hot mag. I. 239
spinosa *L.* I. 239
tenella *L. fil.* I. 240
tetrandra *Banks herb.* I. 240
triphylla L. I. 237, 238
uniglandulosa Cav. I. 242
violacea *L.* I. 240
virgata *Stev.* I. 240
viridiflora Schreb. I. 238
scosa L. I. 242

CLEOMEAE *DC.* I.
Cleomella *DC.* I. 237
mexicana *fl. mex.* I. 23
Cleyera *Thunb.* I. 524
japonica *Thunb.* I. 52
ochnacea *DC.* I. 524
α Kaempferiana *DC.* I. 5
β Wallichiana - -
Cleyria Neck. II. 520
Clidemia *Don* III. 155
aggregata *Don* III. 156
agrestis *Don* III. 161
amygdaloides *DC.* III.
anisophylla *DC.* III. 1
aptera *DC.* III. 161
astrotricha *DC.* III. 16
berbiceana *DC.* III. 16
biseptena *DC.* III. 164
biserrata *DC.* III. 158
blepharodes *DC.* III. 1
brachystachya *DC.* III.
bracteata *DC.* III. 162
bullosa *DC.* III. 158
capillaris *Don* III. 157
capitellata *Don* III. 15
carassana *DC.* III. 162
ceramicarpa *DC.* III. 1
ciliata *Don* III. 157
coccinea *DC.* III. 162
confertiflora *DC.* III. 1
conglomerata *DC.* III.
crenata *DC.* III. 157
crenata Don III. 157,
dentata *Don* III. 158
depauperata *DC.* III. 1
dependens *Don* III. 16
dichotoma *Don* III. 16
diversifolia *DC.* III. 15
elegans *Don* III. 157
Epibaterium *DC.* III. 1
erostrata *DC.* III. 160
erythropogon *DC.* III.
foveolata *DC.* III. 163
glomerata *DC.* III. 163
heterobasis *DC.* III. 16
heteromalla Don III.
hirta *Don* III. 157
hirta Don III. 157
japurensis *DC.* III. 159
inaequalifolia *DC.* III. 1
intermedia *DC.* III. 164
involucrata *DC.* III. 163
lacera *DC.* III. 164
Lambertiana *DC.* III. 16
lanata *DC.* III. 162

DC. I. 8
isch. I. 7
na DC. I. 6
C. I. 7
C. I. 4
. I. 3
DC. I. 5
. I. 2
DC. I. 3
am. I. 6
DC. I. 5
. I. 3
ichan I. 9
ar. Buchan I. 9
DC. I. 9
DC. I. 6
DC. I. 10
Poir. I. 10
Ait. I. 8
I. I. 3
sk I. 8
Thunb. I. 3
DC I. 9
DC. I. 4
DC. I. 7
Poir. I. 10
Pers. I. 9
I. 2
Walt. I. 7
bot. I. 8
folia DC. I. 7
ba Lag. I. 9
H. B. et K. I. 5
nata DC - -
icnata DC. - -
ta - - -
Mx. I. 8
Mill. I. 10
lia Wall. I. 10
ratii Pers. I. 6
etala R. Br. I. 5
pala DC. I. 5
ra DC. I. 3
folia lusitanica Tourn. I. 9
clertii DC. I. 10
ra Pers. I. 6
ra Vahl I. 6
ta Thunb. I. 6
Roth I. 8
ata DC. I. 6
illaris DC. I. 10
DC. I. 7
ta Andr. I. 7

Clematis
Viorna L. I. 7
virginiana L. I. 4
β bracteata DC. I. 4
virginica Thunb I. 6
Vitalba Buchan I. 4
Vitalba L. I. 3
β integrata DC. I. 4
Vitalba japonica Houtt. I. 3
Viticella L. I. 9
α flore pleno L. I. 9
β tenuifolia DC. - -
γ baccata - - -
Walteri *Pursh* I. 7
Cleome L. I. 238, 237
aculeata L. I. 241
affinis DC. I. 241
angustifolia *Forsk.* I. 241
anomala *H. B. et K.* I. 238
arabica L. I. 240
arborea *H. B et K.* I. 238 *)
arborea *Schrad.* I. 242
aspera *Koen.* I. 241
brachycarpa *Vahl* I 240, 238
canescens *Stev.* I. 241
capensis L. I. 235
cardinalis DC. I. 238
Chelidonii L. fil. I. 242
chilensis DC. I. 238
α glabra - - -
β pubescens DC. I. 239
cordata *Burch.* I. 239
cuneifolia *Muehl.* I. 242
deflexa DC. I. 240
diandra Burch. I. 242
diffusa *Banks herb.* I. 241
Dilleniana DC. I. 240
dodecandra L. I. 242
dodecandra var. canadensis L. I. 242
droserifolia *Delil.* I. 239
felina L. fil. I. 242
filifolia Vahl I. 241
flava *Banks herb.* I. 241
foliolosa DC. I. 240
fruticosa L. I. 244
gigantea L. I. 238
glandulosa *R. et Pav.* I. 238
glauca DC. I. 239
glaucescens DC. I. 239
guianensis *Aubl.* I. 240
heptaphylla L. I. 238

*) conf. Praefatio.

Clitorius Petiv. II. 233
Clompanus major Rumph. I. 483
minor - - 482
Clusia Chois. I. 558 (Clusia)
Clusia *L.* I. 558
acuminata *Spr.* I. 559
alba *L.* I. 559
elliptica *H. B. et K.* I. 559
flava *L.* I. 559
longifolia Rich. I. 560
multiflora *H. B. et K.* I. 559
nemorosa *Meyer* I. 559
Pana-panari *Chois.* I. 559
parviflora *H. et Bonpl.* I. 559
pedicellata Forst. I. 559
Quapoya *Chois.* I. 559
retusa *Poir.* I. 559
rosea *L.* I. 558
sessiliflora *Poir.* I. 559
sessilis *Forst.* I. 559
tetrandra *H. et Bonpl.* I. 559
venosa *L.* I. 559
volubilis *H. B. et K.* I. 559
CLUSIEAE *Chois.* I. 557
Clymenum Tourn. II. 369 *DC.* II. 375 (Lathyrus)
bicolor Moench II. 375
uncinatum Moench II. 375
Clypearia rubra Rumph II. 446
Clypeola *Gaertn.* I. 165
capensis Burm. II. 420
echinata *DC.* I. 165
β ramosissima *DC.* I. 166
eriophora *Cav.* I. 165
Jonthlaspi *L.* I. 165
maritima L. I. 164
perennis Ard. I. 166
tomentosa L. I. 160
Cneorum *L.* II. 83
pulverulentum *Vent.* II. 84
tricoccon *L.* II. 84
Cnestis *Juss.* II. 86
corniculata *Lam.* II. 87
ferruginea *DC.* II. 87
glabra *Lam.* II. 87
monadelpha *Roxb.* II. 87
obliqua *Beauv.* II. 87
pinnata *Beauv.* II. 87
polyphylla *Lam.* II. 87
trifolia Lam. II. 86
Cnidium *Cusson* IV. 152 *Spr.* IV. 152
alsaticum Spr. IV. 179
apioides *Spr.* IV. 152, 102
atropurpureum Spr. IV. 154
Cnidium
canadense *Spr.* IV. 15
carvifolium *MB.* IV. 1
confertum Moench
diffusum *DC.* IV. 153
Fischeri Spr. IV. 152
Fontanesii *Spr.* IV. 15
meifolium *MB.* IV. 15
Monnieri *Cass.* IV. 15
myrrhifolium MB.
Petroselinum *DC.* IV.
peucedanoides H. B.
pyrenaeum Spr. IV.
Silaus Spr. IV. 161
suffruticosum *Cham. e*
toluccense Spr. IV.
venosum *Koch* IV. 15
Coa Plum. I. 567
Cohaea Neck. IV. 333
Cochlear DC. I. 173 (
Cochlearia *Tourn.* I. 17
acaulis *Desf.* I. 174
altaica Schlecht. I.
alyssoides *DC.* I. 172
anglica *L.* I. 173
anglica e Kamtscha
arctica *Schlecht.* I. 17
Armoracia *L.* I. 173
auriculata *Lam.* I. 17
Coronopus L. I. 203
crassifolia W. herb
danica Gunn. I. 17
danica *L.* I. 173
β integrifolia *DC.* I. 17
Draba L. I. 203
fenestrata *R. Br.* I. 1
glastifolia *L.* I. 173
grandiflora *DC.* I. 17
groenlandica *L.* I. 17
groenlandica W. h
groenlandica With
heterophylla *Schlecht*
integrifolia *DC.* I. 17
kamtschatica Schle
lenensis *Adams* I. 17
longifolia *Medik* I. 1
lyrata *Sibth. et Sm* I
macrocarpa *W. et K.*
microcarpa *DC.* I. 17
nilotica Delil. I. 20
oblongifolia *DC.* I. 17
α β *DC.* I. 173
officinalis Lapeyr.

. 162
159
I
II. 163
I. 156
. 162
. 159
63
162
I. 157
157
60
159
. III. 161
I. 158
. 159
156
61
III. 163
164
III. 164
156
III. 160
59
. 160
III. 163
I. 159
. 158
I. 161
61
I. 158
. 158
II. 160
162
III. 163
› *Neck.* II. 595
odd. II. 595
m. II. 595
580
II. 596
II 595
596
595
96
II. 596
596
II. 595
. 596
II. 595
95
II. 596
II. 596
596
. 595
I. II. 596

Cliffortia
pulchella *L. fil.* II. 596
ruscifolia *L.* II. 595
ruscifolia Thunb. II. 595
sarmentosa *L.* II. 596
serrata *Thunb* II. 595
strobilifera *L.* II. 596
teretifolia *Thunb.* II. 596
ternata *L. fil.* II. 596
tridentata *W.* II. 595
trifoliata *L.* II. 596
Clinclin Feuill. I. 327
Clinclinia DC. I. 327 (Polygala)
Clitoria *L.* II. 233
amœna Roth II. 234
angustifolia *H. B. et K.* II. 234
angustifolia Nees et Mart. II. 238
arborescens *Ait.* II. 235
Berteriana *DC.* II. 235
brasiliana *L.* II. 234
Broussonnetii Balb. II. 237
calcarata L'Herit. II. 235
calcarigera Salisb. II. 234
coccinea *Schrad.* II. 235
falcata Lam. II. 236
falcata Nees II. 235
formosa *H. B. et K.* II. 234
Galactia L. II. 237
glycinoides *DC.* II. 234
heterophylla *Lam.* II. 233
laurifolia *Poir.* II. 235
Mariana fl. mex. II. 238
Mariana *L.* II. 234
mexicana *Link* II. 234
multiflora Sw. II. 239
Phryne Comm. II. 237
Plumieri *Turp.* II. 234, 235
Poitaei *DC.* II. 234
polyphylla Poir. II. 239
racemosa fl. mex. II. 235
rubiginosa Nees et Mart. II. 238
rubiginosa Pers. II. 236
speciosa *Cav.* II. 235
spectabilis Sal. II. 233
Ternatea *L.* II. 233
β bracteata *Poir.* II. 234
tetragona Poir. II. 236
vicioides *Nees et Mart.* II. 235
virginiana *L.* II. 234
α angustifolia *DC.* II. 234
β elliptica - - -
γ ovata - - -
CLITORIAE *DC.* II. 216

Cocculus
trilobus *DC.* I. 98
villosus *DC.* I. 98
α β γ - - -
Codarium *Sol.* II. 520
acutifolium *Afz.* II. 520
discolor *DC.* II. 520
nitidum Vahl II. 520
obtusifolium *Afz.* II. 520
Solandri Vahl II. 520
Codia *Forst.* IV. 7
montana *Forst.* IV. 7
serratifolia Ser. IV. 7
Codonium Vahl IV. 319
arborescens Vahl IV. 319
Coelorutis Ser. II. 186 (Melilotus)
COELOSPERMAE *DC.* IV. 58, 249
Coelospermum *Blume* IV. 468
corymbosum *Blume* IV. 468
scandens *Blume* IV. 468
Coffe Rai. DC. IV. 498 (Coffea)
Coffea *L.* IV. 498 *Rich.* IV. 498 *Pers.* IV. 496 *L.* IV. 496 *Sieb.* IV. 531
acuminata *R. et Pav.* IV. 501
angustifolia *Roxb.* IV. 500
arabica *L.* IV. 499
arabica β W. IV. 499
benghalensis *Roxb.* IV. 499
capitata Sieb. IV. 531
ciliata *R. et Pav.* IV. 501
coriacea W. IV. 501
cymosa W. IV. 531
densiflora *Blume* IV. 500
didymocarpa Bartl. IV. 481
divaricata Tausch IV. 532
flavicans W. IV. 497
foveolata *R. et Pav.* IV. 501
guianensis *Aubl.* IV. 499
javanica Blume IV. 483
indica *Poir.* IV. 500
kaduana *Cham. et Schl.* IV. 502
laurifolia *H. B. et K.* IV. 501
laurifolia Salisb. IV. 499
laurina *Smeathm.* IV. 499
longifolia *R. et Pav.* IV. 502
luçoniensis *Cham. et Schl.* IV. 502
macrophylla Dietr. IV. 501
Mariniana *Cham. et Schl.* IV. 502
mauritiana *Lam.* IV. 499
mexicana *DC.* IV. 501
microcarpa *DC.* IV. 499 *)
Coffea
microcarpa *R. et Pav.*
mozambicana *DC.* IV.
nitida *R. et Pav.* IV.
occidentalis Jacq. I
odorata *Forst.* IV. 50
oleifolia *H. B. et K.* I
opulina Forst. IV. 4
paniculata *Aubl.* IV. 5
pedunculata *Roxb.* IV
racemosa Lour. IV.
racemosa *R. et Pav.* I
ramosa R. et Schult.
rosea *fl. mex.* IV. 499
sambucina Forst. IV
semiexserta *Colebr.* I
spicata *H. B. et K.* IV
stipulacea *DC.* IV. 49
subsessilis *R. et Pav.*
sylvestris W. IV. 49
tetrandra *Roxb.* IV. 4
triflora Forst. IV. 4
umbellata *R. et Pav.*
verticillata *R. et Pav.*
Zanguebariae *Lour.* I
COFFEACEAE *DC.*
COFFEEAE *DC.* IV. 342
Cogswellia villosa Sc
Colbertia *Salisb.* I. 75
coromandeliana *DC.* I.
Colladonia *DC.* IV. 240
tinifolia Spr. IV. 52
triquetra *DC.* IV. 240
Collaea *DC.* II. 240
speciosa *DC.* II. 240
trinervia *DC.* II. 240
Colletia Kunth DC. II
Colletia *Comm.* II. 28
disperma *fl. mex.* II. 2
Ephedra *Vent.* II. 29
horrida W. II. 28
multiflora *fl mex.* II.
obcordata *Vent.* II. 28
polyacantha W. II.
serratifolia *Vent.* II. 2
spinosa *Lam.* II. 28
spinosa W. II. 27
spinosissima Gmel.
velutina *Spr.* II. 29
Colocynthis Tourn. III

*) conf. Praefatio.

ia *Kunth* II. 236
ifolia *Kunth* II. 237
sonnetii *DC.* II. 237
ella *H. B. et K.* II. 237
olia *H. B. et K.* II. 237
mbens *Kunth* II. 236
ella *H. B. et K.* II. 237
Car. I. 512
atifolia *Cav.* I. 512
ena *Comm.* II. 79
ettina *DC.* II. 79
laria *crenata Presl* IV. 656
aris *Presl* IV. 657
ia *Pers.* I. 512
ricana *Pers.* I. 512
ifolia *DC.* I. 512
ella *Lour.* II. 41
ella *Malvinda Comm.* I. 443
R. Br. II. 270 *L.* II. 270
inomenoides *Scop.* II. 270
icana *Mill.* II. 270
ta *Schmidt* II. 270
rescens *Burm.* II. 270
escens *L.* II. 270
ralis *Lam.* II. 274
ica *MB.* II. 271
ta *Ait.* II. 270
a *Thunb.* II. 272
losa *Hortul.* II. 272
scens *L.* II. 273
ifolia *Sims* II. 271
pica *Lam.* II. 270
cea *L.* II. 271
ta *Roth* II. 270
Mill. II. 270
ris *Thunb.* II. 272
W. II. 270
ata *Thunb.* II. 272
talis *Lam.* II. 270
nans *Jacq.* II. 272
ckii *Ait.* II. 270
mbens *Mill.* II. 273
rata *Thunb.* II. 272
cens *Thunb.* II. 272
a *Thunb.* II. 272
inea *Pall.* II. 270
sa *Forsk.* II. 299
atosa *Thunb.* II. 272
uria *Thunb.* II. 272
arica *Lam.* II. 270
Moench II. 273
sis *Rich.* II. 555
na *DC.* II. 555
ioides *DC.* II. 555

Comaropsis
pedata *DC.* II. 555
radicans *DC.* II. 555
sibirica *DC.* II. 555
Comarum L. Lam. Juss. II. 571 *L.* II. 583 *Ser.* II. 583 (Potentilla)
flavum Hamilt. II. 583
palustre L. II. 583

COMBRETACEAE *R. Br.* III. 9

COMBRETEAE *DC.* III. 18

Combretum *Loefl.* III. 18 *Auct.* III. 17, 18
aculeatum Vent. III. 18
alternifolium Pers. III. 17
altum *Perr.* III. 20
Aubletii *DC.* III. 19
coccineum Lam. III. 18
comosum *Don* III. 20
decandrum Jacq. III. 17
decandrum Roxb. III. 18
elegans *H. B. et K.* III. 19
farinosum *H. B. et K.* III. 19
frangulaefolium *H. B. et K.* III. 18
glabrum *DC.* III. 19
glutinosum *Perr.* III. 21
grandiflorum *Don* III. 21
Guayca Humb. III. 18
herbaceum *Don* III. 21
impunctatum Thonn. III. 20
intermedium *Don* III. 20
laxum Auhl. III. 19
laxum *Jacq.* III. 18
leucophyllum *Don* III. 21
lucidum Blume III. 22
macrocarpum *Beauv.* III. 21
mexicanum *H. et Bonpl.* III. 19
β obovatum *DC.* III. 19
micranthum *Don* III. 21
micropetalum *DC.* III. 19
mucronatum *Thonn.* III. 20
nanum *Hamilt.* III. 21
obtusifolium *Rich.* III. 19
paniculatum *Vent.* III. 20
parviflorum Reich. III. 21
pedicellare *DC.* III. 20
puberum *Rich.* III. 19
punctatum *Blume* III. 21
purpureum Vahl III. 18
pyramidatum *Desv.* III. 19
racemosum *Beauv.* III. 20
rotundifolium *Rich.* III. 19

Combretum
Roxburghii Spr. III. 18
secundum *Jacq.* III. 19
secundum Mirb. III. 18
sericeum *Don* III. 21
spinosum *Don* III. 20
spinosum H. et Bonpl. III. 17
tomentosum *Don* III. 21
trifolintum Vent. III. 22
trigonoides *Perr.* III. 20
velutinum *DC.* III. 20
Wallichii *DC.* III. 21
Comesperma *Labill.* I. 334
calymega *Labill.* I. 334
conferta *Labill.* I. 334
ericina *DC.* I. 334
flava *DC* I. 334
nudiuscula *DC.* I. 334
retusa *Labill.* I. 334
secunda *Banks herb.* I. 334
virgata *Labill.* I. 334
volubilis *Labill.* I. 334
Commersona Sonn. III. 288
Commersonia *Forst.* I. 486 *Comm.* II. 10
diphylla Andr. I. 486
echinata Andr. I. 486
echinata *Forst.* I. 486
Gaudichaudi *Gay* I. 486
platyphylla *Andr.* I. 486
β Leschenaultii *DC.* - -
Comocladia *P. Browne* II. 65
acuminata *fl. mex.* II. 65
angulosa W. II. 65
brasiliastrum Poir. II. 66
dentata *Jacq.* II. 65
glabra Spr. II. 65
ilicifolia Lam. II. 65
ilicifolia *Sw.* II. 65
β glabra *Schult.* II. 65
integrifolia *Jacq* II. 66
loxensis *H. B. et K.* II. 66
mollissima *H. B. et K.* II. 66
propinqua *H. B. et K.* II. 65
Tapaculo *H. B. et K.* II. 66
tomentosa W. herb. II. 66
tricuspidata Lam. II. 65
Comolia *DC.* III. 114
berberifolia *DC.* III. 115
Conchocarpus Mik. I. 730
macrophyllus Mik. I. 731
Condalia *Cav.* II. 28 *R et Pav.* IV. 396
lanceolata R. et Pav. IV. 396
microphylla *Cav.* II. 28
Condalia
obovata R. et Pav. IV
paradoxa *Spr.* II. 28
repens R. et Pav. IV.
sessilis R. et Pav. IV.
Condaminea *DC.* IV. 402
corymbosa *DC.* IV. 40
glabrata *DC.* IV. 402
microcarpa *DC.* IV. 40
tinctoria *DC.* IV. 402
venosa *DC.* IV. 402
Condylocarpus Hoffm. 197, 198 *DC.* IV. 1
apulus Hoffm. IV. 19
humilis Koch IV. 198
officinalis Koch IV. 1
Conioselinum *Fisch.* IV.
Fischeri *Wimm. et Gra*
ingricum Fisch. IV. 1
neglectum Fisch. IV.
tataricum Hoffm. IV
Conium *L.* IV. 242 *Auct.* 243 *Desf*
africanum Jacq. IV.
africanum L. IV. 187
Arracacia Hook. IV.
croaticum *W. et K.* IV.
dichotomum Desf. IV
filifolium Vahl IV. 13
maculatum *L.* IV. 242
β striatum *Tratt.* IV. 24
γ viride *DC.* IV. 243
moschatum H. B. et K
rigens Heyn. IV. 191
rigens L. IV. 118
rigidum Mert. herb. I
Royeni L. IV. 216
rugosum Thunb. IV.
suffruticosum Berg.

CONNARACEAE *R.*

Connarus *L.* II. 84 *Auc* *Thun*
africanus Lam. II. 8
asiaticus W. II. 85
decumbens Thunb. II
florulentus Thonn. I
glaber *DC.* II. 85
guianensis Lam. II. 8
mimosoides *Vahl* II. 85
monocarpus *L.* II. 85
pinnatus Lam. II. 86
pubescens *DC.* II. 85
santaloides *Vahl* II. 85

Kunth II. 236
ia Kunth II. 237
netii DC. II. 237
a H. B. et K. II. 237
H. B. et K. II. 237
ma Kunth II. 236
H. B. et K. II. 237
m. I. 512
folia Cav. I. 512
Comm. II. 79
a DC. II. 79
ia crenata Presl IV. 656
a Presl IV. 657
Pers. I. 512
ma Pers. I. 512
la DC. I. 512
a Lour. II. 41
a Malvinda Comm. I. 443
Br. II. 270 *L.* II. 270
moides Scop. II. 270
a Mill. II. 270
Schmidt II. 270
cens Burm. II. 270
ens L. II. 270
lia Lam. II. 271
MB. II. 271
Ait. II. 270
Thunb. II. 272
a Hortul. II. 272
ens L. II. 273
olia Sims II. 271
a Lam. II. 270
a L. II. 271
Roth II. 270
Will. II. 270
a Thunb. II. 272
V. II. 270
a Thunb. II. 272
lia Lam. II. 270
ens Jacq. II. 272
ii Ait. II. 270
bens Mill. II. 273
ta Thunb. II. 272
ens Thunb. II. 272
Thunb. II. 272
nea Pall. II. 270
a Forsk. II. 299
losa Thunb. II. 272
ria Thunb. II. 272
rica Lam. II. 270
Moench II. 273
ia Rich. II. 555
a DC. II. 555
ides DC. II. 555

Comaropsis
pedata *DC.* II. 555
radicans *DC.* II. 555
sibirica *DC.* II. 555
Comarum L. Lam. Juss. II. 571 *L.* II. 583 *Ser.* II. 583 (Potentilla)
flavum Humilt. II. 583
palustre L. II. 583

COMBRETACEAE *R. Br.* III. 9

COMBRETEAE *DC.* III. 18

Combretum *Loefl.* III. 18 *Auct.* III. 17, 18
aculeatum Vent. III. 18
alternifolium Pers. III. 17
altum *Perr.* III. 20
Aubletii *DC.* III. 19
coccineum Lam. III. 18
comosum *Don* III. 20
decandrum Jacq. III. 17
decandrum Roxb. III. 18
elegans *H. B. et K.* III. 19
farinosum *H. B. et K.* III. 19
frangulaefolium *H. B. et K.* III. 18
glabrum *DC.* III. 19
glutinosum *Perr.* III. 21
grandiflorum *Don* III. 21
Guayca Humb. III. 18
herbaceum *Don* III. 21
impunctatum Thonn. III. 20
intermedium *Don* III. 20
laxum Aubl. III. 19
laxum *Jacq.* III. 18
leucophyllum *Don* III. 21
lucidum Blume III. 22
macrocarpum *Beauv.* III. 21
mexicanum *H. et Bonpl.* III. 19
β obovatum *DC.* III. 19
micranthum *Don* III. 21
micropetalum *DC.* III. 19
mucronatum *Thonn.* III. 20
nanum *Humilt.* III. 21
obtusifolium *Rich.* III. 19
paniculatum *Vent.* III. 20
parviflorum Reich. III. 21
pedicellare *DC.* III. 20
puberum *Rich.* III. 19
punctatum *Blume* III. 21
purpureum Vahl III. 18
pyramidatum *Desv.* III. 19
racemosum *Beauv.* III. 20
rotundifolium *Rich.* III. 19

CORDIEREAE *Rich.* IV. 342, 445

Cordyla *Lour.* II. 521
africana *Lour.* II. 521
Cordylia Pers. II. 521
Cordylocarpus *Desf.* I. 186
laevigatus W. I. 230
muricatus *Desf.* I. 186
Coreta P. Browne DC. I. 504 (Corchorus)
Coretoides DC. I. 504 (Corchorus)

CORIANDREAE *Koch* IV. 58. 249

Coriandrum *Hoffm.* IV. 250 *Auct.* IV. 249, 250
americanum Nutt. IV. 250
Cicuta Crantz IV. 242
Cicuta Roth IV. 99
Cynapium Crantz IV. 141
latifolium Crantz IV. 124
maculatum Roth IV. 242
sativum *L.* IV. 250
β microcarpum *DC.* IV. 250
sativum Lour. IV. 250
seselifolium DC. IV. 250
testiculatum L. IV. 249
testiculatum Lour. IV. 250
testiculatum MB. IV. 249

CORIARIEAE *DC.* I. 739

Coriaria *Niss.* I. 739
atropurpurea *fl. mex.* I. 740
microphylla *Poir.* I. 739
myrtifolia *L.* I. 739
phylicifolia *Humb* I. 740
ruscifolia *L.* I. 739
sarmentosa *Forst.* I. 739
thymifolia *Humb.* I. 740
Corindum Tourn. I. 601
Coringia DC. I. 199 (Erysimum)
Corion Hoffmans.et Link IV. 249
Corispermum pungens MB. IV. 97

CORNEAE *DC.* IV. 271

Cornelia Hardw. III. 77
verticillata Hardw. III. 79
Cornicina DC. II. 170 (Anthyllis)

Cornus *Tourn.* IV. 271
alba *L.* IV. 272
alba Walt. IV. 272
alterna Marsh. IV. 271
Cornus
alternifolia *L. fil.*
asperifolia Mx
canadensis ho.
canadensis *L.* IV
candidissima M
capitata *Wall.* I
chilensis Mol. I
circinnata *L'Her*
citrifolia hort.
coerulea Lam.
coerulea Meerb
cyanocarpos G
cyanocarpos M
daurica Laxm.
disciflora *fl. mex*
excelsa *H. B. et*
fastigiata Mx.
femina Lobel I
femina Mill. IV
ferruginea ho.
ferulacea *Jacq.* I
ferulaefolia N
florida *L.* IV. 27
grandis Cham.
herbacea L. IV
japonica *Thunb*
lanuginosa Mx
latifolia *Bray* IV
macrophylla *Wa*
mas *L.* IV. 273
β *Durham.* IV. 27
mascula L'Her
oblonga *Wall.* I
oblongifolia R
paniculata Ho.
paniculata *L'Her*
β albida *Kirk.* IV
γ radiata *Pursh* -
polygama Raf.
racemosa Lam.
rubiginosa Ehr
rugosa Lam IV
sanguinea Fors
sanguinea *L.* IV.
sanguinea Wat
sericea *L'Herit.*
β oblongifolia *DC*
γ asperifolia -
stolonifera Mx
striata *Lam.* IV.
succica *L.* IV. 27
tatarica Mill. I

is *H. B. et K.* IV. 670
ula Mx. IV. 272
na hort. Paris. IV. 272
Veck. II. 309 *L.* II. 309 *W.* II. 264
a W. II. 265
a Burm. II. 311
L. II. 309
a Thunb. II. 309
ea W. II. 265
cica W. II. 310
Dufour II. 310
a W. II. 266
hinensis Lour. II. 266
a DC. fl. fr. II. 310
L. II. 310
ta MB. II. 310
ta Sims II. 310
L. II. 310
L. II. 309
L. II. 309
Lam. II. 310
flora W. II. 266
DC. II. 310
ca Mill. II. 309
MB. II. 310
L. II. 309
L. II. 309
Scop. II. 310
a DC. II. 310
olia Burm. II. 255
talis W. II. 264
aris Moench II. 309
lis Mill. II. 310
ra Moench II. 310
a W. II. 310
ora Lam. II. 309
illa Desf. II. 309
argentea Garc. II. 230
W. II. 265
L. II. 310
aca L. II. 313
W. II. 266
W. II. 264
Cav. II. 310
Lam II. 309
a Hamilt. II. 292
sis Garc. II. 323
a Lam. II. 309
a Lam. II. 310
a L. II. 309
a Pall. II. 310
I. 310

Coronilla
viminalis *Salisb.* II. 309
Coronilla Tourn. DC. II. 309 (Coronilla)
CORONILLAE Bronn. *Adans.* II. 307
CORONILLEAE *DC.* II. 308
Coronopus Ruellii Gaertn. I. 203
serratus Desv. I. 203
Correa *Sm.* I. 719
alba *Andr.* I. 719
β rotundifolia *DC.* I. 719
cotinifolia Salisb. I. 719
reflexa Pers. I. 719
revoluta Vent I. 719
rubra Sm. I. 719
rufa *Gaertn.* I. 719
rufa Vent. I. 719
speciosa *hot repos.* I. 719
virens *Sm.* I. 719
viridiflora Andr. I. 719
Corrigiola *L.* III. 366
albella Forsk. III. 371
capensis *W.* III. 367
littoralis *L.* III. 367
littoralis Thunb. III. 367
repens Forsk. III. 374
telephiifolia *Poir.* III. 367
β imbricata *Lapeyr.* - -
Cortia *DC.* IV. 186
Lindleii *DC.* IV. 187
Corydalis *DC.* I. 126
acaulis *Pers* I. 129
angustifolia *DC.* I. 127
aurea *W.* I. 128
bracteata *Pers.* I. 128
breviflora *DC.* I. 129
bulbosa *DC.* I. 127
β viridiflora *DC.* I. 127
canadensis Gold. I. 126
capnoides *Pers.* I. 129
α albida - - -
β lutea - - -
caucasica *DC.* I. 127
chaerophylla *DC.* I. 128
claviculata *DC.* I. 129
decumbens *Pers.* I. 127
fabacea *Pers* I. 127
flavula *Raf.* I. 129
fungosa Vent. I. 126
glauca *Pursh* I. 128
impatiens *Fisch* I. 128
incisa *Pers.* I. 127

Corydalis
lachenaliaeflora Fisch. I. 126
longiflora *Pers.* I. 127
β caudata *Lam.* - -
longipes *DC.* I. 128
Marschalliana *Pers* I. 127
nobilis *Pers.* I. 128
β odontophylla *DC.* I. 128
oppositifolia *DC.* I. 126
paeoniaefolia *Pers.* I. 128
pallida *Pers.* I. 129
pauciflora *Pers.* I. 127
β aquilegifolia *Patr.* I. 127
γ altaica *Ledeb.* I. 127
racemosa *Pers.* I. 129
rutaefolia *DC.* I. 126
sibirica *Pers.* I. 128
stricta *Steph.* I. 128
tenuifolia Pursh I. 126
tuberosa *DC.* I. 127
uralensis *Fisch.* I. 129
verticillaris *DC.* I. 126
Corynella *DC.* II. 267
paucifolia *DC.* II. 268
polyantha *DC.* II. 267
Corynostylis Mart I. 288
Hybanthus Mart I. 289
Cosmia Domb. III. 358
montana Domb. III. 359
prostrata Domb. III. 359
Cosmibuena R. et Pav. IV. 356, II. 528
acuminata R. et Pav. IV. 356
obtusifolia R. et Pav. IV. 356
Cossignia *Comm.* I. 614
borbonica *DC.* I. 614
pinnata Lam. I. 614
triphylla Lam. I. 614
Cotinus Tourn. DC. II. 67 (Rhus)
Coccygria Moench II. 67
Coggygria Scop. II. 67
Cotoneaster *Medik.* II. 632
acuminata *Lindl.* II. 632
affinis *Lindl.* II. 632
tomentosa *Lindl.* II. 632
vulgaris *Lindl.* II. 632
β depressa *Fries* - -
Cotyle DC. III 400 (Umbilicus)
Cotylea Haw. IV. 43
Cotyledon *DC.* III. 396 *L. Burm.* *Haw.* III. 396 *Lam.* III. 395 *Auct.* III. 399, 401
alternans Haw. III. 398
alternans Vahl III. 395
Cotyledon
arborescens Mill. I
cacalioides *L. fil.* III.
caespitosa Haw. II
calyctna Roth III.
calyculata Soland.
canalifolia Haw. I
caryophyllacea *Burm*
clavifolia *Haw.* III.
coccinea Cav. III. 4
coruscans *Haw.* III.
crassifolia Haw. I
crenata Vent. III.
cristata *Haw.* III. 39
cuneata *Thunb.* III.
curviflora *Sims* III.
decussata Sims III.
deficiens Forsk. III.
dichotoma *Haw.* III.
elata Haw. III. 396
fascicularis *Ait.* III.
gibbiflora fl. mex. I
grandiflora Burm.
hemisphaerica DC.
hemisphaerica *L.* III.
hispanica Loefl. II
hispida Lam. III. 3
horizontalis Guss
hybrida hort. Pari
jasminiflora *Salm-D*
integra Medik. III.
laciniata L. III. 39
lanceolata Forsk.
libanotica Lahill.
linguiformis Ait.
lusitanica Lam. II
lutea Huds. III. 40
maculata *Salm-Dyk*
malachophylla Pal
mamillaris *L. fil.* III.
Mucizonia Ort. III
mucronata *Lam.* III.
nudicaulis Vahl II
oblonga Haw. III.
orbiculata Forsk.
orbiculata Haw. II
orbiculata *L.* III. 39
α rotundifolia *DC.* II
β obovata - -
γ oblonga - -
δ elata *Salm Dyk* I
ε ramosa *Salm Dyk* 9
orbiculata α DC.
orbiculata β Ait.
orbiculata γ Ait.

) γ rotunda *DC.* III. 396
v. III. 396
l. III. 383
a L. fil. III. 396
a Thunb. III. 397
. fil. III. 397
ata Salm-Dyk III. 397
Sibth. et Sm. III. 400
arch. III 398
Wendl. III. 400
Lam. III. 396
a Ort. III. 399
Thunb. III. 397
Haw. III. 396
a Haw. III. 396
ima Mill. III. 396
W. III. 401
Thunb. III. 398
lia Roxb. III. 396
a Haw. III. 398
olia Haw. III 398
Salisb. III. 400
f Urv. III. 399
s Lapeyr. III. 400
DC. III 400
rum MB. III. 399
L. III. 400
a Poir. III. 395
L. III. 400
III. 397
m Bonpl III. 397
a Lam. III. 397
Thunb. III. 397
ata Haw. III. 397
unb. III. 397
Burch. III. 398
a DC. III. 397
Lam. III. 397
a Lam. III. 400
L. III. 400
veneris Blackw. III. 400
Haw. III. 396, 398
am. III. 396
Burm. III. 397
aw. III 396
ahl III. 399
Caud. DC. IV. 18 (Saxifraga)
CDONEAE *DC.* I 1
DC. I. 203 (Senebiera)

Coublandia frutescens Aubl. II. 259
Couepia *Aubl.* II. 526
guianensis *Aubl.* II. 526
Parillo *DC.* II. 526
Coulteria *H. B. et K.* II. 480
chilensis *DC.* II 481
horrida *H. B. et K.* II. 481
mexicana *DC.* II 481
mollis *Kunth* II. 481
tinctoria *H. B. et K.* II. 481
Coumarouna Aubl. DC. II. 477 (Dipterix)
odorata Aubl. II. 477
Couponi *Aubl.* III. 295
aquatica *Aubl.* III. 295
Couratari *Aubl.* III. 294
estrellensis *Raddi* III. 294
guianensis *Aubl.* III. 294
Courbaril Plum. II. 511
Couroupita *Aubl.* III. 293
guianensis *Aubl.* III. 294
nicaraguarensis *DC.* III. 294
Coursetia *DC.* II. 264
dubia *DC.* II. 264
tomentosa *DC.* II. 264
virgata *DC.* II. 264
Coussarea *Aubl. Juss.* IV. 493
Froelichia *Rich.* IV. 494
macrocarpa *Rich* IV. 494
racemosa *Rich.* IV. 494
squamosa *Lam.* IV. 494
violacea *Aubl.* IV. 494
Coutarea *Aubl.* IV. 350
Campanilla *DC.* IV. 350
flavescens *fl. mex.* IV. 350
latiflora *fl. mex.* IV. 350
mexicana *Zucc. et Mart.* IV. 350
speciosa *Aubl.* IV. 350
Cracca L. II. 248. 254
Craccoides DC. II. 250 (Tephrosia)
Crafordia *Raf.* II. 522
bracteata *Raf.* II. 523
Crambe *Tourn.* I 225
aspera *MB.* I. 226
cordata W. I. 226
cordifolia Dufour I. 226
cordifolia *Stev.* I. 226
filiformis *Jacq* I. 226
fruticosa *L. fil.* I. 226
glabrata *DC.* I. 226
grandiflora *DC.* I. 225
hispanica *L.* I. 226
juncea *MB.* I. 226

Crambe
macrocarpa MB. I. 212
maritima *L.* I. 225
orientalis Jacq. I. 225
orientalis *L.* I. 225
orientalis Reich. I. 226
pinnatifida *R Br.* I. 225
reniformis *Desf.* I. 226
strigosa *L'Herit.* I. 226
β glabrata *DC.* I. 226
tatarica *Jacq.* I. 225
α hungarica *DC.* I. 226
β taurica - - -
tatarica Jacq I. 226
Crantzia *Nutt.* IV. 70 *Schreb.* II. 83
lineata *Nutt.* IV. 71
Craspedum tectorium Lour. I. 520
Crassouvia Comm. III. 395
floripendula Comm. III. 396
Crassula *Haw.* III. 383 *Thunb. W.* III. 383 *L. DC.* III. 383 *L.* III. 390, 393 *Auct.* III. 392 *Adans.* III. 393
acutifolia *Lam.* III. 384
adscendens *Thunb.* III. 390
Agardhiana *Schult.* III. 390
alba *Forsk.* III. 390
alhiflora Sims III. 393
aloides *Ait.* III. 388
alpestris *L. fil.* III. 387
alternifolia L. III. 390
andegavensis DC. III. 406
arborescens *W.* III. 383
argentea *L* III. 383
articulata Zucc. III. 383
barbata *Thunb.* III. 388
bibracteata *Haw.* III. 384
α minor - - -
β major - - -
biconvexa Haw. III. 394
biplanata *Haw.* III. 384
bullulata *Haw.* III. 385
caespitosa Cav. III. 406
calycina Desf. III. 382
canescens Schult. III. 391
capitata Lam. III. 394
capitata Lodd. III. 394
capitata Salm-Dyck III. 391
capitellata *L. fil.* III. 387
centauroides *L.* III. 386
cephalophora *L. fil.* III. 388
ciliata *L.* III. 378
Crassula
coccinea L. III. 394
columnaris *L. fil.* III.
concinna Haw. III.
concinnella *Haw.* III.
corallina *L. fil.* III. 3
cordata *Ait.* III. 386
cordata Lodd. III. 3
cordata Thunb. III.
cordata W. III. 386
coronata Donn III.
corymbulosa *Link* II
Cotyledon Curt. III.
Cotyledon Haw. III
cotyledonis *L. fil.* III.
crenata Desf. III. 4
crenulata *L. fil.* III. 3
cultrata L. III. 391
cymosa L. III. 394
debilis *Thunb* III. 3
decumbens *Thunb.* I
decussata Hortul.
dejecta Jacq. III. 39
deltoidea *L. fil.* III. 3
dentata *Thunb* III. 3
dichotoma L III. 39
dichotoma L. fil. III
diffusa *Ait* III. 390
ericoides *Haw.* III. 3
expansa *Ait.* III. 389
falcata W. III. 393
fascicularis Lam. I
filicaulis *Haw.* III. 3
flava L. III. 394
fruticulosa *L.* III. 384
β cafra - - -
gentianoides Lam.
glabra *Haw.* III. 389
glomerata *L* III. 389
glomerata β Ait. II
hemisphaerica *Thunb*
hirta *Thunb.* III. 387
jasminea ims III.
jasminiflora Haw.
imbricata Ait. III. 3
inanis *Thunb.* III. 38
lactea *Ait.* III. 383
liguifolia Haw. III
lineolata *DC.* III 390
linguaefolia *Haw.* III.
lucida Lam. III. 386
lycopodioides *Lam.* I
Magnolii DC. III. 4
marginalis *Ait.* III. 3
marginata Thunb.

assula
microcarpa *Sibth. et Sm.* III. 390
minima *Thunb.* III. 388
mollis *L. fil.* III. 392
montana *L. fil.* III. 388
moschata *Forst.* III. 382
muricata *Thunb.* III. 385
muscosa *L.* III. 385
nana *Thunb.* III. 389
neglecta *Schult.* III. 389
radicaulis *L.* III. 391
obfalcata *Hortul.* III. 391
obliqua *Ait.* III. 383
obliqua *Andr.* III. 393
obliqua *Pers.* III. 383
obliqua β *Haw.* III. 391
obovata *Haw.* III. 387
obtusa *Haw.* III. 394
obvallaris *Hortul.* III. 391
obvallata *L.* III. 391
odoratissima *Andr.* III. 394
orbicularis *L.* III. 389
pellucida *Jacq.* III. 386
pellucida *L.* III. 386
perfilata *Scop.* III 385
perfoliata *DC.* III. 393
perfolinta *L.* III. 393
perforata *L. fil.* III. 385
perfossa *Lam* III. 385
pinnata *Dum-Cours* III. 390
pinnata *L. fil.* III. 390
pinnata *Lour.* III. 390
Portulacaria *L.* III. 360
portulacea *Lam.* III. 383
portulacea *Pers.* III. 383
prostrata *Thunb.* III. 386
pruinosa *L.* III. 385
pubescens *L. fil.* III. 386
pulchella *Ait.* III. 390
punctata *L.* III. 388
punctata *Mill.* III. 385
pyramidalis *L. fil.* III. 388
ramosa *Ait.* III. 384
ramuliflora *Link* III. 388
retroflexa *Ait.* III. 393
retroflexa *Meerb.* III. 393
retroflexa *Thunb* III. 392
revolvens *Haw.* III. 384
rosularis *Haw.* III. 389
rotundifolia *Haw.* III. 384, 395
rubens *L.* III. 405
rubens β *DC.* III. 406
rupestris *L. fil.* III. 388
scabra *L.* III. 384
scabrella *Haw.* III. 385
Crassula
scleranthoides *Burm.* III. 389
sedoides *Mill.* III. 389
Septas *Thunb.* III. 383
sparsa *Ait.* III. 390
spathulata *Thunb.* III. 386
spicata *L. fil.* III. 387
spinosa *L.* III. 400
squamulosa *W.* III. 385
strigosa *L.* III. 389
subulata *Berg.* III. 390
subulata *L.* III. 390
Swellingrebliana *Hortul.* III. 393
sylvatica *Lichtenst.* III. 390
tecta *L. fil.* III. 388
telephioides *Haw.* III. 384
tetragona *L.* III. 384
Thunbergiana *Schult.* III. 389
thyrsiflora *L. fil.* III. 387
tomentosa *L. fil.* III. 387
turrita *Thunb.* III. 388
Umbella *Jacq.* III. 383
umbellata *Thunb.* III. 389
undata *Haw.* III. 392
undulata *Haw.* III. 392
versicolor *Burch.* III 394
verticillaris *L.* III. 406
vestita *L. fil.* III. 385

CRASSULACEAE *DC.* III. 381

CRASSULACEAE ANOMALAE *DC.* III. 414

CRASSULACEAE LEGITIMAE *DC.* III. 381

CRASSULEAE *DC.* III. 381

Crataegus *Lindl. Auct.* II. 626
alpina *Mill.* II. 629
apiifolia *Mx.* II. 627
arbutifolia *Ait.* II. 631
Aria α *L.* II. 636
— β - - -
Aronia *Bosc* II. 629
Azarolus *L.* II. 629
Azarolus β *W.* II. 629
Bibas *Lour.* II. 631
caroliniana *Poir.* II. 628
Chamaemespilus *Jacq.* II. 637
coccinea *L.* II. 627
cordata *Mill.* II. 628
crenulata *Roxb.* II. 626
cretica *Desf.* II. 633

Crataegus
Crus galli *L.* II. 626
α splendens *DC.* II. 626
β pyracanthifolia - - -
γ salicifolia - - -
δ linearis - - -
ε nana - - -
dentata Thuill. II. 636
dissecta *DC.* II. 630
elegans Poir. II. 628
elliptica *Ait.* II. 627
ferruginea Pers. II. 631
fissa *Bosc* II. 628
flava *Ait.* II. 628
flexuosa *Poir.* II 627
florentina *Zucc.* II. 628
glabra Thunb. II. 631
glandulosa Mx. II. 628
glandulosa *W.* II. 627
heterophylla *Flügg.* II. 629
indica L. II. 630
laciniata Bess. II. 628
laciniata *Ucria* II. 629
laevigata *DC.* II. 630
laevis Thunb. II. 631
latifolia *Pers.* II. 627
latifolia Poir. II. 636
leucophlaeus Moench II. 627
lobata *Bosc* II. 628
longifolia Duham. II. 636
lucida *Mill.* II. 629
lucida Wangenh. II. 626
lutea *Poir.* II. 627
maroccana *Pers.* II. 628
maura *L fil.* II. 630
β diversifolia *Pers.* II. 630
melanocarpa *MB.* II. 629
mexicana *fl mex.* II. 629
monogyna Auct. II. 628
monogyna Jacq. II. 629
nigra *W. et K.* II. 628
obtusifolia Pers. II. 632
odoratissima Andr. II. 629
Oliveriana *Bosc* II. 630
orientalis *Bosc* II. 629
orientalis MB. II. 629
ovalifolia *Horn.* II. 627
oxyacantha DC. fl. fr. II. 628
oxyacantha fl. dan. II. 628
oxyacantha *L.* II. 628
α obtusata *DC.* - -
β vulgaris - - -
γ laciniata *Wallr.* II 628
δ monostyla *DC* - -
oxyacantha Walt. II. 627
oxyacanthoides Thuill. II. 628
Crataegus
parvifolia *Ait.* II. 627
pauciflora *Pers.* II. 629
pectinata *Bosc* II. 630
pentagyna *W. et K.* II.
Poiretiana *DC.* II. 630
populifolia Walt. II.
prunellifolia *Bosc* II. 6
prunifolia *Bosc* II. 627
punctata *Ait.* II. 627
purpurea *Bosc* II. 628
Pyracantha *Pers.* II. 62
pyrifolia *Ait.* II. 627
pyrifolia Lam. II. 637
racemosa Lam. II. 63
rosea Hortul. II. 628
rotundifolia Lam. II.
rubra Lour. II. 630
sanguinea Pall. II. 6
scandica Wahlenb. II
serrata Poir. II. 637
Shicola Humilt. II. 63
spathulata *Mx.* II. 627
spicata Lam. II. 632
subspinosa *DC.* II. 626
tanacetifolia *Pers.* II. 6
β taurica *DC.* II. 629
tomentosa L. II. 627
torminalis L. II. 636
triloba *Pers.* II. 630
trilobata Labill. II. 63
turbinata *Pursh* II. 627
unilateralis *Pers.* II. 62
villosa Thunb. II. 631
viridis *L.* II. 630
Crataeva *L.* I. 242
acuminata *DC.* I. 243
Adansonii *DC.* I. 243
avicularis Burch. I. 2
cafra Burch. I. 243
cappareoides Andr. I. 2
falcata *DC.* I. 243
fragrans *Sims* I. 243
gynandra *L.* I. 243
laeta *DC.* I. 243
magna *DC.* I 243
Marmelos L. I. 538
obovata *Vahl* I. 243
radiatiflora *DC.* I. 243
religiosa *Forst.* I. 243
Tapia Aduns. I. 243
Tapia *L.* I. 243
tapioides *DC.* I. 243
Cruteria Pers. II. 52
fasciculata Pers. II. 5

Cremanium *Don* III. 191
aspergillare *DC.* III. 193
calophyllum *Don* III. 192
cinnamomifolium *DC.* III. 194
coeruleum *Don* III. 192
coelestc *Don* III. 192
crocrum *DC.* III. 194
Ehrodendrum *DC.* III. 191
glaberrimum *DC.* III. 193
glandulosum *DC.* III. 191
grandiflorum *DC.* III. 192
hispidissimum *DC.* III. 192
inaequalens *DC.* III. 194
laterenatum *DC.* III. 194
latifolium *Don* III. 191
laurinum *Don* III. 192
lediifolium *DC.* III. 193
ligustroides *DC.* III. 194
medium *Don* III. 192
millefloram *DC.* III. 193
minutiflorum *DC.* III. 193
nitidum *Don* III. 191
oligotrichum *DC.* III. 193
paniculatum *DC.* III. 194
papillosum *DC.* III. 192
pusilliflorum *DC.* III. 194
quadrangulare *DC.* III. 192
reclinatum *DC.* III. 192
rotundifolium *Don* III. 191
rubens *DC.* III. 191
serrulatum *Don* III. 192
theezans *DC.* III. 194
thyrsoideum *Don* III. 191
tinctorium *DC.* III. 193
vaccinioides *Don* III. 191
Cremolobus *DC.* I. 184
chilensis *DC.* I. 184
peruvianus *DC.* I. 184
suffruticosus *DC.* I. 184
Cremontia Comm. DC. I. 446 (Hibiscus)
Crenea *Aubl.* III. 90
maritima *Aubl.* III. 90
repens *Meyer* III. 90
Crinita capensis Houtt. IV. 491
Cristaria *Cav.* I. 458 *Sonn.* III. 17
betonicaefolia *Pers.* I. 458
coccinea Pursh I. 465
coccinea Sonn. III. 18
glaucophylla *Cav.* I. 458
multifida *Cav.* I. 458
Critamus Bess. IV. 109
agrestis Bess. IV. 110
dahuricus Hoffm. IV. 110
Crithmum *Tourn.* IV. 164 *MB.* IV. 151
campestre Guld. IV. 152
latifolium L. fil IV. 190
maritimum *L.* IV. 164
β canariense *Cav.* IV. 164
mediterraneum MB. IV. 152
pyrenaicum Forsk. IV. 144
pyrenaicum L. IV. 150
siculum Bocc. IV. 148
Crossopetalum P. Browne II. 12, 13
Crossostylis *Forst.* III. 296
biflora *Forst.* III. 296
Crotalaria *L.* II. 124, 119
acuminata *DC.* II. 128
affinis *DC.* II. 132
alata *Hamilt.* II. 124
alba L. II. 100
albida *Roth* II. 126
amplexicaulis Lam. II. 120
amplexicaulis L. II. 119
anagyroides *H. B. et K.* II. 130
angulata *Mill.* II. 135
angulosa Lam. II. 125
angustifolia *Jacq.* II. 134
β elongata *Thunb.* II. 134
anthylloides Don II. 130
anthylloides *Lam.* II. 129
arborescens *Lam.* II. 130
argentea *Jacq.* II. 134
Asarina Berg. II. 123
aspalathoides *Lam.* II. 134
axillaris *Ait.* II. 135
benghalensis *Lam.* II. 125
Berteriana *DC.* II. 127
bialata Schrank II. 124
bifaria *L. fil.* II. 127
biflora *L.* II. 127
bracteata Fisch. II. 131
bracteata *Roxb.* II. 130
bracteolata Perrot. II. 223
breviflora *DC.* II. 127
Brownei *Bert.* II. 130
Burmanni *DC.* II. 126
cajanifolia *H. B. et K.* II. 131
calycina *Schrank* II. 129
capensis Thunb. II. 130
capitata *Lam.* II. 129
chinensis Lam. II. 126
chinensis *L.* II. 130
coerulea Jacq. II. 125
coluteoides *Lam* II. 131
cordifolia L. II. 135

Crotalaria
cubensis *DC.* II. 131
cuneiformis Lam. II. 118
curtata *Link* II. 132
cylindrocarpa *DC.* II. 133
cytisoides *Roxb.* II. 131
decumbens *Pers.* II. 134
dichotoma *Roth* II. 127
diffusa *Link* 127
Dombeyana *DC.* II. 132
elegans Hortul. II. 134
elliptica Poir. II. 236
Espadilla *H. B. et K.* II. 124
falcata *Vahl* II. 132
fenestrata *Sims* II. 126
floribunda Lodd. II. 136
foliosa *W.* II. 131
fruticosa *Mill.* II. 135
genistella *H. B. et K.* II. 124
genistoides *Lam.* II. 128
genistoides W. II. 134
glauca *W.* II. 127
glycinea Lam. II. 389
gracilis Perrot. II. 133
guianensis Aubl. II. 236
heptaphylla *Lour.* II. 135
heterophylla *L. fil.* II. 131
hirsuta *W.* II. 126
hirta Lag. II. 131
hirta Mart. II. 130
hirta Roth. II. 127
hirta *W.* II. 130
holosericea *Nees et Mart.* II. 132
imbricata Burm. II. 122
incana *L.* II. 132
incana β Lam. II. 132
incanescens L. fil. II. 130
juncea *L.* II. 125
β punctulata *DC.* II. 126
juncea W. II. 126
laburnifolia *L.* II. 130
laevigata *Lam.* II. 131
laevigata Pursh II. 124
lanata *Thunb.* II. 129
latifolia Auct. II. 134
Leschenaultii *DC.* II. 125
lineata Lam. II. 388
lineata Thunb. II. 134
linifolia *L. fil.* II. 128
littoralis *H. B. et K.* II. 134
longifolia Lam. II. 236
lotifolia *L.* II. 134
lunaris Burm. II. 130, 142
lunaris *L.* II. 130
lupulina *DC.* II. 133

Crotalaria
macilenta *Caill.* II. 135
macrophylla Puer. II
macrophylla W. II. 3
macrostyla *Don* II. 135
malabarica Garc. II.
maypurensis *H. B. et K*
medicaginea *Lam.* II. 1
micans *Link* II. 132
micrantha *Link* II. 134
microphylla *Vahl* II. 1
mollicula *H. B. et K.* 1
montana *Roth* II. 126
mucronata *Desv.* II. 13
mysorensis *Roth* II. 12
β pauciflora *DC.* II. 12
γ angustifolia - - -
nana *Burm.* II. 127
napaulensis *Link* II. 1
nitens *H. B. et K.* II. 1
Novae-Hollandiae *DC.*
nummularia *W.* II. 129
obcordata Berg. II. 1
obscura *DC.* II. 134
opposita L. II. 119
orixensis *Rottl.* II. 131
ovalis *Pursh* II. 124
paliida *Ait.* II. 134
paniculata Pers. II.
paniculata *W.* II. 126
parviflora *Roth* II. 124
parvifolia Thunb. II
paulina *Schrank* II. 12
pedunculosa *Desv.* II.
pellita *Bert.* II. 128
peadula *Bert.* II. 130
perfoliata L. II. 100
perforata L. II. 120
Perrottetii *DC.* II. 128
pilosa *Mill.* I. 135
pilosa Roxb. II. 130
pilosa Thunb. II. 134
platycarpa *Link* II. 12
podocarpa *DC.* II. 133
procumbens *fl. mex.* II.
prostrata Don II. 13
prostrata *Rottl* II 130
psoraloides Don II.
psoraloides Lam. II.
pterocaula *Desv.* II. 12
pubera Schrank II. 1
pubera *Vahl* II. 132
pubescens Moench II
pulchella *Andr.* II. 134
pulcherrima *Roxb.* II.

...ria
...a *Andr.* II. 126
...a *Ort.* II. 132
...a *Schrank* II. 128 *)
...rascens *Lam.* II. 131
...rea *Vent.* II. 133
...ii *DC.* II. 124
...a *Roth* II. 128
...pelolia *L.* II. 135
...*ifera Perrot.* II. 168
...*ssima Roxb.* II. 129
...a *Thunb.* II. 129
...*formis Lam.* II. 119
...*L.* II. 125
...*Roth* II. 133
...na *DC.* II. 127
...rugiosa *DC.* II. 127
...*difolia Poir.* II. 125
...rghiana *DC.* II. 129
...osa *W.* II. 125
...lis *L.* II. 124
...*alis ovalifolia Mx.* II. 125
...us *Lour.* II. 129
...florens *Vent.* II. 125
...ensis *Bacle* II. 133
...a *Burm.* II. 126
...*Retz* II. 126
...*lifolia Lamb. herb.* II. 124
...ora *L.* II. 129
...*fl. mex.* II. 131
...des *DC.* II. 128
...a *Roth* II. 129
...ilis *Roth* II. 125
...carpa *Perrot.* II. 133
...ria *Desv.* II. 124
...pyllifolia *DC.* II. 124
...*DC.* II. 131
...*Roth* II. 133
...a *Roxb.* II. 130
...*rifolia Desf.* II. 135
...folia *Horn.* II. 135
...*Roth* II. 126
...*folia Horn.* II. 125
...lia *Roxb.* II. 126
...na *Andr.* II. 128
...*perma Dietr.* II. 126
...ta *DC.* II. 128
...*tosa Perrot.* II. 128
...a *fl. mex.* II. 135
...*instrum W.* II. 133
...*ra Berg.* II. 118

Crotalaria
tuberosa *Hamilt.* II. 129
turgida *herb. amat.* II. 130
uncinata γ Lam. II. 133
uncinella *Lam.* II. 133
β glabra *DC.* - -
verrucosa *L.* II. 125
α obtusa *DC.* - -
β acuminata - - -
verrucosa β hastata Pers. II. 125
villosa *Thunb.* II. 134
virgata *Roxb.* II. 131
virgultalis *Burch.* II. 128
vitellina *bot. reg.* II. 132
volubilis *Thunb.* II. 134
Willdenowiana *DC.* II. 134
Croton Benzoe L. III. 11
Crowea *Sm.* I. 720
saligna *Andr.* I. 720
Crucianella *L.* IV. 586
aegyptiaca *L.* IV. 587
americana *Mill.* IV. 588
angustifolia *L.* IV. 586
β monostachya *DC.* IV. 586
γ mucronata *Roth* - -
anomala Balb. IV. 587
aspera *MB.* IV. 588
capitata *Labill.* IV. 587
ciliata *Lam.* IV. 587
diffusa Roth IV. 587
gilanica *Trin.* IV. 587
glauca *Rich.* IV. 586
α Bruguieri *DC.* IV. 587
β Michauxii - - -
glomerata *MB.* IV. 588
herbacea Forsk. IV. 587
hispida *Mill.* IV. 588
hispida Mill. IV. 567
latifolia *L.* IV. 586
β erectiuscula *DC* IV. 586
γ monspeliaca - - -
latifolia MB. IV. 586
maritima *L.* IV. 587
molluginoides *MB.* IV. 587
monspeliaca L. IV. 586
patula *L.* IV. 587
pentandra Dufour IV. 587
prostrata Adams IV. 588
pubescens *W.* IV. 587
spicata α Lam. IV. 586
spicata β Lam. IV. 586
spicata γ Lam. IV. 586
stylosa *Trin.* IV. 587

Crucianella
tuberculosa Cav. IV. 587
vulgaris Gat. IV. 586
Cruciata Tourn. IV. 605
Cruciella Leschen. IV. 74
candida Leschen. IV. 75
CRUCIFERAE *Juss.* I. 131
Crudia Schreb. II. 519
Crudya *W.* II. 519
aromatica *W.* II. 519
Parivoa *DC.* II. 520
spicata *W.* II. 519
Vouarana *DC.* II. 520
Crusea *Cham. et Schl.* IV. 566
Cham. IV. 571 *Rich.* IV. 461
brachyphylla *Cham. et Schl.* IV. 567
calocephala *DC.* IV. 567
coccinea *DC.* IV. 567
glabra Rich. IV. 461
rubra *Cham. et Schl.* IV. 567
Cryptandra *Sm.* II. 38
amara *Sm.* II. 38
capitata Sieb. II. 38
ericaefolia Sieb. II. 38
ericifolia *Sm.* II. 38
obovata *Sieb.* II. 38
spinescens *Sieb.* II. 38
Cryptolobus Spr. II. 474
Cryptospermum Young Pers. IV. 615
Youngii Pers. IV. 616
Cryptotaenia *DC.* IV. 118
canadensis *DC.* IV. 119
Thomasii *DC.* IV. 119
Cryptotheca *Blume* III. 76
apetala *Blume* III. 76
dichotoma *Blume* III. 76
Cubaea Schreb. II. 487
bijuga Spr. II. 487
pluviosa Leandr. II. 483
Cubospermum palustre Lour. III. 54
Cucubalus *Gaertn.* I. 367
alpestris All. I. 377
angustifolius Schrank I. 368
bacciferus *L.* I. 367
Behen L. I. 368
caespitosus Poir. I. 370
caryophylloides Poir. I. 369
catholicus L. I. 378
chloraefolius Poir. I. 384
effusus Fisch. I. 370
Cucubalus
fabarius Thor. I. 3
fasciculatus Lam.
fimbriatus MB. I.
floccosus Fic. I. 38
fruticosus Pall. I.
fruticulosus Gmel.
glutinosus Retz I.
italicus L. I. 382
lacerus MB. I. 367
longicilius Brot. I.
mollissimus L. I. 3
mollissimus Lois. I
multiflorus W. et
polygonoides W. I.
polypetalus Walt.
pumilio L. I. 367
quadrifidus L. I. 37
quadrifidus Pollin.
reflexus L. I. 372
saxifragus Schreb.
sibiricus L. I. 370
silenoides Vill. I. 3
stellatus L. I. 368
tataricus L. I. 370
variegatus Lam. I.
viridis Lam. I. 368
viscosus Huds. I. 3
viscosus L. I. 371
wolgensis W. I. 370
Cucullaria Schreb. III
citrifolia R. et Schu
emarginata Vahl II
excelsa Vahl III. 26
excelsa W. III. 26
racemosa R. et Schu
tetraphylla Meyer
tomentosa Meyer II
Cucumeroides Gärtn. III
Cucumis *L.* III. 299 *T*
299 *Auct.* III
acutangulus L. III.
acutangulus β Lam
africanus *L. fil.* III. 30
anguinus L. III. 314
Anguria *L.* III. 301
Anguria Raeusch.
campechianus *H. B.*
Chate *L.* III. 301
Citrullus *Ser.* III. 301
α Pasteca - - -
β Jace - - -
Colocynthis *L.* III. 30

Thunb. III. 301
Roth III. 300
. III. 301
Moench II. 301
L. III. 300
Ser. III. 300
rioides Hortul. III. 301
Bert. III. 300
Isac III. 301
W. III. 302
natana L. III. 306
I. 300
ua Ser. III. 300
po - - -
a - - -
W. III. 301
timus Moench III. 301
lames III. 302
m L. III. 301
rum var. Spr. III. 302
W. III. 301
Zeyh. III. 300
III. 300
Ser. III. 300
- - -
- - -
tus Ser. III. 300
tus - - -
leyer III. 301
L. III. 316 *Auct.* III. 299
Duch. III. 301
W. III. 317
a Ser. III. 317
nthoides Ser. III. 317
Fisch. III. 303
L. III. 301
Blume III. 317
a H. B. et K. III. 318
Thunb. III. 299
a W. III. 299
tunda Dalech. III. 317
ia L. III. 299
Vill. III. 318
Molin. III. 318
Duch. III. 316
Ser. - -
- - -
ra - - -
L. III. 317
Duch. III. 317
Forst. III. 318

Cucurbita
ovifera *L.* III. 317
α pyriformis *Ser.* III. 318
β subglobosa - - -
γ grisea - - -
Pepo *L.* III. 317
α subrotunda *W.* III. 317
β oblonga - - -
perpusilla Blume III. 307
polymorpha Melopepo Duch. III. 317
polymorpha oblonga Duch. III. 317
polymorpha pyxidaris Duch. III. 317
polymorpha verrucosa Duch. III. 317
Potiro Pers. III. 316
pyriformis Loh. III. 317
scabra Blume III. 305
Siceraria *Molin.* III. 318
subverrucosa *W.* III. 317
sylvestris Dod. III. 317
umbellata *Klein* III. 318
verrucosa *L.* III. 317
villosa *Blume* III. 317
vittata Blume III. 299
CUCURBITACEAE *Juss.* III. 297
CUCURBITEAE *DC.* III. 299
Culhamia Forsk. I. 483
Cumbulam Rheed. III. 303
CUMINEAE *Koch* IV. 58, 200
Cuminoides Tourn. IV. 233
Cuminum *C. Bauh.* IV. 201
aegyptiacum Merat IV. 201
Cyminum *L.* IV. 201
α scabridum *DC.* IV. 201
β glabratum - - -
Cyminum Merat IV. 201
hispanicum *Merat* IV. 201
minutum *d'Urv.* IV. 201
Cuncea *Hamilt.* IV. 576
trifida *Hamilt.* IV. 576
Cunninghamia Schreb. W. IV. 459
sarmentosa W. IV. 459
verticillata W. IV. 459
Cunonia *L.* IV. 12
capensis *L.* IV. 12
celebica *Blume* IV. 12
indica *Blume* IV. 12

CUNONIACEAE R. Br. IV. 1, 7

CUNONIEAE *DC.* IV. 7

Cupania *Plum.* I. 612
alternifolia *Pers.* I. 613
americana L. I. 613
canescens *Pers.* I. 613
dentata *fl. mex.* I. 614
diphylla Vahl I. 613
excelsa *H. B et K.* I. 613
geminata *Poir.* I. 613
glabra *Sw.* I. 613
laevis *Pers.* I. 613
latifolia *H. B. et K.* I. 613
lentiscifolia *Pers.* I. 614
nitida *DC.* I. 613
Saponaria *Pers.* I. 613
saponarioides Sw. I. 613
scrobiculata *H. B. et K.* I. 613
tomentosa *Sw.* I. 613
venulosa *DC.* I. 613

Cuphea *Jacq.* III. 83 *Spr. P. Browne* III. 83
aequipetala *Cav.* III. 85
antisyphilitica *H. B. et K.* III. 87
Apanxaloa *fl. mex.* II. 88
ascendens fl. mex. III. 86
bracteata *Lag* III 88
Bustamonta *Lallav. et Lex.* III. 85
ciliata *R. et Pav.* III 88
circaeoides *Sm.* III. 84
coccinea *DC.* III. 85
cordata *R. et Pav.* III. 88
cordifolia *H. B. et K.* III. 84
corymbifera *Neuw.* III. 88
cyanaea *fl. mex.* III. 85
decandra *Ait.* I. 86
decandra Spr. III. 86
denticulata *H. B. et K.* III. 87
flava *Spr.* III. 88
fruticosa Neuw. III. 88
fruticosa *Spr.* III. 87
fruticulosa *Schrad.* III. 88
gracilis *H. B. et K.* III. 87
hirta *DC.* III. 86
hirtella *H. B. et K.* III. 87
hyssopifolia *H. B. et K.* III. 87
jorullensis *H. B. et K.* III. 84
lanceolata *Ait.* III. 85
Llavea *Lallav. et Lex.* III. 85
loxensis *H. B. et K.* III. 87
Melanium *R. Br.* III. 86
Melvilla *Lindl.* III. 84
micrantha *H. B. et K.* III. 83
Cuphea
micropetala *H. B. et K.* III
microphylla *H. B. et K.* III
multiflora *Lodd.* III. 88
nitidula H. B. et K. III.
Parsonsia *R. Br.* III. 86
parviflora *Hook.* III. 86
procumbens *Cav.* III. 85
racemosa *Spr.* III. 86
racemosa jamaicensis Sp
scabrida *H. B. et K.* III. 8
secundiflora *fl. mex.* III. 8
serpyllifolia *H. B. et K.* II
serpyllifolia Sims III. 8
spicata *Cav.* III. 84
strigulosa *H. B. et K.* III.
strumosa fl. mex. III. 84
Swartziana *Spr.* III. 86
tricolor *fl. mex.* III. 84
Trinitatis *DC.* III. 88
verticillata *H. B. et K.* III
virgata *Cav.* III. 86
viscosissima *Jacq.* III. 85
Cupi Rheed. IV. 393, 394
Cupia *DC.* IV. 393 *R. et Sch.*
auriculata *DC.* IV. 394
corymbosa *DC.* IV. 394
cymosa *DC.* IV. 394
densiflora *DC.* IV. 394
macrophylla *DC.* IV. 394
odorata *DC.* IV. 394
oppositifolia *DC.* IV. 394
scandens *DC.* IV. 394
thyrsoidea *DC.* IV. 394
truncata *DC.* IV. 394
Curatella *L.* I. 70
alata *Vent.* I. 70
americana *L.* I. 70
Curtisia *Ait.* II. 12 *Schrad.*
faginea *Ait.* II. 12
Curtogyne *Haw.* III. 392
dejecta *DC.* III. 392
unduta Haw. III. 392
undulata *Haw.* III. 392
Curupita Gmel. III. 294 *ded*
Cururu Plum. I. 604

CURVEMBRYAE B

Cusparia Humb. DC. I. 7
febrifuga Humb. I. 731

CUSPARIEAE *DC.* I. 7

Cuspidaria DC I. 197 (Ery
Cussambium Rumph II. 6

nis *Thunb.* IV. 255
ata *Thunb.* IV. 255
siflora *Thunb.* IV. 255
rsoidea *Thunb.* IV. 255
era *Colla* IV. 255
a *DC.* IV. 468
iflora *DC.* IV. 468
cana *Spr.* IV. 468
ifica *Spr.* IV. 469
ais *DC.* II. 215
ioides *DC.* II. 216
a *DC.* I. 114 (Nymphaea)
Schreb. II. 519
rpaea *DC.* I. 157 (Farsetia)
Vent. II. 101
s *DC.* II. 101
ides *R Br.* II. 101
DC. II. 101
rmum *Lag. DC.* IV. 105 (Helosciadium)
Lindl. II. 638 (Cydonia)
Tourn. II. 638
ea *Sav.* II. 638
Pers. II. 638
Thouin II. 638
nia *Hamilt.* 638
Pers. II. 638
ormis *Mill.* II. 638
mica - - -
ga - - -
Raf. II. 568
ntana *Raf.* II. 568
Raf. II. 568
e. II. 410
Sims II. 410
achya *DC.* II. 410
Ait. II. 410
sa *Roxb.* II. 410
Ait. II. 410
Neck. II. 422
a *Gaertn.* I. 722
a *Gaertn.* I. 722
DC. I. 722
ilata *DC.* I. 722
DC. I. 722
us *Raf.* IV. 203
itus *DC.* IV. 204
a *L.* II. 509
cha *Spr.* II. 519
ra *L.* II. 509
Lour. II. 509
dra *Roxb.* II. 509
ra *L.* II. 509
rium *Rumph* II. 509

Cynosbata DC. I. 654 (Pelargonium)
Cynophalla DC. I. 249 (Capparis)
Cynosciadium *DC.* IV. 140
digitatum *DC.* IV. 141
pinnatum *DC.* IV. 141
Cypselea *Turp.* III. 353
humifusa *Turp.* III. 353
Cyrilla spinosa Spr. I. 347
Cyrtanthus Schreb. IV. 375
Cyrtocarpa *H. B. et K.* II. 91
procera *H. B. et K.* II. 91
Cyrtospermum Raf. IV. 118
trifoliatum Raf. IV. 119
Cysticapnos *Boerh.* I. 126
africana *Gaertn.* I. 126
CYTEOPHYTUM Neck. II. 94
Cytheraea DC. II. 75 (Spondias)
Cylipogon Raf. II. 244
capitatum Raf. II. 244
virgatum Raf. II. 244
Cytisus *DC.* II. 153 *Link L. Lam.* II. 153
aethiopicus L. II. 167
africanus *Lois.* II. 157
albidus *DC.* il. 155
albus *Link* II. 153
alpinus Lam. II. 153
alpinus *Mill.* II. 153
anagyrius L'Herit. II. 158
angustifolius Moench II. 153
antillanus *DC.* II. 157
arboreus *DC.* II. 154
argenteus *L.* II. 156
austriacus *L.* II. 156
biflorus *L'Herit.* II. 155
β glaber *L. fil.* II. 155
γ subspinescens *DC.* II. 155
Cajan L. II. 406
Cajan var. b. Lam. II. 406
calycinus *MB.* II. 157
candicans L. II. 145
canescens *Lois.* II. 157
capensis Berg. II. 119
capensis Lam. II. 137
capitatus *Jacq.* II. 156
ciliatus *Wahlenb.* II. 156
complicatus Brot. II. 158
complicatus DC. fl. fr. II. 158
divaricatus L'Herit. II. 158
elongatus Hortul. II. 155
elongatus *W. et K.* II. 155
β multiflorus *DC.* II. 155

Cytisus
falcatus *W. et Kit.* II. 155
foliosus Ait. II. 158
fragrans Lam. II. 153
graecus L. II. 169
grandiflorus *DC.* II. 154
heterophyllus Lapeyr. II. 152
hirsutus Gmel. II. 155
hirsutus Lam. II. 156
hirsutus *L.* II. 156
hirsutus MB. II. 155
hirtus Burm. II. 168
hispanicus Lam. II. 158
hispidus W. II. 262
Laburnum *L.* II. 153
Laburnum β Ait. II. 153
lanigerus *DC.* II. 154
β rigidus - - -
leucanthus *W. et K.* II. 155
β pallidus *Schrad.* II. 155
linifolius Lam. II. 146
lotoides Pourr. II. 156
lotoides *W.* II. 157
macrospermus Bess. II. 155
mollis *W.* II. 154
nanus W. II. 157
nigricans *L.* II. 153
nigricans Pall. II. 270
nubigenus *Link* II. 153
orientalis *Lois.* II. 157
pallidus *Poir.* II. 157
paniculatus Lois. II. 145
parvifolius Lam. II. 158
patens *L.* II. 154
pauciflorus W. II. 157
pendulinus L. fil. II. 154
persicus *Burm.* II. 157
pinnatus Pall. II. 270
polytrichus *MB.* II. 156
ponticus *W.* II. 157
procerus *Link* II. 157
proliferus *L. fil.* II. 155
pseudo-Cajan Jacq. II. 406
psoraloides L. II. 232
pubescens Moench II. 145
purpureus *Scop.* II. 155
pygmaeus *W.* II. 156
ramosissimus Poir. II. 145
rhombifolius Pursh II. 99
scoparius *Link* II. 154
sericeus Lam. II. 137
sericeus W. II. 249
serotinus *Kit.* II. 156
sessiliflorus Poir. II. 389
sessilifolius *L.* II. 153
Cytisus
speciosus Lois. II.
spinosus Descourt
spinosus *Lam.* II. 15
supinus Bertol. II
supinus *Jacq.* II. 15
supinus Jacq. II. 1
supinus L. II. 156
supinus MB II. 15
telonensis Lois. II.
tener Jacq. II. 149
tomentosus Andr.
Tournefortianus L
triflorus Lam. II. 1
triflorus *L'Herit.* II.
villosus Pourr. II.
violaceus Auhl. II.
wolgaricus L. fil. I

D

Dactyloides (lege L
Tausch. DC. IV. 23
Dahlia Thunb. IV. 2
crinita Thunb. IV.
Dalbergia *Roxb.* II. 41

alata *Roxb.* II. 417
arborea *Roth* II. 417
arborea W. II. 416
Crowei *Roxb.* II. 41
diphaca Pers. II. 31
domingensis Pers.
emarginata *Roxb.* II.
frondosa *Roxb.* II. 4
heptaphylla Poir. I
heterophylla *W.* II. 4
Lanceolaria *L. fil.* II.
Lanceolaria β Lan
latifolia *Roxb.* II. 41
latisiliqua *Desf.* II. 4
marginata *Roxb.* II.
Monetaria L. fil. II.
ougeinensis *Roxb.* II.
paniculata *Roxb.* II.
parviflora *Roxb.* II. 4
pentaphylla Poir. I
polyphylla Poir. II.
reniformis *Roxb.* II.
rimosa *Roxb.* II. 417
robusta *Roxb.* II. 41
rubiginosa *Roxb.* II.
scandens *Roxb.* II. 4
Sissoo *Roxb.* II. 416
spinosa *Roxb.* II. 41

a Roxb. II 417
lfolia Roxb. II. 417
is DC. II. 417
Roxb. II. 417
Roxb. II. 417
GIEAE *Bronn.* II. 415
244 *Vent.* II. 243, 244
W. II. 244
fl. mex. II. 245
ides Nutt. II. 244
oides W. II. 244
ina fl. mex. II. 245
H.B. et K. II. 245
tt. II. 244
is H.B. et K. II. 246
V. II. 245
W. II. 243
Poir. II. 243
W. II. 245
ina W. II. 244
is DC. II. 246
les DC. II. 245
ra Fras. II. 244
gilla Bert. II. 246
la W. II. 247
. II. 247
a fl. mex. II. 246
Kunth II. 245
dea DC. II. 245
eria W. II. 244
W. II. 245
fl. mex. II. 245
Pursh II. 244
sya DC. II. 246
Mx. II. 244
fl. mex. II. 245
II. 245
ides fl. mex. II 246
lla H. B. et K. II. 247
a DC. II. 246
W. II. 245
Kunth II. 247
V. II. 246
olia Ort. II. 245
lioides fl. mex. II. 246
is DC. II. 247
a Ort. II. 245
ra Pursh II. 284
Kunth II. 245
ata Pursh II. 244
ta fl. mex. II. 245
es W. II. 246
ns fl. mex. II. 246

Dalea
prostrata *Ort.* II. 246
purpurea Vent II 243
reclinata *W.* II. 246
sericea *Lag.* II. 245
Thouini *Schrank* II. 246
tomentosa *W.* II. 246
tuberculata *Lag.* II. 245
unguicularis fl. mex. II. 245
violacea W. II. 243
virgata *Lag.* II. 246
Dalibarda *L.* II. 568
calycina *DC.* II. 568
cordata Steph. II. 568
fragarioides Mx. II. 555
fragarioides Sims II. 555
geoides *Pers.* II. 568
pedata Steph. II. 555
repens *L.* II. 568
ternata Steph. II. 555
violaeoides Mx. II. 568
Dairympelea Roxb. II. 3
pomifera Roxb. II. 3
Dalrymplea Spr. II. 3
domingensis Spr. II. 3
Dammara Gaertn. II. 79
graveolens Gaertn. II. 79
nigra Rumph II. 79
selanica Rumph I. 92
Damnacanthus *Gaertn.* IV. 473
indicus *Gaertn.* IV. 473
Danaa All. IV. 246
aquilegifolia All. IV. 246
aquilegifolia Lag. IV. 247
sylvatica Lag. IV. 246
Danais *Comm.* IV. 361 *Poir.* IV. 361
fragrans *Comm.* IV. 361
fragrans β coronata Pers. IV. 361
laxiflora *DC.* IV. 361
rotundifolia *Poir.* IV. 361
sulcata *Pers.* IV. 361
Danielia DC. III. 393 (Rochea)
Dantia Pet. Th. III. 59, 61 *DC.* III. 61 (Isnardia)
palustris Pet. Th. III. 61
Darlingtonia *DC.* II. 443
brachyloba *DC.* II. 443
glandulosa *DC.* II. 443
Darluca Raf. IV. 496
Dasycephala DC. IV. 565 (Diodia)
Dasyloma *DC.* IV. 140
benghalense *DC.* IV. 140

Dasyloma
glaucum *DC.* IV. 140
Dasyspermum Neck. IV. 118
Dasystemon *DC.* III. 382
calycinum *DC.* III. 382
Daubentonia *DC.* II. 267
longifolia *DC.* II. 267
punicea *DC.* II. 267
DAUCINEAE *Koch* IV. 58, 208
Daucus *Tourn.* IV. 209
alatus *Poir.* IV. 214
alsaticus C. Bauh. IV. 179
aureus *Desf.* IV. 213
australis *Poepp.* IV. 214
bessarabicus *DC.* IV. 210
bicolor *Sibth. et Sm.* IV. 214
brachiatus *Sieb.* IV. 214
Carota *L.* IV. 211
β sativa *DC.* IV. 211
Carota β Pers. IV. 212
Carota γ Sm. IV. 212
copticus Pers. IV. 108
creticus Mill. IV. 211
crinitus *Desf.* IV. 213
cuminoides *Lam.* IV. 214
divaricatus Walt. IV. 107
foetidus *Raf.* IV. 215
Gingidium *L.* IV. 211
Gingidium L. herb. IV. 113
glaberrimus *Desf.* IV. 211
grandiflorus *Desf.* IV. 213
grandiflorus Scop. IV. 209
gummifer Lam. IV. 212
guttatus *Sibth. et Sm.* IV. 212
hirsutus *Sibth. et Sm.* IV. 213
hispanicus *DC.* IV. 212
hispanicus Gouan IV. 212
hispidus *Desf.* IV. 213
involucratus *Sibth. et Sm* IV. 211
laserpitioides *DC.* IV. 210
leptophyllus Scop. IV. 216
lucidus L. fil. IV. 212
macedonicus Riv. IV. 155
macrocarpus hort. Erf. IV. 215
maritimus Gaertn. IV. 209
maritimus *Lam.* IV. 211
maritimus With. IV. 212
maritimus β L. IV. 209
mauritanicus *All.* IV. 212
β pterochlaenus *DC.* IV. 212
mauritanicus L. IV. 212
mauritanicus Salzm. IV. 212
maximus *Desf.* IV. 212
Daucus
meifolius Bret. IV
meoides Pers. IV.
microphyllus *Presl*
montanus W. IV.
montevidensis *hort.*
muricatus Desf.
muricatus *L.* IV. 21
β littoralis *Sibth. et*
parviflorus *Desf.* IV
pectinaceus *DC.* IV.
polygamus *Gouan.*
prolifer Auct. IV.
prolifer *Presl* IV. 2
pubescens *Koch* IV
α et β IV. 211
pulcherrimus *Koch*
pusillus *Mx.* IV. 21
rigidus hort. Pari
scabrosus Bert. I
setifolius *Desf.* IV.
setulosus *Guss.* IV.
siculus *Tineo* IV. 2
toriloides *DC.* IV. 2
verticillatus Hor
Visnaga L. IV. 11
vulgaris Neck. IV
Daviesia *Sm.* II. 113
acicularis *Sm.* II. 11
alata *Sm.* II. 114
cordata *Sm.* II. 114
corymbosa *Sm.* II. 1
denudata Vent. II
glauca Lodd. II. 1
humifusa Sieb. II.
incrassata *Sm.* II. 11
juncea *Sm.* II. 114
latifolia *R. Br.* II. 1
mimosoides *R. Br.*
racemulosa *DC.* II. 1
reticulata Sm. II.
squarrosa *Sm.* II. 11
ulicifolia Andr. II
ulicina *Sm.* II. 114
umbellata Labill.
umbellulata *Sm.* II.
β angustifolia *DC.* II
Davilla *Vand.* I. 69
brasiliana *DC.* I. 69
rugosa Poir. I. 69
Davya *DC.* III. 105
glabra *DC.* III. 105
guianensis *DC.* III. 1
paniculata *DC.* III. 1

. II 417
xb. II. 417
II. 417
II. 417
II. 417
E *Brown.* II. 415
ent. II. 243, 244
W. II. 244
r. II. 245
utt. II. 244
W. II. 244
. *mex.* II. 245
. et K. II. 245
244
B. et K. II. 246
245
I. 243
II. 243
I. 245
V. II. 244
. II. 246
C. II. 245
as. II. 244
ert. II. 246
II. 247
47
nex. II. 246
h II. 245
DC. II. 245
W. II. 244
. 245
ex. II. 245
II. 244
C. II. 246
II. 244
ex. II. 245
15
. mex. II 246
. *B. et K.* II. 247
. II. 246
IL. 245
II. 247
246
Ort. II. 245
es fl. mex. II. 246
C. II. 247
t. II. 245
ursh II. 284
ith II. 245
ursh II. 244
. *mex.* II. 245
V. II. 246
. *mex.* II. 246

Dalea
prostrata *Ort.* II. 246
purpurea Vent II 243
reclinata *W.* II. 246
sericea *Lag.* II. 245
Thouini *Schrank* II. 246
tomentosa *W.* II. 246
tuberculata *Lag.* II. 245
unguicularis fl. mex. II. 245
violacea W. II. 243
virgata *Lag.* II. 246
Dalibarda *L.* II. 568
calycina *DC.* II. 568
cordata Steph. II. 568
fragarioides Mx. II. 555
fragarioides Sims II. 555
geoides *Pers.* II. 568
pedata Steph. II. 555
repens *L.* II. 568
ternata Steph. II. 555
violaeoides Mx. II. 568
Dairympelea Roxb. II. 3
pomifera Roxb. II. 3
Dalrymplea Spr. II. 3
domingensis Spr. II. 3
Dammara Gaertn. II. 79
graveolens Gaertn. II. 79
nigra Rumph II. 79
selanica Rumph I. 92
Damnacanthus *Gaertn.* IV. 473
indicus *Gaertn.* IV. 473
Danaa All. IV. 246
aquilegifolia All. IV. 246
aquilegifolia Lag. IV. 247
sylvatica Lag. IV. 246
Danais *Comm.* IV. 361 *Poir.* IV. 361
fragrans *Comm.* IV. 361
fragrans β coronata Pers. IV. 361
laxiflora *DC.* IV. 361
rotundifolia *Poir.* IV. 361
sulcata *Pers.* IV. 361
Danielia DC. III. 393 (Rochea)
Dantia Pet. Th. III. 59, 61 *DC.* III. 61 (Isnardia)
palustris Pet. Th. III. 61
Darlingtonia *DC.* II. 443
brachyloba *DC.* II. 443
glandulosa *DC.* II. 443
Darluca Raf. IV. 496
Dasycephala DC. IV. 565 (Diodia)
Dasyloma *DC.* IV. 140
benghalense *DC.* IV. 140

Delphinium
β glaucum DC. I. 52
flexuosum MB. I. 56
gracile DC. I. 52
α glabrum DC. I. 52
β velutinum - - -
grandiflorum L. I. 53
β chinense Fisch. - -
halteratum Sibth. et Sm. I. 53
hirsutum Pers. I. 54
hybridum γ DC. I. 54
hybridum L. herb. I. 55
hybridum W. I. 54
β fissum W. et K. I. 54
incanum Clark. I. 52
intermedium Ait. I. 55
α pilosissimum DC. - -
β alpinum W. et K. - -
γ leptostachyum DC. I. 55
δ ranunculifolium - - -
ε laxum - - -
intermedium Lapeyr. I. 55
intermedium Lois. I. 55
junceum DC. I. 52
β subvelutinum DC. I. 52
laxiflorum DC. I. 55
macropetalum DC. I. 53
Menziesii DC. I. 54
mesoleucum Link I. 55
montanum DC. I. 55
β bracteosum - - -
nanum DC. I. 52
obcordatum DC. I. 53
obscurum Stev. I. 56
ochroleucum Stev. I. 54
Oliverianum DC I. 51
palmatifidum DC. I. 55
α hispidum - - -
β glabellum - - -
pentagynum Lam. I. 54
peregrinum Delil. I. 52
peregrinum Lam. I. 52
pictum W. I. 56
pubescens DC. I. 51
puniceum Pall. I. 53
β Damascenum DC. I. 53
puniceum var. MB. I. 54
pusillum Labill. I. 52
pygmaeum Poir. I. 52
Requienii DC. I. 56
revolutum Desf. I. 54
rigidum DC. I. 52
speciosum MB. I. 56
Staphysagria L. I. 56
Staphysagria var. B. Lam. I. 56
Delphinium
tenuissimum Sibth.
tribracteolatum DC.
tricorne Mx. I. 54
β multiflorum DC. I.
tridactylum Mx.
triste Fisch. I. 56
urceolatum Jacq. I.
velutinum Bertol.
γ DC.
villosum Stev. I. 55
virescens Nutt. I. 5
virgatum Poir. I. 5
Demidovia tetragon
Democritea DC. IV. 5
serissoides DC. IV.
Dendrobrychis DC.
Dendrocrambe DC.
Dendromene DC. I
Dendrophthoe Mart
Dentaria Tourn. I. 1
bifolia Stok. I. 15
bulbifera L. I. 155
β ptarmicaefolia DC.
caucasica W. her
digitata Lam. I. 15
diphylla Mx. I. 15
enneaphylla L. I. 1
glandulosa W. et K
heterophylla Nutt.
hirsutula Andrz.
hypanica Bess. I. 1
laciniata Mühl. I. 1
β minor DC. I. 155
maxima Nutt. I. 1
microphylla W. I.
ochroleuca Gaud.
pentaphyllos L. 1
pentaphyllos α L.
pinnata Lam. I. 15
polyphylla W. et K
β ochroleuca DC. I.
quinquefolia MB. 1
tenella Pursh I. 1
tenuifolia Ledeb. I
β . .
trifida Lam. I. 15
trifolia W. et K. I.
Dentella Forst. IV. 4
erecta Roth IV. 4
perotifolia W. k
repens Forst. IV.

Cham. et Schl. IV. 618
idea DC. IV. 618
ea Haw. IV. 38
ata Haw. IV. 39
is Haw. IV. 38
t Haw. IV. 39
Lour. II. 415
a Lour. II. 415
ata Lour. II. 415
ea fl. mex. IV. 483
scarpa fl. mex. IV. 483
portaria fl. mex. IV. 483
nthea DC. II. 444 (Desmanthus)
dus W. II. 443
achys DC. II. 445
us W. II. 445
sus H. et Bonpl. II. 444
us W. II. 444
rus W. II. 445
is W. II. 444
phyllus H. B. et K. II. 444
achys DC. II. 445
W. II. 444
DC. II. 446
W. II. 444
yllus DC. II. 444
tus W. II. 445
fer DC. II. 444
Bert. II. 445
DC. II. 445
achys DC. II. 445
us W. II. 444
W. II. 445
eneg. Nr. 47. II. 445
n DC. II. 325 *Desv.* II. 325
rum DC. II. 338
um DC. II. 329
ns DC. II. 332
leum Lindl. II. 332
ense H. B. et K. II. 332
DC. II. 330
DC. II. 326
arpum DC. II. 331
n DC. II. 335
lium DC. II. 328
DC. II. 330
H. B. et K. II. 331
Desv. II. 333
um DC. II. 326
DC. II. 326
DC. II. 333
DC. II. 336
m DC. II. 329
atum - - -
um DC. II. 333

Desmodium
cajanifolium *DC.* II. 331
canadense *DC.* II. 328
canescens *DC.* II. 328
β paleaceum *DC.* II. -
capitatum *DC.* II. 336
caudatum *DC.* II. 337
ciliare *DC.* II. 329
ciliatum *DC.* II. 333
cinereum *DC.* II. 330
coeruleo-violaceum *DC.* II. 331
concinnum *DC.* II. 335
confertum *DC.* II. 335
cumanense *DC.* II. 331
denudatum *DC.* II. 328
dichotomum *DC.* II. 336
diffusum *DC.* II. 335
diffusum *DC.* II. 336 *)
dioicum *DC.* II. 338
diversifolium *DC.* II. 334
elatum *H. B. et K.* II. 328
elegans *DC.* II. 335
emarginatum *DC.* II. 338
erythrynaefolium *DC.* II. 331
gangeticum *DC.* II. 327
β Neaei - - -
glabellum *DC.* II. 329
glabrum *DC.* II. 338
grandiflorum *DC.* II. 338
grandifolium *DC.* II. 338
guianense *DC.* II. 338
gyrans *DC.* II. 326
gyroides *DC.* II. 326
heterocarpum *DC.* II. 337
heterophyllum *DC.* II. 334
Hippocrepis *DC.* II. 338
incanum *DC.* II. 332
infractum *DC.* II. 330
laburnifolium *DC.* II. 337
laevigatum *DC.* II. 329
lasiocarpum *DC.* II. 328
latifolium *DC.* II. 328
laxiflorum *DC.* II. 335
laxum *DC.* II. 336
Leschenaultii *DC.* II. 336
linearifolium *DC.* II. 327
lineatum *DC.* II. 330
lutescens *Desv.* II. 326
maculatum *DC.* II. 327
malachophyllum *DC.* II. 338
marylandicum *DC.* II. 328
mauritianum *DC.* II. 334
microphyllum *DC.* II. 337
molle *DC.* II. 332

*) conf. Praefatio.

Desmodium
mollicalum *DC.* II. 331
multicaule *DC.* II. 331
multiflorum *DC.* II. 335
Neaei *DC.* II. 338
nudiflorum *DC.* II. 330
oblongifolium *DC.* II. 332
obtusum *DC.* II. 329
ormocarpoides *DC.* II. 327
oxybracteum *DC.* II. 334
oxyphyllum *DC.* II. 336
paniculatum *DC.* II. 329
parvifolium *DC.* II. 334
pauciflorum *DC.* II. 330
paucinervium *DC.* II. 336
pedunculatum *DC.* II. 338
Perrottetii *DC.* II. 327
pilosiusculum *DC.* II. 335
pilosum *DC.* II. 337
podocarpum *DC.* II. 336
polycarpum *DC.* II. 334
Pryoni *DC.* II. 334
pseudo-triquetrum *DC.* II. 326
punctatum *DC.* II. 338
racemiferum *DC.* II. 331
racemosum *DC.* II. 337
reniforme *DC.* II. 327
repandum *DC.* II. 334
repens *DC.* II. 338
reptans *DC.* II. 333
retroflexum *DC.* II. 336
rhombifolium *DC.* II. 330
rigidum *DC.* II. 330
rotundifolium *DC.* II. 330
rubrum *DC.* II. 327
rufescens *DC.* II. 335
sagittatum *DC.* II. 327
salicifolium *DC.* II. 337
sambuense *DC.* II. 335
Scalpe *DC.* II. 334
Scorpiurus *Desv.* II. 333
serotinum *DC.* II. 338
siliquosum *DC.* II. 336
spartioides *DC.* II. 337
spirale *DC.* II. 332
β stoloniferum *DC.* II. 333
squarrosum *DC.* II. 333
stipulaceum *DC.* II. 330
striatum *DC.* II. 337
strictum *DC.* II. 329
supinum *DC.* II. 332
tenellum *DC.* II. 333
tenuiculum *DC.* II. 333
terminale *DC.* II. 327
Thunbergii *DC.* II. 337
Desmodium
timoriense *DC.* II.
tomentosum *DC.* I
tortuosum *DC.* II.
β hirtellum - -
trichocaulum *DC.*
triflorum *DC.* II. 3
trigonum *DC.* II. 3
triquetrum *DC.* II.
umbellatum *DC.* I
β hirsutum - -
uncinatum *DC.* II·
velutinum *DC.* II.
villosum *DC.* II. 3
viridiflorum *DC.* I
viscidum *DC.* II. 3
Wade *DC* II. 331
Desmos DC. I. 91 (
chinensis Lour.
cochinchinensis
DETARIEAE *DC*
Detarium *Juss.* II. 5
senegalense *Gmel.*
Deutzia *Thunb.* IV.
scabra *Thunb.* IV
Deverra *DC.* IV. 143
aphylla *DC.* IV. 1·
β Burchellii *DC.* I
Pituranthos *DC.* I
tortuosa *DC.* IV. 1
α virgata - -
β rigidior - - 1
Deverraria DC. IV.
Dialium *Burm. Sch.*
divaricatum *Vahl*
guineense W. II.
javanicum Burm
indum *L.* II. 520
indum Sm. II. 52
Diamorpha *Nutt.* II
pusilla *Nutt.* III.
Dianthus *L.* I. 355
aciphyllus *Sieb.* I.
aggregatus *Poir.* I
albens *Ait.* I. 363
alpestris *Balb.* I.
alpinus Balb. he
alpinus DC. fl. f.
alpinus *L.* I. 362
arboreus *L.* I. 357
arenarius DC. I.
arenarius *L.* I. 364
arenarius Pall.
arenarius Town

L. I. 355
- - -
s *Raf.* I. 355
I. 357
lolius *Ser.* I. 357
- - -
- - -
Beaupré I. 356
ens *All.* I. 357
ens *MB.* I. 356
ens *prolifer Schleich.* I. 357
Sm. I. 358
er. I. 356
arus *Ser.* I. 356
L. I. 355
us *Ser.* I. 356
arus - - -
ilosus *Ser.* I. 356
Pall. I. 355
ldanus I. 358
B. I. 360
Ser. I. 361
ibth. et *Sm.* I. 363
ni *Tenor.* I 357
us *W. herb.* I. 360
Ser. I. 359
n. I. 362
m. I. 361
pr. I. 361
us *Lam.* I. 362
Thunb. I. 363
MB. I. 357
C. I. 356
Poir. I. 356
Walt. I. 357
rum *L.* I. 356
ens *Ser.* I. 357
- - -
us - - -
ides *Schult.* I. 357
us *L.* I. 359
us *Ser.* I. 359
- - -
lus var. Tratt. I. 359
ims I. 363
Ser. I. 356
.. I. 359
us Fisch. I. 359
us *Sibth. et Sm.* I. 360
r. I. 361

Dianthus
collinus W. et K. I. 357
contortus Sm. I. 364
corymbosus fl. purpureo Poir. I. 360
corymbosus *Sibth. et Sm.* I. 358
crenatus *Thunb.* I. 361
crinitus Sibth. et Sm. I. 362
crinitus *Sm.* I. 364
deltoides *L.* I. 361
β glaucus *Ser.* I. 361
diffusus *Sibth. et Sm.* I. 358
diminutus L. I. 355
discolor Sims I. 355, 359
diutinus Kit. I. 356
divaricatus *d'Urv.* I. 360
dubius Horn. I. 363
elegans *d'Urv.* I. 362
emarginatus *Ser.* I. 359
ferrugineus *L.* I. 356
fimbriatus *MB.* I. 364
Fischeri *Spr.* I. 365
fragrans *MB.* I. 364
fruticosus *L.* I. 357
furcatus *Balb.* I. 361
furcatus Horn. I. 362
gallicus *Pers.* I. 363
geminiflorus Lois. I. 361
giganteus *d'Urv.* I. 356
glacialis *Haenk.* I. 362
β acaulis *Ser.* - -
γ latifolius - - -
glaucophyllus Horn. I. 356
glaucus L. I. 361
gracilis *Sibth. et Sm.* I. 361
grandiflorus *Poir.* I. 359
guttatus *MB.* I. 358
hirtus Lam. I. 355
hirtus *Vill.* I. 358
Hornemanni *Ser.* I. 362
hortensis Schrad. I. 363
japonicus *Thunb.* I. 356
ibericus *W.* I. 363
involucratus Poir. I. 357
juniperinus *Sm.* I. 357
latifolius *W.* I. 356
leptopetalus *W.* I. 360
leucophaeus *Sibth. et Sm.* I. 362
Libanotis *Labill.* I. 365
Liboschitzianus *Ser.* I. 360
longicaulis *Ten.* I. 359
longiflorus Lam. I. 358
lusitanicus Brot. I. 358
marginatus *Poir.* I. 361
micropetalus *Ser.* I. 359
monadelphus *Vent.* I. 359

Dianthus
monspelincus DC. fl. fr. I. 365
monspessulanus *L.* I. 364
β brevifolius *Ser.* I. 365
montanus *MB.* I. 359
moschatus hort. Paris. I. 363
multifidus W. herb. I. 364
multipunctatus *Ser.* I. 362
Mussini *Horn.* I. 364
nazaraeus *Clark.* I. 361
neglectus Lois. I. 362
nitidus Poir. I. 362
nitidus *W. et K.* I. 358
ochroleucus Link I. 359
ochroleucus *Pers.* I. 359
orientalis Sims I. 364
pallens MB. I. 358
pallens *Sibth. et Sm.* I. 361
pallidiflorus *Ser.* I. 358
petraeus MB. I. 360
petraeus Sims I. 363
petraeus *W. et K.* I. 362
β - - - - -
pinifolius *Sibth. et Sm.* I. 356
plumarius *L.* I. 363
β hortensis *Ser.* I. 363
γ portensis - - -
plumarius Auct. I. 364
plumarius β Wahlenb. I. 364
plumosus *Spr.* I. 364
Poiretianus *Ser.* I. 360
polymorphus *MB.* I. 356
β diutinus *Ser.* I. 356
pomeridianus *L.* I. 360
pomeridianus MB. I. 360
portensis Libosch. I. 363
pratensis *MB.* I. 358
procumbens Pers. I. 359
prolifer *L.* I. 355
β diminutus *DC.* I. 355
prostratus *Jacq.* I. 364
Pseudo-Armeria *MB.* I. 355
β - - - - -
pubescens *Sibth. et Sm.* I. 355
pulchellus Pers. I. 362
pumilus *Vukl* I. 362
punctatus *Spr.* I. 364
pungens *L.* I. 360
β hispanicus *Ser.* I. 360
pungens Poir. I. 361
purpureus *Lam.* I. 362
pyrenaicus Pourr. I. 361
ramosissimus *Poir.* I. 358
repens *W.* I. 358
Dianthus
rigidus *MB.* I. 361
rupestris L. fil. I. 3
rupicola *Biv.* I. 357
ruthenicus *Roem.* I. 3
saxatilis Pall. I. 36
saxatilis *Pers.* I. 363
saxifraga L. I. 354
scaber Chaix I. 358
scaber Schleich. I. 3
scaber *Thunb.* I. 363
serotinus *W. et K.* I.
serratifolius *Sibth. et*
serratus Lapeyr. I.
serratus β DC. I. 3
serrulatus *Desf.* I. 36
silenoides *Poir.* I. 35
spinosus *Desf.* I. 355
squarrosus *MB.* I. 36
Sternbergii Schleic
Sternbergii *Sibth.* I. 3
strictus *Sibth. et Sm.*
suaveolens *Spr.* I. 36
suavis *W.* I. 361
subacaulis Vill. I. 3
suffruticosus *W.* I. 3
superbus *L.* I. 365
β rubicundus *Ser.* I. 3
supinus Lam. I. 361
sylvaticus *Hoppe* I. 3
sylvestris *Jacq.* I. 35
tataricus Fisch. I. 3
tener *Balb.* I. 362
tricolor Adams I. 3
tripunctatus *Sibth. et*
umbellatus DC. I. 3
uniflorus Forsk. I.
versicolor *Fisch.* I. 3
virgineus *L.* I. 361
β subacaulis *Ser.* I. 36
virgineus Sims I. 3
volgensis hort. Erf.
Willdenowii Link
Diaphyllum Hoffm. I
triradiatum Hoffm.
Diatoma Lour. III. 29
brachiata Lour. III.
Dicera *Forst.* I. 520
Craspedum *Gmel.* I. 5
dentata *Forst.* I. 520
serrata *Forst.* I. 520
Diceratium Lag. DC.

...m
...tum *Lag.* I. 140
...C. II. 339
...tum *DC.* II. 339
DC. II. 339
...m *DC.* II. 339
...lum *DC.* II. 57 (Chailletia)
...scariense *Pet. Th.* II. 57
...nianum *R. et Schult.* II. 57
...C. II. 136
...les *DC.* II. 136
... *DC.* I. 716 (Diosma)
...hyllum *Dill.* III. 73
...m *Moench* III. 73
...uchys *DC.* II. 445 (Desmanthus)
...C. I. 125
... *DC.* I. 125
...is *DC.* I. 126
...ia *DC.* I. 125
...iata - - -
...C. I. 126
DC. I. 125
...aeflora *DC.* I. 126
...is *DC.* I. 126
...a *DC.* I. 126
...gia *Mitch.* IV. 6
...a *Spr.* IV. 269
Pet. Th. IV. 269
...a *Jaum.* IV. 269
...rsii *R. et Sch.* IV. 269

...YLEDONEAE *DC.* I. 1

...ryum divaricatum *W.* IV. 456

L. I. 712
...*ink* I. 712
...I. 712
...ndron *Lam.* I. 712
...is *L. fil.* I. 712
...ella *Link* I. 712
...la *Pers.* I. 712
Desv. I. 227
...s *Desv.* I. 227
...ngifolius *DC.* I. 227
...us *DC.* I. 227
... *DC.* I. 227
...ius *DC.* I. 227
DC. IV. 72
...s *DC.* IV. 72

Didiscus
coeruleus *Hook.* IV. 72
Diervilla *Tourn.* IV. 330
acadiensis Duham. IV. 330
canadensis *W.* IV. 330
coraeensis *DC.* IV. 330
humilis Pers. IV. 330
japonica *DC.* IV. 330
lutea Pursh IV. 330
Tournefortii Mx. IV. 330
trifida Moench IV. 330
Dieterica *Ser.* IV. 8
paniculata *Ser.* IV. 8
Dietrichia Tratt. III. 393
coccinea Tratt. III. 394
odoratissima Tratt. III. 394
Diglottis *Nees et Mart.* I. 732
obovata *Nees et Mart.* I. 732
Dileptium DC. I. 205 (Lepidium)
diffusum Raf. I. 208
praecox Raf. I. 208
Dillenia *L.* I. 75 *Heist.* IV. 581
aurea *Sm.* I. 76
dentata Thunb. I. 75
elliptica *Thunb.* I. 76
integra *Thunb.* I. 76
pentagyna Roxb. I. 75
procumbens Lahill. I. 74
retusa *Thunb.* I. 76
serrata *Thunb.* I. 76
speciosa Curt. I. 74
speciosa *Thunb.* I. 76

DILLENIACEAE *DC.* I. 67

DILLENIEAE *Salisb.* I. 70

Dillwynia *Sm.* II. 108
acicularis *Sieb.* II. 109
cinerascens *R. Br.* II. 109
β - - -
cuneata Sieb. II. 112
ericifolia Sims II. 108
ericifolia *Sm.* II. 108
floribunda *Sm.* II. 108
glaberrima *Sm.* II. 108
glycinifolia *Sm.* II. 109
juniperina Sieb. II. 109
juniperina Lodd. II. 108
microphylla Sieb. II. 109
myrtifolia Sm. II. 109
obovata Lahill. II. 109
parvifolia *R. Br.* II. 108
rudis *Sieb.* II. 109
β brevifolia *DC.* II. 109
γ teretifolia - - -
δ hispidula - - -

Dillwynia
tenuifolia *Sieb.* II. 109
teretifolia Sieb. II. 109
teucrioides Sieb. II. 111
trifoliata Roth II. 382
Dillwyniastrum DC. II. 108 (Dillwynia)
Dimacria Lindl. DC. I. 653 (Pelargonium)
astragalifolia Sweet I. 653
foliolosa Sweet I. 653
pinnata Sweet I. 653
Dimetopia *DC.* IV. 71
pusilla *DC.* IV. 71
Dimocarpus Lour. I. 611
crinita Lour. I. 612
Longan Lour. I. 612
Lychi Lour. I 611
Dimorpha W. II. 510
falcata Sm. II. 510
grandiflora W. II. 510
Dioclea *H. B. et K.* II. 403
apurensis *H. B. et K.* II. 403
Jacquiniana *DC.* II. 403
mollis *DC.* II. 403
sericea *H B. et K.* II 403
Diodia *L.* IV. 561 *Auct.* IV. 561 *Cham et Schl.* V. 566 *Gron. L. Mx. Pursh.* IV. 562
alata *Nees et Mart.* IV. 565
anthospermoides Cham. et Schl. IV. 566
arenosa *DC.* IV 564
articulata *DC.* IV. 564
barbata *DC.* IV. 563
bogoteusis *Cham. et Schl.* IV. 565
brasiliensis Spr. IV. 566
conferta *DC.* IV. 563
dasycephala *Cham. et Schl.* IV. 565
discolor *DC.* IV. 564
domingensis *DC.* IV. 563
glabra Pers V 558
glabra W. herb. V 542
grandiflora *DC.* IV 563
hirsuta *Pursh* IV 562
hispida Mühl. IV. 562
hispidula *Rich.* IV. 565
hyssopifolia *Cham. et Schl.* IV. 562
indecora *DC.* IV. 565
lanigera Pohl IV. 574
latiflora *DC.* IV. 563
maritima *Schum.* IV. 564
β commutata *DC.* - -
Diodia
γ serrulata *DC.* IV.
multiflora *DC.* IV.
muriculata *DC.* IV
oblonga Raf. IV.
palustris *Cham. et*
pedunculata Spr
pilosa Schum. IV
polymorpha Cham
polyseta *DC.* IV. 5
procumbens Sw.
prostrata Bartl.
prostrata Spr. IV
prostrata *Sw.* IV.
β longiseta *DC.* IV
radicans *Cham. et*
radula *Cham. et Sc*
rigida *Cham et Sc.*
rosmarinifolia *Pohl*
sarmentosa Spr.
rmentosa *Sw.* IV
scabra Schum. IV
scandens *Sw.* IV. 5
scandens Vah. he
setigera *DC.* IV. 56
simplex *Sw.* IV. 56
teres *Walt.* IV. 56
tetragona *Walt.* IV
verticillata *Vahl* IV
villosa *fl. mex.* IV.
virginica *L.* IV. 56
virginica Mx. IV
Dionaea *Ellis.* I. 320
muscipula *L.* I. 320
Diosma *L.* I. 713 *Wen*
acuminata *DC.* I. 7
acuminata Lodd.
alba *Thunb* I 717
ambigua *Lodd.* I. 7
amoena *Lodd.* I. 71
asiatica *Lour.* I. 71
aspalathoides *Lam.*
barbata *DC.* I. 715
barbigera *L. fil.* I.
barbigera Thunb
betulina *Thunb.* I.
bifida *Jacq.* I. 716
bifurca W. I. 717
bisulca *Thunb.* I.
brevifolia *Lam.* I.
bruniades *Link* I.
capitata *L.* I. 717
Cerefolium *Vent.* I
ciliata Lam. I. 71

L. I. 715
les Lam. I. 713
Mart. I. 717
DC. I. 713
ssa Mont. I. 718
DC. I. 714
L. I. 714
Lodd. I. 714
a Thunb. I. 716
ta Thunb. II. 45
ta Lam. I. 716
Thunb. II. 45
er. I. 714
Thunb. I. 718
C. I. 715
a Andr. I. 717
Thunb. I. 717
Sims I. 713
Thunb. I. 718
Licht. I. 718
hunb. I. 717
t. I. 715
716
hunb. I. 716
m Dum. Cours. I. 717
Thunb. I. 715
Ker. I. 715
β et γ Thunb. I. 718
fil. I. 714
Lodd. I. 714
unb. I. 716
. I. 715
Lodd. I. 714
Vendl. I. 717
es W. I. 718
Thunb. I. 713
Lam. I. 718
unb. I. 718
Vendl. I. 715
I. 714
endl. I. 714
- - 715
Ker. - -
hunb. I. 716
. I. 714
lia L. I. 716
Thunb. I. 716
Thunb. I. 714
s I. 714
ub. I. 714
V. I. 718
hunb. I. 717
am. I. 718
Fisch. I. 716

Diosma
prolifera *DC.* I. 715
pulchella *L.* I. 714
punctata *Licht.* I. 717
purpurea Hortul. I. 716
reflexa *Lodd.* I. 716
rosmariuifolia *Lam.* I. 718
rubra *L.* I. 717
rugosa *Thunb.* I. 715
scabra Lam. I. 716
serpyllacea *DC.* I. 715
serratifolia *Lodd.* I. 714
speciosa *Sims* I. 713
α multiflora *DC.* - -
β pauciflora - - -
γ umbellata - - -
spicata *DC.* I. 715
squammosa *W.* I. 717
stricta *W.* I. 718
subulata *Wendl.* I. 717
succulenta *Wendl.* I. 716
tenuifolium W. I. 717
tenuissima *Lodd.* I. 718
teretifolia *Link* I. 718
tetragona L. fil. I. 714
tetragona *Thunb.* I. 713
thymifolia *W.* I. 718
thyoides *W.* I. 718
umbellata *Thunb.* I. 717
unicapsularis L. fil. I. 718
uniflora *L.* I. 713
ustulata *Thunb.* I. 717
vestita *DC.* I. 715
villosa *Thunb.* I. 713
virgata *Thunb.* I. 717
Wendlandiana *DC.* I. 715

DIOSMEAE *DC.* I. 709

DIOSMEAE R. Br. I. 709
Nees et Mart. I. 709

Diotanthera DC. III. 131 (Chaetogastra)

Diotocalyx DC. IV. 644 (Morina)

Diototheca Raf. IV. 643 *Vaill.* IV. 644

Diphaca *Lour.* II. 313
cochinchinensis *Lour.* II. 313
Diphylleia *Mx.* I. 110
cymosa *Mx.* I. 110
Diphysa *Jacq.* II. 269
carthagenensis *Jacq.* II. 269

DIPLECOLOBEAE *DC.* I. 230

DIPLECOLOBEAE ANGUSTISEPTAE *DC.* I. 235
DIPLECOLOBEAE LATISEPTAE *DC.* I. 235
DIPLECOLOBEAE SILICULOSAE *DC.* I. 231

Diplochita *DC.* III. 176
aurea *DC.* III. 177
bracteata *DC.* III. 176
bubalina *DC.* III. 177
caudata *DC.* III. 177
florida *DC.* III. 176
Fothergilla *DC.* III. 176
leucocephala *DC.* III. 177
macrophylla *DC.* III. 177
mucronata *DC.* III. 177
serrulata *DC.* III. 177
β latifolia - - -
Swartziana *DC.* III. 177
Diplolaena *R. Br.* I. 719
Dampieri *Desf.* I. 719
grandiflora *Desf.* I. 719
Diplophractum *Desf.* I. 514
auriculatum *Desf.* I. 514
Diploprion *Viv.* II. 523
medicaginoides *Viv.* II. 524
Diplospora *DC.* IV. 477
viridiflora *DC.* IV. 477
Diplostegium *Don* III. 152
canescens *Don* III. 152
Diplotaxis *DC.* I. 221
Barrelieri *DC.* I. 222
catholica *DC.* I. 222
crassifolia *DC.* I. 221
erucoides *DC.* I. 222
hispida *DC.* I. 222
Lagascana *DC.* I. 221
muralis *DC.* I. 222
β γ δ - - -
pendula *DC.* I. 222
ramosissima *Spr.* I. 223
saxatilis *DC.* I. 222
scaposa *DC.* I. 222
setosa *DC.* I. 236
tenuifolia *DC.* I. 222
viminea *DC.* I. 222
virgata *DC.* I. 222
Diplusodon *Pohl* III. 94a
alutaceus *Pohl* III. 94d
amoenus *DC.* III. 94b
angustifolius *DC.* III. 94a
buxifolius *DC.* III. 94b
Candollei *Pohl* III. 94a

Diplusodon
divaricatus *Pohl* II
epilobioides *DC.* II
floribundus *Pohl* I
glaucescens *DC.* II
helianthemifolius *L*
hexander *DC.* III. 9
hirsutus *DC.* III. 9
imbricatus *Pohl* II
lanceolatus *Pohl* II
lythroides *DC.* III.
α villosissimus *DC.*
β glabrescens -
marginatus *Pohl* II
microphyllus *Pohl*
myrsinites *DC.* III
nitidus *DC.* III. 94
oblongus *Pohl* III.
ovatus *Pohl* III. 94
parvifolius *DC.* III
pemphoides *DC.* II
punctatus *Pohl* III
ramosissimus *Pohl*
rotundifolius *DC.*
scaber *Pohl* III. 94
serpyllifolius *DC.*
speciosus *DC.* III.
stachyoides *DC.* II
strigosus *Pohl* III.
thymifolius *DC.* II
vaccinifolius *DC.* I
villosissimus Pohl
villosus *Pohl* III. 9
virgatus *Pohl* III. 9
Diposis *DC.* IV. 81
Bulbocastanum *DC*
saniculaefolia *DC.*

DIPSACEAE Ju

DIPSACEAE *Vai*

DIPSACEAE W

Dipsacus *Tourn.* IV
asper *Wall.* IV. 6
comosus Hoffma
divaricatus *Presl* I
ferox *Lois.* IV. 64
fullonum *Mill.* IV.
fullonum Thor.
fullonum β L. IV
Gmelini *MB.* IV.
inermis *Coult.* IV.
inermis var. α
inermis var. β
laciniatus Brot.

is Link IV. 645
ceus DC. - -
tus Ucria IV. 645
aulii Coult. IV. 647
Don IV. 646
L. IV. 646
Gmel. IV. 646
W. IV. 646
Don IV. 646
W. IV. 646
Mill. IV. 645
m Bess. - -
is α Coult. IV. 645
is γ Coult. IV. 645
is β Coult. IV. 645
is ε Coult. IV. 646
Gmel. IV. 645
Borkh. IV. 41
osa Borkh. IV. 43
hreb. II. 477
V. II. 477
lia W. II. 478
Presl IV. 80
Presl IV. 80
rpa Presl IV. 80
DC. I. 220 (Sinapis)
Ging. I. 300 (Viola)
DC. IV. 106
DC. IV. 106
- - 107
DC. IV. 107
Raf. I. 236
Raf. I. 236
ibill. III. 332
ia DC. III. 333
ibill. III. 332
DC. III. 333
a DC. III. 332
a - - 333
rs. IV. 470
ers. IV. 470
Juss. DC III. 335 (Tacsonia)
Salisb. III. 335
pr. III. 29
Spr. III. 30
ks III. 378
Gaertn. III. 378
L. III. 91
is L. fil. III. 91
I. 616 *Plum.* II. 65
lia Lam. I. 617
lia Roxb. I. 617
lia Sw. I. 616

Dodonaea
angustissima *Hortul.* I. 617
asplenifolia *Rudg.* I. 617
bialata *H. B. et K.* I. 616
Burmanniana *DC.* I. 616
cuneata *Sm.* I. 617
dioica *Roxb.* I. 617
elaeagnoides *Rudg.* I. 617
eriocarpa *Sm.* I. 617
filiformis *Link* I. 617
heterophylla Hortul. I. 617
jamaicensis *DC.* I. 616
microcarpa *DC.* I. 617
oblongifolia Link I. 617
pinnata *Sm.* I. 617
salicifolia *DC.* I. 617
serrulata *DC.* I. 617
spathulata *Sm.* I. 616
triquetra *Andr.* I. 617
viscosa Cav. I. 616
viscosa Forst. I. 616
viscosa *L.* I. 616

DODONAEACEAE *H.B.et K.* I. 615

Dolichonema Neuw. II. 488
Dolichos *L.* II. 396 II. 403 *Gaertn.* II. 401
acinaciformis Jacq. II. 404
albus Lour. II. 402
altissimus Jacq. II. 405
angularis *W.* II. 398
angulosus *DC.* II. 399
arboreus Forsk. II. 266
argenteus *W.* II. 399
aristatus *L.* II. 398
articulatus *Lam.* II. 397
bengalensis Jacq. II. 401
biflorus Burm. II. 398
biflorus *L.* II. 398
Brunelli *Zucc.* II. 400
bulbosus L. II. 402
capensis *L.* II. 398
Catjang *L.* II. 399
Catjang var. Link II. 399
ciliatus *Klein* II. 398
comosus Meyer II. 406
cultratus Thunb. II. 402
cylindricus Moench II. 399
decumbens *Thunb.* II. 400
dissectus Lam. II. 394
emarginatus Jacq. II. 404
ensiformis L. II. 404
ensiformis Thunb. II. 402
fabaeformis L'Herit. II. 216
falcatus *Klein* II. 398

Dolichos
filiformis *L.* II. 398
frutescens *Hamilt.* II. 401
funarius *Molin.* II. 400
gibbosus *Thunb.* II. 400
giganteus W. II. 405
glutinosus Leschen. II. 387
glycinoides *H. B. et K.* II. 398
hastatus *Lour.* II. 398
heterophyllus *Horn.* II. 398
hirsutus *Thunb.* II. 397
hirtus Andr. II. 410
hirtus Hortul. II. 389
Jacquini *DC.* II. 397
incurvus Thunb. II. 404
Lablab Gaertn. II. 402
Lablab L. II. 401
lignosus Curt. II. 397
lignosus Jacq. II. 397
lignosus *L.* II. 397
β DC. II. 397
lineatus Thunb. II. 404
lobatus *W.* II. 399
Lubia *Forsk.* II. 399
luteolus Jacq. II. 401
luteus *Sw.* II. 398
medicagineus Lam. II. 387
melanopthalmus *DC.* II. 400
miniatus H. B. et K. II. 404
minimus L. II. 385
mollis Jacq. II. 403
monachalis *Brot.* II. 399
montanus Lour. II. 402
niloticus *Delil.* II. 399
obtusifolius Lam. II. 404
palmatilobus *fl. mex.* II. 399
palmatus Forsk. II. 394
pilosus *Klein* II. 397
polystachyos Thunb. II. 390
polystachyus L. II. 391
pruriens L. II. 405
psoraloides Lam. II. 216
pubescens *L.* II. 397
purpureus Jacq. II. 401
pyramidalis Lam. II. 385
regularis L. II. 238
repens *L.* II. 399
reticulatus *Ait.* II. 400
roseus Sw. II. 404
rotundifolius Vahl II. 404
ruber Jacq. II. 403
scaber *Rich.* II. 400
scarabaeoides L. II. 387
scarabaeoides Roth. II. 388
sesquipedalis *L.* II. 400

Dolichos
sinensis Forsk. II.
sinensis *L.* II. 399
Soja L. II. 396
sphaerospermus *DC.*
spicatus Koen. II.
spurius *Meyer* II. 39
stipularis Lam. II.
subracemosus *Jacq.*
tetragonolobus L.
tetraspermus *W.* II.
tomentosus *Roth* II.
tranquebaricus *Jacq.*
trilobatus *L.* II. 399
trilobus Houtt. II.
trilobus L. II. 394
trilobus Lour. II. 4
tuberosus *Lam.* II. 3
umbellatus *Thunb.*
uncinatus L. II. 38
unguiculatus *Jacq.* II
unguiculatus Thor
unguiculatus Thu
uniflorus *Lam.* II. 39
urens L. II 405
vexillatus *H. B. et K*
α β DC. II 399
virgatus *Rich.* II. 40
Doliocarpus *Roland.* I.
Calinea *Gmel.* 69
Rolandri *Gmel.* I. 69
Soramia *DC.* I. 69
strictus *Poir.* I. 69
Dombeya *Cav.* I. 498
acutangula *Cav.* I. 49
angulata *Cav.* I. 498
cordifolia *DC.* I. 499
decanthera Cav. I.
Erythroxylon hot.
ferruginea *Cav.* I. 49
ovata *Cav.* 499
palmata *Cav.* I. 498
prostrata Burch.
punctata *Cav.* I. 499
tiliaefolia *Cav.* I. 498
tomentosa *Cav.* I. 49
umbellata *Cav.* I. 49
velutina W. I. 499
DOMBEYACEAE
Donatia *Forst.* IV. 53
magellanica *Forst.* I
Dondia Spr. IV. 85
Epipactis Spr. IV.

DC. IV. 469 *Reichenb.* IV. 85
ultii DC. IV. 469
mon Andrz. I. 190
Roxb. II. 324
a Sol. II. 12
Comm. III. 36
oides DC. II. 168 (Anthyllis)
Tourn. II. 208 *Moench* II. 216
tifolium Moench II. 219
um Delil. II. 208
teum alexandrinum Lipp. II. 208
sum Ser. II. 209
n Ser. II. 208
eum Vill. II. 209
m Ser. II. 208
um - - -
um W. II. 208
um β tomentosum? II. 214
um W. II. 208
rpos Ser. II. 209
rum Ser. II. 208
Ser. II. 208
orum Ser. II. 209
cosum Vill. II. 209
C. I. 166 *L. R. Br.* I. 166
es Curt. I. 166
L. I. 166
or DC. I. 166
ea - - -
s Pall. I. 167
s Sibth. et Sm. I. 167
Wahlenb. I. 166
Adams I. 167
avinata DC. I. 167
hycarpa - - -
a Wahlenb. I. 169
. I. 167
s H. B. et K. I. 171
acea Wahlenb. I. 169
acea W. I. 169
Pers. I. 170
Mx. I. 170
ns Pursh I. 165
s H. B. et K. I. 171
Adams I. 167
ukt I. 170
ndiana H. B. et K. I. 171

Draba
borealis *DC.* I. 168
brachystemon *DC.* I. 166
bruniaefolia *Stev.* I. 167
bryoides *DC.* I. 167
caesia Adams I. 168
caespitosa W. herb. I. 168
calycina *Desv.* I. 170
caroliniana *Walt.* I. 171
cheirifolia Berg. I. 158
ciliaris DC. fl. fr. I. 166
ciliaris L. I. 166
ciliaris Wahlenb. I. 169
cinerea *Adams* I. 170
cochlearioides Langsd. I. 173
confusa *Ehrh.* I. 170
β paucifolia *DC.* I. 170
contorta *Ehrh.* I. 170
β linearifolia *DC.* I. 170
corymbosa *R. Br.* I. 169
cuspidata *MB.* I. 166
daurica *DC.* I. 170
ericaefolia *Stev.* I. 167
fladnicensis *Wulf.* I. 169
glabella *Pursh* I. 172
glacialis *Adams* I. 167
Gmelini *Adams* I. 168
β γ - - -
grandis Langsd. I. 174
helvetica *Schleich.* I. 169
hirta Jacq. I. 169
hirta *L.* I. 169
β alpicola *Wahlenb.* I. 169
γ norvegica *Gunn.* - -
hirta Oed. I. 168
hirta Sm. I. 169
hispida MB. I. 168
hispida *W.* I. 168
hispidula Mx. I. 171
Humboldtii Desv. I. 202
incana L. I. 170
incana Oed. I. 170
incompta *Stev.* I. 168
jorullensis *H. B. et K.* I. 168
lactea *Adams* I. 170
laevipes *DC.* I. 169
lapponica *W. herb.* I. 169
Liljebladii Wallm. I. 168
lutea *Gilib.* I. 171
α brevipes *DC.* I. 171
β longipes - -
magellanica *Lam.* I. 170
minutissima W. herb. I. 172
mollis Scop. I. 148

Draba
mollissima *Stev.* I. 168
muralis *L.* I. 171
muralis Steph. I. 171
muricella *Wahlenb.* I. 168
β - - -
nemoralis *L.* I. 171
nivalis *W.* I. 169
norvegica Gunn. I. 169
oblongata *R. Br.* I. 168
olympica *Sibth* I 167
pilosa *Adams* I. 167
pontica Desf. I. 171
porrecta Trin. I. 168
praecox Stev. I. 172
pulchella *W. herb.* I. 171
Pumilio *R. Br.* I. 171
pyrenaica L. I. 166
ramosissima *Desv.* I. 171
repens *MB.* I. 168
rigida MB. I. 167
rigida *W.* I. 167
rupestris *R. Br.* I. 169
siliquosa *MB.* I. 170
stellata *Jacq.* I. 169
β hebecarpa *DC.* I. 169
stellata Oed. I. 169
toluccensis *H. B. et K.* I. 168
tomentosa *Clairv.* I. 169
tridentata *DC.* I. 168
unalaschkiana *DC.* I. 170
verna L. I. 172
verna americana Pers I. 172
vesicaria *Desv.* I. 171
violacea *DC.* I. 171
Wahlenbergii Hurtm. I. 169
Drabella DC. I. 171 (Draba)
Drakensteinia Neck. II. 476
Drepanandrum Neck. III. 195
Drepanocarpus *Meyer* II. 420
cyathiformis *DC.* II. 420
dubius *H. B. et K.* II. 420
isadelphus *Meyer* II. 420
lunatus *Meyer* II. 420
microphyllus *Meyer* II. 420
Drepanophyllum Hoffm. et Koch IV. 109
agreste Hoffm. et Koch IV. 110
palustre Hoffm. IV. 124
Drimys *Forst.* I. 78
axillaris *Forst.* I. 78
chilensis *DC.* I. 78
granatensis *L. fil.* I. 78
mexicana *Mut. et Sessé* I. 78
Winteri *Forst.* I. 78
β punctata *Lam.* I. 78

Drosera *L.* I. 317
acaulis *Thunb.* I. 3
americana W. I. 3
anglica *Huds.* I. 31
β subuniflora *DC.* I.
Banksii *R. Br.* I. 31
biflora W. I. 317
binata *Labill.* I. 319
brevifolia *Pursh* I.
Burmanni *Vahl* I. 3
capensis *L.* I. 318
capillaris *Poir.* I. 31
cistiflora *L.* I. 319
β violacea *DC.* I. 31
cuneifolia *Thunb.* I.
dichotoma Sm. I. 3
filiformis *Raf.* I. 31
foliosa *Ell.* I. 319
indica *L.* I. 319
intermedia *Hayn. et*
β corymbosa *DC.* I. 3
γ americana - -
linearis *Gold.* I. 318
longifolia Hayn. e
longifolia L. I. 318
longifolia Mx. I. 3
lunata *Buchan.* I 31
lusitanica L. I. 320
madagascariensis *DC.*
Menziesii *R Br.* I. 3
palearea *DC.* I. 318
pauciflora *Banks her*
pedata *Pers.* I. 319
peltata *Sm.* I. 319
petiolaris *R. Br.* I. 31
pusilla *H. B. et K.* I.
pusilla R. Br. I. 317
pygmaea *DC.* I. 317
ramentacea *Burch.* I.
rotundifolia *L.* I. 318
β distachya *DC.* I. 31
rotundifolia Mx. I.
spathulata *Labill.* I. 3
tenella *H. B. et K.* I.
tenuifolia W. I. 318
trinervia *Spr.* I. 318
umbellata *Lour.* I. 31
uniflora *W.* I. 317
violacea W. I. 319
DROSERACEAE *D*
DROSEREAE Sali
Drosophyllum *Link* I. 3
lusitanicum *Link* I. 32

lia *DC.* IV. 49
les *DC.* IV. 50, 49
ACEAE DC. fl. fr. II. 529
. IV. 80
ifolia *DC.* IV. 80
)EAE *Vent.* II. 549
II. 549
a *Pall.* II. 554
alia *Vahl* II. 549
alla *DC.* II. 550
ala *L.* II. 549
petala *L.* II. 553
a *Pursh* II. 550
iata *Pall.* II. 555
a *W. herb.* I. 395
rioides *W. herb.* I. 395
a *W. herb.* I. 395
ata *H. B. et K.* I. 395
ioides *H. B. et K.* I. 395
R. et Schult. I. 395
oides *W. herb.* I. 395
vid. Drimys
a *Vahl* II. 42
. I. 388
L. I. 388
a *DC.* III. 94a
omoides *DC.* III. 94*t*
ea *Sm.* II. 571
rioides *Sm.* II. 571
formis *Don* II. 571
DC. IV. 624
lis *DC.* IV. 625
a *Neck.* II. 526
lia *Pers.* IV. 441
antha *Pers.* IV. 442
Pers. IV. 369
a *R. et Schult.* IV. 442
Pers. IV. 441
ocarpa *Pers.* IV. 442
cosa *Pers.* IV. 442
Neck. II. 526
DC. II. 241
ns *DC.* II. 241
DC. II. 241
Spr. IV. 434
ta *Spr.* IV. 434
I. 480
us *L.* I. 480
L. fil. IV. 378
a *L. fil.* IV. 378
Kunth II. 74
DC. II. 74
ns *DC.* II. 74
Duvernaya Desv. III. 86
Dyctioloma *DC.* II. 89
incanescens *DC.* II. 89
Dysoda Lour. IV. 575
fasciculata Lour. IV. 575
foetida Salisb. IV. 575
Dysosmia DC. III. 331 (Passiflora)

E

Ebenus *L.* II. 350
capensis L. II. 137
cretica *L.* II. 350
pinnata *Desf.* II. 350
pinnata Sibth. II. 351
Sibthorpii *DC.* II. 351
Ecastaphyllum *P. Brown.* II. 420
Berterii *DC.* II. 421
Brownei *Pers.* II. 420
β glabrum *DC.* II. 420
dubium *H. B. et K.* II. 420
frutescens P. Brown. II. 420
microphyllum *H. B. et K.* II. 421
Monetaria *DC.* II. 421
Plumieri *Pers.* II. 421
pubescens *DC.* II. 421
Echalium Rich. III. 311, 312
Echeveria *DC.* III. 401 *fl. mex.* III. 349
caespitosa *DC.* III. 401
coccinea *DC.* III. 401
gibbiflora *DC.* III. 401
paniculata fl. mex. III. 350
spicata fl. mex. III. 349
teretifolia *DC.* III. 401
Echinella DC. I. 41 (Ranunculus)
Echinobrychis DC. II. 348 (Onobrychis)
Echinocactus *Link et Otto* III. 461. *W.* III. 458
acuatus *Link et Otto* III. 463
cornigerus *DC.* III. 461
crispatus *DC.* III. 461
depressus *DC.* III. 463
gibbosus *DC.* III. 461
gladiatus *Link et Otto* III. 462
intortus *DC.* III. 462
β purpureus *DC.* III. 462
intricatus *Link et Otto* III. 463
melocactiformis *DC.* III. 462
meonacanthus *Link et Otto* III. 463
obvallatus *DC.* III. 462
orthacanthus *Link et Otto* III. 463

Echinocactus
parvispinus *DC.* III. 463
platyacanthus Link et Otto III. 461
polyacanthus Link et Otto III. 461
recurvus *DC.* III. 462
Salmianus *Link et Otto* III. 462
Sellowii Link et Otto III. 461
subuliferus *Link et Otto* III. 463
tenuispinus *Link et Otto* III. 462
β minor - - - -
tephracanthus *Link et Otto* III. 462
tuberculatus *Link et Otto* III. 462
Echinodiscus DC. II. 418 (Pterocarpus)
Echinolobium Desv. DC. II. 340 (Hedysarum)
Echinophora *Tourn.* IV. 234 *Riv.* IV. 209
caspica *DC.* IV. 235
platycarpos Col. IV. 209
platyloba *DC.* IV. 235
spinosa *L.* IV. 235
β pubescens *Guss.* IV. 235
tenuifolia *L.* IV. 235
trichophylla *Sm.* IV. 235
Edeehi Loefl. IV. 456
Edwardsia Raf. II. 92
luridn Raf. II. 92
Edwardsia *Salisb.* II. 97
chrysophylla *Salisb.* II. 97
denudata *DC.* II. 97
grandiflora *Salisb.* II. 97
microphylla *Salisb.* II. 97
nitida *DC.* II. 97
Eisothea DC. II. 121 (Priestleya)
Ekebergia *Sparm.* I. 623
capensis *Sparm.* I. 623
ELAEOCARPEAE *Juss.* I. 519
Elaeocarpus *L.* I. 519
cyanaeus herb. amat. I. 519
cyanaeus *Sims* I. 519
dentatus Vahl I. 520
Dicera Vahl I. 520
ellipticus *Sm.* I. 519
integerrimus *Lour.* I. 519
integrifolius *Lam.* I. 519
monoceras *Cav.* I. 519
Elaeocarpus
nitidus *mal. misc.* I.
oblongus *Sm.* I. 519
pedunculuris Labi
Perim-kara *DC.* I. 5
reticulata Sm. I. 5
serratus *L.* I. 519
sylvestris *Poir.* I. 51
tectorius Poir. I. 5
Elaeodendron *Jacq.* II.
australe *Vent.* II. 10
β integrifolium *DC.* II.
croceum *DC.* II. 11
glaucum *Pers.* II. 10
indicum Gaertn. II
orientale *Jacq.* II. 10
rotundatum *DC.* II. 1
schinoides Spr. II.
tomentosum *Humb.*
trinerve *hort. madri*
xylocarpum *DC.* II. 1
ELAEOSELINEAE
Elaeoselinum *Koch* IV.
meoides *Koch* IV. 21
thapsoides *DC.* IV. 2
Elaphrium *Jacq.* I. 723
capense *DC.* I. 724
copalliferum *fl. mex.*
glabrum *Jacq.* I. 724
inaequale *DC.* I. 724
penicillatum *fl. mex.*
tomentosum *Jacq.* I.
Elaterium *L.* III. 310
brachystachyum *DC.*
carthaginense *L.* III. 3
cordifolium Moench
gemellum *DC.* III. 31
hastatum Brouss. I
hastatum *H. B. et K.*
quadrifidum *DC.* III.
tamnoides *W.* III. 310
torquatum *DC.* III. 31
trifoliatum *Spr.* III. 31
Elatine *L.* I. 390
Alsinastrum *L.* I. 390
hexandra *DC.* I. 390
Hydropiper *L.* I. 390
Hydropiper var. α I.
β -
luxurians Delil. I. 3
triandra *Schkuhr* I. 3
verticillata Lam. I.
Elcaja Forsk. Juss. I. 6

. II. 348
lla *DC.* II. 348
ya - - -
ya - - -
DC. II. 348
Plum. II. 81
innatis L. II. 82
DC. I. 203 (Lepidium.
ois. I. 546 (Hypericum)
a Pursh I. 546
a Pursh I. 546
Rich. III. 293
P. Browne I. 624
C. I. 738
ea DC. I. 738
le Blume IV. 296, 299
Blume IV. 299
Tourn. II. 309 (Coronilla)
Will. II. 309
Mill. II. 309
pinnatum Lam. II. 591
Sol. I. 718
Gmel. I. 718
Sol. I. 718
pus Labill. I. 228
Labill. I. 228
DC. I. 228
us DC. I. 228
m Blume II. 415
Blume II. 415
uf. I. 48
Raf. I. 48
Rheed. III. 76
ibl. I. 618
Aubl. I. 618
ns. II. 424 *Rheed.* II. 425
ra DC. II. 425
DC. II. 425
m DC. II. 424
ya DC. II. 425
ya DC. II. 425
DC. II. 425
n laevigatum Gaertn. I. 723
vermum Spr. IV. 244
W. II. 510
ubl. II. 510
chreb. I. 609
W. I. 609
uis Pers. I. 609
m tomentosum Pers. I. 98

Epibaterium
pendulum Forst. I. 100
EPILOBIACEAE Vent. III. 35
Epilobium *L.* III. 40
algidum *MB.* III. 42
β humile - - -
alpestre Jacq. III. 41
alpestre Schmidt III. 41
alpinum *L.* III. 41
β pumilum *Pars.* III. 41
alsinifolium Vill. III. 41
amplexicaule Lam. III. 42
anagallidifolium Lam. III. 41
angustifolium Lam. III. 40
angustifolium α L. III. 40
angustifolium β L. III. 40
angustissimum Curt. III. 40
Billardierianum *Ser.* III. 41
Bonplandianum *H. B. et K.* III. 43
brevifolium *Don* III. 41
coloratum *Mühl.* III. 42
corymbosum act. Hafn. III. 40
cylindricum *Don* III. 43
dahuricum *Fisch.* III. 42
densum *Raf.* III. 42
denticulatum *R. et Pav.* III. 42
divaricatum *Raf.* III. 42
flaccidum *Brot.* III. 43
frigidum Retz III. 40
fruticosum Lour. III. 58
Gessneri Vill. III. 40
grandiflorum All. III. 42
hirsutum *L.* III. 42
α vulgare *Ser.* III. 42
β intermedium *Ser.* III. 42
hirsutum β L. III. 43
hirsutum sibiricum Deless. herb. III. 42
Hornemanni *Reich.* III. 42
humile *W. herb.* III. 40
hypericifolium Tausch III. 42
intermedium Merat III. 42
intermedium Wormsk. III. 40
junceum Forst. III. 42
lanceolatum Seb. et Maur. III. 41
latifolium *L.* III. 40
latifolium Schmidt III. 40
leptophyllum *Raf.* III. 42
lineare Bigel. III. 43
luteum *Pursh* III. 44
mexicanum *fl. mex.* III. 41

Epilobium
molle Lam. III. 43
montanum *L.* III. 41
β ramosum *Ser.* - -
γ origanoides - - -
montanum β DC. fl. fr. III. 41
nutans Horn. III. 42
nutans *Schmidt* III. 41
obscurum Schmidt III. 43
oliganthum *Mx.* III. 43
origanifolium *Lam.* III. 41
palustre *L.* III. 43
β verticillatum *Rom.* III. 43
palustre W. III. 43
parviflorum *Schreb.* III. 43
rivulare *Wahlenb.* III. 43
roseum *DC. fl. fr.* III. 41
α glabriusculum *Ser.* - -
β alpestre - - -
γ trigonum - - -
roseum Schreb. III. 41
roseum α DC. III. 41
- β - - -
rosmarinifolium *Haenke* III. 40
β alpinum *Ser.* III. 40
rosmarinifolium Pursh III. 43
rosmarinifolium β DC. fl. fr. III. 40
rotundifolium *Forst.* III. 43
simplex *Tratt.* III. 43
spicatum *Lam.* III. 40
β latum *Ser.* III. 40
spicatum β DC. fl. fr. III. 40
squamatum *Nutt* III. 43
strictum *Mühl.* III. 41
tenellum *Raf.* III. 43
tetragonum *L.* III. 43
β obscurum *Pers* III. 43
tetragonum Lour. III. 55
tomentosum *Vent* III. 42.
trigonum Schrank III. 41
villosum Curt. III. 43
villosum *Thunb.* III. 42
virgatum Lam. III. 41
Epimedium *L.* I. 110
alpinum *L.* I. 110
β pubigerum *DC.* I. 110
pinnatum *Fisch* I. 110
Epiphyllum Herm. III. 469
alatum Haw. III. 470
Phyllanthus Haw. III. 469
speciosum Haw. III. 470
Epiphyllum
truncatum Haw. III. 4
Epithinia *Jack.* IV. 477
malayana *Jack.* IV. 478
Eranthis *Salisb.* I. 46
hyemalis *Salisb.* I. 46
sibirica *DC.* I. 46
Erebinthus Mitch. II. 2
Ereicotis DC. IV. 431 (A
Ergaleium DC. I. 319 (D
Erigenia *Nutt.* IV. 71
bulbosa *Nutt.* IV. 71
Erinacea Clus. DC. II. 1
Eriobotrya *Lindl.* II. 631
cordata *Lindl.* II. 631
elliptica *Lindl.* II. 631
japonica *Lindl,* II. 631
obtusifolia *Lindl.* II. 6
Eriocachrys DC. IV. 241
Eriocalia Sm. IV. 83
major Sm. IV. 83
minor Sm. IV. 83
Eriocalyx Neck. II. 137
Eriocarpum DC. I. 273
Eriodendron *DC.* I. 479
aesculifolium *DC.* I. 479
anfractuosum *DC.* I. 479
α indicum - - -
β caribaeum - - -
γ africanum *R. Br.* - - -
leiantherum *DC.* I. 479
Eriolaena *DC.* I. 501
Wallichii *DC.* I. 501
Erioleuca DC. III. 128
Eriolobus DC. II. 636 (P
Eriophylica DC. II. 34 (P
Eriosema DC. II. 388 (Rhyn
Eriosphaera DC. III. 18
Eriostegia DC. III. 174
Eriostemon *Sm.* I. 720
australasium Sm. I. 72
buxifolium *Sm.* I. 720
α, β - - -
lanceolatum *Gaertn.* I. 7
linearifolium *DC.* I. 720
myoporoides *DC.* I. 720
paradoxa Sm. I. 721
salicifolium *Sm.* I. 720
salsolifolia Sm. I. 721

m
enum *Labill.* I. 720
ra *Sm.* I. 713
he *DC.* IV. 175
ia *DC.* IV. 175
DC. IV. 149 (Libanotis)
udg. III. 29
dum *Rudg.* III. 30
DC. III. 30
m *Mart.* III. 30
P.Brown. IV. 465 *Forst.* IV. 461
dia *DC.* IV. 465
Spr. IV. 461
L. IV. 465
ra *Jacq.* IV. 465
R. et Schult. IV. 465
ra *Jacq.* IV. 465
is *DC.* IV. 465
ia α *Forst.* IV. 461
ia α *W.* IV. 461
β - - -
Spr. IV. 461
Gaertn. IV. 445
. III. 121
C. III. 121
. IV. 575 *Sm.* IV. 577
Sw. IV. 576
Sibth. IV. 577
ata *Poir* IV. 406
Lam. IV. 406
Neck. I. 609
DC. I. 49 (Nigella)
Herit. I. 644
ides *Sibth.* I. 645
es *W.* I. 645
hort. *Paris.* I. 647
Herit. I. 646
lium *MB.* I 645
s *W.* I. 648
W. I. 648
s *W.* I. 647
m *Cav.* I. 647
rtol. I. 647
lium *Sweet* I. 647
yllum *Cav.* I. 646
ioides *L'Herit.* I. 649
I. 647
m *L'Herit.* I. 645
W. I. 646
DC. I. 646
ium *Thuil.* I. 647
Leman I. 646
Cav. I 646
laefolium *Cav.* I. 646

Erodium
γ chaerophyllum *Cav.* I. 646
δ pilosum *Thuil.* I. 646
ε cicutaefolium *Thuil.* I. 647
ζ bipinnatum *Cav.* I. 647
corsicum Leman I. 648
crassifolium *Desf.* I. 646
β salinarium *Sibth.* - - -
crassifolium L'Herit. I. 646
crispum Lapeyr. I. 645
foetidum L'Herit. I. 645
fumarioides *Stev.* I. 645
glandulosum *W.* I. 645
glaucophyllum *Ait.* I. 648
graveolens Lapeyr. I. 645
gruinum *W.* I 647
gruinum β *W.* I. 647
Gussoni *Ten.* I. 648
guttatum *W.* I. 648
heliotropioides *W.* I. 648
hirtum *W.* I. 646
hymenodes *L'Herit.* I. 647
incarnatum *L'Herit.* I. 648
laciniatum *Cav.* I. 646
littoreum *Leman* I. 648
lucidum Lapeyr. I. 645
macradenum L'Herit. I. 645
malachoides *W.* I. 648
β ribifolium *Jacq.* I. 648
malopoides *W.* I. 648
β corsicum *Leman* I. 648
maritimum *Sm.* I. 648
β Bocconi *DC.* I. 649
millefolium *W.* I. 646
moranense *W.* I. 646
moschatum *W.* I. 647
muticaule Link I. 647
murcicum *W.* I. 647
muticum L'Herit. I. 647
nervulosum *L'Herit.* I. 648
oxyrhynchum *MB.* I. 648
petraeum *W.* I. 645
β crispum *Lapeyr.* I. 645
γ lucidum - - -
Petroselinum L'Herit. I. 647
pilosum Thuil. I. 646
pimpinellaefolium Cav. I. 646
praecox Cav. I. 646
pulverulentum L'Herit. I. 645
pulverulentum *W.* I. 645
α tunetanum *DC* - -
β hispanicum - - -
Reichardi *DC.* I. 649

Erodium
ribifolium Jacq. I. 648
romanum *W.* I. 647
β caucalifolium *Sweet* I. 647
ruthenicum MB I. 647
salinarium Sibth. I. 646
serotinum *Stev.* I. 647
Stephanianum *W.* I. 645
Steveni *MB.* I. 646
stylatum *Leman* I. 646
supracanum *L'Herit.* I. 645
tataricum *W.* I. 644
tordylioides *L'Herit.* I. 647
trichomanefolium *L'Herit.* I. 645
trilobatum Jacq. I. 648
Erophila *DC.* I. 172
americana *DC.* I. 172
minutissima *DC.* I. 172
muscosa *DC.* I. 172
praecox *DC.* I. 172
vulgaris *DC.* I. 172
Eroteum Sw. I. 524
thecoides Sw. I. 524
undulatum Sw. I. 524
Eruca *Tourn.* I. 223
erecta Lag. I. 216
hispida *DC.* I. 223
inodora J. Bauh. I. 192
sativa *Lam.* I. 223
α-ϑ - - -
vesicaria *Cav.* I. 223
α albiflora *DC.* I. 223
β flaviflora - - -
Erucago Tourn. DC. I. 229 (Bunias)
Erucaria *Gaertn.* I. 230
aleppica *Gaertn.* I. 230
crassifolia *Delil.* I. 230
hyrcanica *DC.* I. 230
latifolia *DC.* I. 230
tenuifolia *DC.* I. 230
ERUCARIAE *DC.* I. 230
Erucastrum DC. I. 216 (Brassica)
Ervilia Link Ser. II. 366 (Ervum)
sativa Link II 367
Ervum *L.* II. 366
agrigentinum *Gusson.* II. 367
aristatum *Raf.* II. 367
cameloruin Spr. II. 366
cochinchinense *Pers.* II. 366
diphyllum *Bess.* II. 367
dispermum *Roxb.* II. 366
Ervilia *L.* II. 367
Ervum
gracile DC. II. 36
hirsutum *L.* II. 366
hirsutum Lour. I
Lens *L.* II. 366
Lenticula *Schreb* I
lentoides Ten. II.
Lolseleurii *MB.* II.
longifolium Ten.
monanthos *L.* II. 36
multiflorum Pers
nigricans *MB.* II. 3
pendulum *Roth* II.
pubescens *DC.* II.
β leiocarpum *Moric.*
soloniense L. II. 3
soloniense Wulf.
tenuifolium Lag.
tenuissimum Per.
tetraspermum *L.* II.
β gracile *Ser.* -
γ phyllocarpon *Ser.*
uniflorum Ten. II
varium *Brot.* II. 36
vicioides *Desf.* II.
volubile Walt. II.
Eryngium *Tourn.* IV
alpinum Lapeyr.
alpinum *L.* IV. 90
alpinum L. Mant.
alpinum β Schult.
alpinum γ Schult.
americanum *Walt.*
amethystinum La
amethystinum *L.* IV
amethystinum Su
angustifolium *DC.* I
aquaticum *L.* IV. 9
aquaticum Mx. IV
aquaticum β L. IV
aquifolium *Cav.* IV.
aromaticum *Baldw.*
asperifolium Lar
australe Wulf. et
Baldwini *Spr.* IV.
Billardieri *Laroch.*
Bocconi Lam. IV.
Bonplandi *Laroch.*
Bonplandianum
Bourgati *Gouan* IV
Bourgati Lapeyr.
Bourgati Vahl IV
bromeliaefolium *La*

Eryngium
campestre *Dod.* IV. 88
β *Laroch.* IV. 88
campestre azureum Lejeun. IV. 89
canaliculatum *Cham. et Schl.* IV. 95
Cardosc *Laroch.* IV. 93
α *erectum* - - 94
β *humbertianum* - - -
carlinoides *Sm.* IV. 97
Cervantesii *Laroch.* IV. 92
cilatum *Cham. et Schl.* IV. 94
coeruleum MB. IV. 91
comosum *Laroch.* IV. 89
corniculatum *Lam.* IV. 91
cornutum *Don* IV. 91
creticum *Jan* IV. 90
creticum *Lam.* IV. 89
crinitum *Presl* IV. 88
cyaneum Sibth. IV. 89
cymosum *Laroch.* IV. 96
Deppeanum Cham. et Schl. IV. 668
dichotomum *Desf.* IV. 90
α *et* β *Laroch.* IV. 91
dichotomum β *Schult.* IV. 90
diffusum *Torr.* IV. 91
dilatatum *Lam.* IV. 88
ebracteatum *Lam.* IV. 97
elegans *Cham. et Schl.* IV. 94
eriophorum *Cham. et Schl.* IV. 97
falcatum *Laroch.* IV. 90
floribundum *Cham. et Schl.* IV. 94
foetidum Forsk. IV. 88
foetidum *L.* IV. 94
galioides *Lam.* IV. 91
giganteum *MB.* IV. 90
glaucum *W. herb.* IV. 90
glomeratum *Lam.* IV. 89
glomeratum Sieb. IV. 89
gracile *Baldw.* IV. 92
gracile *Laroch.* IV. 93
gramineum *Laroch.* IV. 96
Haenkei *Presl.* IV. 94, 668
horminoides *DC.* IV. 94
Humboldtii *Laroch.* IV. 96
Humboldtianum H. B. et K. IV. 96
humile *Cav.* IV. 93
β *Laroch.* - 668
humile α *Laroch.* IV. 93
Eryngium
humile γ *Laroch.* IV. 93
ilicifolium *Lam.* IV. 92
junceum *Cham. et Schl.* IV. 97
lateriflorum Lam. IV. 97
longifolium *Cav.* IV. 95
luzulaefolium *Cham. et Schl.* IV. 96
maritimum *C. Bauh.* IV. 89
maritimum β *Pers.* IV. 91
microcephalum *W. herb.* IV. 95, 668
monocephalum *Cav.* IV. 96
multifidum *Sibth.* IV. 89
nasturtiifolium *Juss.* IV. 92
nudicaule *Lam.* IV. 93
nudiflorum W. herb. IV. 97
odoratum hort. Paris. IV. 92
odoratum α *Lam.* IV. 91
odoratum β *Lam.* IV. 91
Oliverianum *Laroch.* IV. 90
ovalifolium Mx. IV. 95
ovinum *Cunn.* IV. 89
pallescens *Mill.* IV. 97
palustre hort. Madr. IV. 92
pandanifolium *Cham. et Schl.* IV. 95
paniculatum Cav. IV. 96
paniculatum *Laroch.* IV. 96
α chilense - - -
β oligodon - - -
δ bracteosum - - -
paniculatum α *Cham. et Schl.* IV. 96
parviflorum Sm. IV. 89
pectinatum *Presl* IV. 96, 668
pentechinum Sieb. IV. 89
Phyteumae *Laroch.* IV. 93
planum Lapeyr. IV. 88
planum *Math.* IV. 90
Pristis *Cham. et Schl.* IV. 95
prostratum *Nutt.* IV. 92
proteaeflorum *Laroch.* IV. 96
purpuratum Sm. IV. 88
pusillum J. Bauh. IV. 92
pusillum *L.* IV. 91
β odoratum *Laroch.* IV. 91
γ galioides - - -
δ paludosum - - -
radiciflorum *Tratt.* IV. 93
ranunculoides W. herb. IV. 668
reptans W. herb IV. 92
rigidum Lam. IV. 88
rostratum *Cav.* IV. 89

Eryngium
Sanguisorba *Cham.et Schl.* IV.97
scariosum *Laroch.* IV. 89
Schiedeanum Cham.et Schl. IV. 668
Serra *Cham. et Schl.* IV. 94
serratum *Cav.* IV. 93
serratum Link IV. 93
Spina-alba *Vill.* IV. 88
stellatum *Mut.* IV. 93
subacaule *Cav.* IV. 92
suaveolens Brouss. IV. 92
syriacum Lam. V. 91
tenue *Lam.* V 92
ternatum *Poir* IV. 91
Tournefortianum Sternb. IV. 91
tricuspidatum Domb. IV. 82
tricuspidatum *L.* IV. 92
trifolium P. Alp. IV. 91
tripartitum *Desf.* IV. 91
triquetrum *Vahl* IV. 90
uncinatum *Cham. et Schl.* IV. 94
vesiculosum *Lahill.* IV. 92
virgatum *Lam.* IV. 94
virginianum *Lam.* IV. 95
viviparum Cerv. IV. 92
yuccaefolium Mx. IV. 95
Zanonii Lam. IV. 90
Erysimastrum DC. I. 197 (Erysimum)

Erysimum *Gaertn.* I. 196
Alliaria L. I. 196
alpinum *Baumg.* I. 199
altissimum *Lejeun.* I. 200
Andrzejoskianum *Bess.* I. 198
angustifolium *Ehrh.* I. 196
arcuatum Presl I. 141
asperum *DC.* I. 199
aureum *MB.* I. 198
austriacum *Baumg.* I. 200
barbarea L. I. 140
bicolor *DC.* I. 200
bicorne Ait. I. 140
caespitosum *DC.* I. 197
canescens *Roth* I. 198
cheiranthoides *L.* I. 198
β γ *DC.* - - -
collinum *Andrz.* I. 198
cuspidatum *DC.* I. 197
diffusum MB. I. 198
dubium *DC.* I. 199
exaltatum *Andrz.* I. 197
gracile *DC.* I. 199
grandiflorum Desf. I. 199

Erysimum
grandiflorum MB.
helveticum *DC.* I. 1
hieracifolium Jac
hieracifolium *L.* I. 1
β patulum *DC.* - -
hieracifolium Oed
ibericum *DC.* I. 198
junceum W. I. 191
lanceolatum *R. Br.*
α majus *DC.* I. 199
β minus - - -
leptophyllum *Andrz*
leptostylum *DC.* I. 1
longifolium *DC.* I. 1
longisiliquosum *W.*
Marschallianum *And*
ochroleucum β *DC*
odoratum Ehrh. I.
officinale L. I. 194
officinale Pursh I.
patulum *Horn.* I. 20
perfoliatum *Crantz*
polyceratum Pall.
praecox Sm. I. 140
pumilum *Horn.* I. 2
quadricorne Steph.
Redowskii *Weinm.*
repandum *L.* I. 198
β simplex *DC.* I. -
rhaeticum *DC.* I. 19
rigidum *DC.* I. 199
rupestre *DC.* I. 197
scabrum *DC.* I. 199
sessiliflorum *R. Br.*
siculum *Spr* I. 196
siliculosum *DC.* I. 19
strictum *Gaertn.* I. 1
β odoratum *DC.* I. 197
strigosum *DC.* I. 199
suffruticosum *Spr.* I.
sylvaticum *MB* I. 200
tenellum *DC.* I. 198
versicolor *Andrz.* I. 1
virgatum *Roth* I. 197
- β - - -
virgatum Schleich.

Erythrina *L.* II. 410 *L.*
abyssinica *Lam.* II. 41
aculeatissima *Desf.* II.
americana Mill. II.
arborescens *Roxb.* II.

ia
lora *fl. mex.* II. 413
Thunb. II. 412
Ait. II. 411
β DC. - -
lodendron *L.* II. 411
llodendron β L. II. 412
oides *fl. mex.* II. 413
folia Juss. II. 414
-galli *L.* II. 413
icia *fl. mex.* II. 414
dra *DC.* II. 411
Hortul. II. 414
Lour. II. 413
W. II. 413
es *L.* II. 411
fl. mex. II. 413
W. II. 414
Lam. II. 412
β Lam. II. 412
Mill. II 411
Lam. II. 413
olia *Jacq.* II. 413
fl. mex. II. 413
fl. mex. II. 413
ylla *DC.* II. 411
cq. II. 411
erma Lam. II. 415
DC. II. 413
lis Murr. II. 412
mex. II. 414
II. 412
es *Hortul.* II. 414
L. II. 267
qua L. II. 414
Brot. II. 411
censis Desf. II. 414
Roxb. II 411
H. B. et K. II. 412
ra *Brot.* II. 412
sis *DC.* II. 413
DC. II. 412
Andr. II. 412
Mill. II. 411
W. II. 414
H. B. et K. II. 412
Jacq. II. 411
W. II. 412
n *Nees et Mart.* I. 732
s *Nees et Mart.* I. 732
tus DC. I. 264 (Cistus)
num Pet. Th. IV. 451
rme Pet. Th. IV. 451
et. Th. IV. 452

Erythropalum *Blume* III. 303
scandens *Blume* III. 303

ERYTHROSPERMEAE *DC.* I. 257

Erythrospermum *Lam.* I. 257
amplexicaule *DC.* I. 258
ellipticum *Poir.* I. 258
β mucronatum *DC.* - -
macrophyllum *Poir.* I. 257
paniculatum *Poir.* I. 257
β pauciflorum *DC.* - -
pyrifolium *Lam.* I. 258
verticillatum *Lam.* I. 258

ERYTHROXYLEAE *H. B. et K.* I. 573

Erythroxylum *L.* I. 573
areolatum *L.* I. 575
brevipes *DC.* I. 573
buxifolium *Lam.* I. 573
buxifolium β Lam. I. 574
carthagenense Jacq. I. 575
Coca *Lam.* I. 575
cumanense *H. B. et K.* I. 574
ferrugineum *Cav.* I. 574
havanense H. B. et K. I. 574
hondense *H. B. et K.* I. 574
hypericifolium *Lam.* I. 573
laurifolium *Lam.* I. 575
ligustrinum *DC.* I. 574
lineolatum *DC.* I. 575
longifolium *Lam.* I. 574
lucidum *H. B. et K.* I. 574
macrophyllum *Cav.* I. 575
mexicanum *H. B. et K.* I. 575
monogynum Roxb. I. 576
obtusum *DC.* I. 574
orinocense *H. B. et K.* I. 574
ovatum *Cav.* I. 574
popayanense *H. B. et K.* I. 574
rigidulum *DC.* I. 575
rufum *Cav.* I. 575
sideroxyloides *Lam.* I. 574
squammatum *Vahl* I. 575
subcordatum *Bert.* I. 575

ESCALLONEAE R. Br. IV. 1, 2

Escallonia *Mutis.* IV. 2
alpina *Poepp.* IV. 665
berberifolia *H. B. et K.* IV. 3
Berteriana *DC.* IV. 665
bifida *Link et Otto* IV. 665
caracasana *H. B. et K.* IV. 4
chlorophylla *Cham. et Schl.* IV. 5

Escallonia
ciliata Rudg. III. 230
corymbosa *Pers.* IV. 3
crenulata Roem. et Schult. III. 230
cuneifolia *R. et Schult.* IV. 4
discolor *Vent.* IV. 4
floribunda *H. B. et K.* IV. 4
floribunda β montevidensis Schlecht. IV. 4
florida *Poepp.* IV. 665
glandulosa Lodd. IV. 4
hirta *W.* IV. 5
montevidensis *DC.* IV. 4, 665
myrtilloides *L.* IV. 3
myrtoidea *Bert.* IV. 665
paniculata *R. et Sch.* IV. 4
pendula H. B. et K. IV. 5
pendula *Pers.* IV. 5
Poeppigiana *DC.* IV. 3, 665
punctata *DC.* IV. 3
pulverulenta *Pers.* IV. 5
resinosa Bert. IV. 665
resinosa *Pers.* IV. 4
resinosa var. dodonaeifolia Cham. IV. 4
resinosa var. spiraeifolia Cham. IV. 4
revoluta *Pers.* IV. 5
rubra *Pers.* IV. 3
rubra Poepp. IV. 4
Sellowiana *DC.* IV. 4
β spiraeifolia - - -
serrata *Sm.* IV. 3
spectabilis *hort. Monac.* IV. 4
tortuosa *H. B. et K.* IV. 3
Tubar Mutis. IV. 4
virgata *Pers.* IV. 3

ESCALLONIEAE *DC.* IV. 2

Eschscholzia *Cham.* III. 344
californica *Cham.* III. 344
Eschweilera *Mart.* III. 293
grandifolia *Mart.* III. 293
parvifolia *Mart.* III. 293
Espera *W.* I. 517
cordifolia *W.* I. 517
Euacaena DC. II. 592 (Acaena)
Euangelica DC. IV. 167 (Angelica)
Eunpium DC. IV. 101 (Apium)
Eubasis Salish IV. 274
dichotoma Salish. IV. 275
Eubrychis DC. II. 311 (Onobrychis)
Eucachrys DC. IV. 236 (Cachrys)

Eucalyptus *L'Herit* I
acervula *Sieb.* III. 2
ambigua *DC.* III 21
amygdalina *Labill.*
androsemifolia H
angustifolia Lini
botryoides *Sm.* III.
capitellata *Sm.* III.
cneorifolia *DC.* III.
connata Dum. Co.
cordata hort. Ber
cordata *Labill.* III.
cornuta *Labill.* III.
corymbosa *Sm.* III.
diversifolia *Bonpl.*
elongata *Link* III.
eugenioides Sieb.
glauca *DC.* III. 221
glaucophylla Hoff.
globularis Hortu.
Globulus *Labill.* II
gomphocephala *DC.*
haemastoma *Sm.* III
hirsuta Link III.
hypericifolia *Dum.*
hypericifolia Lin
incrassata *Labill.* I
incrassata Sieb. I
ligustrina *DC.* III.
Lindleyana *DC.* III
longifolia Lindl.
longifolia *Link* III.
marginata *Sm.* III.
media *Link* III. 22
micrantha *DC.* III.
microphylla *W.* III
mucronata Link
multiflora Poir. I
myrtifolia *Link* III
obliqua *L'Herit.* II
oblonga *DC.* III. 21
obtusiflora *DC.* III.
oppositifolia Des
ovata *Labill.* III. 21
pallens *DC.* III. 219
paniculata *Sm.* III.
penicillata Hortu
perfoliata Nois. I
persicifolia *Lodd.* II
β. γ DC. III. 217
pilularis *Sm.* III. 21
piperita hort. Ber
piperita *Sm.* III. 21
β pauciflora *Sieb.* II

ptus
ypodas *Cav.* III. 219
erulenta *Link* III. 221
rulenta *Sims* III. 221
ata *DC.* III. 217
rascens *Link* III. 221
stipulata *DC.* - -
stipularis - - -
nsa *Cav.* III. 219
a *Sieb.* III. 218
ders *Sm.* III. 216
ata *Link* III. 222
Hoffmans. III. 221
ta *Sieb.* III. 217
Sm. III. 216
rata *Cav.* III. 217
olia *Cav.* III. 219
Sm. III. 218
Dum. Cours. III. 218
Sieb. III. 217
lla *Link* III. 221
Sieb. III. 218
nis *Sm.* III. 216
a *Link* III. 218
ata *Parm.* III. 221
Dum. Cours. III. 222
Labill. III. 218
Sieb. III. 217
. 470 III. 219
. 474 III. 218
. 476 III. 219
. 497 III. 217
. 583 III. 218
. 593 III. 217
. 606 III. 219
. 617 III. 219
. 623 III. 217
m DC. IV. 473 (Canthium)
DC. I. 245 (Capparis)
us DC. II. 31 (Ceanothus)
yllum DC. IV. 225 (Chaerophyllum)
Br. II. 110
R. Br. II. 110
EAE *DC.* I. 184
Br. I. 184
R. Br. I. 184
DC. I. 184
C. IV. 388 (Randia)
DC. II. 234 (Clitoria)

Euconocarpus DC. III. 16 (Conocarpus)
Euconostegia DC. III. 174 (Conostegia)
Eucryphia *Cav.* I. 556
cordifolia *Cav.* I. 556
Eudema *H. et Bonpl.* I. 202
nubigena *H. et Bonpl.* I. 202
rupestris *H. et Bonpl.* I. 202
Eudesmia *R. Br.* III. 216
tetragona *R. Br.* III. 216
Eudesmodium DC. II. 325 (Desmodium)
Eudiodia DC. IV. 561 (Diodia)
Eudiosma DC. I. 716 (Diosma)
Eudolichos DC. II. 397 (Dolichos)
Eudrimys DC. I. 78 (Drimys)
Eudrymis vid. Eudrimys
Eufaramea DC. IV. 496 (Faramea)
Eugalium DC. IV. 593 (Galium)
Eugenia *Mich.* III. 262 *Lam.* III. 237, 259 *L.* III. 286 *W.* III. 261 *Roxb.* III. 259
acctosans *Poir.* III. 283
Acka *DC.* III. 277
acuminata *Link* III. 285
acutangula L. III. 289
acutiloba *DC.* III. 281
adenocalyx *DC.* III. 271
aeruginea *DC.* III. 283
affinis *DC.* III. 272
alba Roxb. III. 286
albida *H. et Bonpl.* III. 282
alpigena *DC.* III. 265
alpina *W.* III. 265
amboinensis Hortul. III. 224
amplexicaulis Roxb. III. 287
anastomosans *DC.* III. 269
androsaemoides *DC.* III. 284
angustifolia *Lam.* III. 265
angustifolia Spr. III. 276
apiculata *DC.* III. 276
aquea Roxb. III. 288
australis Wendl. III. 287
axillaris *Poir.* III. 274
axillaris Spr. III. 274
bahiensis *DC.* III. 271
balsamica *Jacq.* III. 264
baruensis *Jacq.* III. 275
β latifolia *DC.* - -
baruensis var. guadalupensis Spr. III. 275

Eugenia
Berteriana *Spr.* III. 285
biflora *DC.* III. 276
bimarginata *DC.* III. 271
brachybotrya *DC.* III. 277
brachypoda *DC.* III. 274
bracteata *Räusch.* III. 264
bracteata Rich. III. 245
bracteolaris Lam. III. 267
bracteosa *DC.* III. 276
brasiliensis *Lam.* III. 267
buxifolia Lam. III. 238
buxifolia Spr. III. 275
buxifolia *W.* III. 275
calophylloides *DC.* III. 272
campestris *DC.* III. 274
cana *DC.* III. 264
Candolleana *DC* III. 281
capparidifolia *DC.* III. 281
caryophyllata Thunb. III. 262
caryophyllifolia Lam. III. 260
cascarioides *DC.* III. 275
cassinoides Lam. III. 238
cauliflora *DC.* III. 273
cerasiformis *DC.* III. 274
Chekan *Molin.* III. 278
chrysobalanoides *DC.* III. 285
chrysophylloides *DC.* III. 276
Chrysophyllum *Poir.* III. 272
citrifolia *Poir.* III. 268, 243
clinocarpa *DC.* III. 267
coarensis *DC.* III. 267
coffeaefolia *DC.* III. 272
collina *DC.* III. 281
compressa *DC.* III. 276
confusa *DC.* III. 279
contracta Poir. III. 259
cordata *DC.* III. 272
coronata *Vahl* III. 271
corticosa Lour. III. 260
corymbosa *Lam.* III. 284
cotinifolia Jacq. III. 238
Cousmeta Aubl. III. 245
crassifolia *DC.* III. 266
crenulata *W.* III. 277
cuspidifolia *DC.* III. 279
cymosa Lam. III. 259
deflexa Poir. III. 244
delicatula *DC.* III. 273
densiflora Blume III. 287
dichotoma *DC.* III. 278
dipoda *DC.* III. 268
β brachypoda *DC.* III. 268
discolor *DC.* III. 277
disticha *DC.* III. 274
divaricata Lam. III. 243

Eugenia
Dombeyana *DC.*
dumetorum *DC.*
dumosa *DC.* III.
dysenterica *DC.*
egensis *DC.* III.
elliptica Lam.
elliptica Sm. III
emarginata *DC.* II
erythrocarpa *DC.*
exsucca *DC.* III.
fallax Rich. III.
Felisberti *DC.* III
ferruginea Poir
fimbriata *DC.* III.
firma *DC.* III. 28
flavescens *DC.* II
floribunda Spr.
floribunda *West.*
florida *DC.* III. 2
foetida *Pers.* III.
β maleolens *Pers.*
foetida Vahl III
foliosa *DC.* III. 2
fragrans *W.* III.
fruticosa Roxb
fruticulosa *DC.*
fulvescens *Mart.*
glabrata *DC.* III.
glomerata Lam
Gregii *DC.* III. 2
guadalupensis *D*
Guapurium *DC.*
guayaquilensis *D*
guianensis Au
Hilariana *DC.* III
Jambolana La
Jambolana Ro
Jamboo Roxb.
Jambos L. III.
javanica Lam.
inaequiloba *DC.*
inocarpa *DC.* III
inophylla Roxb
inundata *DC.* III
involucrata *DC.*
Kochiana *DC.* II
Kunthiana *DC.*
α, β, γ,
laevigata *DC.* III
Lambertiana *DC*
lancea *Poir.* III.
lanceaefolia R
lanceolaria Ro
lanceolata *Lam.*
Lasiopus Marl

W. III. 272
Pers. III. 273
ld. III. 269
pr. III. 266, 275
Roxb. III. 287
V. III. 24
II. 263
Poir. III. 244
ides DC. III. 266, 241
DC. III. 272
V. III. 263
III. 278
DC. III. 278
III. 273
DC. III. 269
m. III. 237
Bert. III. 280
ia Lam. III. 286
a DC. III. 277
is L. III. 287
is Sm. III. 286
es DC. III. 275
Pers. III. 285
DC. III. 271 *)
DC. III. 282
DC. III. 269
DC. III. 270
a Lam. III. 237
m. III. 263
DC. III. 282
es var. α Lam. III. 244
DC. III. 269
DC. III. 283
III. 244
t. herb. III. 252
Mart. herb. III. 252
ame III. 271
C. III. 279
Aubl. III. 280
DC. III. 275
Rich. III. 244
C. III. 283
DC. III. 277
Roxb. III. 261
Sims III. 287
DC. III. 265
Poir. III. 275
DC. III. 267
ur. III. 284
III. 268
s Poir. III. 259
III. 285

ctis.

Eugenia
oblata Roxb. III. 288
obovata Poir. III. 259
obscura *DC.* III. 265
obtusa *DC.* III. 266
obtusifolia Roxb. III. 260
oleaefolia *DC.* III. 270
operculata Roxb. III. 260
orbiculata Lam. III. 237
owariensis Beauv. III. 287
pallens *DC.* III. 284
pallens Poir. III. 257
paniculata Jacq. III. 280
paniculata Lam. III. 259
Parkeriana *DC.* III. 271
parviflora *Lam.* III. 281
parvifolia *DC.* III. 266
patens *Poir.* III. 283, 244
Patrisii Spr. III. 249
Patrisii *Vahl* III. 266
patula *DC.* III. 284
pauciflora *DC.* III. 269
pendula *DC.* III. 284
periplocifolia Jacq. III. 244
pia *DC.* III. 263
Pimenta *DC.* III. 285
α longifolia *DC.* III. 285
β ovalifolia - - -
pistaciaefolia *DC.* III. 270
pluriflora *DC.* III. 270
Pohliana *DC.* III. 264
Poiretii *DC.* III. 274
polygama Roxb. III. 231
polystachya *Rich.* III. 280
portoriccensis *DC.* III. 266
β brevipes - - -
procera *Poir.* III. 268
producta *DC.* III. 266
Pseudo-caryophyllus *DC.* III. 282
β ocoteoides *DC.* III. 282
pseudo-malaccensis hort. Paris. III. 286
Pseudo-psidium *Jacq.* III. 268
psidioides *DC.* III. 268
pubescens *DC.* III. 282
punctata Vahl III. 243
punicaefolia *DC.* III. 267
purpurea Roxb. III. 286
pyrifolia *Desv.* III. 285
racemosa *DC.* III. 281
racemosa L. III. 288
ramiflora *Desv.* III. 285
Reinwardtiana *DC.* III. 267
rhodomelea Comm. III. 259
rhopaloides *DC.* III. 278
rigida *DC.* III. 273

Eugenia
riparia *DC.* III. 283
rosea *DC.* III. 264
rosmarinifolia *Poir.* III. 265
Roxburghii *DC.* III. 271
rufescens *DC.* III. 279
rugosa R. et Pav. III. 280
ruscifolia *Poir.* III. 270
salicifolia *DC.* III. 278
sancta *DC.* III. 267
Sellowiana *DC.* III. 264
sessiliflora *DC.* III. 273
sessiliflora Vahl III. 273
sessilifolia *DC.* III. 263
Sieberiana *DC.* III. 277
sinemariensis *Aubl.* III. 275
Smithii Poir. III. 262
sparsiflora *DC.* III. 263
sphaerosperma *DC.* III. 279
spicata Lam. III. 260
spiciflora *Nees et Mart.* III. 284
Sprengelii *DC.* III. 276
stictopetala *Mart. herb.* III. 270
stigmatosa *DC.* III. 268
subamplexicaulis *DC.* III. 277
subterminalis *DC.* III. 263
tenella *DC.* III. 272
tinifolia Lam. III. 238
tomentosa Aubl. III. 245
triflora *Ham.* III. 274
trinervia *DC.* III. 279
trinervia Vahl III. 279
Trinitatis *DC.* III. 280
tuberculata *DC.* III. 273
umbellata *DC.* III 273 *)
umbellata *Spr* III 285
undulata *Aubl.* III. 269
Vahlii *DC.* III 279
venosa Lam III. 286
verruculosa *DC.* III. 284
vetula *DC.* III. 271
villosa Poir. III. 286
violacea Lam. III. 286 IV. 463
virgultosa *DC.* III. 280
vismioides *DC.* III. 267
Willdenowii *DC* III. 265
xalapensis *DC.* III. 276
xylopifolia *DC.* III. 279
zeylanica Roxb III. 271
zeylanica W. III. 266
Sieb. Trin. Nr. 111 III. 246
Sieb. Trin Nr. 222 III. 277
Sieb. Trin. Nr. 245 III. 271

*) Eugenia umbellata *DC.* III. 485.

Eugenioides L. III. 23, 2
EUHEDYSAREAE *DC.* II. 3
Euhelianthemum DC. I. 1
Euheracleum DC. IV. 1
Euhydrocotyle DC. IV. 3
Eulathyrus Ser. II. 369 (L
EULEPTOSPERMEAE *DC.*
Euleptospermum DC.
(Leptosp
Eulibanotis DC. IV. 13
Eulophus *Nutt.* IV. 248
americanus *Nutt.* IV. 24
Euloranthus DC. IV. 2
Eulotus Ser. II. 210 (La
Eulychnis DC. I. 385 (L
Eumachia *DC.* IV. 478
carnea *DC.* IV. 479
Eumiconia DC. III. 183 (
Eumimosa DC. II. 425 (
Eumyrodia DC. I. 477 (
Eunomia *DC.* I. 208
cordata *DC.* I. 208
chloraefolia *DC.* I. 208
oppositifolia *DC.* I. 208
Eunychia DC. III. 370 (
Euonomis DC. II. 158 (C
Euosma W. IV. 438
Euosmia H. B. et K. IV.
Eupeucedanum DC. IV. 1
Euphascolus DC. II. 39
Euphoria *Comm.* I. 611
informis *DC.* I. 612
Litchi *Desf.* I. 611
Longana *Lam.* I. 611
Nephelium *DC.* I. 612
punicea Lam. I. 611
Euptychotis DC. IV. 10
Eurya *Thunb.* I. 525
acuminata *DC.* I. 525
chinensis *R. Br.* I. 525
japonica *Thunb.* I. 525
multiflora *DC.* I. 525
Euryale *Salisb.* I. 114
ferox *Salisb.* I. 114
Euryandra scandens Fo

s? IV. 475
(Samyda)
(Seseli)
(Sophora)
C. IV. 343, 540
33 (Tacsonia)
9
I. 109
es R. Br. III. 76
I. 12 (Thalictrum)
. 50 (Tiarella)
IV. 197 (Tordylium)
218 (Torilis)
r. II. 192 (Trifolium)
'. IV. 74 (Xanthosia)

I. 223
. IV. 532
bl. IV. 535
um. II. 75
724
il. I. 724
t. I. 724
. 724
. I. 724
I. 724

E *DC.* II. 3
Moench II. 5
nd. I. 617
rn. II. 3
s Moench II. 4
. II. 4
. Nutt. II. 4
Pursh II. 4
s Jacq. II. 4
s Marsh. II. 4
ur. II. 4
II. 12
. II. 4
s DC. II. 4
leprosus L. fil. II. 4
β L. II. 4
us Roxb. II. 5
Thunb. II. 4
rsk. I. 736 II. 5
milt. II. 5

Evonymus
latifolius *Bauh.* II. 4
latifolius Marsh. II. 4
lucidus *Don* II. 4
micranthus *Don* II. 4
nanus *MB.* II. 4
obovatus *Nutt.* II. 4
sempervirens Marsh. II. 4
Tobira Thunb. I. 346
verrucosus *Scop.* II. 4
vulgaris Mill. II. 4
Evosma Steud. IV. 438
Evosmia *H. et Bonpl.* IV. 438 *Spr.* IV. 399, 438
aggregata *Spr.* IV. 438
caripensis *H. et Bonpl.* IV. 438
obovata Spr. IV. 400
verticillata Spr. IV. 399
Exoacantha *Labill.* IV. 235
heterophylla *Labill.* IV. 236

EXOGENAE *DC.* I. 1

Exostema Rich. IV. 358 *Pers.* IV. 358

Exostemma *DC.* IV. 358
angustifolium *R. et Sch.* IV. 359
australe *St. Hil.* IV. 361
brachycarpum *R. et Sch.* IV. 359
canescens *Bartl.* IV. 359
capitatum *Spr.* IV. 360
caribaeum *R. et Sch.* IV. 359
coriaceum *R. et Sch.* IV. 359
corymbiferum *R. et Sch.* IV. 360
corymbosum *Spr.* IV. 360
cuspidatum *St. Hil.* IV. 361
dissimiliflorum *R. et Sch.* IV. 360
floribundum *R. et Sch.* IV. 360
formosum *Cham. et Schl.* IV. 361
α leprosum *DC.* IV. 361
β laeve - - -
lineatum *R. et Sch.* IV. 359
longiflorum *R. et Sch.* IV. 359
parviflorum *Rich.* IV. 359
peruvianum *Humb. et Bonpl.* IV. 360
philippicum *R. et Sch.* IV. 360
souzanum *Mart.* IV. 361
Eyselia Neck. IV. 593
Eysenhardtia *H. B. et K.* II. 257
amorphoides *H. B. et K.* II. 257
Eystathes *Lour.* I. 618
sylvestris *Lour.* I. 618

F

Faba *Tourn.* II. 354
vulgaris *Moench* II. 354
Fabago Tourn. I. 705
Fabricia *Gaertn.* III. 229 *Scop.* II. 352
angustifolia Otto III. 226
laevigata *Gaertn.* III. 229
myrtifolia *Gaertn.* III. 229
Fagara L. I. 725
acuminata Sw. I. 726
armata Thunb. I. 726
Avicennae Lam. I. 726
Budrunga Roxb. I. 728
capensis Thunb. I. 724
Elaphrium W. I 724
emarginata Sw. I. 726
Evodia L. fil. I. 724
fraxinifolia Lam. I. 726
guianensis Lam. I. 727
heterophylla Lam. I. 726
horrida Thunb. I. 728
lentiscifolia W. I. 725
Lunu-Ankenda Gaertn. I. 728
martinicensis Lam. I. 726
monophylla Lam. I. 725
nitida Roxb. I. 727
octandra L. I. 724
pentandra Aubl. I. 727
pimpinelloides Lam. I. 726
piperita L. I. 726
piperita Lour. I. 727
Pterota L. I. 725
Rhetsa Roxb. I. 728
spinifex Jacq. I. 728
spinosa Sw. I. 726
ternata Sw. I. 725
tragodes Jacq. I. 725
triphylla Lam. I. 724
xanthoxyloides Lam. I. 726
zeylanica Steud. I. 728
Fagelia *Neck.* II. 389
bituminosa *DC.* II. 389
Fagonia *Tourn.* I. 704
arabica *L.* I. 704
Bruguieri *DC.* I. 704
cretica *L.* I. 704
erecta Mill. I. 704
glutinosa *Delil.* I 704
hispanica *L.* I. 704
indica Burm. I. 704
latifolia *Delil.* I 704
mollis *Delil.* I. 704
mysorensis *Roth* I. 704
Fagonia
Oliveril *DC.* I. 704
persica *DC.* I. 704
scabra Forsk. I. 7
Falcaria *Riv.* IV. 109
dahurica *DC.* IV. 1
diversifolia *DC.* IV.
javanica *DC.* IV. 11
laciniata *DC.* IV. 11
Rivini *Host.* IV. 11
Falcata Gmel. II. 38
Falcatula Brot. Ser.
falsotrifolium Bo
Famarea Vitm. IV.
Faramea *Rich.* IV. 49 496 *A*
albescens *DC.* IV. 4
axilliflora *DC.* IV.
calyciflora *Rich.* IV
coerulea *DC.* IV. 4
corymbosa *Aubl.* I
corymbosa Sieb. I
guajaquilensis *DC.*
jasminoides *DC.* IV
latifolia *DC.* IV. 49
Martini *DC.* IV. 49
montevidensis *DC.*
multiflora *Rich.* IV
odoratissima *DC.* I
sertulifera *DC.* IV.
sessiliflora *Aubl.* I
sessilifolia *DC.* IV.
stipulacea *DC.* IV.
truncata *DC.* IV. 4
Sieb. Nr. 63 IV. 46
Farameoides DC. I
Farek Bruce II. 517
Farsetia *Turr.* I. 157
aegyptiaca *Turr.* I
cheiranthifolia *Des*
clypeata *R. Br.* I.
α ebracteata *DC.* -
β bracteosa - -
elongata Desv. I.
eriocarpa *DC.* I. 15
lunarioides *R. Br.*
suffruticosa *DC.* I.
triquetra *DC.* I. 15
Farsetiana DC. I. 15
Fatioa *DC.* III. 88
napaulensis *DC.* III
Fatraea Juss. III. 1

ch IV. 630 *Gaertn.*
630 *Kunth* IV. 629
ms. IV. 623 *Vahl* IV.
23, 630 *Auct.* IV. 625
IB. IV. 625
Gaud. IV. 627
lata *Presl* IV. 626
Stev. IV. 629
lifolia *Pursh* IV. 629
ylloides *Kunth* IV. 629
ae *DC.* IV. 630
a *Reichenb.* IV. 628
Stev. IV. 626
pa *Stev.* IV. 627
MB. IV. 627
Sieb. IV. 627
Stev. IV. 627
Vahl IV. 627
a eriosperma *Wallr.* IV. 627
a dasycarpa *Reichenb.* IV. 627
a leiocarpa *Reichenb.* IV. 627
lea *Reichenb.* IV. 629
lea *Vahl* IV. 628
ta *Vahl* IV. 626
rpa *Reichenb.* IV. 626
rpa *R. et Schult.* IV. 626
a *Stev.* IV. 625
Guss. IV. 626
flora *Wall.* IV. 624
nsi *Wall.* IV. 630
dia *Horn.* IV. 624
rpa *Stev.* IV. 628
a *Roem. et Sch.* IV. 627
Reichenb. IV. 625
R. et Schult. IV. 642
Spr. IV. 642
rpa *Reichenb.* IV. 627
Spr. IV. 627
Vahl IV. 627
ii *Agardh* IV. 627
i *Spr.* IV. 627
R. et Schult. IV. 626
Gaertn. IV. 627
Stev. IV. 626
Vahl IV. 625
Colla IV. 630
Bertol. IV. 627
Vahl IV. 628
Mx. IV. 625
eichenb. IV. 629
Spr. IV. 627
Stev. IV. 626
Vahl IV. 624

Fedia
rupestris var. Vahl IV. 624
samolifolia Bert. IV. 642
scabiosaefolia Trev. IV. 624
scorpioides *Dufr.* IV. 630
sibirica Gaertn. IV. 623
sicula Guss. IV. 628
sphaerocarpa Guss. IV. 628
striata Stev. IV. 625
tridentata Stev. IV. 628
truncata Reichenb. IV. 627
turgida Stev. IV. 626
uncinata Stev. IV. 626
vesicaria Vahl IV. 628
villosa Vahl IV. 624
Fereiria Vand. IV. 350
Fernelia *Comm.* IV. 398
biflora R. et Schult. IV. 362, 398
buxifolia Gaertn. IV. 398
buxifolia *Lam.* IV. 398
obovata Gaertn. IV. 398
obovata *Lam.* IV. 398
pedunculata *Gaertn.* IV. 398
Feronia *Corr.* I. 538
elephantum *Corr.* I. 538
pellucida *Roth* I. 538
Ferrum-equinum Tourn. II. 312
multiflorum Moench II. 313
polyceratium Col. II. 313
uniflorum Moench II. 313
vulgare Col. II. 313
Ferula *Tourn.* IV. 171 *Fisch.* IV. 175 *Spr. Lag.* IV. 170 *Koch* IV. 171, 172
affinis *Bess.* IV. 175
armena *DC.* IV. 174
Assa-foetida *L.* IV. 173
Assa-foetida Mart. IV. 173
aurea Link IV. 178
Barrelieri Ten. IV. 172
Besseriana Spr. IV. 177
brevifolia *Link* IV. 174
cachroides Fisch. IV. 172
cachroides hort. Ort. IV. 175
canadensis *L.* IV. 174
capillaris *Link* IV. 174
caspica *MB.* IV. 172
communis Gou. IV. 172
communis *L.* IV. 172
Ferulago *L.* IV. 171
foeniculacea *Nutt.* IV. 174
geniculata *Guss.* IV. 171
glauca DC. fl. fr. IV. 172
glauca *L.* IV. 172
laeviguta Spr. IV. 185

Ferula
longifolia Fisch. IV. 175
meoides L. IV. 175
myriophylla MB. IV. 171
neapolitana Ten. IV. 202
nodiflora fl. gr. IV. 172
nodiflora Jacq. IV. 171
nodiflora L. IV. 172
nodiflora Pall. IV. 174
nodiflora Rochel IV. 171
nodiflora Spr. IV. 172
nuda *Spr.* IV. 173
nudicaulis Nutt. IV. 174
nudicaulis *Spr.* IV. 174
Nuttallii *DC.* IV. 174
Opopanax Spr. IV. 170
orientalis *L.* IV. 173
paucijuga *DC.* IV. 171
persica *W.* IV. 173
petiolaris *DC.* IV. 173
peucedanifolia *W. herb.* IV. 174, 173
pubescens *Pall.* IV. 174
pumila *Pall.* IV. 174
rablensis Wulf. IV. 181
rigida Ten. IV. 171
rigidula *DC.* IV. 172
ruthenica Spr. IV. 177
sibirica Spr. IV. 178
sibirica W. IV. 174
songarica Pall. herb. IV. 178
stricta *Spr.* IV. 172
sulcata *Desf.* IV. 171
β campestris *Bess.* IV. 172
sylvatica *Bess.* IV. 171
Szowitsiana *DC.* IV. 173
tatarica Fisch. IV. 178
thyrsiflora *Sibth. et Sm.* IV. 171
tingitana *L.* IV. 173
toluccensis *H. B. et K.* IV. 173
villosa Walt. IV. 168
Ferulago Koch DC. IV. 171 (Ferula)
nodiflora Koch IV. 172
sylvatica Reichenb. IV. 171
thyrsiflora Koch IV. 171
Ferularia DC. IV. 172 (Ferula)
Fessonia dependens fl. mex. II. 66
Feuillaea Sm. III. 316
pedata Sm. III. 316
Feuillea Pers. III. 297
Fevillea *L.* III. 297
cordifolia *Poir.* III. 298
hederacea Poir. III. 298
hederacea Turp. III. 298
Fevillea
Javilla *H. B. et K.* III. 298
punctata *Poir.* III. 298
scandens α L. III. 298
scandens β L. III. 298
trilobata *L.* III. 298
trilobata Reichenb. III.
Fibigia DC. I. 157 (Farsetia)
Fibraurea tinctoria Lour.
Ficaria *Dill.* I. 44
ranunculoides *Moench* I.
glacialis *Fisch* I. 44
Ficoidea Dill. Boerh. *Nist.*
FICOIDEAE *Juss.* III.
FICOIDEAE GENUI *DC.*
FICOIDEAE SPURIA
Filipendula Tour. II. 541
vulgaris Moench II. 54
Firmiana Mars. I. 483
Fischera Spr. IV. 72
Fissilia *Comm.* I. 532
psittacorum *Lam.* I. 532
Fistula DC. II. 489 (Cassia)
Flacourtia *L'Herit.* I. 256
cataphracta *Roxb.* I. 256
flavescens *W.* I. 256
inermis *Roxb.* I. 256
Ramontchi *L'Herit.* I. 256
rhamnoides *Burch.* I. 256
sapida *Roxb.* I. 256
sepiaria *Roxb.* I. 256
FLACOURTIANEAE
FLACOURTIEAE *DC.*
Flammula DC. I. 2 (Clematis)
Flemingiastrum DC. II. (Flemingia)
Flemingia *Roxb.* II. 351
congesta *Roxb.* II. 351
lineata *Roxb.* II. 351
nana *Roxb.* II. 351
paniculata Dietr. II. 351
Rothiana *DC.* II. 351
semialata *Roxb.* II. 351
stricta *Roxb.* II. 351
strobilifera *Ait.* II. 351
trinervia Desf. II. 351
Flindersia *R. Br.* I. 625
amboinensis *Poir.* I. 625
australis *R Br.* I. 625

Ser. II. 10
Adams. IV. 142 *Tourn.* IV. 201
Cap. IV. 142
DC. IV. 142
Bauh. IV. 142
All. IV. 142
DC. IV. 142
DC. IV. 142
Lamk. IV. 142
Tourn. Ser. II. 182 (Trigonella)
III. 295
Racusch. III. 295
Lam. III. 295
Rumph. II. 516
Rumph. IV. 371
IV. 5
Pers. IV. 6
Gm. IV. 6
Walt. III. 206
Walt. III. 206
fil. IV. 269 *Aubl.* III. 176
fil. IV. 270
, 670
Lacq. IV. 270
Mx. IV. 270
Jd. IV. 670
Aubl. III. 176
ILLEAE *DC.* IV. 269
B. et K. III. 349
B. et K. III. 349
B. et K. III. 350
RACEAE *DC.* III. 349
DC. I. 516 (Sloanea)
R. et Pav. I. 621
R. et Pav. I. 621
Sm. II. 569
Tratt. II. 569
Juss. herb. II. 571
Duch. II. 570

Fragaria
- calycina *Lois.* II. 569
- *calycina Mill.* II. 571
- canadensis *Mx.* II. 571
- *carolinienſis Duch.* II. 571
- chilensis *Ehrh.* II. 571
  - β ananassa *Duch.* II. -
  - γ calycuiata - - -
  - δ tincta - - -
- collina *Ehrh.* II. 569
- elatior *Ehrh.* II. 570
  - α moschata *Duch.* II. 570
  - β dioica - - -
- *grandiflora Ehrh.* II. 571
- *grandiflora Thuill.* II. 569
- indica *Andr.* II. 571
- *magna Thuill.* II. 570, 571
- Majaufea *Duch.* II. 570
  - α bifera - - -
  - β dubia - - -
- *monophylla W.* II. 569
- *moschata West.* II. 570
- platanoides *Ser.* II. 570
- *praecox Kit.* II. 586
- *ſterilis L.* II. 586
- vesca *L.* II. 569
  - α ſylveſtris *L.* II. 569
  - β ſemperflorens *Duch.* II. 569
  - γ minor - - -
  - δ hortenſis - - -
  - ε efflagellis - - -
  - ζ monophylla - - -
  - η multiplex - - -
  - ϑ botryformis - - -
  - ι muricata - - -
- *vesca grandiflora DC. fl. fr.* II. 569
- *vesca pratenſis L.* II. 570
- *vesca ſylveſtris L.* II. 569
- virginiana *Mill.* II. 570
  - β hybrida *Duch.* - 571
- *vulgaris Ehrh.* II. 569

FRAGARIACEAE Rich. II. 549

Fragariaſtrum Ser. II. 583 (Potentilla)

Fragosa *R. et Pav.* IV. 76
- *aretioides H. B. et K.* IV. 77
- cladorhiza *R. et Pav.* IV. 76
- corymbosa *R. et Pav.* IV. 76
- crenata *R. et Pav.* IV. 76
- multifida *R. et Pav.* IV. 76
- reniformis *R. et Pav.* IV. 76
- spinosa *R. et Pav.* IV. 76

Franciscea (rectius Franciscaria) DC. III. 393 (Rochea)
Frangula Tourn. Moench DC. II. 26 (Rhamnus)
americana Mill. II. 25
Frankenia *L.* I. 349
corymbosa *Desf.* I. 350
ericifolia *C. Sm.* I. 350
fruticulosa *DC.* I. 350
hirsuta DC. fl. fr. I. 349
hirsuta Sibth. I. 349
hirsuta var. calabrica L. I. 349
hirsuta var. cretica L. I. 349
hispida *DC.* I. 349
intermedia *DC.* I. 349
laevis *L.* I. 349
microphylla *Cav.* I. 350
mollis *MB.* I. 350
nodiflora *Lam.* I. 349
Nothria *Thunb.* I. 349
pauciflora *DC.* I. 350
pulverulenta *L.* I. 349
revoluta *Forsk.* I. 350
tetrapetala *Labill.* I. 350
thymifolia *Desf.* I. 350
velutina *DC.* I. 350
FRÁNKENIACEAE *St. Hil.* I. 349
Franklinia Alatamaha Marsh. I. 528
americana Marsh. I. 528
Fraxinella Tourn. I. 712
FRAXINELLAE Nees et Mart. I. 709
Freziera *Sw.* I. 524
canescens *H. et Bonpl.* I. 525
chrysophylla *H. et Bonpl.* I. 525
nervosa *H. et Bonpl.* I. 525
reticulata *H. et Bonpl.* I. 535
sericea *H. et Bonpl.* I. 525
theoides *Sw.* I. 524
undulata *Sw.* I. 524
FREZIEREAE *DC.* I. 524
Friedlandia Cham. et Schl. III. 94a
albiflora Mart. herb. III. 94b
amoena Cham. et Schl. III. 94b
angustifolia Mart. herb. III. 94a
buxifolia Cham. et Schl. III. 94c
epilobioides Mart. herb. III. 94b
Friedlandia helianthemifolia
hexandra Mart.
hirsuta Cham. et
hirtella Cham. et
lythroides Mart.
myrsinites Mart.
nitida Mart. herb
parvifolia Mart.
rotundifolia Ma
stachyoides Cham
thymifolia Mart.
vaccinifolia Ma
verbenaefolia Ma
villosula Mart. h
Friesia *DC.* I. 520
pedunculatis *DC.* I
Froelichia Juss. Va
paniculata Vahl
uniflora Spr. IV.
violacea Spr. IV.
Fuchsia *Plum.* III. 36
alternans fl. mex.
amoena Hortul.
apetala *R. et Pav.*
arborescens *Sims*
ayavacensis *H. B.*
coccinea *Ait.* III. 3
corymbiflora *R. et*
decussata Graha
decussata *R. et Pa*
denticulata *R. et P*
excorticata *L. fil.*
fulgens *fl. mex.* III
gracilis fl. mex.
gracilis *Lindl.* III.
β multiflora *Lindl.*
gracilis tenella
hamellioides fl. m
hirtella *H. B. et K*
involucrata Sw.
loxensis *H. B. et*
lycioides *Andr.* III
macrostemma *R. et*
β tenella *DC.* III.
magellanica Lam
microphylla *H. B.*
multiflora L. III.
ovalis *R. et Pav.*
ovata fl. mex. III.

Lindl. III. 37
alish. III. 38
H. B. et K. III. 38
s H. B. et K. III. 38
Lam. III. 39
Pav. III. 39
R. et Pav. III. 39
is R. et Pav. III. 39
H. B. et K. III. 37
I. B. et K. III. 38
L. III. 38
B. et K. III. 38

AE *DC.* III. 36

s. I. 457
rt. I. 457
C. I. 274 (Helianthemum)

rm. I. 129
Vulf. I. 129
Lam. I. 130
ia MB. I. 127
ld. I. 128
Steph. I. 128
L. I. 129
s Lightf. I. 130
L. I. 130
s DC. I. 130
I. 127
s L. I. 129
s L. herb. I. 130
Desf. I. 130
Desf. I. 129
L. I. 125
Mill. I. 125
Thunb. I. 127
DC. I. 130
la L. I. 129
r. I. 126
B. I. 127
etz I. 127
Indr. I. 125
rt. I. 128
Pall. I. 128
unb. I. 128
. 129
iana Pall. I. 127
s. I. 130
ia Kit. I. 130
Lag. I. 130
eq. I. 128
Burm. I. 130
L. I. 130
DC I. 130

Fumaria
paeoniaefolia Steph. I. 128
pallida Thunb. I. 129
parvillora *Lam.* I. 130
pauciflora Steph. I. 127
racemosa Thunb. I. 129
rutaefolia Sibth. et Sm. I. 126
Schangini Pall. I. 127
sempervirens L. I. 128
sibirica L. fil. I. 128
solida Sm. I. 127
spectabilis L. I. 126
spicata *L.* I. 130
β aurantiaco-crocea *DC.* I. 130
turbinata *Sm.* I. 130
Vaillantii *Lois.* I. 130
vesicaria L. I. 126
FUMARIACEAE *DC.* I. 125
Funis uncatus angustifolius Rumph. IV. 347
lanosus Rumph. IV. 348
latifolius Rumph. IV. 347
Furcaria DC. I. 449 (Hibiscus)

G

Gaertnera Schreb. I. 583 *Lam.* IV. 622
obtusifolia Roxb. I. 583
racemosa Roxb. I. 583
Gagnebina *Neck.* II. 431
axillaris *DC.* II. 432
tamariscina *DC.* II. 432
Gaillonia *Rich.* IV. 574
Brugnierii *Rich.* IV. 574
Oliverii *Rich.* IV. 574
Szowitzii *DC.* IV. 574
Galactia *P. Brown.* II. 237
angustifolia *Kunth* II. 238
Berteriana *DC.* II. 238
coriacea *Nees et Mart.* II. 238
cubensis *H. B. et K.* II. 237
dubia *DC.* II. 238
Elliottii *DC.* II. 239
glabella *Mx.* II. 238
glaucescens *H. B. et K.* II. 238
Jussiaeana *Kunth* II. 238
Martii *DC.* II. 238
mollis *Mx.* II. 237
Neesii *DC.* II. 238
pendula *Pers.* II. 237
pilosa *Nutt.* II. 237
pinnata Pers. II. 239
radicata *DC.* II. 238

Galactia
sericea *Pers.* II. 237
β phryneides *DC.* II. 237
tuberosa *DC.* II. 238
Galbanophora Neck. IV. 184
GALEAE Kunth IV. 580
Galedupa Lam. II. 416
grandiflora Vahl II. 416
indica Lam. II. 416
uliginosa Roxb. IV. 416
Galega *Tourn.* II. 248 *L.* II. 248
apollinea Delil. II. 254
argentea Lam. II. 252
barba-Jovis Burm. II. 252
Berterii Spr. II. 263
biflora Poir. II. 254
capensis Thunb. II. 253
caribaea Jacq. II. 251
cinerea L. II. 253
coerulea L. fil. II. 247
coronillaefolia Desf. II. 252
Colutea Burm. II. 252
dahurica Pall. II. 285
dubia Balb. II. 238
dubia Jacq. II. 271
domingensis W. II. 251
falcata Thunb. II. 255
filifolia Thunb. II. 256
filiformis Jacq. II. 382
frutescens Mill. II. 256
genistoides Thunb. II. 101
grandiflora Vahl II. 251
hispidula Mx. II. 250
humilis Thunb. II. 254
linearis W. II. 254
littoralis Forst. II. 252
littoralis L. II. 253
longifolia Jacq. II. 382
lupinifolia Burch. II. 255
maxima L. II. 252
mimosoides W. II. 256
montana Schult. II. 248
mucronata Thunb. II. 251, 253
ochroleuca Jacq. II. 250
officinalis *L.* II. 248
β africana *Mill.* II. 248
orientalis *Lam.* II. 248
pallens Ait. II. 254
Perriniana Spr. II. 251
persica *Pers.* II. 248
pinnata Thunb. II. 254
piscatoria Ait. II. 252
pulchella Scop. II. 253
pubescens Lam. II. 250
pumila Lam. II. 254

Galega
purpurea L. II. 2
pusilla Thunb. II.
rosea Lam. II. 251
senticosa fl. ind. I
senticosa L. II. 25
sericea Thunb. II.
sericea β Lam. II.
Sinapon Buchox I
spicata Walt. II.
spinosa L. fil. 254
striata Thunb. II.
stricta Ait. II. 253
ternata Thunb. II
tinctoria L. II. 25
tomentosa Vahl II
totta Thunb. II. 2
toxicaria Sw. II.
trifoliata Thunb.
villosa L. II. 251
villosa Mx. II. 250
virginiana L. II.
vulgaris Blackw.
GALEGEAE Bro
GALEGEAE *Brown.* II
Galipea *Aubl.* I. 730
Candolliana *St. Hil.*
cuneifolia *St. Hil.* I
Cusparia *St. Hil.* I.
Fontanesiana *St. Hil*
heterophylla *St. Hil*
Lasiostemon *St. Hil*
macrophylla *St. Hil.*
Ossana *DC.* I. 731
pentagyna *St. Hil.* I
pentandra *St. Hil.* I
resinosa *St. Hil.* I.
trifoliata *Aubl.* I. 73
Galium *Scop.* IV. 593
Neck. Tourn.
et Sch
adhaerens hort. Vi
aethnense Presl I
aethnicum *Biv.* IV.
agreste echinospe
Wa
agreste leiosperm
album All. IV. 610
album *Forsk.* IV. 6
album W. IV. 609
alpestre *Gaud.* IV.
alpestre Stev. IV.
anglicum *Huds.* IV.
β parvifolium *Gaud.*

phyllum Vill. IV. 594
ine fl. ind. IV. 600
e L. IV. 608
ner Requien IV. 608
ine var. Spr. IV. 608
ine β Lam. IV. 608
ides Forsk. IV. 608
latum R. et Schult. IV. 612
hum Sibth. et Sm. IV. 594
m Sibth. et Sm. I. 607
ium Lois. IV. 604
teum Vill. IV. 594
atum Gaud. IV. 593
atum L. IV. 596
latum Lam. IV. 599
ulatum R. et Schult. IV. 599
folium Wall. IV. 598
um Schreb. IV. 594
m Thunb. IV. 611
lum Mx. IV. 598
odes Spr. IV. 604
irens Lapeyr. IV. 593
le DC. IV. 608
iacum Jacq. IV. 594
re Presl IV. 609
nse Spr. IV. 598
elieri Spr. IV. 599
ini R. et Schult. IV. 605
udianum Pursh IV. 601
arocarpon R. et Schult. IV. 614
ni All. IV. 594
e DC. IV. 600
sopifolium DC. IV. 600
termedium - - 601
brum - - -
le Koch IV. 601
le Lapeyr. IV. 596
le L. IV. 601
le Pursh IV. 601
le Walt. IV. 601
le α Lam. IV. 601
le β Lam. IV. 601
iatum Mühl. IV. 601
atum Pursh IV. 601
yphyllum MB. IV. 602
rphyllum Schult. IV. 602
olium Sibth. et Sm. IV. 609
folium Stev. IV. 602
hyllum Goldb. IV. 602
itozum Ramond IV. 595
anulatum Vill. IV. 585

Galium
campestre Duby IV. 596
campestre *Schousb.* IV. 606
β Vahlii *DC.* IV. 606
camporum *Pohl* IV. 604
canescens *H. B. et K.* IV. 612
canum *Requien* IV. 602
capense *Thunb.* IV. 611
capense β Pers. IV. 598
capillare Cav. IV. 609
capillare Sm. IV. 609
capillare Spr. IV. 609
caripense *H. B. et K.* IV. 612
caspicum *Stev.* IV. 599
caucasicum Lag. IV. 603
chersonense R. et Schult. IV. 606
chloranthum Brot. IV. 605
ciliatum Don IV. 600
ciliatum R. et Pav. IV. 591
cinereum *All.* IV. 595
β tenuifolium *DC.* IV. 595
γ pubescens - - -
circaeizans *Mx.* IV. 601
β lanceolatum *Torr.* IV. 601
circaeizans var. Nutt. IV. 601
circaeoides R. et Schult. IV. 601
Claytoni Mx. IV. 597
Claytoni R. et Schult. IV. 597
cometerhizon Lapeyr. IV. 597
constrictum Chaub. IV. 597
cordatum *R. et Schult.* IV. 606
coronatum *Sibth. et Sm.* IV. 605
β glaberrimum *DC.* IV. 605
corrudaefolium Vill. IV. 595
corsicum Spr. IV. 610
corymbosum R. et Pav. IV. 591
cotinoides *Cham. et Schl.* IV. 602
croceum R. et Pav. IV. 591
Cruciata *Scop.* IV. 606
β chersonensis *Stev.* IV. 606
γ angustifolia *DC.* - -
cruciatum Sm. IV. 606
Cucullaria R. et Schult. IV. 613
cuspidatum *Mühl.* IV. 601, 602
cynanchicum Scop. IV. 582
debile Desv. IV. 597
debile *Hoffmans. et Link* IV. 598
decipiens Ehrh. herb. IV. 599
denticulatum *Bartl.* IV. 612
dichotomum *Lehm.* IV. 612

Galium
diffusum Schrad. IV. 599
divaricatum *Lam.* IV. 607
elatum Thuill. IV. 596
elegans *Wall.* IV. 600
β glabriusculum *Requien* IV. 600
ellipticum *W.* IV. 599
elongatum Presl IV. 597
erectum *Huds.* IV. 595
β lucidum *DC.* - 596
γ scabridum - - -
δ approximatum *DC.* IV. 596
ericoides *Lam.* IV. 604
β intermedium *Cham. et Schl.* IV. 604
γ atherodes - - - -
eriocarpum *Bartl.* IV. 600
expansum *Thunb.* IV. 611
filiforme *R. et Schult.* IV. 610
floribundum d'Urv. IV. 607
floribundum Sibth. et Sm. IV. 609
fragile *Pourr.* IV. 610
fruticescens *Cav.* IV. 598
fruticosum *W.* IV. 596
Gaudichaudi *DC.* IV. 607
geniculatum R. et Schult. IV. 599
gibraltaricum *Schott* IV. 606
glabrum Sut. V. 594
glabrum *Thunb.* IV. 611
glaucum L. IV. 585
glaucum Sut. IV. 593
glaucum var. Requien IV. 585
glomeratum *Desf.* IV. 606
goldlachicum *Kluk.* IV. 610
gracile Wallr. IV. 607
graecum *L.* IV. 602
grandiflorum Clairv. IV. 585
granulatum R. et Schult. IV. 608
Halleri R. et Schult. IV. 605
Halleri Sut. IV. 585
Hamiltonii *Spr.* IV. 600
helodes *Hoffmans. et Link* IV. 597
helveticum *Weig.* IV. 598
hercynicum *Weig.* IV. 598
hierosolymitanum *L.* IV. 611
hierosolymitanum Thor. IV. 604
hirsutum Nees IV. 600
hirsutum *R. et Pav.* IV. 612
hirsutum Sut. IV. 594
hirtillorum *Requien* IV. 600
hirtum *Lam.* IV. 604

Galium
hispidulum *Mx.* IV
hispidum Gaertn
hispidum Hoffm.
hispidum W. IV.
horridum *Thunb.*
humifusum *MB.* IV
humile *Cham. et S*
hyssopifolium H
javanicum *Blume*
incanum *Sibth. et S*
incurvum d'Urv.
incurvum *Sibth et*
infestum W. et K
insubricum *Gaud.*
intermedium Schi
involucratum H.

junceum *Sibth. et S*
Jussiaei Lapeyr.
Jussiaei Vill. IV.
laeve *Thuill.* IV. 5
laeve α β γ DC. IV
laevigatum Bartl
laevigatum Vill.
lanceolatum Tor
lanuginosum *Lam.*
lappaceum fl. per
lappaceum *R. et Pa*
latifolium Hamil
latifolium *Mx.* IV
leucocarpum *DC.* I
linifolium *Lam.* IV
β serrulatum *DC.* -
γ rigidulum - -
litigiosum *DC.* IV.
β nanum - -
littorale *Guss.* IV.
β pubescens *Guss.* IV
longicaule Raf. I
lucidum All. IV. 5
lucidum hort. Par
lucidum ? Gaud.
luteum Moench IV
Marchandi Lapey
maritimum Gou
maritimum *L.* IV. 6
β villosum *DC.* -
maritimum Thun
maximum *Moris* V
mediterraneum *DC.*
megalospermum A
megalospermum β
Lape

...sperrnum β fl. fr. IV. 604
...tanicum Spr. IV. 604
... H. B. et K. IV. 611
...tium d'Urv. IV. 609
... Forsk IV. 602
...rpum Spr. IV. 609
...rpum Fahl IV. 609
... Desf. IV. 609
... R. et Schult. IV. 610
...florum Bret. IV. 609
... Aubr. IV. 604
... L. IV. 604
... L. IV. 596
...tum Duby IV. 596
... DC. - -
... - - -
...var. ochroleuca Auct. IV. 604
...var. Link IV. 595
...on Bartl. IV. 591
... L. IV. 610
... Vill. IV. 594
... With. IV. 597
... var. L. IV. 585
...tum fl. peruv. IV. 611
...tum Lam. IV. 594, 611
...tum R. et Pav. IV. 612
...tum Spr. IV. 611
... Thunb. IV. 611
...e eriophyllum Wallr. IV. 595
...e oxyphyllum Wallr. IV. 594
...e polyphyllum Wallr. IV. 595
...e var. Wallr. IV. 598
... IV. 610
...um Requien IV. 610
... B. IV. 610
... Lam. IV. 596
... Bess. IV. 594
... Requien IV. 600
... α Lam. IV. 601
... Thuill. IV. 594
...ill. IV. 594
... I. B. et K. IV. 599
...rr. IV. 598
... Kit. IV. 610
... Pav. IV. 591
... Schott IV. 599, 600
...uill. IV. 594
...Presl IV. 595
... IV. 597
...m Duby IV. 597
...C. IV. 597

Galium
palustre MB. IV. 597
papillosum Lapeyr. IV. 594
parisiense Lam. IV. 607
parisiense L. IV. 609
parisiense β Bertol. IV. 607
parviflorum Don IV. 598
parviflorum *Raf.* IV. 611
parvifolium R. et Schult. IV. 607
paschale *Forsk.* IV. 594
pauciflorum W. herb. IV. 592
pedemontanum *All.* IV. 605
β reflexum *Presl* IV. 606
pedemontanum MB. IV. 605
pentandrum Gileb. IV. 610
persicum *DC.* IV. 605
piliferum *H. B. et K.* IV. 612
pilosum Ait. IV. 601
provinciale Lam. IV. 595
pubescens Requien IV. 595
pubescens Schleich. IV. 596
pumilum *Lam.* IV. 595
α hypnoides *Vill.* - -
β caespitosum *Requien* IV. 595
γ rectum - - -
δ pubescens *DC.* IV. 595
pumilum hirtellum Gaud. IV. 595
punctatum Pers. IV. 601
puncticulosum *Mx.* IV. 601
β pilosum *DC.* IV. 601
purpureum *L.* IV. 603
purpureum Pall. IV. 607
purpureum Schleich. IV. 603
purpureum Walt. IV. 601
purpureum Wulf. IV. 603
purpureum var. β fl. fr. IV. 603
pusillum engl. bot. IV. 594
pusillum L. IV. 595
pusillum Vill. IV. 594
pygmaeum *DC.* IV. 606
pyrenaicum *Gou.* IV. 596
recurvum *Requien* IV. 609
reflexum Pohl IV. 604
retrorsum *DC.* IV. 605
rigidum *Ait.* IV. 612
rigidum Vill. IV. 596
rotundifolium *L.* IV. 599
rotundifolium L. herb. IV. 582
rotundifolium var. β R. et Schult. IV. 599
rubioides *L.* IV. 599
rubioides MB. IV. 599
rubioides Poll. IV. 601

Galium
rubioides Sut. IV. 605
rubioides α Lam. IV. 599
rubioides β fl. fr. IV. 601
rubrum Host IV. 603
rubrum *L.* IV. 603
β pilosum *Duby* IV. 603
rubrum Poll. IV. 607
rubrum Scop. IV. 603
rubrum Wulf. IV. 603
rupestre *Vision.* IV. 603
ruthenicum W. IV. 603
saccharatum *All.* IV. 607
saturejaefolium *Trev.* IV. 597
saxatile L. IV. 598
saxatile Moench IV. 598
scaberrimum *Vahl* IV. 608
scabrum Jacq. IV. 596
scabrum Pers. IV. 594
scabrum With. IV. 596
Scopolii Vill. IV. 605
septentrionale *R. et Schult.* IV. 601
setaceum *Lam.* IV. 609
Sibthorpii *R. et Schult.* IV. 609
Soleirolii *Lois.* IV. 610
spinulosum Merat IV. 597
spinulosum *Raf.* IV. 611
splendens Horn. IV. 595
spurium Huds. IV. 608
spurium *L.* IV. 608
spurium β Spr. IV. 597
stenocarpum α Dufour IV. 610
strictum cat. newyork. IV. 601
strigosum *Thunb.* IV. 611
suaveolens Wahlenb. IV. 602
suberosum *Sibth. et Sm.* IV. 597
subtrifidum *Reinw.* IV. 594
supinum *Lam.* IV. 595
supinum β Lam. IV. 597
sylvaticum Bess. IV. 593
sylvaticum *L.* IV. 593
β pubescens *DC.* IV. -
sylvestre Poll. IV. 594
sylvestre Schleich. IV. 603
sylvestre alpestre Gaud. IV. 594
sylvestre Boccone Gaud. IV. 594
sylvestre hirsutum Mert. et Koch IV. 594
sylvestre pumilum Mert. et K. IV. 595
sylvestre virens Gaud. IV. 597
Galium
sylvestre vulgatum G
tataricum *Trev.* IV. 59
tauricum *R. et Schult.*
taurinum Scop. IV. 5
tenerum *Schleich.* IV.
tenue Vill. IV. 607
tenuifolium All. IV.
tenuissimum *MB.* IV.
tinctorium *L.* IV. 597
tinctorium Richards
tinctorium Scop. IV.
tomentosum *Thunb.* IV
Torreyi Big. IV. 601
trachycarpon Clark.
trichocarpum *DC.* IV.
trichophyllum All. IV
tricorne *With.* IV. 608
trifidum *L.* IV. 597
β latifolium *Torr.* IV.
trifidum R. et Schult.
triflorum *Mx.* IV. 601
β viridiflorum *DC.* IV.
trinacrium R. et Schu
tuberculatum Presl
tuberosum *Lour.* IV.
tunetanum *Lam.* IV.
tyrolense *W.* IV. 595
uliginosum Brot. IV.
uliginosum *L.* IV. 597
β Witheringii *DC.* IV. 5
uliginosum Merat IV
uliginosum Pall. IV.
uliginosum Thunb. I
umbellatum α Lam.
umbellatum β Lam.
uncinulatum *DC.* IV.
uniflorum *Mx.* IV. 611
uniflorum Requien I
Urvillei *Requien* IV.
Vaillantia fl. Wetter.
Vaillantii *DC.* IV. 608
Valantia Baumg. IV.
Valantia Wigg. IV.
valantioides *MB.* IV. 5
vernum *Scop.* IV. 605
α Bauhini *DC.* IV. 605
β Halleri *DC.* IV. 605
vero-mollugo *Wallr.* I
verosimile Schult. IV.
verrucosum Sm. IV.
verticillatum *Danth.* IV
verticilliflorum Pourr

. IV. 603
yllum *Wallr.* IV. 603
phyllum - - -
carpum *DC.* - -
num - - -
ubescens *Guss.* IV. 603
ar. *Goldb.* IV. 603
glabrum *Requien* IV. 603
R. et Schult. IV. 604
Requien IV. 596
Lam. IV. 602
Vahl IV. 606
ingii *Sm.* IV. 597
epericarpa *Mart.* III. 182
Thunb. IV. 579
es *Thunb.* IV. 579
Cav. I. 582
a *Cav.* I. 582
olia *fl. mex.* I. 582
gifolia - - -
olata *Cav.* - -
av. I. 582
Cav. I. 582
H. B. et K. I. 582
l. B. et K. I. 582
R. et Schult. Velloz *Spr.* IV. 524
R. et Schult. IV. 525
mph DC. I. 505 (Cornus)
oblongum Rumph I. 519
sphaerica Gaertn. I. 519
. I. 560 *L. Juss.* I. 560
ia *Desr.* I. 561
L. I. 561
inensis *Chois.* I. 561
. I. 561
Roxb. I. 561
Sm. I. 561
Chois. I. 561
hois. I. 561
ana *L.* I. 560
Desr. I. 561
IEAE *Chois.* I. 560
Ellis IV. 379 *Sw. Lam.* IV. 378 *L. fil.* IV. 473
a Ait. IV. 385
Sims IV. 382
lla *Jack* IV. 381
Roxb. IV. 381

Gardenia
armata Bartl. IV. 387
armata Sw. IV. 387
Blumeana *DC.* IV. 383
brasiliensis *Spr.* IV. 383
calyculata *Roxb.* IV. 380
campanulata Blume IV. 383
campanulata *Roxb.* IV. 383
carinata *Wall.* IV. 380
clusiaefolia *Jacq.* IV. 381
cornifolia *DC.* IV. 384
coronaria Buchan. IV. 380
corymbosa Reich. IV. 440
costata *Roxb.* IV. 380
crassicaulis Salisb. IV. 382
densa *Wall.* IV. 383
dumetorum Retz IV. 385
edulis Poir. IV. 443
enneandra Koen. IV. 380
fagifolia *W.* IV. 383
ferox Cham. et Schl. IV. 387
florida *L.* IV. 379
β flore pleno *L.* IV. 379
formosa *Cham. et Schl.* IV. 381
fragrans Roth IV. 378
fragrans Roxb. IV. 378
Genipa Sw. IV. 378
grandiflora *Lour.* IV. 380
gummifera *L. fil.* IV. 381
hexandra *W.* IV. 381
Humboldtiana R. et Schult. VI. 387
jasminoides Ellis IV. 379
jasminoides Retz IV. 383
jasminoides Sol. IV. 379
inermis Dietr. IV. 381
latifolia *Ait.* IV. 380
latifolia Gaertn. IV. 381
longiflora Ait. IV. 388
longiflora R. et Pav. IV. 388
lucida *Roxb.* IV. 381
macrantha R. et Schult. IV. 388
madagascariensis Lam. IV. 389
maritima Vahl herb. IV. 388
Maruba *Siebold* IV. 380
medicinalis *Vahl* IV. 382
micrantha Thunb. IV. 386
microcarpa *Bartl.* IV. 384
montana *Roxb.* IV. 383
multiflora W. IV. 386
Mussaendae Thunb. IV. 388
mutabilis *Reinw.* IV. 380
obovata Dietr IV. 385
Pandaki Vahl IV. 377
parviflora H. B. et K. IV. 384, 387

Gardenia
parviflora Poir. IV. 393
parviflora Sm. IV. 393
parvifolia Dietr. IV. 401
patula *Horsf.* IV. 383
pubescens Bartl. IV. 387
pubescens *Roth* IV. 383
radicans *Thunb.* IV. 379
Randia Sims IV. 385
Randia Sw. IV. 385
Randia β mitis Sw. IV. 385
Reinwardtiana *Blume* IV. 380
resinifera Roth IV. 381
rigida Ham. IV. 390
Rothmannia *L. fil.* IV. 382
rotundifolia Dietr. IV. 385
scandens *Thunb.* IV. 383
Sellowiana *Cham. et Schl.* IV. 381
Soncratii Spr. IV. 386
spinosa L. fil. IV. 385
spinosa Thunb. IV. 385, 475
stipularis *Rottl.* IV. 383
sulcata *Gaertn.* IV. 380
taitensis *DC.* IV. 380
ternifolia *Thonn.* IV. 382
tetracantha Lam. IV. 387
tetrasperma *Roxb.* IV. 381
Thunbergia *L. fil.* IV. 382
tomentosa *Blume* IV. 379
triacantha *DC.* IV. 382
tubifera *Wall.* IV. 381
tubiflora Andr. IV. 376
turgida *Roxb.* IV. 382
uliginosa Retz IV. 386
verticillata Lam. IV. 382
volubilis *Lour.* IV. 383

GARDENIACEAE *Rich.* IV. 342, 367

GARDENIEAE Cham. et Schl. IV. 367

GARDENIEAE *DC.* IV. 342, 368

Garidella *Tourn.* I. 48
Nigellastrum *L.* I. 48
unguicularis *Lam.* I. 48
Garuga *Roxb.* II. 80
madagascariensis *DC.* II. 81
pinnata *Roxb.* II. 81
Gastonia *Comm.* IV. 256 *Lam.* *Lindl.* IV. 255
cutispongia *Lam.* IV. 256
Nalugu Lam. IV. 256
palmata Roxb. IV. 256
sauruoides Roxb. IV. 256
spongiosa Pers. IV. 256

Gastrolobium *R. B*
bilobum *R. Br.*
Gaudichaudia *H. B*
cynanchoides *H.*
guaranitica *St. H*
linearifolia *St. H*
sericea *St. Hil.* I
Gaura *L.* III. 44
angustifolia *Mx.*
biennis *L.* III. 44
bracteata *Ser.* III
canescens Hort
chinensis *Lour.*
coccinea *Fras.* II
epilobia *fl. mex.*
epilobioides *H. B*
fruticosa Jacq.
hexandra Ort.
laxa Loefl. III.
linifolia *Nutt.* III
mollis *H. B. et K*
mutabilis *Cav.* III
odorata *Sessé* III.
oenotheriflora *Zu*
spicata fl. mex.
sinuata fl. mex.
sinuata *Nutt.* III.
suffrutescens *fl. m*
tripetala *Cav.* III.
undulata Desf.
Gaya *Gaud.* IV. 163

canescens H. B.
hermannioides

pyrenaica *Gaud.*
simplex *Gaud.* IV
subtriloba H. B.
Geeria Blume II. 8
Gela lanceolata L
Gelula aquatica R
Gelonium Gaertn.
cupanioides Gae
Gemella Lour. I. 61
trifoliata Lour.
Genetyllis *DC.* III. 2
diosmoides *DC.* III
Genipa *Plum.* IV. 37
americana *L.* IV. 3
buffalina *Lour.* IV
Caruto *H. B. et K.*
edulis Rich. IV. 4
esculenta *Lour.* IV
flava *Lour.* IV. 378
lubiata Smeathm.

pa
rianae *Rich.* IV. 378
ongifolia *R. et Pav.* IV. 378
escens *DC.* IV. 378
ffora *DC.* IV. 378
ella *Rich.* IV. 443
a *Lam.* II. 145 *L.* II. 145
Lam. Moench II. 145
dhoclada *DC.* II. 146
pinea *Spr.* II. 148
ensis *DC.* II. 150
Lam. II. 153
W. II. 152
rhiensis *Brot.* II. 148
nctica *Ten.* II. 150
L. II. 149
ata *Rafin.* II. 152
fica *Ten.* II. 150
DC. II. 149
dhoides *Lam.* II. 147
DC. II. 146
data *Link* II. 146
Poir. II. 152
lia *Burm.* II. 101
sis *L.* II. 145
s *L.* II. 145
DC. II. 149
Poir. II. 145
DC. II. 149
DC. II. 148
cens *DC.* II. 148
Fuss. II. 147
DC. II. 147
ns *Dur.* II. 152
MB. II. 150
DC. II. 152
V. II. 152
les *DC.* II. 147
Gilib. II. 146
Link II. 151
Brot. II. 148
ir. II. 147
Asso II. 149
. II. 151
is *Pers.* II. 150
L. II. 149
is *DC.* II. -
ca *DC.* II. 148
Poir. II. 149
Reyn II. 152
Lam. II. 151
lla *DC.* II. 152
Moench II. 154
Vahl II. 148
lata *DC.* II. 148

Genista
γ orientalis *DC.* I. 148
δ algarbiensis - - -
hispanica Jacq. II. 148
hispanica *L.* II. 148
horrida *DC.* II. 146
humifusa *L.* II. 149
humifusa Wulf. II. 152
januensis Viv. II. 150
ilvensis Dulech. II. 146
Juasi Hamilt. II. 352
juncea Lam. II. 145
linifolia *L.* II. 146
Lobelii *DC.* II. 147
Lobelii d'Urv. II. 147
lusitanica *L.* II. 146
mantica *Poll.* II. 151
micrantha *Ort.* II. 152
microphylla *DC.* II. 146
minor Lam. II. 149
mollis *DC.* II. 145
monosperma *Lam.* II. 150
β rigidula *DC.* II. 150
multicaulis *Lam.* II. 150
nervata Kit. II. 151
odorata Moench II. 145
ovata Balb. II. 151
ovata Bert. II. 151
ovata Savi II. 151
ovata Ten. II. 151
ovata *W. et Kit.* II. 151
parviflora Brot. II. 152
parviflora *DC.* II. 145
patens *DC.* II. 145
patula *MB.* II. 151
pedunculata L'Herit. II. 152
pendulina Poir. II. 154
pilocarpa *Link* II. 152
pilosa *L.* II. 152
polygalaefolia *DC.* II. 151
polygalaephylla Brot. II. 151
procumbens *W. et Kit.* II. 152
prostrata *Lam.* II. 152
purgans *L.* II. 149
radiata *Scop.* II. 146
Raetam Forsk. II. 150
ramosissima *Poir.* II. 149
repens Lam. II. 152
rostrata Poir. II. 147
sagittalis *L.* II. 151
β minor *DC.* - -
Salzmanni *DC.* II. 147
scandens *Lour.* II. 153
scariosa *Viv.* II. 150
scoparia Lam. II. 154
scoparia Vill. II. 149

Genista
Scorpius *DC.* II. 148
sepiaria Lam. II. 137
sericea *Wulf.* II. 149
sessilifolia *DC.* II. 146
sibirica *L.* II. 151
sphaerocarpa *Lam.* II. 150
spiniflora Lam. II. 148
sylvestris *Scop.* II. 148
tenuifolia *Lois.* II. 150
terniflora Lag. II. 169
tetragona *Bess.* II. 150
tinctoria *L.* II. 151
β latifolia *DC.* II. 151
γ hirsuta - - -
δ pratensis *Poll.* II. 151
tomentosa Poir. II. 154
triacanthos *Brot.* II. 147
β interrupta *DC.* - -
triangularis *W.* II. 151
tricuspidata *Desf.* II. 148
tridens *Cav.* II. 148
tridentata *L.* II. 151
triquetra *Ait.* II. 146
triquetra Lam. II. 146
triquetra W. et Kit. II. 151
umbellata *Poir.* II. 146
β capitata *DC.* - -
umbellata Salzm. II. 147
virgata *DC.* II. 149
virgata Lam. II. 150
viscosa W. II. 158
GENISTEAE *Bronn.* II. 155
Genistella racemosa Moench II. 151
Genistoides elata Moench II. 151
linifolia Moench II. 146
tinctoria Moench II. 151
tuberculata Moench II. 152
Genoria Pers. III. 91
GEOFFREAE *DC.* II. 473
Geoffroya *Jacq.* II. 476
Bredemeyeri *H. B. et K.* II. 476
inermis Sw. II. 475
Pisonis Räusch. II. 475
pubescens *Rich.* II. 476
racemosa Poir. II. 475
retusa Lam. II. 475
spinosa *Jacq.* II. 476
superba *H. et Bonpl.* II. 476
surinamensis Bondt II. 476
tomentosa *Poir.* II. 476
violacea *Pers.* II. 476
Geophila *Don* IV. 53
diversifolia *DC.* IV
gracilis *DC.* IV. 5
macropoda *DC.* IV
reniformis *Cham. e*
reniformis Don
violacea *DC.* IV. 5
violaefolia *DC.* IV.
GERANIA Juss.
GERANIACEAE
Geranium *L'Herit.*
abrotanifolium
acaule Burm. I.
acaule Thunb. I.
acaule *W.* I. 639
acerifolium Cav.
acetosum L. I. 65
acetosum roseum
aconitifolium *L'He*
acuminatum Th
africanum Cav.
agavacense *W.* I. 6
alhanum MB. I.
alceoides L. I. 65
alchemilloides L.
althaeoides Cav.
anemonaefolium *L*
anemonoides Th
angulatum *Curt.*
angustifolium T
aphanoides Thu
appendiculatum
arabicum *Forsk.*
arborescens Des
ardens Andr. I.
arduinum L. I. 6
arenarium Bur
argenteum *L.* I. 64
articulatum Cav
asperifolium An
asphodeloides Si
asphodeloides *W.*
asplenioides De
astragalifolium
astragalifolium
auritum L. I. 65
barbatum Andr.
batrachioides C
Beaufortiae An
Beaufortianum
betulinum L. I.
bicolor Jacq. I. 6
bicolor var. mag

m Cav. I. 650
Patrin. I. 642
ordium Andr. I. 678
um L. I. 644
Cav. I. 647
L'Herit. I. 639
lium Andr. I. 652
L'Herit. I. 640
Cav. I. 656
m L. I. 674
L. I. 655
m L. I. 643
W. I. 639
I. 647
Andr. I. 650
Cav. I. 650
m Lapeyr. I. 640
av. I. 640
m Cav. I. 672
Patrin. I. 642
B. I. 642
L. I. 643
m Cav. I. 671
olium Cav. I. 657
olium Andr. I. 653
lium Andr. I. 665
lium var. cortusoides Andr. I. 665
L. I. 655
m Forsk. I. 648
ium Roth I. 679
I. 677
ev. I. 643
W. B. et K. I. 639
L. I. 672
DC. I. 642
m Murr. I. 662
Balb. I. 654
B. et K. I. 639
L'Herit. I. 646
I. 643
m Ehrh. I. 644
m Thunb. I. 682
semperflorens Andr. I. 665
dr. I. 666
m. Cours. I. 669
Thunb. I. 681
Cav. I. 660
m L. fil. I. 638
hunb. I. 680
C. I. 641
Fisch. I. 641
m Cav. I. 678
Cav. I. 655

Geranium
fissifolium Andr. I. 652
flavum L. fil. I. 662
flexuosum Thunb. I. 680
floribundum Andr. I. 652
fragile Andr. I. 661
fruticosum Cav. I. 661
fulgidum L. I. 663
fuscum L. I. 641
geifolium Desf. I. 648
gibbosum L. I. 662
glandulosum Cav. I. 645
glaucum Andr. I. 666
glaucum Cav. I. 656
glomeratum Andr. I. 659
glutinosum Cav. I. 679
grandiflorum Andr. I. 667
grandiflorum Güld. I. 640
grandiflorum L. II. 549
grossularioides L. I. 660
gruinum L. I. 647
guttatum Desf. I. 648
gymnocaulon *DC.* I. 640
hederaefolium Dum. Cours. I. 668
hederinum fl. albo Andr. I. 666
heliotropioides Cav. I. 648
hermannifolium L. I. 677
Hernandesii *fl. mex.* I. 640
heterophyllum Thunb. I. 680
hirsutum Cav. I. 652
hirtum Cav. I. 661
hirtum Forsk. I. 646
hispidum L. I. 679
humile Cav. I. 643
hybridum L. I. 659
ibericum *Cav.* I. 640
ignescens Andr. I. 663
ignescens majus Andr. I. 663
incanum *L.* I. 640
incisum Andr. I. 661
incrassatum Andr. I. 654
inquinans L. I. 659
laciniatum Andr. I. 651, 652
laciniatum L'Herit. I. 646
laevigatum Burm. I. 640
laevigatum L. fil. I. 667
lanatum Thunb. I. 681
lancastriense Wither. I. 639
lanceolatum Cav. I. 666
lanuginosum Jacq. I. 643
lanuginosum Lam. I. 644
lineare Andr. I. 650
linearilobum *DC.* I. 640
lividum L'Herit. I. 641
lobatum Cav. I. 662

Geranium
Londesii Link I. 642
longipes *DC.* I. 642
lucidum *L.* I. 644
lupinoides *Burm.* I. 644
macrorhizon *L.* I. 640
maculatum Cav. I. 642
maculatum *L.* I. 642
malopoides Cav. I. 648
malvaefolium Lam. I. 643
melananthum Andr. I. 653
mexicanum *H. B. et K.* I. 641
miniatum Andr. I. 659
minimum Cav. I. 660
minimum chamaedryoides Bocc. I. 649
molle *L.* I. 643
Monsonia Thunb. I. 638
multifidum Patrin. I. 645
murcicum Cav. I. 647
myrrhifolium L. I. 657
napaulense *Sweet* I. 643
nemorosum Ten. I. 643
nodosum *L.* I. 640
novum Winterl. I. 644
numidicum Poir. I. 647
odoratissimum Cav. I. 659
odoratissimum erectum Andr. I. 660
orientale Mill. I. 642
ovale Burm. I. 656
ovatum Cav. I. 656, 657
oxalidifolium Andr. I. 651
oxaloides Andr. I. 650
oxaloides Burm. I. 650
pallens Andr. I. 665
pallens *MB.* I. 643
palmatum Cav. I. 640
palustre *L.* I. 642
papilionaceum L. I. 671
parviflorum *W.* I. 642
parvulum Scop. I. 649
patulum Vill. I. 641
peltatum L. I. 666
phaeum *Lam.* I. 641
α vulgatius *DC.* I. 641
β fuscum *L.* - -
γ lividum *L'Herit.* I. 641
phaeum L. I. 641
philonothum *DC.* I. 639
pictum Andr. I. 665
pilosum Andr. I. 652
pilosum Cav. I. 650
pilosum *Forst.* I. 642
pingue Thunb. I. 680
pinnatifidum Cav. I. 654
Geranium
pinnatum Andr.
pinnatum Cav. I
pinnatum L. I. 6
plicatum Thunb
potentillaefolium *I*
potentilloides *L'H*
praemorsum An
pratense *L.* I. 641
procumbens Ana
proliferum Bur.
prostratum Cav.
pulverulentum (
pulverulentum I
punctatum And
purpureum Vill.
pusillum *L.* I. 643
β humile *Cav.* I. 6
pyrenaicum *L.* I. 6
β umbrosum *Kit.* I
γ nemorosum *Ten.*
quercifolium L.
quinquelobum L.
quinquevulnerum
radiatum Andr.
radicans *DC.* I. 63
radicatum Lape
radicatum MB.
Radula Cav. I. 6
Radula Roth I. 6
ramosissimum C
ranunculoides *Bur*
reflexum Andr. I
reflexum *L.* I. 641
Reichardi Murr.
reniforme Andr.
retrorsum *L'Herit*
revolutum Andr.
revolutum Jacq.
ribifolium Dum.
rivulare Vill. I.
Robertianum *L.* I.
β purpureum *Vill.*
γ mosquense *DC.*
δ inodorum -
Rosa Hortul. I. 6
roseum Andr. I.
rotundifolium *L.* I.
ruhens Thunb. I.
rupestre Cav. I. 6
sanguineum *L.* I. 6
β prostratum *Cav.*
γ villosissimum *DC.*
scabrum L. I. 677
Selinum Andr. I.
Selinum flavum A

m
etum Thunb. I. 681
iflorum Cav. I. 639
um Thunb. I. 680
um L. I. 639
folium Thunb. I. 680
ium Thunb. I. 638
um Burm. I. 638
laceum Cav. I. 651
m L. I. 641
lescens L'Herit. I. 640
rulcum Schleich. I. 641
um L. I. 641
chioides Cav. I. 641
re Burm. I. 668
re L. I. 660
Thunb. I. 680
thinaceum Cav. I. 678
thinaceum Murr. I. 678
m L. I. 678
um Andr. I. 656
um Thunb. I. 680
ides Desf. I. 647
Thunb. I. 681
Andr. I. 657
arboreum Andr. I. 657
valifolium Andr. I. 657
Cav. I. 651
Cav. I. 648
Thunb. I. 680
n. I. 662
L. I. 640
MB. I. 640
Kit. I. 643
n Andr. I. 649, 650
m L. I. 667
'Herit. I. 640
Pers. I. 641
rum Andr. I. 656
rum DC. fl. fr. I. 639
'en. I. 644
Thunb. I. 680
L. I. 674
m DC. I. 641
m Sweet I. 641
Roth I. 644
I. 659
Cham. et Schl. IV. 424
am. et Schl. IV. 426
Cham. et Schl. IV. 428
Link et Otto IV. 428

Gerontogea
foetida Cham. et Schl. IV. 428
lactea Cham. et Schl. IV. 427
microtheca Cham. et Schl. IV. 428
racemosa Cham. et Schl. IV. 427

Geruma *Forsk.* I. 619
alba *Forsk.* I. 619
Geryonia Schrank IV. 37
Getonia *Roxb.* III. 15
floribunda *Roxb.* III. 15
nitida Roth III. 15
nutans *Roxb.* III. 15
β brachystachya *DC.* III. 15
Geum *L.* II. 550
agrimonoides *Pursh* II. 554
album *Gmel.* II. 550
aleppicum Jacq. II. 550
anemonoides *W.* II. 553
atlanticum Desf. II. 552
biflorum Brot. II. 552
brachypetalum *Ser.* II. 552
calthifolium *Menzies* II. 552
canadense Jacq. II. 550, 551
canadense *Murr.* II. 550
capense *Thunb.* II. 553
carolinianum *Walt.* II. 554
cercocarpoides *DC.* II. 554
chiloense Balb. II. 551
ciliatum *Pursh* II. 554
coccineum *Sibth. et Sm.* II. 551
dryadoides *DC.* II. 554
geniculatum *Mx.* II. 554
glaciale *Adams.* II. 553
hederaefolium *Gmel.* II. 551
heterophyllum *Desf.* II. 550
β elongatum *Ser.* II. 550
heterophyllum Hortul. II. 551
hispidum *Fries* II. 554
hybridum Jacq. II. 552
japonicum *Thunb.* II. 554
inclinatum Schleich. II. 552
intermedium *Bess.* II. 550
intermedium W. II. 552
involucratum *Juss. herb.* II. 554
laciniosum Murr. II. 554
Laxmanni *Gaertn.* II. 554
macrophyllum *W.* II. 550
magellanicum *Commers.* II. 554
montanum *L.* II. 553
β multicaule *Ser.* II. 553
γ minus *Pers.*
nutans Raf. II. 551

Geum
obliquum *Steud.* II. 555
parviflorum *Comm.* II. 552
Peckii *Pursh* II. 554
Portenschlagianum *Tratt.* II. 551
potentilloides Ait. II. 554
pyrenaicum *Ram.* II. 552
radiatum *Mx.* II. 554
ranunculoides *Ser.* II. 551
reptans *L.* II. 553
β macrophyllum *Ser.* II. 553
rivale *L.* II. 551
β intermedium *Ser.* II. 551
γ minus - - 552
δ luxurians *Tratt.* - -
ε proliferum *Ser.* - -
Rossii *DC.* II. 553
rotundifolium *Langsd.* II. 552
rubifolium *Lejeun.* II. 551
strictum Ait. II. 550
sylvaticum *Pourr.* II. 552
Thomasianum *Ser.* II. 552
Tournefortii Lapeyr. II. 552
triflorum *Pursh* II. 553
urbanum *L.* II. 551
β opulifolium *Ser.* II. 551
virginianum *L.* II. 550
Geunsia fl. mex. III. 358
rosea fl. mex. III. 359
Ghandiroba Maregr. III. 298
Gigalobium P. Browne II. 424
Gilibertia *R. et Pav.* IV. 255
Gmel. I. 620
decandra W. I. 620
Nalugu *DC.* IV. 256
oppositifolia W. I. 620
ovata W. I. 621
palmata *DC.* IV. 256
paniculata *DC.* IV. 256
repanda *DC.* IV. 256
rutilans Sm. I. 621
saururoides *DC.* IV. 256
umbellata *R. et Pav.* IV. 256
Gillenia *Moench* II. 546
stipulacea *Nutt.* II. 546
trifoliata *Moench* II. 546
Gimbernatia R. et Pav. III. 15
oblonga R. et Pav. III. 15
obovata R. et Pav. II. 15
Ginannia umbellata Dietr. IV. 256
Gingidium Cam. IV. 209 *Math.* IV. 212
montanum Forst. IV. 159
Ginginsia *DC.* III. 36
albens *DC.* III. 36
aurantia *DC.* III. 3
brevicaulis *DC.* III
conferta *DC.* III. 3
elongata *DC.* III. 3
microphylla *DC.* I
teretifolia *DC.* III.
Ginnania Scop. II.
Ginora L. III. 91
Ginoria *Jacq.* III. 91
americana *Jacq.* II
flava fl. mex. III.
syphilitica fl. me
Githago Desf. DC.
segetum Desf. I.
Glandulifolia We
umbellata Wend
uniflora ovata W
Glaphyria *Jack* III.
nitida *Jack* III. 29
sericea *Jack* III. 2
Glastum DC. I. 210
Glaucium *Tourn.* I.
corniculatum *Curt*
α phoeniceum *DC.*
β flaviflorum - -
corniculatum fla
flavum *Crantz* I.
fulvum *Sm.* I. 122
persicum *DC.* I. 1
phoeniceum Sm.
refractum Stev.
rubrum *Sibth. et S*
Glaucoides Mich. I
Glaux Vaill. III. 7
Gleditschia *L.* II. 47
brachycarpa *Pursh*
carolinensis Lam
caspica *Desf.* II. 4
ferox *Desf.* II. 47
horrida W. II. 4
javanica Lam. II
indica *Pers.* II. 47
inermis L. II. 44
laevis Hortul. II.
macracantha *Desf.*
monosperma *Walt*
orientalis Bosc
sinensis *Lam.* II.
triacantha Gaer
triacanthos *L.* II. 4
β inermis *DC.* -
triacanthos β M.

dobium
num Hortul. II. 116
icum Labill. II. 104
atum Sieb. II. 105
atum Sm. II. 105
latum Bonpl. II. 107
um DC. II. 106
iflorum Andr. II. 106
rum Sm. II. 105
blium Sieb. II. 105
m Sm. II. 105
tum Andr. II. 101
um R. Br. II. 105
Sm. II. 106
are DC. II. 105
Sm. II. 106
bum R Br. II. 106
efolium Salisb. II. 105
Sm. II. 106
Labill. II. 107
des Sieb. II. 106
n Labill. II. 106
R. Br. II. 106
Sieb. II. 105
us W. III. 66
Koen. III. 66
Thunb. III. 66
Thibaud III. 66
n. III. 66
. III. 66
Labill. III. 66
DC. III. 66
Hamilt. III. 17
Thunb. III. 66
Hamilt. III. 18
ume IV. 429
IV. 429
. II. 88
us Lour. II. 88
s. IV. 436
L. B. et K. IV. 437
DC. IV. 437
L. IV. 436
Pers. IV. 437
s Spr. IV. 437
s. IV. 436
H. et Bonpl. IV. 437
IV. 437
DC. IV. 437
- - -
L. et Bonpl. IV. 436
a R. et Pav. DC. IV. 436 (Gonzalea)
R. et Pav. IV. 436

Goodia *Salisb.* II. 117
lotifolia *Salisb.* II. 117
polysperma *DC.* II. 118
pubescens *Sims* II. 117
Gordonia *Ellis.* I. 528
Franklini L'Herit. I. 528
Haematoxylon *Sw.* I. 528
Lasianthus *L.* I. 528
pubescens L'Herit. I. 528
pubescens *Pursh* I. 528
α velutina *DC.* - -
β subglabra - - -
Wallichii *DC.* I. 528
GORDONIEAE *DC.* I. 527
Gorinkia austriaca Presl I. 200
Gossypium *L.* I. 456
acuminatum *Roxb.* I. 457
arboreum *L.* I. 456
barbadense *L.* I. 456
eglandulosum *Cav.* I. 456
glabrum Lam. I. 456
glandulosum *Rausch.* I. 457
herbaceum *L.* I. 456
hirsutum *L.* I. 456
indicum *Lam.* I. 456
latifolium *Murr.* I. 456
micranthum *Cav.* I. 456
obtusifolium *Roxb.* I. 457
peruvianum *Cav.* I. 457
purpurascens *Poir.* I. 457
racemosum *Poir.* I. 457
religiosum *L.* I. 456
rubrum Forsk. I. 456
tricuspidatum Lam. I. 456
vitifolium *Lam.* I. 456
Gouania *Jacq.* II. 38
aptera *DC.* II. 39
canescens *Rich.* II. 39
cordifolia *Raddi* II. 39
corylifolia *Raddi* II. 39
crenata *Lam.* II. 39
β cordifolia *DC.* II. 39
cyclocarpa *Sm.* II. 39
denticulata *Sm.* II. 39
domingensis Aubl. II. 39
domingensis *L.* II. 39
domingensis var. mauritiana Aubl. II. 40
glabra Jacq. II. 39
integrifolia *Lam.* II. 39
leptostachya *DC.* II. 40
mauritiana *Lam.* II. 40
microcarpa *DC.* II. 40

Gouania
paniculata *Spr.* II. 39
pubescens *Lam.* II. 39
β martinicensis *Poir.* II. 39
Retinaria *DC.* II. 40
smilacina *Sm.* II. 39
Stadtmanni Willem. II. 40
stipularis *fl. mex.* II. 39
striata *Rich.* II. 39
tiliaefolia *Lam.* II. 40
tiliaefolia Roxb. II. 40
tomentosa *Jacq* II. 39
Gouffeia *Rohill. et Cast.* I. 388
arenarioides *Roh. et Cast.* I. 388
Goupia *Aubl.* II. 29
glabra *Aubl.* II. 29
tomentosa *Aubl.* II. 29
Graffenrieda *DC.* III. 105
excelsa *DC.* III. 106
rotundifolia *DC.* III. 106
Grammanthes *DC.* III. 392
chloraeflora *Haw.* III. 392
β III. 393
gentianoides *DC.* III. 393
Grammocarpus Ser. II. 181 (Trigonella)
Grammosciadium *DC.* IV. 232
daucoides *DC.* IV. 233
meoides *DC.* IV. 233
Granadilla Tourn. III. 322 *DC.* III. 327 (Passiflora)
GRANATEAE *Don* III. 3
Granatum littoreum Rumph I. 626
Grangeria *Comm.* II. 527
borbonica *Lam.* II. 527
buxifolia Sm. II. 527
Greggia aromatica Gaertn. III. 280
Grewia *Juss.* I. 508 *L.* I. 508
abutilifolia *Juss.* I. 511
acuminata *Juss.* I. 510
africana *Mill.* I. 512
apetala *Juss.* I. 508
arborea Roxb. I. 512
arborea Roth I. 511
arbutifolia Pers. I. 511, 512
asiatica *L.* I. 511
asiatica Roxb. I. 511
aspera *Roth* I. 511
betulaefolia *Juss.* I. 511
bicolor *Juss.* I. 509
bicolor Roth I. 509
bracteata *Roth* I. 509
Grewia
carpinifolia *Juss*
β rhamnifolia *Ro*
carpinifolia R
celtidifolia *Juss.*
Chadara L. I. 5
columnaris *Sm.*
commutata *DC.*
cuneifolia *Juss.*
damina Gaertn
eriocarpa *Juss.*
excelsa *Vahl* I.
β verrucosa *Juss*
flava *DC.* I. 509
flavescens *Juss.*
glabra *mal. misc*
glandulosa *Vahl*
guazumaefolia *Ju*
hirsuta Sm. I.
hirsuta *Vahl* I. 5
laevigata *Vahl* I.
Mallococca *L. fil*
megalocarpa *Bea*
mexicana *DC.* I.
Microcos *L.* I. 5
mollis *Juss.* I. 5
multiflora *Juss.*
nitida *Juss.* I. 5
obliqua *Juss.* I.
obtusifolia *W.* I.
occidentalis *L.* I
oppositifolia *Buc*
orbiculata Rot
orbiculata Rot
orientalis Gaer
orientalis *L.* I. 5
ovalifolia *Juss.*
ovalifolia Juss
paniculata *Roxb.*
pilosa *Lam.* I. 5
populifolia *Vahl*
Rothii *DC.* I. 50
rotundifolia *Juss*
salvifolia L. fil.
salvifolia *Roth* I.
sapida *Roxb.* I.
scabra *DC.* I. 51
serrulata *DC.* I.
subinaequalis *DC*
therebinthinacea
tiliaefolia *Vahl* I
tomentosa *Juss.*
umbellata *Roxb.*
velutina *Vahl* I.
villosa *Roth* I. 5

la DC. III. 455 (Glinus)
L. III. 455 *Raf.* III. 455
tallinus Forsk. III. 453
noides Lam. III. 455
noides L. III. 455
les Lam. III. 455
s L. III. 455
bicensis Spr. III. 455
des Rüusch. III. 455
s Forsk. III. 455
noides Roth III. 455
Haw. III. 390
urea Haw. III. 391
Haw. III. 391
Haw. III. 391
Haw. III. 391
law. III. 392
Haw. III. 391
w. III. 391
law. III. 391
nthemoides Haw. III. 392
. III. 392
Haw. III. 391
law. III. 391
Haw. III. 392
w. III. 391
law. III. 392
. III. 391
Mart. I. 290
Mart. I. 290
Mart. I. 290
hreb. IV. 275
s W. IV. 275
t. et Schult. IV. 275
a Schreb. II. 29
. II. 29
a W. II. 29
Desf. I. 485
C. I. 486
sv. II. 266
DC. II. 266
I. 501
t. IV. 59
utt. IV. 63
luct. II. 241 *Nutt* II. 384 *Ell.* II. 380
. 381
Juss. II. 386
w. II. 242
Kühl. II. 394, 399
a Jacq. II. 388

Glycine
Apios L. II. 390
argentea *Thunb.* II. 242
aurea W. II. 386
bimaculata Curt. II. 384
bituminosa L. II. 389
bracteata L. II. 383
cana W. II. 386
capitata Roth II. 386
caribaea Jacq. II. 385
chinensis Sims II. 390
clandestina *Wendl.* II. 241
coccinea Curt. II. 383
comosa L. II. 383
Comptoniana bot. reg. II. 384
crinita H. B. et K. II. 389
debilis *Ait.* II. 241
densiflora Roth II. 386
diffusa H. B. et K. II. 389
elliptica Sm. II. 383
elongata Roth II. 386
emarginata *Desv.* II. 242
erecta Nutt. II. 384
erecta *Thunb.* II. 242
floribunda W. II. 390
Friedericiana Weinm. II. 387
frutescens L. II. 390
galactioides H. B. et K. II. 387
glabra Spr. II. 387
glandulosa Thunb. II. 388
hedysaroides *W.* II. 241
helvola Ell. II. 395
heterocarpa Hegetsw. II. 383
heterophylla *Thunb.* II. 242
humifusa W. II. 382
javanica *L.* II. 242
labialis L. fil. II. 241
Lagascana *DC.* II. 241
Lamarckii H. B. et K. II. 385
lancifolia *Lag.* II. 242
leucosperma *Desv.* II. 242
lignosa Turp. II. 382
littoralis Vahl II. 385
lucida Forst. II. 387
macrophylla H. B. et K. II. 385
Memnonia Delil. II. 386
minima *W.* II. 241
mollis W. II. 388
Monniera *DC.* II. 242
monoica L. II. 383
monoica Schkuhr II. 383
monophylla Jacq. II. 123
monophylla Nutt. II. 384
monophyllos Burm. II. 348
nummularia L. II. 386
parviflora herb. II. 242

Glycine
parviflora *Lam.* II. 242
peduncularis Mühl. II. 395
phaseoloides Sw. II. 385
picta Vahl II. 388
precatoria Humb. II. 385
pubescens Balb. II. 386
pubescens Bert. II. 243
pulchella H. B. et K. II. 389
punctata W. II. 315
reflexa Nutt. II. 385
reniformis Pursh II. 384
reticulata Vahl II. 385
rhombifolia W. II. 386
rosea Forst. II. 387
rubicunda Curt. II. 383
rufa H. B. et K. II. 388
rufescens W. II. 387
sagittata Humb. II. 414
sarmentosa Roth II. 383
secunda *Thunb.* II. 242
senegalensis *DC.* II. 242
sericea *W.* II. 242
simplicifolia H. B. et K. II. 389
sinensis bot. reg. II. 390
striata *L. fil.* II. 241
suaveolens L. fil. II. 387
subterranea L. II. 474
tenuiflora *Klein* II. 241
tomentosa erecta Mx. II. 384
tomentosa monophylla Mx. II. 384
tomentosa volubilis Mx. II. 384
tomentosa β W. II. 397
totta Thunb. II. 388
triloba L. II. 394, 399
umbellata W. II. 395
velutina Bert. II. 239
villosa *Thunb.* II. 242
vincentina bot. reg. II. 243
viscida W. II. 387
viscosa Moench II. 389
viscosa Roth II. 387
Glycinopsis DC. II. 235 (Clitoria)

Glycosmis *Corr.* I. 538
arborea *DC.* I. 538
pentaphylla *DC.* I. 538
Glycyrhiza *Tourn.* II. 247 *Moench* II. 247
aculeata Forsk. II. 480
aspera Pall. II. 248
asperrima *L. fil.* II. 248

Glycyrhiza
echinata *L.* II. 248
foetida *Desf.* II. 2
glabra *L.* II. 247
glabra Pall. II. 2
glandulifera *W. et*
β DC. II. 247
hirsuta *L.* II. 248
hirsuta Pall. II.
hispida Pall. II.
laevis Pall. II. 24
lepidota *Nutt.* II.
uralensis *Fisch.* II
Godoya *R. et Pav.* I
obovata *R. et Pav.*
spathulata *R. et P*
Goethea *Nees et Ma*
cauliflora *Nees et*
semperflorens *Nee*

Gohoria Neck. IV.
Goldbachia *DC.* I. 2
laevigata *DC.* I. 21
torulosa *DC.* I. 21
Gomara Adans. III
Gomesium DC. II.
Gomozia Mutis IV
granatensis Mut
Gomphia *Schreb.* I.
acuminata *DC.* I.
angulata *DC.* I. 73
angustifolia *Vahl*
aquatica *H. B. et*
cardiosperma *DC.*
cassinefolia *DC.* I.
castaneaefolia *DC.*
dependens *DC.* I.
glaberrima *Beauv.*
grandiflora *DC.* I.
guianensis *Rich.* I.
Jabotapita *Sw.* I.
ilicifolia *DC.* I. 73
laurifolia *Sw.* I. 73
longifolia *DC.* I. 73
malabarica *DC.* I.
mexicana *H. et Bo*
nitida *Sw.* I. 737
obtusifolia *DC.* I.
oleaefolia *St. Hil.*
parviflora *DC.* I. 7
reticulata *Beauv.*
squamosa *DC.* I. 7
zeylanica *DC.* I. 73
Gompholobium *Sw.*
barbigerum *DC.* II.

itrophe Poit. II. 424
ina Blume IV. 261
les Blume IV. 467
Blume IV. 467
s Blume IV. 374
a Blume IV. 374
sa Blume IV. 374
a Blume IV. 374
ra Cav. III. 337
folia Cav. III. 338
a Cav. III. 338
a DC. I. 515 (Sloanea)
L. I. 351
a Fisch. I. 353
ns Jacq. I. 353
ata L. I. 409
L. I. 352
a MB. I. 353
W. et Kit. I. 352
les Ser. I. 353
tev. I. 352
a Desf. I. 354
ibth. et Sm. I. 353
a Bess. I. 352
es Sibth. et Sm. I. 354
. I. 354
MB. I. 353
L. I. 352
tev. I. 353
Pall. I. 354
a MB. I. 354
Sibth. et Sm. I. 353
a Poir. I. 352
Sibth. et Sm. I. 366
is Poir. I. 354
L. I. 354
ibth. et Sm. I. 352
a Sibth. et Sm. I. 353
L. I. 353
er. I. 353
L. I. 352
osa DC. I. 352
a MB. I. 352
L. I. 354
I. 353, 354
MB. I. 353
. I. 354
Delil. I. 354
Stev. I. 352
L. I. 354
ea Ser. I. 354
a - - -
DC. - -
folia hort. par. I. 352

Gypsophila
serotina Hayne I. 354
Steveni *Fisch.* I. 353
Struthium *L.* I. 352
tenella *Poir.* I. 352
tenuifolia *MB.* I. 353
thesiifolia *Ser.* I. 354
thymifolia *Sibth. et Sm.* I. 352
tomentosa L. I. 352
viscosa *Murr.* I. 352
Gyrinops *Gaertn.* II. 60
Walla *Gaertn.* II. 60
Gyrostemon *Desf.* I. 516
cotinifolium *Desf.* I. 516
ramulosum *Desf.* I. 516

H

Habbasia DC. II. 428 (Mimosa)
Hacquetia *Neck.* IV. 85
bracteogama *DC.* IV. 668
Epipactis *DC.* IV. 85
Haematoxylon *L.* II. 485
campechianum *L.* II. 485
Haemocharis Salisb. DC. I. 528 (Gordonia)
Haenkea Salisb. III. 360 *R. et Pav.* IV. 319
crassifolia Salisb. III. 360
flexuosa R. et Pav. IV. 319
multiflora R. et Pav. II. 6
Haenselera Lag. IV. 246
damaecornis Lag. IV. 246
Hagea (Hagaea) Vent. III. 373
alsinefolia Biv. III. 376
gnaphalodes Pers. III. 373
polycarpoides Biv. III. 376
Teneriffae Pers. III. 373
Halesia P. Brown. IV. 455, 456
Halimium DC. I. 267 (Helianthemum)
Halimodendron *Fisch.* II. 269
argenteum *DC.* II. 269
α vulgare - - -
β subvirescens *DC.* II. 269
γ brachysema - - -
Hallia *Thunb.* II. 122 *Jaum.* II. 352
alata *Thunb.* II. 123
angustifolia *DC.* II. 123
Asarina *Thunb.* II. 123
cordata *Thunb.* II. 123
β Burchellii *DC.* - -
flaccida *Thunb.* II. 123

Hallia
hirta W. II. 123
imbricata *Thunb.* II. 123
monophylla Desv. II. 123
sororia W. II. 348
virgata *Thunb.* II. 123
Halodendron DC. II. 269
HALORAGEAE *R. Br.* III. 65
Haloragis *Forst.* III. 66 *L'Herit. Jacq.* III. 67 *Labill.* III. 66
alata Jacq. III. 67
capensis *Nois.* III. 67
Cercodia Ait. III. 67
digyna *Labill.* III. 67
prostrata *Forst.* III. 67
racemosa Labill. III. 67
Tetragonia L'Herit. III. 67
Hamadryas *Commers.* I. 25
magellanica *Lam.* I. 25
tomentosa *DC.* I. 25
HAMAMELEAE *DC.* IV. 268
HAMAMELIDEAE *R. Br.* IV. 267
Hamamelis *L.* IV. 268
androgyna Walt. IV. 268
chinensis *R. Br.* IV. 269
dioica Walt. IV. 268
macrophylla Pursh IV. 268
monoica L. IV. 270
monoica Walt. IV. 268
persica *DC.* IV. 268
virginica *L.* IV. 268
β macrophylla *Nutt.* IV. 268
γ parvifolia - - -
Hambergera Scop. III. 22
Hambergia Neck. III. 22
Hamelia *Jacq.* IV. 441 *Lam.* IV. 369
appendiculata Guertn. IV. 442
axillaris *Sw.* IV. 442
β appendiculata *DC.* IV. 442
chrysantha Jacq. IV. 442
chrysantha *Sw.* IV. 442
coccinea Sw. IV. 441
connata Wall. IV. 338
erecta Jacq. IV. 442
glabra Lam. IV. 369
grandiflora L'Herit. IV. 442
latifolia *Reich.* IV. 442
lucida Desf. IV. 442
lutea *Rohr* IV. 442
odorata W. IV. 442
patens fl. mex. IV. 442
Hamelia
patens *Jacq.* IV. 4
β erecta *Lam.* IV.
γ quinifolia *DC.* -
patens R. et Pav.
pauciflora W. IV
rostrata *Bartl.* IV
sessiliflora W. I
sphaerocarpa *R. et*
suaveolens *H. B. et*
ventricosa *Sw.* IV.
verticillata fl. me
xorullensis *H. B.*
HAMELIAGEA
K
HAMELIEAE *DC*
Hamiltonia *Roxb.* IV.
Dulina Haw. IV
fruticosa Don I
pilosa *Roxb.* IV.
scabra *Don* IV. 4
suaveolens *Roxb.*
suaveolens v. a
Hantol Lam. I. 621
Hardwickia *Roxb.* II
binata *Roxb.* II. 4
pinnata *Roxb.* II.
Hariota Adans. II
Harmula multifid
Haronga *Pet. Th.* I.
crenata *Pers.* I. 5
lanceolata *Chois.*
madagascariensis *C*
β pubescens
Mollusca *Pers.* I.
pubescens Poir.
revoluta *Chois.* I.
Haronganа Lam.
Harpalyce *fl. mex.* I
formosa *DC.* II. 5
Hartogia *Thunb.* II.
betulina Berg. I
capensis L. I. 71
capensis *L. fil.* II.
lanceolata L. I.
pulchella Berg.
uniflora Berg. I
villosa Berg. I.
Hasselquistia *L.* IV.
aegyptiaca *L.* IV.
cordata *L. fil.* IV.

ra Sp. I. 512
a W. I. 512)
, III. 296
ora L. III. 296
L. II. 549
sum Thunb. II. 549
atum Gaertn. II. 549
ium Lichtenst. II. 549
lium Burm. II. 549
um L. II. 549
a Schrank II. 500
ns Schrank II. 503
Neck. II. 418
eff. III. 92
Buchan. III. 92
Lorff. III. 92
Roxb. III. 92
r. II. 239
ur. II. 239
III. 320
tiana R. et Schult. III. 320
L. III. 320
a Tourn. Gmel. III.
h. DC. III. 478 (Ribes)
Mill. III. 478
LARIEAE *DC.* III. 477
ia Neck. IV. 540
ertn. IV. 495
rtn. IV. 495
ides *DC.* IV. 495
Theis. IV. 495
Poir. IV. 495
Hern. I. 485
Plum. I. 706
. II. 508
DC. I. 707
Forst. I. 707
L. I. 707
. I. 707
Ort. I. 707
Tourn. III. 232
is Gaertn. III. 234
n Juss. III. 273
um Poir. III. 273
. 623
hya fl. mex. I. 624
Vahl I. 624
DC. I. 624
Pert. I. 624
ylla Vahl I. 624

efatio.

Guarea
ramiflora *Vent.* I. 624
Swartzii *DC.* I. 624
trichilioides Cav. I. 624
trichilioides L. I. 624
trichilioides Sw. I. 624
Guatteria *R. et Pav.* I. 93
Aberemoa *Dunal* I. 93
β microcarpa - - -
acutiflora *Dunal* I. 94
brevipes *DC.* I. 93
cerasoides *Dunal* I. 93
cordata *Dunal* I. 93
eriopoda *DC.* I. 94
glauca *R. et Pav.* I. 94
hirsuta *R. et Pav.* I. 94
Korinti *Dunal* I. 94
laurifolia *Dunal* I. 94
malabarica Dunal I. 94
maypurensis *H. B. et K.* I. 94
montana *DC.* I. 94
Ouregou *Dunal* I. 93
ovalis *R. et Pav.* I. 94
pendula *R. et Pav.* I. 94
podocarpa *DC.* I. 93
α oligocarpa *DC.* I. 93
β polycarpa - - -
rufa *Dunal* I. 93
sempervirens *Dunal* I. 94
suberosa *Dunal* I. 93
β γ - - -
umbilicata *Dunal* I. 94
virgata *Dunal* I. 94
Willemetiana *DC.* I. 94
Guazuma *Plum.* I. 485
polybotrya *Cav.* I. 485
tomentosa *H. B. et K.* I. 485
α mompoxensis *H. B. et K.* I. 485
β cumanensis - - - -
ulmifolia *Lam.* I. 485
Guazumoides DC. I. 505 (Corchorus)
Güldenstaedtia *Fisch.* II. 307
monophylla *Fisch.* II. 307
pauciflora *Fisch.* II. 307
β subglabrata *DC.* - -
Guepinia Bast. I. 178
Guettarda *Vent.* IV. 455 *L. Jacq. Juss. Lam. Pers.* IV. 455 *Sieb.* IV. 459
acuminata Sieb. IV. 460
acutiflora Burtl. IV. 506
ambigua *DC.* IV. 455
argentea *Lam.* IV. 455
armata *Bartl.* IV. 457

Guettarda
harbinervis Sieb. IV. 460
coccinea Aubl. IV. 437
cordata *H. B. et K.* IV. 456
coriacea *Pers.* IV. 458
crispiflora *Vahl* IV. 458
crispiflora var. α Pers. IV. 458
β - - -
dependens *DC.* IV. 458
elliptica Spr. IV. 456
elliptica *Sw.* IV. 457
Fontanesii *DC.* IV. 458
frangulacea Sieb. IV. 460
havanensis *DC.* IV. 455
hirsuta Desf. IV. 458
hirsuta H. B. et K. IV. 458
hirsuta *Pers.* IV. 458
lucida Pers. IV. 460
membranacea Sieb. IV. 458
membranacea *Sw.* IV. 457
microphylla *Bartl.* IV. 457
mollis *DC.* IV. 456
odorata *Lam.* IV. 456
paniculata *Bartl.* IV. 457
parviflora *Vahl* IV. 456
platypoda *DC.* IV. 456
protracta *Bartl.* IV. 457
α brevipes *DC.* IV. 457
β longipes - - -
resinosa *Pers.* IV. 458
rugosa *Sw.* IV. 456
scabra *Lam.* IV. 456
speciosa Aubl. IV. 455
speciosa *L.* IV. 455
β glabrata *DC.* IV. 455
tomentosa Pers. IV. 460
umbellata *Spr.* IV. 458
uruguensis *Cham. et Schl.* IV. 457
viburnoides *Cham. et Schl.* IV. 456
xylosteoides *H. B. et K.* IV. 456
GUETTARDACEAE *Kunth* IV. 342, 446
Guettardaria DC. IV. 455 (Guettarda)
GUETTARDEAE *DC.* IV. 342, 450
Guichenotia *Gay* I. 489
ledifolia *Gay* I. 489
Guidonia P. Browne I. 260
Plum. II. 47 *DC.* II. 48 (Samyda)
Guiera *Juss.* III. 17
nudiflora Reichenb. III. 18
Guiera
senegalensis *Lam.*
Guilandina *Juss.* II. 4
axillaris Lam. II
Bonduc *Ait.* II. 48
α major *DC.* - -
β minor - - -
Bonduc L. II. 480
Bonducella L. II.
dioica L. II. 480
echinata Spr. II.
gemina *Lour.* II. 4
glabra *Mill.* II. 480
microphylla *DC.* II.
Moringa L. II. 47
Nugae Burm. II.
Nuga L. II. 481
paniculata Lam.
Guilleminia Neck. I
Guillemines *H. B. et K.*
illecebroides *H. B. e*
Guioa Cav. DC. I. 61
lentiscifolia Cav.
Gupia Jaum. II. 29
Gustavia *L.* III. 289
augusta *L.* III. 289
brasiliana *DC.* III. 2
β minor - -
fastuosa Mart. her
fastuosa *W.* III. 290
hexapetala Sm. III
pterocarpa *Poit.* III.
speciosa *DC.* III. 28
tetrapetala *Rüusch.*
urceolata *Poit.* III. 2
valida *DC.* III. 290
GUTTIFERAE *Juss*
Gwillimia Rottl. DC.

Gymnocarpum *Forsk.*
decandrum Forsk.
fruticosum *Pers.* III.
Gymnocladus *Lam.* II.
arabica Lam. II. 4
canadensis *Lam.* II.
Gynandropsis *DC.* I. 23
brachycarpa *DC.* I. 2
denticulata *DC.* I. 23
heterotricha *DC.* I. 2
hispidula *DC.* I. 238
palmipes *DC.* I. 238
pentaphylla *DC.* I. 23
sessilifolia *DC.* I. 237
speciosa *DC.* I. 238
triphylla *DC.* I. 237

t. mex. III. 36
s fl. mex. III. 36
a H. B. et K. I. 558
folia H. B. et K. I. 559
dra Bonpl. I. 338 *DC.* I. 338 (Monnina)
troides Bonpl. I. 339
ifolia Bonpl. I. 338
ifolia Bonpl. I. 339
gnoides Bonpl. I. 339
gista Bonpl. I. 338
olia Bonpl. I. 338
trina Bonpl. I. 339
onata Bonpl. I. 339
illoides Bonpl. I. 339
folia Bonpl. I. 339
- β - - -
iflora Bonpl. I. 338
liraeoides Bonpl. I. 339
scens Bonpl. I. 338
uta Bonpl. I. 339
ophyllum H. B. et K. II. 420
nia DC. I. 30 (Ranunculus)
atris Lour. I. 34
a Lour. I. 43
Sw. IV. 261 *L. et Auct.* IV. 261
olia DC. IV. 264
ata Hamilt. IV. 264
folia DC. IV. 263
aris DC. IV. 263
ea Sw. IV. 262
tata DC. IV. 263
ntata Spr. IV. 264
atica DC. IV. 265
Blume IV. 265
niaefolia DC. IV. 263
riensis W. IV. 261
ta Sm. IV. 262
aefolia DC. IV. 263
ophylla DC. IV. 264
socarpos Dalech. IV. 262
abosa Chois. IV. 262
inervia DC. IV. 263
nensis DC. IV. 263
ta DC. IV. 262
ysias J. Bauh. IV. 262
lor DC. IV. 263
ma DC. IV. 265
ops Cham. et Schl. IV. 670
Hamilt. IV. 264
inea DC. IV. 264
nda DC. IV. 264
ans Don IV. 254

Hedera
glomerulata *DC.* IV. 265
Hainla Hamilt. IV. 253
Helix *L.* IV. 261
α vulgaris *DC.* IV. 261
β canariensis *DC.* IV. 261
γ chrysocarpa - - -
Helix Wall. IV. 261
hybernica Hortul. IV. 261
jatrophaefolia *DC.* IV. 264
lutescens *DC.* IV. 265
multiflora *DC.* IV. 262
Mutisiana *DC.* IV. 262
nutans *Sw.* IV. 262
obtusiloba *DC.* IV. 263
parasitica *Don* IV. 265
pendula *Sw.* IV. 262
platanifolia *DC.* IV. 263
poetica C. Bauh. IV. 261
quinquefolia L. I. 633
ramiflora *DC.* IV. 262
reticulata *DC.* IV. 264
rugosa *DC.* IV. 265
scandens *DC.* IV. 264
Sciodaphyllum Sw. IV. 260
septemnervia *DC.* IV. 263
simillima *DC.* IV. 265
terebinthacea *Vahl* IV. 265
tomentosa *Hamilt.* IV. 264
turbacensis *DC.* IV. 263
umbellifera *DC.* IV. 262
variegata Hortul. IV. 261
xalapensis *DC.* IV. 264
Hedwigia *Sw.* II. 80
balsamifera *Sw.* II. 80
mexicana *DC.* II. 80
Hedycrea Schreb. II. 527
incana W. II. 527
HEDYOTEAE *DC.* IV. 342, 419
HEDYOTIDEAE Cham. et Schlecht. IV. 342, 401
Hedyotis *Roxb.* IV. 419 *Lam.* IV. 418 *L.* IV. 419 *Sw. Kunth.* IV. 433 *Sw. Rich.* IV. 434 *Spr. Sm. Blume Gaertn.* IV. 424 *R. et Pav. Cav.* IV. 431 *Blum.* IV. 429 *Auct.* IV. 429 *Spr.* IV. 409
Adscensionis *DC.* IV. 419
affinis R. et Schult. IV. 428
americana Jacq. IV. 434
angustifolia *Cham. et Schl.* IV. 419
arborea *Roxb.* IV. 422
aspera Spr. IV. 428

Hedyotis
aspera Roth IV. 428
attenuata W. IV. 428
auricularia *L.* IV. 429
auricularia Walt. IV. 421
biflora Sm. IV. 426
Boscii *DC.* IV. 420
campanuliflora Hook. IV. 397
capensis Lam. IV. 424
capitata *Lam.* IV. 420
caracasana H.B. et K. IV. 434
Cervantesii H.B. et K. IV. 432
ciliolata *Torr.* IV. 422
coarctata W. IV. 432
coarctata W. herb. IV. 432
conferta R. et Pav. IV. 431
conostyla Gaudich. IV. 428
cordifolia Spr. IV. 409
coriacea Sm. IV. 431
corymbosa Lam. IV. 422
corymbosa Spr. IV. 422, 426
crassifolia Bartl. IV. 427
crassifolia *Blume* IV. 420
crassifolia Raf. IV. 422, 622
Crataeogonum *Spr.* IV. 420
cymosa Spr. IV. 427
depressa R. et Schult. IV. 429
dichotoma Cav. IV. 427
dichotoma Roth IV. 428
diffusa W. IV. 426
discolor Spr. IV. 409
ericoides W. herb. IV. 433
filiformis R. et Pav. IV. 431
foetida Spr. IV. 428
fruticosa fl. mex. IV. 365
fruticosa Retz IV. 555
fusca Ham. IV. 430
geniculata *Roxb.* IV. 420
glomerata *Ell.* IV. 421
glomerata Spr. IV. 421
goreensis *DC.* IV. 421
β erecta - - -
gracilis *DC.* IV. 419
gracilis Wall. IV. 430
graminifolia L. fil. IV. 425
herbacea Forsk. IV. 425
herbacea L. IV. 425
herbacea var. a. Blume IV. 424
herbacea var. b. Blume IV. 425
hirsuta Spr. IV. 428
hispida *Retz* IV. 420
hispida Roth IV. 428
hypnoides H. B. et K. IV. 432
hyssopifolia Cav. IV. 432
indica R. et Schult. IV. 428
juniperifolia R. et Pav. IV. 432

Hedyotis
lactea W. IV. 42
lanceolata Poir.
lancifolia Schum
Lapeyrousii *DC.* I
laricifolia Cav. I
laxa *Don* IV. 421
Leschenaultii *DC.*
β Wallichii -
leucophylla Spr.
lineata Don IV.
lineata *Roxb.* IV.
linifolia W. IV.
longiflora Spr. I
longifolia Schum
macrophylla Lep
maritima L. fil. I
media Cav. IV. 4
microphylla H.B
microphylla W.
nervosa Lam. IV
nitida H. B. et K
ovatifolia Cav. I
paniculata Lam.
pauciflora *Bartl.*
pentandra Schu
pterita Blume I
pumila L. fil. IV.
pumila W. herb.
pygmaea R. et S
racemosa Lam.
radicans Bartl.
ramosa Blume I
ramosissima Bl
ramosissima Sp
repens Lam. IV.
rosea Raf. IV. 4
rotundifolia *Spr.*
rupestris Sw. IV
scandens *Roxb.* I
scandens Roxb.e
secunda Spr. IV
serpens H. B. et
serpyllifolia *Poir.*
β repens *DC.* IV.
setosa R. et Pav.
spermacocea Do
stricta Sm. IV.
stricta Wall. IV
strigulosa Bart
tenelliflora *Blum*
tenuifolia Sm. I
thesioides W. he
thuyoides W. IV

lis
nifolia H.B.et K. IV. 432
vifolia R.et Pav. IV. 432
rosa Sw. IV. 434
folia Wall. IV. 421
llata Lam. IV. 424
ra DC. IV. 421
ora Lam. IV. 421
ia Blume IV. 421
illata Lam. IV. 554
ta W. IV. 425
ica Spr. IV. 421
abariae R.et Schult. IV. 429
AREAE *DC.* II. 307
Jaum. II. 340 *L.* II. 325, 340, 344, 348, 352
nb. II. 333 *Desv.* II. 325 *Sw.* II. 331
icum Hoffmnns. II. 338
atum Mx. II. 329
ns Poir. II. 327
ns Vahl II. 332
ens Sw. II. 332
atum Sibth. et Sm. II. 346
Roxb. II. 326
V. et Kit. II. 345
Lerche II. 352
L. II. 352
W. II. 343
α L. II. 343
β L. II. 343
Fisch. II. 342
var. Fisch. II. 343
carpum Ledeb. II. 332
olium H.B.et K. II. 328
DC. II. 341
Link II. 330
Hamilt. II. 324
m Kit. II. 345
m Lam. II. 340
L. fil. II. 340
m W. II. 340
Poir. II. 333
Koen. II. 386
W. II. 326
Sw. II. 333
L. II. 325
num Spr. II. 346
atum fl. mex. II. 330
atum L. II. 339
Poir. II. 319
W. II. 336
Willem. II. 334

Hedysarum
boreale *Nutt.* II. 343
bracteosum Mx. II. 329
brasilianum Poir. II. 322
bupleurifolium L. II. 352
bupleurifolium Sieb II. 353
Buxbaumii MB. II. 347
caespitosum Poir. II. 333
cajanifolium H.B.et K. II. 331
canadense L. II. 328
candidum *MB.* II. 340
β humile *DC.* II. 340
canescens L. II. 328
canescens Mill. II. 332
canescens W. II. 330
canum Lun. II. 332
capense Burm. II. 136
capitatum Burm. II. 336
capitatum *Desf.* II. 341
Caput galli L. II. 346
carnosum *Desf.* II. 341
carpathicum W.et Kit. II. 346
caucasicum *MB.* II. 343
caudatum Thunb. II. 337
cercifolium Stüud. II. 325
ciliare Nutt. II. 329
ciliatum Thunb. II. 333
cinereum H.B. et K. II. 330
circinnatum W. II. 347
cochinchinense Schrank II. 352
coeruleo-violaceum Meyer II. 331
comosum Vahl II. 324
confertum Desf. II. 344
confertum MB. II. 344
conglomeratum Poir. II. 349
conicum Poir. II. 336
conjugatum W. II. 317
consanguineum *DC.* II. 343
controversum Crantz II. 343
cordatum Thunb. II. 123
coriaceum Poir II. 329
cornutum L. II. 347
coronarium *L.* II. 341
coronarium β Lam. II. 341
coronatum Poir. II. 347
corsicum Balb. II. 341
cretaceum *Fisch.* II. 342
cretaceum Pall. II. 340
crinitum L. II. 324
Crista-galli L. II. 346
cryptopterum L'Herit. II. 347
cumanense H. B. et K. II. 331
cuneifolium Roth II. 348
cuspidatum W. II. 329
cylindricum Poir. II. 353

Hedysarum
decumbens Dennsf. II. 341
deltoideum Poir. II. 328
dichotomum W. II. 336
diffusum Roxb. II. 335
diffusum W. II. 336
dioicum Hamilt. II. 339
diphyllum α L. II. 316
β L. - -
var. L. II. 317
divergens Mühl. II. 350
diversifolium Poir. II. 334
Echinus Poir. II. 346
elegans Lour. II. 339
emarginatum Poir. II. 338
erectum Patrin. herb. II. 345
erinaceum Poir. II. 348
eriophorum Pourr. II. 345
erythrinaefolium Juss. II. 331
falcatum Poir. II. 322
flexuosum *L.* II. 341
floribundum Don II. 335
frutescens L. II. 349
fruticosum Habl. II. 342
fruticosum *L. fil.* II. 342
gangeticum L. II. 327
geminiflorum fl. mex. II. 330
glabellum Mx. II. 329
glabrum Mill. II. 338
glomeratum Dietr. II. 341
glumaceum Vahl II. 353
glutinosum Rottl. II. 387
glutinosum W. II. 329
gramineum Retz II. 352
grandiflorum *Pall.* II. 340
grandiflorum Walt. II. 338
grandifolium Horn. II. 338
guianense Aubl. II. 338
gyrans L. fil. II. 326
gyrans Roxb. II. 326
gyroides Roxb. II. 326
hamatum Burm. II. 318
hamatum α L. II. 317
β L. II. 318
herbaceum Lapeyr. II. 345
heterocarpon Thunb. II. 337
heterocarpum L. II. 337
heterophyllum W. II. 334
hirtum L. II. 349
hirtum Pursh II. 329
hirtum W. II. 349
humile Habl. II. 340
humile *L.* II. 341
ibericum *MB.* II. 342
imbricatum L. fil. II. 123
incanum Sw. II. 332

Hedysarum
incanum Thun
incarnatum *W.* I
incurvatum Ha
intortum Mill.
junceum L. fil.
laburnifolium
laevigatum Nu
lagenarium Ro
lagocephalum
lagopodioides L
lagopoides Bur
lappaceum For
lasiocarpum B
lasiocarpum *Led*
latebrosum L.
latifolium Rox
latisiliquosum

Lespedeza Poir
lineare *Lour.* II.
lineatum L. II.
lineatum Mx. I
linifolium L. fi
lutescens Poir.
maculatum L.
malachophyllu
marylandicum
mauritianum
micranthos Po
microcarpum
microphyllum
molle Vahl II. 3
molliculum H.
moniliferum L.
montanum Per.
mucronatum fl.
muricatum Jac
Neli-tali Roxb.
nitidum *W.* II. 3
nudiflorum L.
nudum Rottl. I
nummularifoli
nummularifoli

nummularium
obcordatum Po
oblongifolium
obscurum *L.* II.
β brachiosema *DC.*
obscurum altai

obtusum Mühl.
ochroleucum M
Onobrychis L.
Onobrychis MB

rum
rychis var. iberica MB. II. 344
rychis var. c. Gouan. II. 345
rpoides Desv. II. 327
m W. II. 347
hum Vahl II. 353
um Poir. II. 328
MB. II. 347
Desf. II. 340
Schleich. II. 345
tum L. II. 329
L'Herit. II. 319
m Nutt. II. 330
re Cav. II. 346
tum Mill. II. 338
α Poir. II. 319
β Poir. II. 319
n Lamb. herb. II. 319
MB. II. 345
γ. II. 324
unb. II. 337
olium Poir. II. 319
Poir. II. 334
Mill. II. 333
Burm. II. 230
Mühl. II. 350
Pall. II. 342
Desv. II. 352
agi MB. II. 352
n Delil. II. 347
L. II. 339
. II. 348
Poir. II. 319
Rottl. II. 338
Aubl. II. 331
Thunb. II. 337
Desf. II. 347
num Helm. II. 342
L. II. 327
Lour. II. 324
Poir. II. 334
Vahl II. 334
I. 338
ir. II. 333
Mühl. II. 349
L. II. 336
on II. 335
m Ell. II. 330
. II. 330
is II. 342
h. II. 342
um Mx. II. 330
um Vahl II. 348

Hedysarum
rufescens Rottl. II. 387
rugosum Sieb. II. 352
rugosum W. II. 353
rutidocarpum *DC.* II. 341
sagittatum Poir. II. 327
salicifolium Poir. II. 337
sambuense Don II. 335
saxatile L. II. 345
scaberrimum Ell. II. 328
scabrum Moench II. 328
Scalpe Comm. II. 334
scorpiurus Sw. II. 333
sennoides W. II. 315
sericeum MB. II. 340
sericeum Thunb. II. 348
sericeum Vahl II. 350
serotinum W. II. 338
sessiliflorum Lam. II. 349
sibiricum *Poir.* II. 343
β pedicellare *DC.* - -
siliquosum Burm. II. 336
sororium L. II. 348
sparteum Burm. II. 339
spinosissimum *L.* II. 341
spirale Sw. II. 333
splendens *Fisch.* II. 340
squarrosum Thunb. II. 333
stenorhizum Dufour II. 346
stipulaceum Burm. II. 334
stipulaceum fl. mex. II. 330
stoloniferum Poir. II. 333
striatum Thunb. II. 337
strobiliferum L. II. 352
styracifolium L. II. 353
subspinosum *Fisch.* II. 343
supinum Pall. II. 340
supinum Sw. II. 332
supinum Vill. II. 345
tauricum *Pall.* II. 342
tenellum Don II. 335
tenellum H. B. et K. II. 333
tenellum Spr. II. 333
terminale Rich. II. 327
tetraphyllum Lam. II. 317
tetraphyllum Thunb. II. 317
tiliaefolium Don II. 335
tomentosum Thunb. II. 337
tortuosum Sw. II. 332
Tournefortii W. II. 347
trichocarpum *Desv.* II. 341
trichocarpum W. II. 349
triflorum L. II. 334
trigonum Sw. II. 332
triphyllum P. Brown. II. 332
triquetrum L. II. 326

Hedysarum
tuberosum Roxb. II. 240
umbellatum Forst. II. 326
umbellatum L. II. 326
uncinatum Jacq. II. 331
uniflorum Domb. herb. II. 319
uniflorum *Lapeyr.* II. 344
vaginale L. II. 353
varium Roth II. 353
varium *W.* II. 341
velutinum W. II. 328
venosum Desf. II. 347
venosum Rottl. II. 387
venustulum H. B. et K. II. 325
venustum *Fisch.* II. 342
vespertilionis L. fil. II. 324
villosum Mill. II. 338
villosum W. II. 350
violaceum Forsk. II. 353
violaceum L. II. 350
virgatum Thunb. II. 350
virginicum L. II. 321
viridiflorum Burm. II. 334
viridiflorum L. II. 329
viscidum L. II. 387
viscosum Burm. II. 336
volgense Fisch. II. 343
volubile L. II. 238
Wade Vand. II. 331
Heimia *Link et Otto* III. 89
salicifolia *Link et Otto* III. 89
syphilitica *DC.* III. 89
Heinsia *DC.* IV. 390
jasminiflora *DC.* IV. 390
Heinzia Scop. II. 477
Heisteria *L.* I. 532 *Berg.* I. 335
cauliflora *Sm.* I. 533
coccinea *Jacq.* I. 532
parvifolia *Sm.* I. 533
Helianthemum *Tourn.* I. 266
acuminatum *Pers.* I. 280
aegyptiacum *Mill.* I. 273
algarvense *Dunal* I. 268
algarvense Tourn. I. 268
alpestre *Dunal* I. 276
α glabratum *DC.* - 277
β elongatum - - -
γ canescens - - -
alyssoides *Vent.* I. 267
alyssoides microphyllum DC. I. 268
angustifolium Hortul. I. 281
angustifolium *Pers.* I. 281
annuum Sog. I. 273
apenninum *DC.* I. 282
α β - - -
Helianthemum
arabicum *Pers.*
asperum *Lag.*
α Roussaei *DC.*
astylum *Moç. e*
atriplicifolium
aureum Thib.
aureum β ter
baeticum hort
Barrelieri *Ten*
brasiliense *Per*
Broussonetii *D*
bupleurifolium
canadense *Mx.*
canariense *W.*
canescens Mo
canum *Dunal*
carolinianum *M*
cheiranthoides
ciliatum *Pers.*
cinereum *Pers.*
β Lagascanum
cistifolium *Mil*
confertum *Dun*
coriaceum α
β
corymbosum *M*
crassifolium *Pe*
croceum *Pers.*
α β γ -
denticulatum *T*
dichotomum *D*
distachyum *DC*
ellipticum *Pers*
ericoides *Duna*
α glabrum *DC.*
β pubescens -
eriocaulon *Dun*
fasciculatum *M*
foetidum *Pers.*
formosum *Dun*
fugacium Mil
fugax *DC.* I. 28
Fumana *Mill.* I.
α majus *DC.* -
β minus - -
γ virgatum- -
fumanoides ho
glaucum *Pers.*
α acutiusculum
β obtusiusculum
globulariaefolium

emum
atum *Lag.* I. 269
sum *Pers.* I. 276
osum *β fl. fr.* I. 276
florum *DC.* I. 280
m *Mill.* I. 270, 284
DC. I. 271
anillesii - - -
aurchii - - -
dipulatum- - -
rassum - - -
lium *W.* I. 268
ifolium- - 269
rgum *Dunal* I. 270
DC. I. 284
Pers. I. 281
cum *DC.* I. 281
m - - -
folium- - -
var. Lag. I. 281
Dunal I. 282
lium *Ten.* I. 284
tum *Lag.* I. 270
rgum *Thib.* I. 271
um *Thib.* I. 272
ium *Pers.* I. 268
Pers. I. 277
um *DC.* - -
sinicum *DC.* I. 277
- - -
m *Lag.* I. 275
Delil. I. 274
s. I. 275
W. I. 275
- - -
Dunal I. 281
Pers. I. 268
folium *DC.* I. 278
m *DC.* I. 279
li *Pers.* - -
W. I. 272
um *Dunal* I. 279
W. I. 267
rs. I. 282
- - -
elil. I. 274
rs. I. 273
forn. I. 284
DC. I. 271
- - -
olium *DC.* I. 283
efolium *β DC. fl. fr.* I. 282
DC. I. 277

Helianthemum
molle *Pers.* I. 276
mucronatum *Dunal* I. 274
mutabile *Pers.* I. 283
α β γ - - -
niloticum *Pers.* I. 272
α erectum *DC.* - -
β majus - - -
γ procumbens *DC.* I. 272
nudicaule *Dunal* I. 279
nummularium *Mill.* I. 280
obcordatum *Moç. et Sessé* I. 284
obovatum *Dunal* I. 277
obscurum *Pers.* I. 280
obscurum α DC. fl. fr. I. 280
obscurum β nummularium DC. fl. fr. I. 281
obtusifolium *Dunal* I. 281
ocymoides *Pers.* I. 267
α β DC. I. 267
oelandicum *DC.* I. 276
oligophyllum *DC.* I. 284
origanifolium *Pers.* I. 276
ovatum *Dunal* I. 280
paniculatum *Dunal* I. 278
penicillatum *Thib.* I. 277
petiolatum *Thib.* I. 271
piloselloides *DC.* I. 284
pilosum *Pers.* I. 282
α β DC. I. 282
plantagineum *Pers.* I. 270
polifolium *DC.* I. 283
polyanthos *Pers.* I. 278
praecox Salzm. I. 271
procumbens *Dunal* I. 275
pulverulentum *DC.* I. 282
punctatum *W.* I. 271
racemosum *Dunal* I. 281
α violascens *DC.* I. 281
β farinosum - - -
ramuliflorum *Mx.* I. 269
retrofractum Pers. I. 273
rhodanthum *Dunal* I. 282
α oblongifolium *DC.* - 283
β subhirsutum - - -
γ carneum *Lag.* - -
roseum *DC.* I. 283
rosmarinifolium Lag. I. 267
rosmarinifolium *Pursh* I. 269
rotundifolium *Dunal* I. 277
rugosum *Dunal* I. 268
β microphyllum *DC.* I. 268
salicifolium *Pers.* I. 273
β latifolium *DC.* - -

Helianthemum
salicifolium intermedium Pers. I. 272
sanguineum *Lag.* I. 273
scabrosum *Pers.* I. 268
semistipulatum Lag. I. 271
serpyllifolium *Mill.* I. 280
sessiliflorum *Pers.* I. 273
Setxe Lag. I. 278
squammatum *Pers.* I. 278
stoechadifolium *Pers.* I. 279
strictum *Pers.* I. 281
strigosum Fisch. I. 277
sulphureum *W.* I. 283
surrejanum *Mill.* I. 280
thymifolium *Pers.* I. 276
tomentosum *Dunal* I. 279
tripetalum *Moç. et Sessé* I. 284
Tuberaria *Mill.* I. 270
umbellatum *Mill.* I. 267
α erectum *DC.* - -
β subdecumbens *DC.* - -
villosum *Thib.* I. 272
α β - - -
vineale *Pers.* I. 277
violaceum *Pers.* I. 281
violaceum var. Lag. I. 281
virgatum *Pers.* I. 282
α albiflorum *DC.* - -
β roseum - - -
viride *Tenor.* I. 275
viscidulum Stev. I. 275
vulgare *Gaertn.* I. 280
α β *DC.* I. 280
Helicteres *L.* I. 475
althaeaefolia Lam. I. 476
angustifolia *L.* I. 476
apetala Jacq. I. 483
baruensis *L.* I. 475
β ovata *DC.* - -
carthagenensis *L.* I. 476
ferruginata *Link* I. 476
grewiaefolia *DC.* I. 476
guazumaefolia *H. B. et K.* I. 476
hirsuta *Lour.* I. 476
jamaicensis *Jacq.* I. 476
jamaicensis Lam. I. 475
Isora *L.* I. 475
lanceolata *DC.* I. 476
mexicana *H. B. et K.* I. 476
paniculata *Lour.* I. 476
pentandra *L.* I. 476
proniflora *Rich.* I. 476
ruhra fl. mex. I. 476
Helicteres
semitriloba *Bert.*
undulata *Lour.* I.
verbascifolia *Link*
Helicteroides DC.

Heliocarpus *L.* I. 503
americana *L.* I. 50
popayanensis *H. B*
Heliophila *Burm.* I.
abrotanifolia *Ban*

amplexicaulis *L. fl*
arabioides Sims
callosa *DC.* I. 235
chamaemelifolia *B*
circeoides L. fil.
cleomoides *DC.* I.
coronopifolia *L.* I.
crithmifolia *W.* I.
β *DC.* I. 233
diffusa *DC.* I. 232
digitata *L. fil.* I. 2
dissecta *Thunb.* I.
β *DC.* I. 231
divaricata *Banks*
elongata *DC.* I. 23
fascicularis *Banks*
filiformis *L. fil.* I.
flava L. fil. I. 236
foeniculacea *R. Br*
frutescens Lam.
glauca *Burch.* I. 2
α candida *DC.* - -
β purpurascens *DC.*
graminea *DC.* I. 23
heterophylla *Thun*
incana *Ait.* I. 234
incana Burm. I.
incisa *Banks herb*
integrifolia L. I.
juncea Vahl I. 23
lepidioides *Link* I.
linearifolia *Burch.*
β hirsuta -
linearis *DC.* I. 235
liniflora *DC.* I. 235
longifolia *DC.* I. 23
lyrata *Thunb.* I. 2
macrosperma *Burc*
molluginea *DC.* I.
parviflora Burch
pectinata *Burch.* I
Peltaria *DC.* I. 232

ila
la *W.* I. 232
Lam. I. 232
tegrifolia *DC.* I. 233
ina - - -
ta *L. fil.* I. 232
ta *Vent.* I. 232
ta *var. Vahl* I. 231
ligua *R. Br.* I. 234
L. fil. I. 232
Burch. I. 232
Burch. I. 234
a *Burch.* I. 232
lia *DC.* I. 231
Burch. I. 234
a *Burch.* I. 234
Burch. I. 234
Banks herb. I. 231
ua *DC.* I. 231
hunb. I. 232
Burch. I. 233
ta *Thunb.* I. 233
Burch. I. 232
Burch. I. 234
ifolia *DC.* I. 234
a - - -

HILEAE *DC.* I. 231

OREAE *DC.* I. 44

Adans. I. 46
e *W. et Kit.* I. 47
m *W. et Kit.* I. 47
L. I. 47
e *L.* I. 46
Kit. I. 47
ilobus *DC.* I. 47
I. 46
V. et Kit. I. 47
Gars. I. 46
cens *W. et Kit.* I. 47
ni *DC.* I. 47
L. I. 47
Mill. I. 47
I. 47
m *Koch* IV. 104
a *Koch* IV. 105
Koch IV. 104
m *DC.* IV. 106
um *DC.* IV. 105
Koch IV. 105
ceum *DC.* - -
a *DC.* IV. 105
rum *Koch* IV. 105
lum *DC.* IV. 105

Helosciadium
nodiflorum *Koch* IV. 104
β ochreatum *DC.* - -
γ radiatum - - 105
pubescens *DC.* IV. 106
ranunculifolium *DC.* IV. 105
repens *Koch* IV. 105
Ruta *DC.* IV. 106
tenerum *DC.* IV. 105
trifoliatum *DC.* IV. 106
Helospora *Jack.* IV. 391
flavescens *Jack.* IV. 391
Helwingia Adans. I. 260
Hemesotria Raf. IV. 629
Hemistemma *Juss.* I. 71
angustifolium *R. Br.* I. 71
Aubertii *DC.* I. 71
Banksii *R. Br.* I. 71
Commersonii *DC.* I. 71
dealbatum *R. Br.* I. 71
Lechenaultii *DC.* I. 71
Henriettea *DC.* III. 178
Patrisiana *DC.* III. 178
ramiflora *DC.* III. 178
succosa *DC.* III. 178
Hepatica *Dill.* I. 22
acutiloba *DC.* I. 22
americana *Ker.* I. 22
angulosa *DC.* I. 22
integrifolia *DC.* I. 22
triloba *Chaix* I. 22
triloba β *DC.* I. 22
Heracleum *L.* IV. 191 *Hoffm.* IV. 191 *Spr.* IV. 191 *Auct.* IV. 195
absinthifolium Vent. IV. 195
alpinum *L.* IV. 194
alpinum β *Pers.* IV. 193
amplifolium Lapeyr. IV. 193
angustifolium L. IV. 191
asperum *MB.* IV. 193
aureum *Sibth.* IV. 192
aureum Sm. IV. 192
austriacum *Jacq.* IV. 194
austriacum Pall. IV. 191
bipinnatum Cuss. IV. 195
branca ursina All. IV. 192
canariense Chois. IV. 190
candicans *Wall.* IV. 192
Carmeli *Labill.* IV. 194
caspicum *Hortul.* IV. 192
caucasicum *Stev.* IV. 194
chorodanum *DC.* IV. 194
cordatum *Presl* IV. 193
cuneiforme *DC.* IV. 194
decipiens Hoffm. IV. 193

Heracleum
diversifolium Wall. IV. 122
Douglasii *DC.* IV. 193
elegans Auct. IV. 192
flavescens *Baumg.* IV. 191
α latifolium *DC.* - -
β angustifolium *DC.* - -
giganteum Horn. IV. 193
graveolens Spr. IV. 189
gummiferum W. IV. 193
humile *Sibth. et Sm.* IV. 194
lanatum *Mx.* IV. 192
ligusticifolium *MB.* IV. 194
longifolium *Jacq.* IV. 192
longifolium MB. IV. 194
marginatum Hoffm. IV. 193
minimum *Lam.* IV. 195
montanum Georgi IV. 194
nepalense *Don* V. 191
obtusifolium *Wall.* IV. 191
Orsini *Guss.* IV. 191
palmatilobum *DC.* IV. 192
Panaces *L.* IV. 193
Panaces Stev. IV. 193
Panaces Ucria IV. 193
pimpinellifolium Spr. IV. 190
platyphyllum Ram. IV. 193
proteiforme Crantz IV. 192
pubescens *MB.* IV. 193
pumilum Vill. IV. 195
pumilum Viv. IV. 190
pyrenaicum *Lam.* IV. 193
pyrenaicum MB. IV. 193
rigens *Wall.* IV. 191
setosum Lapeyr. IV. 193
sibiricum L. IV. 191
speciosum Ledeb. IV. 193
Sphondylium *L.* IV. 192
β elegans *Jacq.* - -
γ laciniatum *Desf.* - -
δ subcanescens *DC.* IV. 192
Sphondylium Ucria IV. 193
testiculatum Lapeyr. IV. 194
tomentosum Sm. IV. 195
Tordylium Spr. IV. 198
uberosum *Molin.* IV. 195
villosum *Fisch.* IV. 193
β subvillosum *Hoffm.* IV. 193
Wallichii *DC* IV. 195
Heritiera *Ait.* I. 484
Fomes *W.* I. 484
littoralis *Ait.* I. 484
minor *Lam.* I. 484
Hermas *L.* IV. 241
australis Spr. IV. 242
capitata *L. fil.* IV. 242

Hermas
ciliata *L. fil.* IV.
ciliata Thunb.
depauperata L.
depauperata L.
gigan ea *L. fil.* I
quinquedental *L.*
quinquedentata
rudissima Reic
villosa *Thunb.* I
β depauperata *DC*
Hermesias Loefl.
Hermupoa *Loefl.* I
Loeflingiana *DC.*
Herniaria *Tourn.*
alpestris Aubr.
alpestris Lam.
alpina Lois. III
alpina *Vill.* III.
americana *Nutt.*
annua Lag. III
Besseri *Frisch.*
cinerea *DC.* III.
dichotoma *DC.*
erecta Desf. III
fruticosa Gou
fruticosa *L.* III.
fruticosa Sibth
glabra *L.* III. 36
hirsuta *L.* III. 36
β. pubescens *DC*
hirsuta D'Urv.
illecebroides *Sm*
incana *Lam* III.
incana MB. III
incana capensi
Joanneana Sch
latifolia Lapey
lenticulata L.
lenticulata *Thun*
macrocarpa *Sibt*
microcarpa Pr
millegrana Pal
polygonoides *Ca*
virescens *Sulzm*
vulgaris Spr. I
Herpetica Rump.

Herrmannella D

Herrmannia *L.* I. 4
alnifolia *L.* I. 49
althaeifolia Ja
althaeifolia *L.* I.
angularis *Jacq.* I
argentea *Sm.* I. 4

...
...rs Wendl. I. 495
...a Jacq. I. 493
...nata var. Burch. I. 493
...rata L. fil. I. 497
...folia Burch. I. 494
...ma Ait. I. 493
...ia L. fil. I. 496
...a Burch. I. 493
...ifolia Link I. 496
...a Jacq. I. 495
...ma W. I. 494
...a L. fil. I. 495
... L. fil. I. 496
...folia Jacq. I. 494
... Schrad. et Wendl. I. 494
...L. fil. I. 495
...Jacq. I. 495
...Link I. 494
...a L. fil. I. 497
...a Link I. 494
...ora Ait. I. 497
...riaefolia L. I. 496
... DC. I. 493
...Schrad. et Wendl. I. 495
...a Jacq. I. 495
...ia L. I. 494
... I. 496
...a Cav. I. 494
... Jacq. I. 494
...folia L. I. 495
... I. 495
...les Burch. I. 494
...Schrad. et Wendl. I. 494
... I. 494
...DC. I. 493
... Jacq. I. 495
...t. I. 495
...L. I. 496
... I. 493
...a Wendl. I. 494
...s Cav. I. 495
... L. fil. I. 496
...a Andr. I. 496
...lia Jacq. I. 494
... I. 494
... I. 495
... Jacq. I. 494
...sima I. 496
... I. 494
...L. I. 495
...av. I. 494
... L. I. 494 II. 522

Herrmannia
velutina *DC.* I. 495
vesicaria Cav. I. 497

HERRMANNIACEAE Kunth I. 490

HERRMANNIACEAE Vent. Juss. I. 481

HERRMANNIEAE *DC.* I. 490

HESPERIDEAE L. III. 207

Hesperidium DC. I. 188 (Hesperis)

Hesperidopsis DC. I. 190

Hesperis *L.* I. 188
africana L. I. 187
alyssifolia *DC.* I. 188
alyssoides Pers. I. 187
angustifolia *DC.* I. 190
aprica *Poir.* I. 189
β - - -
arabidiflora DC. I. 156
arcuata Nocca I. 186
arenaria Desf. I. 187
arenaria Lag. I. 188
bicuspidata *Poir.* I. 189
β cappadocica *DC.* - -
bituminosa Savi I. 189
cheiranthus carnosus Poir. I. 234
cheiranthus elongatus Poir. I. 235
cheiranthus gramineus Poir. I. 235
cheiranthus linearis Poir. I. 235
cinerea Poir. I. 136
crenulata *DC.* I. 189
elata *Horn.* I. 190
erosa Lag. I. 188
fasciculata Raf. I. 135
heterophylla *Ten.* I. 189
inodora Gou. I. 146
inodora L. I. 189
laciniata *All.* I. 188
laxa Lam. I. 187
linifolia Desf. I. 136
matronalis *Lam.* I. 189
α hortensis *DC.* - -
β sylvestris - - -
γ sibirica - - -
matronalis L. I. 189
nivea *Baumg.* I. 190
odoratissima Poir. I. 134

Hesperis
parviflora DC. fl. fr. I. 187
pendula *DC.* I. 190
pinnata Pers. I. 190
pinnatifida Desf. I. 188
pinnatifida *Mx.* I. 190
pulchella *DC.* I. 189
pygmaea *Delil.* I. 189
ramosissima *Desf.* I. 189
repanda *Lag.* I. 190
rigida Sibth. I. 187
runcinata *W. et Kit.* I. 188
β bituminosa *Savi* - 189
rupestris Raf. I. 135
salina Lam. I. 136
scapigera DC. I. 156
sibirica L. I. 189
Steveniana *DC.* I. 189
tatarica Pall. I. 134
tristis *L.* I. 188
verna L. I. 142
villosa *DC.* I. 188
Heterodendron *Desf.* II. 92
oleaefolium *Desf.* II. 92
Heteroloma lanatum Desv. II. 326
onobrychioides Desv. II. 319
Heteromorpha *Cham. et Schl.* IV. 134
arborescens *Cham. et Schl.* IV. 134
Heteronoma *DC.* III. 122
diversifolium *DC.* III. 122
Heteropteris DC. I. 591 (Heteropteris)
Heteropteris *H. B. et K.* I. 591
appendiculata *DC.* I. 592
argentea *H. B. et K.* I. 591
brachiata *H. B. et K.* I. 591
chrysophylla *H. B. et K.* I. 591
coerulea *H. B. et K.* I. 591
cornifolia *H. B. et K.* I. 592
floribunda *H. B. et K.* I. 592
longifolia *H. B. et K.* I. 592
nitida *H. B. et K.* I. 592
parvifolia *DC.* I. 591
platyptera *DC.* I. 592
purpurea *H. B. et K.* I. 591
Smeathmanni *DC.* I. 592
Heteroptycha DC. IV. 109 (Ptychotis)
Heterosciadium DC. IV. 83
Heterostemon *Desf.* II. 488
mimosoides *Desf.* II. 488
Heterotrichum *DC.*
angustifolium *D*
niveum *DC.* III.
novemnervium *D*
octonum *DC.* III
patens *DC.* III.
Heuchera *L.* IV. 5
acerifolia *Raf.* I
americana *L.* IV.
β glabriuscula *Sc*
γ foliosa *Moric.*
bracteata *DC.* IV
caulescens *Purs*
Cortusa Mx. I
dichotoma Mu
divaricata *Fisch.*
glabra *W.* IV. 5
glauca Raf. IV
hispida *Pursh* I
longipetala *Moç.*
micrantha *Doug*
pubescens *Purs*
pulverulenta P
reniformis Ra
Richardsonii *R.*
squamosa *Raf.*
villosa *Mx.* IV.
viscida Pursh
Hexactina W I
corymbosa W.
Hexasepalum *Bar*
angustifolium *B*
Heylandia *DC.* II.
hebecarpa *DC.* I
latebrosa *DC.* II
leiocarpa *DC.*
Heymassoli spin
Heynea *Roxb.* I. 6
trijuga *Roxb.* I.
Hibbertia *Andr.* I.
aspera *DC.* I. 74
cistifolia *R. Br.*
crenata Andr.
cuneiformis S
dentata *R. Br.* I
β -
diffusa *R. Br.* I
β oblongata *DC.*
fasciculata *R. B*
grossulariaefolia
hermanniaefolia
lepidota *R. Br.*
linearis *R. Br.* I
monogyna *R. Br*

tia
gata *R. Br.* I. 75
ifolia *DC.* I. 74
ocalata *R. Br.* I. 74
nbens *DC.* I. 74
a *R. Br.* I. 74
ifolia *R. Br.* I. 74
ata *R. Br.* I. 75
ta *R. Br.* I. 74
lia *Andr.* I. 74
a *L.* I. 446
nchus *L.* I. 452
ides *W.* I. 454
lius *DC.* I. 448
ifolius *fl. mex.* I. 455
atus *Walt.* I. 449
atus *Cav.* I. 447
icus *L.* I. 451
H.B. et K. I. 451
ens *Mill.* I. 453
ens *Roth* I. 453
a *DC.* I. 450
rius *Scop.* I. 444
: *DC.* I. 454
ensis *Mill.* I. 455
Targ. I. 450
a *H.B. et K.* I. 452
Meyer I. 449
us *Cav.* I. 449
cus *Link* I. 455
a *DC.* I. 446
as *fl. mex.* I. 455
sis *L.* I. 451
s *W.* I. 448
yllus *Cav.* I. 448
atus *L. fil.* I. 445
ius *L.* I. 450
esianus *H.B. et K.* I. 451
a *DC.* I. 455
us *W.* I. 454
inus *Cav.* I. 453
s *L.* I. 452
us *Walt.* I. 451
inus *fl. mex.* I. 452
ris *Cav.* I. 448
lius *L. fil.* I. 444.
inus *Burch.* I. 455
nis *DC.* I. 454
ius *fl. mex.* I. 455
Cav. I. 453
inus *DC.* I. 453
us *Ker.* I. 453
us *Poir.* I. 454
nis *DC.* I. 454
DC. I. 449

Hibiscus
diversifolius *Jacq.* I. 449
domingensis *Jacq.* I. 452
domingensis var. W. I. 452
elatus *Sw.* I. 454
eriocarpus *DC.* I. 452
esculentus *L.* I. 450
fasciculatus *fl. mex.* I. 454
ferrugineus *Cav.* I. 451
ficulneus Cav. I. 450
ficulneus *L.* I. 448
flabellatus *Poir.* I. 454.
flavescens *Cav.* I. 454
flavus Forsk. I. 451
fragilis *DC.* I. 446
fraternus *L. fil.* I. 455
furcatus *Roxb.* I. 449
furcellatus *Desr.* I. 449
gossypinus *Thunb.* I. 453
grandiflorus Juss. I. 456
grandiflorus *Mx.* I. 451
grandiflorus Salisb. I. 450
guineensis *DC.* I. 454
hastatus *Pav.* I. 447
hastatus L. fil. I. 453
hastatus Mx. I. 451
heterophyllus *Vent.* I. 450
heterotrichus *DC.* I. 450
hirtus L. I. 452
hispidus *Spr.* I. 447
incanus *W.* I. 451
laevis Scop. I. 451
Lambertianus *H.B. et K.* I. 449
Lampas *Cav.* I. 447
lasiocarpus *Cav.* I. 451
liliiflorus *Cav.* I. 446
longifolius *W.* I. 450
lunarifolius *W.* I. 451
macrophyllus *Roxb.* I. 455
maculatus *Desr.* I. 450
Malvaviscus L. I. 445
Manihot *L.* I. 448
β palmatus *Cav.* I. 448
membranaceus *Cav.* I. 447
micans *Cav.* I. 448
micranthus *Cav.* I. 453
micranthus L. fil. I. 453
microphyllus *Vahl* I. 451
militaris *Cav.* I. 451
Moscheutos *L.* I. 450
mutabilis *L.* I. 452
obtusifolius *W.* I. 450
ovalifolius *Vahl* I. 453
ovatus *Cav.* I. 447
oxyphyllus *fl. mex.* I. 455
palustris *L.* I. 450

Hibiscus
palustris Savi I. 450
panduraeformis *Burm.* I. 455
parviflorus *Weium.* I. 455
Patersonii *Ait.* I. 454
Patersonius Andr. I. 454
pedunculatus *Cav.* I. 446
pentacarpos *L.* I. 447
pentaspermus *Bert.* I. 447
pernambucensis *Bertol.* I. 454
phoeniceus L. fil. I. 452
phoeniceus *W.* I. 452
α β - - -
populneus L. I. 456
praemorsus L. fil. I. 444
pruriens *Roxb.* I. 448
Pseudo-Manihot *DC.* I. 448
purpureus *Forsk.* I. 455
radiatus *Cav.* I. 449
rhombifolius *Cav.* I. 452
rigidus L. fil. I. 453
riparius Pers. I. 451
Rosa sinensis *L.* I. 448
roseus *Thor.* I. 450
Sabdariffa *L.* I. 453
scaber *Mx.* I. 449
senegalensis *Cav.* I. 447
simplex L. I. 483
sinensis Mill. I. 452
sinuatus Cav. I. 448
solandra L'Herit. I. 474
sororius *L. fil* I. 452
speciosus *Ait.* I. 451
spicatus *Cav.* I. 454
spinifex L. I. 442
spiralis *Cav.* I. 447
striatus *Cav.* I. 452
sulphureus *H. B. et K.* I. 451
β acutifolius *DC.* - -
surrattensis *L.* I. 449
syriacus *L.* I. 448
tetraphyllus *Roxb.* I. 448
tiliaceus *L.* I. 454
timoriensis *DC.* I. 448
tomentosus *Mill* I. 455
tricuspis *Cav.* I. 453
trilobus *Cav.* I. 449
Trionum *L.* I. 453
β ternatus *Cav.* I. 453
γ hispidus *Mill.* - -
δ cordifolius *Moench* I. 453
tripartitus *Forsk.* I. 454
tubiflorus *fl. mex.* I. 447
tubulosus *Cav.* I. 447
uncinellus *fl. mex.* I. 449
Hibiscus
unilateralis *Cav.* I. 4
urens *L.* I. 447
velutinus *DC.* I. 452
vesicarius *Cav.* I. 45
virginicus *L.* I. 447
vitifolius *L.* I. 450
vitifolius Mill. I. 4
zeylanicus L. I. 44
Higginsia *Pers.* IV. 399

aggregata Pers. IV
angustifolia *Bartl.* I
glomerata Blume I
latifolia *Bartl.* IV.
longifolia Blume I
microcarpa Blum
obovata *Pers.* IV. 3
verticillata *Pers.* IV.
Hillia *Jacq.* IV. 350.
brasiliensis *Chav.*

longiflora *Sw.* IV. 3
parasitica Jacq. I
tetrandra *Sw.* IV. 35
tuxtlensis fl. mex.
Himatanthus *W.* IV. 6
rigida *Hoffmans.* IV
HIPPOCASTANE
Hippocastanum Tou
vulgare Moench I.
Hippocratea *L.* I. 567
acapulcensis *H. B. et*
acutiflora *fl. mex.* I.
Anthodon Pers. I.
arborea *Roxb.* I. 56
aspera Lam. I. 570
cassinoides *DC.* I. 56
celastroides *H. B. et*
comosa *Sw.* I. 568
discolor *Meyer* I. 56
disperma Vahl I. 5
elliptica *H. B. et K.*
emarginata *Rudg.* I.
evonymoides Vahl
excelsa *H. B. et K.*
indica *W.* I. 568
β disperma *Vahl* I. 5
γ evonymoides - - 5
laevigata *Rich.* I. 56
macrophylla *Vahl* I.
madagascariensis
malpighiaefolia *Rudg*

Lam. I. 570
Lam. I. 567
Rich. I. 570
Roxb. I. 569
I. 567
folia DC. I. 568
ta Bert. I. 568
Vahl I. 568
DC. I. 569.
Jacq. I. 567
usis Lam. I. 570
mex. I. 567
lfz. I. 568
H. B. et K. I. 568
ta α Pers. I. 570
β - I. 571
et Pav. I. 568
L. I. 568

RATEACEAE *H. B. et K.* I. 567

RATICEAE Juss. I. 567

L. II. 312
Lag. II. 313
Jacq. II. 312
Lour. II. 338
pr. II. 313
C. II. 313
W. II. 313
L. II. 312
MB. II. 313
en. II. 312
a MB. II. 313
nosa L. II. 312
s Lam. II. 312
C. II. 312
sa L. II. 313
uosa MB. II. 313
rathroides DC. IV. 144 (Seseli)
rathrum Link IV. 236
IV. 237 *Duby* IV. 145
v. DC. IV. 144 (Seseli)
Koch IV. 237
is Koch IV. 237
me fl. wett. IV. 144
Bocc. IV. 237
Link IV. 237
Roehl IV. 144
et Pav. IV. 391
R. et Pav. IV. 391

HIPPURIDEAE *Link* III. 71
Hippuris *L.* III. 71
alopecurus Brouss. III. 71
lanceolata Retz III. 72
maritima *Hellen.* III. 72
montana *Ledeb.* III. 71
polyphylla Raf. III. 71
tetraphylla L. fil. III. 72
vulgaris *L.* III. 71
β fluviatilis *Hoffm.* III. 71
Hiptage *DC.* I. 583
Madablota *Gaertn.* I. 583
obtusifolia *DC.* I. 583
HIPTAGEAE *DC.* I. 583
Hiraea Jacq. DC. I. 585 (Hiraea)
Hiraea *H. B. et K.* I. 585
acuminata *fl. mex.* I. 586
complicata *H. B. et K.* I. 585
cycloptera *fl. mex.* I. 586
divaricata *H. B. et K.* I. 585
glabra *Spr.* I. 585
hypericoides *Burch.* I. 585
indica *Roxb.* I. 585
macradena *DC.* I. 585
macroptera *fl. mex.* I. 586
mucronata *fl. mex.* I. 586
nitida *H. B. et K.* I. 586
nutans *Roxb.* I. 585
oblongifolia *DC.* I. 585
odorata *W.* I. 585
ovatifolia *H. B. et K.* I. 585
oxyota *fl. mex.* I. 586
podocarpa *fl. mex.* I. 586
prunifolia *H. B. et K.* I. 585
reclinata *Jacq.* I. 585
Hirculus Tausch Haw. DC. IV. 44 (Saxifraga)
flagellaris Haw. IV. 45
ranunculoides Haw. IV. 45
Hirschfeldia DC. I. 220 (Sinapis)
Hirtella *L.* II. 528
acayacensis *fl. mex.* II. 529
aggregata Poir. II. 528
americana Aubl. II. 529
americana Jacq. II. 528
apetala *Meyer* II. 529
castanea *fl. mex.* II. 528
Cosmibuena *Lam.* II. 528
dodecandra *fl. mex.* II. 529
glandulosa *Spr.* II. 528
hexandra *W.* II. 529
hebeclada *Moric.* II. 529
hirsuta *Lam.* II. 528

Hirtella
mollicoma *H. B. et K.* II. 528
nemorosa *W.* II. 529
nitida *W.* II. 529
oblongifolia *DC.* II. 529
octandra *W.* II. 529
olivaeformis Poir. II. 528
paniculata Lam. II. 528
paniculata Vahl II. 528
pendula *Sol.* II. 528
peruviana Pers. II. 528
polyandra *H. B. et K.* II. 529
portoriccensis W. II. 528
racemosa *Lam.* II. 529
racemosa R. et Pav. II. 528
rosea fl. mex. II. 529
rugosa *Pers.* II. 528
scandens *W.* II. 529
triandra *Sw.* II. 528
Hoarea Sweet I. 649 *DC.* I. 649 (Pelargonium)
atra Sweet I. 653
atrosanguinea Sweet I. 653
elegans Sweet I. 653
melanantha Sweet I. 653
nutans Sweet I. 652
ovalifolia Sweet I. 649
radicata Sweet I. 650
reticulata Sweet I. 649
selinifolia Sweet I. 653
varia Sweet I. 653
violaeflora Sweet I. 652
Hoelzelia Neck. II. 422
Hoffmannia *Sw.* IV. 400
amicorum Spr. IV. 405
jamaicensis Spr. IV. 400
pedunculata *Sw.* IV. 400
Hoffmanseggia *Cav.* II. 484
Falcaria *Cav.* II. 484
prostrata *Lag.* II. 485
trifoliata *Cav.* II. 485
Holargos DC. I. 170 (Draba)
Holigarna *Roxb.* II. 63
longifolia *Roxb.* II. 63
Holosteum *L.* I. 393
cordatum L. I. 395
diandrum *Sw.* I. 393
hirsutum *L.* I. 393
mucronatum *Moç. et Sessé* I. 393
succulentum *L.* I. 393
tetraphyllum Thunb. III. 376
umbellatum *L.* I. 393
β - - - -
umbellatum Sm. I. 393
HOMALINEAE *R. Br.* II. 53
Homalium *Jacq.* II
angustifolium *Sw*
incanum Pers.
racemosum *Jacq*
Racoubea *Sw.* II
senarium *fl mex*
spicatum Lam.
Honckenya *W.* I. 50
ficifolia *W.* I. 5(
peploides Ehrh
Horan Adans. II
Hornera Neck. I
Hornia DC. IV. 5
Horsfieldia *Blume*
aculeata *Blume*
Hortensia Juss.
opuloides Lam
speciosa Pers.
Hortia *Vand.* I. 7
brasiliana *Vand*
Hottonia indica
sessiliflora Va
Houmiri Aubl. I
Houstonia Andr
IV.
bryoides W. h
coccinea Andr
fruticosa W.
rotundifolia M
Hovea *R. Br.* II. 1
Celsi *Bonpl.* II.
chorizemaefolia
elliptica *DC.* II.
lanceolata *Sims*
latifolia *Lodd.* I
linearis *R. Br.*
longifolia *R. Br*
Hovenia *Thunb.* I
acerba *Lindl.* II
dulcis *Thunb.* I
inaequalis *DC.* I
Huanaca *Cav.* IV.
acaulis Cav. IV
Cavanillesii *DC.*
geraniifolia *DC.*
Huberia *DC.* III. 1
annulata *Vent.*
argentea *DC.* III
laurina *DC.* III.
ovalifolia *DC.* II
serniserrata *DC.*
Hudsonia *L.* I. 28
ericoides *L.* I. 2
montana *Nutt.*

Hydrangea
cordata *Pursh* IV. 14
frutescens Moench IV. 14
heteromalla *Don* IV. 15
hirta *Siebold* IV. 15
Hortensia *DC.* IV. 15, 666
hortensis Sm. IV. 15
japonica *Siebold* IV. 666
involucrata *Siebold* IV. 666
macrophylla *DC.* IV. 15
nivea *Mx.* IV. 14
α conformis *Ser.* IV. 14
β glabella - - -
oblongifolia *Blume* IV. 15
paniculata *Siebold* IV. 666
peruviana *Moric.* IV. 14
quercifolia *Bartram* IV. 14
radiata Sm. IV. 14
radiata Walt. IV. 14
scandens *DC.* IV. 15
scandens *Poepp.* IV. 666 *)
serrata *DC.* IV. 15, 666
Sitsisan *Siebold* IV. 666
Thunbergii Siebold IV. 666
vestita *Wall.* IV. 14
α integriloba *DC.* IV. 14
γ fimbriata *Wall.* - -
virens Siebold IV. 666
vulgaris Mx. IV. 14

HYDRANGEEAE *DC.* IV. 13

Hydrastis *L.* I. 23
canadensis *L.* I. 23

HYDROCARYES *Link* III. 63

Hydroceratophyllum Vaill. III. 73

Hydrocotyle *Tourn.* IV. 59 *Lam.* *Cav.* IV. 81 *Nutt.* IV. 59 *L.* IV. 59 *Mx.* IV. 70 *Pursh* *Spr.* IV. 71
abbreviata *Rich.* IV. 63
aconitifolia *Rich.* IV. 61
acutifolia *R. et Pav.* IV. 61
alata *Rich.* IV. 64
alchemilloides *Rich.* IV. 61
ambigua Pursh IV. 71
americana *L.* IV. 64
α flexicaulis *Mx.* IV. 64
β gracilis - - -
asiatica *L.* IV. 62, 667
asiatica var. Cham. et Schl. IV. 63

*) conf. Praefatio.

Hydrocotyle
Asterias *Cham. et Schl.* IV. 61
Barbarossa *Cham. et Schl.* IV. 60
batrachioides *DC.* IV. 667
bonariensis *Lam.* IV. 60
α multiflora *R. et Pav.* IV. 60
β tribotrys - - -
bonariensis Rich. IV. 60
Bonplandi *Rich.* IV. 62
β chilensis *Cham. et Schl.* IV. 62
brachystachya *DC.* IV. 68
bracteata *DC.* IV. 668
brevipes *DC.* IV. 63
bupleurifolia Rich. IV. 69
calliodus *Cham. et Schl.* IV. 64
capitata Banks et Sol. IV. 66
capitata *Pet. Th.* IV. 65
capitata W. herb. IV. 62
Centella *Cham. et Schl.* IV. 67
α glabrescens *DC.* IV. 69
β latifolia - - -
γ hirtifolia - - -
δ plantaginea - - -
Chamaemorus *Cham. et Schl.* IV. 67
chinensis Spr. IV. 71
citriodora *R. et Pav.* IV. 65
communis Cham. et Schl. IV. 59
compacta *Rich.* IV. 66
composita Pursh IV. 71
cordata Walt. IV. 63
crinita Pet. Th. IV. 65
cuspidata W. IV. 64
cymbalarifolia Mühl. IV. 66
densiflora *DC.* IV. 67
diantha *DC.* IV. 63
elegans *Rich.* IV. 66
erecta L. fil. IV. 63
eriantha *Rich.* IV. 64
ficarioides *Lam.* IV. 63
ficarioides Mx. IV. 63
flaccida R. Br. IV. 68
fluitans *DC.* IV. 69
Gaudichaudiana *DC.* IV. 67
geranioides *Rich.* IV. 61
glabra Thunb. IV. 69
glabrata L. fil. IV. 69
glechomoides Rich. IV. 70
ta *Blume* IV. 67
flora *R. et Pav.* IV. 65
la *R. et Pav.* IV. 60
ularioides *Rich.* IV. 68

Hydrocotyle
grumosa *fl. mex*
gummifera La
hebecarpa *DC.*
hederaefolia *Bu*
heteromeria *Ric*
hirsuta *Blume*
hirsuta Spr. I
hirsuta Sw. IV
hirta *R. Br.* IV
hispida Don I
Humboldtii *Ric.*
Humboldtii W
humifusa *Pohl*
javanica *Thunb*
inaequipes *DC.*
incrassata *R. et*
incrassatum
indecora *DC.* IV
interrupta *Mühl*
β tuberosa *DC.*
γ platyphylla -
intertexta *R. Br*
inundata Sm.
Langsdorfii *DC.*
laxiflora *DC.* IV
leptostachya *Ric*
leptostachys S
leucocephala *Ch*
ligulata Bosc
lineata Mx. IV
linifolia L. fil.
lunata Lam. I
macrocarpa R
macrodus *Spr.* I
macrophylla *Poi*
mexicana *Chan*
minuta *Pohl* IV
modesta *Cham.*
montana *Cham.*
moschata *Forst.*
moschata Spr.
multicaulis *Pohl*
multifida *Rich.*
muscosa *R. Br.*
natans *Cyr.* IV.
nepalensis *Hook*
α brevipes *DC.*
β longipes -
nitidula *Rich.* IV
novae Zeelandiae
nummularioides

tyle
DC. IV. 63
integra DC. IV. 63
laris R. Br. IV. 66
ularis Sieb. IV. 66
DC. IV. 60
Spr. IV. 70
nea Spr. IV. 69
Br. IV. 65
DC. IV. 667
DC. IV. 65
ya α Rich. IV. 60
β - - -
Br. IV. 66
Br. IV. 64
h. IV. 59
R. et Pav. IV. 61
diata Pet. Th. IV. 60
mex. IV. 70
ides Bert. herb. IV. 667
ides Heyne IV. 67
s L. fil. IV. 65
ides var. α Schult. IV. 65
β Schult. IV. 66
ides var. incisa Blume IV. 66
Bosc IV. 63
Spr. IV. 64
Walt. IV. 63
. IV. 62, 667
r. IV. 63
Roxb. IV. 64
lia Lam. IV. 81
Lam. IV. 66
fl. IV. 69
c. - -
- - -
- - -
Sm. IV. 70
W. IV. 81
IV. 68
ume IV. 66
IV. 61
me IV. 67
IV. 64
na Spr. IV. 62
Thunb. IV. 69
fil. IV. 68
t Pav. IV. 62
h. IV. 68
Br. IV. 65

Hydrocotyle
umbellata L. IV. 60
β umbellulata Mx. IV. 60
umbellata Pursh IV. 60
varians Pohl IV. 61
verticillata Thunb. IV. 59
villosa L. fil. IV. 68
virgata Lam. IV. 69
virgata L. fil. IV. 69
α glaberrima DC. IV. 69
β lanuginosa - - - -
γ macrocarpa - - -
δ nana - - -
vulgaris Bory IV. 60
vulgaris L. IV. 59
vulgaris Mx. IV. 59
vulgaris β Rich. IV. 59
zeylanica DC. IV. 67
β Heyneana Wall. IV. 67

HYDROCOTYLEAE DC. Spr. IV. 57, 58

HYDROCOTYLEAE MULINEAE DC. IV. 78

HYDROPELTIDEAE DC. I. 112

Hydropeltis Mx. I. 112
purpurea Mx. I. 112
Hydrophylax (Hydrophilax) L. fil. IV. 576 Juss. IV. 577
madagascariensis W. herb. IV. 576
maritima L. fil. IV. 576
pusillum Pohl IV. 550
Hydropityon Gaertn. I. 422
pedunculatum DC. I. 422
zeylanicum Gaertn. I. 422
Hydropyxis Raf. III. 364
palustris Raf. III. 364

HYGROBIEAE Rich. III. 65

Hylacium Beauv. IV. 619
owariense Beauv. IV. 619
Hylas Bigel. III. 69
Hymenaea L. II. 511
Candolliana H. B. et K. II. 511
Courbaril L. II. 511
floribunda H. B. et K. II. 511
venosa Vahl II. 511
verrucosa Gaertn. II. 511
Hymenanthera Banks herb. I. 314
angustifolia R. Br. I. 315
dentata R. Br. I. 315
Hymenella fl. mex. I. 389

Hymenella
moehringioides *A. mex.* I. 390
Hymenobrychis DC. II. 346 (Onobrychis)
Hymenocarpos Savi II. 171 *Ser.* II. 171 (Medicago)
circinnata Savi II. 171
Hymenodyction *Wall.* IV. 358
excelsum *Wall.* IV. 358
flaccidum *Wall.* IV. 358
obovatum *Wall.* IV. 358
thyrsiflorum *Wall.* IV. 358
Hymenogyne Haw. III. 415
glabra Haw. III. 451
Hymenolaena *DC.* IV. 244
angelicoides *DC.* IV. 245
Benthami *DC.* IV. 246
Brunonis *DC.* IV. 245
Candollei *DC.* IV. 245
dentata *DC.* IV. 245
β erosa - - -
Govaniana *DC.* IV. 246
obtusiuscula *DC.* IV. 246
pumila *DC.* IV. 245
rotundata *DC.* IV. 245
Hymenopogon *Wall.* IV. 351
parasiticus *Wall.* IV. 351
Hymenota DC. II. 110 (Pultenaea)
Hypecoum *Tourn.* I. 123
erectum *L.* I. 124
imberbe *Sibth. et Sm.* I. 123
littorale *Wulf.* I. 123
patens *W.* I. 123
pendulum *L.* I. 124
procumbens *L.* I. 123
Hypelate *P. Brown.* I. 614
cochinchinensis Sm. II. 480
trifoliata *Sw.* I. 614
Hyperanthera cochinchinensis W. II. 480
decandra W. II. 478
Moringa Vahl II. 478
peregrina Spr. II. 478
semidecandra Forsk. II. 478
HYPERICA Juss. I. 541
HYPERICINEAE *DC.* I. 541
HYPERICEAE *Chois.* I. 543
HYPERICINEAE ANOMALAE *Chois.* I. 556
HYPERICINEAE VERAE *Chois.* I. 541
Hypericoides
Hypericum *L.* I.
acerosum *H.*
aciculare *H. E*
acuminatum
aegyptiacum *L*
aethiopicum *T*
afrum *Lam.* I
alpinum W.
alternifolium
alternifolium
amoenum *Pur*
androsaemif
angulosum *M*
angustifolium
arborescens
articulatum *L*
ascyroides *W.*
Ascyron *L.* I.
aspalathoide
attenuatum *Ch*
axillare *Lam.*
bacciferum
balearicum *L.*
barbatum *L.* I
β calabricum
biflorum *Lam*
brasiliense *Ch*
Brathys *Lam.*
β juniperinum
brevistylum *C*
Burseri DC.
calabricum S
calycinum *L.* I
β acutifolium
canadense *L.* I
β minimum *D*
canariense *L.*
β triphyllum
γ salicifolium
capitatum *Cho*
caracasanum *H*
cayennense
chinense *L.* I.
chinense Ret
ciliatum *Lam.*
β acutifolium
cistifolium *La*
cochinchinense
confertum *Cho*
connatum *Lan*
cordifolium *Ch*
Coris *L.* I. 55
corymbosum
creticum *Tour*

[illegible]
[illegible] *L.* I. 549
[illegible] *Poir.* I. 549
[illegible] *Vill.* I. 548
[illegible] *Pursh* I. 547
[illegible] *Lois.* I. 552
[illegible] *H. B. et K.* I. 550
[illegible] *Lam.* I. 549
[illegible] *Vent.* I. 547
[illegible] *Ait.* I. 544
[illegible] *Reph.* I. 551
[illegible] *Chois.* I. 551
[illegible] I. 551
[illegible] *Lam.* I. 554
[illegible] *W.* I. 553
Thunb. I. 548
L. I. 553
[illegible] *Lam.* I. 554
[illegible] *DC.* - -
[illegible] *W.* I. 551
[illegible] *H. B. et K.* I. 548
[illegible] *Lam.* I. 552
[illegible]folium *Lam.* I. 552
- - -
[illegible] - - -
[illegible] *Ait.* I. 544
[illegible] *Pluck.* I. 555
[illegible] I. 544
Jacq. I. 547
H. B. et K. I. 547
Mx. I. 544
[illegible] *Comm.* I. 544
[illegible] *Raf.* I. 554
[illegible] *Lam.* I. 550
[illegible] *Ait.* I. 551
[illegible] I. 547
Forst. I. 548
[illegible] *Chois.* I. 544
[illegible] *Aubl.* I. 542
L. I. 543
[illegible] *Poir.* I. 547
[illegible] *Vent.* I. 549
[illegible] I. 544
[illegible] *L.* I. 544
[illegible] I. 551
L. I. 549
[illegible] *DC.* -
[illegible] *Vill.* I. 552
[illegible]dulosum *DC.* I. 552
Thunb. I. 548
[illegible] *DC.* I. 549
H. B. et K. I. 550
[illegible] *DC.* - -
W. I. 544
Chois. I. 549
[illegible] *H. B. et K.* I. 554

Hypericum
Kalmianum *Lam.* I. 545
Kohlianum Spr. I. 551
laevigatum Ait. I. 548
Lalandii *Chois.* I. 550
lanceolatum *Lam.* I. 545
lanuginosum *Lam.* I. 551
laricifolium *Juss.* I. 553
Lasianthus L. I. 528
latifolium Aubl. I. 543
lauriforme Lam. I. 543
laxifolium Mx. I. 554
Leschenaultii *Chois.* I. 545
linearifolium *Vahl* I. 552
Liottardi Vill. I. 549
lusitanicum *Poir.* I. 553
maculatum All. I. 548
maculatum Walt. I. 547
maritimum Sieb. I. 549
mexicanum *L.* I. 554
Michauxii Poir. I. 554
micranthum *Chois.* I. 546
monogynum L. I. 545
montanum *L.* I. 552
β triphyllum *DC.* I. 552
moranense H. B. et K. I. 550
multicaule Lam. I. 553
Mutisianum H. B. et K. I. 554
myrtifolium *Lam.* I. 547
nanum *Poir.* I. 549
napaulense *Chois.* I. 552
nigricans *Zucc.* I. 555
nitidum *Lam.* I. 554
nudiflorum *Mx.* I. 548
β ovatum *DC.* - -
γ ramosum - - -
nummularium *L.* I. 551
oblongifolium *Chois.* I. 545
olympicum *L.* I. 544
orientale *L.* I. 552
orientale Tourn. I. 555
origanifolium *W.* I. 551
paludosum *Chois.* I. 546
paniculatum H. B. et K. I. 550
parviflorum W. I. 550
patulum *Thunb.* I. 545
β attenuatum *DC.* - -
pauciflorum H. B. et K. I. 550
perforatum *L.* I. 549
β latiglandulosum *DC.* I. 550
γ elatum - - -
δ punctatum - - -
ζ microphyllum - - -
η albiflorum - - -

Hypericum
petiolatum L. I. 543
petiolatum Walt. I. 546
pilosum *Walt.* I. 549
procumbens *Mx.* I. 547
prolificum *L.* I. 547
pulchrum *L.* I. 551
punctatum *Lam.* I. 547
pusillum *Chois.* I. 549
pyramidatum *Ait.* I. 545
quadrangulum *L.* I. 548
β dubium - - -
γ maculatum - - -
δ confertum - - -
ε undulatum - - -
quinquenervium *Walt.* I. 550
reflexum *L. fil.* I. 551
repens *L.* I. 548
reticulatum Poir. I. 542
revolutum *Vahl* I. 554
Richeri Vill. I. 552
rosmarinifolium *Lam.* I. 547
rostratum *Ruf.* I. 545
scabrum *L.* I. 553, 554
serpyllifolium *Lam.* I. 552
sessilifolium Aubl. I. 542
silenoides *Juss.* I. 550
simplex *Mx.* I. 549
sphaerocarpon *Mx.* I. 548
stans var. β Chois. I. 555
stellarioides H. B. et K. I. 550
strictum H. B. et K. I. 553
struthiolaefolium *Juss.* I. 553
β minutum *DC.* - -
γ strictum - - -
supinum Moris. I. 551
tarquense *H. B. et K.* I. 550
tenuifolium Pursh I. 554
tetrapetalum Lam. I. 555
thesiifolium H. B. et K. I. 550
thuyoides *H. B. et K.* I. 553
thymifolium *H. B. et K.* I. 550
tomentosum *L.* I. 551
triplinerve *Vent.* I. 552
tubulosum *Walt.* I. 546
uliginosum *H. B. et K.* I. 547
β multiflorum - - -
undulatum Schousb. I. 548, 555
uralum Don I. 545
venosum *Lam.* I. 545
verticillatum *Thunb.* I. 554
virgatum *Lam.* I. 547
Hypericum
virginianum I
virginicum *L.* I.
Hypobathrum *Blu*
frutescens *Blun*
Hypocalyptus *Tha*
calyptratus T
capensis Thun
cordatus Thun
glaucus Thun
obcordatus *Thu*
pedunculatus
sericeus Thun
Hypoxanthus Ri
Hyssopifolia C.
DC. III

I .

Jaborandi Marcg
Jacea DC. fl. fr.
Jackia *Wall.* IV. 6
ornata *Wall.* IV
Jacksonia *R. Br.* I
furcellata *DC.* II
horrida *DC.* II.
reticulata *DC.* II
scoparia *R. Br.*
spinosa *R. Br.* I
Jacobia DC. III. 1
Jacquinia venosa
Jamacaru Marcg.

Jambolana Rumpf
Jambolifera L. I.
odorata Lour.
pedunculata H
pedunculata L
pedunculata V
pendula L. III.
resinosa Lour.
Jambos Adans. II
Jambosa *Rumph.* I
amplexicaulis *DC*
aquea *Rumph.* II
australis *DC.* III.
cauliflora *DC.* III
densiflora *DC.* II
domestica *Rumph.*
glabrata *DC.* III.
hypericifolia *DC.*
laurifolia *DC.* III.
lineata *DC.* III. 2
macrophylla *DC.*

ia
ccensis *DC.* III. 286
a Rumph. III. 287
issima DC. III 287
ensis DC. III. 287
ruscens DC. III. 286
ugensis DC. III. 286
tris alba Rumph. III. 286
DC. III. 286
DC. III. 286
brasiliana Pison III. 320
apensis Berg. IV. 87
Sims II. 101
um DC. I. 181 (Iberis)
DC. I. 177 (Hutchinsia)
DC. I. 179 (Iberis)
178
I. 180
lis DC. I. 180
Vill. I. 179
ris Wallr. I. 204
W. I. 181
W. I. 179
lia Ten. I. 179
lia Wulf. I. 177
dia Sibth. et Sm. I. 208
I. 179
V. I. 179
ag. I. 180
Pers. I. 179
DC. - -
Lam. I. 180
A Juss. I. 179
All. I. 180
L. I. 181
Guers. I. 180
DC. I. 179
DC. I. 181
I. 179
Desf. I. 179
I. 179
is L. I. 178
I. 180
Lam. I. 209
m. I. 180
DC. - -
ea I. 179
W. I. 180
tev. I. 177
Lapeyr. I. 181
dia L. I. 177
Lejeun. I. 180

Iberis
saxatilis *L.* I. 180
α thymbraefolia *DC* I. 180
β corifolia - - -
γ vermiculata - - 181
semperflorens *L.* I. 181
sempervirens Lag. I. 180
sempervirens *L.* I. 180
sempervirens β W. I. 180
spathulata *Berg.* I. 179
spathulata Lag. I. 180
stylosa Ten. I. 177
subvelutina *DC.* I. 180
taurica *DC.* I. 179
Tenoreana *DC.* I. 179
umbellata *L.* I. 179
violacea *R. Br.* I. 179

Icacina *A. Juss.* I. 534
senegalensis *A. Juss* I. 534 II. 528

Icaco Plum. II. 525
Ichthyomethia P. Brown. II. 267
Icica *Aubl.* II. 77
acuminata *DC.* II. 78
altissima *Aubl.* II. 77
Aracouchini Aubl. II. 77
carana *H. B. et K.* II. 78
cuspidata *H. B. et K.* II. 78
decandra *Aubl.* II. 77
dentata *DC.* II. 78
enneandra *Aubl.* II. 77
guianensis *Aubl.* II. 77
heptaphylla *Aubl.* II. 77
heterophylla *DC.* II. 77
Icicariba *DC.* II. 77
macrophylla *H. B. et K.* II. 77
pentandra Aubl. II. 77
serrata *DC.* II. 77
Tacamahaca *H. B. et K.* II. 77
timoriensis *DC.* II. 78

Jeffersonia *Bart.* I. 111
diphylla *Pers.* I. 111

Jenkinsonia Sweet DC. I. 658 (Pelargonium).
coriandrifolia Sweet I. 657
quinata Sweet I. 658
tetragona Sweet I. 658

Ilex *L.* II. 13
acuminata W. II. 15
acutangula Neuw. II. 7
aestivalis Lam. II. 17
angustifolia *W.* II. 14
β ligustrifolia *Pursh* II. 14

Ilex
Aquifolium *L.* II. 13
β echinatum *Mill.* II. 14
γ serratum *Desf.* - -
Aquifolium δ Lam. II. 14
asiatica *L.* II. 16
balearica *Desf.* II. 14
bumelioides *H. B. et K.* II. 16
canadensis Mx. II. 18
canariensis *Poir.* II. 14
caroliniana Mill. II. 14
Cassena Mx. II. 15
Cassine *Ait.* II. 14
Cassine W. II. 14
cassinoides Link II. 14
chinensis *Sims* II. 14
crenata *Thunb.* II. 16
cuneifolia *L.* II. 16
β bonariensis *DC.* II. 16
Dahoon *Walt.* II. 14
β laurifolia *Nutt.* II. 14
decidua Walt. II. 16
delicatula Bart. II. 18
dipyrena *Wall.* II. 15
Dodonaea L. II. 65
elliptica *Don* II. 15 *)
elliptica *H. B. et K.* II. 15
emarginata *Thunb.* II. 16
floridana Lam. II. 15
hippocrateoides *H. B. et K.* II. 16
integra *Thunb.* II. 16
latifolia *Thunb.* II. 16
laurina *H. B. et K.* II. 16
laxiflora *Lam.* II. 14
Lepta Spr. II. 18
ligustrina Jacq. II. 15
longifolia *Neuw.* II. 16
Maconcoua *Pers.* II. 15
madagascariensis *Lam.* II. 16
maderensis Lam. II. 14
maderensis W. II. 14
microphylla Spr. II. 12
myricoides *H. B. et K.* II. 16
myrsinites Pursh II. 13
myrtifolia *Lam.* II. 15
myrtifolia Walt. II. 14
obcordata *Sw.* II. 15
odorata *Hamilt.* II. 15
opaca *Ait.* II. 14
ovalifolia *Meyer* II. 15
Paltoria *Pers.* II. 15
Paltoria Kunth II. 15
paraguariensis *St. Hil.* II. 15

*) conf. Praefatio.

Ilex
Perado *Ait.* II. 14
β obtusa *DC.* - -
prinoides Ait. II. 1(
quercifolia Meerb.
recurva Link II. 1(
religiosa Bart. II.
rosmarinifolia La
rotunda *Thunb.* II. 1
rupicola *H. B. et K.*
salicifolia *Jacq.* II. 1
scopulorum *H. B. et*
serrata *Thunb.* II. 1(
Skimmia Spr. II. 1(
truncata Neuw. II
vomitoria *Ait.* II. 14
Ilicioides Dum. Cou
ILLECEBREAE *D*
ILLECEBREAE
Illecebrum *Gaertn.* III
alpinum Vill. III. 3
alsinefolium L. III
arabicum L. III. 3
aretioides Pourr.
aristatum Ait. III.
canariense L. III.
capitatum L. III. 3
cephalotes MB. III
cymosum L. III. 37
dichotomum Pers.
divaricatum Ait.
echinatum Desf.
gnaphalodes Scho
italicum Vill. III.
linearifolium Per
lugdunense Vill.
maritimum Vill.
mauritanicum W
narbonense Vill.
niveum Pers. III.
Paronychia L. III
polygonifolium V
serpyllifolium Vi
striatum Pers. II
subulatum Pers.
suffruticosum L.
tenuifolium W. I
verticillatum Bu
verticillatum *L.* III.
verticillatum β k
ILLICIEAE *DC.*
Illicium *L.* I. 77

L. I. 77
Ellis. I. 77
Mx. I. 77
ciliata Sm. III. 230
Sm. III. 230
Ait. I. 687
L. I. 685
Lamb. I. 686
W. I. 687
Thunb. I. 686
L. I. 686
Sims I. 685
Lour. I. 686
L. I. 686
DC. I. 687
a Lam. I. 686
β R. et Schult. I. 686
γ et δ R. et Schult. I. 86
Lech I. 687
tt. I. 687
DC. I. 688
L. I. 686
DC. I. 688
- - -
Lour. I. 686
sis Roth I. 686
W. I. 687
gere L. I. 687
ngere Pursh I. 687
ngere β Mx. I. 687
folia L. I. 686
Nutt. I. 687
DC. I. 687
DC. I. 687
DC. I. 688
inifolia Retz I. 686
DC. I. 687
W. I. 687
Roxb. I. 687
L. IV. 183, *Koch* IV. 181, *Spr.* IV. 183
lia Bell. IV. 183
Spr. IV. 183
i Bess. IV. 178
i Spr. IV. 176
ns Bess. IV. 167
Moris. IV. 183
Moris. IV. 183
a DC. fl. fr. IV. 167
a Lam. IV. 154
um L. IV. 183
nata DC. - - -

Imperatoria
palustris Bess. IV. 167
Seguieri Spr. IV. 158
sylvestris DC. fl. fr. IV. 168
triternata Viv. IV. 183
verticillaris DC. fl. fr. IV. 181
Indigofera *L.* II. 221
alopecuroides *DC.* II. 231
alternans *DC.* II. 229
amoena *Ait.* II. 224
anceps *Vahl* II. 228
angustifolia *L.* II. 230
β brachystachya *DC.* II. 231
angustifolia Perrot. II. 254
angustifolia Thunb. II. 231
Anil *L.* II. 225
α oligophylla *DC.* II. 225
β polyphylla - - -
γ orthocarpa - - -
aphylla Link II. 225
arborescens *Zucc.* II. 226
arcuata *W.* II. 232
argentea Burm. II. 230
argentea *L.* II. 224
articulata Gouan. II. 224
aspalathoides *Vahl* II. 231
aspera *Perrot.* II. 229
astragalina *DC.* II. 228
atropurpurea *Hamilt.* II. 225
australis Sieb. II. 226
australis *W.* II. 226
β gracilis *DC.* - -
biflora *Roth* II. 223
bracteolata *DC.* II. 223
bufalina *Lour.* II. 233
Burchellii *DC.* II. 231
candicans *Ait.* II. 232
candicans Sieb. II. 231
canescens *Lam.* II. 224
capillaris *Thunb.* II. 230
caroliniana *Walt.* II. 229
cassioides *Rottl.* II. 225
cinerascens *DC.* II. 226
cinerea *W.* II. 232
coccinea Lour. II. 232
coerulea Roxb. II. 224
compressa *Lam.* II. 226
cordifolia *Roth* II. 222
coriacea *Ait.* II. 231
Cornezuelo fl. mex. II. 225
cylindrica *DC.* II. 225
cytisoides *Thunb.* II. 230
dendroides *Jacq.* II. 227
denudata *Jacq.* II. 224
depressa *Thunb.* II. 222

Indigofera
diffusa *Desv.* II. 233
digitata *Thunb.* II. 231
diphylla *Vent.* II 223
β lanuginosa *DC.* II. 223
disperma *L.* II. 228
divaricata *Jacq.* II. 226
diversifolia *DC.* II. 223
domingensis *Spr.* II. 227
Dosua *Hamilt.* II. 225
echinata *W.* II. 222
endecaphylla *Jacq.* II. 228
enneaphylla *L.* II. 229
enneaphylla var. Lam. II. 230
erecta *Thunb.* II 232
ferruginea Thonn. II. 230
filifolia Ker. II. 226
filifolia *Thunb.* II. 222
filiformis *Thunb.* II. 231
foliosa Rottl. II. 131
fragrans *Retz* II. 229
frutescens *L. fil.* II. 226
galegoides *DC.* II. 225
glabra *L.* II. 229
glandulosa *W.* II. 223
glauca Lam. II. 224
glauca Perrot. II. 223
glutinosa *Perrot.* II. 227
glutinosa Vahl II. 227
graveolens Wendl. II. 227
Guatimala Lun. II. 225
hedysaroides *Lam.* II. 232
heterophylla Thunb. II. 224
heterotricha *DC.* II. 227
hirsuta Jacq. II. 227
hirsuta *L.* II. 228
humilis *H. B. et K.* II. 226
incana *Thunb.* II. 232
indica Lam. II. 224
indica Mill. II. 228
inquinans *W.* II. 227
juncea *herb. amat.* II. 225
α et β *DC.* II. 226
Lagascana *DC.* II. 229
lateritia *W.* II. 227
leptostachya *DC.* II. 225
Lechenaultii *DC.* II. 223
lespedezioides *H. B. et K.* II. 226
linearis *DC.* II. 228
linifolia *Retz* II. 222
lotoides *Lam.* II. 230
macrostachya *Vent.* II. 226
mauritanica Thunb. II. 231
mexicana L. fil. II. 219
microcarpa *Desv.* II. 229

Indigofera
miniata *Ort.* II.
moluccana *DC.* I
monophylla *DC.*
mucronata Lam
mucronata *Spr.* I
multicaulis *DC.* I
mysorensis *Rottl*
nigricans *Vahl* II
oblongifolia *Fors*
oligosperma *DC.*
ovata *Thunb.* II.
oxycarpa *Desv.* I
paniculata *Pers.*
parvula *Caill.* II.
paucifolia *Delil.*
pentaphylla *L.* II.
peregrina *DC.* II.
Perriniana *Spr.* II
Perrottetii *DC.* II
pilosa *Poir.* I. 2
polygonoides W
polyphylla *DC.* II
procumbens *L.* II.
prostrata Perro
prostrata Roxb.
prostrata *W.* II 2
psoraloides *L.* II.
pulchra *W.* II. 23
punctata Thunb
pusilla *Lam.* II. 2
racemosa L. II. 2
rigida *W.* II. 224
rotundifolia *Lour.*
rufescens Poir. I
sarmentosa *L. fil.* I
β microphylla *Lam.*
scabra *Roth* II. 22
scoparia Vahl II.
secundiflora *Poir.*
semitrijuga *Forsk.*
β *DC.*
senegalensis *Lam.*
sericea L. II. 122
sessiliflora *DC.* II.
sessilifolia *DC.* II.
simplicifolia *Lam.*
spicata *Forsk.* II. 2
spinosa *Forsk.* II.
stipularis *Link* II
stricta L. fil. II. 2
strigosa *Spr.* II. 23
subulata *Vahl* II. 2
sulcata *DC.* II. 231
sumatrana Gaer

Sieb. II. 226
hl II. 229
Lam. II. 230
s H. B. et K. II. 226
Vahl II. 222, 228
DC. II. 225
DC. II. 223
Forsk. II. 224
II. 224
pa DC. II. 224
Don II. 223
II. 223
II. 232
H. B. et K. II. 226
II. 224
DC. II. 224
m. II. 227
Wendl. II. 385
cap. II. 231
II. 432
Kunth II. 440
II. 433
433
W. II. 434
unth II. 442
ta fl. mex. II. 442
DC. II. 434
V. II. 439
W. II. 442
a H. B. et K. II. 434
ya DC. II. 440
C. II. 434
B. et K. II. 438
sv. II. 435
W. II. 438
H. B. et K. II. 438
V. II. 439
et. Bonpl. II. 441
W. II. 438
V. II. 439
II. 440
DC. II. 441
Desv. II. 436
et Bonpl. II. 438
H. et Bonpl. II. 435
W. II. 441
V. II. 440
II. 436
H. et Bonpl. II. 438
nth II. 439
DC. II. 438
W. II. 439

Inga
fastuosa *W.* II. 433
Feuillei *DC.* II. 433
filicina *W.* II. 442
filipes *Vent.* II. 440
foetida *W.* II. 437
forfex *Kunth* II. 437
fraxinea *W.* II. 435
fulgens *Kunth* II. 433
glandulosa *Steud.* II. 442
glomerata *DC.* II. 438
guadalupensis *Desv.* II. 436
heterophylla *W.* II. 436
Houstoni *DC.* II. 442
Humboldtiana *H. B. et K.* II. 435
hymenaeoides *Desv.* II. 436
hymenaefolia *H. et Bonpl.* II. 437
javana *DC.* II. 436
Jiringa *Jack* II. 439
inaequalis *H. et Bonpl.* II. 435
ingoides *W.* II. 433
insignis *Kunth* II. 434
juglandifolia *W.* II. 435
lanceolata *H. et Bonpl.* II. 437
latifolia *W.* II. 438
laurina *W.* II. 435
leptophylla *Lag.* II. 441
ligustrina *W.* II. 437
longifolia *H. et Bonpl.* II. 438
lucida *H. B. et K.* II. 432
macrophylla *H. et Bonpl.* II. 433
macrostachya *Steud.* II. 437
Magdalenae Spr. II. 472
marginata *H. B. et K.* II. 434
marginata W. II. 434
Marthae *Spr.* II. 441
mellifera *W.* II. 437
mertensioides *Nees et Mart.* II. 440
microphylla *H. et Bonpl.* II. 436
mollissima *H. et Bonpl.* II. 439
moniliformis *DC.* II. 440
nandinaefolia *DC.* II. 440
Niopo W. II. 471
nitida *W.* II. 432
nobilis *W.* II. 435
nodosa *W.* II. 436
obtusifolia W. II. 439
ornata *Kunth* II. 434
ornifolia *H. B. et K.* II. 434
paniculata *Spr.* II. 437
pectinata W. II. 471
pedicellaris *DC.* II. 441
pendula *W.* II. 442

Inga
pilosiuscula *Desv.* II. 432
pterocarpa *DC.* II. 441
pubescens *Bert.* II. 437
punctata *W.* II. 435
pungens *H. et Bonpl.* II. 436
purpurea *W.* II. 439
quassiaefolia *W.* II. 432
rhoifolia *W.* II. 434
rosea *Steud.* II. 437
β subinermis *DC.* II. 437
rubiginosa *DC.* II. 434
salutaris *H. B. et K.* II. 441
Saman *W.* II. 441
sapida *H. B. et K.* II. 432
sapindoides *W.* II. 433
Saponaria *W.* II. 440
Sassa *W.* II. 440
senegalensis *DC.* II. 442
sertulifera *DC.* II. 436
setifera *DC.* II. 432
spectabilis *W.* II. 435
splendens *W.* II. 435
spuria *H. et Bonpl.* II. 433
stipularis *DC.* II. 435
taxifolia *Kunth* II. 439
tergemina *W.* II. 437
Thibaudiana *DC.* II. 434
thyrsoidea *Desv.* II. 434
timoriana *DC.* II. 442
trapezifolia *DC.* II. 441
umbellata *W.* II. 439
umbellifera *Steud* II. 432
unguis-cati *W.* II. 436
Vahliana *DC.* II. 438
velutina *W.* II. 433
vera *W.* II. 433
xylocarpa *DC.* II. 439
Zygia *DC.* II. 440
Ingenhouzia *fl. mex.* I. 474
triloba *fl. mex.* I. 474
Intsia *Pet. Th.* II 509
amboinensis *DC.* II. 509
madagascariensis *DC.* II. 509
Involucraria *Ser.* III. 318
Wallichiana *Ser.* III. 318
Johnia *Roxb.* I. 571
coromandeliana *Roxb.* I. 571
salacioides *Roxb.* I. 571
Johrenia *DC.* IV. 196
dichotoma *DC.* IV. 196
Joliffia Bojer III. 316
africana *Delil.* III. 316
Joncquetia Schreb. II. 90
paniculata W. II. 91
Jondraba DC. I. 181
Jonesia *Roxb.* II. 487
Asoca *Roxb.* II. 487
pinnata W. II. 487
scandens *Roxb.* II. 4
Jonidium *Ging.* I. 30
angustifolium *H. B. e*
anomalum *H. B. et K*
attenuatum W. he
Aubletii R. et Schu
brevicaule *Mart.* I. 3
buxifolium *Vent.* I. 3
Calceolaria Mart.
calceolarium *Ging.* I
capense *R. et Schult*
β owariense *DC.*
γ Burmanni -
circaeoides *H. B. et*
claytonioides *R. et Sc*
diandrum R. et Sch
enneaspermum *Vent.*
α malabaricum *DC.* I.
β zeylanicum - -
erectum *Ging.* I. 31
frutescens *Ging.* I. 3
glutinosum *Vent.* I.
gracile *Moç. et Sessé*
heterophyllum *Vent.*
Jacquinianum R.e
Ituhu H. B. et K. I.
leptorhizum *DC.* I. 3
linarifolium *Vahl* I.
lineatum *Ging.* I. 31
β - - -
linifolium *DC.* I. 309
longifolium *Moç. et S*
longifolium R. et Sc
microphyllum *H. B.*
monopetalum R. et
orchidiflorum R. et
parietariaefolium *DC.*
α Houstoni -
β Berterii -
parviflorum *Vent.* I.
β *DC.* -
polygalaefolium *Vent*
riparium *H. B. et K.*
strictum *Vent.* I. 309
β *DC.* - -

...m *Ging.* I. 311
... *DC.* I. 309
...m *H. B. et K.* I. 310
... *H. B. et K.* I. 309
... *DC.* I. 174 (Cochlearia)
... *DC.* I. 165 (Clypeola)
...*m.* III. 237
...*DC.* III. 238
... *DC.* III. 238
... *DC.* III. 238
...*DC.* III. 237
...*C.* III. 237
...*s DC.* III. 237
... *DC.* III. 237
...*DC.* III. 238
... *DC.* III. 413 (Sempervivum)
...*ha officinalis Arrud.* IV. 535
...I. 191 (Sisymbrium)
... *Brown.* I. 629
... *Aubl.* II. 48
...*sis Aubl.* II. 49
...EAE *DC.* I. 209
...*auh.* I. 210
... *Scop.* I. 211
...I. 212
...*ll.* I. 210
...*Fill.* I. 211
...*L.* I. 210
... *Link* I. 211
...is *Stev.* I. 211
... *DC.* I. 211
... - - -
...*cica Desv.* I. 210
...*ca Mill.* I. 211
... *Pers.* I. 212
...*DC.* I. 210
...*W. herb.* I. 210
... *DC.* I. 211
...*Stev.* I. 211
... *Stev.* I. 210
... - - -
... *DC.* I. 210
... *DC.* I. 211
...*is α Stev.* I. 211
... *β* - - -
... *Brot.* I. 210
...*ica L.* I. 212
... *DC.* I. 211
... *DC.* I. 211
... *W.* I. 211

Isatis
praecox *Kit.* I. 210
sativa Fuchs I. 211
taurica *DC.* I. 211
tinctoria *L.* I. 211
β sativa *DC.* I. 211
γ hirsuta - - -
δ microcarpa *DC.* I. 211
Isertia *Schreb.* IV. 437
coccinea Bartl. IV. 437
coccinea *Vahl* IV. 437
Haenkeana *DC.* IV. 437
parviflora *Vahl* I. 438
spicaeformis *DC.* IV. 437
ISERTIEAE *Rich.* IV. 342, 435
Isika Adans. IV. 333, 336 (*Isica Moench* IV. 336)
alpigena Borkh. IV. 336
lucida Moench IV. 336
Isidorea *Rich.* IV. 405
amoena *Rich.* IV. 406
Isnardia *DC.* III. 59 *L.* III. 59, 61
alata *DC.* III. 61
alternifolia *DC.* III. 60
β salicifolia - - -
γ uniflora - - -
aurantiaca *DC.* III. 61
capitata *DC.* III. 60
cylindrica *DC.* III. 61
hastata R. et Pav. III. 78
hirsuta *R. et Schult.* III. 60
β permollis *DC.* - -
lanceolata *DC.* III. 61
linearis *DC.* III. 60
microcarpa *Poir.* III. 61
mollis *Poir.* III. 60
palustris *L.* III. 61
β americana *DC.* III. 61
pedunculosa *DC.* III. 60
ramosa *DC.* III. 61
repens *DC.* III. 60
sphaerocarpa *DC.* III. 61
subhastata Dietr. III. 78
trifolia Poir. III. 59
virgata *DC.* III. 60
Isopetalum Sweet DC. I. 655 (Pelargonium)
Cotyledonis Sweet I. 656
Isophyllum Hoffm. IV. 127
Gerardi Hoffm. IV. 128
Isopyrum *L.* I. 48
adoxoides *DC.* I. 48
capnoides Fisch. I. 48

Isopyrum
fumarioides *L.* I. 48
grandiflorum *Fisch.* I. 48
thalictroides *L.* I. 48
Itea *L.* IV. 6
fragrans *Wall.* IV. 6
macrophylla *Wall.* IV. 6
Rosmarinus *R. et Schult.* IV. 7
spinosa Andr. I. 347
umbellata *Roxb.* IV. 6
virginica *L.* IV. 6
Juncaria Clus. III. 375
Junghausia Gmel. II. 12
Jungia imbricata Gaertn. III. 230
tenella Gaertn. III. 230
Jussiaea *(Jussieua Pers.) L.* III. 52
acuminata *Sw.* III. 54
adscendens L. III. 54
affinis *DC.* III. 53
altissima *Perrot.* III. 55
anastomosans *DC.* III. 56
angustifolia Blume III. 55
angustifolia *Lam.* III. 55
Blumeana *DC.* III. 55
brachycarpa Lam. III. 61
Burmanni *DC.* III. 57
caryophyllaea α Lam. III. 59
caryophyllaea β Lam. III. 59
decurrens *DC.* III. 56
diffusa *Forsk.* III. 53
dodecandra *DC.* III. 53
edulis Forsk. I. 504
erecta ahb. ins. III. 56
erecta *L. spec.* III. 55
α Sebana *DC.* III. 55
β Plumeriana *DC.* III. 55
erecta L. amoen. III. 54
erecta Sw. III. 55
exaltata Roxb. III. 57
fluviatilis *Blume* III. 54
frutescens *Jacq.* III. 56
fruticosa *DC.* III. 57
grandiflora *Mx.* III. 53
hirsuta *Mill.* III. 58
hirta Lam. III. 57
hirta *Vahl* III. 57
inclinata *L. fil.* III. 54
leptocarpa *Nutt.* III. 53
ligustrifolia *H. B. et K.* III. 56
linearis *W.* III. 55
linifolia *Vahl* III. 55
longifolia *DC.* III. 56
macrocarpa *H. B. et K.* III. 57
Jussiaea
Marcgravii *DC.* III.
maypurensis *H. B.*
mollis *H. B. et K.*
montevidensis *Spr.*
natans *H. et Bonpl*
nervosa *Poir.* III. 5
octofila *DC.* III. 57
octonervia *Lam.* III
octovalvis Sw. III.
Onagra Mill. III.
ovalifolia *Sims* III.
palustris *Meyer* III
patibilcensis *H. B.*
peploides *H. B. et*
peruviana *L.* III. 53
pilosa *H. B. et K.*
polygonoides *H. B.*
pubescens *L.* III. 58
ramosa Jacq. III.
ramulosa *DC.* III. 5
repens *L.* III. 54
repens Sw. III. 54
sagittata Poir. III
salicifolia *H. B. et*
scabra *W.* III. 57
sedoides *H. et. Bon*
sessiliflora fl. mex.
subacaulis Pursh
suffruticosa *L.* III. 5
Swartziana *DC.* III.
tenella *Burm.* III. 5
tenuifolia *Nutt.* III.
tetragona *Spr.* III. 5
variabilis *Meyer* III.
villosa *Lam.* III. 57
JUSSIEAE *DC.* III.
Jussieuaea racemosa
Ixira pruriens Aubl.
crinita Cav. I. 483
Ixora *L.* IV. 485 *Lam.*
IV. 496 *Lam. Ro*
Poir. IV. 494 S
acuminata *Roxb.* IV.
alba Burm. fl. ind.
alba Burm. IV. 491
alba *L.* IV. 489
alba Lour. IV. 489
alba Roxb. IV. 487
alternifolia Jacq.
amboinica *DC.* IV. 4
americana fl. mex.
americana Jacq. IV
americana L. IV. 4

ifolia Lam. IV. 493
a Lodd. IV. 486
Roxb. IV. 488
a Roxb. IV. 486
Roxb. IV. 487
Ker. IV. 487
a Roxb. IV. 488
ula DC. IV. 488
ia Spr. IV. 409
Poir. IV. 491
sis Lam. IV. 486
ea Curt. IV. 486
ea L. IV. 486
a Roxb. IV. 486
lia fl. mex. IV. 366
Lindl. IV. 486
a Roxb. IV. 487
a DC. IV. 488
data Sw. IV. 485
a Salisb. IV 486
Roxb. IV. 486
a Ker. IV. 486
sis Spr. IV. 499
DC. IV. 487
DC. IV. 486
ta Roxb. IV. 486
a Colebr. IV. 488
ta Lam. IV. 486
Sw. IV. 489
a Sm. IV. 486
lla Bartl. IV. 487
ia R. et Schult. IV. 463
Lour. IV. 489
a Sw. IV. 489, 622
:kum IV. 485
ia Lour. IV. 489
Roth IV. 486
tis Forsk. IV. 491
Spr. IV. 500
is Poir. IV. 491
ta Lam. IV. 490
a Lam. IV. 463
a Roxb. IV. 488
Vahl IV. 488
a ovata Poir. IV. 463
DC. IV. 487
Andr. IV. 488
Roxb. IV. 490
ack IV. 487
a West IV. 456
DC. IV. 489
ll. IV. 487
DC. IV. 487
a Spr. IV. 497
W. IV. 486

Ixora
spinosa Lam. IV. 484
stricta *Roxb.* IV. 486
tenuiflora *Roxb.* IV. 486
ternifolia Cav. IV. 365
thyrsiflora *Poir.* IV. 489
tomentosa Roxb. IV. 490
undulata *Roxb.* IV. 488
villosa Poir. IV. 491
villosa *Roxb.* IV. 488
violacea *Lour.* IV. 489
Nr. 66. *Sieb. fl. maurit.* IV. 490, 622
Nr. 201. *Sieb. fl. Trinit.* IV. 486

K

Kada-Kandel Rheed. III. 23
Kadsura *Juss.* I. 83
japonica *L.* I. 83
Kadua *Cham. et Schl.* IV. 430
acuminata *Cham. et Schl.* IV. 431
affinis *Cham. et Schl.* IV. 431
Cookiana *Cham. et Schl.* IV. 431
cordata *Cham. et Schl.* IV. 431
Menziesiana *Cham. et Schl.* IV. 431
romanzoffiensis *Cham. et Schl.* IV. 431
Kagenekia *R. et Pav.* II. 547
glutinosa *H. B. et K.* II. 547
lanceolata *R. et Pav.* II. 547
oblonga *R. et Pav.* II. 547
Kalanchoe *(Calanchoe) Adans.* III. 394
acutiflora *Haw.* III. 395
aegyptiaca *DC.* III. 395
alternans *Pers.* III. 395
ceratophylla *Haw.* III. 395
crenata *Haw.* III. 395
laciniata *DC.* III. 395
lanceolata *Pers.* III. 395
pinnata Pers. III. 396
rotundifolia *Haw.* III. 395
spathulata *DC.* III. 395
Kalenchoe Haw. III. 394
Kalosanthes Haw. III. 393
bicolor Haw. III. 394
biconvexa Haw. III. 394
coccinea Haw. III. 394
jasminea Haw. III. 394
media Haw. III. 394
odoratissima Haw. III. 394
versicolor Haw. III. 394
Kampmannia Ruf. I. 726

Kandelia DC. III. 32 (Rhizophora)
Kanden-kara Rheed. IV. 474
Kanilia DC. III. 32 (Rhizophora)
Kanil kandel Rheed. III. 32
Karinnjotti Rheed. I. 592
Karpaton *Raf.* IV. 340
hastatum *Raf.* IV. 340
Katon-Jaka Rheed. IV. 344
Kennedya *Vent.* II. 383
coccinea *Vent.* II. 383
Comptoniana *Link* II. 383
monophylla *Vent.* II. 384
ovata *Sims* II. 384
prostrata *R. Br.* II. 383
β major *DC.* - -
rubicunda *Vent.* II. 383
Kerandrenia *Gay* I. 489
hermanniaefolia *Gay* I. 490
Kernera DC. I. 172 (Cochlearia)
Kerria *DC.* II. 541
japonica *DC.* II. 541
Ketmia DC. I. 448 (Hibiscus)
Kibera DC. I. 194 (Sisymbrium)
Kibessia *DC.* III. 196
azurea *DC.* III. 196
Kiggelaria *L.* I. 257
africana *L.* I. 257
integrifolia *Jacq.* I. 257
KIGGELARIEAE *DC.* I. 257
Kingstonia Gray IV. 44
Kinkina Adans. IV. 351
Kitaibelia *W.* I. 436
vitifolia *W.* I. 436
Klaprothia *H. B. et K.* III. 343
mentzelioides *H. B. et K.* III. 344
Kleinhovia *L.* I. 488
hospita *L.* I. 488
Knautia *Coult.* IV. 650 *L. Spr.* IV. 650 *L.* IV. 650 *L. Lag.* IV. 652
arvensis *Coult.* IV. 651
α vulgaris *DC.* - -
β collina *Duby* - -
γ canescens *Coult.* - -
δ integrifolia - - -
arvensis var. Coult. IV. 651
arvensis γ Coult. IV. 651
ciliata *Coult.* V. 651
diversifolia *DC.* IV. 652
hybrida *Coult.* IV. 650
legionensis *DC.* IV. 652
montana *DC.* IV. 651
orientalis D'Urv. IV. 650
orientalis *L.* IV. 650
Knautia
palaestina L. IV
plumosa L. IV. 6
propontica *L.* IV.
spathulata Lag.
sylvatica *Duby* IV
β longifolia - -
trichotoma Moen
Urvillaei *Coult.* IV
Knorrea mexican
Knowltonia *Salisb.*
daucifolia *DC.* I. 2
gracilis *DC.* I. 23
hirsuta *DC.* I. 23
rigida *Salisb.* I. 2
vesicatoria *Sims* I
Knoxia *L.* IV. 569
P. Br
brasiliensis Spr.
corymbosa W. I
dichotoma W. h.
exserta *DC.* IV. 5
glabra *DC.* IV. 56
Heyneana *DC.* IV.
laevis *DC.* IV. 57
lineata *DC.* IV. 57
plantaginea *Wall.*
senegalensis Rei
simplex W. IV.
stricta Gaertn.
sumatrensis *DC.* I
teres *DC.* IV 56
umbellata Bank
zeylanica *L.* V. 5
Kobus Banks I. 8
Koelera laurifoli
Koelreuteria *Laxm.*
paniculata Dub
paniculata *Laxm.*
paullinioides L
triphylla Pers.
Kohautia *Cham. et*
cynanchica *DC.* I
gracilis *DC.* IV.
grandiflora *DC.* I
longiflora *DC.* IV
senegalensis *Cha*
setifera *DC.* IV.
stricta *DC.* IV. 4
Kolbia *Beauv.* III.
elegans *Beauv.* I
Krapfia ranunca

ia Lœfl. I. 341
ides Cav. I. 342
Spr. I. 342
L. I. 341
R. et Pav. I. 342
ra fl. mex. I. 341
petala R. et Pav. I. 342
flora fl. mex. I. 341
R. et Pav. I. 341
Raf. II. 389
Moench Ser. II. 209 (Lotus)
otus Moench II. 209
ffm. IV. 199
Hoffm. IV. 199
Neck. II. 511
Lam. DC. II. 244 (Petalostemum)
ia Lam. II. 244
Scop. IV. 143
IV. 143
isch. IV. 373
ch. IV. 373
I. 500
xb. I. 500
xb. I. 501
Gmel. IV. 375
Gmel. IV. 375

L

dich. II. 507
audich. II. 507
. II. 401
C. II. 402
Savi II. 402
DC. II. 402
lavi II. 402
ch II. 401
C. II. 402
i II. 401
C. - -
- - -
- - -
ved. mat. med. II. 404
DC. II. 153 (Cytisus)
C. II. 153 (Cytisus)
I. 523
Spr. II. 523
ish. I. 528 (Gordonia)
ish. I. 528
B. et K. I. 571

Lacepedea
insignis *H. B. et K.* I. 572
Ladanopsis DC. III. 136 (Arthrostemma)
Laelia DC. I. 230 (Bunius)
Laetia *L.* I. 260
apetala *Jacq.* I. 260
completa *Jacq.* I. 260
guazumaefolia *H. B. et K.* I. 260
Guidonia *Sw.* I. 260
hirtella *H. B. et K.* I. 260
Thamnia *Sw.* I. 260
Lafoensia *Vand.* III. 93, 94
acuminata *DC.* III. 94
mexicana fl. mex. III. 94
punicaefolia *DC.* III. 94
speciosa *DC.* III. 94
Vandelliana *DC.* III. 94
Lagenaria *Ser.* III. 299
hispida *Ser.* III. 299
idolatrica *Ser.* III. 299
vittata *Ser.* III. 299
vulgaris *Ser.* III. 299
α Gourda - - -
β Cougourda *Ser.* III. 299
γ depressa - - -
δ turbinata - - -
ε clavata - - -
Lagerstroemia *W.* III. 93 *L.* III. 93
floribunda *Jack* III. 93
grandiflora *Roxb.* III 93
hirsuta *W.* III. 93
indica *L.* III. 93
major Retz III. 93
Munchhausia W. III. 93
parviflora *Roxb.* III. 93
Reginae *Roxb.* III. 93
speciosa *Pers.* III. 93
LAGERSTROEMIEAE *DC.* III. 92
Lagoecia *L.* IV. 233
cuminoides *L.* IV. 233
cuminoides Willem. IV. 115
Lagopus Ser. II. 189 (Trifolium)
Lagunaea Patersonia Sims I. 454
squamea Vent. I. 454
Lagunaria DC. I. 454 (Hibiscus)
Laguncularia *Gaertn.* III. 17
racemosa *Gaertn.* III. 17
Lagunea *Cav.* I. 474
aculeata *Cav.* I. 474
angulata Hortul. I. 474

Lagunea
lobata Cav. I. 474
lobata *W.* I. 474
sinuata *Horn.* I. 474
ternata *Cav.* I. 474
Lahaya R. et Schult. III. 373
alsinefolia Schult. III. 376
aristata Schult. III. 374
corymbosa Schult. III. 374
diffusa Schult. III. 373
gnaphalodes Schult. III. 373
latifolia Schult. III. 373
minuartioides Schult. III. 374
polycarpoides Schult. III. 376
spadicea Schult. III. 374
stellata Schult. III. 374
tenuifolia Schult. III. 374
Lamarckia Hortul. II. 10
Lampra Lindl. IV. 72
Lanceolaria DC. I. 235 (Heliophila)
Lancretia *Delil.* I. 555
suffruticosa *Delil.* I. 555
Landia Comm. DC. IV. 372 (Mussaenda)
astrographa Comm. IV. 372
stelligera Comm. IV. 372
Langsdorfia Leand. I. 725
Laplacea *H. B. et K.* I. 527
speciosa *H. B. et K.* I. 527
LAPLACEAE *DC.* I. 526
Lappula DC. I. 506 (Triumfetta)
Larbrea *St. Hil.* I. 395 *(conf.* III. 365)
aquatica Ser. III. 366
aquatica *St. Hil.* I. 395, III. 366
Lardizabala *R. et Pav.* I. 95
biternata *R. et Pav.* I. 95
trifoliata *DC.* I. 95
triternata *R. et Pav.* I. 95
LARDIZABALEAE *DC.* I. 95
Larochea Pers. Haw. III. 393
coccinea Haw. III. 394
cymosa Haw. III. 394
falcata Haw. III. 393
fascicularis Schult. III. 394
flava Haw. III. 394
odoratissima Haw. III. 394
perfoliata Haw. III. 393
Larrea *Cav.* I. 705
cuneifolia *Cav.* I. 705
divaricata *Cav.* I. 705
glauca Ort II. 485
nitida *Cav.* I. 705
Laserpitium *Tourn.* IV
IV. 215 *L. Ha*
163 *L.* IV. 170
Aciphylla L. fil. IV
alpinum W. et Ki
angustifolium L.
angustissimum W
aquilegifolium *Murr*
Archangelica Hor
Archangelica *Jacq.*
asperum *Crantz* IV
Athamanthae *Spr.* I
atlanticum Poir.
aureum *W.* IV. 207
capense *Thunb.* IV.
caucasicum MB.
Cervaria Gmel. IV
Chironium L. IV.
Chironium Scop.
coniifolium Wall.
crithmifolium Lin
cuneatum Moench
daucoides Desf. I
daucoides Dufour
dauricum Jacq. I
dauricum W. her
elegans Clark. IV.
ferulaceum *Lapeyr.*
ferulaceum L. IV.
Fontanesii Pers.
formosum W. IV.
gallicum *C. Bauh.*
gallicum Scop. IV
gallicum luciniat
Gaudinii *Moretti* I
glabrum *Crantz* IV
β crispum Turra
gummiferum *Desf.*
Halleri All. IV. 2
hirsutum *Lam.* IV.
hispidum *MB.* IV.
latifolium Jacq.
latifolium Lam.
Libanotis Lam. I
Libanotis Spr. IV
lucidum Ait. IV.
luteolum Gaud. I
marginatum *W. et*
meifolium Vent.
meoides Desf. IV.
montanum Lam.
nebrodense Jan.
nitidum *Zanted.* IV

Gouan IV. 205
noides Desf. IV. 153
oides L. IV. 205
Com. IV. 206
W. IV. 206
um Lam. IV. 205
rum Lapeyr. IV. 206
m L. IV. 206
um DC. -
s Lag. IV. 204
m Presl IV. 174
Cav. IV. 206
s Crantz IV. 206
s Scop. IV. 165
Spr. IV. 205
m Jacq. IV. 152
IV. 205
Lapeyr. IV. 163
L. IV. 163
Wall. IV. 158
forme Brot IV. 205
es Desf. IV. 240
m Sieb. IV. 205
um Lam. IV. 205
Crantz IV. 204
L. IV. 200
Sut. IV. 205
s Vent. IV. 240
um W. et Kit. IV. 154
C. III. 127
n DC. III. 130
C. III. 128
C. III. 131
DC. III. 129
DC. III. 130
a DC. III. 130
C. III. 127
iana DC. III. 128
C. III. 129
DC. III. 128
DC. III. 128
na DC. III. 130
DC. III. 129
DC. III. 127
DC. III. 128
a DC. III. 128
DC. III. 128
is DC. III. 130
DC. III. 129
a Schrank et Mart. III. 129
DC. III. 130
na DC. III. 129

Lasiandra
tibouchinoides *DC.* III. 128
trifolia *DC.* III. 127
Urvilleana *DC.* III. 130
Lasianthera *Beauv.* I. 636
africana *Beauv.* I. 636
Lasianthus Jack Blume IV. 452
DC. I. 528 (Gordonia)
attenuatus Jack IV. 452
capitatus Blume IV. 453
cyanocarpus Jack IV. 452
hexandrus Blume IV. 453
inaequalis Blume IV. 453
inodorus Blume IV. 453
laevigatus Blume IV. 453
latifolius Blume IV. 453
lucidus Blume IV. 453
obscurus Blume IV. 453
purpureus Blume IV. 454
reticulatus Blume IV. 454
Rhinozerotis Blume IV. 453
stercorarius Blume IV. 454
stipularis Blume IV. 453
sylvestris Blume IV. 454
tomentosus Blume IV. 453
tubiflorus Blume IV. 462
venosus Blume IV. 453

LASIOPETALEAE *Gay* I. 488

Lasiopetalum *Sm.* I. 489
arborescens Ait. I. 488
ferrugineum *Sm.* I. 489
ledifolium Vent. I. 489, 722
parviflorum *Rudg.* I. 489
purpurascens herb. amat. I. 489
purpureum bot. mag. I. 489
quercifolium Andr. I. 489
solanaceum Sims I. 489
tomentosum Cels. I. 486
triphyllum Labill. I. 489
triphyllum Sm. I. 489
Lasiostemum sylvestre Nees et Mart. I. 731

Lasiostoma Spr. IV. 450
formicarum Spr. IV. 451
tuberosum Spr. IV. 450
Lathyrus *L.* II. 369 *Tourn.* II. 369
alatus Sibth. et Sm. II. 375
alatus *Ten.* II. 375
americanus *Mill.* II. 376
amphicarpos *L.* II. 373
angulatus *L.* II. 372
angulatus Roth II. 373

Lathyrus
angulatus Stev. II. 372
annuus *L.* II. 373
Aphaca *L.* II. 372
articulatus *L.* II. 375
β auriculatus *Ser.* II. 375
attenuatus Viv. II. 370
auriculatus Bertol. II. 375
axillaris Lam. II. 372
bithynicus *Lam.* II. 374
β sessiliflorus *Ser.* - -
Cicera *L.* II. 373
cirrhosus *Ser.* II. 374
clymenoides *DC.* II. 374
Clymenum *L.* II. 375
coccineus All. II. 372
cornutus *Horn.* II. 376
decaphyllus Pursh II. 371
ensifolius Badar. II. 369
erectus *Lag.* II. 376
fruticosus Cav. II. 264
grandiflorus Sibth. et Sm. II. 374
grandiflorus *Sims* II. 374
Hallersteinii *Baumg.* II. 376
helodes *Link* II. 376
heterophyllus *L.* II. 371
hirsutus *L.* II. 373
hirtus *Lam.* . 374
humilis Fisch II. 378
japonicus *W.* II. 371
inconspicuus *L.* II. 372
β oblongus *Ser* - -
incurvus *Roth* II. 375
intermedius *Wallr.* II. 369
italicus *Fisch et Mart.* II. 376
latifolius *L.* II. 370
β monstrosus *DC.* II. 370
leptophyllus *MB.* II. 373
longepedunculatus *Ledeb.* II. 373
β ebracteatus *Ser.* II. 373
lusitanicus *Mart* II. 376
magellanicus *Lam.* II. 370
magno-flore *Mill* II. 376
micranthu *Gerard* II. 372
monanthos W. II. 367
myrtifoliu *Mühl* II. 371
nervosus *Lam* II. 370
Nissolia *L.* II. 372
Ochrus *DC.* II. 375
odoratus *L.* II. 374
α purpureus *L.* II 374
β roseus - - -

Lathyrus
palustris *L.* II. 37
β linearifolius *Ser.*
γ subexstipulatus -
palustris Nestl.
parisiensis *Mill.* I
peduncularis *Poir*
pisiformis Hout
pisiformis *L.* II. 3
polymorphus *Nut.*
pratensis *L.* II. 37
β velutinus *DC.* II.
prostratus Brig
purpureus *Desf.* I
pusillus *Ell.* II. 3
roseus *Stev.* II. 3
rotundifolius *W.* I
β ellipticus *Ser.* -
sativus *L.* II. 373
β angustatus *Ser.* II
γ coloratus - -
sativus B. Hoffm
sativus β Lam. I
sericeus *Lam.* II.
setifolius *L.* II. 37
sinensis *Mart.* II.
spectabilis Forsk
sphaericus *Retz* II
β pilosus - -
spurius *W.* II. 373
stipulaceus *Lecon*
subulatus *Lam.* II.
sylvestris *L.* II. 36
α ensifolius *Ser.* II.
β oblongus - -
tenuifolius *Desf.* I
tingitanus *L.* II. 37
β uniflorus *Ser.* II.
tomentosus Fors
tomentosus *Lam.*
tuberosus *L.* II. 37
tumidus W. II. 3
turgidus Lam. II
venosus *Mühl* II.
viciaeformis *Waldst*
Laugeria (Laugier
IV. 457 *Jacq.*
Sw IV. 460

coriacea Vahl IV
dependens R. et P
dichotoma fl. mex
hirsuta R. et Pav
lucida Sw. IV. 46

t Jacq. IV. 457
a Vahl IV. 458
osa Sw. IV. 460
a Forsyth IV. 458
ergia Berg. III. 65
is Gmel. III. 65
Berg. III. 65
rasus Tourn. II. 539
Burm. III. 24
Buch. II. 63
L. I. 438
a Cav. I. 438
Cav. I. 438
ntina Tineo I. 439
DC. I. 440
tana L. I. 470
L. I. 439
MB. I. 439
folia Mill. I. 439
a Poir. I. 439
a Dietr. I. 438
L. I. 439
oclis Räusch. I. 439
esf. I. 439
ica Mill. I. 439
Desf. I. 438
irch. I. 438
a W. I. 440
L. I. 439
Gou. I. 439
L. I. 439
na Ten. I. 439
I 438
teph I. 439
a Vent. I. 438
Sims I. 439
olbia Poir. I. 438
All. I. 439
folia Lam. I. 439
Tineo I. 440
DC. I. 439
Brot. I. 440
is Ten. I. 440
ea L. I. 439
L. I. 439
s L. I. 438
DC. I. 440
ta Desf. I. 438
ta Mill. I. 439
ata Desf. I. 438
anniana Trev. I. 449
DC. III. 102
. III. 103
cta DC. III. 102
DC. III. 103

Lavoisiera
crassifolia *DC.* III. 104
firmula *DC.* III. 104
gentianoides *DC.* III. 104
imbricata *DC.* III. 103
insignis *DC.* III. 103
itambana *DC.* III. 104
linifolia *DC.* III. 104
mucorifera *DC.* III. 103
pulcherrima *DC.* II. 104
punctata *DC.* III. 104
tetragona *DC.* III. 103
viminalis *DC.* III. 103

LAVOISIEREAE *DC.* III. 100

Lavradia *Velloz. et Vand.* I. 314
montana *Mart.* I. 314
Velloziana *Steud.* I. 314

Lawsonia *L.* III. 90
alba *Lam.* III. 91
coccinea *Sm.* III. 91
falcata *Lour.* III. 91
inermis Desf. III. 91
inermis L. III. 91
purpurea Lam. IV. 413
spinosa L. III. 91

Laxmannia Fisch. II. 553, *Gmel.* IV. 582
fasciculata Gmel. IV. 587
potentilloides Fisch. II. 554

Leaeba Forsk. I. 99

Leandra *Raddi* III. 153
amplexicaulis *DC.* III. 153
angustifolia *DC.* III. 154
dubia *DC.* III. 154
hirta *Raddi* III. 154
hispida Schrank et Mart. III. 153
involucrata *DC.* III. 154
melastomoides Raddi III. 154
paulina *DC.* III. 153
racemifera *DC.* III. 155
Raddii Mart. III. 154
scabra *DC.* III. 154
sericea *DC.* III. 154
sylvestris *DC.* III. 154
umbellata *DC.* III. 153
villosa *DC.* III. 154

Leandraria DC. III. 153 (Leandra)

Leandroides DC. III. 155 (Leandra)

Lebeckia *Thunb.* II. 136
aphylla Thunb. II. 136
armata *Thunb.* II. 137
contaminata Ait. II. 226

Lebeckia
contaminata *DC.* II. 136
contaminata Thunb. II. 137
cytisoides *Thunb.* II. 137
densa *Thunb.* II. 137
humilis *Thunb.* II. 137
linearis *DC.* II. 137
nuda Sims II. 226
pungens *Thunb.* II. 137
Scorpius Thunb. II. 137
sepiaria *Thunb.* II. 137
sericea *Thunb.* II. 137
subnuda *DC.* II. 136
subternata *Link* II. 137
Lebretonia *Schrank* I. 446
coccinea *Schrank* I. 446
latifolia *Nees et Mart.* I. 446
semiserrata *DC.* I. 446
Lecananthus *Jack* IV. 620
erubescens *Jack* IV. 620
Lechea *L.* I. 285
chinensis Lour. I. 286
juncifolia Walt. I. 286
major Bigel. I. 269
major Pursh I. 285
minor *Pursh* I. 285
minor Sm. I. 285
minor Walt. I. 285
racemulosa *Mx.* I. 285
tenuifolia *Mx.* I. 286
thymifolia *Mx.* I. 285
verticillata *W.* I. 286
villosa *Ell.* I. 285
β mucronata *Raf.* I. 285
Lecheoides DC. I. 269 Helianthemum
Lecokia *DC.* IV. 240
cretica *DC.* IV. 240
Lecontea *Rich.* IV. 470
argentea *Rich.* IV. 471
Bojeriana *Rich.* IV. 471
Lecos'emon *fl. mex.* II. 639
teruiflorum *fl. mex.* II. 639
LECYTHIDEAE *Rich.* III. 290
Lecythis *Loefl.* III. 290, *W.* III. 293
acuminata *DC.* III. 292
albiflora *DC.* III. 292
amara *Aubl.* III. 292
bracteata W. III. 294
coriacea *DC* III. 291
corrugata *Poit.* III. 292
dubia *H. B. et K.* III. 291
elliptica *H. B. et K.* III. 291
Lecythis
grandiflora *Aubl.* II
Idatimon *Aubl.* III.
lanceolata *Poir.* III.
longifolia *H. B. et*
longipes *Poit.* III. 2
β platycarpa
minor *Jacq.* III. 291
multiflora *Sm.* III. 2
nicaraguarensis
ollaria *L. spec.* III.
ollaria L. amoen.
ovalifolia *DC.* III. 2
parviflora *Aubl.* III.
pedicellaris *DC.* III.
Zabucajo *Aubl.* III.
Lecythopsis Schran
Ledeburia pimpinell
Ledocarpum *Desf.* I.
chiloense *Desf.* I.
Ledon latifolium Cl
Ledonia DC. I. 265
Lcea *L.* I. 635
aequata *L.* I. 635
crispa *L.* I. 635
hirta *Horn.* I. 635
macrophylla *Roxb.*
Ottilis *DC.* I. 636
pinnata Andr. I. 6
sambucina *W.* I. 635
scabra Roxb. I. 63
LEEACEAE *DC.* I.
Legnotis Sw. III. 33
Cassipourea Sw. II
elliptica Sw. III. 34
macrophylla Mart.
LEGUMINOSAE J
LEGUMINOSAE
Leiocarpus DC. III. 1
Leiolobium DC. II. 34
Leiophylica DC. II. 37
Leiopoterium DC. II.
Leiosphaera DC. III. 1

*) rectius Leiocarpaea III

hrenb. IV. 669
us *Ehrenb.* IV. 669
nd. III. 353
s Rumph I. 539
nadagascariensis Poir. I. 75
rn. Ser. II. 366 (Ervum)
a Moench II. 366
patana Petiv. II. 123
DC. IV. 324 (Viburnum)
Tourn. II. 65
. I. 109
Pall. I. 110
ma Fisch. I. 110
num L. I. 109
Pall. I. 109
talum L. I. 109
des L. I. 110
a Sm. I. 112
Pall. I. 109
les DC. I. 126 (Corydalis)
ibum DC. I. 109 (Leontice)
res Blume IV 296, 298
rus Blume IV. 298
I. 204 (Lepidium)
Desv. I. 175
Desv. I. 181
Desv. I. 205
us Lag. IV. 647
Lag. IV. 647
us Lag. IV 649
ides Lag. IV. 648
atus Lag. IV. 648
s Lag. IV. 648
Lag. IV. 649
emus Lag. IV. 649
us Lag. IV. 649
Lag. IV. 649
ag. IV. 649
Lag. IV. 648
s Lag. IV. 649
um DC. I. 207 (Lepidium)
EAE *DC.* I. 202
. Br. I. 203
deb. I. 207
DC. I. 207
L. I. 178
caule Stev. I. 208
ule *W.* I. 204
d Urv. I. 205
um Moutin I. 206

Lepidium
bipinnatifidum *Desv.* I. 206
bipinnatum *Thunb.* I. 208
bonariense *L.* I. 206
caespitosum *Desv.* I. 204
calycinum Steph. I. 178
campestre *R. Br.* I. 204
β subglabrum *DC.* I. 205
capense *Thunb.* I. 207
Cardamines *L.* I. 206
chalepense *L.* I. 203
α glabratum *DC.* I. 203
β pubescens - - -
γ canescens - - -
Chichicara *Desv.* I. 206
chinense Stock. I. 236
cordatum *W. herb.* I. 208
cornutum Sibth. I. 140
coronopifolium *Fisch.* I. 204
crassifolium *W. et Kit.* 207
crispum *Desv.* I. 207
cuneifolium *DC.* I. 206
decumbens *Desv.* I. 208
didymum L. I. 203
diffusum *DC.* I. 208
divaricatum *Ait.* I. 206
divaricatum W. I. 208
Draba *L.* I. 203
flexuosum *Thunb.* I. 207
foliosum *Desv.* I. 206
fruticosum *Desv.* I. 208
glastifolium *Desf.* I. 204
graminifolium Cav. I. 207
graminifolium L. I. 207
hirtum *Sm.* I. 205
Humboldtii *DC.* I. 204
hyssopifolium *Desv.* I. 206
Iberidis Poll. I. 208
Iberis *L.* I. 207
Iberis Schkuhr I. 205
iberioides *Desv.* I. 206
incisum *Roth* I. 205
laciniatum W. herb. I. 204
latifolium *L.* I. 207
leiocarpum *DC.* I. 205
lineare *DC.* I. 207
linoides Thunb. I. 202
lyratum *L.* I. 207
Menziesii *DC.* I. 205
Novae-Hollandiae *Desv.* I. 206
nudicaule L. I. 178
oleraceum *Forst.* I. 207
oppositifolium Lahill. I. 208
oxyotum *DC.* I. 204
perfoliatum *L.* I. 206

Lepidium
petraeum L. I. 178
petraeum Lour. I. 236
pinnatum *Thunb.* I. 208
piscidium *Forst.* I. 206
Pollichii *Roth* I. 208
praecox *DC.* I. 208
procumbens L. I. 178
pubescens *Desv.* I. 206
rotundum *DC.* I. 205
ruderale *L.* I. 205
sativum *L.* I. 204
β crispum *DC.* I. 204
γ latifolium - - -
spicatum *Desv.* I. 205
spinescens *DC.* I. 204
spinosum *L.* I. 205
subdentatum *Burch.* I. 206
subulatum *L.* I. 205
suffruticosum *L.* I. 207
tuberosum *DC.* I. 208
vesicarium *L.* I. 205
virginicum *L.* I. 205
Lepigonum Wahlenb. I. 400
Lepta *Lour.* II. 18
triphylla *Lour.* II. 18
Leptaleum *DC.* I. 200
filifolium *DC.* I. 200
pygmaeum *DC.* I. 200
Leptarrhena *R. Br.* IV. 48
amplexifolia *R. Br.* IV. 48
pyrolifolia *R. Br.* IV. 48
α laxiflora *Ser.* - -
β glomerata - - -
Leptasea aizoides crocea Haw. IV. 47
aizoides integra Haw. IV. 47
tricuspidata Haw. IV. 47
Leptidium Ging. I. 304 (Viola)
Leptocarpaea *DC.* I. 140
Loeselii *DC.* I. 140
Leptocaulis *Nutt.* IV. 107
diffusus *Nutt.* IV. 107
divaricatus *DC.* IV. 107
echinatus *Nutt.* IV. 107
inermis *Nutt.* IV. 107
patens *Nutt.* IV. 107
Leptocrambe DC. I. 226 (Crambe)
Leptodermis *Wall.* IV. 462
lanceolata *Wall.* IV. 462
Leptolaena *Pet. Th.* I. 521
multiflora *Pet. Th.* I. 521
Leptormus DC. I. 231 (Heliophila)
LEPTOSPERMEAE *DC.* III 209
Leptospermum *Fo*
acuminatum *We*
ambiguum Sm.
amboinense *DC.*
arachnoides G
arachnoideum *S*
attenuatum *Sm.*
baccatum *Sm.* II
brevifolium R
canescens *Wen*
ciliatum Forst.
collinum Forst
dubium *Spr.* III.
emarginatum *W*
eriocalyx Sieb.
flavescens *W.* II
flavescens W.
flexuosum *Spr.*
glomeratum W
gnidiaefolium *D*
grandifolium *Sm.*
imbricatum *Sm.*
juniperifolium
juniperinum *Sm.*
lanigerum *Ait.* II
β pubescens *DC*
lanigerum var.
linearifolium *DC.*
marginatum *Lab*
β glabratum *DC.*
mucronatum *Cels*
multiflorum *Cav.*
myrtifolium *Sieb*
obliquum Colla
parvifolium *Sm.*
parvulum Labi
pendulum *Sieb.*
pinifolium Lab
polygalaefolium
porophyllum *Cav*
pubescens W.
recurvifolium
resiniferum Be
rubricaule Lin
salicifolium La
scandens Forst.
scoparium Fors
scoparium *Sm.* II
α linifolium *DC.* -
β myrtifolium - -
γ rubricaule - -
sericeum *Labill.*
squarrosum Ga
stellatum Cav.

ermum
W. III. 227
olium Cels. III. 229
ore Vent. III. 228
Whit. III. 227
latum Poir. III. 227
ere DC. III. 227
um Gaertn. III. 228
m Forst. III. 229
af. III. 362
s Raf. III. 362
um Ell. IV. 53
m Ell. IV. 53
Mx. II. 348
Ell. II. 349
lia Raf. II. 349
x. II. 349
var. angustifolia Pursh II. 349
Pursh II. 350
C. II. 349
DC. II. 349
Pers. II. 349
Horn. II. 350
. II. 350
. II. 348
Pers. II. 324
Pers. II. 123
rs. II. 351
C. II. 349
Mx. II. 349
Mx. II. 350
ersh II. 350
ers. II. 348
Nutt. II. 349
var. Mx. II. 349
. II. 349
Pers. II. 349
. II. 349
rs. II. 350
r. Nutt. II. 350
II. 350
II. 271
II. 271
urch. II. 272
a DC. II. 272
r. II. 271
II. 272
DC. II. 272
II. 272
DC. II. 272
. II. 272
C. II. 271
DC. II. 273
C. II. 272

Lessertia
pubescens DC. II. 272
pulchra Sims II. 272
rigida DC. II. 272
tomentosa DC. II. 272
vesicaria DC. II. 272
Leucadendron splendens Burm. II. 121
Leucodraba DC. I. 168 (Draba)
Leucojum album Blackw. I. 133
Leucolaena R. Br. IV. 74 *DC.* IV. 75 (Xanthosia)
tridentata R. Br. IV. 75
Leucomyrtus DC. III. 238 (Myrtus)
Leucophora DC. IV. 235 (Echinophora)
Leucosia *Pet. Th.* II. 58
Thouarsiana *R. et Schult.* II. 58
Leucosinapis DC. I. 220 (Sinapis)
Levisanus Schreb. II. 45
Levisticum *Koch* IV. 164 *Lag.* IV. 164 *L. Spr.* IV. 164
officinale *Koch* IV. 165
vulgare Moris. IV. 165
Leycesteria *DC.* IV. 338
formosa *DC.* IV. 338
Libanotis *Crantz* IV. 149 *Scop.* IV. 154
athamanthoides *DC.* IV. 150
buchtormensis *DC.* IV. 149
cachroides *DC.* IV. 151
cretensis Scop. IV. 155
daucoides Scop. IV. 150
hirsuta Lam. IV. 155
montana All. IV. 150
Patriniana *DC.* IV. 150
rupestris Scop. IV. 155
Stephaniana *DC.* IV. 151, 669
tenuifolia *DC.* IV. 151
verticillata *DC.* IV. 151
vulgaris *DC.* IV. 150
β pubescens *DC.* IV. 150
γ daucifolia - - -
δ condensata - - -
ε sibirica - - -
ζ incana - - -
Libidibia DC. II. 482
Licania *Aubl.* II. 527
incana *Aubl.* II. 527
Liccatree Lunan. I. 728
Lichtensteinia *Cham. et. Schlecht.* IV. 135
lacera *Cham. et Schlecht.* IV. 135

Lichtensteinia
oleaefolia Wendl. IV. 304
palmata *DC.* IV. 135
pyrethrifolia *Cham. et Schlecht.* IV. 135
trifida *Cham. et Schlecht.* IV. 135
Lightfootia Sw. I. 261 *Schreb.* IV. 406
integrifolia Vahl I. 261
serrata Sw. I. 261
theaeformis Vahl I. 261
Ligularia minor Haw. IV. 43
sarmentosa Duval IV. 43
Ligusticum *Koch* IV. 157 *Auct.* IV. 157. 162 *L.* IV. 244 *Wall.* IV. 244 *L. Spr.* IV. 152 230 *Ram. DC. Lapeyr.* IV 162 *All. Spr. Koch* IV. 163
Aciphylla *Spr.* IV. 159
actaeifolium Mx. IV. 154
Ajouan Roxb. IV. 109
Ajowain Schult. IV. 109
alatum *Spr.* IV. 157
angelicoides Wall. IV. 245
apioides Lam. IV. 152
aquilegifolium W. IV. 246
Archangelica Geners. IV. 244
athamanthoides Adams IV. 151
athamanthoides Spr. IV. 150
austriacum L. IV. 244
balearicum L. IV. 143
barbinode Mich. IV. 160
Benthami Wall. IV. 246
Brunonis Wall. IV. 246
candicans *Ait.* IV. 159
Candollii Wall. IV. 245
capense *DC.* IV. 159
capillaceum Lam. IV. 162
carniolicum *Host* IV. 157
caucasicum W. herb. IV. 247
Cervaria Spr. IV. 180
cicutaefolium Vill. IV. 152
cicutarium Lam. IV. 230
coniifolium *DC.* IV. 158
cornubiense L. IV. 246
cuneifolium *Guss.* IV. 158
cynapiifolium *Vit.* IV. 158
cyprium *Spr.* IV. 159
decussatum Moench IV. 176
dentatum Wall. IV. 245
diffusum Roxb. IV. 153
divaricatum *Ledeb.* IV. 159
dubium *H. B. et K.* IV. 159
ferulaceum *All.* IV. 157
ferulaceum Lapeyr. IV. 150
Ligusticum
Fischeri Link IV.
Foeniculum Roth
Fontanesii Spr. I
garganicum Vill.
Gingidium *Forst.* I
Gmelini Cham. et S
Gmelini Vill. IV.
Govanianum Wa
graecum *DC.* IV. 1
Hacquetii Guss.
Levisticum L. IV.
Lobelii Vill. IV. 1
longifolium W. I
luteum Poir. IV.
Meum DC. fl. fr. I
minus Lam. IV. 1
montanum Spr. I
multifidum *Sm.* IV.
Mutellina All. IV
nepalense *Don* IV.
nodiflorum Vill.
obtusifolium *Horn.*
obtusiusculum W
Pansil *Bert. herb.*
peloponense Lam.
peloponesiacum I
peregrinum L. IV
peucedanoides *Pres*
β tenuifolium -
γ longifolium -
Phellandrium Cr
Podagraria Cran
pumilum Wall. I
pusillum Mx. IV.
pyrenaeum *Gouan*
pyrenaicum Koch
resinosum Guss.
rotundatum Wal
scoticum *L.* IV. 15
scoticum Lour. I
Seguieri Gaud. I
Seguieri *Koch* IV.
Seguieri Vill. IV.
sibiricum Spr. IV
Silaus Duby IV.
simplex All. IV. 1
splendens Lapeyr
Sprengelii Sieb.
striatum *DC.* IV. 1
tenuifolium Ram
ternatum Schlech
toluccense H. B.
uralense Gmel. IV
vaginatum Spr. I

-ifolia Dietr. I. 256
Lour. I. 99
Law. III. 360
Haw. III. 361
Haw. III. 360
aw. III. 361
III. 361
Vaill. III. 71
536
. I. 536
Nutt. I. 536
. I. 536
oxb. I. 538
. I. 536
oxb. I. 536
C. I. 536
. I. 536
. I. 536
nsis Lam. I. 536
um. I. 536
t. I. 536
Roxb. I. 535
us I. 536
Lamb. herb. I. 538
Retz I. 538
. I. 536
45
L. II. 45
. II. 45
m. II. 46
r. II. 45
t K. II. 548 Kunth II. 48
th II. 51
H. B. et K. II. 548
C. I. 423
IV. 340
V. 340
. I. 423
Thunb. I. 425
. I. 426
I. 425
fr. I. 427
. 427
atius Wahl. I. 427
l. I. 427
Bai. I. 427
Huds. I. 426
ot. - -
um W. I. 426
l. I. 424
k. I. 426
t Kit. I. 423
DC. I. 427

Linum
austriacum Lam. I. 426
austriacum *L.* I. 427
austriacum MB. I. 426
austriacum Sims I. 427
bicolor *Schousb.* I. 428
bienne *Mill.* I. 428
Broteri W. I. 423
caespitosum *Sibth.* I. 425
campanulatum fl. fr. I. 425
caroliniannum Petiv. IV. 435
catharticum *L.* I. 428
corymbiferum *Desf.* I. 424
dahuricum *Schult.* I. 424
decumbens *Desf.* I. 427
diffusum *Schult.* I. 426
gallicum *L.* I. 423
β medium *DC.* I. 423
glandulosum *Moench* I. 425
α arboreum *L.* - -
β campanulatum *L.* - -
γ tauricum *W.* - -
δ capitatum *Schult.* - -
ε flavum *L.* - -
globulariaefolium Poir. I. 425
grandiflorum *Desf.* I. 427
heterophyllum Moench I. 425
hirsutum *L.* I. 426
α ascyrifolium *Sims* I. 426
hispanicum *Mill.* I. 428
laeve Scop. I. 427
Lewisii Pursh I. 427
lihurnicum Scop. I. 423
luteolum *MB.* I. 424
marginatum *Poir.* I. 426
maritimum *L.* I. 424
melianthum Brot. I. 424
mexicanum *H. B. et K.* I. 424
monogynum *Forst.* I. 428
monopetalum Steph. I. 425
montanum *Schleich.* I. 427
narbonense *L.* I. 426
narbonense Sut. I. 427
nervosum *W. et Kit.* I. 426
β glabratum *DC.* - -
nodiflorum *L.* I. 424
oligophyllum *W.* I. 428
Pallasianum *Schult.* I. 428
perenne Lam. I. 427
perenne Sm. I. 427
perenne var. anglica L. I. 427
perenne v. sibirica L. I. 427
prostratum *Lam.* I. 424

Linum
pubescens *Rutsel* I. 428
pubescens W. herb. I. 428
quadrifolium *L.* I. 425
quadrifolium Thunb. I. 425
Radiola L. I. 428
reflexum *Ait.* I. 426
rigidum *Pursh* I. 424
rubrum *Raf.* I. 426
salsoloides *Lam.* I. 427
sativum Blackw. I. 426
selaginoides *Lam.* I. 424.
sessiliflorum Lam. I. 424
setaceum *Brot.* I. 423
sibiricum *DC.* I. 427
squamulosum *Rud.* I. 426
striatum *Walt.* I. 425
strictum *L.* I. 424
β alternum *Pers.* I. 424
γ spicatum *Lam.* - -
suffruticosum DC. fl. fr. I. 427
suffruticosum *L.* I. 427
tenue *Desf.* I. 423
tenuifolium Asso I. 428
tenuifolium *L.* I. 427
tenuifolium Schousb. I. 423
tetraphyllum Habenst. I. 425
trigynum *Roxb.* I. 425
trinervium *Roth* I. 428
usitatissimum *L.* I. 426
β humile *Mill.* - -
venustum bot. repos. I. 426
verticillatum *L.* I. 425
virgatum Schousb. I. 424
virginianum *L.* I. 424
virginicum Pursh I. 424
viscosum *L.* I. 425
β sylvestre *Scop.* I. 425
γ Nestleri *DC.* I. 426
δ hypericifolium *Salisb.* I. 426
Liparia *L.* II. 121 *Auct.* II. 121
capitata Thunb. II. 121
graminifolia L. II. 122
hirsuta Thunb. II. 121
laevigata Thunb. II. 121
myrtifolia Thunb. II. 121
opposita Murr. II. 119
sericea L. II. 122
sphaerica *L.* II. 121
tecta Thunb. II. 122
teres Thunb. II. 122
tomentosa Thunb. II. 122
umbellata L. II. 121
umbellifera Thunb. II. 122
vestita Thunb. II. 122
Liparia
villosa Andr. I
villosa L. II. 12
Lipostoma Don I
Liquiritia Moenc
lepidota Nutt.
officinalis Moe
Liriodendron *L.* I.
Coco L. I. 81
Figo Lour. I. 8
lilifera L. I. 81
lilifera Lour.
Tulipifera *L.* I. 8
Listeria Neck. R
Litchi chinensis
Lithophila *Sw.* III.
muscoides *Sw.* I
Lithosanthes Ric
Litosanthes *Blume*
biflora *Blume* I
Llagunoa R. et P
mollis H. B. et
nitida R. et Pa
prunifolia H.
Loasa *Adans.* III.
acanthifolia *Lam*
acerifolia *Juss.*
ambrosiaefolia *J*
β hispida *DC.*
argemonoides *Ju*
bryoniaefolia *Sc*
chenopodifolia *L.*
contorta *L.* III. 3
grandiflora *Lam.*
hispida L. III. 3
loxensis *H. B. e*
nitida bot. ma
nitida *Lam.* III.
palmata *Spr.* III.
papaverifolia *H.*
parviflora *Schra*
patula Graham
ranunculifolia *H.*
sclareaefolia *Jus*
tricolor *bot. reg.*
triloba *Juss.* III.
triphylla *Juss.* I
urens Jacq. III.
volubilis *Juss.* I
xanthiifolia *Juss*
LOASEAE *Juss*
Lobadium Raf. D
Lobaria arachno
cernua Haw. I

ia
ifolia *Haw.* IV. 29
racea *Haw.* IV. 43
talis *Haw.* IV. 43
daza *Haw.* IV. 43
lata *Haw.* IV. 43
aris *Haw.* IV. 37
ica *Haw.* IV. 36
dryoides *W. herb.* I. 413
ria *DC.* I. 164 (Alyssum)
achaeroides *Rumph* II. 404
a *Sims* II. 136
olia *Sims* II. 136
L. III. 380
Gmel. III. 380
L. III. 380
Retz III. 375
Cav. III. 380
ta *Moench* III. 380
tima *Weinm.* III. 372
Lag. III. 380
DC. I. 146 (Arabis)
villosum *Raf.* IV. 174
TACEAE L. II. 93
s *H. B. et K.* II. 259
m *DC.* II. 261
is *DC.* II. 259
is *DC.* II. 260
us *DC.* II. 259
H. B. et K. II. 260
lus *H. B. et K.* II. 259
DC. II. 260
. II. 261
DC. II. 261
us *H. B. et K.* II. 259
s *DC.* II. 260
DC. II. 260
H. B. et K. II. 259
DC. II. 260
. II. 260
C. II. 260
I. B. et K. II. 260
DC. II. 261
Kunth II. 259
H. B. et K. II. 259
sf. IV. 330 *L.* IV. 330
. IV. 331 *R. et Schult.*
33 *Torr.* IV. 330 *L.*
38 *Plum.* IV. 286, 311, 441
Wall. IV. 334
. IV. 336
DC. - -

Lonicera
alpigena Siev. IV. 336
altaica *Pall.* IV. 337
angustifolia *Wall.* IV. 337
balearica DC. fl. fr. IV. 331
biflora Desf. IV. 334
brachypoda *DC.* IV. 335
bubalina L. IV. 338
bubalina L. fil. IV. 369
canadensis R. et Schult. IV. 335
canescens *Schousb.* IV. 334
Caprifolium Desf. IV. 331
Caprifolium Jacq. IV. 331
Caprifolium *L.* IV. 331
α praecox *Duham.* - -
β rubellum *DC.* - -
γ erosum - - -
Caprifolium italium Schmidt IV. 331
caucasica Pall. IV. 337
chinensis *Wats.* IV. 333
ciliata Diet. IV. 333
ciliata *Mühl.* IV. 335
β alba *Pursh* - -
ciliosa *Poir.* IV. 333
coerulea Güld. IV. 337
coerulea *L.* IV. 337
coerulea canadensis Lam. IV. 337
confusa *DC.* IV. 333
connata Meerb. IV. 332
corymbosa *L.* IV. 338
cyrenaica *Viv.* IV. 331
Diervilla L. IV. 330
dioica L. IV. 332
diversifolia *Wall.* IV. 334
β Royleana - - -
Douglasii *DC.* IV. 332
etrusca *Santi* IV. 331
flava *Sims* IV. 332
flexuosa Lodd. IV. 333
flexuosa Thunb. IV. 335
gibbosa fl. mex. IV. 336
gibbosa *W.* IV. 336
glabrata *Wall.* IV. 334, 333
Goldii Spr. IV. 332
Govaniana *Wall.* IV. 337
grata *Ait.* IV. 332
hetrusca Host IV. 331
hirsuta Eaton IV. 332
hispida *Pall.* IV. 338
japonica Andr. IV. 333
japonica Thunb. IV. 333
japonica Wall. IV. 333
javanica *DC.* IV. 334
iberica *MB.* IV. 337

Lonicera
implexa *Ait.* IV. 331
β balearica *Vis.* IV. 331
involucrata *Banks herb.* IV. 336
lanceolata *Wall.* IV. 334
Ledebourii *Eschsch.* IV. 336
Leschenaultii *Wall.* IV. 334
ligustrina *Wall.* IV. 334, 338
longiflora *DC.* IV. 331 *)
longiflora *DC.* IV. 333
Loureiri *DC.* IV. 334
macrantha *DC.* IV. 333
media Murr. IV. 332
microphylla *W.* IV. 336
Mociniana *DC.* IV. 336
mongolica Pall. IV. 328
nigra *L.* IV. 335
nigra Thunb. IV. 335
orientalis *Lam.* IV. 337
pallida Host IV. 331
parviflora *Lam.* IV. 332
Periclymenum Gou. IV. 331
Periclymenum *L.* IV. 331
β serotinum *Ait.* - 332
γ quercifolium - - -
pilosa *W.* IV. 333
pubescens *Sweet* IV. 332
punicea *Sims* IV. 335
pyrenaica *L.* IV. 335
pyrenaica Pall. IV. 337
pyrenaica W. IV. 335
quadrifolia *W.* IV. 338
quinquelocularis *Hardw.* IV. 338
sempervirens *Ait.* IV. 332
α major *Ait.* IV. 332
β minor - - -
sibirica Hortul. IV. 335
sibirica Vest IV. 336
sicula Ucria IV. 338, 577
Symphoricarpos L. IV. 339
tatarica *L.* IV. 335
β albiflora *DC.* IV. 335
γ rubriflora - - -
tatarica Mx. IV. 335
velutina *DC.* IV. 337
verticillata Steud. IV. 338
villosa *Mühl.* IV. 337
virginiana Marsh. IV. 332
Webbiana *Wall.* IV. 336
Xylosteum *L.* IV. 335
β leucocarpa *Duham.* IV. 335
γ xanthocarpa - - -

*) conf. Praefatio.

Lonicera
δ melanocarpa *C. Bau*
Xylosteon Lour. I
zeilanica Gaertn.
LONICEREAE *R.*
Lopezia *Cav.* III. 62
annua Hortul. III
axillaris Schweig.
cordata *Horn.* III. 6
coronata *Andr.* III.
frutescens R. et S
fruticosa Schrank
hirsuta *Jacq.* III. 62
integrifolia *DC.* III.
mexicana Jacq. II
mexicana β corona
miniata *DC.* III. 62
minima *Lag.* III. 62
minuta Lag. III. 6
oppositifolia *Lag.* II
pubescens *H. B. et K*
pumila *Bonpl.* III. 6
racemosa *Cav.* III. 6
thymifolia Bonpl.
Lophanthus tomento
Lophocachrys DC. IV
Lophosciadium *DC.* IV.
melfolium *DC.* IV. 2
Lopimia *Mart.* I. 457
malacophylla *Mart.*
LORANTHACEAE
LORANTHEAE
Ju
LORANTHIDE.A
Loranthus *L.* IV. 286 *S*
286 *Mart.* IV.
Acaciae niloticae *Oud*
acinarius *Mart.* IV. 3
acuminatus *R. et Pav.*
acutus Pohl IV. 287
acutifolius Presl IV
acutifolius *R. et Pav.*
β chilensis *DC.* -
aduncus *Meyer* IV. 2
affinis *Mart.* IV. 289
albidus *Blume* IV. 29

s
ıs *W.* IV. 318
ıs *H.B.et K.* IV. 287
ıus *Jacq.* IV. 308
ıcalis *H.B.et K.* IV. 288
ıicanus *Wall.* IV. 306
ifolius *DC.* IV. 305
ıus *Roxb.* IV. 296
DC. IV. 315 *)
ıus. IV. 289
W. IV. 314
ifolius *H.B. et K.* IV. 281
Miers IV. 307
ıs *Mutis* IV. 315
ureus *Blume* IV. 300
pureus var. cuneata *Blume* IV. 300
s *Pohl* IV. 315
tus *W. herb.* IV. 315
lume IV. 297
s *Mart.* IV. 289
Pohl IV. 289
DC. IV. 303
tus *Mart.* IV. 309
Roxb. IV. 305
Desr. IV. 302
Hoffmans. IV. 309
ıus *Schult.* IV. 297
Heyne IV. 306
Rich. IV. 317 **)
ıs *W.* IV. 318
s *Desr.* IV. 309
ısis *Spr.* IV. 293
s *Desr.* IV. 302
Chem. IV. 312
pr. IV. 307
Salt. IV. 319
s *DC.* IV. 308
Burch. IV. 304
ıus *W.* IV. 318
s *Wall.* IV. 296
es *Sieb.* IV. 318
ıs *W.* IV. 318
DC. IV. 301
ıs *Blume* IV. 300
eus *Wall.* IV. 300
Mart. IV. 309
Mart. IV. 290
ıs *Mart.* IV. 287
Lam. IV. 304
Roxb. IV. 317
Thonning IV. 303

efatio.
efatio.

Loranthus
clusiaefolius W. IV. 311
cneoroides *W.* IV. 318
coccineus *Jack* IV. 296
coccineus Reinw. IV. 307
cochinchinensis *Lour.* IV. 316
concinnus *Mart.* IV. 289
conduplicatus *H. B. et K.* IV. 314
confertus *Mart.* IV. 292
congener *Sieb.* IV. 295
congestus *Salt.* IV. 319
cordatus *Hoffmans.* IV. 310
cordifolius *Wall.* IV. 302
coriaceus Desr. IV. 299
coriaceus Schult. IV. 299
corymbosus Dietr. IV. 308
Corynitis *Spr.* IV. 317
crassifolius *Mart.* IV. 311
cucullaris *Lam.* IV. 310
cuneatus Heyne IV. 301
cuneatus Roth IV. 306
cuneatus *Wall.* IV. 301
cuneifolius *R. et Pav.* IV. 310
cupulatus *DC.* IV. 298
cupulifer *H. B. et. K.* IV. 311
curvatus *Blume* IV. 306
cuspidatus *Mart.* IV. 290
cylindricus *Jack* IV. 305
Deppeanus *Cham. et Schl.* IV. 672
destructor *H. B. et K.* IV. 310
dichotomus H.B. et K. IV. 311
dichotomus *R. et Pav.* IV. 311
β balthasareus *DC.*
dichroos *Mart.* IV. 309
divaricatus *H. B. et K.* IV. 313
dodoneaefolius *DC.* IV. 303
domingensis *Desr.* IV. 293
elasticus *Desr.* IV. 306
elegans *Mart.* IV. 291
elegans *Wall.* IV. 304 *)
ellipticus *R. et Pav.* IV. 313
emarginatus *Sw.* IV. 288
erythrocarpus *Mart.* IV. 290
Eschscholzianus *Mart.* IV. 314
eucalyptifolius *H. B. et K.* IV. 311
eucalyptifolius Sieb. IV. 318
eucalyptoides *DC.* IV. 318
eugenioides *H. B. et K.* IV. 315
europaeus *L.* IV. 294
falcatus *L. fil.* IV. 305
falcifrons *Mart.* IV. 310
farinosus *Desr.* IV. 298

*) conf. Praefatio.

Loranthus
fasciculatus *Blume* IV. 301
ferrugineus *Roxb.* IV. 299
flagellaris *Cham. et Schl.* IV. 313
flexicaulis *Mart.* IV. 290
floribundus *Labill.* IV. 316
florulentus *Rich.* IV. 317
formosus *Blume* IV. 297
formosus *Cham. et Schlecht.* IV. 310 *)
Forsterianus *Schult.* IV. 295
furcatus *Mart.* IV. 309
fuscus *Blume* IV. 301
Gaudichaudi *DC.* IV. 295
gemmiflorus *Blume* IV. 298
glaucus Pohl IV. 308
glaucus R. et Pav. IV. 308
glaucus *Thunb.* IV. 303
β Burchellii *DC.* - -
globosus *Roxb.* IV. 297
glomeratus *Mart.* IV. 292
goodeniaeflorus *DC.* IV. 306
graciliflorus *Wall.* IV. 300
gracilifolius Schult. IV. 300
grandiflorus *R. et Pav.* IV. 307
grandifolius *Mart.* IV. 309
guadalupensis *DC.* IV. 294
Haenkeanus *Presl* IV. 304
heteranthus *Wall.* IV. 306
heterophyllus *R. et Pav.* IV. 312
Heyneanus Schult. IV. 306
Heynei *Wall.* IV. 300
Hoffmanseggianus *W.* IV. 317
Jacquini *DC.* IV. 308
β longifolius *DC.* IV. 308
incarnatus *Jack* IV. 304
indicus *Desr.* IV. 305
interruptus *H. B. et K.* IV. 292
involucratus *Roxb.* IV. 298
β hebecladus *DC.* - -
Koenigianus *Agardh* IV. 307
laetus *Salt.* IV. 319
laevigatus *Wall.* IV. 302
Lambertianus *Schult.* IV. 317
lanceolatus Beauv. IV. 303
lanceolatus *R. et Pav.* IV. 314
lancifolius Poir. IV. 314
laurifolius *H. B. et K.* IV. 315
laurinus *W.* IV. 318
laxiflorus *Desv.* IV. 293
lepidotus *Blume* IV. 302
lepidotus Schult. IV. 300

*) conf. Praefatio.

Loranthus
leptanthus *Wall*
leptostachyus *H.*
ligustrifolius *Sch*
ligustrinus *Wall*
ligustrinus W.
lobeliaeflorus *DC*
longibracteatus *L*
longiflorus *Desr.*
longiflorus Mu
longipedunculatus
loniceroides *L.* I
loniceroides Sc.
loxantherus *DC.*
lucarquensis *H. B*
luzonensis *Presl*
macrostachys *W.*
maculatus *Blum*
Magdalenae *Cha*
malifolius *Presl*
marginatus H.
marginatus *Lam.*
melanostemon B
membranaceus *W*
mexicanus *Presl*
microphyllus *H. B*
microstachys *W.*
montevidensis S
multiflorus *W.* IV
Mutisii *H. B. et K*
nitens *Mart.* IV.
nitidus *H. B. et K*
nodosus *Desr.* IV
nutans Spr. IV.
oblongo-ellipticu
oblongus *Schott*
obmunitus *Spr.* IV
obovatus *Blume*
obtectus *Wall.* IV
obvallatus *Schult.*
occidentalis Aub
occidentalis *L.* IV.
odoratus Don IV
odoratus *Wall.* IV
oleaefolius *Cham.*
oleifolius Wall.
oleoides *DC.* IV. 2
orbicularis *H. B. e*
orinocensis *Spr.* IV
ovalifolius *R. et Pa*
ovatus *Pohl* IV. 31
oxyphyllus *Pohl* I
pallens *Wall.* IV.

lhus
culatus *H.B.et K.* IV. 291
riflorus *Lam.* IV. 293
folius *Sw.* IV. 291
Mart. IV. 290
ü *DC.* IV. 288
Jack IV. 317
rus *Sw.* IV. 293
ulatus *Jacq.* IV. 293
culatus *Spr.* IV. 294
Sieb. IV. 295
ia *DC.* IV. 303
us *L.* IV. 305
Blume - -
us *Roxb.* IV. 295
DC. IV. 292
s *Cham. et Schlecht.* IV. 302
les *H.B.et K.* IV. 291
H.B. et K. IV. 281
Cham. et Schlecht. IV. 311
Cham. et Schlecht. IV. 287
C. IV. 308
IV. 308
Mart. IV. 291
Mart. IV. 290
R. et Pav. IV. 288
Wall. IV. 294
s *DC.* IV. 293
Blume IV. 306
DC. IV. 293
Mart. IV. 287
IV. 295
Wall. IV. 301
et Pav. IV. 316
H. B. et K. IV. 316
B. et K. IV. 292
aris H.B. et K. IV. 283
mex. IV. 308
am. et Schl. IV. 672
Wall. IV. 296
m. et Schlecht. IV. 312
oç. et Sessé IV. 308
ll. IV. 299
us *Schult.* IV. 306
me IV. 300
et Pav. IV. 294
m. et Schlecht. IV. 312
IV. 296

Loranthus
rigidus *Wall.* IV. 298
robustus *Mart.* IV. 309
rotundatus *W.* IV. 317
rotundifolius *St. Hil.* IV. 292
rubens *Mart.* IV. 291
rufescens *DC.* IV. 303
rufidulus *Wall.* IV. 302
rufus *Mart.* IV. 289
rugulosus *Roth* IV. 317
salicifolius *Cham. et Schlecht.* IV. 313 *)
salicifolius *Mart.* IV. 287
sarmentosus *R. et Pav.* IV. 312
Schiedeanus *Cham. et Schl.* IV. 672
Schultesii *Blume* IV. 300
Scurrula *L.* IV. 301
Sellowianus *DC.* IV. 312
serrulatus *Roxb.* IV. 319
sessilifolius *Beauv.* IV. 303
sessilis *Jacq.* IV. 293
sessilis Meyer IV. 293
sessilis Spr. IV. 282
speciosus Dietr. IV. 304
speciosus *Pohl* IV. 309
speciosus Wall. IV. 295
sphaerocarpus *Blume* IV. 297
sphaeroideus *Blume* IV. 300
spicatus *Jacq.* IV. 288
β athroanthus *E. Mey.* IV. 288
Spirostylis *DC.* IV. 315
staphylinus *Mart.* IV. 290
Stelis Forst. IV. 295
Stelis *L.* IV. 293
Sternbergianus *Schult. fil.* IV. 308
suaveolens *H. B. et K.* IV. 314
subcampestris *Mart.* IV. 289
subglobosus *DC.* IV. 297
subrotundus *Pohl* IV. 292
subumbellatus *Blume* IV. 297
syringaefolius *Mart.* IV. 290
Tagua *H. B. et K.* IV. 315
terniflorus *W.* IV. 318
tetragonus *Blume* IV. 297
tetragonus W. IV. 291
tetrandrus *R. et Pav.* IV. 307
tetrapetalus *L. fil.* IV. 295
tetraqueter *Mart.* IV. 290
Theobromae *W.* IV. 289
Thonningii *DC.* IV. 303

*) conf. Praefatio.

Loranthus
thyrsiflorus *Cham. et Schl.* IV. 313
tomentosus Roth IV. 306
tomentosus Schult. IV. 306
torulosus H. B. et K. IV. 279
tubulosus *W.* IV. 318
turbinatus *DC.* IV. 305
umbellatus *Roth* IV. 316
umbellatus Wall. IV. 302
umbellifer *Schult.* IV. 301
uniflorus *Jacq.* IV. 293
uniflorus Spr. IV. 293
Utui Mol. IV. 319, 338
vegetus *DC.* IV. 313
venetus H. B. et K. IV. 313
venosus *Blume* IV. 305
verticillatus Hoffmans. IV. 317
verticillatus *R. et Pav.* IV. 307
vestitus *Wall.* IV. 302
virgatus *Mart.* IV. 289
viridiflorus *Wall.* IV. 296
viscifolius H. B. et K. IV. 283
Wallichianus *Schult.* IV. 294
Loreya *DC.* III. 178
arborescens *DC.* III. 179
Loropetalum R. Br. IV. 269
Lotea Medic. DC. II. 209 (Lotus)
orni hopodioides Moench II. 209

LOTEAE *DC.* II. 115

Lotoides DC. II. 156 (Cytisus)
Lotononis DC. II. 166 (Ononis)
Lotos DC. I. 115 (Nymphaea)
Lotus *L.* II. 209 *L.* II. 208
affinis Ress. II. 208
Allionii Desv. II. 211
alopecuroides Burm. II. 231
angustifolius Gouan II. 213
angustissimus *L.* II. 213
anthylloides *Vent.* II. 210
arabicus *L.* II. 212
arboreus *Forst.* II. 214
arenarius *Brot.* II. 210
argenteus Brot. II. 156
aristatus DC. II. 213
arvensis Schkuhr II. 214
atropurpureus *DC.* II. 210
australis *Andr.* II. 212
β angustifoliolus *DC.* II. 212
Belgradica Forsk. II. 208
biflorus Desr. II. 215
Broussonetii *Choisy* II. 211

Lotus
candidus *Mill.* II.
cernuus Lam. II
ciliatus *Ten.* II. 2
conimbricensis *Br*
conimbricensis

conjugatus L. II
conjugatus Poir
corniculatus *L.* II.
α arvensis *Ser.* -
β major - -
γ villosus *DC.* -
δ crassifolius *Pers.*
ε alpinus *Schleich.*
ζ tennifolius *Poll.*
creticus *L.* II. 211
β varians *DC.* II.
cytisoides *L.* II. 21
β prostratus *Ser.* I
γ uniflorus - -
decumbens *Poir.* I
depressus W. II.
dichotomus *Delil.*
diffusus Schrank
diffusus *Soland.* I
Dioscoridis *All.* II.
dispermus Desv.
Dorycnium Cran
Dorycnium L. II.
dorychnoides Poi
edulis *L.* II. 209
exstipulatus Ber
flexuosus *Lam.* II.
fruticosus Berg.
fruticosus *Desf.* II.
Garcini *DC.* II. 212
Gebelia *Vent.* II. 2
glaberrimus *DC.* II.
glaucus *Ait.* II. 210
gracilis *W. et Kit.*
graecus L. II. 208
hirsutus L. II. 20
hirsutus incanus
hispidus DC. fl. fr
hispidus *Desf.* I. 2
hispidus Pers. II.
humifusus W. II.
Jacobaeus *L.* II. 21
indicus *Lam.* II. 21
intermedius *Pers.* I
lanatus *Sm.* II. 215
lanuginosus *Vent.* I
major Sm. II. 214

nus L. II. 215
anicus L. II. 231
ginoides Retz II. 182
ianus Ser. II. 211
rpus Brot. II. 209
s Ser. II. 212
Sims II. 214
ratos Lam. II. 210
des Desv. II. 167
des Lam. II. 167
dioides L. II. 209
W. II. 214
rus Desf. II. 208
atus Cav. II. 214
rus Burm. II. 224
s L. II. 209
Desv. II. 168
ns Poir. II. 212
is Poir. - -
is Clark II. 211
us Desf. II. 211
us L. II. 166
Viv. II. 211, 210
s Poir. II. 231
II. 208
us Viv. II. 211
DC. II. 208
ursh II. 211, 185
DC. II. 210
L. II. 215
Choisy II. 211
Pers. II. 213
s Lag. II. 209
us Lag. II. 171
sus Burm. II. 144
s Burm. II. 217
t. II. 214
lobus L. II. 215
L. fil. II. 210
s Rhode II. 208
Lag. II. 213
Desr. II. 214
Schkuhr II. 214
is Viv. II. 213
s Domb. II. 171
Desv. II. 211
huill. II. 214
. II. 323 *Jaum.* II. 351
Desv. II. 324
DC. II. 324
is Desv. II. 323
Blume DC. IV. 316 (Loranthus)
Loxanthera speciosa Blume IV. 316
Loxidium Vent. II. 271
Lozania *Seb. Mutis* III. 30 II. 89
nemoralis *Seb. Mutis* III. 30
Lucinaea *DC.* IV. 368
Morindae *DC.* IV. 368
Lucinium Pluk. II. 81
Luculia *Sweet* IV. 357
gratissima *Sweet* IV. 358
Lucya *DC.* IV. 434
tuberosa *DC.* IV. 434
Ludia *Lam.* I. 261
heterophylla Bory I. 261
heterophylla *Lam.* I. 261
mauritiana Räusch. I. 261
myrtifolia *Lam.* I. 261
sessiliflora *Lam.* I. 261
tuberculata Jacq. I. 261
Ludwigia *Roxb.* III. 58 *L.* III. 59, 60 *Ell.* III. 59 *Lam.* III. 58
alata Ell. III. 61
alternifolia Burm. III. 58, 59
alternifolia L. III. 60
angustifolia Mx. III. 60
angustifolia β Poir. III. 60
apetala Walt. III. 61
arcuata Walt. III. 60
aurantiaca Raf. III. 61
capitata Mx. III. 60
cylindrica Ell. III. 61
decurrens Walt. III. 56
diffusa *Hamilt.* III. 59
erigata *L.* III. 59
fruticulosa *Blume* III. 59
glandulosa Pursh III. 61
heterophylla Poir. III. 61
hirtella Raf. III. 60
jussiaeoides *Lam.* III. 58
jussiaeoides Mx. III. 56
lanceolata Ell. III. 61
leucorhiza *Blume* III. 59
linearis Walt. III. 60
lutea Bosc III. 60
lythroides *Blume* III. 59
macrocarpa Mx. III. 60
microcarpa Link III. 60
microcarpa Mx. III. 61
mollis Mx. III. 60
nitida Mx. III. 61
octandra Banks herb. III. 66
oppositifolia L. III. 59
palustris Torr. III. 61
parviflora *Roxb.* III. 59
pedunculosa Mx. III. 60

Ludwigia
perennis Burm. III. 57
perennis *L.* III. 59
permollis Bart. III. 60
pilosa Walt. III. 60
prostrata *Roxb.* III. 59
ramosissima Roth III. 61
ramosissima Walt. III. 60
repens Sw. III. 61
rudis Walt. III. 60
salicifolia Poir. III. 60
sphaerocarpa Ell. III. 61
suffruticosa Walt. III. 60
triflora Lam. III. 59
trifolia *Burm.* III. 59
uniflora Raf. III. 60
virgata Ell. III. 60
virgata M.v. III. 60
Ludwigiaria DC. III. 60 (Isnardia)
Luffa *Cav.* III. 302
acutangula *Ser.* III. 302
aegyptiaca *Mill.* III. 303
arabum Alp. III. 303
Cattu-picinna *Ser.* III. 303
cordifolia *Blume* III. 302
foetida *Cav.* III. 302
Petola *Ser.* III. 303
Plukenetiana *Ser.* III. 302
Luhea *W.* I. 517
speciosa *W.* I. 517
Lumnitzera *W.* III. 22
racemosa *W.* III. 22
Lunanea *DC.* II. 92
Bichy *DC.* II. 92
Lunaria *L.* I. 156
annua L. I. 156
argentea All. I. 160
biennis *Moench* I. 156
β albiflora *DC.* - 157
γ coreyraea - - -
diffusa Thunb. I. 232
graeca W. I. 157
halimifolia All. I. 164
parviflora Delil. I. 157
rediviva *L.* I. 156
β purpurea *DC.* I. 156
γ alpina - - -
Ricotia Desv. I. 157
suffruticosa Vent. I. 157
Lundia mangiferoides Puer. II. 64
Luperia DC. I. 133 (Mathiola)
Lupinaster Moench Ser. II. 203 (Trifolium)
Lupinaster
macrocephalus
pentaphyllus M
purpurascens
Lupinus *Tourn.* II.
africanus *Lour.* I
albus *L.* II. 407
β *DC.* - -
albus aegyptiacu
alopecuroides *Des*
angustifolius *L.* II
arboreus *Sims* II.
argenteus *Pursh*
argyraeus *DC.* II.
bimaculatus *Lam.*
bracteolaris *Desr*
cochinchinensis *L.*
digitatus Forsk.
diffusus *Nutt.* II.
elegans *H. B. et*
gracilis Kunth
hirsutus *L.* II. 40
integrifolius D
integrifolius *L.* II
linearis *Desr.* II.
linifolius *Roth* II
luteus *L.* II. 407
mexicanus *Cerv.*
microcarpus *Sims*
microphyllus *Des*
montanus *H. B. e*
multiflorus *Desr*
nootkatensis *Sim*
nubigenus *Kunth*
odoratus Hortu
paniculatus *Desr.*
perennis *L.* II. 40
pilosus *L.* II. 407
pilosus Walt. I
prolifer Desr.
pusillus *Pursh* I
rupestris *H. B. et*
sarmentosus *Des*
sativus Guter.
semiverticillatu
sericeus *Pursh* I
Smithianus *Kun*
sylvestris α La.
Termis *Forsk.* II
tomentosus *DC.*
trifoliatus Cav.
trifoliatus Rot
varius *L.* II. 407
varius Savi II.

s W. II. 410
ria Ser. II. 172 (Medicago)
rgia St. Hil. I. 350
ra St. Hil. I. 350
dra St. Hil. I. 350
rchiosa Boerh. IV. 650
DC. I. 385 *L.* I. 385
Mill. I. 386
L. I. 387
Dill. I. 368
L. I. 386
illora DC. I. 386
petala hort. berol. I. 386
nica L. I. 385
osa Desr. I. 386
a Pair. - -
- - - -
- - - -
a DC. - -
Lam. I. 387
a Thunb. I. 385
Lois. I. 387
Lag. I. 386
. I. 386
lex L. I. 386
lora Ser. I. -
L. I. 386
l. albo Sm. I. 386
l. rubro Sm. I. 386
Sibth. I. 386
li L. I. 387
s L. I. 385
a Ser. - -
Fisch. I. 386
Lam. I. 387
nsis W. I. 387
ra Jacq. I. 385
petala Ser. I. 386
. I. 387
Mill. I. 387
ica Lam. I. 386
laria Lapeyr. I. 387
is Brot. I. 387
ra Fisch. I. 386
a Berg. I. 387
L. I. 387
s Hoppe I. 386
aea Ser. - -
a Fisch. I. 386
ia Scop. I. 365

Lychnis
variegata *Desf.* I. 386
vesicaria Dill. I. 386
vespertina Sibth. I. 386
Viscaria *L.* I. 385
β flor. pleno *L.* I. 385
viscosa Catesb. I. 379
Lychnoides DC. IV. 650 (Knautia)
Lycioserissa capensis R. et Schult. IV. 476
Lycium L. fil. Thunb. IV. 575
barbatum Thunb. IV. 476
foetidum L. fil. IV. 575
japonicum Thunb. IV. 575
indicum Retz IV. 575
inerme L. fil. IV. 476
Lycoctonum DC. I. 57 (Aconitum)
Lygistum P. Brown. IV. 362 *Lam.* IV. 436 *DC.* IV. 362 (Manettia)
axillare Lam. IV. 362
spicatum Lam. IV. 437
Lygistoides DC. IV. 436 (Gonzalea)

LYGODISODEACEAE Bartl. IV. 470

Lygodysodea *R. et Pav.* IV. 470
ciliata *Bartl.* IV. 470
foetida *R. et Pav.* IV. 470
mexicana DC. IV. 470
Lysimachion Tausch DC. III. 41 (Epilobium)

LYTHRARIEAE *Juss.* III. 75

Lythrum *Juss.* III. 80 *Lam.* III. 80 *L.* III. 80, 90 *L. fil. Lam.* III. 89
acinifolium fl. mex. III. 81
acutangulum Lag. III. 82
alatum Presl III. 82
alatum *Pursh* III. 81
album fl. mex. III. 84
album *H. B. et K.* III. 82
apetalum *Spr.* III. 83
austriacum Jacq. III. 83
bibracteatum Salzm. III. 81
ciliatum Sw. III. 86
cistifolium L'Herit. III. 88
cordifolium fl. mex. III. 85
cordifolium Sw. III. 86
Cuphea L. fil. III. 85
dipetalum *L. fil.* III. 83
domingense Spr. III. 86

Lythrum
filiforme Perrot. III. 77
flavum *Spr.* III. 83
flexuosum *Lag.* III. 82
fruticosum L. III. 92
Graefferi Camb. III. 82
Graefferi *Ten.* III. 82
grandiflorum Perrot. III. 80
Gussonii Presl III. 82
Hunteri *DC.* III. 83
Hyssopifolia Brot. III. 82
Hyssopifolia *L.* III. 81
α acutifolium *DC.* - 82
β virgultosum - - -
γ tenellum - - -
Hyssopifolia d'Urv. III. 82
hyssopifolium Sow. III. 81
Kennedyanum H. B. et K. III. 81
lanceolatum *Ell.* III. 82
lineare Bert. III. 82
lineare *L.* III. 81
maritimum *H. B. et K.* III. 82
Melanium L. III. 86
meonanthum Link III. 82
multiflorum Perrot. III. 77
nummulariaefolia Pers. III. 82
nummulariaefolium *Lois.* III. 81
Parsonsia L. III. 86
Pemphis Lam. III. 89
Pemphis L. fil. III. 89
petiolatum L. III. 85
quintuplinervium *Neuw.* III. 82
racemosum Mutis III. 86
ramosum Perrot. III. 80
Salicaria *L.* III. 82
α vulgare *DC.* III. 82
β gracile - - -
γ tomentosum *DC.* III. 82
δ bracteosum - - -
ε pubescens *Pursh* - -
saturejaefolium fl. mex. III. 82
tenellum Thunb. III. 82
thesioides *MB.* III. 81
Thymifolia Hoffm. III. 82
Thymifolia *L.* III. 81
β major *DC.* - -
thymifolium Burm. III. 82
Triantha Vent. III. 90
triflorum L. fil. III. 90
tuxtlense fl. mex. III. 88
uniflorum Perrot. III. 78
Lythrum
verticillatum L. II
virgatum *L.* III. 83
β acuminatum *W.* III.
virgatum Sims III.
virgatum Spr. III.
virgatum Walt. III
virgatum var. Spr
virginicum Kenn.
vulneraria Schran

M

Macahanea Aubl. I. 5
Macairea *DC.* III. 109
adenostemon *DC.* III
β ursina *Mart. et Sch*
radula *DC.* III. 109
rufescens *DC.* III. 10
thyrsiflora *DC.* III. 1
Macanea *Juss.* I. 564
guianensis *Aubl.* I. 5
Machaerium Pers. L
aculeatum Raddi I
acuminatum H. B.
punctatum Pers. II
reticulatum Pers.
Machaonia *H. et Bonpl.*
acuminata *H. et Bon*
brasiliensis *Cham. et*
spinosa *Cham. et Sch*
Macoubea *Aubl.* I. 564
guianensis *Aubl.* IV.
Macoucoua guianens
Macranthus *Poir.* II. 38
cochinchinensis *Lour*
Macroceratides Radd
Pseudo-Stizolobium
Macroceratium DC. I
Macrocnemum *P. Brow*
R. et Pav. IV. 4
IV. 357 *Rich.* IV.
candidissimum Vah
coccineum Vahl IV.
corymbosum R. et P
glabratum Burtt. I

emum
ense *L.* IV. 403
folium *Rich.* IV. 403
carpum *R. et Pav.* IV. 402
orum *Roxb.* IV. 403
num *Jacq.* IV. 370
ceum *Roxb.* IV. 403
tum *W.* IV. 387
drum *Cav.* IV. 373
rum *Rich.* IV. 403
rium *H. B. et K.* IV. 402
um *Rich.* IV. 403, 367
m *R. et Pav.* IV. 402
Velloz. IV. 357
Velloz. IV. 357
lium *Schreb. et W.* II. 510 *Vahl* II. 511
m *Pers.* II. 511
n *Colebr.* II. 511
teoides *W.* II. 511
um *W.* II. 511
Gmel. II. 511
carpum *W.* II. 511
um *Meyer* II. 511
mel. II. 511
Gmel. II. 511
um *junceum Burch.* I. 245
m *R. Br.* I. 149
Br. I. 149
DC. II. 98
DC. II. 98
DC. II. 99
Raf. DC. I. 64 (Actaea)
DC. I. 271 (Helianthemum)
Sonn. I. 583
sk. I. 254
s *DC.* I. 254
Vahl I. 254
Vahl I. 254
Cav. I 684
Cav. I. 684
. I. 79
L. I. 80
lii *DC.* I. 80
ris Salisb. I. 80
Lam. I. 80
ta var. Mx. I. 80
. I. 81
a Salisb. I. 81
Mx. I. 80
llii Savi I. 80

Magnolia
denudata Lam. I. 81
discolor Vent. I. 81
fasciata Vent. I. 81
fatiscens Rich. I. 82
Figo *DC.* I. 81
fuscata *Andr.* I. 81
β annonaefolia *Salisb.* I. 81
γ hebeclada *DC.* - - -
glauca fl. mex. I. 80
glauca *L.* I. 80
β longifolia *DC.* I. 80
γ argentea - - -
gracilis Salisb. I. 81
grandiflora Andr. I. 80
grandiflora *L.* I. 80
α obovata *DC.* - -
β elliptica - - -
γ lanceolata - - -
grandiflora Moç. et Sessé I. 80
inodora *DC.* I. 81
Kobus *DC.* I. 81
liliflora Lam. I. 81
macrophylla *Mx.* I. 80
mexicana *DC.* I. 80
obovata *Thunb.* I. 81
α denudata *DC.* - -
β discolor - - -
γ liliflora - - -
pumila *Andr.* I. 81
purpurea Curt. I. 81
pyramidata *Bart.* I. 80
tripetala L. I. 80
umbrella *Lam.* I. 80
virginiana α glauca L. I. 80
Yulan *Desf.* I. 81

MAGNOLIACEAE *DC.* I. 77

Magnoliastrum DC. I. 80 (Magnolia)

MAGNOLIEAE *DC.* I. 79

Magydaris *Koch* IV. 241
ambigua *DC.* IV. 241
panacina *DC.* IV. 241
tomentosa *Koch* IV. 241
Mahernia *L.* I. 496
bipinnata *L.* I. 496
biserrata *Cav.* I. 497
diffusa *Jacq.* I. 496
erodioides *Burch.* I. 496
glabrata *Cav.* I. 497
grandiflora *Burch.* I. 497
heterophylla *Cav.* I. 496

Mahernia
incisa *Jacq.* I. 496
linnaeoides *Burch.* I. 497
odorata Andr. I. 497
odorata β incisa Pers. I. 497
oxalidiflora *Burch.* I. 497
pulchella *Cav.* I. 496
resedaefolia *Burch.* I. 496
seselifolia *DC.* I. 496
spinosa *Burch.* I. 497
vernicata *Burch.* I. 496
verticillata *L.* I. 496
vesicaria *DC.* I. 497
violacea *Burch.* I. 497
Mahonia *Nutt.* I. 108
Aquifolium *Nutt.* I. 108
β nuttana *DC.* - -
fascicularis *DC.* I. 108
glumacea *DC.* I. 109
japonica *Thunb.* I. 109
napaulensis *DC.* I. 109
β Roxburghii - - -
nervosa *Nutt.* I. 108
Mahurea *Aubl.* I. 557
palustris *Aubl.* I. 558
speciosa *Chois.* I. 558
Majeta *Aubl.* III. 166 *Vent.* III. 167
annulata Vent. III. 168
argentea Vent. III. 168
guianensis *Aubl.* III. 166
heterophylla *DC.* III. 166
hypophysca *DC.* III. 166
scalpta Vent. III. 168
Malabaila Hoffm. IV. 188
graveolens Hoffm. IV. 189
pimpinellifolia Hoffm. IV. 190
Malacca Schambu Rheed. III. 286
Malache Trev. DC. I. 443 (Pavonia)
Malachodendron *Cav.* I. 528
ovatum *Cav.* I. 528
Malachra *L.* I. 440
alceaefolia *Jacq.* I. 441
bracteata *Cav.* I. 441
capitata *L.* I. 440
ciliata *Poir.* I. 440
cordata *Poir.* I. 440
fasciata *Jacq.* I. 440
heptaphylla *Fisch.* I. 441
palmata *Moench* I. 441
plumosa *Desr.* I. 440
radiata *L.* I. 440
rotundifolia *Schrank* I. 440
triloba *Desf.* I. 440
Malachra
Urena *DC.* I. 441
urens *Poit* I. 440
Malanea *Aubl.* IV. 459
459 *Rich.* I
bifurcata Desr. IV
dioica Pet. Th. IV.
nitida Desr. IV. 4(
sarmentosa *Aubl.* IV
verticillata Lam. I
verticillata Sieb. I
Malbrancia Neck. II
Malcolmia *R. Br.* I. 18
africana *R. Br.* I. 18
alyssoides *DC.* I. 18
arenaria *DC.* I. 187
Broussonetii *DC.* I.
chia *DC.* I. 187
erosa *DC.* I. 188
incrassata *DC.* I. 187
lacera *DC.* I. 188
laxa *DC.* I. 187
littorea *R. Br.* I. 18
lyrata *DC.* I. 187
maritima *R. Br.* I. 1
parviflora *DC.* I. 187
patula *DC.* I. 187
taraxacifolia *DC.* I. 1
Malesherbia *R. et Pav.*
linearifolia Poir.
paniculata *Don* III.
thyrsiflora *R. et Pav*
MALESHERBI
D
MALESHERBIEAE
Mallococca crenata
Malocchia Savi II. 4(
ensiformis Savi II.
gladiata Savi II. 4(
Malope *L.* I. 429
malacoides *L.* I. 429
β sinuata *DC.* - -
multiflora *Trig.* I. 4
parviflora L'Herit.
stipulacea *Cav.* I. 42
trifida *Cav.* I. 429
Malpighia *Rich.* I. 577
altissima Aubl. I. 5
angustifolia *L.* I. 578
aquifolia *L.* I. 578
argentea Jacq. I. 5
armeniaca Cav. I.
biflora *Poir.* I. 578

dulosa Poir. I. 582
chiensis Poir. I. 578
ens Ait. I. 582
uthus Poir. I. 583
a Poir. I. 580
Spr. I. 577
a L. I. 578
rya L. I. 578
ea Sw. I. 581
folia L. I. 579
H.B. et K. I. 578
Poir. I. 580
w. I. 578
Meyer I. 580
la fl. mex. I. 578
lw. I. 578
r. I. 577
I. 578
fera Jacq. I. 581
sa Cav. I. 581
ta Jacq. I. 581
Jacq. I. 578
ll. I. 578
Poir. I. 580
Jacq. I. 578
. I. 580
lla Desf. I. 577
lla Juss. I. 579
nsis Jacq. I. 578
. I. 581
la ? I. 578
r. I. 581
I. 578. 582
I. 578
B. et K. I. 578
acq. I. 582
ir. I. 581
Mill. I. 582
a Andr. I. 581
mex. I. 580
Cav. I. 578
L. I. 578
Poir. I. 581
I. 579
I. 577
v. I. 580
B. et K. I. 579
a Jacq. I. 581
577
lia L. I. 579
lims I. 581
LACEAE *Juss.* I. 577
LEAE *DC.* I. 577

Maluchia DC. I. 435 (Malva)
Malus Tourn. II. 633, 635 *DC.* II. 635 (Pyrus)
acerba Merat II. 635
astracanica Dum.-Cours II. 635
baccata Desf. II. 635
coronaria Mill. II. 635
hybrida Desf. II. 635
microcarpa Raf. II. 632
sempervirens Desf. II. 635
sinensis Dum.-Cours II. 635
spectabilis Desf. II. 635
tomentosa Dum.-Cours II. 637
Malva *L.* I. 430
abutiloides *L.* I. 435
acaulis *Cav.* I. 435
aegyptia *L.* I. 431
Alcea *L.* I. 432
β Moreni *Poll.* I. 432
alceoides Ten. I. 432
althaeoides *Cav.* I. 432
β hirsuta *Ten.*
americana Cav. I. 430
americana *L.* I. 430
amoena *Sims* I. 433
angustifolia *Cav.* I. 435
antillarum Zucc. I. 430
asperrima *Jacq.* I. 434
balsamica *Jacq.* I. 434
betulina Desr. I. 430
biflora Desr. I. 434
bonariensis *Cav.* I. 433
borbonica *W.* I. 430
Boryana *DC.* I. 435
brasiliensis *Desr.* I. 433
bryonifolia *L.* I. 434
calycina *Cav.* I. 434
capensis *Cav.* I. 434
capitata *Cav.* I. 434
caroliniana *L.* I. 435
carpinifolia Desr. I. 430
chinensis *Mill.* I. 436
corchorifolia Desr. I. 430
coromandeliana W. I. 430
cretica *Cav.* I. 431
crispa *L.* I. 433
cuneifolia *Cav.* I. 431
curassavica Desr. I. 430
cymbalariaefolia *Desr.* I. 431
decumbens *W.* I. 436
diphylla Moench I. 431
divaricata *Andr.* I. 434
domingensis *Spr.* I. 431
elegans *Cav.* I. 435

Malva
eriocarpa *DC.* I. 436
exasperata Moench I. 435
fastigiata *Cav.* I. 432
β lobata - - -
γ albulensis - - -
flexuosa *Horn.* I. 433
fragrans *Jacq.* I. 434
gangetica *L.* I. 431
glabra Desr. I. 432
glomerata Hortul. I. 433
grossulariaefolia *Cav.* I. 434
Henningii *Goldb.* I. 432
hibiscoides *Desr.* I. 435
hispanica *L.* I. 431
β spithamea *Cav.* I. 431
italica *Poll.* I. 436
lactea *Ait.* I. 434
laevis Moench I. 435
Lagascae hort. taur. I. 430
leprosa *Ortg.* I. 431
limensis *L.* I. 435
mareotica *Delil.* I. 433
maritima Lam. I. 432
mauritiana *L.* I. 432
β sinensis *Cav.* I. 432
microcarpa *Desf.* I. 433
miniata *Cav.* I. 435
moschata *L.* I. 432
β laciniata *Desr.* I. 432
moschata β undulata Sims I. 432
nicaeensis *All.* I. 433
β montana *Forsk.* I. 433
obtusa Moench I. 432
operculata *Cav.* I. 435
orientalis *Mill.* I. 436
ovata Cav. I. 430
oxyacanthoides *Horn.* I. 434
Papaver *Cav.* I. 431
parviflora Huds. I. 433
parviflora *L.* I. 433
peruviana *L.* I. 435
polystachya *Cav.* I. 430
prostrata *Cav.* I. 436
reflexa Andr. I. 434
reflexa Wendl. I. 434
retusa *Cav.* I. 434
rosea *fl. mex.* I. 435
rotundifolia *L.* I. 432
β pusilla *Sm.* I. 433
γ crenata *Ku.* - -
rugosa *Desr.* I. 434
scabra *Cav.* I. 430

Malva
scoparia Jacq.
scoparia *L'Heri*
Sherardiana *L.* I
spicata Cav. I.
spicata *L.* I. 43
α β *DC.* - -
stellata Thunl
stipulacea *Cav.*
stricta *Jacq.* I. 4
subhastata *Cav.*
subtlobata Desr
subtriflora *Lag.*
sylvestris *L.* I. 4
β albiflora *DC.*
tenella *Cav.* I. 4
tenuifolia Sav.
timoriensis *DC.*
tomentosa *L.* I.
Tournefortiana *L.*
β ciliata *Duf.*
trachelifolia *Lin.*
tricuspidata *Ait.*
β subtriloba *DC.*
tridactylites *Cav.*
trifida *Cav.* I. 43
triloba Thunb.
trionoides *DC.* I
ulmifolia Balb.
umbellata *Cav.* I
urticaefolia *H. B.*
veneta Hortul.
verticillata *L.* I.
virgata *Cav.* I. 43
vitifolia Cav. I.
vulgaris Ten. I
waltherifolia *Lin*
Nr. 3429. *Burch*

MALVACEAE

Malvastrum DC.
Malvaviscus *Dill.* I.

acapulcensis *H. B.*
arboreus *Cav.* I.
Balbisii *DC.* I. 44
candidus *fl. mex.*
ciliatus *DC.* I. 44
concinnus *H. B.*
cordatus Balb.
cordatus *DC.* I. 4
flavidus *fl. mex.*
fragilis Bory I.
grandiflorus *H. B.*
mollis *DC.* I. 445
penduliflorus *fl. m*

ras
rpus *fl. mex.* I. 445
DC. I. 445
therus *fl. mex.* I. 446
pus *fl. mex.* I. 446
ua *Bory* I. 446
a *Medik. DC.* I. 459 (Sida)
ta *Moench* I. 466
I. I. 561
ma *L.* I. 561 III. 288
ata *Moç. et Sessé* I. 561
Vahl I. 561
ia *Haw.* III. 458
hort. berol. III. 460
ort. berol. III. 460
ort. berol. III. 460
hort. berol. III. 460
hort. berol. III. 460
hort. berol. III. 460
aw. III. 460
Haw. III. 458
t. berol. III. 460
Haw. III. 458
DC. III. 459
rt. berol. III. 460
a *Haw.* III 459
DC. III. 459
DC. III. 460
aw. III. 459
ma *Haw.* III. 458
. III. 460
III. 460
a *Haw.* III. 459
Haw. III. 459
. III. 459
aw. III. 459
a *Haw.* III. 459
Haw. III. 459
negalensium Adans. II. 527
tis IV. 362
R. et Schult. IV. 364
R. et Pav. IV. 363
chott IV. 364
Vees et Mart. IV. 363
m. et Schl. IV. 364
V. IV. 362
Mart. IV. 363
Bert. IV. 363
Cham. et. Schl. IV. 364
DC. IV. 364
m. et Schl. IV. 363
am. et Schl. IV. 363
H. B. et K. IV. 362

Manettia
lanceolata Vahl IV. 371
Lygistum *Sw.* IV. 362
mutabilis Pers. IV. 362
picta *W.* IV. 364
pseudo-diodia *Cham. et Schl.* IV. 364
pubescens *Cham. et Schl.* IV. 363
racemosa *R. et Pav.* IV. 362
reclinata *L.* IV. 362
rosea *Pohl* IV. 364
secundiflora *DC.* IV. 364
umbellata *R. et Pav.* IV. 364
uniflora *H. B. et K.* IV. 363
villosa *Cham. et Schl.* IV. 363
MANETTIEAE Cham. et Schl. IV. 349
Mangifera *L.* II. 63
Amba Forsk. II. 63
axillaris Lam. II. 64
domestica Gaertn. II. 63
foetida *Lour.* II. 63
glauca Roxb. II. 11
indica *L.* II. 63
laxiflora *Desr.* II. 63
oppositifolia *Roxb.* II. 63
pinnata L. fil. II 75
racemosa Lam. II. 63
Mangium candelarium Rumph III. 32
caseolare album Rumph III. 231
caseolare rubrum Rumph III. 231
montanum Rumph II. 451
Mangle Plum. DC. III. 32 (Rhizophora)
Mangostana Gaertn. DC. I. 560 (Garcinia)
Manihot DC. I. 448 (Hibiscus)
Manna Don II. 352
caspica Don II. 352
hebraica Don II. 352
nepalensis Don II. 352
Man-Todda-Vaddi Rheed. II. 255
Mapouria Rich. Aubl. IV. 504
guianensis Aubl. IV. 509
Maqueria Comm. I. 726
Maralia *Pet. Th.* IV. 255
madagascariensis *DC.* IV. 255
Marathrum Raf. IV. 146
Marcanthus Lour. II. 382
Marcetia *DC.* III. 124
acerosa *DC.* III. 125
cordigera *DC.* III. 124

Marcetia
decussata *DC.* III. 124
excoriata *DC.* III. 124
glandulosa *DC.* III. 124
juniperina *DC.* III. 125
pubescens *DC.* III. 124
sertularia *DC.* III. 124
tamariscina *DC.* III. 125
taxifolia *DC.* III. 124
β cinerea - - -
tenuifolia *DC.* III. 125
Marcgravia *Plum.* I. 565
coriacea *Vahl* I. 566
picta *W.* I. 566
spiciflora *Juss.* I. 566
umbellata *L.* I. 566
MARCGRAVIACEAE *Juss.* I. 565
MARCGRAVIEAE *Chois.* I. 565
Marcorella Neck. DC. II. 23
Marenteria Nor. DC. I. 89 (Unona)
Margaris *DC.* IV. 483
barbigera *DC.* IV. 483
nudiflora *DC.* IV. 483
Margyricarpus *R. et Pav.* II. 591
laevis W. II. 591
setosus *R. et Pav.* II. 591
setosus W. II. 591
Marialva *Vand.* I. 560
fructipendula *Chois.* I. 560
guianensis *Chois.* I. 560
uniflora *Chois.* I. 560
Marsana Sonn. I. 537
buxifolia Sonn. I. 537
Marignia *Comm.* II. 79
acutifolia *DC.* II. 79
obtusifolia *DC.* II. 79
Marila *Sw.* I. 558
racemosa *Sw.* I. 558
Marlea *Roxb.* IV. 267 (III. 204)
begonifolia *Roxb.* IV. 267 (III. 204)
Marquisia *Rich.* IV. 477
Billardierii *Rich.* IV. 477
Martia Leand. II. 236
physalodes Leand. II. 236
Martiusia *Schult.* II. 236
physalodes *Schult.* II. 236
Mascagnia Bert. DC. I. 585 (Hiraea)
americana Bert. I. 585
oblongifolia Bert. I. 585
Maschalanthe I
Mastixia *Blume*
pentandra *Blu*
trichotoma *Bl*
Matayba *Aubl.* I.
guianensis *Aub*
Patrisiana *DC.*
Voua-rana *DC.*
Mathiola *R. Br.* I
acaulis *DC.* I.
annua *Sweet* I.
bicornis *DC.* I.
coronopifolia *L*
β hispanica
crucigera *DC.*
elliptica *R. Br.*
fasciculata *DC.*
fenestralis *R. E*
glabrata *DC.* I.
graeca *Sweet* I
humilis *DC.* I.
incana *R. Br.* I
livida *DC.* I. 1
longipetala *DC.*
lunata *DC.* I. 1
odoratissima *R.*
β tanaicensis *D*
oxyceras *DC.* I
α β γ - -
parviflora *R. B*
persica *DC.* I.
Pumilio *DC.* I.
rupestris *DC.* I
scabra L. IV.
sinuata *R. Br.*
tatarica *DC.* I.
tenella *DC.* I. I
torulosa *DC.* I.
tricuspidata *R.*
tristis *R. Br.* I
varia *DC.* I. 13
β - - -
Matisia *H. et Bon*
cordata *H. et B*
Matrisylva Offi
Mauchartia Ne
Mauduita pend.
Mauria *H. B. et K*
heterophylla *H.*
simplicifolia *H.*
Maurocenia fra

a Aubl. II. 42
ubl. I. 79
ensis Raddi I. 79
a Aubl. I. 79
Spr. I. 79
Feuill. II. 9 *Juss.* II. 9
is DC. II. 9
ifolius DC. II. 10
DC. II. 9
H.B. et K. II. 9
ata DC. II. 10
zeron Labill. I. 719
m Labill. I. 719
Labill. I. 719
is DC. I. 120 (Meconopsis)
Vig. I. 120
Fig. I. 120
DC. I. 121
is DC. I. 121
DC. I. 121
II. 171
Guertn. II. 176
W. II. 179
ila Desv. II. 181
Ten. II. 179
is Bess. II. 173
a Bast. II. 176
W. II. 175
W. II. 175
II. 173
Ten. II. 179
pa Fisch. II. 172
MB. II. 173
ta Ten. II. 180
is Jacq. II. 178
Schrank II. 176
Savi II. 176
V. II. 180
ta Gaertn. II. 172
L. II. 171
ta β W. II. 172
Desr. II. 179
Gaertn. II. 176
Lam. II. 176
Cherleri J. Bauh. II. 177
MB. II. 172
a DC. II. 178
Kit. II. 173
a W. II. 176
Ser. - -
oir. II. 177
is DC. II. 177
oir. II. 179

Medicago
echinata hirsuta J. Bauh. II. 178
Echinus *DC.* II. 181
elegans W. II. 175
esculenta Rottl. II. 185
falcata Lam. II. 173
falcata *L.* II. 172
β annularis *Ser.* II. 172
γ tumida - - 173
falcata versicolor Waltr. II. 173
flexuosa *Ten.* II. 176
Gerardi *W. et Kit.* II. 179
β minor *Ser.* - -
globulifera *Poir.* II. 176
globulosa *Desv.* II. 176
glomerata *Balb.* II. 174
glutinosa *MB.* II. 174
β Panzeriana *Ser.* II. 174
glutinosa Panzer II. 174
graeca *Horn.* II. 178
granatensis *W.* II. 180
Heliæ W. II. 174
hirsuta All. II. 178
hispida Gaertn. II. 177
Histrix *Ten.* II. 177
Hornemanniana *Ser.* II. 177
intermedia DC. herb. II. 174
intermedia *Schult.* II. 173
intertexta *W.* II. 180
laciniata *All.* II. 180
laevis *Desf.* II. 174
lappacea *Lam.* II. 177
lenticularis Desr. II. 174
littoralis *Rhode* II. 177
β breviseta *DC.* - -
littoralis Ten. II. 179
lunata J. Bauh. II. 172
Lupulina *L.* II. 172
β polystachya *Ser.* II. 172
γ unguiculata - - -
δ corymbosa - - -
luteo-coerulea Hortul. II. 173
maculata *W.* II. 179
magna turbinata J. Bauh. II. 175
marginata *W.* II. 174
marina *L.* II. 176
media *Pers.* II. 173
minima *Lam.* II. 178
β canescens *Ser.* II. 178
γ longiseta *DC.* - -
minima hirsuta J. Bauh. II. 178

Medicago
mniocarpa Walbr. II. 172
mollissima *Roth* II. 178
Murex *W.* II. 180
muricata *All.* II. 180
muricata γ Lam. II. 176
muricoleptis *Tin.* II. 179
nigra *W.* II. 178
Noccae Balb. II. 178
nummularia *DC.* II. 171
nummularia Stev. II. 172
obscura *Retz* II. 174
β triflora *Ser.* - -
γ rugulosa - - -
orbicularis *All.* II. 174
β microcarpa *Moric.* II. 174
orbiculata J. Bauh. II. 174
pentacycla *DC.* II. 177
polycarpa W. II. 176
polycephala Hortul. II. 176
polymorpha α L. II. 174
β L. II. 175
polymorpha γ tornata L. II. 175
δ turbinata L. II. 175
coronata L. II. 177
laciniata L. II. 180
minima L. II. 178
muricata L. II. 180
pinnatifida Jacq. II. 180
rigidula Bert. II. 177
praecox *DC.* II. 178
procumbens *Bess.* II. 173
prostrata *Jacq.* II. 173
pubescens *DC.* II. 176
pubescens Horn. II. 177
radiata *L.* II. 172
β dasycarpa *Ser.* II. 172
recta *Desf.* II. 179
rigidula *Lam.* II. 180
rigidula Thuill. II. 179
rugosa *Lam.* II. 175
rugosa D'Urv. II. 176
rupestris *MB.* II. 172
sativa *L.* II. 173
β versicolor *Ser.* II. 173
saxatilis *MB.* II. 175
scutellata *All.* II. 175

Medicago
sibirica *DC.* II
sphaerocarpos
spinulosa *DC.*
striata *Bast.* I
suffruticosa *R.*
Tenoreana *Ser*
tentaculata *W.*
Terebellum *W*
tornata *W.* II.
tornata β L.
tribuloides *La.*
β narbonensis
tricycla DC.
truncatulata
tuberculata *W*
turbinata *W.* I
umbellata Ho
uncinata *W.* II
villosa DC. fl.
villosa β DC.
virginica L.
Willdenowii
Medinilla *Gaudi*
rosea *Gaudich*
Meerburgia Mo
Meesia serrata
Megacarpaea *DC.*
angulata *DC.* I
laciniata *DC.* I.
Megusea Haw.
ciliata Haw.
cordifolia Ha
crassifolia H
media Haw. I
Meisneria *DC.* II
arenaria *DC.* I
paludosa *DC.* I
Melaleuca *L.* III.
abietina *Sm.* II
aestuosa For
angustifolia
arachnoidea
armillaris *Sm.*
bicolor Poir.
Cajaputi Ro
Cajaputti Ho.
calycina *R. Br.*
canescens Lin
chlorantha B.
ciliata Forst.
coronata And
costata Räus
cuticularis *Lab.*
decussata *R. B*
densa Colla II

...ea
...a *R. Br.* III. 215
...sa *Forst.* III. 224
...ifolia *Andr.* III. 212
...ifolia *Dum.-Cours* III. 214
...ior *Sieb.* III. 214
...ata *Don* III. 215
...a *Labill.* III. 215 *
...folia *Andr.* III. 213
...a *Sm.* III. 213
...hala *Sieb.* III. 225
...us *Otto* III. 214
...aris *Labill.* III. 210
...a *Hortul.* III. 214
...*Forst.* III. 224
...*Dum.-Cours* III 212
...*Br.* III. 214
...*Sm.* III. 212
...*bill.* III. 215
...*Br.* III. 212
...*ia Vent.* III. 214
...*ndl.* III. 215
...*Sm.* III. 214
...*Hortul.* III. 215
...*r.* III. 215
...*DC.* III. 213
...*is.* III. 215
...*tto* III. 212
...*Vendl.* III. 215
...*n.* III. 210
...*ron Hayn.* III. 212
...*n L.* III. 212
...*ron angustifolia L. fil.* III. 212
...*ron latifolia L. fil.* III. 212
...*m.* III. 214
...*endl. et Schrad.* III. 223
...*l.* III. 224
...*ortul.* III. 213
...*Sm.* III. 215
III. 212
...*Hortul.* III. 213
...*Vent.* III. 215
...*Sims* III. 210
...*ortul.* III. 227
...*k* III. 213
III. 213
...*rtul.* III. 212
...*Poir.* III. 5
...*Br.* III. 212
...*Otto* III. 214
...*abill.* III. 213
...*äusch.* III. 215

Melaleuca
pulchella *R. Br.* III. 214
pumila Otto III. 214
salicifolia Andr. III. 210
scabra *R. Br.* III. 213
scoparia Wendl. III. 227
scoparia diosmatifolia Wendl. III. 227
serpyllifolia Dum.-Cours III. 214
sprengelioides *DC.* III. 215
squamea *Labill.* III. 213
squarrosa *Sm.* III. 215
striata *Labill.* III. 212
stricta *Sm.* III. 215
styphelioides *Sm.* III. 212
suaveolens Gaertn. III. 210
tenuifolia *DC.* III. 213
tenuifolia Wendl. III. 228
tetragona *Lodd.* III. 215
Thea Wendl. III. 228
thymifolia *Sm.* III. 214
thymoides *Labill.* III. 213
tomentosa Colla III. 215
trinervia *Sm.* III. 215
umbellata Räusch. III. 225
uncinata *R. Br.* III. 213
villosa L. fil. III. 224
virgata L. fil. III. 229
viridiflora *Gaertn.* III. 212
MELALEUCEAE *DC.* III. 210
Melanium P. Brown. Spr. III. 83 *Rich.* III. 135 *DC.* I. 301 (Viola)
alliaceum Spr. III. 86
fruticosum Spr. III. 89
hirtum Spr. III. 86
scabrum Spr. III. 86
Melanopsidium Cels. IV. 618 *Poit.* IV. 443
nigrum Cels. IV. 618
Melanoselinum *Hoffm.* IV. 208
decipiens *Hoffm.* 208
Seguieri Sweet IV. 158
Melanosinapis DC. I. 217 (Sinapis)
Melanosticta *DC.* II. 485
Burchellii *DC.* II. 485
Melastoma *Burm.* III. 144 *L. Don* III. 144 *Auct.* III. 165 *Bonpl.* III. 173
Acinodendron L. III. 170, 188
acuminata Balb. herb. III. 186
acuminata Desr. III. 175
acuminata Vahl III. 172

Melastoma
acutiflorum Mart. et Schr. III. 154
acutipetala Rich. III. 168
adscendens *Sw.* III. 202
affine *Don* III. 145
Afzelianum *Don* III. 147
aggregatum Mart. et Schr. III. 156
agreste Mart. et Schr. III. 160
agrestis Aubl. III. 161
alata Aubl. III. 184
alata Sw. III. 182
albicans Sw. III. 181
alpestre *Jack* III. 146
alpina Sw. III. 196
ambigua Bonpl. III. 189
amygdalina Desr. III. 169
amygdaloides Mart. et Schr. III. 156
angustifolia Sw. III. 172
annuum Schrank III. 115
aplostachya Bonpl. III. 183
apterum Mart. et Schr. III. 161
aquatica Aubl. III. 116
arborescens Aubl. III. 179
argentea Desr. III. 131
argentea Sw. III. 182
argyrophyllum Mart. et Schr. III. 181
aristatum Mart. III. 157
aromatica Vahl III. 144
articulata Desr. III. 153
aspera Pav. III. 152
aspergillaris Bonpl. III. 193
asperiuscula Rich. III. 155
asperum Blume III. 145
asperum *L.* III. 145
astrolasion Spr. III. 190
auriculatum Mart. III. 185
azurea Blume III. 196
Balbisianum Ser. III. 177
bananale Schrank III. 158
Berterianum Spr. III. 197
Berteroanum Ser. III. 173
bibracteatum *Blume* III. 148
biglomerata Bonpl. III. 183
biseptenum Mart. et Schr. III. 164
biserratum Mart. et Schr. III. 158, 194
bivalvis Aubl. III. 117
blepharodes Mart. III. 158
brachiatum *Vahl* III. 200
bracteatum *Jack* III. 150
Melastoma
bracteatum Mart.
bracteolata Bonp
brasiliense *Spr.* III.
brunneum Mart.
brunneum *Vahl* III.
bubalina Pav. III.
bullosum Mart. et
bullosum Spr. III.
Cacatin Aubl. III.
calvescens Mart.
calycopteris Rich
calyptrata Desr.
candidum *Don* III.
capillaris Pav. III
capillaris Sw. III.
capitatum *Vahl* III.
capitellata Bonpl
carassanum Mart
Cardinalis Spr. II
caudata Bonpl. II
caudatum Mart.
ceramicarpum M
Chaetodon Mart.
christophorianum *I*
chrysophylla Des
chrysophylla Rich
Chulesis Hamilt.
ciliata Desr. III. 1
ciliata Pav. III. 15
ciliata Rich. III. 1
ciliatum Mart. et
cinchonaefolium M
cinnamomifolium
clavata Pers. III.
coccinea Rich. III.
coccinea Rich. her
coccinea Vahl III.
coelata Bonpl. III.
coelestis Pav. III.
coerulea Pav. III.
columneaefolium
compressa Vahl II
conglomerata Ric
conglomeratum M
constrictum *Blume*

...
...*tum Mart. et Schrank* III. 107
...*cea Juss.* III. 190
...*cea Sw.* III. 189
...*folia Desr.* III. 175
...*ata Bonpl.* III. 187
...*losa Sims* III. 147
...*sa Vahl* III. 197
...*sa Reinw.* III. 147
...*Pav.* III. 165
...*Vahl* III. 157
...*Vahl* III. 199
...*L.* III. 147
...*Desr.* III. 194
...*Spr.* III. 180
...*lia Desr.* III. 172
...*Mart. et Schrank* III. 157
...*Pav.* III. 176
...*m.* III. 202
...*Blume* III. 149
...*Sm.* III. 146
...*Rich.* III. 189
...*DC.* III. 147
...*Roxb.* III. 146
...*Beauv.* III. 143
...*Vahl* III. 179
...*Mart. et Schrank* III. 194
...*av.* III. 158
...*Labill.* III. 144
...*ta Rich. herb.* III. 161
...*Pav.* III. 160
...*Mart. et Schrank* III. 181
...*Blume* III. 147
...*Desr.* III. 107
...*Pav.* III. 160
...*esr.* III. 118
...*w.* III. 152
...*Mart. et Schrank* III. 193
...III. 172
...*W.* III. 150
...*ta Bonpl.* III. 159
...*m Hamilt.* III. 200 *)
...*a Desr.* III. 177
...*Lour.* III. 146
...*art. et Schrank* III. 154
...*lit.* III. 199

...est enim Charianthus ...II. 485.

Melastoma
egense Mart. herb. III. 165
elaeagnoides Sieb. III. 172
elaeagnoides Sw. III. 172
elata Sw. III. 182
elegans Aubl. III. 158
elongata Vahl III. 175
elongatum *Don* III. 147
Epibaterium Mart. herb. III. 157
erectum *Jack* III. 145
erostratum Mart. et Schrank III. 160
exiguum *Jack* III. 149
eximium *Jack* III. 149
expansum *Vahl* III. 199
exstinctoria Bonpl. III. 174
fallax *Jack* III. 150
fascicularis Sw. III. 170
favosum *Desr.* III. 199
ferruginea Desr. III. 182
ferrugineum Mart. et Schrank III. 181
flavescens Aubl. III. 169
floribunda Bonpl. III. 188
Fontanesianum Spr. III. 130
Fothergilla Rich. III. 176
fothergilloides Mart. et Schrank III. 108
foveolatum Mart. et Schrank III. 164
fragile *L.* III. 201
fragilis Rich. herb. III. 115
fulva Rich. III. 180
furfuraceum *Vahl* III. 202
glabra Forst. III. 176
glabrata Sw. III. 168
glabrescens Mart. et Schrank III. 187
glandulosa Sw. III. 191
glaucum *Jack* III. 151
glomerata Vahl III. 168
gracile *Jack* III. 149
grandiflora Aubl. III. 107
grandiflorum Schrank III. 107
grandiflorum Spr. III. 173
granulosa Bonpl. III. 193
granulosa Desr. III. 130
grossularioides *L.* III. 201
grossum *L. fil.* III. 201
guayaquilensis Bonpl. III. 186
Huenkeanum Mart. III. 107
herpeticum Mart. et Schrank III. 181
heterophasis Mart. herb. III. 164

Melastoma
heterocarpum Mart. et Schrank III. 155
heteromalla Don III. 152
heteroneurum *Mart. et Schrank* III. 201
heterophylla Desr. III. 166
hirsuta Sw. III. 171
hirta Desr. III. 173
hirta L. III. 157
hirtella Sw. III. 171
hispidum Mart. herb. III. 164
hispidum *Sw.* III. 199
holosericea L. III. 181
holosericea Pav. III. 176
hypericifolium *Blume* III. 148
hypophyscon Mart. et Schrank III. 166
januarensis Mart. et Schrank III. 156
japurense Mart. et Schrank III. 159
javanense *Blume* III. 147
ibaguense *H. et. Bonpl.* III. 201
impetiginosum Mart. herb. III. 183
impetiolaris Sw. III. 183
inaequalifolium Mart. et Schrank III. 164
involucrata Desv. III. 101
involucrata Rich. herb. III. 163
involucratum *Don.* III. 147
involucratum Mart. et Schrank III. 154
lacera Bonpl. III. 164
laevigata Aubl. III. 189
laeviguta Desr. III. 188
laevigatum Mart. et Schrank III. 187
Lambertianum Ser. III. 165
lanatum Lamb. herb. III. 162
lanceolata Desr. III. 190
laniflora Don III. 126
lanuginosum *Blume* III. 146
lappacea Desr. III. 173
lappacea Rich. herb. III. 162
lasiopetalum Mart. et Schrank III. 177
lateriflora Vahl III. 169
latifolia Desr. III. 159
laurifolium *Blume* III. 148
laurinum Ser. III. 167
laxa Desr. III. 151
laxa Rich. herb. III. 116
ledifolia Desr. III. 151

Melastoma
lepidotum Mart.
leprosum *Blume* I
leucandrum Schr
leucocarpum Mar
ligustrinum Mart
ligustrinum *Sm.* III
Lima Desr. III. 1
longiburbe Mart
longifolia Aubl.
loxensis Bonpl. I
lutescens Bonpl.
lutescens Vahl II
macrocarpum *Don*
macrophylla Des
macrophylla Pav.
madagascariense *D*
Majeta Desr. III.
Majeta Mart et Sc
malabathrica Sie
malabathricum *L.* I
marginata Desr.
Martianum Schr
Matuba *Spr.* III. 19
Maximilianeum
megalophyllum
melanophyllum *Spr*
mellinum Mart.
mexicana Bonpl.
mexicana Don II
micranthum Bert
micranthum *Sw.* III
microphylla Sw.
milleflorum Mart.
minutiflora Bonp
minutiflorum M
Schr
moluccanum *Blum*
montana Sw. III.
montanum Bert.
mucronata Desr.
multiflora Desr.
muscosum *Blume*
mutabilis Rich. h
Mutisii Bonpl. III
myricoides *Desr.* I
nemorosum *Jack* II
nervosum *Sm.* III. 1

…nefolia Desr. III. 188
…s Vahl III. 188
…lart.et Schrank III.194
…esr. III. 173
… Desr. III. 202
… Don III. 145
… Pav. III. 192
… Bonpl. III. 162
… Jack III. 146
… L. III. 143
… Bonpl. III. 173
…ides bot. mag. III. 140
…lum Mart. et Schrank III. 190
…lum Spr. III. 168
… Spr. III. 173
… Jack. III. 150
…atum Mart.et Schrank III. 194
…a Desr. III. 192
…m Mart. herb. III. 202
…ra Aubl. III. 187
…ra Vahl herb. III. 186
… Spr. III. 177
… Sw. III. 173
…ns Mart. et Schrank III. 186
…ra Desr. III. 157
…e Schrank III. 165
…m Mart. et Schrank III. 153
…s Rich. herb. III. 115
…folia Bonpl. III. 188
…a Rich. herb. III. 157
…us Mart. et Schrank III. 178
…ora Vahl III. 165
…ahl III. 175
…Rudolph III. 199
… Mart. et Schrank III. 180
…Pav. III. 161
…w. III. 171
… Spr. III. 171
…m Vahl III. 200
…pum E. Meyer III. 200
…tii Mart. et Schrank III. 181
… Desr. III. 159
…a Don III. 147
…ense Spr. III. 188
… Sw. III. 189
… Sw. III. 174

Melastoma
procerum Mart.etSchrank III. 187
pudibundum *Blume* III. 148
pulverulenta Rich.herb. III.155
pulverulentum *Jack* III. 149
punctata Desr. III. 184
purpurascens Aubl. III. 179
purpurascens Domb. III. 158
purpurascens Mart. et Schrank III. 161
purpurascens Sw. III. 169
purpurascens Vahl III. 180
purpurea Pav. III. 158
purpurea W. III. 179
pusilliflorum Mart. et Schrank III. 194
pustulatum Mart. et Schrank III. 159
pyramidale Mart. et Schrank III. 194
pyramidalis Bonpl. III.188.194
pyramidalis Desr. III. 188
quadrangularis Sw. III. 192
quadrifolium *Blume* III. 148
quinquenode Mart. et Schrank III. 191
racemiferum Mart. et Schrank III. 155
racemosa Aubl. III. 179
radicans *Blume* III. 148
radulum *Hoffmans.* III. 201
ramiflora Sw. III. 178
ramiflorum Spr. III. 170
rariflora Bonpl. III. 172
reclinata Bonpl. III. 192
Reinwardtianum *Blume* III. 151
repandulum Mart. et Schrank III. 194
repens Desr. III. 142
reptans Mart. et Schrank III. 133
reversum Ser. III. 161
rhodopogon Mart. et Schrank III. 163
rigidum *Sw.* III. 200
rosea Poir. III. 146
rostrata Hamilt. III. 143
rostratum *Blume* III. 150
rotundifolium *Jack* III. 149
rubens Sw. III. 191
rubicundum *Jack* III. 148
rubiginosa Bonpl. III. 183
ruhra Aubl. III. 170
ruhra Rich. III. 170
ruhricaule Schrank III. 116

INDEX

...et Otto III. 145
... III. 180
... herb. III. 155
... II. 157
... III. 199
...on III. 145
... III. 169
... Bert. III. 168
... Aubl. III. 127
... Sw. III. 202
... Pav. III. 164
...um Mart. et Schrank III. 164
...ata Rich. III. 175
...um Mart. herb. III. 185
...cinervium Lour. III. 147
...ata Rich. herb. III. 177
...ulatum Pav. III. 192
...ulatum Spr. III. 201
...ssile Spr. III. 198
...ssiliflora Spr. III. 157
...ssiliflora Vahl III. 170
...ssiliflorum Mart. herb. III. 180
sessilifolium L. III. 200
sessilifolium Spr. III. 157
setigerum Blume III. 146
setinodis Bonpl. III. 179
soleniferum Schrank III. 164
sparsiflora Rich. herb. III. 169
spicata Aubl. III. 159
spicata Pav. III. 160
splendens Sw. III. 199
spondylanthum Mart. herb. III. 184
squamulosum Sw. III. 201
staminea Desr. III. 187
stellata Vahl III. 168
stellulatum Jack III. 148
stenobotrys Rich. III. 197
stenopetalum Mart. et Schrank III. 163
stenostachyum Mart. et Schrank III. 181
stipulare Blume III. 149
striatum Vahl III. 200
strigillosa Sw. III. 159
strigosa L. fil. III. 134
strigosa Rich. herb. III. 161
...accosa Aubl. III. 178
...culentum Blume III. 148
...herba Bonpl. III. 176
...martziana Rich. III. 177
...vallcum Blume III. 146

Melastoma
sylvestre Mart. et
taitense DC. III. 1
Tamonea Sw. III
tetrandra Sw. II
tetrandrum Spr.
theaeforme Mart
theezans Bonpl.
thyrsoideum Vahl
Tibouchina Desr
tiliaefolium Mart
Tococa Desr. III
tomentosa Rich.
trichotoma Desr
trichotoma W. I
trilloruin Vahl III.
trinervium Sw. III
tristis Pav. III. 1
tristis Rich. herb
trivalvis Aubl. I
truncata Mart.
tunicata Bonpl.
umbellatum Mart
umbonatum Mart
umbrosa Sw. III.
umbrosum Spr.
urceolatum Mart
vaccinioides Bon
vacillans Blume I
α, β, ;
δ pallens -
varingiaefolium Bl
velutinum Mart.
venosum Blume I
verrucosum Blum
verticillata Rich
verticillata Vah
vesiculosa fl me
villosa Aubl. III.
villosa Sims III.
viminale Jack III.
violacea Rich. h
virescens Vahl III
virgatum Sw. III.
virusana Don I
volubile Schrank
Wallichii DC. III.
xalapensis Bonp

lasia Mart. et Schrank III. 163
TOMACEAE Don III. 99
TOMAE Juss. III. 99
TOMEAE Ser. III. 100
Forsk. I. 499
ii DC. I. 499
ra DC. I. 499
ylon Ait. I. 499
ylon Ait. I. 499
DC. I. 499
Forsk. I. 499
. 621
DC. I. 622
hta L. I. 622
h L. I. 621
ach β L. I. 621
Roth I. 622
a W. I. 622
Cav. I. 622
nal. misc. I. 622
Jacq. I. 624
a Burm. I. 623
reus Sw. I. 621
EAE Juss. I. 619
Tourn. I. 708
Fahl I. 708
. I. 708
. I. 708
Juss. I. 614 L. I. 615
Poir. I. 615
. I. 615
a Jacq. I. 615
lea Juss. I. 615
Juss. I. 615
lia Juss. I. 615
mis H. B. et K. I. 615
a Juss. I. 615
s Roth I. 615
Juss. I. 615
Forst. I. 723
Forst. I. 723
Forst. I. 257
s Forst. I. 257
us Gaertn. I. 257
E DC. I. 619
Tourn. II. 186
m. II. 187
uill. II. 187
Thuill. II. 187

Melilotus
arborea Castagn. II. 187
arvensis Thuill. II. 187
arvensis Wallr. II. 188
β albiflora - - -
Baumetti Horn. II. 189
Besseriana Ser. II. 188
brachyloba Fisch. II. 172
coerulea Lam. II. 181
cretica Desf. II. 185
dentata W. et Kit. II. 306
dentata W. II. 186
β angustifolia Wallr. II. 186
diffusa Koch II. 186
elegans Salzm. II. 188
glomerata Fisch. II. 172
gracilis DC. II. 188
hamosa Link II. 181
imbricata Bess. II. 188
indica var. Brot. II. 187
italica Lam. II. 188
Kochiana W. II. 186
leucantha Koch II. 187
β unguiculata Ser. II. -
linearis Cav. II. 186
longifolia Ten. II. 189
macrorhiza Pers. II. 187
mauritanica W. II. 189
melanosperma Bess. II. 186
messanensis Desf. II. 189
minima Roth II. 189
neapolitana Ten. II. 189, 188
officinalis W. II. 186
β unguiculata Ser. II. 187
pallida Bess. II. 188
palustris Kit. II. 187
parviflora Desf. II. 187
Petitpierreana Hayn. II. 188
plicata Steven II. 188
polonica Pers. II. 187
procumbens Bess. II. 181
procumbens hort. prag. II. 186
psoraloides Nutt. II. 220
rotundifolia Ten. II. 188
ruthenica MB. II. 186
segetalis Ser. II. 187
sibirica Poir. II. 173
suaveolens Ledeb. II. 188
sulcata Desf. II. 189
β libanotica Ser. II. 189
taurica Ser. II. 188
uncinata Bess. II. 181
uncinata Poir. II. 181
vulgaris W. II. 187
wolgica Poir. II. 186

Melistaurum Forst. II. 48
distichum Forst. II. 51
Melo Tourn. III. 299
Melocactus *Bauh. Link et Otto* III. 460
Besleri Link et Otto III. 461
communis *Link et Otto* III. 460
β oblongus - - - -
γ macrocephalus *Link et Otto* - -
depressus Salm-Dyck III. 463
Langsdorfii *DC.* III. 461
macracanthus *Link et Otto* III. 460
melocactoides *DC.* III. 461
parvispinus Haw. III. 463
placentiformis *DC.* III. 460
polyacanthus *DC.* III. 461
pyramidalis *Link et Otto* III. 460
Sellowii *DC.* III. 461
Melochia *H. B. et K.* I. 490 *L.* I. 490
Berteriana Balb. I. 492
horbonica Cav. I. 491
caracasana Jacq. I. 492
carpinifolia Wendl. I. 491
concatenata L. I. 492
corchorifolia L. I. 491
crenata Vahl I. 491
depressa L. I. 491
domingensis Jacq. I. 490
jamaicensis Balb. I. 492
macrophylla *H. B. et K.* I. 490
nodiflora Sw. I. 491
odorata Forst. I. 491
parvifolia *H. B. et K.* I. 490
peruviana Desr. I. 491
pyramidata *L.* I. 490
supina L. I. 491
tomentosa *L.* I. 490
β frutescens *Jacq.* I. 490
truncata W. I. 491
Turpiniana *H. B. et K.* I. 490
venosa Sw. I. 492
Melodorum DC. I. 91 (Unona)
arboreum Lour. I. 91
fruticosum Lour. I. 92
Melopepo Tourn. III. 316
Melothria *L.* III. 313
foetida *Desr.* III. 313
indica *Lour.* III. 313
pendula *L.* III. 313
Melvilla Anders. III. 83
speciosa Anders. III. 84

MEMECYLEAE *D*
Memecylon *L.* III. 5
acuminatum *Sm.* III.
angulatum *Reichenb*
capitellatum *L.* III. 6
cordatum *Lam.* III.
α pedunculosum *DC.*
β brevipes -
edule *Roxb.* III. 6
excelsum *Blume* III
ferreum *Blume* III.
grande *Retz* III. 6
laxiflorum *DC.* III. 6
ovatum *Sm.* III. 6
ramiflorum *Lam.* III
sphaerocarpum *DC.*
subquadrangulare *D*
tinctorium Sieb. II
tinctorium W. III.
trinerve *DC.* III. 5
ulopterum *DC.* III. 5
umbellatum Blume
Menestoria *DC.* IV. 39
Hamelliae *DC.* IV. 3
Mussaendae *DC.* IV.
rigida *DC.* IV. 390
Tocoyenae *DC.* IV.
Menichea Sonn. III.
Meniocus *Desr.* I. 165
linifolius *DC.* I. 165

MENISPERMACE*A*

MENISPERMEA

MENISPERMEAE
Menispermum *Tourn.*
acuminatum Lam.
acutum *Thunb.* I. 1
canadense *L.* I. 102
canadense α Lam.
carolinum L. I. 98
Cocculus L. I. 97
Cocculus W. I. 97
cordifolium W. I.
crispum L. I. 97
dauricum *DC.* I. 102
edule Vahl I. 99
ellipticum Poir. I.
fenestratum *Gaertn.*
flavescens Lam. I.
glaucum Lam. I. 9
hastatum Lam. I. 9
hirsutum L. I. 96
japonicum Thunb.

ernum
nosum *Lam.* I. 97
ha *Delil.* I. 99
i *Pursh* I. 103
baricum *a Lam.* I. 97
ntoides *L.* I. 98
ulatum *Thunb.* I. 98
folium *Pers.* I. 99
atum *Lam.* I. 98
tum *Forst.* I. 96
tum *Lam.* I. 96
tum *Lam.* I. 99
num *DC.* I. 103
m *Thunb.* I. 98
m *Lam.* I. 98
a *DC* I. 184
DC. I. 184
Plum. III. 343
Cav. III. 343
. III. 343
Nutt. III. 343
V. III. 343
na *Nutt.* III. 343
B. et K. III. 343
mex. III. 343
B. et K. III. 343
Reinw. IV. 452
Jack IV. 452
lume IV. 453
Jack IV. 452
Blume IV. 453
Blume IV. 453
lume IV. 453
Blume IV. 453
lume IV. 453
me IV. 453
lume IV. 453
Blume IV. 454
Blume IV. 454
is *Blume* IV. 453
Blume IV. 454
Blume IV. 453
Blume IV. 454
Blume IV. 453
Blume IV. 454
me IV. 453
es III. 2
Nees III. 2
afra L. IV. 68
III. 100
non Schrank III. 131
Mart. et Schrank III. 128
Vent. III. 132
Sw. III. 101

Meriania
obtusifolia *DC.* III. 101
parviflora *Don* III. 101
prunifolia *Don* III. 101
purpurea *Sw.* III. 101
rosea *Tussac* III. 101
truncata Mart. et Schrank III. 106
violacea Schrank III. 108
Merida Neck. III. 353
Meridiana L. Schrank III. 353
axilliflora Schrank III. 355
Merkia physodes Fisch. I. 413
Mesembryanthemum *L.* III. 415
Haw. III. 415
acinaciforme DC. III. 429
acinaciforme *L.* III. 428
acuminatum *Haw.* III. 445
acutangulum *Haw.* III. 432
acutum *Haw.* III. 425
adscendens *Haw.* III. 421
aduncum *Haw.* III. 439
aduncum Jacq. III. 427
aequilaterale *Haw.* III. 429
β decagynum - - -
aggregatum Haw. III. 444
Aitonis *Jacq.* III. 448
albidum *L.* III. 420
aloides Burch. III. 419
aloides *Haw.* III. 419
amoenum *Salm-Dyck* III. 436
anatomicum *Haw.* III. 450
β fragile - - -
γ emarcidum *DC.* - -
anceps *Haw.* III. 435
β pallidum *Haw.* III. 435
angulatum *Thunb.* III. 448
angustum *Haw.* III. 422
β pallidum - - -
anomalum W. III. 431
apetalum Ait. III. 447
apetalum *L. fil.* III. 447
aphyllum Hortul. III. 446
arboriforme *Burch.* III. 451
aridum Moench III. 449
articulatum Thunb. III. 446, 449
asperum *Haw.* III. 436
attenuatum *Haw.* III. 441
aurantiacum *Haw.* III. 437
aurantium W. III. 437
aureum *L.* III. 437
australe *Ait.* III. 428
barbatum *Curt.* III. 440

Mesembryanthemum
barbatum Haw. III. 440
barbatum α L. III. 440
barbatum β L. III. 441
bellidiflorum *L.* III. 424
α glaucescens *Haw.* - -
β viride - - -
bellidiflorum simplex DC. III. 424
bibracteatum *Haw.* III. 420
bicolorum *L.* III. 438
bicolorum coccineum W. III. 438
bicolorum minus Haw. III. 438
bidentatum *Haw.* III. 423
bifidum *Haw.* III. 420
blandum *Haw.* III. 436
brachiatum *Ait.* III. 443
brachiatum DC. III. 444
bracteatum *Ait.* III. 435
brevicaule *Haw.* III. 426
brevifolium *Ait.* III. 442
brevifolium α Haw. III. 442
brevifolium β Haw. III. 442
bulbosum *Haw.* III. 440
Burmanni *Haw.* III. 424
caducum *Ait.* III. 447
calaniforme *L.* III. 424
calendulaceum *Haw.* III. 450, 451
calycinum *Haw.* III. 441
campestre *Burch.* III. 451
canaliculatum *Haw.* III. 444
candens *Haw.* III. 442
α glaucescens *Salm-Dyck* III. 442
β virescens - - -
Candollei *Haw.* III. 450
canescens Haw. III. 434
caninum *Haw.* III. 419
caninum β Haw. III. 420
canum *Haw.* III. 419
canum Salm-Dyck III. 423
capillare Thunb. III. 442
capitatum *Haw.* III. 426
carinans *Haw.* II. 423
carneum Haw. III. 444
caulescens Haw. III. 432
caulescens *Mill.* III. 432
ceratophyllum W. III. 439
ciliatum *Ait.* III. 451
clavatum Haw. III. 448
clavatum *Jacq.* III. 445
β horizontale *DC.* - -
clavellatum *Haw.* III. 428
claviforme *DC.* III. 448
coccineum *Haw.* III. 438

Mesembryanthemum
compactum *Ait.*
compressum *Haw*
compressum Ha
concavum *Haw.*
confertum *Haw.*
conspi uum *Haw*
conspicuum Sp.
copticum Jacq.
copticum *L.* III.
corallinum *Haw.*
corallinum Thu
coralloides *DC.* I
cordifolium *L. fil*
cori rium *Burch*
corniculatum L.
corniculatum *L.* I
cornicula um β
coruscans *Haw.*
crassicaule *Haw.*
crassifolium *L.* II
crassulinum *DC.*
crassuloides Ha.
criniflorum *Hout.*
crispatum Haw
crispum *Haw.* III
croceum *Jacq.* II
β purpureo - croceu
γ flavo - croceum
cruciatum *Haw.*
crystallinum H
crystallinum *L.* II
α bienne *DC.* -
β annuum - -
cultratum *Salm-D*
cuneifolium *Jacq.*
curtum *Haw.* III.
β politum - -
γ minus - -
curvifolium *Haw.*
curvifolium *Haw.*
cylindricum *Haw*
cylindricum β H
cymbifolium *Hau*
cymbiforme *Haw*
decipiens *Haw.* I
decumbens *Haw.*
decussatum *Thun*
deflexum *Ait.* III.
deflexum Salm-
defoliatum Haw
deltoides *Mill.* III
deltoides α L. II

*) conf. Praefatio.

yanthemum
ides β simplex DC. III. 432
um W. III. 428
a Haw. III. 441
latum Haw. III. 420
- - -
- - -
- - -
m Haw. III. 422
- - -
um Sims III. 421
L. III. 422
ule Haw. III. 423
a Ait. III. 418
Thunb. III. 418
m Haw. III. 429
Haw. III. 425
- - -
m Haw. III. 425
llum Haw. III. 425
e L. III. 423
- - -
moides Haw. III. 423
w. III. 426
lm-Dyck III. 426
lit. III. 441
Haw. III. 430
. 428
cq. III. 434
Haw. III. 426
- - -
- - -
Thunb. III. 450
ides Haw. III. 434
L. III. 435
m Jacq. III. 442
DC. III. 449
Haw. III. 449
. III. 449
III. 433
Haw. III. 433
Haw. III. 446
- - -
a Thunb. III. 448
v. III. 419
Haw. III. 417
w. III. 417
L. III. 428
m β DC. III. 430
w. III. 439
hunb. III. 448
aw. III. 418
. III. 418
acq. III. 450

Mesembryanthemum
flavum Haw. III. 443
flexifolium Haw. III. 439
flexile Haw. III. 435
flexuosum Haw. III. 445
floribundum Haw. III. 441
β torquatum - - 442
foliosum Haw. III 431
forcinatum β L. III. 430
forficatum L. III. 430
formosum Haw. III. 436
fragrans Salm-Dyck III. 421
fulvum Haw. III. 445
fusiforme Haw. III. 426
geminatum Haw. III. 430
geminatum Jacq. III. 427
geminiflorum Haw. III. 427
geniculiflorum L. III. 445
gibbosum Haw. III. 423
glabrum Ait. III. 451
glaciale Haw. III. 448
gladiatum Jacq. III. 429
glaucescens Haw. III. 429
glaucinum Haw. III. 430
glaucoides Haw. III. 437
glaucum L. III. 437
gracile Haw. III. 435
gramineum Haw. III. 447
graniforme Haw. III. 451
granulicaule Haw. III. 446
grossum Haw. III. 444
hamatum W. III. 432
Haworthii W. III. 439
helianthoides Ait. III. 450
helianthoides DC. III. 450
heteropetalum Haw. III. 429
heterophyllum Andr. III. 421
heterophyllum bot. repos. III. 422
heterophyllum Haw. III. 422
hexaphyllum Haw. III. 454
hirsutum Haw. III. 441
hirtellum Haw. III. 442
hirtellum Salm-Dyck III. 442
hispidifolium Haw. III. 441
hispidum Haw. III. 442
hispidum L. III. 442
β platypetalum Haw. III. 442
hispidum α Haw. III. 442
hispidum β Haw. III. 441
horizontale Haw. III. 445
humifusum Ait. III. 450
humile Haw. III. 451
α rubrum - - -
β luteum - - -

Mesembryanthemum
hybridum *Haw.* III. 420
imbricans *Haw.* III. 434
imbricatum *Haw.* III. 431
β majus - - -
inaequale *Haw.* III. 438
inclaudens *Haw.* III. 430
incomptum *Haw.* III. 445
incurvum *Haw.* III. 433
β dilatans - - -
γ roseum *W.* - -
δ multiradiatum *Jacq.* III. 434
insiticium W. III. 438
intonsum *Haw.* III. 440
junceum *Haw.* III. 446
lacerum Haw. III. 429
lacerum *Salm-Dyck* III. 429
laeve Ait. III. 440
laeve *Haw* III. 440
laeve Thunb. III. 437
laevigatum *Haw.* III. 429
lanceolatum *Haw.* III. 448
β roseum - - -
lanceum *Thunb.* III. 448
latum *Haw.* III. 422
β breve - - -
laurifolium *Haw.* III. 451
laxum *W.* III. 427
leptaleum Haw. III. 434
limpidum Ait. III. 447
lineare Thunb. III. 447
linguaeforme *Haw.* III. 422
β rufescens - - -
linguiforme α L. III. 421
linguiforme β L. III. 422
linguiforme γ L. III. 422
linguiforme δ L. III. 421
lineolatum *Haw.* III. 432
β minus - - -
γ nitens - - -
longispinulum *Haw.* III. 444
longistylum *DC.* III. 446
β purpurascens *DC.* III. 446
longum *Haw.* III. 421
β flaccidum *Haw.* III. 421
longum α Haw. III. 421
loratum *Haw.* III. 449
loreum *Haw.* III. 425
β congestum *Haw.* III. 425
loreum L. III. 425
lucidum Haw. III. 421
lunatum *W.* III. 433
lupinum *Haw.* III. 419
luteo-viride *Haw.* III. 423
macrorhizum *DC.* III. 425

Mesembryanthemum
maculatum *Haw.*
magnipunctum *Ha*
magnipunctatum
marginatum *Haw.*
maximum *Haw.*
medium *Haw.* III
micans *L.* III. 443
micans β Haw.
micranthum *Haw*
microphyllum *Ha*
Milleri W. III. 4
minimum *Haw.* I
minutum *Haw.* I
molle *Ait.* III. 43
moniliforme *Haw*
mucronatum *Haw*
mucroniferum *Ha*
multiflorum *Haw*
β rubrum -
γ minus -
δ patens -
ε nitens -
muricatum *Haw.*
murinum *Haw.* I
mustellinum *Salm*
mutabile *Haw.* I
nitidum *Haw.* III
nobile *Haw.* III.
noctiflorum DC
noctiflorum *L.* III
α phoeniceum *Haw*
β stramineum -
γ elatum -
nodiflorum *L.* III
nuciforme *Haw.*
obconellum *Haw*
obcordellum *Haw*
obliquum *Haw.*
obliquum Pers.
obliquum W. II
obsubulatum *Haw*
obtusum *Haw.* I
octophyllum *Haw*
octophyllum δ
ovatum *Thunb.*
pallens *Ait.* III.
pallens Jacq. II
pallescens α H
pallescens β H
papuliferum *DC.*
papulosum *L. fil.*
parviflorum *Haw*
parviflorum Ja
parvifolium *Haw*

nthemum
lium Lam. III. 435
W. III. 431
Haw. III. 436
m Mill. III. 430
anthum Mill. III. 430
lum - - -
m Haw. III. 417
Haw. III. 423
β Haw. III. 423
Haw. III. 451
Haw. III. 450
m L. fil. III. 448
Haw. III. 418
Haw. III. 435
m Haw. III. 435
m L. III. 450
Haw. - -
Haw. III. 421
Haw. III. 426
Haw. III. 439
Thunb. III. 444
Haw. III. 424
me Haw. III. 426
e L. III. 426
Haw. III. 434
- - -
W. III. 434
m Haw. III. 442
tum W. III. 440
Haw. III. 425
Jacq. III. 435
s Salm-Dyck III. 420
Haw. III. 422
Haw. III. 434
Haw. III. 447
c. - -
e. - -
α Haw. III. 447
β Haw. III. 447
Haw. III. 420
aw. III. 435
Haw. III. 421
acq. III. 446
Haw. III. 427
Haw. III. 446
Haw. III. 446
V. III. 449
. III. 427
Haw. III. 434
Haw. III. 427
w. III. 432
L. III. 420
L. III. 419
Taw. III. 420

Mesembryanthemum
Rossi *Haw.* III. 429
rostellatum *Haw.* III. 430
rostratoides Haw. III. 421
rostratum *L.* III. 421
β tuberculatum *Mill.* III. 421
rubricaule *Haw.* III. 428
rubrocinctum *Haw.* III. 429
sabulosum *Thunb.* III. 447
Salmii *Haw.* III. 422
β semicruciatum *Salm-Dyck* III. 422
salmoneum *Haw.* III. 444
sarmentosum *Haw.* III. 427
scabrum *L.* III. 434
scalpratum *Haw.* III. 421
scapiger *Haw.* III. 423
Schollii *Salm-Dyck* III. 427
semicylindricum *Haw.* III. 423
semidentatum *Haw.* III. 430
serratum *L.* III. 436
serrulatum *Haw.* III. 428
sessile *Thunb.* III. 442, 437
sessiliflorum *Ait.* III. 448
β album *Haw.* - -
setosum Moench III. 441
simile *Haw.* III. 427
spathulatum Thunb. III. 447
speciosum *Haw.* III. 443
spectabile *Haw.* III. 436
spiniforme *Haw.* III. 439
β subaduncum - - -
spinosum *L.* III. 440
spinuliferum *Haw.* III. 444
splendens *L.* III. 445
stellatum Haw. III. 435, 441
stellatum *Mill.* III. 440
stelligerum *Haw. phil. mag.* III. 440
stelligerum Haw. syn. III. 440
stipulaceum *L.* III. 439
stramineum Haw. III. 445
stramineum α Haw. III. 445
stramineum W. III. 426
striatum *Haw.* III. 441
α roseum - - -
β pallens - - -
strictum *Haw.* III. 437
strumosum *Haw.* III. 441
subalatum *Haw.* III. 429
subglobosum *Haw.* III. 442
subincanum *Haw.* III. 443
subrostratum W. III. 425
subulatoides Haw. III. 425
subulatum *Mill.* III. 424

Mesembryanthemum
sulcatum *Haw.* III. 445
surrectum *Haw.* III. 422
taurinum *Haw.* III. 422
tenellum *Haw.* III. 432
tenue *Haw.* III. 446
tenuiflorum *Jacq.* III. 444
tenuifolium *L.* III. 438
teretifolium *Haw.* III. 424
teretiusculum *Haw.* III. 424
testaceum *Haw.* III. 443
testiculare *Ait.* III. 418
testiculare Thunb. III. 418
testiculare β Sims III. 418
testiculare γ Haw. III. 418
testiculare βety Haw. III. 418
testiculare δ Haw. III. 418
testiculatum *Jacq.* III. 418
tetragonum *Thunb.* III. 437
Thunbergii *Haw.* III. 437
tigrinum *Haw.* III. 419
tortuosum DC. III. 449
tortuosum Haw. III. 449
tortuosum *L.* III. 449
trichotomum *Thunb.* III. 443
tricolor W. III. 447
tricolor α Haw. III. 447
tricolorum *Haw.* III. 426
Tripolium *L.* III. 450
truncatellum *Haw.* III. 417
truncatum *Thunb.* III. 418
tuberculatum *DC.* III. 441
tuberosum L. III. 443
tumidulum *Haw.* III. 431
turbinatum *Jacq.* III. 436
turbiniforme *Haw.* III. 417
umbellatum *L.* III. 431
β apetalum *Haw.* - -
umbelliflorum *Jacq.* III. 446
uncinatum *Mill.* III. 431
uncinatum α L. III. 431
uncinellum *Salm-Dyck* III. 430
uvaeforme *Haw.* III. 417
vaginatum *Haw.* III. 432
vaginatum β Haw. III. 432
variabile *Haw.* III. 438
varians *Haw.* III. 449
versicolor *Haw.* III. 434
verruculatum *L.* III. 438
villosum *L.* III. 451
violaceum *DC.* III. 435
virens *Haw.* III. 429
virescens *Haw.* III. 429
virgatum *Haw.* III. 433
viride *Haw.* III. 431
Mesembryanthemum
viridiflorum *Ait.*
Volckameri Ha
vulpinum *Haw.*
Mespilophora Nee
Mespilus *Lindl.* II.
acerifolia Poir.
acuminata Lod
affinis Don II.
Amelanchier L.
Amelanchier W
apiifolia Medik
arbutifolia Sm.
Aria Scop. II. 6
Aronia W. II. 6
aucuparia All.
axillaris Pers.
benghalensis R
canadensis L.
canadensis γ M
Celsiana Dum.
Chamaemespilu
Cotoneaster L.
crenulata Don
Crus-galli Poir
Cuila Hamilt.
cuneifolia Ehr.
dissecta Dum.
eriocarpa DC.
fissa Poir. II. 6
florentina Ber.
germanica *L.* II.
α sylvestris *Mill.*
β stricta *DC.*
γ diffusa -
grandiflora Sm
japonica Thun
integerrima H.
intermedia Poi
laevigata Poir.
lanuginosa R.
linearis Desf.
linearis Poir.
lobata Poir. II.
lucida Dum.-C.
lucida Ehrh. II
Michauxii Per.
monogyna W.
nana Dum.-Co
nigra W. II. 6
orientalis Poi
Oxyacantha G
Oxyacantha i

flora Poir. II. 629
folia Poir. II. 627
antha L. II. 626
difolia Ehrh. II. 627
ia Poir. II. 630
DC. II. 633
lia Poir. II. 637
osa Vent. herb. II. 626
tifolia Poir. II. 629
ia Don II. 631
sa Poir. II. 627
sa W. II. 632
arpos L. fil. II. 627
. 562
I. 562
Chois. I. 562
Vol. DC. II. 57 (Chailletia)
Blume IV. 435
us DC. IV. 436
Blume IV. 435
s DC. IV. 436
DC. IV. 436
Blume IV. 435
DC. IV. 435
Blume IV. 435
DC. IV. 435
Blume IV. 435
Blume IV. 435
Blume IV. 435
Lour. III. 289
Lour. III. 289
DC. II. 67 (Rhus)
R. Br. III. 224 *Auct.*
222 *Gaertn. Sm. Ait.* III. 224
leb. III. 212
Gaertn. III. 226
sis Rumph II. 509
a Sm. III. 225
Vent. III. 222
ia Salish. III. 226
is Gaertn. III. 213
Salish. III. 226
R. Br. III. 223
Cav. III. 214
us Sieb. III. 223
m. III. 225
. III. 225
Curt. III. 224
Desf. III. 226
a Pers. III. 222
Poir. III. 212
Salish. III. 226

Metrosideros
corifolia *Vent.* III. 225
costata Gaertn. III. 222
costata Pers. III. 222
decora *Salish.* III. 226
diffusa *Sm.* III. 224
ericifolia *Sm.* III. 225
excelsa *Gaertn.* III. 226
flexuosa W. III. 227
floribunda Sm. III. 262
florida *Sm.* III. 224
glandulosa Desf. III. 223
glauca Bonpl. III. 224
glomulifera *Sm.* III. 225
gummifera Gaertn. III. 216
hirsuta Andr. III. 222
hispida Pers. III. 222
hispida Sm. III. 222
hybrida Otto III. 224
hypericifolia Salish. III. 215
hyssopifolia Cav. III. 214
juniperoides Reichenb. III. 213
lanceolata Pers. III. 222
lanceolata Sm. III. 223
linearis Sm. III. 223
linearis W. III. 223
lophantha Vent. III. 224
macrophylla Lam. III. 226
macropunctata Dum-Cours III. 223
marginata Cav. III. 224
myrtifolia *Gaertn.* III. 226
nana *Gmel.* III. 226
nodosa Gaertn. III. 213
operculata *Labill.* III. 225
pallida Bonpl. III. 223
pinifolia Wendl. III. 223
pliniaefolia *Desf.* III. 226
polymorpha *Gaudich.* III. 225
procera *Salish.* III. 226
propinqua *Salish* III. 226
pungens Reichenb. III. 213
quinquenervia Cav. III. 212
rugulosa W. III. 223
salicifolia *Gaertn.* III. 225, 219
saligna Sm. III. 223
scabra Coll. III. 223
scandens *Gaertn.* III. 226, 224
scariosa Horn. III. 226
semperflorens Lodd. III. 224
speciosa Sims III. 224
spectabilis *Gaertn.* III. 226, 224
splendens Gaertn. III. 222

Metrosideros
umbellata *Cav.* III. 225
vera *Rumph* III. 224
villosa *Sm.* III. 224
viminalis Gaertn. III. 223
viminalis hort. berol. III. 223
viridiflora Cels. III. 223
viridiflora Sims III. 223
Metrocynia *Pet. Th.* II. 507
Commersonii *DC.* II. 507
Meum *Tourn.* IV. 162 *Duby* IV. 162 *Spr.* IV. 142
athamanticum *Jacq.* IV. 162
Dalechampii Ten. IV. 104
fatuum Pers. IV. 115
Foeniculum var. α Spr. IV. 142
heterophyllum Moench IV. 108
inundatum Spr. IV. 105
Mutellina *Gaertn.* IV. 162
piperitum Schult. IV. 142
pyrenaicum *Gay* IV. 162
segetum Guss. IV. 186
sibiricum Spr. IV. 161
tenuifolium Duby IV. 162
Meynia Link IV. 454
spinosa Link IV. 454
Mezoneurum *Desf.* II. 484
glabrum *Desf.* II. 484
pubescens *Desf.* II. 484
Michelia *L.* I. 79
Champaca *L.* I. 79
Doltsopa *Buchan.* I. 79
Kisopa *Buchan.* I. 79
parviflora *Rumph* I. 79
rufinervis *DC.* I. 79
sericea Pers. I. 79
Tsjampaca *L.* I. 79
velutina *DC.* I. 79
Miconia *R. et Pav.* III. 179
affinis *DC.* III. 187
alata *DC.* III. 84
β amazonica *Schrank* III. 184
ambigua *DC.* III. 189
aplostachya *DC.* III. 183
argentea *DC.* III. 182
argyrophylla *DC.* III. 181
astrolasia *DC.* III. 190
attenuata *DC.* III. 186
β subquintuplinervia *DC.* III. 187
auriculata *DC.* III. 185
β theaeformis *DC.* III. 185
barbigera *DC.* III. 179
biglomerata *DC.* III. 183

Miconia
brachypoda *DC.*
bracteolata *DC.*
brunnea *DC.* III.
calvescens *DC.* I
caudata *DC.* III.
caudigera *DC.* II
ceanothina *DC.* I
ciliata *DC.* III. 1
cinchonaefolia *D*
coelata *DC* III. 1
collina *DC.* III. 1
congestiflora *DC.*
coriacea *DC.* III.
coronata *DC.* III.
detergibilis *DC.* I
discolor *DC.* III.
elata *DC.* III. 18
emarginata *R. et*
eriodonta *DC.* III
β oblongifolia *DC.*
fallax *DC.* III. 18
ferruginata *DC.* I
β latifolia -
ferruginea *DC.* II
floribunda *DC.* II
fulva *DC.* III. 180
β tinctoria *Mart*
guayaquilensis *D*
havanensis *DC.* II
herpetica *DC.* III.
holosericea *DC.* I
α obtusiuscula -
β acuminata *Ser.*
γ oblongata -
impetiginosa *DC.*
impetiolaris *Don*
laevigata *DC.* III.
Lambertiana *DC.*
lanceolata *DC.* III
lanuginosa *R et P*
lepidota *DC.* III.
leucocarpa *DC.* II
longifolia *DC.* III.
loxensis *DC.* III.
utescens *DC.* III.
macrostachya *DC.*
Martiusiana *DC.*
Maximilianea *DC.*
mellina *DC.* III. 1
microcarpa *DC.* II
minutiflora *DC.* II
nicotianaefolia *DC*
paucidens *DC.* III.

lia *DC.* III. 187
pa *DC.* III. 182
C. III. 180
DC. III. 188
nta *R. et Pav.* III. 190
Don III. 184
scens *DC.* III. 179
alis *DC.* III. 188
lata - - -
rocarpa *DC.* III. 188
a *DC.* III. 179
sa *DC.* III. 183
a *DC.* III. 180
DC. III. 185
DC. III. 182
DC. III. 179
DC. III. 189
ntha *DC.* III. 184
DC. III. 187
gata *DC.* III. 187
hya *DC.* III. 181
DC. III. 187
na *DC.* III. 189
a *Don* III. 183
a *Desr.* III. 188
is *R. et Pav.* III. 190
DC. III. 186
EAE *DC.* III. 152
Chois. I. 560
ia *Chois.* I. 560
s *Tausch DC.* IV. 38 (Saxifraga)
olia *Haw.* IV. 39
aw. IV. 39
nica *Haw.* IV. 39
escens *Haw.* IV. 40
L. I. 508
ra *L.* I. 512
ta *L.* I. 510
Sm. I. 512
sa *Sm.* I. 510
DC. III. 139 (Osbeckia)
Don III. 117
a *DC.* III. 117
folia *DC.* III. 120
DC. III. 484
DC. III. 117
DC. III. 117
a *Don* III. 120
Don III. 120
C. III. 120

Microlicia
graveolens *DC.* III. 119
inundata *DC.* III. 117
isophylla *DC.* III. 120
jungermannioides *DC.* III. 119
lanceaeflora *DC.* III. 118
limnobios *DC.* III. 117
linophylla *Don* III. 120
marifolia *Don* III. 119
punctatissima *DC.* III. 118
β angustifolia - - -
recurva *DC.* III. 118
scoparia *DC.* III. 120
Seringeana *DC.* III. 119
serpyllifolia *Don* III. 118
setosa *DC.* III. 120
subsetosa *DC.* III. 119
trichocalycina *DC.* III. 120
variabilis *Mart.* III. 118
β radicans *Mart. et Schr.* III. 118
γ herbacea - - -
variolosa *DC.* III. 119
α hirsuta - - -
β glabra - - -
vestita *DC.* III. 119
violacea *DC.* III. 118
Micropetalon Pers. I. 421
lanceolatum Pers. I. 421
lanuginosum Pers. I. 421
Micropetalum Tausch DC. IV. 43 (Saxifraga)
rotundifolium Haw. IV. 44
Micropleura *Lag.* IV. 71
renifolia *Lag.* IV. 71
Micropodium DC. I. 217 (Brassica)
Millegrana Surian. III. 353
Millingtonia Roxb. II. 351
Miltus *Lour.* III. 454
africana *Lour.* III. 455
Mimosa *Adans.* II. 425 *L.* II. 425
abstergens *Roxb.* II. 431
aculeaticarpa Ort. II. 463
adhaerens *H. B. et K.* II. 426
aemula *Spr.* II. 431
aggregata *Pers.* II. 431
agrestis *Sieb.* II. 431
alba Roxb. II. 462
alba Sw. II. 433
albida *H. et Bonpl.* II. 425
amara Roxb. II. 469
ambigua Salisb. II. 453
angulata *Spr.* II. 430
angustifolia Jacq. II. 453
angustifolia Lam. II. 470

Mimosa
angustisiliqua Lam. II. 445
Antillarum Poir. II. 462
aquatica Bacle II. 444
aquatica Pers. II. 444
arabica Lam. II. 461
arborea Forsk. II. 469
arborea L. II. 469
arborea Thunb. II. 469
arvensis Sieb. II. 431
Asak Forsk. II. 460
asperata L. II. 428
asperata *W.* II. 428
α hirsutior *DC.* II. 428
β laevior - - -
atomaria Poir. II. 463
balsamica *Molin.* II. 430
bauhinifolia *Salisb.* II. 429
bicolor Bacle II. 445.
bigemina L. II. 439
biglobosa Jacq. II. 442
bipinnata Aubl. II. 425
botrycephala Vent. II. 468
Bourgoni Aubl. II. 434
brachystachys Vahl II. 437
brasiliensis *Spr.* II. 431
caesia Burm. II. 461
caesia L. II. 465
caffra Thunb. II. 459
campechiana *Mill.* II. 431
canescens *W.* II. 428
capensis Burm. II. 461
caracasana Jacq. II. 468
Cascabellilo *Coll.* II. 429
casta *L.* II. 429
Catechu L. fil. II. 458
caudata Vahl II. 456
Cavaty-tooma Roxb. II. 462
Cavenia *Molin.* II. 430
Ceratonia *L.* II. 429
chiliantha Meyer II. 425
chrysantha Vahl II. 471
ciliata Spr. II. 430
ciliata *W.* II 428
cineraria L. II. 456
cinerea L. II. 445
circinalis L. II. 438
cochlearis Lahill. II. 451
cochliocarpa *Gomes* II. 430
comosa Sw. II. 440
concinna W. II. 464
contortuplicata Zucc. II. 443
corcondiana Roxb. II. 442
coriacea Pers. II. 436
corniculata *Lour.* II. 430

Mimosa
cornigera L. II. 4
coronillaefolia Pe
crinita Pers. II. 4
cyclocarpa Jacq. I
debilis *H. et Bonpl*
decipiens Koen. II
decurrens Vent. I
depressa Poir. II.
Djiringa Roxb. II
discolor Andr. II.
distachya Vent. II
divaricata Jacq. I
dodoneifolia Pers
dormiens *H. et Bon*
dulcis Roxb. II. 4
dumetorum St. Hi
eburnea Lam. II.
elegans bot. rep. I
Entada W. II. 425
fagifolia Jacq. II.
fagifolia L. II. 43
falcata Pers. II. 4
Farnesiana L. II.
fastuosa Jacq. II.
fera *Lour.* II. 429
ferruginea *Rottl.* II.
ferruginea Roxb.
filicifolia Lam. II.
filicioides Cav. II.
flava *Forsk.* II. 430
floribunda *H. B. et*
β Willdenowii *DC.* II
floribunda Vent. I
floribunda W. II.
foetida Jacq. II. 4
geminata *fl. mex.* II.
Giraffa Brouss. II
glandulosa Mx. II.
glandulosa Vahl I
glauca L. II. 467
glomerata *Forsk.* II.
grandiflora L'Her
guadalupensis Per
guianensis Aubl. I
Habbas Delil. II. 4
hamata *W.* II. 427
heterophylla Lam.
hirsuta *Spr.* II. 429
hispida *W.* II. 428
hispidula *H. B. et K*
hispidula Sm. II. 4
horrida L. II. 461
horridula Mx. II.
Houstoni L'Herit.

H. et Bonpl. II. 427
H. B. et K. II. 457
Mx. II. 443
Poir. II. 462
II. 433
Rich. II. 433
Kunth II. 427
II. 464
Stop. II. 469
Sw. II. 447
Vent. II. 449
Bruce II. 431
Poir. II. 462
H. et Bonpl. II. 444
L. II. 438
L. II. 467
Lam. II. 431
L. fil. II. 460
W. II. 435
II. 466
DC. II. 429
Pers. II. 472
Cav. II. 441
Jacq. II. 461
Lam. II. 467
Jacq. II. 437
Vahl II. 438
Endl. II. 453
ent. II. 453
Andr. II. 454
Lam. II. 430
l II. 432
II. 430
es Pers. II. 468
ya Poir. II. 454
Jacq. II. 462
Forst. II. 451
Lam. II. 467
Spr. II. 431
Desf. II. 461
Vahl II. 437
Vahl II. 448
H. et Bonpl. II. 428
nth II. 427
II. 457
Sm. II. 452
fl. II. 444
rb. II. 444
Labill. II. 466
Vahl II. 457
II. 461
l II. 469
II. 436

Mimosa
nutans Pers. II. 446
obtusifolia *W.* II. 426
octandra Roxb. II. 429
odoratissima Roxb. II. 467
oligacantha *DC.* II. 429
Orfota Forsk. II. 461
Ouyrarema Aubl. II. 469
palpitans *H. et Bonpl.* II. 427
paniculata West II. 464
Para Poir. II. 436
parvifolia Poir. II. 471
parvifolia Sw. II. 462
pectinata *Kunth* II. 426
pellita *H. et Bonpl.* II. 428
pennata L. II. 464
peregrina L. II. 470
pernambucana L. II. 444
pigra L. II. 428
piliflora Sw. II. 447
pilosa *Lour.* II. 429
pilosiuscula Rich. II. 432
pistaciaefolia *W.* II. 426
plena L. II. 444
polyacantha *W.* II. 428
polycarpa *Kunth* II. 426
polydactyla *H. et Bonpl.* II. 427
polystachya L. II. 425
portoriccensis Jacq. II. 467
procera Roxb. II. 466
prostrata Lam. II. 444
ptericina Poir. II. 468
pterocarpa Lam. II. 432
pubescens Vent. II. 468
pubifera Poir. II. 441
pudibunda *W.* II. 427
pudica H. B. et K. II. 426
pudica *L.* II. 426
β glabrata *DC.* II. 426
γ tetrandra - - -
punctata L. II. 445
purpurea L. II. 439
quadrivalvis L. II. 443
reticulata L. II. 455
rhodacantha Pers. II. 473
rhombifolia *Pers.* II. 430
rosea Vahl II. 437
Rottleri Spr. II. 429
rubicaulis *Lam.* II. 429
rubiginosa Rich. II. 434
rugata *Lam.* II. 431
saligna Labill. II. 450
salinarum Vahl II. 456
Saman Jacq. II. 441
Saponaria Lour. II. 440

Mimosa
Saponaria Roxb. II. 464
sarmentosa Desf. II. 465
scandens Roxb. II. 425
scandens Sw. II. 425
scandens americana L. II. 425
scandens indica Auct. II. 425
scorpioides Forsk. II. 461
semispinosa *L.* II. 431, 473
Senegal L. II. 459
sensitiva *L.* II. 426
Seyal Forsk. II. 472
Sicaria *Hoffmans.* II. 428
simplicifolia L. II. 451
sinemariensis Aubl. II. 433
sinuata *Lour.* II. 431
somnians *H. et Bonpl.* II. 427
somniculosa *H. B. et K.* II. 427
Sophorae Labill. II. 454
spartioides Vahl II. 456
speciosa Jacq. II. 467
speciosa Thunb. II. 469
spectabilis Vahl II. 435
spinosissima Poir. II. 459
Sprengelii *DC.* II. 430
staminea *Billh.* II. 429
stellata Forsk. II. 459
stellata Lour. II. 453
stipulata Roxb. II. 469
stolonifera Perrot. II. 444
stricta Andr. II. 450
strigosa Pers. II. 426
strigosa *W.* II. 426
strumbulifera Lam. II. 455
suaveolens Desf. II. 450
suaveolens Sm. II. 453
Sundra Roxb. II. 458
tamarindifolia L. II. 464
tamariscina Lam. II. 432
taxifolia Pers. II. 442
tenuifolia L. II. 465
tergemina L. II. 438
terminalis *Salisb.* II. 430
ternata Pers. II. 453
tomentosa *H. et Bonpl.* II. 427
tomentosa Rottl. II. 462
tortilis *Forsk.* II. 430
tortuosa Burm. II. 461
tortuosa L. II. 461
trapezifolia Vahl II. 441
trichodes Jacq. II. 466
trinervis *Desf.* II. 430
triquetra Vahl II. 444
ulicifolia Salisb. II. 454
ulicifolia Wendl. II. 449
umbellata Vahl II. 439

Mimosa
umbellifera Vahl
uncinella Poir.
Unguis-cati For
Unguis-cati L.
vaga L. II. 466
varia Perrot. II.
verticillata L'H
verticillata Wen
villosa Sw. II. 46
virgata L. II. 44
viscida *W.* II. 428
viva *L.* II. 426
Willdenowii Poi
xylocarpa Roxb

MIMOSEAE *R.*

Minuartia *Loefl.* III.
campestris *Loefl.*
dichotoma *Loefl.*
montana *Loefl.* III
tenuifolia Mart.

MINUARTIEAE

Mirbelia *Sm.* II. 114
dilatata *R. Br.* II.
reticulata *Sm.* II.
speciosa *Sieb.* II.
Misodendrum *Bank*
brachystachyum *L*
linearifolium *DC.*
oblongifolium *DC*
punctulatum *Ban*
α magellanicum *D*
β boreale (lege sul

quadriflorum *DC.*
Mitchella *L.* IV. 452
ovata *DC.* IV. 452
repens *L.* IV. 452
Mitella *Tourn.* IV.
cordifolia *Lam.* I
diphylla *L.* IV. 49
grandiflora Pur
nuda *L.* IV. 49. 50
pentandra Hook
prostrata *Mx.* IV.
reniformis Lam
trifida Graham
Mitracarpum *Zucc.*
cuspidatum *DC.* I
diffusum *Cham. e*
Fischeri *Cham. et*
hirtum *DC.* IV. 5
Humboldtianum *C*

...pum
...um *DC.* IV. 573
...um *DC.* IV. 572
...um *DC.* IV. 571
...um *Turcz.* IV. 572
...um *DC.* IV. 572
...um *Cham. et Schl.* IV. 571
...um *DC.* IV. 572
...um *Cham. et Schl.* IV. 573
Cham. et Schl. IV. 573
...um *Cham. et Schl.* IV. 572
Cham. et Schl. IV. 572
Cham. et Schl. IV. 572
Gmel. III. 288
...*ia Gmel.* III. 288
Neck. IV. 630
aegyptiaca Forsk. I. 123
...*st.* III. 378
...*rst.* III. 378
...*R. Br.* III. 378
...*tum Labill.* III. 378
...*ed.* III. 336
Blume III. 336
...*Br.* III. 337
...*m.* III. 337
Blume III. 336
...*Blume* III. 336
Lam. III. 336
...III. 336
...*Blume* III. 337
...*me* III. 336
...*m.* III. 336
...*heed.* - -
...*cea* - -
- - -
...*oench DC.* I. 435 (Malva)
Moench I. 435
... I. 390
... I. 390
...*var. Balb.* I. 390
...*sodoides Pers.* I. 390
V. I. 390
...*th. et Sm.* I. 390
campestris Roth I. 163
...*ers.* I. 389
...*Jacq.* II. 351
...*ram Rheed.* I. 611
...*a Schrad.* II. 488

Moldenhawera
floribunda *Schrad.* II. 488
Molina Cav. I. 583
racemosa Cav. I. 583
Molinaea Juss. Lam. DC. I. 613 (Cupania)
alternifolia W. I. 613
laevis W. I. 613
Molle Tourn. II. 74 *Clus.* II. 74
Mollia W. III. 373
alsinefolia Schult. III. 376
aristata Ait. III. 374
diffusa W. III. 373
fragilis Spr. III. 374
gnaphalodes Spr. III. 373
imbricata Gmel. III. 230
latifolia W. III. 373
minuartioides Spr. III. 375
Polycarpon Spr. III. 376
spadicea W. III. 374
stellata W. III. 374
tenuifolia W. III. 374
Mollugo L. Ser. I. 391 (Mollugo)
Mollugo *Ser.* I. 391
arenaria *H. B. et K.* I. 392
bellidifolia *Ser.* I. 391
Berteriana *Ser.* I. 391
Cerviana *Ser.* I. 392 IV. 425
cordifolia *Ser.* I. 392
dichotoma Schrank I. 391
dichotoma *Ser.* I. 392
disticha *Ser.* I. 392
glomerata *Ser.* I. 392
hirta *Thunb.* I. 391
Hoffmanseggiana *Ser.* I. 393
Lichtensteiniana *Ser.* I. 393
linearis *Ser.* I. 392
Linkii *Ser.* I. 392
marginata *Ser.* I. 392
maritima *Ser.* I. 393
microphylla *Ser.* I. 392 III. 363
mucronata *Ser.* I. 393
multiflora *Ser.* I. 392
nudicaulis *Lam.* I. 391
oppositifolia *L.* I. 391
parviflora *Ser.* I. 391
pentaphylla *L.* I. 391
quadrangularis *Ser.* I. 393
racemosa Lam. I. 392
radiata *R. et Pav.* I. 392
Schrankii *Ser.* I. 391
serpyllifolia *Ser.* I. 391
Spergula *L.* I. 391
spergulaides *Ser.* I. 392

Mollugo
stricta *L.* I. 391
teretifolia *Ser.* I. 393 III. 363
tetraphylla L. III. 376
triphylla Link I. 392
triphylla *Lour.* I. 392
umbellata *Ser.* I. 393
verticillata *L.* I. 391
Molopospermum *Koch* IV. 230
cicutarium *DC.* IV. 230
peloponesiacum Koch IV. 230
Mombin Plum. DC. II. 75 (Spondias)
Momordica *L.* III. 311 *Neck.* III. 310 *Auct.* III. 302, 318
aculeata *Poir.* III. 312
Balsamina *L.* III. 311
bicolor *Blume* III. 312
α β - - -
Charantia *L.* III. 311
β abbreviata *Ser.* III. 311
cylindrica *L.* III. 311
dioica *Roxb.* III. 312
echinata *Mühl.* III. 312
Elaterium *L.* III. 311
Lambertiana *Ser.* III. 311
lanata *Thunb.* III. 312
Luffa L. III. 303
muricata *W.* III. 311
operculata *L.* III. 311
pedisecta L. III. 319
senegalensis *Lam.* III. 311
sicyoides *Ser.* III. 312
spicata *L.* III. 312
subangulata *Blume* III. 311
trifoliata L. III. 316
zeylanica Mill. III. 311
Monactineirma Rory III. 323
Monanthes Haw. DC. III. 414 (Sempervivum)
polyphylla Haw. III. 414
Monimia rotundifolia Pet. Th. III. 286
Monniera *L.* I. 729
trifolia Burm. II. 242
trifolia *L.* I. 730
Monnina *R. et Pav.* I. 338
aestuans *DC.* I. 338
angustifolia *DC.* I. 340
bifureata *fl. mex.* I. 339
cestrifolia *Kunth* I. 338
ciliolata *fl. mex.* I. 340
conferta *R. et Pav.* I. 339
crassifolia *Kunth* I. 339
Monnina
crotalarioides *DC.*
fastigiata *DC.* I. 33
herbacea *DC.* I. 34
lanceolata *DC.* I. 3
latifolia *DC.* I. 338
ligustrifolia *Kunth*
linearifolia *R. et Pa*
longifolia *DC.* I. 33
macrostachya *R. et*
myrtilloides *DC.* I.
nemorosa *Kunth* I
obtusifolia *Kunth*
parviflora *Kunth* I
phytolaccaefolia *Ku*
α β *DC.* I. 339
pilosa *Kunth* I. 33
polystachya *R. et P*
pterocarpa *R. et Pa*
pubescens *Kunth*
revoluta *Kunth* I.
rupestris *Kunth* I.
salicifolia *R. et Pav*
xalapensis *Kunth*
Monocentra DC. III
Monochaetum DC.
Monodora *Dunal* I. 8
Myristica *Dunal* I.
Monsonia *L. fil.* I. 638
biflora *DC.* I. 638
Burmanni *DC.* I. 63
emarginata L'Her
filia L. fil. I. 638
filia Pers. I. 638
L'Heritieri *DC.* I. 6
lobata *Mont.* I. 638
ovata *Cav.* I. 638
Patersonii *DC.* I. 63
pilosa *W.* I. 638
speciosa *L. fil.* I. 63
speciosa Sweet I.
spinosa L'Herit.
Montezuma *fl. mex.* I.
speciosissima *fl. me.*
Montia *Mich.* III. 362
fontana *L.* III. 362
α minor *W.* - -
β major - - -
fontana β erecta
fontana β repens
minor Gmel. III. 3
repens Gmel. III. 3

a *L.* III. 35
L. fil. III. 36
phyllacea Thunb. III. 36
scens Gaertn. III. 36
INIEAE *DC.* III. 35
Aubl. II. 526
nis Aubl. II. 526
a rubra Spr. IV. 303
Rich. IV. 617
nsis A. Rich. IV. 617
DC. I. 185
a DC. I. 185
DC. I. 221
DC. I. 221
- - -
iflora DC. I. 221
a DC. I. 221
ia Neck. II. 595
ura. IV. 644
Wall. IV. 644
all. IV. 645
sis Don IV. 645
lis Mill. IV. 644
L. IV. 644
la Wall. IV. 644
lata Moench IV. 644
aill. IV. 446
folia Roth IV. 448
dia Roxb. IV. 447
is Poir. IV. 484
Roxb. IV. 447
a Ham. IV. 448
ina DC. IV. 450
ia Cham. et Schl. IV. 446
ia Hunt. IV. 447
L. IV. 446
ressa DC. IV. 446
dia - - -
inensis DC. IV. 449
Ham. IV. 448
Roxb. IV. 447
DC. IV. 447
rtl. IV. 449
ylla Desf. IV. 450
bala Bartl. IV. 449
Jam. IV. 448
a Roxb. IV. 447
a Jacq. IV. 534
Ham. IV. 448
ra Juss. IV. 449
ana DC. IV. 448
a Bartl. IV. 449
laria H. B. et K. IV. 448

Morinda
persicaefolia *Ham.* IV. 447
phillyraeoides *Lubill.* IV. 449
polysperma Jack IV. 368
pubescens *Sm.* IV. 447
retusa *Lam.* IV. 448
Rojoc *L.* IV. 448
Royoc Lour. IV. 449
sarmentosa *Blume* IV. 449
scandens *Roxb.* IV. 449
squarrosa *Ham.* IV. 447
stenophylla *Spr.* IV. 448
tetrandra *Jack* IV. 449
tinctoria *Roxb.* IV. 447
tomentosa *Heyn.* IV. 448
turbacensis *H. B. et K.* IV. 447
umbellata *L.* IV. 449
umbellata Lour. IV. 449
MORINDEAE *DC.* IV. 342, 446
MORINEAE *DC.* IV. 644
Moringa *Burm.* II. 478
aptera *Gaertn.* II. 478
arabica *Pers.* II. 478
oleifera Lam. II. 478
polygona *DC.* II. 478
pterygosperma *Gaertn.* II. 478
zeylanica Pers. II. 478
Morisonia *Plum.* I. 254
americana *L.* I. 254
Moronobea *Aubl.* I. 563
coccinea *Aubl.* I. 563
grandiflora *Chois.* I. 563
Morus norvegica Tillands. II. 566
Moschatellina Tourn. IV. 251
tetragona Moench IV. 252
Mougeotia Kunth I. 490
caracasana H. B. et K. I. 492
hirsuta H. B. et K. I. 492
inflata H. B. et K. I. 491
mollis H. B. et K. I. 491
nodiflora H. B. et K. I. 491
polystachya H. B. et K. I. 491
Mouricou Adans. II. 410
Mouriri Aubl. III. 7
Mouriria *Juss.* III. 7
cauliflora *DC.* III. 7
grandiflora *DC.* III. 8
guianensis *Aubl.* III. 7
mexicana *fl. mex.* III. 8
myrtilloides *Poir.* III. 7
Moutouchia Aubl. DC. II. 418 (Pterocarpus)
suberosa Aubl. II. 418

Moutan DC. I. 65 (Paeonia)
Mucizonia DC. II. 399 (Umbilicus)

Mucuna *Adans.* II. 404
alhida fl. mex. II. 404
altissima *DC.* II. 405
atropurpurea *DC.* II. 406
bracteata *DC.* II. 406
comosa *DC.* II. 405
elliptica *DC.* II. 405
gigantea *DC.* II. 405
β nigricans *DC.* I. 405
imbricata *DC.* II. 406
inflexa *DC.* II. 405
Macroceratides *DC.* II. 406
mitis *DC.* II. 405
mollis *DC.* II. 405
monosperma *DC.* II. 406
Mutisiana *DC.* II. 406
nivea *DC.* II. 406
platycarpa *DC.* II. 406
pruriens *DC.* II. 405
rutilans fl. mex. II. 404
urens *DC.* II. 405

MULINEAE *DC.* IV. 57, 78

Mulinum *Pers.* IV. 79
acaule *Pers.* IV. 80
angulatum *DC.* IV. 80
Dipterygia *DC.* IV. 80
Echinus *DC.* IV. 79
isatidicarpum *DC.* IV. 80
microphyllum *Pers.* IV. 79
proliferum *Pers.* IV. 79
sanguisorbaefolium Desv. IV. 81
spinosum *Pers.* IV. 79
spinosum Spr. IV. 77
Mullera *L. fil.* II. 259
moniliformis *L. fil.* II. 259
verrucosa herb. mus. par. II. 353
verrucosa Pers. II. 315
Munchhausia L. DC. III. 93 (Lagerstroemia)
speciosa L. III. 93
Mundia *Kunth* I. 337
spinosa *DC.* I. 338
α latifolia
β angustifolia *DC.* I. 338
Manduleu DC. II. 249 (Tephrosia)
Muntingia *L.* I. 514
Calabura *L.* I. 514
Muraltia *Neck.* I. 335
alopecuroides *DC.* I. 335
aspalatha *DC.* I. 336

Muraltia
brevicornu *DC.* I.
brevifolia *DC.* I. 3
Burmanni *DC.* I. 3
ciliaris *DC.* I. 336
β laxiuscula *DC.* I.
conferta *DC.* I. 335
depressa *Burch.* I.
diffusa *Burch.* I. 3
dumosa *DC.* I. 337
ericaefolia *DC.* I. 3
fasciculata *DC.* I. 3
filiformis *DC.* I. 33
Heisteria *DC.* I. 33
β pilosa
humilis *DC.* I. 337
juniperifolia *DC.* I.
laxa *DC.* I. 337
linophylla *Burch.*
macroceras *DC.* I.
mixta *L. fil.* I. 336
obovata *DC.* I. 337
parviflora *DC.* I. 3
paucillora *DC.* I. 3
phylicoides *DC.* I.
pilosa *DC.* I. 337
Poiretii *DC.* I. 337
pubescens *DC.* I. 3
saturejoides *Burch*
serpylloides *DC.* I.
sprengelioides *Bur*
squarrosa *DC.* I. 3
stipulacea *Burch.*
striata *DC.* I. 337
tenuifolia *DC.* I. 33
thymifolia *DC.* I. 3
trinervia *DC.* I. 333
virgata *Burch.* I. 3
Muricaria *Desv.* I. 22
prostrata *Desv.* I.
Muricia *Lour.* III. 31
cochinchinensis *Lou*
Murraya *Koen.* I. 537
exotica *L.* I. 537
paniculata *mat. mis*
Murucuia *Tourn.* III.
aurantia Pers. II
ocellata *Pers.* III. 3
β *Cav.* III. 333
orbiculata *Pers.* III
Muscaria Haw. IV.
acaulis Haw. IV.
atropurpurea Ha
caespitosa Haw.
crocea Haw. IV. 1

ia
lanica *Haw.* IV. 25
ides β elongella *Haw.* IV. 26
atala *Haw.* IV. 24
a *Raf.* IV. 146
da *L.* IV. 370 *Don* IV.
: *Juss.* IV. 366 *Poir.* IV. 367
b *Blume* IV. 371
a *Bartl.* IV. 370
Lam. IV. 372
a *Poir.* IV. 367
tsima *R. et Schult.* IV. 367
a *Lour.* IV. 373
Lam. IV. 372
a *Poir.* IV. 367
a *Spr.* IV. 410
a *Roxb.* IV. 371
a *Don* IV. 372
Pet. Th. IV. 373
Thonn. IV. 372
a *W.* IV. 373
Schum. IV. 372
ylla *Schum.* IV. 371
Jacq. IV. 388
L. IV. 370
L. IV. 370
a *Roxb.* IV. 370
ahl IV. 370
ata *Lam.* IV. 372
Don IV. 371
cea *Sm.* IV. 372
ldiana *Steud.* IV. 387
Vall. IV. 371
DC. IV. 371
ata *Poir.* IV. 532
ata *Spr.* IV. 371
Lam. IV. 372
Sm. IV. 372
Poir. IV. 372
Lam. IV. 372
Ham. IV. 358
Delil. IV. 371
ylla *Schum.* IV. 371
lla *Wall.* IV. 371
H. B. et K. IV. 387
a *Ait.* IV. 371
a *bot. mag.* IV. 371
a *H. B. et K.* IV. 387
a *Sieb.* IV. 392
Blume IV. 372
Poir. IV. 370
L. IV. 387
ii *Mx.* IV. 372

Mussaenda
sumatrensis *Roth* IV. 371
tetracantha Cav. IV. 387
tetraudra *Schult.* IV. 373
zeylanica Burm. IV. 370
Myagrum *Tourn.* I. 212
aegyptium L. I. 227
arborescens Jacq. I. 226
asperum Poir. I. 230
austriacum Jacq. I. 202
dentatum W. I. 201
Erucago Lam. I. 230
hispanicum L. I. 220
iberioides Brot. I. 225
montanum Berg. I. 172
natans Putr. I. 139
orientale L. I. 227
paniculatum L. I. 202
perfoliatum *L.* I. 212
perenne L. I. 227
perenne Stev. I. 227
pinnatifidum Ehrh. I. 201
pinnatum Russ. I. 227
pumilum Lam. I. 137
rugosum L. I. 227
sativum L. I. 201
saxatile L. I. 172
taraxacifolium Lam. I. 230
venosum Pers. I. 227
Mycetia Reinw. DC. IV. 392 (Bertiera)
cauliflora Reinw. IV. 393
Myginda *Jacq.* II. 12
brasiliensis *Spr.* II. 13
Gongonha *DC.* II. 13
ilicifolia *Lam.* II. 13.
β acutifolia *DC.* - -
integrifolia *Lam.* II. 13
integrifolia guadalupensis Spr. II. 13
latifolia *Sw.* II. 13
microphylla *DC.* II. 12
myrsinoides *H. B. et K.* II. 13
myrtifolia *Nutt.* II. 13
pallens *Sw.* II. 13
Rhacoma *Sw.* II. 13
rotundata *Lam.* II. 12
Uragoga *Jacq.* II. 12
Mylinum Gaud. IV. 165
Carvifolia Gaud. IV. 165
Myonima *Comm.* IV. 463
borbonica Raeusch. IV. 463
lanceolata W. IV. 463
multiflora *A. Rich.* IV. 463
β oblongifolia *DC.* - -
γ ovata - - -

Myonima
myrtifolia *Lam.* IV. 463
obovata *Lam.* IV. 463
umbellata *Bartl.* IV. 463
Myosotis dichotoma Moench I. 415
lanata Moench I. 418
Myosurus *Dill.* I. 25
minimus *L.* I. 25
Shortii *Raf.* I. 25
Myrcia *DC.* III. 242
acris *DC.* III. 243
acuminata *DC.* III. 256
albo tomentosa *DC.* III. 254
amazonica *DC.* III. 250
ambigua *DC.* III. 252
β pauciflora *DC.* III. 252
Balbisiana *DC.* III. 243
banisteriaefolia *DC.* III. 246
Berberis *DC.* III. 254
Billardiana *DC.* III. 255
bracteat *DC.* III. 245
bracteolaris *DC.* III. 245
camaraeana *DC.* III. 251
campestris *DC.* III. 247
carnea *DC.* III. 245
cassinoides *DC.* III. 249
clusiaefolia *DC.* III. 255
coccolobaefolia *DC.* III. 255
complicata *DC.* III. 255
cordiaefolia *DC.* III. 248
β minor - - -
coriacea *DC.* III. 243
corymbosa *DC.* III. 252
costata *DC.* II. 252
Coumeta *DC.* III. 245
crassinervia *DC.* II 245
curatellaefolia *DC.* II. 253
daphnoides *DC.* III 246
dealbata *DC.* III. 254
decorticans *DC.* III. 252
deflexa *DC.* III. 244
divaricata *DC.* III. 243
divergens *DC.* III. 245
duriuscula *Mart. herb.* III. 253
elaeodendra *DC.* III. 250
elegans *DC.* III. 251
eriocalyx *DC.* III. 247
Eriopus *DC.* III. 255
Eriopus Mart. herb. III. 257
eximia *DC.* III. 248
exsucca *DC* III. 247
fallax *DC.* III. 244
fenestrata *DC.* III. 251
ferruginea *DC.* III. 245
Myrcia
formosiana *DC.*
guianensis *DC.*
Hayneana *DC.*
hebepetala *DC.*
hirtiflora *DC.* I
Humboldtiana *I*
lasiantha *DC.* I
Lasiopus *DC.* I
lauriflora *DC.* I
leptoclada *DC.*
Leucadendron *I*
leucophlaea *DC.*
Linkiana *DC.* II
littoralis *DC.* II
longifolia *DC.* I
macrocarpa *DC.*
macrochlamys *L*
macrophylla *DC*
magnoliaefolia *L*
β *DC.* III. 248
maragnana *DC.*
melastomoides *L*
mollis *DC.* II . 2
multiflora *DC.* I
myoporina *DC.* I
myrtillifolia *DC.*
Neesiana *DC.* III
nigrescens *DC.* I
oblongata *DC.* II
pallens *DC.* III.
palustris *DC.* III.
pectusa *DC.* II.
pilosa *DC.* III. 2
pimentoides *DC.*
platyclada *DC.* II
polyantha *DC.* III
polyantha *DC.* III
prunifolia *DC.* III
α angustior - -
β obovata - -
γ ovata - -
pseudo-Mini *DC.*
pubescens *DC.* II
pubiflora *DC.* III.
punctata *DC.* III.
racemulosa *DC*
ramulosa *DC.* III.
β multiflora *DC.*
rostrata *DC.* III.
rufipes *DC.* III. 2
salicifolia *DC.* III
Schrankiana *DC.*

*) conf. Praefatio.

fera *DC.* III. 254
DC. III. 249
DC. III. 243
DC. III. 248
DC. III. 251
DC. III. 251
DC. III. 244
- - -
DC. III. 250
DC. III. 253
DC. III. 244
DC. III. 244
DC. III. 245
III. 250
C. III. 256
DC. III. 255
C. III. 254
Mart. III. 254
- - -
- - -
C. III. 250
DC. III. 250
C. III. 256
III. 248
DC. III. 248
DC. III. 256
esv. II. 316
DC. II. 316
et. Th. II. 55
C. III. 165
III. 165
C. III. 165
liata L. II. 71
Hortul. II. 73
v. III. 97
C. III. 98
Desv. III. 97
esv. III. 98
a Desv. III. 97
esv. III. 97
Desv. III. 98
esv. III. 98
DC. I. 515 (Sloanea)
Vaill. III. 68
DC. fl. fr. III. 68
ium Steud. III. 68
Nutt. III. 70
- - -
- - -
Labill. III. 69
Gaud. III. 68
um Mx. III. 69
. III. 68
DC. III. 69
apyl. III. 69

Myriophyllum
pectinatum *DC. fl. fr.* III. 68
quitense *H. B. et K.* III. 68
scabratum *Mx.* III. 69
spicatum *L.* III. 68
tenellum *Bigel.* III. 69
ternatum *Gaud.* III. 69
tetrandrum *Roxb.* III. 69
tuberculatum *Roxb.* III. 69
verticillatum fl. dan. III. 68
verticillatum *L.* III. 68
β limosum Hect. - -
Myrmecodia *Jack* IV. 450 *Gaudich.* IV. 450
armata *DC.* IV. 450
echinata Gaudich. IV. 450
inermis *Gaudich.* IV. 450
tuberosa Blume IV. 450
tuberosa Jack IV. 450
MYROBALANEAE Juss. III. 9
Myrobalanus Gaertn. III. 10, 12 *Lam.* III. 12, 13 *DC.* III. 12 (Terminalia)
Bellerica Breyn. III. 12
Chebula Gaertn. III. 12
citrina Gaertn. III. 12
Fatraea Poir. III. 12
rhomboidea Poir. III. 12
Terminalia Poir. III. 13
Myrodendron Schreb. I. 619
amplexicaule W. I. 620
Myrodia *Schreb.* I. 477
longiflora *Sw.* I. 477
ovata fl. mex. I. 477
turbinata *Sw.* I. 477
verticillaris *fl. mex.* I. 477
Myrospermum *Jacq.* II. 94 *H. B. et K.* II. 94
frutescens *Jacq.* II. 94
pedicellatum Lam. II. 95
peruiferum *DC.* II. 95
peruiferum Lamb. II. 95
pubescens *DC.* II. 95
toluiferum *Rich.* II. 95
Myroxylon L. fil. II. 94 *Mutis L. fil. Kunth* II. 95 *DC.* II. 95 (Myrospermum)
peruiferum L. fil. II. 94
pubescens H. B. et K. II. 95
Toluifera H. B. et K. II. 95
Myrrhidium DC. I. 657 (Pelargonium)
Myrrhis *Scop.* IV. 231 *Kunth* IV. 229 *Spr.* IV. 115, 222. 224.

Myrrhis
231 *Lag.* IV. 224 *Mx. Torr.* *Spr.* IV. 232
ammoides Spr. IV. 118
andicola H. B. et K. IV. 229
aristata Spr. IV. 228
aromatica Schult. IV. 227
aromatica Spr. IV. 227
aurea Spr. IV. 226
bifida Spr. IV. 225
bulbosa All. IV. 223
bulbosa Spr. IV. 226
Bunium Spr. IV. 118
canadensis Moris. IV. 119
capensis Spr. IV. 228
capillifolia Guss. IV. 118
Claytonii Spr. IV. 232
Claytonii Torr. IV. 232
colorata Spr. IV. 225
gracilis Spr. IV. 230
hirsuta Spr. IV. 227
humilis Schult. IV. 227
longifolia Spr. IV. 232
longistylis Torr IV. 232
millefolia Spr. IV. 226
odorata *Scop.* IV. 231
Pecten veneris All. IV. 221
procumbens Spr. IV. 225
pyrenaea Spr. IV. 118
rosea Spr. IV. 227
sicula pastinacaefolia Tourn. IV. 143
sulcata *Lag.* IV. 231
temula Gaertn. IV. 226
tenerrima Presl IV. 118
tenuifolia Schult. IV. 228
ternata Moench IV. 119
torquata Schult. IV. 223
***Myrtacea** Sieb. pl. exs.* Nr. 528 III. 215
Sieb. pl. exs. Nr. 585 III. 230
Sieb. Nov. Holl. Nr. 598 III. 262
Sieb. pl. exs. Nr. 601 III. 212
Sieb. pl. exs. Nr. 637 III. 223
MYRTACEAE *R. Br.* III. 207
MYRTEACEAE Nees III. 207
MYRTEAE *DC.* III. 230
MYRTEAE Juss. III. 207
MYRTI Juss. III. 207
MYRTINEAE DC. III. 207
***Myrtiphyllum** P. Brown.* IV. 516
MYRTOIDEAE Vent. III. 207
Myrtus *L.* III. 238 *A*
261 *Tourn*
Kunth III.
III. 237
acetosans Spr.
Acka Juss. III.
acris Colla III.
acris Sieb. III. 2
acris Sw. III. 24
acris β Sw. III.
acuminata H. B
acuminatissima
acuta Mill. III.
aeruginea Fors.
albida H. B. et
albo-tomentosa
alpigena Mart.
alpina Sw. III.
amazonica Mart
amboinensis Ru
anceps *Spr.* III. 2
androsaemoides
androsaemoides
angustifolia L.
angustifolia Spr
Arayan *H. B. et K*
aromatica Poir.
Aubletii Spr. III
australis Spr. II
axillaris Poir. I
axillaris Sw. III
balsamica Spr. I
banisteriaefolia
baruensis Spr. I
Berberis Mart.
Berteriana Spr.
biflora L. III. 276
Billardiana H. B
borbonica Spr. I
brachystemon *DC.*
bracteata Mart.
bracteata W. III
bracteolaris Poi
brasiliana L. III.
bullata Salisb. II
buxifolia Sw. III
calophylla *H. B. et*
camaraeana Ma
campestris Mart.
cana Mart. herb.
Candolleana Mart
canescens Lour.

lifolia Mart. herb. III. 281
Meyer III. 245
pilata Jacq. III. 243
pilata L. III. 260
pilus Spr. III. 262
ides H.B.et K. III. 275
des Spr. III. 238
a Blume III. 288
a Mart. III. 273
sis Spr. III. 268
rmis Blume III. 274
Spr. III. 263
Vahl III. 263
s Lour. III. 242
hyllum Spr. III. 272
lia L. III. 257
s Poir. III. 243
pa Mart. herb. III. 267
dia H.B.et K. III. 255
s Mart herb. III. 267
tefolia H.B.et K. III. 255
Mart. herb. III. 281
pr. III. 245
onii Spr. III. 237
L. III. 239
rpa
a Mill. III. 239
ima - - -
- - -
a - - -
ica L. - -
a Mill. - -
nata L. - -
pa
ta H.B.et K. III. 255
a H.B.et K. III. 276
Sw. III. 272
dia Mart.herb. III. 248
Sieb. III. 259
Sw. III. 243
Vahl III. 243
Mart. herb. III. 252
ia Poir. III. 243
ia Spr. III. 238
ia Mart. herb. III. 266
a Sw. III. 277
L. III. 260
tefolia Mart. herb. III. 253
ifolia Mart. herb. III. 279
dia Mart. herb. III. 279

Myrtus
cymosa Spr. III. 259
daphnoides Spr. III. 270
dealbata Mart. herb. III. 254
decorticans Mart. herb. III. 253
decussata Mart. herb. III. 235
deflexa H.B.et K. III. 256
delicatula Mart. herb. III. 273
dichotoma Vahl III. 278
dioica *L.* III. 242
dioica Sieb. III. 280
dioica Spr. III. 242
discolor H.B.et K. III. 277
disticha Sw. III. 274
divaricata Ham. III. 243
Dombeyi Spr. III. 267
Duarti Mart. herb. III. 247
dumetorum Poir. III. 284
dumosa L'Herit. III. 272
dumosa Spr. III. 278
dumosus Vahl III. 276
dysenterica Mart. herb. III. 269, 271
egensis Mart. herb. III. 281
elegans *DC.* III. 240
elegans Mart. herb. III. 251
emarginata H.B.et K. III. 280
Eriopus Mart herb. III. 255
erythrocarpa H.B.et K. III. 270
erythroxyloides *H.B.et K.* III. 241
exsucca Domb. III. 278
exsucca Mart. herb. III. 247
fascicularis *DC.* III. 240
Felisberti Mart. herb. III. 266
fenestrata Mart. herb. III. 251
ferruginea Spr. III. 245
fimbriata H.B.et K. III. 278
firma Mart. herb. III. 282
firma *Spr.* III. 242
flava Mart. herb. III. 272
florida Mart. herb. III. 283
foetida Spr. III. 265
foliosa H.B.et K. III. 277
fragrans Sw. III. 280
fruticulosa Mart. herb. III. 270
fulva *Spr.* III. 242
glabrata Blume III. 287
glabrata Sw. III. 274
glomerata Spr. III. 259
Goetheana *Mart. herb.* III. 240
grammica *Spr.* III. 241
Gregii Sw. III. 280
guayaquilensis H.B.et K. III. 275
guianensis Ham. III. 245
Hayneana Mart. herb. III. 246

Myrtus
Heynii *Spr.* III. 241
β conferta *Spr.* III. 241
horizontalis Vent. III. 274
hypericifolia Blume III. 287
hypericifolia Salisb. III. 261
Jambos H. B. et K. III. 286
javanica Spr. III. 287
inocarpus Mart. herb. III. 264
inundata Mart. herb. III. 280
Kochiana Mart. herb. III. 268
Kunthiana Mart. herb. III. 265
laevigata Mart. herb. III. 284
laevis *Thunb.* III. 242
Lambertiana Mart. herb. III. 271
lanceolata Juss. III. 276
lasiantha Mart. herb. III. 254
lateriflora Mart. herb. III. 273
latifolia Fors. III. 245
latifolia Roth III. 241
latifolia Spr. III. 269
laurifolia hort. paris. III. 243
lauriflora Mart. herb. III. 252
laurina Retz III. 24
laxa Mart. herb. III. 263
Leucadendron L. fil. III. 212
leucophlaea Mart. herb. III. 247
ligustrina Spr. III. 263
ligustrina Sw. III. 263
limbata H. B. et K. III. 278
Lindleyana H. B. et K. III. 278
Lindleyana Mart. herb. III. 269
lineata Blume III. 287
lineata Sw. III. 273
linifolia *Spr.* III. 241
Linkiana Mart. herb. III. 248
littoralis Mart. herb. III. 249
longifolia H. B. et K. III. 256
longifolia Mart. herb. III. 269
Loureiri Spr. III. 284
lucida *L.* III. 241
Luma Molin. III. 240
Luma Spr. III. 240
lurida *Spr.* III. 241
magnoliaefolia Blume III. 261
malaccensis Spr. III. 287
malpighioides H. B. et K. III. 275
maragnana Mart. herb. III. 249
marginata Spr. III. 285
maritima H. B. et K. III. 282
maritima Mart. herb. III. 271
maxima *Molin.* III. 242
mespiloides Spr. III. 237
micrantha H. B. et K. III. 282

Myrtus
micrantha Nees e
microphylla *H. et B*
Mikaniana Mart.
minima Mill. III.
modesta Mart. hes
mollis H. B. et K.
monticola Sw. III.
monticola Vahl II
multiflora *Juss.* III.
multiflora Spr. II
muricata Mart. h
myricoides *H. B. et*
myrobalanus Mar
myrsinites Mart.
myrsinoides *H. B. e*
myrtillifolia Mar
Neesiana Mart. h
nemoralis Mart. h
nigra Mart. herb.
nigrescens Mart.
nitens Poir. III. 2
nummularia *Poir.* I
oblongata Mart. h
obovata Spr. III. 2
obscura Lindl. III
obtusa Juss. III. 2
obtusissima Blum
oleaefolia H. B. et
Oleaster Mart. hes
orbiculata Spr. II
ovalis *Spr.* III. 241
pallens Vahl III. 2
palustris Mart. h
parviflora Spr. III
parvifolia Juss. I
Patrisii Spr. III. 2
patula Mart. herb.
pendula Blume II
pia Mart. herb. III
pilosa Mart. herb.
Pimenta L. III. 28
Pimenta latifolia
pistaciaefolia Ma
Pohliana Mart. he
Poireti Spr. III. 2
polyantha H. B. e
polyantha Mart. h
procera P. Brown
procera Sw. III. 2
prunifolia Mart. h

aryophyllus Gomez III. 247, 282
idium Spr. III. 268
Desv. III. 242
H. B. et K. III. 282
Mart. herb. III. 246
Spr. III. 243
lia H. B. et K. III. 267
Mart. herb. III. 281
a Mart. herb. III. 254
ltiana Blume III. 267
es H. B. et K. III. 278
art. herb. III. 273
c. III. 265
Mart. herb. III. 283
ifolia Pers. III. 265
ifolia Spr. III. 265
Mart. herb. III. 255
Spr. III. 279
lart. herb. III. 247
W. III. 241
a H. B. et K. III. 278
a Mart. herb. III. 246
Gmel. III. 212
H. B. et K. III. 239
gensis Blume III. 286
lart. herb. III. 267
iana Mart. herb. III. 247
ra Mart. herb. III. 254
r. III. 241
na Mart. herb. III. 264
Mart. herb. III. 249
Koen. III. 24
ra Spr. III. 273
lia Mart. herb. III. 263
iensis Spr. III. 276
Spr. III. 262
tii Spr. III. 284
ra Mart. herb. III. 263
lis Blume III. 241
s DC. III. 240
lis Mart. herb. III. 248
is Sw. III. 244
sa Mart. herb. III. 268
Spr. III. 245
tris Mart. herb. III. 250
lexicaulis Mart. herb. III. 277
m L. III. 257
a Meyer III. 244
Mart. herb. III. 272
var. Mart. herb. III. 265

Myrtus
tenuifolia *Sw.* III. 241
tomentosa *Ait.* III. 240
torta Mart. herb. III. 250, 252
triflora Jacq. III. 274
triflora *Spr.* III. 241
trinervia Lour. III. 284
trinervia Sm. III. 279
tuberculata H. B. et K. III. 273
Ugni *Molin.* III. 239
umbellata *Desv.* III. 242
umbellata Mart. herb. III. 269
umbellulifera H. B. et K. III. 255
umbraticola *H. B. et K.* III. 242
undulata Spr. III. 269
vaccinioides *H. B. et K.* III. 238
Vahlii Spr. III. 279
variabilis Mart. herb. III. 254
variegata Blume III. 272
venosa Spr. III. 286
venulosa Mart. herb. III. 250
verruculosa Mart. herb. III. 285
vestita Mart. herb. III. 248
vetula Mart. herb. III. 271
villosa Spr. III. 286
virgultosa Mart. herb. III. 250
virgultosa Sw. III. 281
Willdenowii Spr. III. 266
Wildenowii v. portoriccensis Spr. III. 266
xalapensis H. B. et K. III. 276
xylopioides H. B. et K. III. 256
zeylanica L. III. 260
Sieb. Trin. Nr. 111. III. 243
Sieb. Trin. Nr. 222. III. 277
Sieb. Trin. Nr. 245. III. 271

N

Nabea Alpin. II. 20
Nacibea Aubl. IV. 362 *Juss.* IV. 399 *DC.* IV. 363 (Manettia)
acutiflora Poir. IV. 364
alba Aubl. IV. 364
angustifolia Vahl IV. 364
coccinea Aubl. IV. 362
glabra Gaertn. IV. 364
mutabilis Poir. IV. 362
reclinata Poir. IV. 362
umbellata Poir. IV. 364
Nahusia Schnev. III. 36
coccineaSchnev. III. 38
Nalugu Rheed. IV. 256
Nandina *Thunb.* I. 109

Nandina
domestica *Thunb.* I. 109
Nani Adans. III. 224
Nanosilene Otth. DC. I. 367 (Silene)
Napaea L. Lam. I. 459
dioica L. I. 466
laevis L. I. 466
scabra L. I. 466
Napellus DC. I. 62 (Aconitum)
Napimoga *Aubl.* II. 54
guianensis *Aubl.* II. 54
Napoleone Rob. I. 114
Napus dulcis Blackw. I. 214
Naravelia *DC.* I. 10
zeylanica *DC.* I. 10
α Hermanni *DC.* I. 10
β Roxburghii - - -
Nardostachys *DC.* IV. 624
grandiflora *DC.* IV. 624
Jatamansi *DC.* IV. 624
Nardus Garc. IV. 624
Gangitis Veter IV. 624
indica Bauh. IV. 624
syriaca Veter. IV. 624
Narthecium Dalech. IV. 174
Nasturtioides DC. I. 178 (Hutchinsia)
Nasturtiolum DC. I. 202 (Senebiera)
Nasturtium *R. Br.* I. 137
amphibium *R. Br.* I. 138
α indivisum *DC.* - -
β variifolium - - 139
γ auriculatum - - -
anceps *DC.* I. 137
apetalum *DC.* I. 139
arabiforme *DC.* I. 139
atrovirens *DC.* I. 139
benghalense *DC.* I. 139
bonariense *DC.* I. 138
bursifolium *DC.* I. 138
ceratophyllum *DC.* I. 138
clandestinum *Spr.* I. 139
coronopifolium *DC.* I. 138
crispum J. Bauh. I. 204
diffusum *DC.* I. 139
glaucophyllum *DC.* I. 138
hispidum *DC.* I. 139
indicum *DC.* I. 139
β γ - - -
lippizense *DC.* I. 138
madagascariense *DC.* I. 138
mexicanum *Moç. et Sessé* I. 138
micranthum *DC.* I. 137
Nasturtium
microspermum *I*
natans *DC.* I. 13
nebrodense *Raf.*
officinale *R. Br.*
β praecocius -
γ chilense -
ovirense Andrz
palustre *DC.* I. 1
β pusillum - -
γ barbareaefolium
δ tanacetifolium
ε brevipes
procurrens An
pyrenaicum *R. B*
β -
rotundifolium
sagittatum *R. Br.*
sinense DC. I. 2
sylvestre *R. Br.*
tuberosum Raf.
Nati-Schambu R
Natridium DC. II
Natrix Moench I
pinguis Moench
rotundifolia M
Natta-mame Ban
Nauclea *L.* IV. 343
Blume IV. 343
IV. 349 *Blume*
acida Hunt. IV.
aculeata H. B. e
aculeata Lam. I
Adina Sm. IV. 3
adinoides Lindl
africana Cham.
africana Schum
africana *W.* IV. 3
β luzoniensis *DC.*
Bartlingii *DC.* IV
Cadamba *Roxb.* I
calycina *Bartl.* I
canescens *Bartl.*
Cinchonae *DC.* IV
citrifolia Poir.
citrifolia Rich.
coadunata *Roxb.*
cordata *Blume* IV
cordata Roxb. I
cordifolia *Roxb.* I
excelsa *Blume* IV

Blume IV. 349
tea Blume IV. 348
Hunt. IV. 347
a Bartl. IV. 344
oxb. IV. 344
s Blume IV. 348
ia DC. IV. 345
a Blume IV. 345
Poir. IV. 348
s Sm. IV. 368
ra Poir. IV. 347
hylla Blume IV. 345
hylla Perr. et Lepr. IV. 346
ylla Roxb. IV. 344
bala Delil. IV. 345
Bartl. IV. 344
Blume IV. 346
efolia Blume IV. 346
Blume IV. 345
lis Gaertn. IV. 344
s Lam. IV. 345
Roxb. IV. 344
ra Pers. IV. 344
Roxb. IV. 344
ata Blume IV. 348
Blume IV. 348
ala Rich. IV. 672
Roxb. IV. 346
lia Bartl. IV. 346 *)
lia Roxb. IV. 345
s Sm. IV. 348
ylla Hunt. IV. 347
a Roxb. IV. 344
Blume IV. 348
efolia Rich. IV. 672
DC. IV. 346
ra Roxb. IV. 539
sa W. IV. 349
Roxb. IV. 343
E *DC.* IV. 342, 343
a DC. IV. 343 (Nauclea)
es DC. IV. 539 (Cephalanthus)
eck. II. 43
Gmel. III. 377
chreb. I. 112
katti Rheed. III. 6
s Scop. II. 248
R. et Pav. II. 404
R. et Pav. II. 405

Negretia
inflexa R. et Pav. II. 405
mitis R. et Pav. II. 405
mollis H. B. et K. II. 405
Mutisiana H. B. et K. II. 406
platycarpa R. et Pav. II. 406
Negundium Raf. I. 596
Negundo *Moench* I. 596
aceroides Moench I. 596
cochinchinense *DC.* I. 596
fraxinifolium *Nutt.* I. 596
mexicanum *DC.* I. 596
Neillia *Don* II. 546
rubiflora *Don* II. 547
thyrsiflora *Don* II. 547
Nelatajira Rheed. III. 354
Nelitris *Gaertn.* III. 231
Jambosella *Gaertn.* III. 231
paniculata *Lindl.* III. 231
polyguma Spr. III. 231
trinervia Spr. III. 284
Urvillei *DC.* III. 231
Nelumbium *Juss.* I. 113
caspicum Fisch. I. 114
codophyllum *Raf.* I. 114
jamaicense *DC.* I. 114
luteum *W.* I. 114
pentapetalum *W.* I. 114
reniforme W. I. 115
speciosum *W.* I. 113
β Tamara *DC.* I. 114
γ caspicum - - -
speciosum γ W. I. 114
Nelumbo Tourn. I. 113
nucifera Gaertn. I. 114
NELUMBONEAE *DC.* I. 113
Nemopanthes *Raf.* II. 17
canadensis *DC.* II. 18
fascicularis Raf. II. 18
Nenax Gaertn. II. 595
acerosa Gaertn. II. 596
Neocarya DC. II. 527 (Parinarium)
Neou Adans. II. 527
Nephelium L. I. 611
lappaceum L. I. 612
Nephroia sarmentosa Lour. I. 100
Nephrosis Rich. II. 420
aculeata Rich. II. 420
Neptunia Lour. DC. II. 444 (Desmanthus)
oleracea Lour. II. 444
Nertera *Banks* IV. 451
adsurgens *Pet. Th.* IV. 452

Nertera
depressa *Banks* IV. 451
depressa Sm. IV. 451
repens R. et Pav. IV. 451
Nerteria Sm. IV. 451
tetrasperma H. B. et K. IV. 452
Nescidia *Rich.* IV. 477
myrtifolia *Rich.* IV. 477
Nesaea *Comm.* III. 90 *Kunth* III. 89, 90
salicifolia H. B. et K. III. 89
speciosa Kunth III. 94
triflora *H. B. et K.* III. 90
verticillata H. B. et K. III. 90
Neslia *Desv.* I. 202
paniculata *Desv.* I. 202
Neurada *Juss.* II. 548
procumbens *L.* II. 548
NEURADEAE *DC.* II. 548
Neurocarpum *Desv.* II. 235
angustifolium *Kunth* II. 235
ellipticum *Desv.* II. 236
falcatum *DC.* II. 236
guianense *Desv.* II. 236
javitense *H. B. et K.* II. 236
macrophyllum *H. B. et K.* II. 236
simplicifolium *Kunth* II. 235
Neuroloma *Andrz.* I. 156
arabidiflorum *DC.* I. 156
α glabrum - - -
β asperum - - -
nudicaule *DC.* I. 156
scapigerum *DC.* I. 156
Neurosperma *Raf.* III. 312
cuspidata *Raf.* III. 312
Neurotropis DC. I. 176 (Thlaspi)
Nhandiroba Plum. III. 297
Marcgr. III. 298
NHANDIROBEAE *St. Hil.* III. 297
Njara Rheed. III. 284
Nicolsonia *DC.* II. 325
barbata *DC.* II. 325
cayennensis *DC.* II. 325
β laxiuscula - - -
venustula *DC.* II. 325
Nidus germinans Rumph IV. 450, 451
Niebuhria *DC.* I. 243
arenaria *DC.* I. 244
vicularis *DC.* I. 243
ta *DC.* I. 243
Niebuhria
linearis *DC.* I. 244
madagascariensis *D*
oblongifolia *DC.* I.
oleoides *DC.* I. 244
Nigella *Tourn.* I. 48
aristata *Sibth. et Sm*
arvensis *L.* I. 49
arvensis L. herb.
ciliaris *DC.* I. 49
coarctata *Gmel.* I.
corniculata *DC.* I.
damascena *L.* I. 49
divaricata *Beaupr.*
foeniculacea *DC.* I.
hispanica *L.* I. 49
indica Roxb. I. 4
orientalis *L.* I. 49
sativa *L.* I. 49
β cretica *DC.* I. 49
γ citrina - - -
δ indica - - -
Nigelluria DC. I. 4
Nigellastrum Moen
Nintooa confusa S
japonica Sweet
longiflora Sweet
Nin-too Kaempf. I
Niota *Lam.* I. 592
pentapetala *Poir.*
tetrapetala *Lam.* I.
Nisa *Pet. Th.* II. 55,
involucrata *Pet. Th*
nudiflora *DC.* II. 5
Nissolia *Jacq.* II. 257
aculeata *DC.* II. 25
acuminata *DC.* II.
arborea *Jacq.* II. 2
diadelpha *DC.* II. 2
dubia *Poir.* II. 258
ferruginea *DC.* II. 2
fruticosa *Jacq.* II.
glabrata *Link* II. 2
hirsuta *DC.* II. 257
leiophylla *DC.* II. 2
microptera *Poir.* II
polyphylla *Poir.* II
polysperma Bert.
punctata Lam. II
quinata Aubl. II.
racemosa *DC.* II. 2
reticulata *Lam.* II.

ume IV. 349
Blume IV. 348
Hunt. IV. 347
Bartl. IV. 344
b. IV. 344
Blume IV. 348
DC. IV. 345
Blume IV. 345
ir. IV. 348
Sm. IV. 368
Poir. IV. 347
lia Blume IV. 345
lia Perr. et Lepr. IV. 346
a Roxb. IV. 344
la Delil. IV. 345
rtl. IV. 344
ume IV. 346
lia Blume IV. 346
ume IV. 345
Gaertn. IV. 344
Lam. IV. 345
Roxb. IV. 344
Pers. IV. 344
Roxb. IV. 344
Blume IV. 348
ume IV. 348
la Rich. IV. 672
Roxb. IV. 346
Bartl. IV. 346 *)
Roxb. IV. 345
Sm. IV. 348
lia Hunt. IV. 347
Roxb. IV. 344
Blume IV. 348
folia Rich. IV. 672
DC. IV. 346
Roxb. IV. 539
W. IV. 349
Roxb. IV. 343
DC. IV. 342, 343
DC. IV. 343 (Nauclea)
DC. IV. 539 (Cephalanthus)
ck. II. 43
mel. III. 377
reb. I. 112
atti Rheed. III. 6
Scop. II. 248
et Pav. II. 404
R. et Pav. II. 405

Negretia
inflexa R. et Pav. II. 405
mitis R. et Pav. II. 405
mollis H. B. et K. II. 405
Mutisiana H. B. et K. II. 406
platycarpa R. et Pav. II. 406
Negundium Raf. I. 596
Negundo *Moench* I. 596
aceroides Moench I. 596
cochinchinense *DC.* I. 596
fraxinifolium *Nutt.* I. 596
mexicanum *DC.* I. 596
Neillia *Don* II. 546
rubiflora *Don* II. 547
thyrsiflora *Don* II. 547
Nelatsjira Rheed. III. 354
Nelitris *Gaertn.* III. 231
Jambosella *Gaertn.* III. 231
paniculata *Lindl.* III. 231
polyguma Spr. III. 231
trinervia Spr. III. 284
Urvillei *DC.* III. 231
Nelumbium *Juss.* I. 113
caspicum Fisch. I. 114
codophyllum *Raf.* I. 114
jamaicense *DC.* I. 114
luteum *W.* I. 114
pentapetalum *W.* I. 114
reniforme W. I. 115
speciosum *W.* I. 113
β Tamara *DC.* I. 114
γ caspicum - - -
speciosum γ W. I. 114
Nelumbo Tourn. I. 113
nucifera Gaertn. I. 114
NELUMBONEAE *DC.* I. 113
Nemopanthes *Raf.* II. 17
canadensis *DC.* II. 18
fasciculatis Raf. II. 18
Nenax Gaertn. II. 595
acerosa Gaertn. II. 596
Neocarya DC. II. 527 (Parinarium)
Neou Adans. II. 527
Nephelium L. I. 611
lappaceum L. I. 612
Nephroia sarmentosa Lour. I. 100
Nephrosis Rich. II. 420
aculeata Rich. II. 420
Neptunia Lour. DC. II. 444 (Desmanthus)
oleracea Lour. II. 444
Nertera *Banks* IV. 451
adsurgens *Pet. Th.* IV. 452

Nymphaea
Nelumbo β L. I. 114
nitida *Sims* I. 116
odorata *Ait.* I. 116
odorata W. I. 116
odorata β minor Sims I. 116
pentapetala Walt. I. 114
pubescens *W.* I. 115
pulchella *DC.* I. 115
pumila Hoffm. I. 116
pygmaea *Ait* I. 116
reniformis *Walt.* I. 115
rubra *Roxb.* I. 115
β rosea Sims - -
sagittaefolia Walt. I. 116
scutifolia *DC.* I. 114
stellata *W.* I. 115
thermalis *DC.* I. 115
versicolor *Roxb.* I. 115
NYMPHAEACEAE *DC.* I. 113
NYMPHAEEAE *DC.* I. 114

O

Obolaria Sieg. IV. 340
Ochna *Schreb.* I. 735 *L.* I. 735, 736
arborea *Burch.* I. 736
atropurpurea *DC.* I. 736
cardiosperma Lam. I. 737
ciliata *Lam.* I. 735
Jabotapita L. I. 737
laevigata Vahl I. 736
longifolia Lam. I. 736
lucida *DC.* I. 735
α β - - -
lucida Lam. I. 735
madagascariensis *DC.* I. 735
mauritiana *Lam.* I. 735
multiflora *DC.* I. 735
nitida *Thunb.* I. 735
obtusata *DC.* I. 735
obtusifolia Lam. I. 736
parvifolia *Vahl* I. 736
pumila *Buchan.* I. 736
squarrosa L. I. 735
squarrosa Rottb. I. 735
zeylanica Lam. I. 736
OCHNACEAE *DC.* I. 735
Ochrocarpos *Pet. Th.* I. 560
madagascariensis *Pet. Th.* I. 560
Ochroma *Sw.* I. 480
Lagopus *Sw.* I. 480
tomentosa *W.* I. 480
Ochroxylum Schreb. I
Ochrus Tourn. II. 369
pallida Pers. II. 375
Ochthodium *DC.* I. 184
aegyptiacum *DC.* I. 1
Octavia *DC.* IV. 464
sessiliflora *DC.* IV. 4
Octodon *Thonn.* IV. 54
filifolium *Thonn.* IV.
Octostemon DC. III. 1
Odonia *Bertol.* II. 239
tomentosa *Bertol.* II.
Odontaria DC. I. 614
Odontites Hoffm. IV.
glauca Spr. IV. 128
gracilis MB. IV. 12
luteola Hoffm. IV. 1
luteola Spr. IV. 129
procumbens Spr. IV
tenuissima Spr. IV.
Odontopetalum DC. I.
Odontostemon DC. I.
Odorata Riv. IV. 231
Oedmannia Thunb. II
lancea Thunb. II. 1
Oenanthe *Lam.* IV. 136
ambigua Nutt. IV.
apiifolia *Brot.* IV. 13
apiifolia Spr. IV. 1
approximata Mer.
aquatica Lam. IV.
australis Wulf. IV
callosa *Salzm.* IV. 13
capensis Houtt. IV.
carolinensis Pers.
chaerophylloides Po
crocata *L.* IV. 136
diffusa Lag. IV. 13
digitata Nutt. IV.
exaltata Thunb. IV
ferulacea *Thunb.* IV.
filiformis *Lam.* IV. 1
filiformis Sieb. IV.
filiformis Walt. IV
filipenduloides Thu
fistulosa *L.* IV. 136
β Tabernaemontani *Ko*
γ lanceolata *Spr.* IV. 1
fistulosa Poir. IV. 1

ort. monsp. IV. 137
L. IV. 138
iza Brign IV. 137
s Spr IV. 81
af. IV. 139
DC. IV. 138
s Thunb. IV. 135
Thunb. IV. 139
Ten. IV. 137
Hacq. IV. 137
i Gmel. IV. 136
imata DC. - 137
rata - - -
ta Poir. IV. 136
Vall. IV. 138
tana W. IV. 136
a Lam. IV. 139
Schousb. IV. 140
Spr. IV. 135
loench IV. 137
olia Poll. IV. 137
ifolia Schleich. IV. 137
ifolia Sm. IV. 137
oides Roth IV. 137
um Lam. IV. 138
oides Lam. IV. 137
ides L. IV. 137
hylloides DC. IV. 137
llifolia - - -
oides Poll. IV. 136
Gmel. IV. 137
. IV. 138
Lam IV. 162
Spr. IV. 136
DC. IV. 136
Moric. IV. 137
ett. IV. 188
riata L. IV. 147
Presl IV. 138
B. IV. 137
DC. IV. 138
montani Gmel. IV. 136
i Frael. IV. 137
Thunb. IV. 139
Koch IV. 137
Poir. IV. 137
Ledw. II. 22
Schult. II. 22
Schult. II. 23
. III. 45
v. III. 49
ser. - -
W. herb. III. 52

Oenothera
alata Nutt III. 47
alata Raf. III. 46
albicans Lam. III. 47
albicaulis Pursh III. 51
ambigua Spr. III. 50
anomala Curt. III. 45
australis Salish. III. 52
biennis L. III. 46
caespitosa Sims III. 46
canadensis Goldie III 52
Chamissonis Link III. 46
cheiranthifolia Horn. III. 46
chrysantha Mx. III. 51
corymbosa Lam III. 48
corymbosa Sims III 47
cruciata Nutt. III. 47
dentata Cav. III. 46
dentata R. et Pav. III. 46
elata H. B. et K. III. 46
epilobiifolia H. B. et K. III. 52
Fraseri Pursh III. 51
fruticosa L. III. 50
fruticosa β ambigua Nutt. III. 50
gauroides Horn. III. 49
glauca Mx III. 50
grandiflora Ait. III. 46
α glabra Sims - -
β pubescens - - -
grandiflora Lam. III. 47
grandiflora R. et Pav. III. 49
hirta Link III. 46
hirta L. III. 57
humifusa Nutt III. 47
humilis Don III. 49
hybrida Mx. III. 50
incana Nutt. III. 52
Lamarkiana Ser. III. 47
latiflora fl. mex. III. 50
linearis Mx. III. 51
linifolia Nutt. III. 50
longiflora Jacq. III. 47
macrocarpa Pursh III. 47
media Link III. 49
micrantha Spr. III. 46
minima Pursh III 49
missouriensis Sims III. 47
mollissima L. III. 48
multicaulis R et Pav. III. 51
muricata L. III. 47
nocturna Jacq. III. 47
nocturna W. herb. III. 48
octovalvis Jacq. III. 57
odorata Jacq. III. 48
α glaucescens Ser. III. 48

Oenothera
β virescens *Ser.* III. 48
parviflora *L.* III. 47
pinnatifida *H. B. et K.* III. 50
pinnatifida Nutt. III. 51
prostrata *R et Pav.* III. 48
pubescens *W herb.* III. 46
pumila *L.* III 51
purpurea *Curt.* III. 49
purpurea Lam III. 51
pusilla *Mx.* III. 51
rhizocarpa *Spr* III. 50
riparia *Nutt.* III. 52
Romanzowii *Ledeb.* III. 49
rosea *Ait.* III. 51
roseo-alba *Bernh.* III. 48
ruhra Cav. III. 51
salicifolia *Desf.* III. 47
scapigera Pursh III. 46
serrulata *Nutt.* III. 49
Simsiana *Ser* III. 47
sinuata *Mx.* III. 48
sinuata minima Nutt. III. 49
sinuata var. Spr. III. 48
speciosa *Nutt.* III. 50
spectabilis Horn. III. 48
striata *Ledeb.* III. 48
strigosa W. herb. III. 48
suaveolens *Desf.* III. 46
subulata *R. et Pav.* III. 51
tarquensis *H. B. et K.* III. 51
tenella *Cav.* III. 48
tenuifolia *Cav.* III. 48
tetragona *Roth* III. 52
tetraptera *Cav.* III. 50
triloba *Nutt.* III 49
tubifera *fl. mex.* III. 50
undulata Ait. III. 48
villosa *Thunb.* III. 47
virgata *R. et Pav.* III. 50
viscosa *Raf.* III. 49
Nr. 2. et Nr. 3. *Raf.* III. 64
Oenotherium Ser. III. 49 (Oenothera)
Oetania DC. I. 90 (Unona)
O-Higginsia R. et Pav. IV. 399
aggregata R. et Pav. IV. 438
obovata R. et Pav. IV. 400
verticillata R. et Pav. IV. 399
OLACINEAE *Mirb.* I. 531
Olax *L.* I. 531 *R. Br.* I. 532
aphylla R. Br. I. 532
imbricata *Roxb.* I. 532
Phyllanthi R. Br. I. 532
Olax
Pseudaleia W. I
pseudaleioides I
psittacorum Va
scandens *Roxb.* I.
stricta R. Br. I.
zeylanica *L.* I. 53
Olhia Medik. DC.
deflexa Moench
Oldenlandia *L.* IV. 4
P. Brown.
Guertn.
affinis *DC.* IV. 42
alata herb. pari
alata *Koen.* IV. 4
alata Wall. IV.
aspera *DC.* IV. 4
asperulae *DC.* IV.
biflora *L.* IV. 428
biflora Roth IV.
brachypoda *DC.* I
capensis *Thunb.*
capillaris *DC.* IV.
conostyla *DC.* IV.
corymbosa *L.* IV.
crassifolia *DC.* IV
crystallina *Roxb*
debilis *Forst.* IV.
decumbens Spr.
Deppeana *DC.* IV
depressa *W.* IV.
dichotoma Spr.
dichotoma W. h
diffusa *Roxb.* IV.
digyna Retz IV.
foetida *Forst.* IV.
glomerata Mx.
graminifolia *DC.*
herbacea *DC.* IV.
hirsuta *L. fil.* IV.
hispida Poir. IV
hispida *DC.* IV. 4
lactea *DC.* IV. 4
lancifolia *DC.* IV.
linearis *DC.* IV. 4
linifolia *DC.* IV.
longiflora Lam.
longifolia *DC.* IV
macrophylla *DC.*
madagascariens
maritima Roth

rt. monsp. IV. 137
L. IV. 138
a Brign IV. 137
Spr IV. 81
f. IV. 139
C. IV. 138
Thunb. IV. 135
Thunb. IV. 139
Ten. IV. 137
Hacq. IV. 137
Gmel. IV. 136
nata DC. - 137
ta - - -
a Poir. IV. 136
all. IV. 138
ana W. IV. 136
Lam. IV. 139
Schousb. IV. 140
pr. IV. 135
oench IV. 137
lia Poll. IV. 137
ifolia Schleich. IV. 137
ifolia Sm. IV. 137
ides Roth IV. 137
m Lam. IV. 138
ides Lam. IV. 137
des L. IV. 137
hylloides DC. IV. 137
lifolia - - -
ides Poll. IV. 136
Gmel. IV. 137
. IV. 138
Lam. IV. 162
Spr. IV. 136
DC. IV. 136
Moric. IV. 137
tt. IV. 188
riata L. IV. 147
Presl IV. 138
B. IV. 137
DC. IV. 138
montani Gmel. IV. 136
Froel. IV. 137
Thunb. IV. 139
ock IV. 137
oir. IV. 137
edw. II. 22
hult. II. 22
Schult. II. 23
III. 45
. III. 49
er. - -
W. herb. III. 52

Oenothera
alata Nutt. III. 47
alata Raf. III. 46
albicans Lam. III. 47
albicaulis Pursh III. 51
ambigua Spr. III. 50
anomala Curt. III. 45
australis Salish. III. 52
biennis L. III. 46
caespitosa Sims III. 46
canadensis Goldie III 52
Chamissonis Link III. 46
cheiranthifolia Horn. III. 46
chrysantha Mx. III. 51
corymbosa Lam. III. 48
corymbosa Sims III 47
cruciata Nutt. III. 47
dentata Cav. III. 46
dentata R. et Pav. III. 46
elata H. B. et K. III. 46
epilobiifolia H. B. et K. III. 52
Fraseri Pursh III. 51
fruticosa L. III. 50
fruticosa β ambigua Nutt. III. 50
gauroides Horn. III. 49
glauca Mx III. 50
grandiflora Ait. III. 46
α glabra Sims - -
β pubescens - - -
grandiflora Lam. III. 47
grandiflora R. et Pav. III. 49
hirta Link III. 46
hirta L. III. 57
humifusa Nutt III. 47
humilis Don III. 49
hybrida Mx. III. 50
incana Nutt. III. 52
Lamarkiana Ser. III. 47
latiflora Ait. mex. III. 50
linearis Mx. III. 51
linifolia Nutt. III. 50
longiflora Jacq. III. 47
macrocarpa Pursh III. 47
media Link III. 49
micrantha Spr. III. 46
minima Pursh III 49
missouriensis Sims III. 47
mollissima L. III. 48
multicaulis R et Pav. III. 51
muricata L. III. 47
nocturna Jacq. III. 47
nocturna W. herb. III. 48
octovalvis Jacq. III. 57
odorata Jacq. III. 48
α glaucescens Ser. III. 48

Onobrychis
procumbens *Stev.* II. 344
ptolemaica *DC.* II. 347
pumila *Desv.* II. 347
radiata *Mk.* II. 347
rotundifolia *Desv.* II. 348
sativa *Lam.* II. 344
β subvillosa *DC.* II. 344
sativa tatarica Fisch. II. 344
saxatilis *All.* II. 345
sororia Desv. II. 348
spicata Moench II. 344
stenorhiza *DC.* II. 346
supina *DC.* II. 344
tanaitica Spr. II. 344
tenuifolia Moench II. 345
Tournefortii *Desv.* II. 347
tragacanthoides *DC.* II. 347
venosa *Desv.* II. 347
vulgaris Jaum. II. 344
Ononis *L.* II. 158
aethiopica Burm. II. 167
aggregata Asso II. 164
alba *Poir.* II. 163
alopecuroides *L.* II. 163
altissima *Lam.* II. 162
angustissima *Lam.* II. 161
Anil *Mill.* II. 168
anthylloides *DC.* II. 168
antiquorum L. II. 163
aphylla Lam. II. 164
arachnoidea *Lapeyr.* II. 159
arborescens *Desf.* II. 162
arbuscula Desv. II. 161
arenaria *DC.* II. 159
argentea L. fil. II. 242
arragonensis *Asso* II. 164
arragonensis β Lam. II. 165
arthropodia Brot. II. 160
arvensis Lam. II. 163
arvensis Retz II. 162
asphaltoides *DC.* II. 167
β linearis — 168
γ angustissima *DC.* —
barbata Cav. II. 164
biflora *Desf.* II. 160
brachycarpa *DC.* II. 160
breviflora *DC.* II. 160
Broteriana *DC.* II. 162
Broussonetii *DC.* II. 161
calycina Lam. II. 160
calycina *Viv.* II. 160
capensis *L.* II. 167
capillaris *Thunb.* II. 166
capitata *Cav.* II. 164
cenisia Asso II. 161

Ononis
cenisia *L.* II. 161
β subaristata *DC.* II
cernua *L.* II. 167
cerrifolia Reich.
Cherleri Forsk.
Cherleri *L.* II. 16
cicerifolia *DC.* II
cintrana *Brot.* II
Columnae *All.* II
compressa *Lag.*
crassifolia Du
crispa *L.* II. 159
crispata Mill.
cuspidata *Desf.*
derumbens Mi
decumbens Si
decumbens *Th*
Desfontmintii
diffusa *Ten.* I
dumosa Lap
elongata *Thu*
cuphrasiaefolia
excisa *Thunb*
falcata *Viv.* I
fasciculata *T*
filiformis I
foetens All.
foetida *Scho*
fruticosa
fruticosa *L.*
β microphy
geminata *A*
geminiflora
glabra *Th*
glandulif
glutinosa
heterophyl
hircina
hirsuta *T*
hirta *De*
hispanica
hispida
β spino
inaequifo
involucr
juncea
Lagopu
latifol
laxiflor
longifol
macrac
micran
micro
Miller

ıtima Jacq. II. 164
ima L. II. 164
a L. II. 163
ag. II. 162
ari II. 162
lla Desf. II. 163
i Gou. II. 160
DC. II. 159
- - -
L. II. 159
la Ten. II. 164
floides L. II. 160
orm. II. 166
Cav. II. 165
Berg. II. 166
a Lam. II 164
Desf. II. 162
Sieb. II. 162
rm. II. 165
. II. 159
am. II. 159
. II. 159
ot. II. 165
Willr. II. 162
. II. 163
ll. II. 163
. II. 166
L. II. 160
Cav. II. 165
orsk. II. 208
unb. II. 167
Brot. II. 162
Thunb. II. 167
Desf. II. 159
Lam. II. 164
. II. 162
ea Lapeyr. II. 165
DC. II. 165
L. II. 161
DC. - -
lia L. II. 161
Lam. II. 164
peyr. II. 166
DC. II. 162
hunb. II. 167
Lapeyr. II. 163
unb. II. 166
rsk. II. 163
s. II. 160
ss. II. 162
eg. II. 164
unb. II. 166
Vasselq. II. 352
Willr. II. 163

Ononis
β angustifolia Willr. II. 163
γ glabra DC. II. 163
spinosa α L. II. 162
spinosa β L. II. 163
spinosa hirsutissima Stev. II. 163
stipulata *Thunb.* II. 166
striata *Gou.* II. 164
strigosa Burm. II. 217
strigosa *Thunb.* II. 167
subcordata *Cav.* II. 165
subocculta Vill. II. 164
tribracteata *DC.* II. 161
tridentata *L.* II. 161
β canescens Lam. II. 161
trifoliata L. II. 218
umbellata *L.* II. 167
vaginalis *Vahl* II. 159
variegata *L.* II. 164
β crioclada DC. II. 165
vestita *Viv.* II. 160
villosa *Thunb.* II. 166
villosissima *Desf.* II. 163
virgata Burm. II. 217
visciflora *DC.* II. 168
viscosa *L.* II. 160
viscosa β L. II. 160
Onosuris *Raf.* III. 64
acuminata *Raf.* III. 64
Chamissonis *DC.* III. 64
Oococca DC. I. 615 (Melicocca)
Opa Lour. III. 259
Metrosideros Lour. III. 261
odorata Lour. III. 261
Opercularia *Rich.* IV. 615 *Gaertn.* IV. 614 *Juss.* IV. 615
apiciflora *Labill.* IV. 615
aspera *Gaertn.* IV. 616
aspera Juss. IV. 615
aspera Spr. IV. 616
diphylla *Gaertn.* IV. 616
hirtella *DC.* IV. 616
hispida *Spr.* IV. 615
hyssopifolia *Juss.* IV. 616
ligustrifolia *Juss.* IV. 616
ocymifolia *Juss.* IV. 616
paleata *Young* IV. 616
rubioides *Juss.* IV. 616
sessiliflora *Juss.* IV. 615
spermacocea *Labill.* IV. 615
umbellata Gaertn. IV. 615
vaginata *Labill.* IV. 615

OPERCULARIAE Juss. IV. 614
OPERCULARIEAE *Rich.* IV. 343, 614
Ophelus *Lour.* I. 478
sitularius *Lour.* I. 478
Ophiorhiza *L. fil.* IV. 415 *Auct.* IV. 415
acuminata *DC.* IV. 416
canescens *Blume* IV. 416
fasciculata *Don* IV. 416
heterophylla *Jack* IV. 416
japonica *Blume* IV. 416
lanceolata Forsk. IV. 371
longiflora *Blume* IV. 416
marginata *Blume* IV. 415
Mitreola L. IV. 417
Mungos Bartl. IV. 415
Mungos Burm. IV. 417, 622
Mungos *L.* IV. 415
neglecta *Blume* IV. 416
oblongifolia *DC.* IV. 415
perpusilla *Blume* IV. 417
prostrata *Don* IV. 416
quadrifida *Blume* IV. 416
Richardiana *Gaudich.* IV. 417
rugosa *Wall.* IV. 416
sanguinea *Blume* IV. 416
subumbellata Bartl. IV. 417
subumbellata *Forst.* IV. 417
tomentosa *Jack* IV. 416
trichocarpa *Blume* IV. 416
villosa *Roxb.* IV. 415
Ophioxylon arboreum Koen. IV. 520
Ophispermum *Lour.* II. 59
sinense *Lour.* II. 59
Opilia Roxb. II. 42
Opopanax *Koch* IV. 170
Chironium *Koch* IV. 170
Opulus Tourn. Moench IV. 323 328 *DC.* IV. 328 (Viburnum)
glandulosus Moench IV. 328
Opuntia *Tourn.* III. 471
amyclaea *Ten.* III. 474
brasiliensis *DC.* II. 474
cochinillifera *Mill.* III. 473
crassa *Haw* III. 474
curassavica *Mill.* III. 472
β longa *Haw.*
cylindrica *DC.* III. 471
decumana *Haw.* III. 473
Opuntia
Dillenii *Haw.* I
elata *hort. bero.*
elatior *Mill.* III.
ferox *Haw.* III.
Ficus-indica *Ha*
foliosa *Salm-D.*
fragilis *DC.* III.
Hernandezii *DC.*
horrida *Salm I.*
humilis Haw.
imbricata *DC.* I
inermis *DC.* III.
lanceolata *Haw.*
leucantha *hort.*
longispina *hort.*
maxima *Mill.* II
maxima Mill.
maxima Salm-
missouriensis *D*
monacantha *DC.*
nigricans *Haw.*
Phyllanthus M
polyacantha H
polyantha *Haw.*
Pseudo-tuna *S*
pusilla Haw. I
pusilla *Salm-D*
rosea *DC.* III. 4
rubescens *Salm*
spinosissima *Mi*
stricta Haw.
tomentosa *Salm*
triacantha *DC.* I
tuberculata *DC.*
Tuna *Mill.* III
vulgaris *Mill.* II
OPUNTIACEA
OPUNTIACE
Orchidocarpum
Oreogeum Ser. I
Oreosciadium D
Oreoselinum Du
Hoffm. MB
IV. 17
austriacum H
caucasicum M
Chabraei MB.
latifolium MB
legitimum MB.

inum
anicum Tourn. IV. 246
m Dolarh IV. 180
lenoides Hoffm. IV. 181
um Bess. IV. 176
n Hoffm. IV. 181
Schreb. IV. 466
s Gmel. IV. 466
Gmel. IV. 466
tulacifolia Forsk. III. 357
I. 165 (Clypeola)
um Desv. I. 165
. IV. 209
Hoffm. IV. 209
ch IV. 209
Koch IV. 209
. I. 231 (Heliophila)
Beauv. II. 314
Desv. II. 315
C. II. 315
auv. II. 315
Beauv. II. 315
. II. 97
ks. II. 97
ks. II. 97
cks. II. 97
s Tourn. II. 311
Burm. II. 353
All. II. 312
uk. II. 312
All. II. 311
Moench II. 311
sv. II. 311 *L.* II. 311
L. II. 311
II. 311
fl. fr. II. 311
Brot. II. 311
s Thore II. 311
s Brot. II. 311
Sm. II. 311
. II. 311
Lag. II. 311
. II. 312
s Roth II. 312
ill. - -
Viv. II. 311
am. II. 311
our II. 312
. II. 327
it. II. 312
L. II. 311
L. II. 316
Lam. II. 311

Ornithrophe Juss. I. 610
Allophyllus Pers. I. 611
Cohbe W. I. 610
Cominia W. I. 610
integrifolia W. I. 610
macrophylla Poir. I. 610
Merularia Comm. I. 610
occidentalis W. I. 611
pinnata Poir. I. 611
rigida W. I. 611
Schmidelia Pers. I. 610
serrata Roxb. I. 610
spicata Poir. I. 611
Orobus *Tourn.* II. 376
albus *L. fil.* II. 379
β asphodeloides *Ser.* II. 379
alpestris *W. et Kit.* II. 377
americanus *Mill.* II. 381
angustifolius *L.* II. 379
argenteus *Mill.* II. 381
asphodeloides Gou. II. 379
atropurpureus *Desf.* II. 379
atropurpureus Lapeyr. II. 379
aurantius *Stev.* II. 378
canescens *L. fil.* II. 379
β pallescens *Ser.* - -
γ ensifolius - - -
δ tenuis - - -
coccineus Lodd. II. 381
coccineus *Mill.* II. 380
β unijugus *Ser.* - -
croceus *Desf.* II. 378
cyanaeus *Stev.* II. 380
digitatus MB. II. 380
dispar *Nutt.* II. 380
divaricatus Lapeyr. II. 379
ensifolius Lapeyr. II. 379
erectus *Poir.* II. 379
filiformis Lam. II. 379
flaccidus Rudius II. 377
formosus *Stev.* II. 376
β microphyllus *Ser.* II. 377
fruticosus Pers. II. 264
Gmelini Fisch. II. 378
hirsutus *L.* II. 376
β glabriusculus *Ser.* II. 376
humilis *Ser.* II. 378
laetus MB. II. 379
laevigatus *W. et Kit.* II. 378
lathyroides *L.* II. 377
laxiflorus *Desf.* II. 376
longifolius *Nutt.* II. 380
luteus *L.* II. 378
montanus *Scop.* II. 380

Orobus
multiflorus *Sieb.* II. 377
niger *L.* II. 378
orientalis *W. et Kit.* II. 378
pallescens *MB.* II. 379
pannonicus *Jacq.* II. 379
Pisidia *Spr* II. 379
Pluknetii Lapeyr. II. 379
pyrenaicus *Mill.* II. 380
pyrenaicus *L.* II. 379
Raffeneaui Presl II. 380
ruber *Pers.* II. 377
saxatilis *Vest.* II. 380
serotinus Presl II. 377
sessilifolius *Sm.* II. 377
sessilifolius *Schlt. et Sm.* II. 380
sicutus Raf. II. 380
sylvaticus DC. fl. fr. II. 356
sylvaticus *L.* II. 378
tenuifolius Roth II. 379
tomentosus Desf. II. 264
Tournefortii Lapeyr. II. 378
tuberosus *L.* II. 378
α pyrenaicus *Ser.* II. 379
β divaricatus - - -
γ tenuifolius - - -
variegatus *Ten.* II. 377
varius *Soland.* II. 379
venetus *Mill.* II. 380
venosus *W. herb.* II. 377
vernus *L.* II. 377
α sessilifolius *Ser.* II. 377
β flaccidus - - -
vesicularis *Gmel.* II. 379
viciaeformis *Lag.* II. 379
α calcaratus *DC.* - -
β multiflorus - - -
vicioides *DC. herb.* II. 377
Orostachys Fisch. DC. III. 400 (Umbilicus)
chlorantha Fisch III. 400
malachophylla Fisch. III. 400
thyrsiflora Fisch. III. 401
Ortega L. III. 375
Ortegia *Lœfl.* III. 375 (I. 388)
dichotoma *L.* III. 376 (I. 388)
dichotoma DC. fl. fr. I. 388
hispanica *L.* III. 376 (I. 388)
Orygioides decussata Soland. III. 76
Osbeckia DC. I. 476 (Helicteres)
Osbeckia Ser. I. 415 (Cerastium)
ORTHOPLOCE
ORTHOPLOCE
GUSTISEPT.
ORTHOPLOCE
SEPTA
ORTHOPLOCE
MENTACE.
ORTHOPLOCE
MENTACEA
ORTHOPLOCE
QUOSA
Orthoselis DC. I. 2
ORTHOSPERM
Ortiga Feuill. III.
Orucuria Juss. II.
lunata Juss. II.
Orygia *Forsk.* III. 4
decumbens *Forsk.*
Osbeckia *L.* III. 138
alpestris *DC.* III.
angustifolia *Don*
autumnina *Sm.* III.
Aubletiana Spr.
Bonplandiana
bracteolaris *DC.*
brusila Schrank
cernua Spr III.
chinensis Gaertn
chinensis *L.* III. 1
Chulesis *Don* III.
ciliaris Ser. III.
decandra *DC.* III.
decumbens *DC.* III
divaricata Spr.
excelsa Spr III.
glomerata *DC.* III.
β albiflora - -
glutinosa Spr. II
grandiflora *Sm.* III.
jucunda *DC.* III. 1
lanceolata Spr.
Langsdorffiana S
Leschenaultiana *D*
manillana *DC.* III.
microphylla *DC.* II
multiflora *Sm.* III.
napaulensis *Hook.*

a
a DC. III. 142
ia DC III. 139
ifolia - -
a Sw. III. 134
ifolia DC. III. 140
ina Pav. III. 106
ylla DC. III. 139
DC. III. 140
DC. III. 141
DC. III. 111
C. III. 112
Don III. 143
ia Sm. III. 143
C. III. 140
a DC. III. 141
ox III. 142
a
lyx DC. III. 140
Don III. 142
Spr. III. 132
Sm. III. 143
DC III. 139
L fil. III. 141
var. decandra Sm. III. 143

EAE. *DC.* III. 127

a DC. III. 141 (Osbeckia)
ra DC. IV. 307 (Lo ranthus)

Ref. IV. 232
C. IV. 232
DC. IV. 232
DC. IV. 232
III. 168
DC. III. 169
a DC. III. 169
DC. III. 169
DC. III. 169
DC. III. 169
ens DC. III. 169
DC. III. 169
C. III. 168
DC. III. 169
Lindl. II. 633
folia Lindl. II. 633
Burm. IV. 12
Hoffm. IV. 167
Bess. IV. 167
Hoffm IV. 167
Desv. DC. II. 351 (Flemingia)
Lamb. II. 42

Othrys Pet. Th. I. 243
Otidia Lindl. DC. I. 655 (Pelargonium)
carnosa Sweet I. 655
Otites Otth. DC. I. 369 (Silene)
Otoptera *DC.* II. 240
Burchellii *DC.* II. 240
Ottilis zeylanica Gaertn. I. 63
Ottoa *H. B. et K.* IV. 136
oenanthoides *H B et K.* IV. 13
Ourutea Aubl. I. 736
Ouroupuria Aubl. IV. 347
guianensis Aubl. IV. 349
Outea *Aubl.* II. 510
bijuga *DC.* II. 511
guianensis *Aubl.* II. 511
multijuga *DC.* II. 510

OXALIDEAE *DC.* I. 689

Oxalis *L.* I. 690
Acetosella *L.* I. 700
β coerulea *DC.* I. 700
γ subpurpurascens *DC.* I. 700
δ parviflora *Lejeun* - -
Acetosella Mx. I. 700
albicans *H B. et K.* I. 692
β sericea *DC.* I. 693
aliena *Spr.* I. 696
ambigua *Jacq.* I. 698
ambigua Sal. I. 692
americana *Big.* I. 700
amoena Jacq. I. 701
angustifolia *H. B. et K.* I. 69
arcuata *Jacq.* I. 698
articulata *Savi* I. 695
asinina *Jacq.* I. 697
Barrelieri *Jacq.* I. 690
bicolor Savi I. 695
bifida *Thunb.* I. 700
borjensis *H B. et K.* I. 691
breviscapa *Jacq.* I. 698
Burmanni *Jacq.* I. 695
canescens *Jacq.* I. 693
caprina *L.* I. 696
cernua *Thunb.* I. 696
ciliaris *Jacq.* I. 698
Commersonii *Pers* I. 702
compressa *Jacq.* I. 696
conorhiza *Jacq.* I. 693
convexula *Jacq.* I. 699
corniculata *L.* I. 692
corymbosa *DC.* I. 696
crenata *Jacq.* I. 691
crispa *Jacq.* I. 697
cruentata *Jacq.* I. 700

Oxalis
cuneata *Jacq.* I. 700
cuneifolia *Jacq.* I. 701
debilis *H. B. et K.* I. 695
decaphylla *H. B. et K.* I. 695
dendroides H. B. et K. I. 690
dentata *Jacq.* I. 696
digitata Poir. I. 702
Dillenii *Jacq.* I 691
β florida *Salisb.* I. 692
disticha *Jacq.* I. 694
ebracteata *Savi* I. 694
elegans *H. B. et K.* I. 695
elongata *Jacq.* I. 701
β amoena - - -
elongata β W. I. 701
enneaphylla *Cav.* I. 702
erecta Savi I. 696
eriocarpa *DC.* II. 207
exaltata *Jacq.* I. 698
fabaefolia *Jacq.* I. 697
fallax *Jacq.* I. 700
ferruginata *Jacq.* I. 698
filicaulis *Jacq.* I. 700
filifolia *Jacq.* I. 702
filiformis *H. B. et K.* I. 693
flabellifolia *Jacq.* I. 702
flaccida *Jacq.* I. 698
flava *L.* I. 702
florida Salisb. I. 692
frutescens L. I. 690
fruticosa *Raddi* I. 690
fuscata *Jacq.* I. 698
glabra *Thunb.* I. 701
glandulosa *Jacq.* I. 698
glauca *H B. et K.* I. 691
glauca Raf. I. 692
gracilis *Jacq.* I. 701
grandiflora Jacq. I. 699
grandifolia *DC.* I. 696
hedysarifolia *Raddi* I. 690
hedysaroides *H. B. et K.* I. 691
Hernandesii *fl. mex.* I. 695
heterophylla *DC.* I. 694
hirta *L.* I. 693
β brevipes *DC.* I. 694
hirta β W. I. 694
hirtella *Jacq.* I. 694
humilis *Thunb.* I. 699
Jacquiniana *H. B. et K.* I. 695
carnata *L.* I. 694
burnifolia *Jacq.* I. 697
sinlata *Cav.* I. 702
svigata *W.* I. 699
sata *L. fil.* I. 700

Oxalis
lanceaefolia *Jacq.* I.
lateriflora *Jacq.* I. 6
latifolia *H. B. et K.*
laxula Jacq. I. 699
lepida *Jacq.* I. 697
leporina *Jacq.* I. 697
linearis *Jacq.* I. 701
livida *Jacq.* I. 696
lobata *Sims* I. 696
longiflora *L.* I. 700
lotoides *H. B. et K.*
lupinifolia *Jacq.* I. 7
lupulina *H. B. et K.*
luteola *Jacq.* I. 700
Lyoni *Pursh* I. 692
macrogonya *Jacq.* I.
macrophylla *Horn.*
macrophylla H. B.
macrostylis *Jacq.* I.
magellanica *Forst.* I.
mallobolba *Cav.* I. 7
mandioccana *Raddi*
marginata *Jacq.* I. 69
medicaginea *H. B. et*
megalorhiza *Jacq.* I.
microphylla H. B.
microphylla *Poir.* I.
miniata *Jacq.* I. 701
minuta *Thunb.* I. 70
mollis *H. B. et K.* I.
monophylla *L.* I. 697
multiflora *Jacq.* I. 69
natans *L fil.* I. 700
Neaei *DC.* I. 690
nudiflora *fl. mex.* I.
obtusa *Jacq.* I. 699
parviflora Lejeun.
parvifolia *DC.* I. 693
pectinata *Jacq.* I. 70
peduncularis *H. B. et*
pentantha H. B. et
pentantha *Jacq.* I. 69
β Humboldtii *DC.* I. 6
pentaphylla *Sims* I.
perennans *Haw.* I. 6
pes-caprae Savi I.
pilosiuscula *H. B. et*
Plumieri *Jacq.* I. 690
polyphylla *Jacq.* I. 7
primulaefolia *Raddi*
prostrata Haw. I.
psoralioides *H. B. et*
pubescens *H. B. et K*
pulchella *Jacq.* I. 69

L. fil. I. 699
Jacq. I. 696
L. I. 699
W. I. 699
- -
Jacq. I. 701
I. 692
694
Savi I. 693
Jacq. I. 701
I. 693
Jacq. I. 694
Jacq. I. 691
Jacq. I. 699
I. 694
I. 693
I. 697
I. 694
I. 692
H. B. et K. I. 695
I. 693
I. 690
I. 695
L. I. 694
Savi I. 702
Jacq. I. 699
I. 698
I. 699
Jacq. I. 699
- - -
Lutt. I. 693
692
Jacq. I. 699
Jacq. I. 699
Jacq. I. 698
I. 700
Jacq. I. 701
Cav. I. 695
L. fil. I. 702
I. 697
- 698
- -
Jacq. I. 698
Savi I. 693
Jacq. I. 693
Jacq. I. 698
Jacq. I. 699
Jacq. I. 699
- - -
Jacq. I. 699
- - -

Oxalis
venosa *Savi* I. 694
versicolor Jacq. I. 701
versicolor *L.* I. 701
β sylvestris *DC.* I. 701
versicolor γ W. I. 701
verticillata *A. mex.* I. 691
villosa *MB.* I. 692
violacea *L.* I. 695
virginea *Jacq.* I. 694
virgosa *Savi* I. 695
Oxyandra DC. I. 515 (Sloanea)
Oxyanthus *DC.* IV. 376
cymosus Reich. IV. 372
hirsutus *DC.* IV. 376
speciosus Ait. IV. 376
speciosus *DC.* IV. 376
speciosus Sims IV. 376
tubiflorus *DC.* IV. 376
Oxycarpus Lour. I. 560
cochinchinensis Lour. I. 561
Oxyceros Lour. IV. 384 *DC.* IV. 385 (Randia)
horrida Lour. IV. 388
sinensis Lour. IV. 388
Oxylobium *Andr.* II. 104
arborescens *R. Br.* II. 104
cordifolium *Andr.* II. 104
ellipticum *R. Br.* II. 104
Pultenaeae *DC.* II 104
spinosum *DC.* II. 104
Oxymeris *DC.* III. 190
quinquedentata *DC.* III. 190
quinquenodis *DC.* III. 190
Oxypogon elegans Raßn. II. 355 371
Oxys Tourn. I. 690
Oxyspora *DC.* III. 123
paniculata *DC.* III. 123
Oxytandrum Neck. I. 514
Oxytropis *DC.* II. 275
altaica Pers. II. 277
ambigua *DC.* II. 276
ampullata *Pers.* II. 278
arctica *R. Br.* II. 276
argentata *Pers.* II. 276
argentata Pursh II. 287
argyraea *DC.* II. 276
baicalia *Pers.* II. 279
borealis *DC.* II. 275
brevirostra *DC.* II. 277
caespitosa *Pers.* II. 278
campestris *DC.* II. 278
β viscosa - - -
γ sulphurea *Fisch.* II. 278

Oxytropis
candicans *DC.* II. 277
caudata *DC.* II. 277
coerulea *DC.* II. 276
cyanaea *MB.* II 275
β albana *Stev.* II. 275
dentata Pers. II. 289
deflexa *DC.* II. 280
dichoptera *DC.* II. 281
filiformis *DC.* II. 276
Fischeri *DC.* II. 281
β macrantha *DC.* II. 281
floribunda *DC.* II. 280
foetida *DC.* II. 278
folliculuris Pers. II. 301
glabra *DC.* II. 280
Gmelini Fisch. II. 277
grandiflora *DC.* II. 277
β carnea - - -
γ leptoptera - - -
grandiflora Fisch. II. 277
hedysaroides Pers. II. 286
inaria *DC.* II. 279
Lamberti *Pursh* II. 277
lanata *DC* II. 279
leptophylla *DC.* II. 278
leucantha *Pers.* II. 276
longirostra *DC* II. 277
lunata Pers. II. 307
macroptera Fisch. II. 283
microphylla *DC.* II 279
montana *DC.* II. 275
montana Spr. II. 282
montana Stev. II. 275
muricata *DC.* II. 280
myriophylla *DC.* II. 279
nigrescens *Fisch.* II 278
oxyphylla *DC.* II. 279
Pallasii *Pers.* II. 280
physodes glabra DC. II. 278
villosa - - -
pilosa *DC.* II. 280
prostrata *DC.* II 279
pumila *Fisch.* II. 279
setosa *DC.* II. 277
songarica *DC.* II. 277
sordida *Pers.* II. 276
squammulosa *DC.* II. 278
sylvatica *DC.* II. 277
taurica Pers. II. 284
tenella *Fisch.* II 281
teres *DC.* II 280
tragacanthoides *Fisch.* II. 280
triphylla *Pers.* II. 278
uncata Pers. II 306
Oxytropis
uralensis *DC.* II.
β sericea - -
uralensis DC.
vaginata *Fisch.* I
versicolor Fisch
verticillaris *DC.*
Oxophyllum Schre
foetidum Mart.
trifoliolatum M

P

Pachinema *R. Br.* I
complanatum *R*
Pachira Aubl. I. 4
aquatica Aubl.
nitida H. B. et
Pachyloma *DC* III.
coriaceum *DC.* II
α glaberrimum *D*
β subactosum -
Pachynotum DC. I.
Pachyphragma DC
Pachypleurum Le
Pachyrhizus *Rich. h*
angulatus *Rich. h*
montanus *DC* II.
trilobus *DC.* II. 4
Pachystylum DC.

Paduvara DC. IV.
Paederia *L.* IV. 471
brasiliana *DC.* IV
erecta *Roxb.* IV.
erecta Spr. IV.
foetida *L.* IV. 471
foetida Spr. IV.
fragrans Lam.
owariensis Spr.
recurva *Roxb.* IV
secundiflora Pa
sessiliflora *Poir.*
ternata *Wall.* IV.
tomentosa *Blume*
Valli-kara *Juss.*
verticillata *Blume*
PAEDERIEAE
Paeon DC. I. 65 (I
Paeonia *L.* I. 65
albiflora *Pall.* I. 6
anomala *L.* I 66
arietina *Anders* I
α Andersonii *DC.*

[redacted]

ü
... DC. I. 66
... Clus. I. 66
... Rets I. 65
... Clus. I. 66
... Anders. I. 66
... Anders. I. 66
... DC. I 66
... . . .
... Retz I. 66
... Anders. I. 66
... ell. I. 66
... Pall. I. 66
... f. I. 66
... ers. I. 66
... s I. 65
... bot. repos. I. 65
... DC. I. 65
... - - -
... tz I. 65
... ders. I. 66
... DC. - -
... ill. - -
... ll. I. 66
... DC I. 66
... DC. I. 66
... Lob. I. 66
... . 66
... I. 66
... C. I. 66
... ll. I 65
...EAE DC. I. 64
... l. IV. 622
... n. III. 231
... av. I. 526
... et Pav. I. 526
... oench I. 458
... et Pav. I. 526
... R. et Pav. I. 526
... 458
... av. I. 458
... . I. 458
... et. Th. III. 32
... l. IV. 524 (*Palicurea R. et Schult.*)
... V. 528
... DC. IV. 527
... β longe bracteata Bartl. IV. 527
... H. B. et K. IV. 529
... et K. IV. 525
... IV. 530
... DC. IV. 530
... C. IV. 529
... C. IV. 526

Palicourea
coccinea *DC.* IV. 529
coerulea *R. et Schult.* IV. 528
costata *H. B. et K.* IV. 530 518
crocea *DC.* IV. 526
croceoides *Desv.* IV. 529
diuretica *Mart.* IV. 530
domingensis *DC.* IV 529
elliptica *H. B. et K.* IV. 528
eriantha *DC.* IV. 528
fastigiata Cham. et Schl. IV. 525
fastigiata *H. B. et K.* IV. 525
fastigiata Spr. IV. 513
flavescens *H B. et K.* IV. 528
guianensis *Aubl.* IV. 530
Haenkeana *DC.* IV. 530
hebeantha *DC.* IV. 525
hyacinthiflora *R. et Schult.* IV. 527
laxa *R. et Schult.* IV. 527
longibracteata *DC* IV. 527
longiflora *DC.* IV. 528
longifolia *H B. et K.* IV. 529
longifolia St. Hil. IV. 526
macrobotrys *R. et Schult.* IV. 527
macrocarpa *H. B et K.* IV. 527
Marcgravii *St. Hil.* IV. 525
β pubescens *DC.* - -
mitis *DC.* IV. 527
mitis Spr. IV. 512
nicotianaefolia *Cham. et Schlecht.* IV. 529
noxia *Mart.* IV. 530
obovata *DC.* IV. 527
officinalis *Mart.* IV. 530
Pavetta *DC.* IV. 525
pedunculosa *DC.* IV. 526
petiolaris *H. B. et K.* IV. 529
punicea *DC.* IV. 526
quadrifolia *Rudg.* IV. 526
rigida *H. B. et K.* IV. 530
Sellowiana *DC.* IV. 525
sonans *Mart.* IV. 530
speciosa *H. B. et K.* IV. 528
speciosa Spr. IV. 512
strepens *Mart.* IV. 530
sulphurea *DC.* IV. 528
tabernaefolia *DC.* IV. 525
tetraphylla *Cham. et Schl.* IV. 526
thyrsiflora *DC.* IV. 528
tinctoria *R. et Schult.* IV. 525
β fol. ovatis *DC.* IV. 525

Palicourea
tinifolia *DC.* IV. 529
triphylla *DC.* IV. 526
umbellata *DC.* IV. 526
verticillata *DC.* IV. 526
viridis R. et Schult. IV. 506
xanthina *DC.* IV. 525
Palicuria cayennensis Desv. IV. 526
Palimbia *Bess.* IV. 175
carvifolia Koch IV. 176
Chabraei *DC.* IV. 176
β podolica - - -
ramosissima *DC.* IV. 176
salsa *Bess.* IV. 175
Paliurus *Tourn.* II. 22
aculeatus *Lam.* II. 22
Aubletia *Schult.* II. 22
australis Gaertn. II. 22
inermis hort. paris. II. 31
petasus Dum. Cours. II. 22
ramosissimus Poir. II. 22
reticulata Vahl II. 20
virgatus *Don* II. 22
vulgaris Don II. 22
Pallasia capensis Houtt. I. 712
Palovea *Aubl.* II. 518
guianensis *Aubl.* II. 518
Paltoria ovalis R. et Pav. II. 15
Pamea Juss. III. 10
guianensis Aubl. III. 13
Panax *L.* IV. 252
aculeatum *Ait.* IV. 252
Anisum *DC.* IV. 254
arboreum *Forst.* IV. 253
attenuatum *Sw.* IV. 253
chrysophyllum Vahl IV. 254
cochleatum *DC.* IV. 253
decompositum *Wall.* IV. 255
fragrans *Roxb.* IV. 254
fruticosum *L.* IV. 254
Gaudichaudi *DC.* IV. 253
glabratum *H. B. et K.* IV. 253
Hainla *DC.* IV. 253
horridum *Sm.* IV. 252
Leschenaultii *DC.* IV. 254
Lessonii *DC.* IV. 253
longe-petiolatum *Pohl* IV. 253
Loureirianum *DC.* IV. 252
Morototoni *Aubl.* IV. 254
obtusum *Blume* IV. 254
pinnatum *Lam.* IV. 254
pusilla Sims IV. 252
quinquefolium *L.* IV. 252
sambucifolium *Sieb.* IV. 255
scutellarioides Reinw. IV. 253
Panax
secunda Schult.
sericeum *Pohl* IV
serratum *Wall.* I
simplex *Forst.* I
speciosum *W.* IV
simplicifolium
spinosa Poir. I
splendens *H. B. e*
tomentosum *Wal*
trifolium *L.* IV. 2
undulata Pers.
undulatum H. B
vinosus Schlech
Pancovia bijuga
Pancratia DC. IV
Panetos Raffn. DC.
Pantopiddana Sc
Panzera W. II. 51
Papaver *Tourn.* I.
alpinum *L.* I. 118
alpinum β Lap
arenarium *MB.* I.
Argemone *L.* I. 1
β - - -
armeniacum *Lam.*
aurantiacum L.
bracteatum *Lindl*
Burseri Crantz
cambricum L. I
caucasicum *MB.*
dubium Jacq. I.
dubium *L.* I. 118
β - - -
floribundum *Desf*
fugax *Poir.* I. 12
gariepinum *Burch*
horridum *DC.* I.
hybridum *L.* I. 11
integrifolium *Vig.*
laevigatum *MB.* I
maritimum Wit
microcarpum *DC.*
nudicaule *L.* I. 11
β glabratum *DC.*
γ radicatum -
δ rubro-aurantiac
nudicaule Oed.
obtusifolium *Desf*
orientale *L.* I. 119
pilosum *Sibth. et*
pyrenaicum *W.* I.
α luteum *DC.* I.
β puniceum - -
pyrenaicum W.
radicatum Rott.

s *L.* I. 118
ri *Vig.* I. 119
m *DC.* I. 119
rum *L.* I. 119
m *DC.* I. 120
- - -
ns *Lapeyr.* I. 118
Spr. I. 119
m *DC.* I. 120
s *&m.* I. 119
ACEAE *DC.* I. 117
ONACEAE *L.* II. 93
NACEAE *L.* II. 94
Forsk. III. 351
a *Forsk.* III. 352
rra *Wendt.* I. 714
Vendt. I. 714
Vendt. I. 714
. IV. 265
C. IV. 266
IV. 265
DC. IV. 266
IV. 266
269
ra I. 100 I. 103
bl. II. 526
ss. II. 526
uhl. II. 527
bin. II. 527
uhl. II. 527
Perr. II. 527
l. I. 454
II. 510, 519
ubl. II. 510
Aubl. II. 520
lum. II. 485
II. 486
rm. I. 320
nt. I. 320
Mx. I. 320
anks I. 320
DC. I. 320
w. I. 320
. I. 320
DC. I. 320
II. 320
C. I. 320
hlenb. I. 320
milt. II. 402
famil. II. 403
II. 403
ss. III. 370 *Tourn.*
Tourn. Juss. Lam.
DC. III. 369

Paronychia
arabica *DC.* III. 370
aretioides *DC.* III. 371
argentea dict. encycl. III. 371
argentea *Lam.* III. 371
β mauritanica *DC.* III. 371
argyrocoma *Nutt.* III. 372
arragonica Schult. III. 371
benghalensis R. et Schult. III. 372
bonariensis *DC.* III. 370
brasiliana DC. III. 370
canariensis *Juss.* III. 371
capitata *Lam.* III. 371
chilensis *DC.* III. 370
cymosa *DC.* III. 370
dichotoma DC. III. 372
dichotoma *Nutt.* III. 372
echinata *Lam.* III. 370
herniarioides *Nutt.* III. 371
hispanica dict. encycl. III. 371
lanuginosa Poir. III. 372
linearifolia DC. III. 372
nivea *DC.* III. 371
polygonifolia *DC.* III. 371
pubescens DC. fl. fr. III. 368
ramosissima *DC.* III. 372
rigida Moench III. 371
sedifolia *Salt.* III. 372
serpyllifolia *DC.* III. 371
β herniarioides *Pourr.* III. 371
sessiliflora *Nutt.* III. 372
Smithii *Choisy* III. 371, 375
striata DC. III 376
subulata DC. III. 372. 374
suffruticosa Lam. III. 368
tenella Hortul. III. 372
tenuifolia *DC.* III. 372
verticillata DC. fl. fr. III 370 372

PARONYCHIEAE *St. Hil.* III 365

Paropsia *Pet. Th.* III 322
edulis *Pet. Th.* III. 322

PAROPSIEAE *DC.* III. 322

Parosella Cav. II. 244
tuberculata Cav. II. 245
Parsonsia P. Brown. III 83
herbacea P. Brown. III. 86
prostrata Bert. III. 86
Paschanthus *Burch.* III. 336
repandus *Burch.* III. 336

Passalia Banks herb. I. 313
Passiflora *Juss.* III. 322 *Bory* III. 325
acuminata *DC.* III. 328
adenopoda *fl. mex.* III 330
adianthifolia Ker III. 333
Adianthum W. III. 333
adulterina L. fil. III. 333
alata *Ait.* III. 328
alato-coerulea *Lindl.* III. 329
albida *Ker* III. 328
alnifolia *H. B. et K.* III. 327
Andersonii *DC.* III. 326
angustifolia *Sw.* III. 324
appendiculata *Meyer* III. 331
aurantia Andr. III. 333
aurantia Forst. III. 332
auriculata *H B. et K.* III. 323
bauhinifolia *H B. et K.* III. 324
Berteriana *Balb.* III. 325
bicornis *Mill.* III. 332
biflora *Lam.* III. 326
biglandulosa Caley III. 333
bilobata *Juss.* III. 324
bryonioides *H. B. et K.* III. 327
capsularis *L.* III. 325
β acutiloba *DC.* III 325
γ geminifolia - - -
capsularis Sm III. 325
caracasana W. III. 332
Cavanillesii *DC.* III. 323
cephaleima *Bory* III. 332
ciliata *Ait.* III. 331
cirriflora *Juss.* III. 323
clypeata *Sm* III. 332
coccinea *Aubl.* III. 327
coccinea Banks III. 333
coerulea *L.* III. 330
coerulea Lour. III 330
coeruleo-racemosa *Sab.* III. 329
contrayerva *Sm.* III. 332
coriacea *Juss.* III. 324
cuneata *W.* III. 332
cuneifolia *Cav.* III. 330
cuprea *L.* III. 323
cuprea Cav. III. 323
cyathophora *Desv.* III. 331
Dictamo *fl. mex.* III. 324
difformis *H. B. et K.* III. 324
digitata R. et Pav. III. 330
discolor Link et Otto III. 326
edulis *Sims* III. 329
elongata Poir. III. 326
emarginata *H. et Bonpl.* III. 322
filamentosa *Cav* III. 330

Passiflora
filamentosa β bot
foetida *Cav.* III. 3
foetida α L. III.
foetida β L. III.
geminiflora *DC.* II
glabra Wendl. II
glabrata *H. B et*
glandulosa *Cav* II
glauca Ait. III. 3
glauca *H. et Bonp*
gossypifolia Des
gracilis *Link* III.
guazumaefolia J
guazumaefolia *Juss*
hederacea *Cav.* III
hederacea Lam.
hemicycla *Meyer*
Herbertiana bot.
Hermanni *DC.* III.
heterophylla Jacq
heterophylla *Lam.*
hibiscifolia *Lam.*
hirsuta *L.* III. 325
hirsuta Lodd. III
holosericea *L.* III.
incarnata *L.* III. 32
β integriloba *L.* III
indecora *H. B. et K*
jorullensis *H. B. et*
lancifolia *Desv.* III
latifolia *DC.* III. 32
laurifolia *L.* III. 32
Leschenaultii *DC.*
ligularis *Juss.* III.
β geminiflora *Juss.*
littoralis *H. B. et K*
longifolia Lam.
longipes *Juss.* III.
lunata *Juss. herb.*
lunata Sm. III. 32
lutea *L.* III. 325
lyraefolia *Tussac*
maculata *Scam.* III.
maliformis *L.* III. 3
mauritiana *Pet. Th.*
Maximiliana *Bory*
menispermifolia *H.*
mexicana *Juss.* III.
minima *Jacq.* III. 3
minima L. III 324
misera *H. B. et K.*
mixta L. fil. III. 3
mollis *H. B et K.*

...
...ccana *Reinw.* III. 323
...sta *Lam.* III. 327
...ra *L.* III. 323
...rnis *Jacq.* III. 332
...cuja *L.* III 333
H. B. et K. III. 327
...is *L.* III. 324
... *Sw.* III 326
...ra *Thomps.* III. 337
...ata *Cav.* III 333
H. B. et K. III. 328
...artia III. 322
... III. 323
...aur. III. 331 *)
Lodd. III. 330
...a. III. 325
...a *Sw.* III. 325
... III 330
...aris *Cav.* III. 334
...r. III. 325
... *Bert.* III. 326
Sm. III. 334
...L. III. 325
...er III. 330
Lodd. III. 330
...t *Pav.* III. 330
...puta *Cav.* III. 334
Lodd. III. 329
H. B. et K. III. 324
H. B et K. III. 328
III. 327
Lodd. III. 326
...et *Pav.* III. 329
DC. III. 331
...iris *L.* III 328
- - -
...adulosa *Meyer* III. 335
...rot. III. 329
DC. III. 329
Cav. III. 330
III. 326
...lia *Jacq.* III. 327
L. III. 326
DC. III. 326
- - 327
...lia *Sw.* III. 327
...I. 325
...olia III. 329
... *Sm.* III. 334
DC. III. 323
III. 330
B. et Pav. III. 330

...atio.

Passiflora
serratifolia *L.* III. 327
serratistipula *fl. mex.* III. 328
serrulata *Jacq.* III. 329
setacea *DC.* III 329
sexflora *Juss.* III. 323
stipulata *Aubl.* III. 329
suberosa *L.* III. 325
subpeltata *Ortg.* III. 329
tetradena *DC.* III. 331
tetrandra *Banks* III. 323
theobromaefolia *DC.* III. 331
tiliaefolia *L.* III. 328
tinifolia *Juss.* III. 328
tomentosa Cav. III. 334
trigona R. et Pav. III. 334
triloba *R. et Pav.* III. 330
trisetosa *fl. mex.* III. 324
tuberosa *Jacq.* III. 326
tubiflora *H. B. et K.* III. 332
variegata Mill. III. 331
velutina *DC.* III. 327
Vespertilio Ker III. 326
Vespertilio Lawr. III. 326
Vespertilio *L.* III. 326
viridiflora Cav. III. 336
vitifolia *H. B. et K.* III. 330

PASSIFLOREAE *Juss.* III. 321

PASSIFLOREAE VERAE *DC.* III. 322

Passoura Aubl. I. 312
Pastinaca *Tourn.* IV. 188 *Hoffm.* IV. 188 *Spr.* IV. 185, 188 *L.* IV. 170
altissima Lam. IV. 170
ambigua Torr IV. 188
Anethum Spr. IV. 186
dissecta Cels IV. 196
dissecta Vent. IV. 190
divaricata *Desf.* IV. 189
domestica Lob. IV. 189
foeniculacea Spr. IV. 174
graveolens *MB.* IV. 189
graveolens Salzm. IV. 189
incana W. herb. IV. 196
Kochii α Duby IV. 189
Kochii var. latifolia Duby IV. 189
latifolia *DC.* IV. 189
α velutina *DC.* IV. 189
β glabrata - - -
lucida *L.* IV. 189
nudicaulis Spr. IV 174
obtusifolia *DC.* IV. 190

Pastinaca
opaca Horn. IV. 189
Opopanax L. IV. 170
pimpinellifolia *WB.* IV. 190
rixida Spr. IV. 188
sativa *L.* IV. 188
α sylvestris *DC.* IV. 189
β edulis - - -
sativa Mill. IV. 189
sativa Thom. IV 189
Sekakul *Russ.* IV. 189
stenocarpa *DC* IV. 189
sylvestris Mill IV 189
triquinata Spr IV. 168
umbrosa *Stev.* IV. 189
velutina Koch IV. 189
Patabea *Aubl.* IV. 537
alba *H.B. et K.* IV. 538
coccinea *Aubl.* IV. 538
tenuiflora *DC.* IV. 538
Patagonium Schrank DC. II. 318 (Adesmia)
hedysaroides Schrank II. 319
Patima *Aubl.* IV. 444
Forsythii *DC* IV. 444
guianensis *Aubl.* IV. 444
Patrinia *Juss.* IV. 623 *Don* IV. 624
coronata Fisch. IV 623
Jatamansi Don IV. 624
intermedia *R. et Schult.* IV. 624
nudiuscula Fisch IV. 624
rupestris *Juss* IV. 624
scabiosaefolia *Link* IV. 624
sericea Raf. II. 96
serratulifolia Fisch. IV. 624
sibirica *Juss.* IV. 623
villosa *Juss.* IV. 623
Patrisia *H. B. et K.* I. 255 *Rich.* I. 255 *Rohr* II. 57
affinis *H. B. et K.* I. 256
bicolor *DC.* I. 256
dentata *H. B. et K* I. 256
parviflora *DC.* I. 256
pyrifera Rich. I. 255
PATRISIEAE *DC.* I. 255
Pauletia Cav. DC. II 513 (Bauhinia)
aculeata Cav. II 513
glandulosa H B. et K. II 513
glaucescens H. B. et K. II 515
inermis Cav. II. 514
multinervia H. B. et K. II 515
picta H B. et K. II. 515
Paullinia *Schum.* I. 604
acutangula *Pers.* I. 605
asiatica L. II 83
Paullinia
barbadensis *Jacq.* I
Berteriana Balb.
bipinnata *Poir.* I. 6
caracasana Jacq.
caribaea *Jacq.* I. 60
carthagenensis *Jacq*
cauliflora *Jacq.* I. 6
connarifolia *Rich.* I.
Cupana *H. B. et K.*
cupaniaefolia *Rich.*
curassavica *L.* I. 60
Cururu *L.* I. 604
densiflora *Sm.* I. 60
divaricata Sw. I.
diversifolia *Jacq.* I.
fibulata *Rich.* I. 607
hispida *Jacq.* I. 606
japonica *Thunb* I.
ingaefolia *Rich.* I. 6
macrophylla *H. B. e*
meliaefolia *Juss.* I.
mexicana Jacq. I.
mexicana L. I. 60
mollis *H. B. et K.*
nitida *H. B. et K.* I.
nodosa *Jacq.* I. 606
obovata *Pers.* I. 605
pinnata *L.* I. 604
polyphylla L. I. 60
polyphylla *Schum.*
pteropoda *fl. mex.* I
pubescens *H B. et*
riparia *H. B. et K.*
rufescens *Rich.* I. 6
senegalensis *Juss.* I
seriana L. I. 602
sphaerocarpa *Rich.*
subrotunda *Pers* I.
tetragona *Aubl.* I. 6
thalictrifolia *Juss.* I
tomentosa *Jacq.* I. 6
triternata *H. B. et K*
triternata L. I. 60
turbacensis *H. B. et*
velutina *DC* I. 605
Vespertilio *Sw.* I. 6
PAULLINIEAE *H*
Pautsauvia Juss. III.
Pavate Ray IV. 490
Pavetta L. IV. 490
485, 490 *Rich.*
Cyr. IV. 577
alba Vahl IV. 490

a Blume IV. 487
alis Pers. IV. 493
a R. et Schult. IV. 493
la A. Rich. IV. 492
Lour. IV. 493
Sw. IV. 493
DC. IV. 491
Lamb. IV. 491
DC. IV. 492
A. Rich. IV. 492
Blume IV. 486
Reich IV. 473
a Houtt. IV. 491
ima Cyr. IV. 577
lia Schum. IV. 492
A. Rich. IV. 492
Blume IV. 487
a Blume IV. 486
Burm. IV. 493
IV. 490
a Blume IV. 491
Vahl IV. 491
DC. - -
DC. IV. 490
la Blume IV. 490
Reinw. IV. 490
Blume IV. 490
DC IV. 492
Beauv. IV. 491
Blume IV. 491
Lour. IV. 493
Afz. IV. 492
a Smeathm. IV. 492
a Blume IV. 487
a Sw. IV. 525
Blume IV. 490
DC. IV. 491
a Blume IV. 487
DC. IV. 492
mni DC. IV. 492
Blume IV. 486
Schum. IV. 492
lis Roth IV. 491
Blume IV. 491
ra Thunb. IV. 492
sa A. Rich IV. 492
sa Roth IV. 490
a Roxb. IV. 490
DC. IV. 492
Roth IV. 491
Vahl IV. 491.
rh. I. 598
ir. I 598
Poit. I. 598
. I. 598

Pavia
hybrida *DC.* I. 598
lutea Poir. I. 598
macrostachya *herb amat.* I. 598
rubra *Lam.* I. 598

Pavonia *Cav.* I. 442
acerifolia Link et Otto I. 448
cancellata *Cav.* I. 444
coccinea *Cav.* I. 443
Columella *Cav.* I. 443
corymbosa *W.* I. 444
cuneifolia Cav. I. 444
hastata *Cav.* I. 443
leptocarpa *Cav.* I. 443
mollis *H. B. et K.* I. 444
Mutisii *H. B. et K.* I. 444
odorata *W.* I. 444
paniculata *Cav.* I. 444
papilionacea *Cav.* I. 443
parviflora *Desf.* I. 443
pellita *H. B. et K.* I. 444
platanifolia W. I. 448
praemorsa *W.* I. 444
racemosa *Sw.* I. 443
sessiliflora *H. B. et K.* I. 444
sidaefolia *H. B et K.* I. 443
sidoides *Horn.* I. 444
speciosa *H. B. et K.* I. 443
spicata Cav. I. 443
Spinifex Cav. I. 443
Spinifex *W.* I. 442
α ovalifolia *DC.* I. 443
β aristata *Car.* - -
γ oblongifolia *fl. mex.* I. 443
δ grandiflora - - -
spiralis Cav. I. 445
Typhalea *Cav.* I. 443
typhaleoides *H. B. et K.* I. 443
urens *Cav* I. 443
zeylanica *W.* I. 444
α Burmanni *DC.* I. 444
β Cavanillesii - - -

Peautia Comm. IV. 15
Pecheya Scop. IV. 493
Pecten Duby DC. IV. 221 (Scandix)
Pectophytum *H. B. et K.* IV. 78
peduncuiare *H. B. et K.* IV. 78
Pedicellaria DC. I. 238 (Cleome)
Pedicellia *Lour.* I 618 II 42
oppositifolia *Lour.* I. 618
Pee-amerdu Rheed I. 97
Pee-kandel Rheed. III. 32
Peganum *L.* I. 712
crithmifolium Georg. I. 712

Peganum
dahuricum β L. I. 712 •
Harmala *L.* I. 712
β crithmifolium *Rets* I. 712
retusum Forsk. III. 456
Pekea Aubl. I. 599,600 *Juss.* III. 293 *DC.* I. 600 (Caryocar)
butyrosa Aubl. I. 600
Couroupita Juss. III. 294
tuberculosa Aubl. I. 600
Pelargium DC. I. 658 (Pelargonium)
Pelargonium *L'Herit.* I. 649 *Lindl.* I. 658
abrotanifolium *Jacq.* I. 661
acaule *DC.* I. 680
acerifolium *L'Herit.* I. 672
acetosum *Ait.* I. 658
acugnaticum *Pet. Th.* I. 660
acuminatum *DC.* I. 680
adulterinum *L'Herit.* I. 674
aemulum *Sweet* I. 673
affine Andr. I. 650
africanum Cav. I. 660
albiflorum *Spin* I. 667
alchimilloides *W.* I. 660
alnifolium *W.* I. 682
alternans *Wendl.* I. 655
alternatim pinnatum Wendl. I. 655
althaeoides *L'Herit.* I. 655
amoenum *Sweet* I. 663
amplissimum *W.* I. 682
anceps *Ait.* I. 660
anemonefolium *Jacq.* I. 657
angulosum *Ait.* I 672
angustifolium *DC.* I. 680
aphanoides *DC.* I. 680
apiifolium *Jacq.* I. 662
appendiculatum *W.* I. 662
ardens Lodd. I. 662
ardens *Sweet* I. 662
arenarium *DC.* I 680
artemisiaefolium *DC.* I. 661
articulatum *W.* I. 651
asperifolium *Sweet* I. 676
asperum *W.* I. 679
astragalifolium *Pers.* I. 653
athamanthoides *L'Herit.* I. 660
atrofuscum *Sweet* I. 676
atropurpureum *Sweet* I. 674
atrosanguineum *DC.* I. 653
atrum *L'Herit.* I. 653
β varium *DC.* - -
augustum *Hortul.* I. 678
auriculatum *W.* I. 651

Pelargonium
auritum *W.* I. 65
australe Sweet
australe *W.* I. 65
australe β W. I
autumnale Hor
Baileyanum *Swee*
Balbisianum *Spin*
balsameum *Jacq.*
barbatum *Jacq.* I.
Barnardinum *Swe*
Barringtonii *W.* I
Beaufortianum *Pe*
Bellardii *Spin* I.
bellulum *Sweet* I
Bentinckianum *Ho*
betonicum Jacq.
betulinum *Ait.* I.
bicolor *Ait.* I. 664
bicolor bot. mag.
bifolium *W.* I. 65
bipartitum *DC.* I.
bipinnatifidum L.
Blandfordianum *S*
blandum Horn
blandum *Sweet* I.
blattarium *Jacq.* I
Boyleae *Sweet* I.
bracteosum *DC.* I.
Breesianum *Sweet*
Brownii *Sweet* I.
bubonifolium *Pers*
bullatum *Jacq.* I.
calycinum *Sweet* I
canariense *W.* I. 6
candidum *Hour.* I.
canescens *Sweet* I.
canum *Pers.* I. 656
capillare *W.* I. 656
capitatum *Ait.* I. 6
capnoides L'Her
cardiifolium *Sweet*
carinatum *Sweet* I
carneum *Jacq.* I. 6
carnosum *Ait.* I. 65
Castellianum *Spin*
caucalifolium *Jacq.*
centauroides *L'Her*
ceratophyllum *L'H*
cerinum *DC.* I 659
chamaedryfolium *Ja*
Chelidonium *Houtt*
chrysanthemifolium
ciliatum Jacq. I.
ciliatum *L'Herit.* I
β hirtum *W.* -

ium
um *W.* I. 650
tinum L'Herit. I. 660
tinum Spin I. 677
L'Herit. I. 660
Sweet I. 673
W. I. 672
Ehrh. I. 659
ia I. 667
Jacq. I. 654
weet I. 675
L'Herit. I. 667
Sweet I. 677
ium Hortul. I. 672
ium Pers. I. 650
Sweet I. 675
eet I. 663
m Pers. I. 651
n *W.* I. 671
C. I. 661
m *W.* I. 681
t. I. 671
Herit. I. 671
tomentosum Hortul. I. 671
bot. mag. I. 671
Hortul. I. 671
m *Jacq.* I. 657
um *Pers.* I 653
n *Jacq.* I. 656
um Jacq. I. 668
n *L'Herit.* I. 665
ium var. cortusoi-des Andr. I. 665
eet I. 675
n *DC.* I. 652
Herit. I 655
bot. mag. I. 665
Herit. I. 665
I. 677
Herit. I. 677
Herit. I. 677
Sm. I. 655
eet I. 663
it. I. 671
in I. 672, 681
Bulb. et Spin I. 667
W. I. 667
m *W.* I. 654
law. I. 655
ims I. 655
acq. I. 662
weet I. 676
n *W.* I. 679
L'Herit. I. 650
Sweet I. 672

Pelargonium
denticulatum *Jacq.* I. 679
depressum Jacq. I. 649
dichondraefolium *DC.* I. 656
difforme *Sweet* I. 670
dioicum *Ait.* I. 653
dipetalum *L'Herit.* I. 650
discipes *Haw.* I. 680
distans *L'Herit.* I. 660
divaricatum *DC.* I 682
diversifolium *Wendl.* I. 667
dondiaefolium *Link* I. 680
dumosum *Sweet* I. 669
echinatum *Curt.* I. 665
echinatum Sweet I. 665
egregium *Link* I 682
elatum *DC.* I. 657
elegans Sweet I. 666
elegans *W.* I 666
ellipticum *DC.* I. 681
ensatum *DC.* I. 680
eriophyllum *Sweet* I. 671
eriostemon *Jacq.* I. 656
erratum Hortul I. 682
erubescens *Spin* I. 672
erytraeum *DC.* I. 681
euphraseum *Horn.* I. 680
eximium *Sweet* I. 676
exstipulatum *Ait.* I. 678
exsul *Hoffmanns.* I. 682
ferulaceum *W.* I. 655
Ficaria W. I 650
filipendulifolium *Sweet* I. 662
fissifolium *Pers.* I. 652
flavum *Ait.* I. 662
β daucoides *Jacq.* I. 662
flexuosum *DC.* I. 680
floccosum *Sweet* I. 663
floribundum *Ait.* I. 652
floridum *Sweet* I. 676
foliolosum *DC.* I. 653
formosissimum Pers. I. 669
formosum Desf. I. 669
formosum *Sweet* I. 673
fragile W. I. 661
fragrans Sweet I. 660
fragrans *W.* I. 660
fragrantissimum *Link* I. 682
fraternum *Schrank* I. 678
fruticosum *W.* I. 661
fulgidum *Ait.* I. 663
fulgidum Sweet I. 663
fuscatum *Jacq.* I. 668
Ghilini *Spin* I. 668
gibbosum *W.* I. 662
glaucum *L'Herit.* I. 666

Pelargonium
L chianum *Spin* I. 678
lepidum *Sweet* I. 674
lineare *Pers.* I. 650
lineatum *Sweet* I. 669
lobatum *W.* I 662
longicaule *Jacq.* I. 657
longiflorum *Jacq.* I. 649
longifolium *Jacq.* I. 649
Lousadianum *Sweet* I. 670
luteolum *Sweet* I. 670
maculatum obscurum
maternum *L'Herit.* I.
mutabile *L. Herit.* I 677
myrrhifolium *Jacq.* I. 654
marginatum *Cav.* I. 650
nervosum *Jacq* I 651
nervosum *Sweet* I. 669
nervosum *W.* I. 660
nervosum *Sweet* I. 678
nervosum *Ait.* I 659
nervosum *Sweet* I. 673
nervosum *Jacq.* I. 658
nervosum *Sweet* I. 672
nervosum *Wendl.* I.
nervosum *Sweet.* I 682
nervosum *Ait* I. 657
nervosum *W.* I.
nervosum *Herit.* I. 660
nervosum *Sweet* I 664
nervosum *Jacq* I. 651
nervosum *Sweet* I. 673
Newcastlianum *Sweet* I.
nodosum *Aucta.* I. 668, 667
nodosum *Hortul.* I.
notabile *D* I 668
nothum. *H* I. 681
nudum *DC* I. 651
oblatum *Sweet* I 676
obscurum *Sweet* I 664
obtusifolium *Sweet* I. 674
obtusifolium *W* I. 677
odoratissimum *Ait.* I. 639
odoratissimum *Cav.*
Oenotherae *Jacq* I 656
opulifolium *Sweet* I 669
opulifolium *Sweet* I. 669
ornatum *Sweet* I 665
ovale *L'Herit.* I. 666
ovalifolium *DC* I. 649
ovalidifolium *Pers.* I. 651
oxaloides *W.* I. 650
oxyphyllum *DC* I. 667
pallens *Sw.* I. 667

Hoffmanns. I. 682
L Herit I. 667
W I. 667
β compositum L'Herit I. 667
Sweet I 677
DC. I. 681
L'Herit. I. 666
DC. I. 666
DC. I. 666
W. I. 654

m
. *W.* I. 678
um Horn. I. 681
atum Jacq. I. 655
um Sweet I. 670
ceum Ait. I. 671
aceum Sweet I. 671
ides L'Herit. I. 650
Sweet I. 665
DC. I. 660
weet I. 662
Jacq. I. 668
Spin I. 667
Sweet I. 676
m Sweet I. 676
Ait. I. 666
DC. I. 666
Curt. I. 666
W. I. 669
Pers. I. 652
s. I. 665
rs. I. 652
I. 680
Sweet I. 666
Spin I. 679
Sweet I. 670
C. I. 680
et I. 663
Sweet I. 665
Sweet I. 675
Pers. I. 654
Spin I. 681
Curt. I. 665
W. I. 682
m Sweet I. 674
weet I. 670
. I. 658
Pers. I. 650
W. I. 650
s Pers. I. 652
Sweet I. 678
um Sweet I. 663
n Ait I. 678
idum L'Herit. I. 678
Curt. I. 658
erum W. I. 664
Pers. I. 650
Vent. I. 650
. I. 679
W. I. 679
um W. I. 661
Jacq. I. 651
luteum Sims I. 652
Pers. I. 651
Curt. I. 666
DC. I. 649

Pelargonium
retinervium *DC.* I. 659
revolutum *Pers* I. 651
ribifolium Dum-Cours I. 658
ribifolium *Jacq.* I. 671
rigescens *Sweet* I. 673
rigidum *W.* I. 674
Robinsoni *Sweet* I. 670
Rosetta Hortul. I. 675
roseum *Ait.* I. 651
roseum W. I. 679
ubens *W.* I. 674
rubescens *Sweet* I. 675
rubro-cinctum *Link* I. 671
rubro-maculatum Poir. I. 665
saepeflorens *Sweet* I. 665
sanguineum *Wendl.* I. 662
sanguineum W. I. 661
saniculaefolium *W.* I. 668
scabrum *Ait.* I. 677
scandens *Ehrh.* I. 658
scapifolium L'Herit. I. 649
scaposum *DC.* I. 656
Scarboroviae *Sweet* I. 677
scintillans *Sweet* I. 663
scutatum *Sweet* I. 666
selinifolium *DC.* I. 652
semitrilobum *Jacq.* I. 674
senecioides *L'Herit.* I. 660
serotinum Colv. I. 673
serratum *DC.* I. 681
setiferum *DC.* I. 680
setosum *Sweet* I. 652
Seymouriae *Sweet* I. 674
sidaefolium *W.* I. 681
sidoides *DC.* I. 680
solubile *Sweet* I. 673
Smithii *Sweet* I. 664
sororium *W.* I. 667
spathulatum *Andr.* I. 650
β affine - - -
speciosum *W.* I. 672
spectabile *Sweet* I. 673
spinosum *W.* I. 661
splendens W. I. 663
spurium *W.* I. 681
stenopetalum *Ehrh.* I. 658
stipulaceum *W.* I. 651
striatum *Sweet* I. 670
suaveolens *Desf.* I. 681
suaveolens Horn I. 681
Sweetianum *DC.* I. 653
tabulare *L'Herit.* I. 660
tectum *DC.* I. 680
tenuifolium *L'Herit.* I. 661
ternatum *Jacq.* I. 678

Peltaria
capensis L. fil. I. 232
caramaniensis Sibth.
Garcini Burm. I. 210
linifolia DC. I. 166
Forst III. 89
Forst. III. 89
Burk. III. 8
Plum I. 334
Rheed. III. 29
Forst. II 89
DC. IV. 39
Lam. IV. 100
Lehm IV. 1
linifolium
Lour I. 314
Lour. I. 314
simplicifolia
L. I. 498
L. I. 500
Ait. I. 49
L. I. 498
L. I. 500
Ait. I. 499
Linnaster
Kunth III. 14
Kunth III. 15
DC. III. 14
Kunth III. 15
DC. III. 15
Kunth III. 15
DC. III. 14
Kunth III. 15
DC. III. 14
Kunth III. 14
Kunth III. 14
Pentateris Hall. III. 68
68 Myriophy
Pentapterophyllum Dill.
Pentaria DC. III. 333 (Mu
Pentaspermum DC. I. 447
Pentstemon *L.* III. 414
Pursh III. 414
L. III. 414
L. III. 73 *Vitm.* III.

MB. III. 77
um. III. 77
ica Bess. III. 78
tt. III. 77
III. 76
Spr. III. 78
III. 77
L. IV. 434
Fisch. III. 77
III. 316
ypeatus Moris. III. 317
uk III. 317
t K. II. 474
B. et K. II. 474
II. 475
III. 474
III. 474
DC. III. 475
K III. 475
w. III. 475
et K. III. 475
Haw. III. 475
DC. III. 475
DC. III. 475
Haw. III. 475
C. III 475
C. III. 475
ois. I. 546 (Hypericum)
Tourn. IV. 330, 332
Mill. IV. 332
L. IV. 331
Mill. IV. 332
Mill. IV. 338
. IV. 332
heed. I. 722
654 (Pelargonium)
237
I. 237
V. 240
II. 325
II. 531
531
I. 531
II. 531
I. 531
626
V. I. 626
el. II. 323
el. II. 323
IV. 63
IV. 63

Petalostemon DC. II. 243 (Petalostemum)
Petalostemum *Mx.* II. 243
alopecuroideum Pursh II. 244
candidum *Mx.* II. 243
capitatum *DC* II. 244
carneum *Mx.* II. 243
corymbosum *Mx.* II. 244
roseum *Nutt.* II. 243
sessile fl. mex. II. 246
villosum *Nutt.* II. 244
violaceum *Mx.* II. 243
Petaloma *DC.* III. 294 *Sw.* III. 7
brachiata *DC.* III. 295
cauliflora Mart. III. 7
Mouriri Sw. III. 7
myrtilloides Sw. III. 7
Petesia *P Brown* IV. 395, 406 *Juss.* IV. 395, 413 *Gaertn. Juss. Spr.* VI. 478
carnea Forst. IV. 479
grandis *Bartl.* IV. 395
hispida *Bartl.* IV. 395
Lygistum L. IV. 362
nitida *Bartl.* IV. 395
simplicissima *Lour.* IV. 396
spicata *Sw.* IV. 395
stipularis L. IV. 407
ternifolia *Bartl.* IV. 395
tomentosa *Jacq.* IV. 395
trifida Lour. IV. 396, 622
villosa Sm. IV. 407
No. 2. *P. Brown.* IV. 407
No. 3 *P. Brown.* IV. 407
Petola Rheed. III. 308
Petrocallis *R. Br.* I. 166
pyrenaica *R. Br.* I. 166
Petrocarya Schreb. II. 528 *DC.* II. 527 (Parinarium)
montana W. II. 527
Petrorhagia Ser. I. 354 (Gypsophila)
Petroselinum *Hoffm.* IV. 102
peregrinum *Lag.* IV. 102
prostratum *DC.* IV. 102
sativum *Hoffm. et Koch* IV. 102
β crispum - - -
γ latifolium - - -
segetum *Koch* IV. 102
selinoides *DC.* IV. 102
Petunga *DC.* IV. 398
glomerata *DC.* IV. 399
longifolia *DC.* IV. 399
microcarpa *DC.* IV. 399
Roxburghii *DC.* IV. 399

PEUCEDANEAE DC. IV. 57 170

Peucedanum *Koch* IV. 176, 183
Pall. IV. 175 *L.* IV. 161
Gaertn. Spr. Lag. Auct. IV. 176

album Desf. IV. 180
album hort. paris. IV. 152
alpestre *L.* IV. 180
alpestre Spr. IV. 161
alpestre Stev. IV. 116
alsaticum *L.* IV. 179
β albiflorum *DC.* IV. 179
alsaticum Poir. IV. 177
altissimum Desf. IV. 177
arenarium *W. et Kit.* IV. 177
aureum *Ait.* IV. 178
austriacum *Koch* IV. 180
baicalense *Koch* IV. 179
Besserianum *DC.* IV. 177
capillaceum *Thunb.* IV. 178
Carvifolia MB. IV. 116
carvifolium Vill. IV. 176
Cervaria *Cuss.* IV. 180
β latifolium *Vis.* - -
γ dissectum *DC.* - -
Chabraei Gaud. IV. 176
creticum *L.* IV. 182
creticum Sieb. IV. 111
dissectum *DC.* IV. 178
gallicum Pers. IV. 179
gallicum α Spr. IV. 179
geniculatum *Forst.* IV. 182
glaucum *DC.* IV. 179
japonicum *Thunb.* IV. 182
imperatorioides Link IV. 183
involucratum *Koch* IV. 181 180
isetense *Spr.* IV. 181
junceum W. IV. 161
latifolium *DC.* IV. 181
longifolium *W. et Kit.* IV. 177
lusitanicum W. herb. IV. 172
majus italicum Moris IV. 177
Mathioli Spr. IV. 161
microphyllum *Sm.* IV. 182
minus All. IV. 176
minus Poir. IV. 152, 181
montanum *Koch* IV. 180
Morisoni *Bess.* IV. 177
obtusifolium Sibth. IV. 190
officinale Bess. IV. 171
officinale *L.* IV. 177
β italicum *Mill.* IV. 177
officinale Thuil. IV. 179

Peucedanum
Oreoselinum *Cu*
β angulatum *DC.*
Oreoselinum M
Ostruthium Ko
palustre Moenc
paniculatum *Loi*
parisiense *DC. β.*
Petroselinum L
rablense *Koch* I
β Bellardi *DC.* I
redivivum Pall.
rupestre *Hoffma*
rupestre W. he
ruthenicum *MB.*
β tauricum -
salinum Pall. I
Schottii *Bess.* IV
selinoides *DC.* I
serotinum Pers
sibiricum *W.* IV
Silaus L. IV. 16
Silaus MB. IV.
Sprengelii *DC.* I
sylvestre *DC.* IV
tauricum hort.
tauricum Spr.
tenuifolium De
tenuifolium *Thu*
terebinthinaceu
ternatum *Nutt.* I
verticillare *Koch*
verticillatum *Raf*
virgatum *Cham. e*
Vocontiorum S
Wallichianum *D*

Phaca *L.* II. 273 *P*
alpina *Jacq.* II. 2
β dahurica *Fisch.*
alpina L. II. 27
arenaria *Pall.* II.
astragalina *DC.* II
australis *L.* II. 27
β altaica *Fisch.* I
baetica *L.* II. 273
brachytropis *Stev*
caespitosa *Nutt.*
campestris Wat
Candolliana H.
densifolia *Sm.* II.
floridana W. II.

la L. II. 273
rdi Vill. II. 274
i Clar. II. 274
nska W. II. 300
ri Vill. II. 274
i Vahl II. 300
Pall. II. 279
a DC. II. 274
ia Wahlenb. II. 274
ucea Fisch. II. 273
lla Pall. II. 279
B. et K. II. 274
Crantz II. 275
L. II. 280
la Pall. II. 279
Crantz II. 273
DC. II. 274
Pall. II. 279
L. fil. II. 279
B. II. 271
ll. II. 271
fil. II. 279
Pall. II. 277
ha All. II. 298
is Zea II. 291
II. 273
II. 275
Wahlenb. II. 276
Schreb. II. 300
t. II. 274
Haw. III. 358
Haw. III. 359
em. IV. 619
Schum. IV. 619
um. IV. 620
er. DC. II. 516 (Bauhinia)
our. II. 516
Auct. III. 362 *L.* I.
Ser. I. 391 (Mollugo)
unb. III. 363
im Poir. I. 391
L. I. 392
n L. I. 392
L. III. 375
m L. fil. I. 392
L. I. 392
Lichtenst. I. 393
V. I. 393
n L. fil. I. 392
aggianum Schult. I. 393
. III. 363
Thunb. III. 363

Pharnaceum
Lichtensteinianum Schult. I. 393
lineare Andr. III. 363
lineare Bert. I. 391
lineare L. fil. I. 392
lineare Thunb. III. 363
lineare fl. albo Andr. III. 363
marginatum Thunb. I. 392
maritimum Walt. I. 393
microphyllum L. fil. I. 392 III. 336
Mollugo L. I. 391
mucronatum Thunb. I. 393
parviflorum Roth I. 391
quadrangulare L. fil. I. 393
serpyllifolium L. I. 391
spathulatum Sw. I. 391
sperguloides Poir. I. 392
teretifolium Thunb. I. 393 III. 363
umbellatum Forsk. I. 393
Phaselus Moench II. 394
lathyroides Moench. II. 396
scaber Moench II. 396
violaceus Moench II. 396
PHASEOLEAE Bronn. II. 381
Phaseoloides hort. angl. II. 390
Phaseolus *L.* II. 390
abyssinicus Hortul. II. 396
aconitifolius *Jacq.* II. 394
adenanthus *Meyer* II. 394
alatus *L.* II. 391
angulosus *Ort.* II. 395
Asellus *Molin.* II. 396
atropurpureus *fl. mex.* II. 395
bracteolatus *Nees et Mart.* II. 391
capensis Burm. II. 388
capensis Hortul. II. 393
capensis *Thunb.* II. 396
Caracalla *L.* II. 390
chrysanthos *Savi* II. 395
cirrhosus *H. B. et K.* II. 392
coccineus Kniph. II. 392
compressus *DC.* II. 392
β humilis - - -
γ major - - 393
derasus *Schrank* II. 393
diversifolius *Pers.* II. 394
farinosus *L.* II. 395
formosus *H. B. et K.* II. 392
gibbosifolius *Ort.* II. 394
glycineformis *Weinm.* II. 395
gonospermos *Savi* II. 393
haematocarpus *Savi* II. 393

Phaseolus
helvolus *L.* II. 395
helvolus Mx. II. 395
Hernandesii *Savi* II. 395
heterophyllus *W.* II. 394
hirtus Retz II. 395
inamoenus *L.* II. 393
lathyroides *L.* II. 396
leptospermus *Lag.* II. 391
lilacinus Zucc. II. 392
linearis *H. B. et K.* II. 391
lunatus *L.* II. 393
lunatus Lour. II. 393
lunatus Moench II. 395
macrocarpus Moench II. 393
macrocarpus *Poir.* II. 394
macrostachyus *Ell.* II. 391
Max *L.* II. 396
microspermus *Ort.* II. 394
multiflorus *W.* II. 392
α coccineus *DC.* - -
β albiflorus - - -
Mungo *L.* II. 395
nanus L. II. 392
nigerrimus Zucc. II. 392
oblongus *Savi* II. 393
Pallar *Molin.* II. 396
paniculatus Mx. II. 391
pedunculatus *H. B. et K.* II. 391
perennis *Walt.* II. 391
persicus mollis Garc. II. 388
pilosus *H. B. et K.* II. 391
puberulus *H. B. et K.* II. 393
radiatus *L.* II. 395
romanus Savi II. 392
saponaceus *Savi* II. 393
scaber *Steud.* II. 396
semi-erectus *L.* II. 396
speciosus *H. B. et K.* II. 391
sphaericus *Savi* II. 393
sphaerospermus L. II. 400
stipularis *Lam.* II. 395
sylvestris *H. B. et K.* II. 392
trilobus Mx. II. 394
trilobus *Roth* II. 394
truxillensis *H. B. et K.* II. 391
tuberosus *Lour.* II. 390
tumidus *Savi* II. 393
tunkinensis *Lour.* II. 394
vexillatus *L.* II. 395, 399
vexillatus Pursh II. 395
vexillatus Walt. II. 399
violaceus *Steud.* II. 396
vulgaris L. II 392
vulgaris *Savi* II. 392
α unicolor *Savi* II. 392

Phaseolus
β fasciatus *Savi* II
γ variegatus - -
vulgaris coccine
Xuaresii *Zucc.* II.
Phasiolus Moench
semierectus Moe
Phebalium *Vent.* I.
anceps *DC.* I. 719
squammulosum *Ve*
Phellandrium L. I

aquaticum L. IV
ciliatum herbar.
Mutellina L. IV.
stoloniferum Re
Phemeranthus Ra
3
teretifolius Rafi
PHILADELPHE

Philadelphus *L.* III. 2
coronarius *L.* III. 2
α vulgaris *DC.* -
β nanus *Mill.* -
floribundus Roem

floribundus *Schra*
gracilis Hortul.
grandiflorus Hor
grandiflorus Lin
grandiflorus *W.* III
grandiflorus β *la*

hirsutus *Nutt.* III.
β gracilis *Schrad.* II
humilis Hortul. I
inodorus Hortul.
inodorus *L.* III. 206
laniger Ait. III. 22
β piliger - - -
latifolius Hortul.
latifolius *Schrad.* II
laxus Hortul. III.
laxus *Schrad.* III. 2
Lewisii *Pursh* III.
pubescens Cels. III
scoparius Ait. III.
speciosus *Schrad.* I.
verrucosus *Schrad.*
Zeyheri *Schrad.* III.
Philagonia *Blum.* II. 9
procera *Blum.* II. 9
Philotheca *Rudg.* I. 72

Rudg. I. 721
Ser. II. 192 (Trifolium)
Neck. I. 734
Rafin. IV. 437
dl. II. 631
Lindl. II. 631
l. II. 631
Lindl. II. 631
I. 631
ndl. II. 631
II. 631
rt. IV. 672
533 (Valeriana)
34
I. 34
Th. II. 37
nst. II. 37
b II. 35
. II. 36
35
Lam. II. 35
I. 36
II. 36
nb. II. 36
or. II. 36
. 36, 37
endl. II. 35
37
nt. II. 37
b. II. 34
II. 37
II. 34
dl. II. 35
nb. II. 34
nb. II. 37
ib. II. 35
Vent. II. 35
II. 35
unb. II. 37
Thunb. II. 35
f. II. 37
W. II. 37
Poir. II. 36
II. 35
Berg. II. 35
Vent. II. 36
. II. 36
herb. amat. II. 38
V. II. 36
endl. II. 35
. II. 34, 35
DC. II. 36

Phylica
pinea *Thunb.* II. 35, 36
pinifolia *L. fil.* II. 37
plumosa Spr. II. 36
pubescens Ait. II. 36
pubescens Lam. II. 35
pubescens W. II. 36
pumila *Wendl.* II. 35
racemosa *L.* II. 37
radiata L. II. 45
ramosissima *DC.* II. 34
reclinata *Wendl.* II. 36
reflexa Lam. II. 36
rosmarinifolia *Lam.* II. 35
rosmarinifolia Roxb. II. 34
rosmarinifolia W. II. 36
rubra *W.* II. 37
secunda *Thunb.* II. 35
spicata *L. fil.* II. 36
spicata Ludd. II. 36
squamosa *W.* II. 37
squarrosa *Vent.* II. 36
stipularis *L.* II. 34
β *DC.* - -
strigosa Thunb. II. 35
thymifolia *Vent.* II. 37
trichotoma *Thunb.* II. 37
villosa *Thunb.* II. 35
Phyllactis Pers. Dufr. DC. IV. 632 (Valeriana)
obovata Nutt. IV. 633
rigida Pers. IV. 632
spathulata Pers. IV. 633
tenuifolia Pers. IV. 632
Phyllanthus Neck. III. 469 (*rectius Phyllarthus*)
Phylliraeastrum DC. IV. 449 (Morinda)
Phyllis *L.* IV. 578
nobla *L.* IV. 579
β pauciflora *DC.* IV. 579
pauciflora Rich. IV. 579
Phyllodium Desv. DC. II. 339 (Dicerma)
pulchellum Desv. II. 339
Phyllolobium *Fisch.* II. 521
chinense *Fisch.* II. 522
Phyllopus *DC.* III. 177
Martiusii *DC.* III. 178
Phyllota DC. II. 113 (Pultenaea)
Phymatanthus Lindl. I. 657
elatus Sweet I. 657
tricolor Sweet I. 657
Physa *Pet. Th.* I. 393
madagascariensis *DC.* I. 393

Physicarpos Poir. II. 115
Physiphora *Sol.* I. 314
laevigata *Sol.* I. 314
Physocalycium Vest III. 395
Physocalymna *Pohl* III. 89
florida *Pohl* III. 90
Physocarpos Camb. DC. II. 542 (Spiraea)
Physocarpum DC. I. 11 (Thalictrum)
Physocaulis DC. IV. 225 (Chaerophyllum)
Physopodium *Desv.* III. 94
volubile *Desv.* III. 94
Physospermum *Cuss.* IV. 246
Vela et Lag. IV. 244
acteaefolium *Presl* IV. 247
angelicaefolium *Guss.* IV. 247
aquilegifolium *Koch* IV. 246
cicutarium *Spr.* IV. 247
commutatum Spr. IV. 246
cornubiense *DC.* IV. 246
Cussoni Lag. IV. 244
Phyteuma Lour. IV. 321
bipinnata Lour. IV. 323
cochinchinensis Lour. IV. 323
Phyteumoides Smeath. IV. 414
hirsuta Smeath. IV. 414
Picnocomon Wallr. IV. 647
Picramnia *Sw.* II. 66
Antidesma *Sw.* II. 66
Fessonia *DC.* II. 66
pentandra *Sw.* II. 66
Tariri *DC.* II. 66
Pictetia *DC.* II. 314
aristata *DC.* II. 314
Desvauxii *DC.* II. 314
Jussiaei *DC.* II. 314
obcordata *DC.* II. 314
squamata *DC.* II. 314
ternata *DC.* II. 314
Pigea *DC.* I. 307
Banksiana *Ging.* I. 307
calycina *DC.* I. 307
filiformis *DC.* I. 307
monopetala *Ging.* I. 307
Pilanthus Poit. II. 234
Pilcanthus *Labill.* III. 209
Limacis *Labill.* III. 209
Pilocarpus *Vahl* I. 728
parviflorus Nees et Mart. I. 728
pauciflora *St. Hil.* I. 728
racemosa *Vahl* I. 728
Pilocarpus
spicata *St. Hil.* I.
Pimela Lour. II. 7
alba Lour. II. 80
nigra Lour. II. 8
oleosa Lour. II. 8
Pimpinella *L.* IV. 1
119 *Tourn.*
593, 594 *Ad*
L. Spr.
agrimonoides Mo
alpina *Host* IV. 12
anethifolia Don
angelicaefolia L
anisoides *Brig.* IV
anisoides Guss.
Anisum *L.* IV. 122
aromatica *MB.* IV.
aurea *DC.* IV. 120
bubonoides *Brot.*
canescens Lois.
capensis *Thunb.*
capillacea Poit.
cretica *Poir.* IV.
crispa Horn. IV.
Cumbrae *Buch* IV
Danaa MB. IV. 2
depressa *DC.* IV.
dichotoma *L.* IV.
dichotoma Spr.
dioica Bess. IV.
dioica d'Urv. IV.
dioica L. IV. 103
dioica β Lapeyr.
dioica rossica h
dissecta MB. IV.
dissecta Retz IV.
diversifolia *DC.* IV
domingensis W.
eriocarpa *Russel*
genevensis Vill.
glauca Hoffm. IV
glauca L. IV. 103
glauca Spr. IV.
Heyneana Wall.
hircina Moench
hispida Lois. IV.
javana *DC.* IV. 122
involucrata Jan.
laciniata Thor.
lateriflora Link
leptophylla Pers.
Leschenaultii *DC.*
lutea *Desf.* IV. 12

IV. 119
DC. IV. 120
. DC. IV. 120
w. IV. 120
DC. IV. 120
rr. Spr. IV. 151
r. IV. 119
fm. IV. 120
is Poir. IV. 103
IV. 120
rr. IV. 121
Gou. IV. 120
rillosissima Tourn.
II. 595
Lejeun. IV. 120
. IV. 121
C. IV. 121
eaupré IV. 121
Thuill. IV. 120
um DC. IV. 122
Wall. IV. 106
DC. IV. 120
MB. IV. 119
pe IV. 120
ory IV. 123
ba Gaertn. II. 594
. IV. 120
- -
- -
γ Lois. IV. 121
C. IV. 123
h. IV. 122, 123
ll. IV. 121
C. - -
- - -
var. MB. IV. 121
Wall. IV. 106
Jan. IV. 115
ousb. IV. 121
. I. 134 (Mathiola)
Dill. III. 71
Pav. II. 54
t Pav. II. 54
rs. IV. 366
Pers. IV. 366
. IV. 366
. IV. 366
l. I. 316
bl. I. 316
Gaertn. I. 316
epicum Math. I. 91
ubl. III. 289
la Aubl. III. 290
H. B. et K. III. 289

Pirigara
superba H. B. et K. III. 290
tetrapetala Aubl. III. 290
valida Blum. III. 290
Piringa Juss. IV. 379, 382
Pirius Rheed. I. 70
Piriqueta *Aubl.* III. 348
tomentosa *H. B. et K.* III. 348
villosa *Aubl.* III. 348
Pisaura Bonat. III. 62
autumorpha Bonat. III. 62
Piscidia *L.* II. 267 *W.* II. 267
carthagenensis *Jacq.* II. 267
Erythrina hort. kew. II. 267
Erythrina *L.* II. 267
longifolia W. II. 267
punicea Cav. II. 267
Piscipula Loefl. II. 267
Pistacia *L.* II. 64
angustifolia massiliensis Tourn. II. 65
atlantica *Desf.* II. 64
β latifolia *DC.* - -
chia Desf. II. 65
fagaroides *W.* II. 64
Lentiscus *L.* II. 65
β angustifolia *DC.* II. 62
γ chia *Duham.* - -
massiliensis Mill. II. 65
mexicana *H. B. et K.* II. 64
oleosa *Lour.* II. 64
reticulata W. II. 64
Terebinthus *L.* II. 64
β sphaerocarpa *DC.* II. 64
vera *L.* II. 64
β trifolia *L.* II. 64
γ narbonnensis *L.* II. 64
Pistorinia *DC.* III. 399
hispanica *DC.* III. 399
Pisum *Tourn.* II. 368 *L.* II. 368
americanum *Mill.* II. 368
arvense *L.* II. 368
biflorum Rafin. II. 374
elatum *MB.* II. 368
fulvum *Sibth. et Sm.* II. 369
humile Mill. II. 368
Jomardi *Schrank* II. 369
maritimum *L.* II. 368
β glabrum *Ser.* II. 368
Ochrus L. II. 375
sativum *L.* II. 368
α saccharatum *Ser.* II. 368
β macrocarpum - - -
γ umbellatum *L.* - -
δ quadratum *L.* - -
ε humile *Poir.* - -

Pisum
sativum arvense Poir. II. 368
thebaicum *Bk.* II. 369
umbellatum Mill. II. 368
Pithuranthos Viv. DC. IV. 144 (Deverra)
denudatus Viv. IV. 144
Pitonia DC. IV. 359 (Exostemma)
PITTOSPOREAE *R. Br.* I. 345
Pittosporum *Banks* I. 346
arbutifolium Hortul. I. 346
capense Hortul. I. 346
chinense Donn. I. 346
coriaceum *Ait.* I. 346
expense *Nois.* I. 347
ferrugineum *Ait.* I. 346
β filarium *DC* I 347
fulvum *Rudg.* I. 346
hirsutum Link I 347
hirtum *W.* I. 347
taurifolium *W.* I. 347
phylliraeoides *DC.* I. 347
revolutum *Ait.* I. 346
sinense Desf. I. 346
tenuifolium *Gaertn.* I. 347
Tobira *Ait.* I. 346
tomentosum *Bonpl.* I. 346
tuberculatum *Zeyh.* I. 347
umbellatum *Gaertn.* I. 347
undulatum *Andr.* I. 346
viridiflorum *Sims* I. 346
Pitumba Aubl. II. 48
guianensis Aubl. II. 50
Pituranthos vid. Pithuranthos
Placoma Pers. IV. 577 *Gmel.* IV. 577
pendula Poir. IV. 577
Plagianthus *Forst.* I. 477
divaricatus *Forst.* I. 477
Plagiorutis Ser. II. 188 (Melilotus)
Plaso Rheed. Adans. II. 414
Platanocephalus Vaill. DC IV. 538 (Cephalanthus)
Platycapnos DC. I. 130 (Fumaria)
Platychilum *Delaun.* II 116
Celsianum *Delaun.* II. 116
Platylobium *Sm.* II. 116
formosum *Sm.* II. 116
lanceolatum Andr. II 117
microphyllum Sims II. 117
Platylobium
obcordatum *DC.* II. 1[illegible]
obcordatum Vent. II.
ovatum *Andr.* II. 116.
parviflorum *Sm.* II. 11[illegible]
reticulatum Sieb. II.
scolopendrium Andr.
triangulare *R. Br.* II.
Platymene DC. IV. 72
Platymerium *Bartl.* IV.
glomeratum *Bartl.* IV.
Platyspermum Koch IV.
Hoffm. DC. IV. 216
littorale Koch IV. 21
muricatum Hoffm. et
pulcherrimum Koch
Plectritis *DC.* IV. 631
congesta *DC.* IV. 631
Plectronia *L.* IV. 475
chinensis Lour. IV.
corymbosa Burm. II.
corymbosa Rich. IV.
hirsuta *DC* IV. 476
madagascariensis *Rich.*
ventosa *L.* IV. 476
Plenckia fl. mex. I. 724
Plenckia setiflora Roth
Pleroma *DC.* III. 151 *Don*
diffusum *DC.* III. 152
granulosum Don III.
heteromallum *Don* III.
holosericeum Don III.
laxum *DC.* III. 151
lediifolium *DC.* III. 151
mexicanum *DC.* III. 152
ochypetala Don III.
trichopodum *DC.* III.
villosum *DC.* III. 152
vimineum *Don* III. 151
Pleurandra *Labill.* I. 71 *Ro*
acerosa *R. Br.* I. 73.
acicularis *Labill.* I. 73
bracteata *R. Br.* I. 71
calycina *DC.* I. 73
cinerea *R. Br.* I. 72
Cneorum *DC.* I. 71
empetrifolia *DC.* I. 72
enervia *DC.* I. 72
ericaefolia *DC.* I. 72

ida
[illegible] R. Br. I. 72
[illegible] DC. I. 72
[illegible] DC. I. 72
R. Br. I. 73
Lehill. I. 72
[illegible] Lehill. I. 72
[illegible] R. Br. I. 72
[illegible] R. Br. I. 72
[illegible] Br. I. 72
[illegible] Br. I. 72
Br. I. 72
Br. I. 73
[illegible] DC. IV. 475 (Canthium)
[illegible] DC. II. 326 (Desmodium)
RHIZEAE DC. I. 132
RHIZEAE A[illegible]EPTAE DC. I. 175
RHIZEAE LAPTAE DC. I. 156
RHIZEAE LOCEAE DC. I. 186
RHIZEAE NUCACEAE DC. I. 184
RHIZEAE SAPATAE DC. I. 185
RHIZEAE SIOSAE DC. I. 132
[illegible] Hoffm. IV. 244
Hoffm. IV. 244
[illegible] Hoffm. IV. 244
[illegible]ffm. IV. 244
Raffn. III. 64
[illegible]. III. 64
[illegible]. III. 263
[illegible] L. fil. III. 263
III. 263
II. 263
IV. 577 Spr. IV. 577
[illegible]. IV. 577
[illegible]. I. 624
II. 165
II. 183
Nees. II. 69

Podagraria Rev. IV. 114
Aegopodium Moench IV. 114
Podalyria Lam. II. 101 Mx. II. 100 Poir. II. 97
alba W. II. 100
alpina W. II. 99
argentea Salish. II. 102
argentea W. II. 523
aurea W. II. 98
australis Vent. II. 100
biflora Sims II. 102
Burchellii DC. II. 101
buxifolia Lam. II. 102
buxifolia W. II. 102
calyptrata W. II. 102
capensis Andr. II. 98
coerulea Pursh II. 100
cordata R. Br. II. 102
cuneifolia Vent. II. 101
genistoides W. II. 101
glauca DC. II. 102
hirsuta W. II. 101
liparioides DC. II. 102
lupinoides W. II. 99
mollis Mx. II. 100
myrtillifolia W. II. 101
obcordata Lam. II. 168
parvifolia DC. II. 102
perfoliata Mx. II. 100
racemulosa DC. II. 102
sericea R. Br. II. 101
styracifolia Sims II. 102
subbiflora DC. II. 102
tinctoria Sims II. 100
uniflora Mx. II. 100
villosa Mx. II. 100
Podolobium R. Br. II. 103
aciculare DC. II. 103
coriaceum DC. II. 103
scandens DC. II. 103
β humifusum DC. II. 103
sericeum DC. II. 103
stauriophyllum Web. II. 103
trilobatum R. Br. II. 103
Podopetalum Grand. IV. 154
PODOPHYLLACEAE DC. I. 111
PODOPHYLLEAE DC. I. 111
Podophyllum L. I. 111
callicarpum Raffn. I. 111
peltatum L. I. 111
Podoria senegalensis Pers. I. 244

Poincia Nack. II. 483
Poinciana *L.* II. 483
elata Burm. II. 484
bijuga Burm. II. 484
bijuga L. II. 482
cassioides Poir. II. 483
coriaria Jacq. II. 483
elata *L.* II. 484
insignis *Kunth* II. 484
mucronata Poir. II. 483
pulcherrima Burm. II. 484
pulcherrima *L.* II. 484
punctata Poir. II. 483
Tara R. et Pav. II. 481
Poiretia *Vent.* II. 315 *Sm.* II. 115
aristata Desv. II. 314
latisiliquosa *Desv.* II. 316
linearis Sm. II. 115
procumbens Gmel. IV. 433
psoraloides *DC.* II. 315
punctata Desv. II. 315
scandens *Vent.* II. 315
Poitaea *DC.* II. 263
Campanilla *DC.* II. 263
galegoides *Vent.* II. 263
viciaefolia *DC.* II. 263
Poitea Vent. II. 263
Poivrea *Comm.* III. 17
aculeata *DC.* III. 18
alternifolia *DC.* III. 18
coccinea *DC.* III. 18
criopetala *DC.* III. 18
Roxburghii *DC.* III. 18
Polanisia *Raf.* I. 242
angulata *DC.* I. 242
Chelidonii *DC.* I. 242
dianthera *DC.* I. 242
dodecandra *DC.* I. 242
felina *DC.* I. 242
graveolens *Raf.* I. 242
oxyphylla *DC.* I. 242
unglandulosa *DC.* I. 242
viscosa *DC.* I. 242
α
β
Polia Lour. III. 373
cymaria Lour. III. 376
Pollichia *Sol.* III. 377
campestris *Ait.* III. 377
POLLICHIEAE *DC.* III. 377
Polyactium DC. I. 655 (Pelargonium)
Polyanthea DC. III. 322 (Passiflora)
Polycardia *Juss.* II. 10
Polycardia
epiphylla Sm.
madagascarica
phyllanthoides
Polycarpaea *Lam.*
aristata *Ch. Sm.*
carnosa *Ch. Sm.*
corymbosa *Lam.*
depressa *DC.* II
fragilis *Delil.* II
α incana
β virens
glabrifolia *DC.*
gnaphaloides *Poir.*
indica Lam. II
latifolia *Poir.* II
linearifolia *DC.*
metaphitica *Del.*
microphylla Ca.
minuartioides *DC.*
Smithii *Link* II
spadicea *Lam.*
stellata *DC.* III.
Teneriffae *Lam.*
tenuifolia *DC.* II
POLYCARPAE
Polycarpon *Loefl.*
Kova
alsinefolium *DC.*
apurense *H. B.*
bifidum Cav.
magellanicum
peploides *DC.* II
stipulifidum Po.
tetraphyllum *L.*
β diphyllum *DC.*
uniflorum Wa.
Sieb. N. H. Nr. 5
Polygala *Tourn.*
acuminata W.
adenophora *DC.*
adscendens *Clar.*
aestuans L. I.
affinis *DC.* I. 32
alba *Nutt.* I. 33
alopecuroides
alpina Poir. I.
amara Bess. I.
amara *L.* I. 325
α australis *Chaix*
β alpestris *DC.*
γ caespitosa
δ alpina

[redacted]

... DC. I. 325
...
...utt. I. 329
...Vill. I. 330
...mb. I. 332
...ides W. I. 324
... I. 328
...I. B. et K. I. 330
... I. 328
... I. 326
...rch. I. 323
... 327
...I. B. et K. I. 329
...utt. I. 329
...rantz I. 325
... I. 329
... I. 328
...et K. I. 327
Burch. I. 322
DC. I. 326
...urm. I. 236
...orsk. I. 322
I. 322
I. 322
...hunb. I. 322
L. I. 323
L. I. 322
I. 333
...t. I. 328
... I. 322
... et K. I. 331
...sf. herb. I. 327
B. et K. I. 331
... I. 332
L. I. 331
... 331
... 334
... 330
...urch. I. 322
...abr I. 325
...unb. I. 321
... I. 329
Buch I. 327
DC. I. 329
... 328
... I. 328
... I. 329
... I. 325
... I. 334
Jacq. I. 335
... I. 332
... I. 332

Polygala
empetrifolia Houtt. I. 323
ephedroides Burch. I. 328
ericaefolia DC. I. 323
ericoides Burm. I. 337
ericoides Poir. I. 337
erioptera DC. I. 326
exilis DC. I. 325
fasciculata Poir. I. 337
fastigiata Nutt. I. 328
filiformis Thunb. I. 336, 337
flavescens DC. I. 324
frutescens Burm. I. 308
fruticosa Berg. I. 321
galioides Poir. I 329
Garcini DC. I. 323
genistoides Poir. I. 323
β ephedroides Burch. I. 323
γ spartioides - - - -
glandulosa H. B. et K. I. 331
glaucoides L. I. 326
glochidata H. B. et K. I. 329
glomerata Lour. I. 326
glumacea Sibth. et Sm. I. 325
gnidioides W. I. 327
gracilis H. B. et K. I. 328
graminifolia Poir. I. 329
guineensis W. I. 332
hebecarpa DC. I. 330
hebeclada DC. I. 331
Heisteria L. I. 335
hispida Burch. I. 323
humilis Lodd. I. 337
hybrida DC. I. 325
hygrophila H. B. et K. I. 327
japonica Houtt. I. 324
javana DC. I. 327
incarnata Aubl. I. 327
incarnata L. I. 327
intermedia DC. I. 322
juniperifolia Poir. I. 336
juniperina Cav. I. 332
lanceolata Poir. I. 339
laxa Thunb. I. 337
leptalea DC. I. 325
leptophylla Burch. I. 323
leptorhiza DC. I. 326
ligularis Ker. I. 322
linariaefolia Poir. I. 333
linearifolia W. I. 326
linearis Lag. I. 325
linoides Poir. I. 330
longicaulis H. B. et K. I. 327
longifolia Poir. I. 332
lupulina W. I. 328

Polygala
lutea *L.* I. 328
lutea β Mx. I. 328
macra *DC.* I. 323
macroptera *DC.* I. 332
major *Jacq.* I. 324
Martii *DC.* I. 332
mexicana *A. mex.* I. 333
micrantha Thunb. I. 336
micrantha W. I. 336
microlopha *Burch.* I. 322
microphylla *L.* I. 332
microphylla Thunb. I. 333
mixta Andr. I. 336
mixta Thunb. I. 336
mollis *H. B. et K.* I. 330
monninoides *H. B. et K.* I. 331
monspeliaca. All. I. 325
monspeliaca *L.* I. 325
monspeliaca Vill. I. 325
monticola *H. B. et K.* I. 330
mucronata *W.* I. 333
multicaulis *Turcz* I. 333
multiflora *Poir.* I. 333
myrtifolia *L.* I. 322
α vera *DC.* I. 322
β angustifolia *DC.* I. 322
γ rosmarinifolia
myrtilloides *W.* I. 333
nana *DC.* I. 328
Neaei *DC.* I. 329
nova Boiss. I. 325
nummularia *Burch.* I. 322
nutkana *Muç.* I. 338
obtusata *DC.* I. 326
oligophylla *DC.* I. 325
oppositifolia *L.* I. 321
ovalifolia *DC.* I. 331
ovata Poir. I. 330
oxycoccoides *Desf.* I. 324
oxyphylla *DC.* I. 331
paniculata Forsk. I. 326
paniculata *L.* I. 329
β brasiliana *DC.* I. 329
γ africana
parviflora Poir. I. 337
paucifiora Thunb. I. 337
paucifolia *W.* I. 331
peduncularis *Burch.* I. 323
Penaea *L.* I. 335
persicariaefolia *DC.* I. 326
phylicoides Thunb. I. 337
pilosa Poir. I. 337
pinifolia *Lam.* I. 323
pinnata Burm. I. 333 II. 230
podolica *DC.* I. 326
Polygala
polygama *Walt.*
polyphylla *DC.* I.
procumbens *Rott*
β angustifolia
prostrata *W.* I. 3
pubescens Mart
pubescens *Nutt.*
pubiflora *Burch.*
pungens *Burch.*
purpurea Ait. I.
purpurea *Nutt.* I.
ramosissima *Cav.*
rariflora *DC.* I. 33
refracta *Burch.* I
repens Merat I.
rigens *Burch.* I.
rivinaefolia *H. B.*
rosea *Desf.* I. 32
rubella *Pursh* I.
rupestris Pourr
salicifolia Poir.
sanguinea *L.* I. 32
sanguinea Mx.
saxatilis *Desf.* I.
scoparia *H. B. et*
Senega *L.* I. 330
serpyllifolia *Poir.*
setacea *Mx.* I. 328
sibirica *L.* I. 324
simplex *Burch.* I.
spartioides Burc
speciosa *Sims* I. 3
spectabilis *DC.* I.
spinosa L. I. 338
squarrosa Thun
Stellera *DC.* I. 327
stipulacea L. I. 3
striata Thunb. I.
subtilis *H. B. et K*
sulcata *W.* I. 332
supina *Schreb.* I. 3
telephioides *W.* I.
tenella *W.* I. 332
tenuifolia Ait.
tenuifolia Poir.
tenuifolia *W.* I. 32
tenuis *DC.* I. 329
teretifolia *Thunb.*
tetragona *Burch.* I
thea Burm. I. 333
theezans *L.* I. 333
thesioides *W.* I. 32
Thumbergii *DC.* I.
thymifolia Thunb
Timoutou *Aubl.* I.

Vahl I. 332
Thunb. I. 332
Vahl I. 326
Mart. I. 332
L. I. 327
I. 333
Thunb. I. 335
Burm. I. 333
Pers. I. 328
Thunb. I. 332
Mart. I. 332
Poir. I. 333
Ker. I. 331
DC. I. 326
Bess. I. 325
H. B. et K. I. 328
DC. I. 328
ert. I. 332
Juss. I. 331
Kibth. et Sm. I. 324
L. I. 329
Lejeun. I. 325
Houtt. I. 338
Aubl. I. 330
ahl I. 330
unb. I. 332
s Nutt. I. 328
s Poir. I. 328
I. 324
. I. 325
DC. I. 325
Lejeun. I. 325
DC.
lia -
ra -
Thunb. I. 324
EAE *Juss.* I. 321
DC. I. 324 (Polygala)
a Vaill. Adans. Dill. III. 366, 367
et Pav. II. 591
B. et K. II. 591
H. B. et K. II. 591
. et Pav. II. 591
B. et K. II. 591
um. IV. 275
Blum. IV. 275
m Blum. IV. 276
Blum. IV. 276
ich. IV. 494
ur. IV. 494

Polyozus
acuminata *Blum.* IV. 494
barbata *Sm.* IV. 495
hippinnata Lour. IV. 495, 628
lanceolata *Laur.* IV. 494
latifolia *Blum.* IV. 494
maderaspatana *DC.* IV. 495
Polyphragmon *Desf.* IV. 445
minus *Rich.* IV. 445
sericeum *Desf.* IV. 445
Polypremum. Adans. IV. 630
Polyscias *Forst.* IV. 257
pinnata *Forst.* IV. 257
umbellata Spr. IV. 257
Polytaenia *DC.* IV. 196
Nuttallii *DC.* IV. 196
POMACEAE *Juss.* II. 626
Pomaderris *Labill.* II. 33
acuminata Link II. 33
apetala *Labill.* II. 33
aspera *Sieb.* II. 33
discolor Sieb. II. 33
discolor *Vent.* II. 33
elliptica *Labill.* II. 33
ferruginea Sieb. II. 33
intermedia *Sieb.* II. 33
lanigera *Sims* II. 33
β
ligustrina *Sieb.* II. 34
multiflora Sieb. II. 33
obscura Sieb. II. 33
phylicifolia *Lodd.* II. 34
phylliraeoides *Sieb.* II. 33
viridirufa Sieb. II. 33
Pomaderroides DC. II. 32 (Ceanothus)
Pomangium Reinw. IV. 417
montanum Blum. IV. 418
Pomaria *Cav.* II. 485
glandulosa *Cav.* II. 485
Pomatium *Gaertn.* IV. 391
spicatum *Gaertn.* IV. 391
Pomax *Soland.* IV. 615
glabra *DC.* IV. 615
hirta *DC.* IV. 615
umbellata Soland. IV. 615
Pombalia *Vand.* I. 306
Ipecacuanha Vand. I. 307
Itubu *Ging.* I. 307
$\alpha\beta\gamma\delta$ - - -
Pomereula tomentosa Domb. III. 190

Pometia Forst. I. 610
pinnata Forst. I. 610
ternata W. I. 610
Pompadoura Buchoz III. 2
Ponaea Schreb. I. 612
saponarioides W. I. 612
Pongamia *Lam.* II. 416
chinensis *DC.* II. 416
glabra *Vent.* II. 416
grandiflora *Vent.* II. 416
sericea *Vent.* II. 416
uliginosa *DC.* II. 416
Pongelion Rheed. II. 89
Pontana Nees et Mart. I. 725
Poppya Neck. III. 311
Populago Tourn. DC. I. 44 (Caltha)
minor Tab. I. 45
Porcelia *R. et Pav.* I. 88
grandiflora Pers. I. 87
nitidifolia *R. et Pav.* I. 88
parviflora Pers. I. 87
Porlieria *R. et Pav.* I. 707
hygrometrica *R. et Pav.* I. 707
Porophyllum Gaud. IV. 18
Porphyrion [illegible] *DC.* IV. 17 (Saxifraga)
Portenschlagia australis Tratt. II. 10
integrifolia Tratt. II. 10
Portesia Juss. I. 622
mucronata Cav. I. 623
ovata Cav. I. 623
Portlandia *P. Brown.* IV. 404 *Forst.* IV. 405 *Schreb.* IV. 350
acuminata *W.* IV. 405
coccinea *Sw.* IV. 405
coriacea Spr. IV. 405
corymbosa R. et Pav. IV. 360
grandiflora *L.* IV. 405
β latifolia *DC.* IV. 405
hexandra Jacq. IV. 350
tetrandra Forst. IV. 405
Portula Dill. III. 76
diffusa Moench III. 77
Portulaca *Tourn.* III. 350 *L.* III. 353, 355, 356 *Vahl* III. 455
Anacampseros L. III. 355
arabica *Forsk.* III. 355
arachnoides Haw. III. 355
aurea Hortul. III. 353
axilliflora *Pers.* III. 355
caffra *Thunb.* III. 355
compressa Domb. herb. III. 358

Portulaca
crassifolia [illegible]
cuneifolia [illegible]
decumbens [illegible]
domingensis [illegible]
filamentosa [illegible]
flava *Forst.* [illegible]
foliosa *Ait.* [illegible]
frutescens [illegible]
fruticosa Th[illegible]
guineensis L[illegible]
halimoides *L.* [illegible]
imbricata *For*[illegible]
involucrata [illegible]
lanata *Rich.* I[illegible]
lanceolata H[illegible]
lanuginosa *H.* [illegible]
latifolia Haw[illegible]
linearis Don[illegible]
linifolia For[illegible]
linifolia *Roxb.* [illegible]
marginata *H.* [illegible]
Meridiana L. [illegible]
mucronata *Lin*[illegible]
oleracea Haw[illegible]
oleracea *L.* III[illegible]
α sylvestris *D*[illegible]
β sativa [illegible]
paniculata J[illegible]
paniculata L[illegible]
parvifolia *Haw*[illegible]
patens Jacq. [illegible]
pilosa *L.* III. [illegible]
α setacea *DC.* [illegible]
prostrata De[illegible]
pusilla *H. B.* [illegible]
quadrifida *L.* [illegible]
β meridiana *D*[illegible]
racemosa L. [illegible]
reflexa Haw[illegible]
rubens Haw. [illegible]
rubricaulis *H.* [illegible]
sativa Haw. [illegible]
setacea Haw[illegible]
stelliformis [illegible]
stipularis B[illegible]
teretifolia *H.* [illegible]
triangularis [illegible]
trigona Thu[illegible]
umbraticola *H*[illegible]
viridis Hort[illegible]
Portulacaria *Jacq.* [illegible]
afra *Jacq.* III[illegible]
PORTULACE[illegible]
Posoqueria *Aubl.* [illegible]

[redacted]
m DC. IV. 375
Gaertn. IV. 389
Roxb. IV. 385
Roxb. IV. 386
Roxb. IV. 386
Roxb. IV. 378
R. et Schult.. IV. 376
DC. IV. 375
Haw. IV. 376
R. et Schult. IV. 375
Aubl. IV. 375
Roxb. IV. 386
Roxb. IV. 386
Blum. IV. 386
Roxb. IV. 386
Ten IV. 376
Roxb. IV. 386
DC. IV. 375
Roxb. IV. 386
II. 422
Aubl. II. 423
Pr. II. 423
II. 422
pinnatum Walt. III. 69
Walt. III. 69
L. II. 571 L. Juss. Lam. II. 571
W. et Kit. II. 578
les MB. II. 581
84
Ser. II. 584
Lapeyr. II. 584
DC. fl. fr. II. 578
Schlecht. II. 572
II. 582
Ser. II. 582
- - -
ca Trott. II. 582
Nestl. II. 582
n. II. 585
ca II. 580
II. 576
Wallr. II. 577
- - -
r. - -
a Ser. - -
- - -
- - -
diffusa Wallr. II. 577
rsh II. 581
s Jacq. II. 578

Potentilla
atrosanguinea Lodd. II. 579
aurea Hoppe herb. II. 576
aurea L. II. 576
β salisburgensis Ser. II. 576
γ pectinata - - -
aurea Nestl. II. 576
aurea var. L. II. 572
Biebersteinii Tratt. II. 581
biflora Schlecht. II. 586
bifurca L. II. 580
β subsericea Ser. II. 580
γ monstruosa Fisch. - -
bithynica Horn. II. 586
Bocconi Nestl. II. 585
Braunïana Nestl. II. 572
breviscapa Vest II. 585
calabra Ten. II. 577
canadensis L. II. 575
candicans H. et Bonpl. II. 582
β nana - - - - -
canescens Bess. II. 578
β inclinata Ser. - - 579
cardiopetala Bess. II. 579
caroliniana Poir. II. 575
caulescens L. II. 584
β petiolulosa Ser. II. 584
γ nivalis - - -
chinensis Ser. II. 581
chrysopetala Bess. II. 578
cicutariaefolia W. II. 580
cinerea Chaix II. 575
cinerea Rafin. II. 577
Clusiana Jacq. II. 584
collina Wibel II. 577
comaroides H. et Bonpl. II. 584
Comarum Scop. II. 583
coriandrifolia Don II. 583
corymbosa Pourr. II. 586
crocea Hall. fil. II. 576
dahurica Nestl. II. 579
debilis Schleich. II. 575
declinata Horn. II. 586
denticulosa Ser. II. 573
diffusa W. II. 579
dissecta Pursh II. 575
divaricata DC. II. 579
Dombeyi Nestl. II. 579
Egedii Wormsk. II. 582
elatior Schlecht. II. 573
elongata Goldb. II. 577
emarginata Pursh II. 586
Filipendula Schlecht. II. 580

Potentilla
flagellaris Schlecht. II. 574
flagellaris *W. herb.* II. 575
floribunda Pursh II. 579
formosa Don II. 579
Fragaria *Poir.* II. 585
β emarginata *Ser.* II. 586
Fragaria β micrantha Nestl. II. 585
fragariastrum Ehrh. II. 586
fragarioides Habl. II. 580
fragarioides *L.* II. 583
fragarioides W. II. 580
fragiformis W. II. 572
fragiformis *W. herb.* II. 586
frigida *Vill.* II. 572
frigida α DC. fl. fr. II. 572
frigida β DC. fl. fr. II. 572
fruticosa *L.* II. 579
β dahurica *Ser.* II. 579
γ tenuiloba - - -
fruticosa alba Busch II. 584
fruticosa β Lehm. II. 579
fruticosa β Nestl. II. 579
geoides *MB.* II. 580
geranioides Schleich. II. 576
geranioides *W.* II. 576
glabra *Lodd.* II. 584
glacialis *Hall. fil.* II. 572
grandiflora *L.* II. 572
β fragiformis *Ser.* II. 572
γ pyrenaica - - 573
δ minor *Venetz* II. 573
grandiflora Scop. II. 573
Güntheri Pohl II. 577
Halleri *Ser.* II. 576
β latiloba *Ser.* II. 576
γ minor - - -
helvetica Schleich. II. 572
heptaphylla *Mill.* II. 586
Heynii *Roth* II. 580
hirsuta Mx. II. 573
hirsuta *Vahl* II. 573
hirta Lehm. II. 578
hirta *L.* II. 578
α rubens *Ser.* II. 578
β angustifolia *Ser.* II. 578
γ diversifolia - - -
δ astracanica - - -
ε recta - - -
ζ obscura - - -
η laciniosa - - -
hirta var. α DC. fl. fr. II. 578
hispida Nestl. II. 581

Potentilla
hispida W. II. 58
Humboldtiana T
humifusa *Nutt.* II.
hungarica Schle
hybrida *Wallr.* II
Jamesoniana *Grev*
impolita Wahlen
incisa *Desf.* II. 57
incisa Lag. II. 58
inclinata Vill. II
intermedia *L.* II. 5
β macropetala *Ser.*
λ elongata -
intermedia Thon
intermedia var.
laciniosa W. et
Lagascana *Ser.* II.
Leschenaultiana *Se*
leuconota *Don* II.
leucophylla Fisc
leucophylla Pall.
Lindackeri *Tausc*
lineariloba *fl. mex.*
longifolia Schlec
lucida W. II. 57
lupinoides W. II
macrantha *Ledeb.*
macrorhiza Schl
micrantha *Ram.* II
micropetala *Don*
microphylla *Don*
minima *Hall fil.*
β Brauniana *Ser.*
monspeliensis L.
Morisoni *DC.* II. 5
multifida *L.* II. 581
β cana *Ser.* II. 58
γ agrimonioides *Ser*
nana *Schlecht.* II.
nemoralis Lehm.
nemoralis Nestl.
nepalensis Don
nepalensis *Hook.*
Nestleriana Tra.
Neumayeriana *Tra*
nitida Jacq. II. 58
nitida *L.* II. 585
β multidentata *Ser.*
γ edentata -
nivalis Lapeyr.
nivea *L.* II. 571
β macrophylla *Ser.*
γ prostrata *Hoss*

β pallidior *Sw.* II. 571
ta *L.* II. 573
ta *Sut.* II. 572
alis *Schlecht.* II. 581
a *W.* II. 579
Jacq. II. 577
. II. 575
poda *Tausch* II. 578
a *Lehm.* II. 583
va *Gaud.* II. 578
et Kit. II. 575
a *Fisch.* II. 581
Nestl. II. 578
ris *Don* II. 583
ica *L.* II. 581
Ser. II. 581
chlecht. II. 577
. II. 578
ides *L.* II. 580
s *Schlecht.* II. 584
ns *Clairv.* II. 587
Br. II. 582
oir. II. 575
Ram. II. 573
es *H. et Bonpl.* II. 576
I. 579
II. 574
r. II. 574
a *Ser.* II. 574
. II. 578
l. fil. II. 583
II. 583
. II. 579
DC. fl. fr. II. 576
tepb. II. 583
nsis *Haenk.* II. 576
Schlecht. II. 581
a *W.* II. 575
I. 582
. II. 575
. II. 586
Ram. II. 584
Wall. II. 582
a *Lehm.* II. 580
. II 578
r *Jacq.* II. 575
r *Lapeyr.* II 575
L. II. 573
Ser. II. 573
I. 580
Schlecht. II. 581
chlecht. II. 579
Schlecht. II. 579

Potentilla
tetrapetala Hall. fil. II. 574
Thomasii *Ten.* II. 576
thuringiaca *Bernh.* II. 578
Tormentilla *Nestl.* II. 574
β latiloba *Ser.* II. 574
γ minima - - -
δ alpina *Pers.* - -
ε nemoralis *Ser.* - -
tridentata *Soland.* II. 585
umbrosa *Stev.* II. 574
uniflora *Ledeb.* II. 572
Vahliana Lehm. II. 573
Vaillantii Nestl. II. 584
Valderia *L.* II. 585
velutina Lehm. II. 573
verna *L.* II. 575
α vulgaris *Ser.* II. 575
β subpectinata *Ser.* II. 575
γ hirsuta *DC.* - -
δ cinerea *Ser.* - -
ε montana *Wallr.* - -
ζ vinealis - - -
verna var. Hall. fil. II. 575
verna α alpestris Wallr. II. 572
verna β campestris α Wallr. II. 575
β Wallr. II. 575
verna β pilosissima Ser. II. 576
verna β rubens Nestl. II. 576
verna γ nana DC. fl. fr. II. 572
verticillaris *Steph.* II. 581
villosa *Pursh* II. 573
virgata *Lehm.* II. 578
viscosa *Donn.* II. 581
Wallichiana *Ser.* II. 574
Potentillastrum Ser. II. 571 (Potentilla)
Poterium *L.* II. 594 *Clus.* II. 298
agrimonifolium *Cav.* II. 595
β hybridum *L.* - -
ancistroides *Desf.* II. 594
australe Sal. II. 592
caudatum *Ait.* II. 594
polygamum *W. et Kit.* II. 594
Sanguisorba *L.* II. 594
β puberulum *DC.* II. 594
spinosum *L.* II. 594
β crispum *DC.* II. 594
γ inerme - - -
villosum *Sibth. et Sm.* II. 595

Potima Pers IV. 496
Pouchetia *Rich.* IV. 393
africana *DC.* IV. 393
Poupartia *Comm.* II. 75
borbonica *Lam.* II. 75
Pourretia *W.* I. 477
arborea *W.* I. 477
platanifolia *H. et Bonpl.* I. 477
Poutaletsje Rheed. IV. 395, 413
Pozoa *Lag.* IV. 82 *Spr.* IV. 82
coriacea *Lag.* IV. 82
denticulata Lag. IV. 82
incisa Lag. IV. 82
Prangos *Lindl.* IV. 239
anisopetala *DC.* IV. 240
cylindracea *DC.* IV. 239
ferulacea *Lindl.* IV. 239
pabularia *Lindl.* IV. 239
thapsioides *DC* IV. 240
uloptera *DC.* IV. 239
Preonanthus DC. I. 17 (Anemone)
Priestleya *DC.* II. 121
axillaris *DC.* II. 122
capitata *DC.* II. 121
elliptica *DC.* II. 122
ericaefolia *DC.* II. 122
β - - -
graminifolia *DC.* II. 122
hirsuta *DC.* II. 121
laevigata *DC.* II. 121
myrtifolia *DC.* II. 121
sericea *DC.* II. 122
tecta *DC.* II. 122
teres *DC.* II. 122
tomentosa *DC.* II. 122
umbellifera *DC.* II. 122
vestita *DC.* II. 122
villosa *DC.* II. 122
β - - -
Prieurea *DC.* III. 58
senegalensis *DC.* III. 58
Primula mutabilis Lour. IV. 15
Prinoides DC. II. 16 (Prinos)
Prinos *L.* II. 16
ambiguus *Mx.* II. 17
ambiguus Pursh II. 17
atomarius *Nutt.* II. 17
confertus Moench II. 17
coriaceus *Pursh* II. 17
deciduus *DC.* II. 16
β aestivalis *DC.* II. 17
dioicus *Vahl* II. 17
glaber *L.* II. 17
Prinos
Gronovii Mx. II.
laevigatus *Pursh* I
lanceolatus *Pursh*
lucidus *Ait.* II. 17
montanus *Sw.* II. 1
nitidus *Vahl* II. 17
padifolius W. II.
sideroxyloides *Sw.*
verticillatus *L.* II. 1
β dubius *DC.* - -
Prionitis Delarb. I
Prockia *P. Brown.* I.
acuta fl. mex. I. 2
Crucis *L.* I. 260
β cordata *DC.* I. 2
deltoides *Lam.* I. 2
integrifolia *W.* I. 2
β ovata *Poir.* - -
lobata *Poir.* I. 261
macrostachya *fl. me.*
serrata *W.* I. 261
subcordata fl. me.
theaeformis *W.* I. 2
β laciniata *Poir.* -
Prockiaria DC. I. 2
Proserpinaca *L.* III. 6
palustris *L.* III. 67
palustris var. α
β
pectinata *Lam.* III.
Prosopis *L.* II. 446
affinis *Spr.* II. 448
bracteolata *DC.* II.
cumanensis *Kunth*
domingensis *DC.* II
dubia *H. B. et K.* I
dulcis *Kunth* II. 4
flexuosa *DC.* II. 44
horrida *Kunth* II.
inermis *H. B. et K.*
juliflora *DC.* II. 44
microphylla *H. B.*
pallida *Kunth* II. 4
Siliquastrum *DC.* I
spicigera *L.* II. 446
β adenanthera *DC.*
torquata *DC.* II. 44
Proteinia Ser. I. 36
Protium *Burm.* II. 7
javanicum *Burm.* I
Proustia Lag. IV. 8
Prunophora Neck.

Thurn. II. 532 *L.* II. 531
532, 535
Ehrh. II. 536
Mx. II. 533
Bigel. II. 539
L. II. 532
nigra Desf. II. 532
Thunb. II. 538
Ehrh. II. 536
W. II. 535
Poir. II. 538
Vill. II. 532
fl. mex. II. 539
W. II. 539
Balb. II. 532
Wall. II. 540
Lav. II. 581
Ait. II. 540
Ehrh. II. 533
Don II. 535
L. II. 535
Bigarella L. II. 535
Duracina L. II. 535
Ten. II. 533
Blackw. II. 534
Ehrh. II. 532
Ledeb. II. 534
L. II. 533
Ser. II. 533
Pers. - -
L. - -
- - -
- - -
- - -
Ser. - -
- - -
Ser. - -
cerea L. II. 534
juliana II. 532, 534
Thunb. II. 540
Pall. II. 537
Thunb. II. 538
Thunb. II. 540
Ker. II. 539
Thunb. II. 539
Stev. II. 538
Thunb. II. 538
Auct. II. 532
II. 532
Poir. II. 537
W. II. 539
L. II. 540
L. II. 540
Poir. II. 536
L. II. 539

Prunus
maritima *Wangenh.* II. 533
mirobolana Lois. II. 533
multiglandulosa Cav. II. 540
nigra Ait. II. 538
nigra Mill. II. 535
nigricans Ehrh. II. 535
occidentalis Sw. II. 540
Padus L. II. 539
paniculata Thunb. II. 539
pensylvanica L. II. 539
persicifolia Desf. II. 537
prostrata Labill. II. 538
pubescens *Poir.* II. 533
pubescens Pursh II. 539
pumila L. II. 537
pygmaea W. II. 538
pyramidalis DC. fl. fr. II. 534
rubra Ait. II. 539
rubra W. II. 539
salicifolia H. B. et K. II. 541
semperflorens Ehrh. II. 537
serotina Roth II. 537
serotina W. II. 540
sibirica L. II. 532
sinensis Pers. II. 539
sphaerocarpa Mx. II. 539
sphaerocarpa Sw. II. 540
spinosa *L.* II. 532
α vulgaris *Ser.* II. 532
β microcarpa *Wallr.* II. 532
δ macrocarpa - - -
ε ovata *Ser.* - -
spinosa Lois. II. 532
Susquehanae W. II. 538
tomentosa *Thunb.* II. 533
undulata Hamilt. II. 540
varia Ehrh. II. 535
virginiana fl. mex. II. 539
virginiana Mill. II. 540

Psathura *Comm.* IV. 462
borbonica *Gmel.* IV. 463
borbonica Roxb. IV. 463
corymbosa Gaertn. IV. 463
myrtifolia *Rich.* IV. 463
terniflora *Rich.* IV. 463
Psathyra Spr. IV. 462
Psatura Poir. IV. 462

Pselium *Lour.* I. 100
heterophyllum *Lour.* I. 100
Pseudacacia Tourn. II. 261
odorata Moench II. 261

Pseudaleia *Pet. Th.* I. 533
madagascariensis *DC.* I. 533

Pseudaleioides *Pet. Th.* I. 533
Thouarsii *DC.* I. 533
Pseudangelica DC. IV. 168 (Angelica)
Pseudobrasilium hort. Par. II. 66
Pseudocistus DC. I. 276 (Helianthemum)
Pseudolinum DC. I. 201 (Camelina)
Pseudosantalum amboinense Rumph IV. 262
Pseudosophora DC. II. 96 (Sophora)
Pseudostemma DC. IV. 360 (Exostemma)
Pseudostilbe DC. IV. 51 (Tiarella)
Psidium *L.* III. 232 *L. fil.* III. 231 *Neck.* III. 232
acutangulum *DC.* III. 233
β acidum *Mart. herb.* III. 233
amplexicaule Rich. III. 236
angustifolium Lam. III. 232
Araca *Raddi* III. 235
aromaticum *Aubl.* III. 233
β grandiflorum - - -
Brownianum *Mart. herb.* III. 236
caninum *Lour.* III. 238
caninum Mart. herb. III. 235
Cattlejanum *Sabine* III. 236
cinereum *Mart. herb.* III. 234
cordatum *Sims* III. 236
coriaceum Mart. herb. III. 236
Cujavillus Burm. III. 233
decaspermum L. fil. III. 231
decussatum *DC.* III. 235
densicomum *Mart. herb.* III. 235
desertorum *Mart. herb.* III. 236
dubium *H. B. et K.* III. 236
elegans Mart. herb. III. 240
fluviatile *Rich.* III. 235
grandifolium *Mart. herb.* III. 234
Guajava Raddi III. 234
Guaviroba *DC.* III. 235
guianense Pers. III. 235
guineense *Sw.* III. 235
hians *Mart. herb.* III. 234
incanescens *Mart. herb.* III. 234
indicum *Raddi* III. 237
latifolium *Link* III. 237
lineatifolium Pers. III. 232
littorale *Raddi* III. 235
maribense *Mart. herb.* III. 233
minus Mart. herb. III. 235

Psidium
montanum *Sw.* I
myrsinites *DC.* I
nigrum *Lour.* II
obovatum *Mart.*
oligospermum
oligospermum *Ma*
polycarpon *Lam*
pomiferum *L.* III
β sapidissimum *J*
pubescens *Mart*
pumilum *Vahl* II
β guadalupense *D*
punctulatum *DC.*
pygmaeum *Arru*
pyriferum *L.* III.
riparium *Mart. h*
rivulare *Mart. he*
roseum Mart. h
rubrum *Lour.* II
rufum *Mart. her*
striatulum *DC.* II
tenuifolium *Mart*
turbiniflorum *Ma*
vulgare Rich. I
Willemetianum *L*
Psilanthus DC. I

Psilobium *Jack.* IV
nutans *Jack.* IV.
tomentosum *Jack*
Psilostylis Andrz.
Psilostylum DC.

Psittacanthus Ma
Psophocarpus *Neck*
tetragonolobus *D*
Psoralea *L.* II. 216
acaulis *Step.* II. 2
aculeata *L.* II. 21
β *Thunb.* II. 218
alopecuroides P
americana L. II
angustifolia Ja
aphylla *L.* II. 217
arborea *Sims* II.
arenaria *Nutt.* II.
argentea *Thunb.*
argophylla Pur
astragalifolia *Poir*
aurea Poir. II
axillaris *L. fil.* II.
axillaris Poir.
bituminosa *L.* II.
bracteata *L.* II. 21

ta Poir. II. 243
ns Mx. II. 220
L.fil. II. 218
ginensis Jacq. II. 247
ginensis Poir. II. 247
ura Cav. II. 245
ta L. II. 218
Poir. II. 220
ata Brot. II. 218
Pursh II. 219
ta L. II. 230
. II. 244
Berg. II. 217
s Ait. II. 217
DC. II. 221
- - -
H.et Bonpl. II. 221
a Ell. II. 220
Pursh II. 219
es Jacq. II. 246
lla L. II. 247
lla Poir. II. 247
Pursh II. 219
DC. II. 217
Poir. II. 217
Ait. II. 245
Poir. II. 219, 220
L. II. 220
Sieb. II. 168
. II. 217
217
ma DC. II. 217
ll. II. 221
t. II. 219
a Bess. II. 216
Thunb. II. 218
fil. II. 216
Cav. II. 244
Pursh II. 219
Balb. II. 217
Poir. II. 244
Ait. II. 245
Burm. II 137
Thunb. II. 217
Pursh II. 220, 380
Lx. II. 220
. II. 245
Lin. II. 220
ta Frus. II. 219
ya DC. II. 220
a Mx. II. 220
Pers. II. 220
ta Thunb. II. 217
Jacq. II. 217

Psoralea
multijuga *Ell.* II. 220
mutabilis Cav. II. 245
Mutisii *H. B. et K.* II. 219
obtusifolia *DC.* II. 221
odoratissima *Jacq.* II. 216
Onobrychis *Nutt.* II. 220
ononoides Poir. II. 217
palaestina *Gou.* II. 219
parviflora Poir. II. 284
pedunculata Ker. II. 219
pentaphylla *L.* II. 219
phymatodes Jacq. II. 246
pinnata *L.* II. 216
plicata *Delil.* II 221
polystachya Poir. II. 221
prostrata *L.* II. 221
pubescens *Balb.* II. 220
pubescens W. II. 220
racemosa *Thunb.* II. 218
repens *L.* II. 217
rotundifolia *L. fil.* II. 218
rubescens *Lour.* II. 221
scandens *Mill.* II. 221
scutellata *Lour.* II. 221
sericea *Poir.* II. 219
sibirica *Poir.* II. 219
spicata *L.* II. 218
Stachydis *L. fil.* II. 218
Stachyos Thunb. II. 218
striata *Thunb.* II. 218
tenuiflora *Pursh* II. 220
tenuifolia *L.* II. 217
tetragonoloba L. II. 216
tetraphylla Poir. II. 315
tomentosa *Thunb.* II. 218
triflora *Poir.* II. 217
triflora Thunb. II. 216, 217
verrucosa *W.* II. 216
β intermedia *DC.* II. 216
violacea Poir. II. 243
virgata *Nutt.* II. 218

Psychanthus Rafin. DC. I. 321 (Polygala)

Psychine *Desv.* I. 224
stylosa *Desv.* I. 224

PSYCHINEAE DC. I. 224

Psychotria *L.* IV. 504, 537 *Juss.* IV. 504, 521, 619 *Lam.* IV. 504 *Poir.* IV. 503 *Rich.* IV. 504 *Sieb.* IV. 135 *Spr.* IV. 524 *W.* IV. 466, 503, 504 524
acutiflora *DC.* IV. 506

Psychotria
adenophylla *Wall.* IV. 520
agnata *DC.* IV. 505
alba *R. et Pav.* IV. 508
β tonsa *Cham. et Schlecht.* IV. 508
alba Spr. IV. 508
alpina Poir. IV. 528
alpina Sw. IV. 528
amethystina R. et Pav. IV. 527
amethystina β Bartl. IV. 527
anacardifolia W. IV. 527
anceps *H. B. et K.* IV. 511
angustifolia *Poir.* IV. 517
Antherura R. et Schult. IV. 503
ardisiaefolia H. B. et K. IV. 508
ardisiaefolia Spr. IV. 508
aristata *W.* IV. 518, 530
asiatica Lam. IV. 517
asiatica L. IV. 519
asiatica α Poir. IV. 517
attenuata *W.* IV. 518, 517
aurantiaca *Wall.* IV. 518
Aureola *Bartl.* IV. 513
axillaris var. α W. IV. 503
β W. IV. 504
bahiensis *DC.* IV. 509
α stylosa - - -
β staminea - - -
Balbisiana *DC.* IV. 517
barbata *Poir.* IV. 517
barbiflora *DC.* IV. 509
Berteriana *DC.* IV. 515
biaristata *Bartl.* IV. 513
bicolor *Bred.* IV. 518
borjensis *H. B. et K.* IV. 511
brachiata Dietr. IV. 527
brachiata Spr. IV. 516
brachiata *Sw.* IV. 515
bracteata *DC.* IV. 510
brevipes *DC.* IV. 511
Brownei *Spr.* IV. 517
byrsophylla Spr. IV. 531
calycina *H. B. et K.* IV. 511
capitata *R. et Pav.* IV. 507
capitata Sieb. IV. 531
capitellata *DC.* IV. 514
carthagenensis *Jacq.* IV. 511
carthagenensis Spr. IV. 511
chaenotricha *DC.* IV. 509
chimarrhoides *DC.* IV. 514
chrysorhiza Schum. IV. 450
circinnata W. IV. 528
citrifolia *Sw.* IV. 516

Psychotria
coccinea Poit.
coerulea R. et
collina *Labill.* I
commutata *DC.*
congesta *Spr.* I
connata *Wall.* I
cordifolia Diet
cordifolia H.
cornifolia *H. B.*
cornifolia W.
coriacea *Poir.* I
coriacea Spr. I
corymbosa Sieb
corymbosa *Sw.* I
crocea Sw. IV.
cumanensis *W.* I
cuneifolia *DC.* I
curviflora *Wall.*
cuspidata *Bred.*
cymosa *R. et Pa*
deflexa *DC.* IV. 5
densiflora W. I
denticulata *Wall.*
dichotoma *W.* I
diervilloides *H.*
divaricata Blu
divaricata *H. B.*
divaricata W.
divergens *Blum.*
domingensis Ja
elliptica *Ker.* IV.
elliptica W. IV.
emetica Gmel. I
emetica *Mut.* IV.
excelsa *H. B. et*
expansa *Blum.* I
exserta *DC.* IV. 5
fastigiata Spr.
ficigemma *DC.* IV
flavescens Spr.
flexuosa *W.* IV. 5
floribunda *H. B.*
floribunda var.
foetens *Sw.* IV. 5
formosa *Cham. et*
foveolata *R. et Pa*
foveolata Spr. I
furcata *DC.* IV. 51
gandarussaefolia *B*
glabrata Bartl.
glabrata Sieb. IV
glabrata Spr. IV.

Sw. IV. 517
jamaicensis Spr. IV. 517
H. B. et K. IV. 506
H. B. et K. IV. 512
R. et Pav. IV. 537
Hoffmans. IV. 509
Sieb. IV. 532
IV. 517
DC. IV. 507
DC. IV. 513
W. IV. 537
L. IV. 537
Roxb. IV. 537
pr. IV. 515
IV. 516
et K. IV. 512
V. 504
Spr. IV. 514
Sw. IV. 515
DC. - -
W. IV. 512
ora R. et Pav. IV. 528
des Pers. IV. 528
a Sw. IV. 466
a W. herb. IV. 508 466
artl. IV. 522
m. IV. 505
IV. 512, 528
IV. 505
a Spr. IV. 518
Nutt. IV. 513
Blum. IV. 521
IV. 512
Bert. IV. 514
Spr. IV. 516
v. IV. 516
Pav. IV. 527
I. 514
um. IV. 522
am. et Schl. IV. 508
ica - - - -
Blum. IV. 522
W. IV. 511
rtl. IV. 522
r. IV. 514
IV. 525
Poir. IV. 529
W. IV. 467, 529
Hoffmans. IV. 509
Sieb. IV. 523

Psychotria
lucida *H. B. et K.* IV. 511
lucida Spr. IV. 517
lucida W. IV. 518
lurida *Blum.* IV. 521
lutea Sieb. IV. 524, 622
lutea Spr. IV. 530
lutea W. IV. 467
luteo virescens Pers. IV. 527
macrobotrys R. et Pav. IV. 527
macrophylla *R. et Pav.* IV. 504
macrophylla Spr. IV. 530
macrophylla Vent. IV. 517
macropoda R. et Pav. IV. 537
magnoliaefolia *H. B. et K.* IV. 506
magnoliaefolia W. IV. 505
malayana *Jack.* IV. 520
manillensis *Bartl.* IV. 522
Mapouria *R. et Schult.* IV. 509
mapourioides *DC.* IV. 509
marginata *Sw.* IV. 516
mariana *Bartl.* IV. 522
maypurensis W. IV. 538
megalosperma Vahl IV. 461
membranacea *W.* IV. 518
membranifolia *Bartl.* IV. 522
mexicana *W.* IV. 513
micrantha *H. B. et K.* IV. 507
mitis R. et Pav. IV. 527
mollis *Poir.* IV. 513
mollis Spr. IV. 513
montana *Blum.* IV. 521
multiflora *Schum.* IV. 505
Myrtiphyllum *Sw.* IV. 516
nervosa Don IV. 520
nervosa *Sw.* IV. 514
neurotricha *DC.* IV. 505
nitida W. IV. 509
nitidula *Cham. et Schl.* IV. 508
nonatelioides *Cham. et Schl.* IV. 528
noxia *St. Hil.* IV. 508
nubica *Caill. et Delil.* IV. 518
nutans Sieb. IV. 524, 622
nutans *Sw.* IV. 515
obovata R. et Pav. IV. 527
obtusifolia *Lam.* IV. 519
obtusifolia Sieb. IV. 524
obvallata *Schum.* IV. 505
oligantha *DC.* IV. 514
oligotricha *DC.* IV. 514
ophioxyloides *Wall.* IV. 520
orinocensis *DC.* IV. 512
padifolia *W.* IV. 513

Psychotria
Palicourea Sw. IV. 530
paniculata *W.* IV. 510
β oblongata *DC.* IV. 510
parasitica *Sw.* IV. 516
parviflora W. IV. 510
patens *Sw.* IV. 515
Patrisii *DC.* IV. 510
patula Spr. IV. 508
patula W. IV. 508
pauciflora *Bartl.* IV. 522
Pavetta Sw. IV. 525
pedunculata Bartl. IV. 507
pedunculata *Sw.* IV. 517
pedunculosa Rich. IV. 526
petiolaris Spr. IV. 530
philippensis *Cham. et Schl.* IV. 505
Phytolacca *Poir.* IV. 518
Phytolacca Spr. IV. 505
pilosa *R. et Pav.* IV. 506
platyphylla *DC.* IV. 517
platypoda *DC.* IV. 510
polyantha *DC.* IV. 516
polyneura *DC.* IV. 520
portoriccensis *DC.* IV. 515
psathuroides *DC.* IV. 518
pubescens Bartl. IV. 513
pubescens *Sw.* IV. 515
punicea R. et Pav. IV. 526
quadrifolia Rudg. IV. 524
racemosa *Rich.* IV. 510
racemosa W. IV. 466
Reevesii *Wall.* IV. 519
repanda *R et Pav.* IV. 507
reticulata *R. et Pav.* IV. 506
reticulata Spr. IV. 518
revoluta *DC.* IV. 517
Rhinozerotis *Reinw.* IV. 521
rigida Spr. IV. 531
rigida W. IV. 531
robusta *Blum.* IV. 521
rostrata *Blum.* IV. 521
Roxburghii *DC.* IV. 519
ruhra Poir. IV. 503
rufescens Bartl. IV. 512
rufescens H. B. et K. IV. 512
rufescens *Spr.* IV. 512
α ferruginea *DC.* IV. 512
β hirta - - -
γ Haenkeana - - -
rufescens W. IV. 508
rugulosa *H. B. et K.* IV. 506
salicifolia *H. B. et K.* IV. 511
salicifolia W. IV. 518

Psychotria
sambucina *Link* I
sarmentosa *Blum*
scabriuscula *Bart*
scrobiculata Spr
serpens *L.* IV. 51
sessiliflora *W.* IV
Simira *R. et Schu*
sororia *DC.* IV. 5
speciosa *Forst.* I
sphaerocarpa *Wa*
splendens *Spr.* IV
stenophylla Spr
stipulacea Sw.
stipulacea *Wall.*
strepens Mart.
subtomentosa *R.*
sulphurea R. et
sylvatica *Blum.*
tabernaefolia P
tenuifolia *Sw.* IV
tetrandra *Blum.*
thyrsiflora R. e
tinctoria R. et
tinifolia W. IV
tortilis *Blum.* IV
trifida *R. et Pav.*
triflora *Schum.* I
trifolia Sieb. IV
truncata *Wall.* I
uliginosa *Sw.* IV.
umbellata *Schum*
undata *Jacq.* IV.
vaginans *DC.* IV.
viburnoides *H. B*
viburnoides W.
villosa *R et Pav*
violacea Auhl.
violacea W. IV
virgata *R. et Pa*
virgata jamaic
viridiflora *Reinw*
viridis *R. et Pav*
Wallichiana *Spr.*
Westii *DC.* IV.
Willdenowii *DC*
Sieb. Maur. 2,
- -
- -
- 27
- 33
Sieb. Trinit. No.
PSICHOTRI
Cham. et Sc

P. Brownii IV.
, 515, 517
Brotera IV. 537
C. P. 44. (Calcha)
IV. 476
IV. 476
IV. 476, 393
476
476
IV. 570 *Pohl* IV. 479
rt. IV. 571
hl IV. 480
s Pohl IV. 480
IV. 570
IV. 480
IV. 479
481
hl IV. 480
IV. 571
IV. 570
571
l IV. 481
rt. IV. 571
hl IV. 481

53, 11
r. II. 83
II. 83
II. 83
nex. II. 83
2
c. II. 83
I. 617
Kunth II. 82
II. 11
. 11
418
II. 419
oir. II. 421
DC. II. 418
II. 419
. II. 418
s. II. 420
419
II. 421
rr. II. 421
. II. 418
nex. II. 420
rh. II. 418
V. 419
418
II. 419

Pterocarpus
Brotaphyllum L. II. 420
erinaceus *Lam.* II. 419
flavus *Lour.* II. 419
glabra Retch. II. 421
gummifer *Bert.* II. 419
hemipterà Gaertn. II. 418
indicus Roxb. II. 418
indicus *W.* II. 419
latifolius Poir. II. 260
lunatus L. fil. II. 420
luteus Poir. II. 419
Marsupium *Roxb.* II. 416
microcarpus *Pers.* II. 419
Monitouchi Dam. II. 418
officinalis Jacq. II. 418
orbiculatus *A. mex.* II. 418
Peltaria *DC.* II. 419
Plumieri Poir. II. 421
pubescens Poir. II. 260
Rohrii *Vahl* II. 418
Rohrii W. II. 418
santalinoides *L'Herit.* II. 419
santalinus *L. fil.* II. 419
sapindoides *DC.* II. 419
scandens *Poir.* II. 419
senegalensis Vahl II. 419
suberosus *Pers.* II. 418
ternata Poir. II. 421
Pterocarya DC. I. 340 (Homina)
Pterocephalus *Vaill.* IV. 652 *Lag.* IV. 652
annuus Vaill. IV. 652
brevis *Coult.* IV. 652
Broussonetii *Coult.* IV. 653
canus *Coult.* IV. 653
diandrus Lag. IV. 652
dumetorum *Coult.* IV. 654
dumetorum var. pusilla Coult. IV. 654
lasiospermus *Link* IV. 653
lusitanicus *DC.* IV. 653
marcescens Moench IV. 652
niveus *Coult.* IV. 653
palaestinus *Coult.* IV. 652
β celsiricus *DC.* IV. 653
γ dalmaticus
papposus *Coult.* IV. 652
β diandrus *DC.*
Parnassi Spr. IV. 653
perennis *Vaill.* IV. 653
plumosus *Coult.* IV. 652
spathulatus *Coult.* IV. 653
tomentosus *Coult.* IV. 653
Vaillantii Lag. IV. 652
Pterogynus DC. II. 83 (Soulocarpus)

Pterolaena DC. I. 500 (Pterospermum)
Pterolepis DC. III. 140 (Osbeckia)
Pterolobium R. Br. II. 431
Pteroloma auriculatum Desv. II. 326
Pteromarathrum Koch IV. 239
Pteroneurum *DC.* I. 154
carnosum *DC.* I. 154
graecum *DC.* I. 154
β oriocarpum *DC.* I. 154
Pteropnonis DC. II. 165 (Ononis)
Pterospermum *Schreb.* I. 500
acerifolium *W.* I. 500
lanceaefolium *Roxb* I. 500
semisagittatum *Roxb.* I. 500
suberifolium *W.* I. 500
Pterotropis DC. I 176 (Thlaspi)
Ptilophyllum Nutt. DC. III. 69 (Myriophyllum)
Ptychodea dichotoma W. herb. IV. 414
sessiliflora W. herb. IV. 414
Ptychotis *Koch* IV. 107
achilleifolia *DC.* IV. 109
Ajowan *DC.* IV. 109
ammoides Koch IV. 108
anethifolia *DC.* IV. 108
barbata *DC.* IV. 109
coptica *DC.* IV. 108
β foeniculifolia *DC.* IV. 108
heterophylla *Koch* IV. 108
pubercula *DC.* IV. 109
Roxburghiana *DC.* IV. 109
Vargasiana *DC.* IV. 109
verticillata *Duby* IV. 108
Puatsjetti Rheed. I. 736
Pueraria *DC.* II. 240
tuberosa *DC.* II. 240
Wallichii *DC.* II. 240
Pugionium *Gaertn.* I. 185
cornutum *Gaertn.* I. 185
Pulsatilla Bauh. I. 16 *DC.* I. 16 (Anemone)
lutea Cam. I. 18
nigricans Stoerk I. 17
vernalis Mill. I. 16
Pulsatilloides DC. I 18 (Anemone)
Pultenaea *Sm.* II. 110
aristata *Sieb* II. 112
aspera *Sieb.* II. 113
biloba *R. Br.* II. 110
β scabra *Sieb.* II. 111
capitellata *Sieb.* II. 112
comosa *Sieb.* II. 113
daphnoides *Sm.* II. 110
Pultenaea
deltoidea Sieb. I
dentata *Labill.* II
echinula *Sieb.* II.
elliptica *Sm.* II. 1
β oblongifolia *Sie*
ericoides Vent.
euchila *DC.* II. 11
ferruginea *Rudg.*
flexilis *Sm.* II. 11
glaucescens Sie
hypolampra *Sieb.*
ilicifolia Andr.
juniperina *Labill.*
lanata Sieb. II.
linophylla *Sm.* II.
β amoena *Sieb.* I
microphylla *Sieb.*
nana Andr. II.
obcordata *Andr.*
paleacea *Sm.* II. 1
parviflora *Sieb.* II
phylicoides *Sieb.*
plumosa *Sieb.* II.
polygalifolia *Rud*
proteoides Sieb.
racemulosa *DC.* I
retorta Wendl.
retusa *Sm.* II. 11
rosmarinifolia
ruhiaefolia An
scabra R. Br. I
squarrosa *Sieb.* I
stipularis *Sm.* II.
stricta *Sims* II. 1
sylvatica Sieb.
tenuifolia *R. Br.*
thymifolia *Sieb.*
tuberculata Pe
vestita *R. Br.* II.
villifera *Sieb.* II.
villosa *Sm.* II 11
virgata Sieb. II.
Sieb. Nov. Holl.
Pumilea P. Brow
Punica *Tourn.* III.
Granatum *L.* III.
α rubrum *DC.* II
β albescens
nana *L.* III. 4
Pursuetha L. II. 4
Purshia *DC.* II. 541
tridentata *DC.* II.
Putoria *Pers.* IV. 5
calabrica *Pers.* I
indica *DC.* IV. 51

ıE *DC.* IV. 343, 575
non rutaefolium
fnans. et Link IV. 660.
rum Nect. II. 633 *DC.* II. 633 (Pyrus)
Comm. IV. 464
rsonii Gmel. IV. 464
a Rich. IV. 464
ma Roxb. IV. 464
pla Rich. IV. 464
Lam. IV. 464
ia Rich IV. 464
ha Rich. IV. 464
ria W. IV. 464
ll. II. 633 *Tourn. L.* II. 633, 638
C. II. 635
Lindl. II. 637
V. II. 636
bier W. II. 632
DC. II. 637
rmis Vill. II. 634
a Ait. II. 635
ifolia Sm. II. 633
Münch II 635
L. fil. II. 637
ia β W. II. 637
h. II. 636
olia DC. II. 636
lia - - -
DC. II. 635
Gaertn. II. 637
DC. II. 636
Scop. II. 629
. II. 635
riana DC. fl. fr. II. 634
ium L. fil. II. 632
spilus Lindl. II. 637
L. II. 633
Wallr. II. 634
r - - - -
DC. - -
L. II. 635
a Wangenh. II. 635
folia Sav. II. 628
ica II. 634
V. II. 632
L. II. 638
. II. 635
a Sm. II. 637
V. II. 636
lia Pall. II. 634
folia Steud. II. 634
Moench II. 637
Sm. II. 636

Pyrus
japonica Thunb. II. 638
integerrima Wall. II. 631
intermedia *Ehrh.* II. 636
α latifolia *DC. - -*
β angustifolia *DC. - -*
lanata *Don* II. 634
lanuginosa *DC.* II. 637
Malus *L.* II. 635
Malus β Ait. II. 635
Malus austera Wallr. II. 635
Malus mitis Wallr. II. 635
Malus sylvestris fl. dan. II. 635
melanocarpa *W.* II. 637
Michauxii *Bosc* II. 635
microcarpa *DC.* II. 636
nivalis *L. fil.* II. 634
Nussia *Don* II. 634
orientalis Horn. II. 634
ovalis W. II. 632
parviflora *Desf.* II. 635
persica Pers. II. 634
pinnatifida *Sm.* II. 636
β arbuscula *Poir.* II. 636
Pollveria L. II. 634
Pollwylleriana Bauh. II. 634
prunifolia *W.* II. 635
rubicunda *Hoffmans.* II. 637
salicifolia *L.* II. 634
salicifolia Lois. II. 634
salvifolia *DC.* II. 634
sanguinea Pursh II. 633
Sinai Desf. II. 634
sinaica *Thouin* II. 634
sinensis Poir. II. 638
Sorbus *Gaertn.* II. 637
spectabilis *Ait.* II. 635
spuria *DC.* II. 637
sylvestris Magn. II. 634
tomentosa *DC.* II. 637
torminalis *Ehrh.* II. 636
trilobata *DC.* II. 636
Pythagorea Rafin. III. 81
alata Rafin. III. 81
linearis Rafin. III. 81
Pyxidanthera spathulata Muehl. IV. 53

Q

Quadrella DC. I. 251 (Capparis)
Qualea *Aubl.* III. 28
calcarata Link III. 30
coerulea *Aubl.* III. 28

Qualea
cordata Spr. III. 26
ecalcarata *Mart.* III. 29
Gestasiana *St. Hil.* III. 28
grandiflora *Mart* III. 29
lutea Martius III. 30
multiflora *Mart.* III. 29
β pubescens - - -
parviflora *Mart.* III. 29
α tomentosa - - -
β glabrata - - -
γ discolor - - -
Perrini *Spr.* III. 29
rosea *Aubl.* III. 28
verticillata *Spr.* III. 29
Quamochitl Hern. II. 436
Quapoya Aubl. I. 558, 559
Pana-panari Aubl. I. 559
scandens Aubl. I. 559
Quarariba DC. I. 477 (Myrodia)
guianensis Aubl. I. 477
Quassia *DC.* I. 733
amara *L. fil.* I. 733
excelsa Sw. I. 733
polygama Wright I. 733
Simaruba L. I. 733
Quelusia Vand. DC. III. 36 (Fuchsia)
Queria *Loefl.* III. 379 *Gaertn.* III. 369
canadensis L. III. 369
capillacea Nutt. III. 369
hispanica *L.* III. 379
trichotoma *Thunb.* III. 379
QUERIACEAE *DC.* III. 379
Quillaja *Juss.* II. 547
Molinae *DC.* II. 547
Saponaria Mol. II. 547
Saponaria Poir. II. 547
Smegmadermos *DC.* II. 547
Quina glandulosa Ruiz. IV. 354
Quina-Quina Condam. IV. 352
Quinaria Lansium Lour. I. 537
Quintinia *Alph. DC.* IV. 5, 665
Sieberi *Alph. DC.* IV. 5
Quisqualis *Rumph* III. 22
ebracteata *Beauv.* III. 23
glabra *Burm.* III. 23
indica *L.* III. 23
indica Lour. III. 23
pubescens Beauv. III. 23
villosa *Roxb.* III. 23
Quivisia *Comm.* I. 620
decandra *Cav.* I. 620
heterophylla *Cav.* I. 621
Quivisia
ovata *Cav.* I. 621
oppositifolia *Cav.*
racemosa Pers.

R

Racaria *Aubl.* I. 61
sylvatica *Aubl.* I.
Rachicallis *DC.* IV.
caracasana *DC.* I
nitida *DC.* IV. 43
rupestris *DC.* IV.
Racoubea Aubl. I
guianensis Aul
Raddisia *Leand.* I.
arborea *Leand.* I
Radiana Rafin. I
petiolata Rafin.
Radiola *Gmel.* I. 4
linoides *Gmel.* I.
millegrana Sm.
Rafnia *Thunb.* II. I
Thu
amplexicaulis
angulata *Thunb.*
angustifolia *Thu*
axillaris *Thunb.*
cordata *Mart.* II.
cuneifolia *Thunb*
diffusa *Thunb.* I
elliptica *Thunb.*
erecta *Thunb.* II.
filifolia *Thunb* I
lancea *DC.* II. 1
opposita *Thunb.*
perfoliata W. I
retroflexa *Thunb*
spicata *Thunb.* I
triflora *Thunb.* I
Ramatuela H. B.
Ramatuella *DC.* III.
argentea *H. B. et*
Rambutan seu R
Ramena-Pou-Ma
Randia *Houst.* IV.
aculeata L. IV.
armata *DC.* IV. 3
capitata *DC.* IV.
chinensis Spr. I
drupacea *DC.* IV.
dumetorum *Lam.*

…pa *A. mex.* IV. 385
…bb *DC.* IV. 396
…C. IV. 387
…da *DC.* IV. 386
…fera *DC.* IV. 389
… *R. et Schult.* IV. 388
…ldiana *DC.* IV. 387
… *Lam.* IV. 385
…a DC. - -
…a *Lam.* IV. 386
…ra *Salisb.* IV. 388
…ia *DC.* IV. 386
…a *DC.* IV. 388
…a *DC.* IV. 388
… *DC.* IV. 388
…rieasis *DC.* IV. 389
…rica *Lam.* IV. 377
… IV. 385
…ae *DC.* IV. 388
…C. IV. 387
…C IV. 386
…*H. B. et K.* IV. 385
… *R. et Pav.* IV. 385
… *Lam.* IV. 386
…a *Lam.* IV. 401
…a *Roxb.* IV. 389
… *R. et Pav.* IV. 385
… *Roxb.* IV. 399
…. IV. 386
…a *R. et Pav.* IV. 385
… *DC.* IV. 388
… *DC.* IV. 387
…. *et Schult.* IV. 388
… *DC.* IV. 388
… *Blum.* IV. 385
… *Poir.* IV. 475
…*xb.* IV. 386
…ia *DC.* IV. 389
…a *DC.* IV. 387
… *DC.* IV. 387
…*amilt.* IV. 387
… *DC.* IV. 386
…CULACEAE *Juss.* I. 2
…CULACEAE
…PURIAE *DC.* I. 64
…*strum DC.* I. 27 (Ranunculus)
…CULEAE *DC.* I. 25
… *Bauh.* I. 26
… *L.* I. 34
…a *Walt.* I. 34
…*Banks et Sol.* I. 34

Ranunculus
aconitifolius *L.* I. 31
α humilis *DC.* I. 31
β crassicaulis *DC.* I. 31
γ intermedius - - -
δ platanifolius - - -
ε dealbatus - - -
aconitifolius L. I. 31
aconitifolius β Curt. I. 31
acris *L.* I. 36
β sylvaticus *DC.* I 36
γ multifidus - - -
adscendens *Brot.* I. 27
Agerii *Bertol.* I. 27
alismoides Rory I. 32
alpestris *L.* I. 31
β magellensis *Ten.* I. 31
γ Traunfellneri *Hoppe* I. 31
altaicus Laxm. I. 35
ammoides Pall. herb. I. 42
amplexicaulis *L.* I. 32
amplexicaulis var. α Gou. I. 32
anemonefolius *DC.* I. 37
angustifolius *DC.* I. 32
apiifolius Desf. I. 28
apiifolius *Pers.* I. 31
aquatilis *L.* I. 26
α heterophyllus *DC.* I. 26
β capillaceus - - -
γ caespitosus - - -
δ stagnatilis - - 27
ε peucedanifolius - - -
aquatilis var. B Schkuhr I. 26
arvensis *L.* I. 41
β *DC.* I. 42
asiaticus *L.* I. 29
α vulgaris *DC.* I. 29
β sanguineus *DC.* I. 29
γ tenuilobus - - -
asiaticus Mill. I. 29
asiaticus Thunb. I. 29
aureus Schleich. I. 37
auricomus *L.* I. 33
β procerior *DC.* I. 34
γ apetalus - - -
auricomus b. Biria I. 34
c. - - -
d. - - -
Belvisii *DC.* I. 40
biternatus *Sm.* I. 30
bonariensis *Poir.* I. 33
Bonplandianus *H. B. et K.* I. 40
brachiatus Schleich. I. 47

Ranunculus
bracteatus Schleich. I. 41
brevifolius *Ten.* I. 30
breviscapus *DC.* I. 33
Breynianus Crantz I. 36
brutius *Ten.* I. 36
bulbosus *L.* I. 41
β bracteatus *DC.* I. 41
bullatus *L.* I. 27
α parviflorus *DC.* I. 27
β grandiflorus - - -
bupleurifolius Lapeyr. I. 31
bupleuroides *Brot.* I. 32
canadensis Jacq. I. 40
cantoniensis *DC.* I. 43
cappadocicus *W.* I. 38
carolinianus *DC.* I. 40
cassubicus Gener. I. 34
cassubicus *L.* I. 34
caucasicus *MB.* I. 36
chaerophyllos *L.* I. 27
α vulgaris *DC.* I. 27
β gregarius - - -
γ flabellatus - - -
chaerophyllos var. a Biria I. 43
chaerophyllos var. δ. Biria I. 27
chaerophyllos var. ε. Biria I. 37
chaerophyllos var. ζ. Biria I. 38
chaerophyllus L. I. 27
Chamissonis *Schlecht.* I. 38
chilensis *DC.* I. 38
chius *DC.* I. 42
cicutarius *Schlecht.* I. 28
cochlearifolius R. et Pav. I. 29
collinus *R. Br.* I. 34
Columnae All. I. 31
cordatus guid. herb. Val. I. 32
cornutus *DC.* I. 42
corsicus DC. fl. fr. I. 41
cortusaefolius *W.* I. 29
β Teneriffae *Pers.* I. 29
crenatus *W. et Kit.* I. 34
creticus *L.* I. 29
β macrophyllos *Desf.* I. 29
creticus var. b. Biria I. 29
creticus lutifolius Clus. I. 29
Cymbalariae *DC.* I. 33
β americanus - - -
Cymbalariae Pursh I. 33
dealbatus Lapeyr. I. 31
debilis *Reyn.* I. 43
Ranunculus
delphinifolius *H.*
demissus *DC.* I.
dichotomus *Moç.*
diffusus *DC.* I. 3
digitatus Gilib
dissectus *MB.* I.
echinatus Cras
echinatus Vent
Eschscholtzii *Sch*
falcatus L. I. 2
falcatus MB. I.
fascicularis *MB.*
Ficaria L. I. 44
filiformis Mx.
flabellatus Desf
flagelliformis *Sm*
Flammula *L.* I. 3
β serratus *DC.*
γ ovatus - -
δ arenarius - -
Flammula Wal
Flammula var.
Flammula var.
flammuloides R
fluitans Oed. I.
fluviatilis Tab
Forskaehlii *DC.*
frigidus Schra
frigidus *W.* I. 3
fumariaefolius *D*
fumariaefolius
geoides *H. B. et*
geranioides *H. B*
glacialis *L.* I. 30
β aconitoides *DC.*
Gmelini *DC.* I. 3
Gouani *W.* I. 36
gracilis *DC.* I. 2
gracilis Schleic
gracilis Spr. I.
gramineus *L.* I.
α Ascaris *DC.* I.
β phoeniciifolius
γ hortensis
grandiflorus *L.* I.
gregarius Bro
Guananni *Humb*
hederaceus *L.* I.
heterophyllus
heterophyllus
heterophyllus
hirtus *Banks et*
hispidus *Mx.* I.

...
...*tus var. Mx.* I. 40
...*mni Schlecht.* I. 44
...*is Pers.* I. 33
...*s Biria* I. 30
...*tyle Domb.* I. 33
...*rus Rottb.* I. 35
...*s Langsd.* I. 38 *)
...*Thunb.* I. 29
...*Besl.* I. 28
...I. 28
...*ius Poir.* I. 41
...*R. Br.* I. 34
...*DC.* I. 30
...*us DC.* I. 43
...I. 29
...I. 31
...*DC.* I. 31
...*aumg.* I. 44
...*DC.* I. 43
...*Pall. herb.* I. 32
...*DC.* I. 34
...*L.* I. 37
...*us DC.* I. 37
- - -
...*politanus d'Urv.* I. 37
...*var. Pursh* I. 40
...*β DC. fl. fr.* I. 36
...*γ DC.* I. 37
...I. 39
...*DC.* I. 39
- - -
...I. 35
...*C.* I. 43
...I. 26
...32
...*nch* I. 42
...*Lam.* I. 32
...I. 38
...*DC.* I. 29
...*Urv.* I. 38
...*Poir.* I. 40
...*Vahl* I. 27
...*s DC.* I. 28
...*s Gou.* I. 28
...*L.* I. 28
...*DC.* I. 28
- - -
- - - -
...I. 36
...*DC.* I. 36
...*Biria* I. 35
...*Biria* I. 36

...

Ranunculus
multifidus Forsk. I. 43
multifidus *Pursh* I. 34
muricatus *L.* I. 42
β creticus *DC.* I. 42
γ carolinus *DC.* I. 42
δ tucumanensis *DC.* I. 42
ε brasilianus - - -
muricatus Moench I. 42
muricatus Mx. I. 42
Myosurus Afz. I. 25
myriophyllus *Russel* I. 28
nanus Fisch. I. 33
napaulensis *DC.* I. 39
napellifolius *DC.* I. 37
napellifolius var. Crantz I. 37
nemorosus *DC.* I. 37
α multiflorus *DC.* I. 37
β pauciflorus - - -
nivalis *Gunn.* I. 35
β sulphureus *Phipps* I. 35
nivalis Pall. I. 38
nivalis pygmaeus L. I. 35
nivalis α L. I. 35
nivalis β Wahlenb. I. 35
nodiflorus *L.* I. 43
β dentatus *DC.* I. 43
nodiflorus W. et Kit. I. 43
nodiflorus β Sims I. 43
nubigenus *H. B. et K.* I. 33
obtusifolius *Horn.* I. 44
obtusiusculus *Rafin.* I. 43
olyssiponensis Pers. I. 29
ophioglossifolius *Vill.* I. 43
oreophilus MB. I. 36
orientalis *L.* I. 28
β *DC.* I. 28
ovalis *Rafin.* I. 43
ovatus Pers. I. 32
oxyspermus *W.* I. 28
paludosus *Poir.* I. 27
palustris *L.* I. 41
α orientalis *DC.* I. 41
β corsicus - - -
palustris echinatus Feuill. I. 42
Pantothrix α DC. I. 26
parnassifolius *L.* I. 32
parviflorus Gou. I. 41
parviflorus *L.* I. 42
β acutilobus *DC.* I. 42
γ erectus - -
parviflorus var. c. Biria I. 42
parvulus L. I. 41

Ranunculus
pedatifidus *Sm.* I. 36
pedatus *W. et Kit.* I. 28
peduncularis *Sm.* I. 41
pensylvanicus *L.* I. 40
persicus *DC.* I. 39
peruvianus *Pers.* I. 35
petiolaris *H. B. et K.* I. 39
petroselinus *Biria* I. 28
peucedanifolius All. I. 27
Philonotis *Retz* I. 41
β intermedius *DC.* I. 41
γ parvulus - - -
pilosus *H. B. et K.* I. 39
pinnatus *Poir.* I. 42
α Sonneratii *DC.* I. 42
β Herrmanni - - -
pinnatus Poir. I. 42
plantagineus All. I. 31
plantagineus Pers. I. 32
platanifolius L. I. 31
platyspermus *Fisch.* I. 37
plebejus *R. Br.* I. 39
polyanthemos *L.* I. 37
polyanthemos Lob. I. 36
polyanthemos Sut. I. 37
polyanthemos β Wallr. I. 37
polymorphus All. I. 33
polyphyllus *W.* I. 33
polyrhizos *Steph.* I. 35
praemorsus *H. B. et K.* I. 40
primus Mart. I. 35
pubescens Lag. I. 43
Pumilio *R. Br.* I. 35
pumilus Thuill. I. 41
pusillus *Poir.* I. 32
pygmaeus *Wahlenb.* I. 35
pyrenaeus Gou. I. 36
pyrenaeus Jacq I. 41
pyrenaeus *L.* I. 31
β bupleurifolius *DC.* I. 31
γ plantagineus - - -
recurvatus *Poir.* I. 39
β Nelsonii *DC.* I. 40
repens *L.* I. 38
β erectus *DC.* I. 38
γ glabratus - - -
δ linearilobus *DC.* I. 38
reptans *L.* I. 32
β filiformis *DC.* I. 32
rhoeadifolius *DC.* I. 38
rigidus Pers. I. 26
rivularis *Banks et Sol.* I. 34

Ranunculus
rufulus *Brot.* I. 37
rutaefolius *L.* I. 30
rutaefolius Mill.
ruthenicus Jacq.
salsuginosus *Pall.*
sanguineus Mill.
saniculaeformis
sceleratus *L.* I. 34
β umbellatus *Rouy.*
γ minimus *DC.* I. 3
scutatus *W. et Kit.*
Seguieri *Vill.* I. 30
sericeus *Poir.* I. 3
sericeus W. I. 28
sessiliflorus *R. Br.*
sibbaldioides *H. B.*
siculus Petiv. I. 4
spicatus *Desf.* I. 2
α β γ *DC.* I. 29
stagnatilis Wallr
Steveni *Bess.* I. 36
sulphureus DC. I
sylvaticus Thuill.
ternatus *Thunb.* I.
Thomasii Ten. I.
Thora *L.* I. 30
Thora Sturm I. 3
Thora var. pet
W
Thora var. scu
W
tomentosus *Poir.* I.
trichophyllus Cha
tridentatus *H. B. et*
α major *DC.* I. 33
β minor - - -
trilobatus Kit. I.
trilobus *Desf.* I. 4
tripartitus *DC.* I.
α micranthus - -
β obtusiflorus - -
tuberculatus *Kit.* I.
tuberosus Horn.
tuberosus *Lapeyr.*
uliginosus *W.* I. 43
vallesiacus Sut. I
ventricosus Vent.
Villarsii *DC.* I. 36
villosus *DC.* I. 38
villosus St. Am. I.
RAPHANEAE *DC*
Raphanis DC. I. 228

itrum DC. I. 229 (Raphanus)
L. I. 228
tus W. I. 186
tus W. I. 229
tus DC. I. 229
s L. I. 228
thiferus W. I. 216
is Mill. I. 228
is L. fil. I. 219
s MB. I. 186
tus MB. I. 212
s W. I. 229, 218
Morett. I. 229
s Sm. I. 229
erat I. 218
ris Mill. I. 228
W. I. 240
pus Pers. I. 228
s Pers. I. 228
rum *L.* I. 229
C. I. 229
itrum var. Fisch. I. 229
Pers. I. 228
lius MB. I. 196
Mill. I. 228
DC. I. 229
I. 228
DC. I. 228
- - -
- - -
- - -
- - -
- - -
- - -
- - -
- - -
Mill. I. 228
L. I. 186
Fisch. I. 186
Pall I. 186
Lindl. II. 630
dl. II. 630
n *Lindl.* II 630
dl. II. 630
Lindl. II. 630
oerk. I. 227
DC. I. 227
DC. I. 227
Moench I. 226
DC. I. 227
um Guertn. I. 202
erg. I. 227

Rapistrum
rugosum All. I. 227
rugosum *Berg.* I. 227
β stylosum *DC.* - -
γ venosum - - -
Raputia *Aubl* I. 734
aromatica *Aubl.* I. 734
Conchocarpus Schult. I. 732
heterophylla *DC.* I. 734
Rarak Rumph. I. 608
Ratonia *DC.* I. 618
domingensis *DC.* I. 618
Ravia racemosa Nees et Mart. I. 731
resinosa Nees et Mart. I. 731
Razoumowskia Hoffm. IV. 277
capensis hort. mosq. IV. 283
caucasica Hoffm. IV. 283
Reaumuria *L.* III. 456
cistoides W. III. 456
hypericoides *W.* III. 456
linifolia Salish. III. 456
vermiculata *L.* III. 456
vermiculata α MB. III. 456
vermiculata β MB. III. 456
Recchia *Moç. et Sessé* I. 70
mexicana *Moç. et Sessé* I. 70
RECTEMBRIEAE CASSIEAE ET CERCEAE *Bronn.* II 473
Redoutea *Vent.* I. 457
heterophylla *Vent.* I 457
tripartita *H. B. et K.* I. 457
Reichardia *Roth* II. 484
decapetala *Roth* II. 484
hexapetala *Roth* II. 484
Reineria Moench DC. II. 251 (Tephrosia)
Relhania Gmel. II. 12
Remijia *DC.* IV. 357
ferruginea *DC.* IV. 357
Hilarii *DC.* IV. 357
paniculata *DC.* IV. 357
Vellozii *DC.* IV. 357
Requienia *DC.* II. 168
obcordata *DC.* II. 168
sphaerosperma *DC.* II. 168
Retanilla DC. II. 28 (Colletia)
Retinaria Gaertn. II. 38
scandens Gaertn. II. 40
Retiniphyllum *H. et Bonpl.* IV. 466
secundiflorum *H. et Bonpl.* IV. 466

Rex amaroris Rumph I. 335
Rhacoma L. II. 12
Crossopetalum L. II. 13
RHAMNEAE *R. Br.* II. 19
Rhamnus *Lam.* II. 23 *L.* II. 23 *Tourn.* II. 24 *Burm.* IV. 475
agrestis Lour. II. 22
Alaternus *L.* II. 23
α balearicus *Hort. paris.* II. 23
β hispanicus - - - -
γ vulgaris *DC.* II. 23
δ angustifolius *DC.* II. 23
alnifolius *L'Herit.* II 25
β franguloides *Mx.* II. 25
alnifolius Pursh II. 25
alpinus *L.* II. 25
amygdalinus *Desf.* II. 25
biniflorus *fl. mex.* II. 26
brasiliensis *Spr.* II. 27
burgundiacus Hort. paris. II. 23
buxifolius Brot. II. 24
buxifolius *Poir.* II. 24
capensis Thunb. II. 30
cardiospermus W. herb. II. 24
carolinianus *Walt.* II. 26
cassinoides *Lam.* II. 28
catharticus Hamilt. II. 24
catharticus *L.* II. 24
β hydriensis *Hacq.* II. 24
celtifolius *Thunb.* II. 24
circumscissus L. fil. II. 30
Clusii W. II. 23
colubrinus L. II. 31
coriacea Brouss. II. 24
coriaceus Nees II. 24
corymbosus *Vahl* II. 28
crenulatus *Ait.* II. 25
cuhensis Pers. II. 69
dahuricus *Pall.* II. 25
elegans *H. B. et K.* II. 26
ellipticus Ait. II. 31
Ephedra Domb. herb. II. 29
Erythroxylon *Pall.* II. 25
β angustissimus *DC.* - -
ferreus Vahl II. 30
filiformis *Roth* II. 28
Frangula *L.* II. 26
franguloides W. herb. II. 26
glandulosus *Ait.* II. 23
guayaquilensis *H. B. et K.* II. 27
heterogeneus Burm. II. 20
Humboldtianus *Schult.* II. 26
hybridus *L'Herit.* II. 23
Rhamnus
infectorius *L.* II.
integrifolius *DC.*
Jujuba L. II. 21
laevigatus Vahl
lanceolatus *Pursh*
latifolius *L'Herit.*
lineatifolius Sch
lineatus L. II. 2
lineatus Lour. I
lineatus Poir. II
longifolius *Dum-C*
longifolius Link
Lotus L. II. 19
lycioides *L.* II. 25
β arragonensis *Asa*
lycioides Pall. II
mauritianus Wi
microphyllus *W.* I
minutiflorus *Mx.* I
Mukouroune Lec
myrtinus *Burm.* I
mystacinus Ait.
Nabeka Forsk. II
Napeca L. II. 20
Oenoplia L. II. 21
oleoides Lam. II.
oleoides *L.* II. 24
Paliurus L. II. 2
paniculatus The
parviflorus *Klein e.*
pentaphyllus Jac
polifolius *Vahl* II.
prinoides *L'Herit.*
prunifolius *Sm.* II.
pubescens *Poir.* II.
pubescens Sibth.
pumilus Cav. II. 2
pumilus *L.* II. 25
β rupestris *DC.* II.
γ valentinus *W.* -
δ neapolitanus *DC.*
ε Wulfenii -
pumilus Wulf. II.
Pursbianus *DC.* II.
pusillus Ten. II. 2
quitensis *H. et Bon*
racemosus *Duham.*
ramiflorus *Rich.* II.
Retanilla Domb.
rotundifolius Dus
rupestris Scop. II.
rupestris Vill. II.
sanguineus *Pers.* II.

ius *Ort.* II. 26
phalus *L.* II. 30
L. II. 24
us *Spr.* II. 11
virens *Hortul.* II. 23
a *H.B. et K.* II. 27
a *H.B. et K.* II. 26
ianus *Schult.* II. 25
ur *Lour.* II. 22
a *Domb. herb.* II. 28
spermus *Sw.* II. 30
hristi *L.* II. 20
nis *Scop.* II. 24
lis *Hamilt.* II. 27
fl. mex. II. 26
L. fil. II. 27
b. II. 27
L. II. 26
urs. II. 27
W. et Kit. II. 24
Don II. 27
Hamilt. II. 27
Cav. II. 21
Ucria II. 72
Cav. II. 26
oxb. II. 24
Roxb fl. ind. II. 24
L. fil. II. 23
uce II. 28
viana *Schult.* II. 24
Spr. II. 25
Retz II. 21
Spr. II. 27
L. II. 19
564
a Bert. I. 516
L. I. 564
r. III. 121 *L. Bonpl.* II. 121 *Bonpl. Mart. krank* III. 106 *Sw.* 0 *Mart. et Schrank* III. 127 *Ser.* III. 114 *Mart. et Schr.* III. 125
era L. III. 88
ta Schrank III. 139
ium St. Hil. III. 111
Mart. et Schr. III. 126
ma Mart. et Schr. III. 133
ddi III. 130
rt. et Schr. III. 104
Walt. III. 122
Mart. herb. III. 140

Rhexia
alsinefolia Mart. et Schr. III. 118
alternans Mart. et Schr. III. 120
Amaxonum Schrank III. 123
angustifolia *Nutt.* III. 122
angusturensis Bonpl. III. 136
anomala Mart. et Schr. III. 109
aquatica Sw. III. 116
arenaria Mart. et Schr. III. 114
arenariaefolia Mart. et Schr. III. 120
armata Spr. III. 112
aspera W. III. 144
avicularis Mart. et Schr. III. 119
axillaris Pav. III. 101
baccharoides Mart. et Schr. III. 119
balsamifera Mart. et Schr. III. 110
berberifolia H. et Bonpl. III. 115
bicolor Anders. III. 152
bicuspis Schrank III. 123
bidentata Nees et Mart. III. 111
bilocularis Mart. et Schr. III. 114
bivalvis Vahl III. 117
blepharocentra Mart. herb. III. 103
(rectius *imbricata*)
Bonplandii Kunth III. 138
bracteolaris Mart. et Schr. III. 141
brasiliana *Roem.* III. 198, 202
brevifolia Rich. III. 117
bucardia Schrank III. 110
campanularis Bonpl. III. 136
Candolleana Mart. herb. III. 129
canescens Bonpl. III. 134, 138
capitata Rich. III. 141
cardinalis Bonpl. III. 134
cataphracta Mart. et Schr. III. 102
caudata Mart. et Schr. III. 186
cerastiifolia Mart. et Schr. III. 137
cernua Bonpl. III. 135
Chamaecistus Sieb. III. 134

Rhexia
chamaedrifolia Mart. et Schr. III. 111
Christophoriana Mart. et Schr. III. 107
ciliata Mart. herb. III. 103
ciliosa *Mx.* III. 122
cinerea Mart. herb. III. 124
circaeifolia H. et Bonpl. III. 116
Cochobambae Mart. et Schr. III. 120
compta Mart. et Schr. III. 103
conferta Bonpl. III. 135
cordata Spr. III. 118
cordigera Mart. et Schr. III. 124
corymbosa Mart. et Schr. III. 110
crassifolia Mart. et Schr. III. 104
crenulata Mart. et Schr. III. 111
dasystaminea Schrank III. 130
decussata Mart. et Schr. III. 124
dicrananthera R. et Pav. III. 138
diffusa Spr. III. 118
divaricata Bonpl. III. 133
diversifolia Bonpl. III. 122
echinata R. et Pav. III. 135
elachistophylla Mart. et Schr. III. 120
enervia Mart. et Schr. III. 119
ericoides Spr. III. 112, 120
Espora St. Hil. III. 111
estrellensis Raddi III. 130
euphorbioides Mart. et Schr. III. 119
excelsa Bonpl. III. 106
excoriata Mart. et Schr. III. 124
exul Mart. et Schr. III. 119
fasciculata Mart. et Schr. III. 119
fasciculata *Spr.* III. 198
firmula Mart. et Schr. III. 104
fissinervia Mart. et Schr. III. 130
flexuosa R. et Pav. III. 131
floribunda Mart. herb. III. 103
Fontanesii Bonpl. III. 130
fothergillae Mart. et Schr. III. 108
frigidula Mart. et Schr. III. 127

Rhexia
fulva *Spr.* III. 198
galioides Mart.
gentianoides Ma
glabella *Mx.* III. 1
β III. 122
glandulosa Bonp
glomerata Lodd.
glomerata Rottb.
glutinosa Bonpl.
gracilis Kunth II
grandiflora Bonp
graveolens Mart.
helvola *Spr.* III. 19
herbacea Mart.
heteranthera Bo
heterostemon Ma
hexandra Schra
hieracioides Mart
Hilariana Kunth
Hilariana var. β
hirsuta Mart. et
hispida Rich. III.
holosericea Bonpl
hospita Mart. et S
hygrophila Mart.
ilicifolia Mart.
imbricata Thunb.
inaequalifolia fl.
incana Spr. III. 13
inconstans Vahl I
indecora Bonpl. I
inundata Mart.
isophylla Mart.
itambana Mart.
jucunda Mart. et S
jungermannioides Sc
juniperina Spr. II
jussiaeoides *L. fil.* II
ladanoides Rich. I
lanceaeflora Mar
lanceolata Bonpl.

ta Walt. III. 122
rfiana Bonpl. III. 130
rfiana Kunth III. 124
a Mart. et Schr. III. 128
ua Mart. herb. III. 110
Aubl. III. 137
Bonpl. III. 134
lia Bonpl. III. 123
la Sw. III 101
a Bonpl. III. 113
a Mart. et Schr. III. 117
Mart. herb. III. 108
olia Poir. III. 122, 484
Mart. et Schr. III. 105
a Vahl III. 132
ana Rafin. III. 121
. III. 122
R. et Pav. III. 136
a Mart. et Schr. III. 126
des Mart. et Schr. III. 132
ton Mart. mss. III. 129
. III. 121
a DC. III. 121

γ exalbida Lam. III. 122
ana Ser. III. 137
lla Bonpl. III. 140
onpl. III. 134
liana Ser. III. 128
ra Mart. et Schr. III. 103
a Bonpl. III 138
Bonpl. III. 134
a Bonpl. III. 138
sis Ser. III. 142
Mart. et Schr. III. 163
rioides Bonpl. III. 137
ifolia Kunth III. 113
la R. et Pav. III. 128
a Mart. et Schr. III. 139
Rich. III. 134
a Spr. III. 128
a Mart. herb. III. 123
ta Mart. herb. III. 105, 137
ifolia Mart. et Schr. III. 140
olia Bonpl. III. 117
ora Ser. III. 108

Rhexia
petiolata Walt. III. 122
phlogiformis Mart. et Schr. III. 126
piloselloides Bonpl. III. 136
pityrophylla Mart. herb. III. 139
polygonoides Mart. herb. III. 137
polystachya Bonpl. III. 116
Princeps Bonpl. III. 140
proteaeformis Mart. et Schr. III. 130
pulcherrima Mart. et Schr. III. 104
pumila Bonpl. III. 141
punctata Mart. et Schr. III. 104
punctatissima Mart. et Schr. III. 118
pungens Mart. et Schr. III. 112
purpurata Mart. et Schr. III. 110
purpurea Sw. III. 101
quadrivalvis Mart herb. III. 124
quaternifolia Mart. et Schr. III. 140
quinquenervis R. et Pav. III. 136
Raddiana Moric. III. 129
Radula Bonpl. III. 109
recurva Rich. III. 118
recurva Spr. III. 118
repanda Mart. et Schr. III. 141
resinosa Schrank III. 111
reticulata Bonpl. III. 131
rosmarinifolia R. et Pav. III. 136
rosmarinoides Mart. et Schr. III. 126
rostrata Mart. et Schr. III. 108
rotundifolia Bonpl III. 106
sarmentosa Bonpl. III. 134
scandens Rich. III. 127
Schrankiana Mart. herb. III. 107
scoparia Mart. herb. III. 112
scoparia St. Hil. III. 120
semiadnata Schrank III. 140
semidecandra Mart. et Schr. III. 129
semiserrata Mart. et Schr. III. 167
Seringeana Mart. herb. III. 119
serrulata *Nutt.* III. 122
serrulata Rich. III. 109

Rhexia
sertularia Mart. et Schr. III. 125
setosa Mart. et Schr. III. 119
setosa Spr. III. 121
sileniflora Bonpl. III. 116
sincorensis Mart. herb. III. 111
sipaneoides Mart. herb. III. 141
speciosa Bert. III. 101
speciosa Bonpl. III. 131
spicata Mart. et Schr. III. 156
stachyoides Bonpl. III. 132
stachyoides Mart. et Schr. III. 108
stenocarpa Mart. et Schr. III. 130
stricta Bonpl. III. 134
stricta *Pursh* III. 122
strigillosa Mart. et Schr. III. 133
strigosa Rich. III. 134
strigosa *W. herb.* III. 198
striphnocalyx Mart. herb. III. 140
suberosa Spr. III. 111
tamariscina Mart. et Schr. III. 125
taxifolia St. Hil. III. 124
tenella Bonpl. III. 121
tenuifolia Mart. herb. III. 125
tetragona Mart. et Schr. III 103
tetrasticha Mart. et Schr. III. 112
thymifolia Bonpl. III. 114
thymifolia Mart. et Schr. III. 119
tibouchinoides Mart. et Schr. III. 129
tortuosa Bonpl. III. 132
trichocalycina Mart. et Schr. III. 120
trichotoma *Roth.* III. 198
triflora Mart. et Schr. III. 126
trifolia Mart. et Schr. III. 127
trivalvis Vahl III. 117
uda Mart. herb. III. 136
uncata Mart. et Schr. III. 120
uniflora Raddi III. 129
uniflora Spr. III. 118
uniflora Vahl III. 118
urceolaris Mart. et Schr. III. 139
variabilis Mart. et Schr. III. 118
variolosa Mart. et Schr. III. 120
venusta Mart. et Schr. III. 119

Rhexia
veronicaefolia M
versicolor Lindl
vestita Mart. et
villosa Aubl. III.
villosissima Ric
viminalis Mart. e
viminea Don III
violacea Mart.
virginica *L.* III. 12
β septemnervia *W*
virginica gigan
virgulata Mart.
viscidula Mart.

RHEXIEAE *DC.*

Rhinocarpus Kun
excelsa Bert. II.
Rhipsalis *Gaertn.* I
Cassytha *Gaertn.*
β Hookeriana *DC.*
γ Mociniana -
δ dichotoma -
ε mauritiana -
fasciculata *Haw.* I
funalis *Salm-Dyck*
grandiflorus Ha
mesembryanthoides
micrantha *H. B. et*
parasitica *DC.* III.
parasiticus Haw
salicornioides *Haw*
salicornioides β H

RHIPSALIDEAE

RHIZOBOLEAE

Rhizobolus Gaertn.
Pekea Gaertn. I.
Snouari Cor. I. 6
Rhizophora *L.* III. 31
Candel *L.* III. 32
candelaria *DC.* III.
caryophylloides *Ja*
caseolaris L. III.
ceratophylloides *Ra*
conjugata *L.* III. 33
cylindrica *L.* III 3
decandra *Roxb.* III
gymnorhiza *L.* III.
Mangle *L.* III. 33

ı
ia *Lam.* III. 32
C. III. 33
ı *Meyer* III. 32
ı *Lour.* III. 32
ia *DC.* III. 32
HOREAE *R. Br.* III. 31
L. III. 401
Don III. 401
ı *Lour.* III. 410
Lam. III. 401
III. 401
Pet. Th. I. 522
et. Th. I. 522
us DC. III. 240 (Myrtus)
ı *Neck.* II 597
um Rich. herb. II. 235
ı *Rich. herb.* II. 236
56 *Tourn.* II. 67
DC. II. 68
Pers. II. 70
ill. II. 73
b. II. 68
W. II. 70
oush. II. 70
n II. 67
L. II. 71
C. II. 73
ı *DC.* II. 73
Mill. II. 71
Ait. II. 73
acq. II. 70
. II. 73
chtenst. II. 71
elam Roxb. II. 67
DC. II. 69
ron Ehrh. II. 89
e Marsh. II. 73
e Mill. II. 67
num Mill. II. 67
i *DC.* II. 69
Mill. II. 68
htenst. II. 71
L. fil. II. 69
L. 610
L. L. 610
nii *Poir.* II. 68
L. II. 68
ia *Jacq.* II. 68
. II. 67
. II. 67
ormis Pers. II. 71

Rhus
crenata *Thunb.* II. 72
cuneifolia *Desf.* II. 71
cuneifolia Thunb. II. 71
dentata *Thunb.* II. 72
denudata *Lichtenst.* II. 70
digitata *L. fil.* II. 73
dimidiata *Thunb.* II. 71
dioica *Brouss* II. 71
dissecta *Thunb.* II. 72
elegans Ait. II. 67
elliptica *Thunb.* II. 70
elongata Jacq. II. 70
erosa *Thunb.* II. 71
excisa *Thunb.* II. 70
filicina *fl. mex.* II. 67
fragrans *Lichtenst.* II. 70
glabra *L.* II. 67
α hermaphrodita *DC.* II. 67
β dioica - - -
γ coccinea - - -
glabra W. II. 67
glauca *Desf.* II. 69
glaucum Thunb. II. 69
grandidentata *DC.* II. 72
heterophylla Balb. II. 73
heterophylla *DC.* II. 73
hypsolodendron Moench II. 89
javanicum L. II. 67
incanum Mill. II. 70
incisa *L. fil.* II. 72
juglandifolia *W.* II. 68
juglandifolium Wall. II. 68
laevigata *L.* II. 70
lancea *L. fil.* II. 70
lineata Spr. II. 69
lineatifolia *Ort.* II. 69
lobata *Poir.* II. 71
lucida *L.* II. 69
β subdentata *DC.* II. 69
lucida β Ait. II. 69
lucidum Cav. II. 69
lucidum α Ait. II. 69
Meerburgiana *Schult.* II. 73
meridionalis Spr. II. 68
Metopium *L.* II. 67
micrantha *Thunb.* II. 72
mollis *H. B. et K.* II. 73
nervosa *Poir.* II. 69
β mucronata *Thunb.* II. 70
obliqua *Thunb.* II. 68
oxyacantha Cav. II. 71
oxyacantha *Schousb.* II. 71
oxyacanthoides Dum-Cours. II. 71

Rhus
parviflora *Roxb.* II. 70
pauciflora *L. fil.* II. 68
pendulina *Jacq.* II. 70
pentaphylla *Desf.* II. 72
perniciosa *H. B. et K.* II. 68
pterocarpa fl. mex. II. 84
pubescens *Thunb.* II. 70
pumila *Mx* II. 67
pumilum Meerb. II. 73
pyroides *Burch.* II. 70
radicans *L.* II. 69
α vulgaris *DC.* II. 69
β volubilis - - -
γ microcarpa *DC.* II. 69
Ruedaelijavel Mill. II. 85
rigida *Mill.* 71
rosmarinifolia Thunb. II. 71
rosmarinifolia *Vahl* II. 71
Sacneb *Forsk.* . 73
saxatilis *fl. mex.* II. 71
schinoides *W.* II 68
semialata *Murr.* II. 67
β Osbeckii *DC.* - -
γ Roxburghii - - -
serraefolia *Burch.* II. 71
sinuata *Thunb.* II. 71
spicata *Thunb.* II. 72
striata *R. et Pav.* II. 69
suaveolens *Ait.* II. 72
succedanea *L.* II. 68
Thezera Pers. II. 72
Thunbergiana *Schult.* II. 69
tomentosa *L.* II. 72
Toxicodendron *L.* II. 69
Toxicodendron microcarpon Pursh II. 69
Toxicodendron quercifolium Mx. II. 69
Toxicodendron vulgare Pursh II. 69
tridactyla *Burch.* II. 71
tridentata *L. fil.* II. 72
trijuga *Poir.* I. 68
tripartita R. et Schult. II. 72
typhina *L.* II. 67
α arborescens *W.* II. 67
β frutescens - - -
undulata *Jacq* II. 71
variifolium fl. mex. II. 73
venenata *DC.* II. 68
vernicifera *DC.* II. 68
Vernix L. II. 68
villosa *L. fil.* II. 70

Rhus
viminalis *Vahl* II.
viridiflora *Poir.* II.
zizyphina *Tin.* II.
Rhynchanthera *DC.* I
cordata *DC.* III. 1
dichotoma *DC.* II.
Fothergillae *DC.* I
grandiflora *DC.* III
Haenkeana *DC.* III.
imosa *DC.* III. 10
mexicana *DC.* II.
monodynama *DC.* I
novemnervia *DC.* I
pentanthera *DC.* II
rostrata *DC.* III. 1
salicifolia *Mart. et*
Schrankiana *DC.* II
serrulata *DC.* III.
stachydinorpha *D*
Rhynchosia *Lour.* II.
angustifolia *DC.* II.
aurea *DC.* II. 386
biflora *DC.* II. 387
cana *DC* II. 386
capitata *DC.* II 38
caribaea *DC.* II 38
crinita *DC* II. 389
crotalarioides *DC.*
densiflora *DC.* II. 3
difformis *DC.* II. 3
diffusa *DC.* II. 388
β oblongifolia *DC.*
elongata *DC.* II. 38
erecta *DC* II. 384
ericoidea *DC.* II. 38
Fridericiana *DC.* II.
galactioides *DC.* II.
Garcini *DC.* II. 388
glabra *DC.* II. 387
glandulosa *DC.* II.
lucida *DC.* II. 387
macrophylla *DC.* II.
medicaginea *DC.* II.
Memnonia *DC* II. 3
menispermoidea *DC*
minima *DC.* II. 385
mollis *DC.* II. 388
nuda *DC.* II. 385
nummularia *DC.* I.
parvifolia *DC.* II. 38
phaseoloides *DC.* II.
precatoria *DC.* II. 3
psoraloides *DC.* II.
pubescens *DC.* II. 3
pulchella *DC.* II. 38

(. II. 385
DC. II. 384
)C. II. 385
DC. II. 386
ia - - -
: II. 388
II. 387
. 388
hya DC. II. 388
)C. II. 387
s DC. II. 387
DC. II. 389
DC. II. 389
DC. II. 387
I. 388
: II 388
II. 387
II 387
ur. II. 385
R. et Pav. I. 637
H. B. et K. I. 637
H. B. et K. I. 637
et Pav. I. 638
I. 312
Auhl I. 312
77 fl. mex. III 477
Rich. III 479
Ruchel III. 483
. III. 478
: et K. III. 481
. et Pav. III. 480
Mx III 482
elarh. III. 481
III 480
'allr. III. 480
- - -
sh III. 483
DC. - -
Berl. III. 482
n H. et Bonpl. III. 481
Kit. III 483
Adams III. 479
MB. III. 482
III. 480
R. et Pav. III. 479
. III. 479
fil. III. 479
oench III. 480
II. 478
. III. 483
Herit. III. 483
U. III. 480
H. B. et K. III. 480

Ribes
fuchsoides fl. mex. III. 477
glandulosum Ait. III. 482
glandulosum R. et Pav. III. 481
gracile Mx. III. 479
Grossularia L. III. 478
hirtellum Mx. III. 479
hirtum H. et Bonpl. III. 480
hybridum Bess III. 478
Kunthii Berl. III. 482
lacustre Poir. III. 478
laxiflorum Pursh III. 482
longiflorum Fraser III. 483
macrobotrys R. et Pav. III. 480
magellanicum Poir. III. 482
malvaceum Sm. III. 483
Menziesianum R. et Schult. III. 478
Menziesii Pursh III. 478
microphyllum H. B. et K. III. 479
multiflorum H. B. et K. III. 482
multiflorum Kit. III. 480
nigrum L. III. 481
nigrum β L. III. 483
olidum Moench III. 481
orientale Poir. III. 479
oxyacanthoides L. III. 478
oxyacanthoides Mx. III. 478
pensylvanicum Lam. III. 483
petiolare Wulf. III. 481
β cultum Lam. III. 481
polycarpon Gmel. III. 480
procumbens Pall III. 480
prostratum L'Herit. III. 482
punctatum R. et Pav. III. 482
reclinatum L. III 478
recurvatum Mx. III. 482
resinosum Pursh III. 480
rigens Mx. III 482
rotundifolium Mx. III. 479
rubrum L. III. 481
α sylvestre DC. III. 481
β hortense - - -
γ carneum Berl. - - -
δ variegatum DC. - -
ε album Desf. - -
ruhrum Lois. III. 481
ruhrum domesticum Wallr. III. 481
sanguineum Pursh III. 482
saxatile Pall. III. 479
speciosum Pursh III. 478
spicatum Robs. III. 481

Ribes
spicatum Schult. III. 481
stamineum Horn. III. 479
stamineum *Sm.* III. 477
trifidum *Mx.* III. 481
triflorum *W.* III. 479
triste *Pall.* III. 481
Uvacrispa *L.* III. 478
α sylvestre *DC.* III. 478
β spinosissimum *Berl.* III. 478
γ reclinatum - - -
δ Besserianum - - -
ε subinerme - - -
ζ sativum - - -
γ macrocarpum *DC.* - -
δ bracteatum *Berl.* - 479
Uva crispa L. III. 478
viscosissimum *Pursh* III. 482
viscosum *R. et Pav.* III. 482
Ribesia Berl. DC. III. 479 (Ribes)
RIBESIAE Rich. III. 477
Richaeia Pet. Th. III. 33, 34
Richardia L. Guertn Rich. Schult. IV. 567
brasiliensis Gom. IV. 568
brasiliensis Schult. IV. 568
emetica Schult. IV 568
pilosa Kunth IV. 568
pilosa Pers. IV. 568
pilosa R. et Pav. IV. 568
pilosa Schult. IV. 568
rosea Schult. IV. 568
scabra L. IV. 568
scabra Pers. IV. 568
scabra Schult. IV. 568
villosa fl. mex. IV. 569
Richardsonia *Kunth* IV. 567
adscendens *DC* IV. 569
divergens *DC.* IV. 568
emetica Mart. IV. 568
grandiflora *Cham. et Schl.* IV. 568
Haenkeana *DC.* IV. 569
humistrata *Cham. et Schl.* IV. 568
lateralis *DC.* IV. 568
rosea *St. Hil.* IV. 568
scabra *St. Hil.* IV. 567
sparsa *DC.* IV. 568
stellaris *Cham. et Schl.* IV. 568
Ricotia *L.* I. 157
aegyptiaca L. I. 157
cantoniensis *Lour.* I. 157
Lunaria *DC.* I. 157
tenuifolia *Sibth. et Sm.* I. 157
Riedlea Vent. I. 490
Riedleia *DC.* I. 490
Berteriana *DC.* I. 4
borbonica *DC.* I. 4
caracasana *DC.* I. 4
concatenata *DC.* I.
corchorifolia *DC.* I.
corymbosa *fl. mex*
crenata *DC.* I. 49
depressa *DC.* I 49
eriantha *DC.* I. 492
hirsuta *DC.* I. 492
jamaicensis *DC.* I.
inflata *DC.* I. 491
mollis *DC.* I 491
nodiflora *DC.* I. 49
odorata *DC.* I. 491
peruviana *DC.* I. 4
polystachya *DC.* I.
serrata *Vent.* I. 49
supina *DC.* I. 491
tiliaefolia *DC.* I. 4
truncata *DC.* I. 491
velutina *DC.* I. 491
venosa *DC.* I. 492
Rigocarpus Neck.
Rinorea *Aubl.* I. 312
guianensis *Aubl.* I
integrifolia *Ging.*
Rittera Schreb. II.
dodecandra Vahl
grandiflora Vahl
pinnata Vahl II.
simplex Vahl II.
Riveria *H. B. et K.*
Robergia Schreb. I
frutescens W. I
Robertsonia Haw.
cuneifolia Haw.
micranthifolia
umbrosa brevipe
longipe
Robinia *DC.* II. 26
aculeata Juss.
Altagana Pall.
Altagana var.
amara *Lour.* II. 2
ambigua Poir. I
candida Roxb. I
capensis Burm.
Caragana L. II.
Chamlagu L'He
coccinea Aubl. I
cubensis *H. B. et*

:nsis *Spr.* II. 268
am. II. 263
nc. II. 261
s *Mill.* II. 262
Pall. II. 269
a *H. B. et K.* II. 263
ur. II. 263
Vahl II. 263
ns *L.* II 268
Vill. II. 262
us *Curt.* II. 262
lla *Poir.* II. 262
lora *MB.* II. 268
is *W.* II. 262
drea *L. fil.* II. 269
L. II. 262
DC. II. 262
phylla *DC.* II. 262
DC. II 262
Audib. II. 262
Burm. II. 495
Dum-Cours. II. 261
Pall. II. 269
Bert. II. 263
Hill. II. 262
Poir. II. 260
ylla *Schrad.* II. 262
s *H. B. et K.* II. 261
ensis *Pers.* II. 263
ylla *Pall.* II. 268
II. 416
ur. II. 416
B. II. 268
ahl II. 260
a *Fisch.* II. 269
s *Bartr.* II. 262
ahl. II. 261
o *Ahl.* II. 423
Ort. II. 262
ba *Sw.* II. 268
cia *L.* II. 261
is *DC.* - -
- - -
aculifera *DC.* II. 261
oda - - -
cacia tortuosa *DC.* II. 261
i *Link* II. 262
a *L.* II. 268
ata *Mill.* II. 263
Durham. II. 262
Ell. II. 262
Mill. II. 260
ea *Nees et Mart.* II. 262
us *W.* II. 261

Robinia
sepium Jacq. II. 260
sepium Sw. II. 261
sericea Poir. II. 260
speciosa Sw. II. 269
spectabilis Dum-Cours. II. 261
spinifolia Desv. II. 314
spinosa L. II. 269
spinosissima Laxm. II. 269
squamata Vahl II. 314
squamosa Poir. II. 314
striata W. II. 476
subdecandra L'Herit. II. 98
suberosa Roxb. II. 249
tomentosa cat. gorenk. II. 268
tomentosa W. II. 423
tragacanthoides Pall. II. 269
triflora L'Herit. II. 269
uliginosa W. II. 416
vicinefolia Bert. II. 263
violacea Beauv. II. 260
violacea Jacq. II. 259
viscosa *Vent.* II. 262
Robsonia Berl. DC. III. 477 (Ribes)
Rocama Forsk. III. 351, 352 *DC.* III. 352 (Trianthema)
arabica Gmel. III. 352
digyna Forsk. III. 352
Rochea *DC.* III. 393
albiflora *DC.* III. 393
biconvexa *DC.* III. 394
coccinea *DC.* III. 394
cymosa *Haw.* III. 394
falcata *DC.* III. 393
β minor *Haw.* III. 393
fascicularis *Schult.* III. 394
flava *Haw.* III. 394
jasminea *DC.* III. 394
media *DC.* III. 394
odoratissima *DC.* III. 394
β bicolor - - -
γ alba - - -
perfoliata *Haw.* III. 393
α β - - -
versicolor *DC.* III. 394
Rochefortia Sw. II. 42
Roelana laurifolia Comm. I. 575
Roemeria *Medik.* I. 122 *Thunb.* II. 42
bivalvis *DC.* I. 122
hybrida *DC.* I. 122
β eriocarpa *DC.* I. 122
γ velutina - - -
refracta *DC.* I. 122
refracta Deless. I. 122
Rohria Schreb. II. 58
petioliflora W. II. 58

Rhus
parviflora *Roxb.* II. 70
pauciflora *L. fil.* II. 68
pendulina *Jacq.* II. 70
pentaphylla *Desf.* II. 72
perniciosa *H. B. et K.* II. 68
pterocarpa fl. mex. II. 84
pubescens *Thunb.* II. 70
pumila *Mx* II. 67
pumilum Meerb. II. 73
pyroides *Burch.* II. 70
radicans *L.* II. 69
α vulgaris *DC.* II. 69
β volubilis - - -
γ microcarpa *DC.* II. 69
Raedaelijavel Mill. II. 85
rigida *Mill.* II. 71
rosmarinifolia Thunb. II. 71
rosmarinifolia *Vahl* II. 71
Sacneb *Forsk.* II. 73
saxatilis *fl. mex.* II. 71
schinoides *W.* II 68
semialata *Murr.* II. 67
β Osbeckii *DC.* - -
γ Roxburghii - - -
serraefolia *Burch.* II. 71
sinuata *Thunb.* II. 71
spicata *Thunb.* II. 72
striata *R. et Pav.* II. 69
suaveolens *Ait.* II. 72
succedanea *L.* II. 68
Thezera Pers. II. 72
Thunbergiana *Schult.* II. 69
tomentosa *L.* II. 72
Toxicodendron *L.* II. 69
Toxicodendron microcarpon Pursh II. 69
Toxicodendron quercifolium Mx. II. 69
Toxicodendron vulgare Pursh II. 69
tridactyla *Burch.* II. 71
tridentata *L. fil.* II. 72
trijuga *Poir.* II. 68
tripartita R. et Schult. II. 72
typhina *L.* II. 67
α arborescens *W.* II. 67
β frutescens - - -
undulata *Jacq.* II. 71
variifolium fl. mex. II. 73
venenata *DC.* II. 68
vernicifera *DC.* II. 68
Vernix L. II. 68
villosa *L. fil.* II. 70

Rhus
viminalis *Vahl* II.
viridiflora *Poir.* II.
zizyphina *Tin.* II.
Rhynchanthera *DC.* I
cordata *DC.* III. 10
dichotoma *DC.* III.
Fothergillae *DC.* II
grandiflora *DC.* III.
Haenkeana *DC.* III.
limosa *DC.* III. 10
mexicana *DC.* III.
monodynama *DC.*
novemnervia *DC.* I
pentanthera *DC.* II
rostrata *DC.* III. 10
salicifolia *Mart. et*
Schrankiana *DC.* II
serrulata *DC.* III.
stachydimorpha *DC*
Rhynchosia *Lour.* II.
angustifolia *DC.* II.
aurea *DC.* II. 386
biflora *DC.* II. 387
cana *DC* II. 386
capitata *DC.* II 386
caribaea *DC.* II 38
crinita *DC* II. 389
crotalarioides *DC.*
densiflora *DC.* II. 3
difformis *DC.* II. 38
diffusa *DC.* II. 388
β oblongifolia *DC.*
elongata *DC.* II. 386
erecta *DC* II. 384
ervoidea *DC.* II. 38
Fridericiana *DC.* II.
galactioides *DC.* II.
Garcini *DC.* II. 388
glabra *DC.* II. 387
glandulosa *DC.* II.
lucida *DC.* II. 387
macrophylla *DC.* II.
medicaginea *DC.* II.
Memnonia *DC* II. 3
menispermoidea *DC*
minima *DC.* II. 385
mollis *DC.* II. 388
nuda *DC.* II. 385
nummularia *DC.* II.
parvifolia *DC.* II. 38
phaseoloides *DC.* II.
precatoria *DC.* II. 3
psoraloides *DC.* II.
pubescens *DC.* II. 3
pulchella *DC.* II. 38

II. 611
. Desv. II. 611
ia Ser. II. 611
ica - - -
lla - - -
a - - -
lla - - -
a - - -
a - - 612
la - - -
- - -
rsis - - -
- - -
a Desv. - -
erina Ser. II. 612
la - - -
ata Desv. - -
. II. 611
ronata Desv. II. 611
lebilis Red. et Thor. II. 611
. pleno Godefr. II 612
. variegato Red. et Thor. II. 607
labra Desv. II. 612
ircina Desv. II. 612
evis Desv. II. 606, 612
ultiplex Ser. II. 612
ndulina Desv. II. 612
lgaris Red. et Thor. II. 612
ulgaris Ser. II. 611
DC. fl. fr. II. 611
DC. fl. fr. II. 611
DC. fl. fr. II. 612
W. II. 608
Lejeun. II. 625 *)
Waitz II 605
ta Waitz II. 606
olia Ser. II. 601
ensis Bast. II. 614
i Tratt. II. 625
- - -
owskiana Stev. II. 618
Pers II. 598
s MB. II. 621
Lapeyr. II. 606
Huds. II. 597
ia Ser. II. 597
teata Red. et Thor. II. 597
ata Desv. II. 597
ta Ser. - -
hirsa - - -

nalensis.

Rosa
arvensis α DC. II. 597
arvensis α et β Red. et Thor. II. 597
arvensis γ hybrida Lindl. II. 603
arvina Krock. II. 604
atropurpurea Brot. II 601
atrovirens Viv. II. 597
austriaca Crantz II. 603
balearica Desf. II. 605
balsamica W. II. 613
baltica Roth II 615
Banksiae R. Br. II. 601
bengalensis Pers. II. 601
berberifolia Pall. II. 602
α glabra Ser. II. 602
β velutina - - -
γ Redouteana Ser. II. 602
berberifolia Red. et Thor. II. 602
bibracteata Bast. II. 597
bifera Pers. II. 621
bifera alba Red. et Thor. II. 621
bifera macrocarpa Thor. II. 621
bifera officinalis Red. et Thor. II. 621
bifera pumila Red. et Thor. II. 621
bifera variegata Red. et Thor. II. 621
biserrata Merat II. 614
blanda Ait. II. 606
Boreykiana Bess. II. 622
bracteata Wendl. II. 602
β scabriuscula Lindl. II. 602
brevistyla glandulosa Ser. II. 599
brevistyla leucochroa Red. et Thor. II. 599
brevistyla α DC. II. 599
Brownii Spr. II. 598
Brunonii Lindl. II. 598
β nudiuscula Lindl. II. 598
γ nepalensis - - -
δ arborea - - -
burgundiaca Pers. II. 620
burgundica Roess. II. 604
caesia Sm. II. 614
calendarum Borckh. II. 620
calendarum multiplex alba Ser. II. 621
calendarum multiplex rosea Ser. II. 621

Rosa
calycina MB. II. 613
campanulata Ehrh. II. 603
Candolleana elegans Thor. II. 612
Candolleana flavescens Red. et Thor. II. 608
Candolleana pendula Red. et Thor. II. 612
canescens *Krock.* II. 625
canina Angior. II. 613
canina *L.* II. 613
α glabra *Desv.* II. 613
β Borboniana *Red. et Thor.* II. 613
γ nitens *Desv.* II. 613
δ obtusifolia *Desv.* II. 613
ε rotundifolia *Ser.* - -
ζ glaucescens *Desv.* - -
η Schottiana *Ser.* -
θ pilosiuscula *Desv.* - -
ι fastigiata - - -
κ hispida - - 614
λ dumetorum - - -
μ microcarpa - - -
ν collina - - -
ξ Meratiana - - -
ο ambigua *Desv.* - -
π squarrosa *Rau* - -
ρ rubiflora *Ser.* - -
σ sciophylla *Lindl.* - -
τ aegyptiaca - - -
canina Sm. II. 613
canina ambigua Desv. II. 612
canina caesia Sm. II. 614
canina caesia Lindl. II. 614
canina glandulosa Rau II. 613
canina glauca Desv. II. 613
canina globosa Desv. II. 610
canina grandidentata Desv. II. 614
canina lanceolata Desv. II. 614
canina Montezumae Ser. II. 614
canina ovoidalis Desv. II. 614
canina ramosissima Rau II. 613
canina vulgaris Rau II. 613
canina β DC. fl. fr. II. 617
canina β MB. II. 614
canina β Sut. II. 609
cannabina Pellet. II. 622
capreolata Neil II. 597
carolina Lindl. II. 605
carolina *L.* II. 605
α hispida *Ser.* II. 605
β lucida - - -

Rosa
γ salicifolia *Ser.* II.
δ scandens - -
ε florida *Lindl.* II.
ζ hemisphaerica *Se*
carolina ε Ait. I
carolina corymb
carolliniana Mx.
caryophyllacea
caucasea Lindl.
caucasica *Pall.* II.
β Lindleyana *Ser.*
centifolia *L.* II. 61
α vulgaris *Ser.* II.
* foliacea *Red. a*
** prolifera -
β carnea *Dum-Cou*
γ mutabilis *Pers.*
δ bullata *Red. et Th*
ε muscosa *Ser.*
ζ Lemeunierana *Se*
η crenata *Dum-Cou*
θ bipinnata *Red. et*
ι anemonoides *Tho*
κ caryophyllea *Poir*
λ apetala *Lois.*
μ minor *Dum-Cour.*
* prolifera *Ser.*
ν miniata *Ser.*
ξ Kingstoniana *Dum*
ο petiolosa *Ser.* II.
π Pomponia *Lindl.*
ρ Kennedyana *Ser.*
* prolifera -
centifolia anglica et
centifolia bifera
centifolia fl. simp
centifolia grandi et
centifolia nivea
centifolia Pomp
centifolia Pompo
centifolia unguic
centifolia unica
centifolia variega
centifolia γ belgi
cerea Roess. II. 60

eden Vill. II. 608
nsis Don II. 600
ylla Ehrh. II. 607
tala Bess. II. 619
nea L. II. 605
nula Ser. II. 605
h - - -
ima - - -
ima - - 606
ia - - -
ilia - - -
mea Lyell II. 606
mea Red. et Thor. II. 605
mea Sm. II. 605, 606
mea var. Spr. II. 606
mea glauca Desv. II. 609
mea oblonga Desv. II 609
mea pallida Ser. II. 606
mea rubrifolia Red. et Thor. II. 609
a Red. et Thor. II. 606
Waitz II. 624
DC. fl. fr. II. 614
Lacq. II. 614
Tau II. 613
m. II. 599
Monsoniana Red. et Thor. II. 599
Ehrh. II. 605
a Waitz II. 625
Fries II 623
Waitz II. 610
ia Ehrh. II. 605
ia Liljeb. II. 623
Lacq. II. 603
fin. II. 610
MB. II. 618
Tratt. II. 601
Pall. II. 606
Mill. II. 620
a Ser. II. 621
lera - - -
a Red. et Thor. II. 621
ulia Ser. II. 621
ura - - -
ata - - -
- - -
na aurora Ser. II. 621
na Celsiana Red. et Thor. II. 621
na Celsiana prolifera Red. et Thor. II. 621

Rosa
damascena italica Red. et Thor. II. 621
damascena subalba Red. et Thor. II. 621
damascena variegata Red. et Thor. II. 621
dasistema *Rafin.* II. 623
digitaria Bosc II. 622
dimorpha Bess. II. 618
diversifolia Vent. II. 601
Doniana Woods II. 615
dumetorum Thuill. II. 614
echinata Dupont II. 607
Eglanteria *L.* II. 607
α lutea *Red. et Thor.* II. 607
β luteola *Thor.* -
γ subrubra *Red. et Thor.* II. 607
δ punicea - - - -
Eglanteria Red. et Thor. II 607
Eglanteria Americanorum Rafin II 617
Eglanteria bicolor DC. fl. fr. II. 607
Eglanteria cymosa Woods II. 616
Eglanteria Tulipa Dupont II. 608
elegans *Rafin.* II. 610
elliptica *Tausch* II 625
enneaphylla Rafin. II. 605
erubescens *Andr.* II. 624
Evratina Bosc II. 619
farinosa Bechst. II. 618
fastigiata Bast. II. 614
fenestrata Don II. 599
ferox Ait. II. 607
flava *Wickst.* II. 608
flexuosa *Rafin.* II. 623
flexuosa Rau II. 603
floribunda *Stev.* II. 621
florida Don II. 605
foetida Bast. II. 618
fragariaeflora *Ser.* II. 601
Francisca Hortul. II. 621
francofurtana Gmel. II. 603
francofurtensis Desf. II. 603
fraxinea W. II 606
fraxinellaefolia *Andr.* II. 624
fraxinifolia *Berk.* II. 606
α blanda *Ser.* II. 606
β variegata *Ser.* II. 607
γ L'heritieraaa *Ser.* II. 607
fraxinifolia Lindl. II. 606
fraxinifolia Ser. II. 606

Rosa
Friedlanderiana Bess. II. 613
frutetorum Bess. II. 614
gallica *L.* II. 603
α pumila *DC. fl. fr.* II. 603
β hybrida *Gaud.* - -
γ hispida *Rau* - -
δ officinalis *Red. et Thor.* II. 603
ε marmorea *L.* II. 603
ε* holosericea *Ser.* II. 603
ζ inaperta - - 604
η livescens - - -
ϑ Agatha *Red. et Thor.* II. 604
ι inermis *Ser.* II. 604
κ parvifolia - - -
λ arvina *Lindl.* - -
gallica burboniana Red. et Thor. II. 613
gallica Maheka Red. et Thor. II. 603
gallica purpureo-violacea magna Red. et Thor. II. 604
gemella W. II. 605, 606
geminata Rau II. 603
glabra *Andr.* II. 624
glabrata *Vest* II. 625
glandulosa Bell. II. 610
glandulosa Bess II. 604
glauca Desf. II. 609
glauca Schott II. 613
glaucescens Desv. II. 613
glaucophylla Ehrh. II. 608
globosa *Rafin.* II. 610
glutinosa Sibth. et Sm. II. 616
grandiflora Lindl. II. 609
grandiflora Wallr. II 616
Heckeliana *Tratt.* II. 624
hibernica Hook. II 609
hibernica *Sm.* II. 617, 613
hispanica *Mill.* II. 622
hispida Desv. II. 611
hispida Poir. II. 618
hispida Sims II. 607
hispida argentea Red. et Thor. II. 608
horrida Spr. II. 608
Hudsoniana salicifolia Red. et Thor. II. 605
Hudsoniana subcorymbosa Red. et Thor. II. 605
humilis Bess. II. 613
humilis meldensis Tratt. II. 620
hybrida Schleich. II. 603
Hystrix *Lindl.* II. 599
iberica *Stev.* II. 617

Rosa
incana *Kit.* II. 624
indica Forsk. II.
indica *L.* II. 600
α vulgaris *R. et Th*
β Noisettiana *Ser.*
γ Ternauxiana -
δ fragrans *Red. et T.*
ε longifolia -
ζ humilis *Ser.* II.
η caryophyllea *Red.*
ϑ semperflorens *Se*
ι acuminata *Red.*
κ pannosa -
λ cruenta -
indica Red. et Th
indica acuminata
indica chinensis
indica Lawrenci
indica odoratissi
indica pumila Re
inermis Andr. II
inermis Delaun.
inodora *Fries* II.
involucrata *Roxb.*
involuta Sm. II.
involuta Winch.
Jundzilliana Be
Jundzillii Bess.
kamschatica Rea
kamtschatica *Vent*
β ferox *Ser.*
γ nitens *Lindl.*
kentukensis *Rafin.*
Kosinsciana Bes
Krockeri *Tratt.* II
laevigata *Mx.* II. 6
laxa *Retz* II. 605
Ledebourii Spr
lepida *Waitz* II. 6
leucantha Lois.
leucantha MB. II
leucantha β acut
leucochroa Desv.
L'heritierana R.
Lindleyana Trat
Lindleyi *Spr.* II. 6

s *Bess.* II. 604
ia *W.* II. 600
hrh. II. 602
ill. II. 607
nicolor *Curt.* II. 607
Pursh II. 608
Lindl. II. 601
Pursh II. 606
ga *Mer.* II. 623
lla *Lindl.* II. 612
Desf. II. 605
Retz II. 606
pumila Willr. II. 605
diarensis *Lejeun.* II. 614
Willr. II 604
i *Schult.* II. 625
lortul. II. 620
arpa *Link* II. 608
ba *DC. fl. fr* II. 616
la *Sm.* II. 617
pa *Bess* II. 608
a *Lindl.* II. 601, 600
la *Roxb* II. 602
ylla *W. herb.* II. 621
hort. hern. II 620
ratt. II. 612
dch, II. 618
a *fl. submultiplici Red. et Thor.* II. 619
Chaix II 610
DC. fl. fr. II. 618
Stev. II. 618
germinibus glabris Schleich. II. 610
ae *H. et Bonpl* II 614
Mill. II. 598
Ser. - - -
s *nivea hot. reg.* II. 598
Thunb. II. 598
plici *Red. et Thor.* II. 598
ergiana - - - -
- - - -
ylla - - - -
Waitz II. 622
Ait. II. 619
alba Red. et Thor. II. 619
anemoneflora Red. et Thor. II. 619
multiplex Red. et Thor. II. 619
simplex Red. et Thor. II. 619

Rosa
myriacantha DC. fl. fr. II. 608
myrtifolia Hall. fil. II. 617
nankinensis *Lour.* II. 610
nemorosa Libert II. 616
nitens Desv. II. 613
nitida *W.* II. 603
nitidula Bess. II. 613
nivalis Don II. 609
nivea *DC.* II 599 -
β setifera *Ser.* II. 600
nivea Dupont II. 598
nivea Rafin. II. 611
Noisettiana Red. II. 600
Noisettiana purpurea Red. et Thor. II. 600
obovata *Rafin.* II. 610
obtusifolia Desv. II. 613
ochroleuca *Sw.* II. 610
olympica Angl. II. 603
Orbessanea Red. et Thor. II. 603
orientalis *Dupont* II. 607
α Oliveriana *Ser.* II. 607
β Balbisiana - - -
oxyacantha *MB.* II. 609
palustris Buchan. II. 602
paniculata hort. genev. II. 600
parviflora *Ehrh.* II. 604
parvifolia Ehrh. II. 604
pendulina Ait. II 612
pendulina L. II. 611
pimpinellifolia Jacq. II. 609
pimpinellifolia *L.* II. 608
α vulgaris *Ser.* - -
β argentea - - -
γ echinella - - -
δ flavescens - - -
ε pumila *Red. et Thor.* II. 608
ζ microcarpa *Ser.* - -
η myriacantha - - -
ϑ altaica *Red. et Thor.* - -
ι macrophylla *Ser.* - 609
κ reversa - - -
λ inermis *DC. fl. fr.* - -
μ mariburgensis *Red. et Thor.* II. 609
ν marmorata *Ser.* II 609
ξ pilosa - - -
ο islandica - - -
π involuta - - -
pimpinellifolia Pall II. 609
pimpinellifolia florib. variegatis Lois. II. 609
pimpinellifolia fl. multiplici Red. et Thor. II. 608

Rosa
pimpinellifolia major Red. et Thor. II. 609
pimpinellifolia mariburgensis Red. et Thor. II. 609
pimpinellifolia δ Red. et Thor. II. 609
polyphylla W. II. 611
Pomponia DC. fl. fr. II. 620
Pomponia fl. simplici Red. et Thor. II. 620
Pomponia muscosa Red. et Thor. II. 620
Portenschlagiana *Tratt.* II. 624
portlandia Gord. II. 622
portlandica Ludw. II. 622
pratensis *Rafin.* II. 623
β geminata - - -
prostrata DC. II. 597
provincialis Ait. II. 620
provincialis α W. II. 620
pseudo-lucida Bess. II. 604
pseudo-rubiginosa *Lejeun.* II. 615
psilophylla Rau II. 613
pulchella *W.* II. 622
pulverulenta Lyell II. 617
pulverulenta *MB.* II. 617
β eriocarpa *Ser.* - -
pumila L. fil. II. 603
punicea Roess. II. 607
pusilla *Rafin.* II. 611
pygmaea Krock. II. 625
pygmaea *MB.* II. 604
pyrenaica Gou. II. 611
Rafinesqueiana Tratt. II. 623
Rafinesquii *DC.* II. 611
Rapa *Bosc* II. 602
reclinata *Red. et Thor.* II. 606
β multiplex - - -
reclinata fl. simpl. Red. et Thor. II. 606
reclinata fl. submultiplici Red. et Thor. II. 600
recurva *Roxb.* II. 600
Redutea Thor. II. 609
Redutea glauca Red. et Thor. II. 610
Redutea rufescens Thory II. 603
nsis DC fl. fr. II. 604
us Gmel. II. 597
ieri Hall. fil. II. 610
ea hort. gött. II. 609
ea W. et Kit. II. 612

Rosa
riparia *Rafin.* II.
β amoena - -
Rosenbergiana
rubella Sm. II. (
rubicunda Hall
rubifolia *R. Br.* I
β macrophylla *Ser*
γ fenestralis *Lindl*
rubifolia Red. et
rubiginosa Gui
rubiginosa *L.* II. (
α vulgaris *W.* -
β Vaillantiana *Red*
γ rotundifolia *Ras*
δ aculeatissima *Du*
ε nemoralis *Red.*
ζ umbellata *Lindl.*
η pubera *Ser.* II.
ϑ grandiflora *Lind*
ι parvifolia *W.* I
κ cretica *Red. et*
λ maior *Ser.* II. (
μ spinulifolia *Ser.*
ν Zabeth *Dup.*
ξ anemoneflora *T*
ο sepium *Ser.* II.
π micrantha *Lindl*
ϱ caryophyllacea *S*
ruhiginosa MB.
ruhiginosa Sm.
ruhiginosa Ame
ruhiginosa flexu
ruhiginosa fl. pl
ruhiginosa glal
ruhiginosa parv
ruhiginosa spha
ruhiginosa trif
ruhrifolia Em.
rubrifolia *Vill.* II.
α laevis *Ser.* -
β hispidula *Ser.* -
γ Redouten - -
δ inermis -
ε pinnatifida - -
ζ glandulosa - -

lia germinibus ovatis Schleich. II. 610
a Bosc II. 623
Ehrh. II. 622
Thunb. II. 607
Woods II. 615
Lindl. II. 615
tosa Sw. II. 613
Stev. II. 614
scula Sm. II. 618
s Mill. II. 597
ana Tratt. II. 625
florens Curt. II. 601
florens Desf. II. 621
florens minima Sims II 601
virens Bast. II. 614
irens *L.* II. 597
lens DC. - -
lia Red. et Thor II. 598
benaultiana Red. et Thor. II. 598
phylla DC. II. 598
la Ser. - -
virens globosa Red. et Thor. II. 597
Borkh. II. 614
Sw. II. 623
Thuill. II. 617
rosea Red. et Thor. II. 617
Viv. II. 625
Lindl. II. 613
Rafin. II. 611
idifolia Rafin. II. 611
Mx. II. 599
acens Rafin. II. 599
Tratt. II. 609
Tratt. II. 624
Scop. II. 625
ifolia Salish. II 602
s praecox inermis Hortul. II. 612
inis Clus. II. 624
Ait. II. 600
Desf. II. 606
alis Bess. II. 614
issima Jacq. II. 608
issima Sm. II. 608
issima islandica Lindl. II. 609
issima pilosa Lindl. II. 609

Rosa
spinosissima pusilla Woods II. 608
spinosissima reversa Lindl. II. 609
spinosissima sanguisorbaefolia Lindl. II. 609
spinosissima α pumila Lindl. II. 608
spinosissima β et γ Bess. II. 608
spinosissima ζ Pallasii Lindl. II. 609
spinulifolia Dem. II. 616
spinulifolia Dematratiana Thor. II. 616
spinulifolia Toxiana Thor. II. 616
Sprengeliana *Tratt.* II. 624
stipularis *Mer.* II. 623
stricta *Mühl.* II. 612
stylosa *Desv.* II. 599
α Desvauxiana *Ser.* II. 599
β leucochroa - - -
γ glandulosa - - -
δ lanceolata - - -
ε Monsoniana - - -
suaveolens *Rafin.* II. 617
α glauca - - -
β alba - - -
suavis *W.* II. 612
sulphurea *Ait.* II. 608
Swartzii *Fries* II. 615
sylvatica *Tausch* II. 625
systyla Bast. II. 599
systyla ovata Lindl. II. 599
systyla β lanceolata Lindl. II. 599
systyla γ Monsoniae Lindl. II. 599
taurica *MB.* II. 615
tenuiglandulosa Mer. II. 616
terebinthinacea Bess. II. 618
ternata Poir. II. 600
Thoryi Tratt. II. 598
tomentosa *Sm.* II. 617, 618
α Smithiana *Ser.* II. 618
β scabriuscula - - -
γ foetida - - -
δ resinosa *Lindl.* - -
ε farinosa *Ser.* - -
tomentosa scabriuscula Ser. II. 618
trachyphylla Rau II. 613

Rosa
trichocarpa *Waitz* II. 624
trifoliolata *Rafin.* II. 610
triphylla *Roxb.* II. 600
tuguriorum *W.* II 622
turbinata *Ait.* II. 603
α frankofurtana *Ser.* II. 603
β Orbessanea - - -
turbinata Red. et Thor. II. 603
turbinata Vill. II. 612
turbinella *Sw.* II. 623
umbellata Leers II. 616
uncinella β Bess. II. 614
uncinella δ Bess. II. 613
unguiculata Delaun. II. 620
velutina *Clairv.* II. 622
venosa *Sw.* II. 623
Ventenatiana *Red. et Thor.* II. 612
verecunda *Waitz* II. 621
verticillacantha *Mer.* II. 622
villosa *L.* II. 618
α sylvestris *Desv.* II. 618
β pomifera - - -
γ variegata *Ser.* - -
δ nuda *Desv.* - -
ε terebinthina *Red. et Thor.* II. 619
ζ minuta *Rau* II. 619
η Evratiana *Red. et Thor.* II. 619
villosa Poir. II. 618
villosa α DC. fl. fr. II. 618
villosa α et β Rau II. 618
villosa β DC. fl. fr. II. 618
viminea *Lindl.* II. 608
virginica Curt. II. 624
virginica Roess. II. 605
Waitziana *Tratt.* II. 623
Wallichii Tratt. II. 613
Willdenowii *Spr.* II. 621
Willdenowii Tratt. II. 622
Wolfgangiana *Bess.* II. 615
Woodsii *Lindl.* II. 604
Wulfenii *Tratt.* II. 624
β rubra - - -
ROSACEAE *Juss.* II. 525
ROSAE Juss. II. 596
ROSEAE *DC.* II. 596
Rosularia DC. III. 399 (Umbilicus)
Rotala *L.* III. 75
decussata *DC.* III. 76
verticillaris *L.* III. 76
Rothia *Pers.* II. 382
trifoliata *Pers.* II. 382
Rothmannia Tha
capensis Thun
longiflora Sali
Rotmannia Necl
Roumea *Poit.* I. 2
coriacea *Poit.* I.
inermis *DC.* I. 2
Rourea Aubl. II.
frutescens Aul
glabra H. B. et
Rousseauxia *DC.* I
articulata *DC.* II
chrysophylla *DC*
Rubentia Comm.
olivina Gmel. I
Rubeola cretica T
heterophylla M
linearifolia Mo
lusitanica Tou
maritima Morn
orientalis Tour
Rubia *Tourn.* IV.
acalyculata *Cav.* I
alata *Wall.* IV. 5
anglica Huds I
angustifolia *L.* IV
aspera *Pohl* IV 5
Bocconi *Petagn.*
Brownei Mx. IV
Browni Spr. IV
canariensis Poi
chilensis *Mol.* IV.
chilensis W. IV.
ciliata *DC.* IV. 591
cordata Thunb.
cordifolia Blum.
cordifolia *L.* IV. 5
cordifolia Thun
corymbosa *DC.* IV
crocea *DC.* IV. 59
cynanchica J. B
debilis *H. B. et K.*
diffusa *Pohl* IV. 5
ephedroides *Cham*
equisetoides *Cham*
fruticosa *Ait.* IV.
β galioides *DC.* IV
fruticosa Poir. I
galioides Poir. I
glomerata Pohl I
guadalupensis *Spr.*
hirta *H. B. et K.* I

ia *DC.* IV. 591
C. IV. 588
l. B. et K. IV. 592
Cham. et Schl. IV. 590
DC. IV. 591
oir. IV. 589
Thunb. IV. 590
Poir. IV. 589
d'Urv. IV. 589
. IV. 590
ifolia Guss. IV. 590
Roxb. IV. 588
DC. IV. 591
Roxb. IV. 588
B. et K. IV. 591
Hil. IV. 592
Rich. IV. 590
is H.B. et K. IV. 592
C. IV. 591
L. IV. 589
a Murr. IV. 589
a Wulf. IV. 590
DC. IV. 588
ma Pohl IV. 591
Cham. et Schl. IV. 592
Grisl. IV. 583
ii Duby IV. 589
folia Poir. IV. 590
B. et K. IV. 593
Hoffmans. et Link IV. 590
is Brot. IV. 590
is Mill. IV. 589
s Rafin. IV. 590
ia d'Urv. IV. 590
ii DC. IV. 590
m Lapeyr. IV. 608
L. IV. 589
Fisch. - -
m Mill. IV. 589
m With. IV. 589
m a Lam. IV. 589
es Cham. et Schl. IV. 591
m. et Schl. IV. 591
DC. IV. 590
No. 103 *Sieb.* IV. 463
EAE *Juss.* IV. 341
Soland. IV. 615
Suland. IV. 616
L. 556
x. II. 565
s Sm. II. 567
ides Ser. II. 565

Rubus
alfinis *Weih. et Nees* II. 560
β bracteosus *Weih. et Nees* II. 560
affinis γ *et* δ *Weih. et Nees* II. 560
agrestis *W. et Kit.* II. 559
albicans *Kit.* II. 560
alceaefolius *Poir.* II. 567
alpinus humilis Chabr. II. 565
altheaefolius *Host* II. 562
apetalus *Poir.* II. 557
appendiculatus *Tratt.* II. 561
arcticus *L.* II. 565
β subquinquelobus *Ser.* II. 565
arduennensis *Libert* II. 568
argutus *Link* II. 563
asper *Don* II. 558
australis *Forst.* II. 556
betulinus *Don* II. 567
biflorus *Buch* II. 558
bifrons *Vest* II. 560
borbonicus *Pers.* II. 557
bogotensis *H. B. et K.* II. 559
caesius *L.* II. 558
β arvensis *Wallr.* II. 558
γ grandiflorus *Ser.* II. 559
δ parvifolius *Wallr.* - -
calycinus Wall. II. 568
canadensis *L.* II. 564
canescens *DC.* II. 561
Chamaemorus Fisch. II. 565
Chamaemorus *L.* II. 565
chinensis *Ser.* II 557
cochinchinensis *Tratt.* II. 561
collinus *DC.* II. 562
Commersonii Poir. II. 556
corchorifolius *L. fil.* II. 567
cordifolius Don II. 567
cordifolius *Weih. et Nees* II. 562
coriaceus *Poir.* II. 566, 562
corylifolius Hell. II. 560
corylifolius *Sm.* II. 559
β canus *Wallr.* II. 559
γ glandulosus *Wallr.* II. 559
cuneifolius *Pursh* II. 563
Dalibarda L. II. 568
digitatus *Spr.* II. 568
distans *Don* II. 557
Eglanteria *Tratt.* II. 556
ellipticus *Sm.* II. 553
elongatus *Sm.* II. 567
Enslenii *Tratt.* II. 564
fastigiatus *Weih. et Nees* II. 562

Rubus
ferox Vest II. 562
flagellaris *W.* II. 559, 564
β inermis [illegible] - -
fuscus *[illegible]* II. 559
floribundus *H. B. et K.* II. 560
[illegible] *[illegible]* II. 566
[illegible] *Don* II. 559
[illegible] *Lam.* II. 558
[illegible] *Poir.* II. 556
fruticosus *L.* II. 560
[illegible] *L.* II. 561
[illegible] - - -
[illegible] - - -
[illegible] *Tratt.* II. 561
[illegible] *[illegible]* -
[illegible] - - -
fruticosus Lour. II. 561
fruticosus Poir. II. 562
fruticosus Ser. II. 563
fruticosus [illegible] et Nees II. 561
[illegible] *Sm.* II. 568
[illegible] *H. B. et K.* II. 562
[illegible] *Bert.* II. 564
[illegible] *Sm.* II. 559
[illegible] *Bertol.* II. 564
[illegible] *intermedius DC. fl. fr.* II. 564
[illegible] *Koch.* II. 557
[illegible] *Ser.* II. 566
[illegible] *W.* II. 563
[illegible] *W. et Kit.* II. 564
hispidus *L.* II. 564
holosericeus *Vest* II. 561
[illegible] *Weih.* II. 562
[illegible] *Vill.* II. 564
jamaicensis *L.* II. 564
japonicus L. II. 541
idaeus *L.* II. 558
β microphyllus *Wallr.* II. 558
incisus *Thunb.* II. 566
indicus *Leschen.* II. 568
inermis W. II. 559
laciniatus *W.* II. 558
Lambertianus *Ser.* II. 567
lanuginosus *Stev.* II. 564
lasiocarpus *Sm.* II. 558
leucostachys *Schleich.* II. 562
[illegible]us *Ser.* II. 560
[illegible]dus *Ser.* II. 557
[illegible] *Weih.* II. 562
[illegible]us *Don* II. 557
[illegible]*yllus Don* II. 559
[illegible]yllus *L. fil.* II. 566

Rubus
moluccanus Ait. I[illegible]
moluccanus *L.* II. 5[illegible]
moluccus Rumph[illegible]
montanus *Libert* II[illegible]
mucronatus *Ser.* II.[illegible]
mysorensis *Heyne*[illegible]
nemorosus Heyne[illegible]
nitidus *Weih. et Ne*[illegible]
nubigenus *H. B. et*[illegible]
nutkanus *Moç.* II. 5[illegible]
obovalis *Mx.* II 56[illegible]
obovatus Tratt. II[illegible]
obtusifolius W. II[illegible]
occidentalis *L.* II. 5[illegible]
odoratus *L.* II. 566
palmatus Thunb.[illegible]
paniculatus Schle[illegible]
paniculatus *Sm.* II.[illegible]
parviflorus *Nutt.* II.[illegible]
parvifolius *L.* II. 56[illegible]
parvifolius Walt[illegible]
pauciflorus *Wall.* II[illegible]
pedatus Sm. II. 55[illegible]
pedunculosus Don[illegible]
pensylvanicus Poi[illegible]
pinnatus Don II.[illegible]
pinnatus *W.* II, 556
pistillatus Sm. II.[illegible]
plicatus *Weih. et N*[illegible]
β glabriusculus *Weih*[illegible]
plicatus γ Weih.[illegible]
procumbens Mühl.[illegible]
pseudo-caesius W[illegible]
pubescens *Vest* II. 5[illegible]
pyrifolius *Sm.* II 56[illegible]
radicans Cav. II. 5[illegible]
reflexus *bot. reg.* II.[illegible]
rhamnifolius *Weih.*[illegible]
ribifolius W. herb[illegible]
rigidus *Sm.* II. 556
rosaefolius *Sm.* II. 5[illegible]
β coronarius *Sims* I[illegible]
δ trilobus - -
roseus *Poir.* II. 561
β coriaceus *Spr.* II.[illegible]
rubricaulis Weih.[illegible]
rugosus Hamilt. I[illegible]
rugosus *Sm.* II. 567
sanctus *Schreb.* II. 5[illegible]
sanguinolentus *Link*[illegible]
saxatilis Bigel. II.[illegible]

. II. 564
ıs *Pers.* II. 565
ı *Wallr.* II. 565
lalii *Weih.* II. 562
Weih. II. 562
gel. II. 563
Hortul. II. 556
Pursh II. 559
i *Weih.* II. 564
ı. II. 565
Mx. II. 557
Anders. II. 556
est II. 559
i *Poir.* II. 561, 563
m. II. 567
Weih. II. 562
us *Bory* II. 557
s *Weih. et Nees* II. 561
rratus *Weih. et Nees* II. 561
ratus *Weih. et Nees* II. 561
us α *Weih. et Nees* II. 561
us β *Weih. et Nees* II. 561
hunb. II. 565
mex. II. 566
Mx. II. 564
Schott II. 560
us *Poir.* II. 563
Vest II. 561, 562
lit. II. 563
losus *Ser.* II. 563
s - - 564
alosus - - -
sdius - - -
hyllus *Wallr.* II. 564
Thunb. II. 567
s *Desf.* II. 564
mni Weih. II. 563
Adans. III. 16
lish. IV. 503 *Spr.* IV. 501
Spr. IV. 501
lia *Salisb.* IV. 503
ia *Bartl.* IV. 501
Spr. IV. 501
Salisb. IV. 503
ia *Spr.* IV. 500
Spr. IV. 502
ata Spr. IV. 502

Rudolphia *W.* II. 414
dubia *H. B. et K.* II. 414
peltata *W.* II. 414
rosea *Tussac* II. 414
volubilis *W.* II. 414
β pilosiuscula *DC.* II. 414
Ruizia *Cav.* I. 497
cordata *Cav.* I. 497
lobata *Cav.* I. 497
palmata Cav. I. 498
variabilis *Jacq.* I. 498
β laciniata *Cav.* I. 499
Rulingia Ehrh. III. 355, 356 *Haw.* III. 355 *R. Br.* I. 486
Anacampseros Ehrh. III. 355
angustifolia Haw. III. 356
arachnoides Haw. III. 355
filamentosa Haw. III. 356
punnosa R. Br. I. 486
patens Ehrh. III. 357
polyphylla Haw. III. 356
rubens Haw. III. 356
rufescens Haw. III. 356
triangularis Ehrh. III. 357
varians Haw. III. 355
Rumia *Hoffm.* IV. 98 *Link* IV. 187
athamanthoides *DC.* IV. 98, 156
capensis Link IV. 187
microcarpa *Hoffm.* IV. 98
β rigidula *Hoffm.* IV. 98
seseloides *Hoffm.* IV. 98, 156
taurica *Hoffm.* IV. 98
Rumphia *L.* II. 90
amboinensis L. II. 90
tiliaefolia *Lam.* II. 90
Rupifraga Otth. I. 375 (Silene)
Russelia capensis L. fil. IV. 53
Ruta *Tourn.* I. 709
acutifolia *DC.* I. 711
angustifolia *Pers.* I. 710
bracteosa *DC.* I. 710
Buxbaumii *Poir.* I. 711
chalepensis Vill. I. 710
chalepensis tenuifolia d'Urv. I. 710
chalepensis α L. I. 710
chalepensis β L. I. 710
corsica *DC.* I. 710
crithmifolia *Moriç.* I. 710
dahurica *DC.* I. 712

[illegible] 711
[illegible]*m.* I. 710
[illegible] 710
[illegible]*ct.* I. 711
[illegible] 711
[illegible] I. 710
[illegible] *L.* I. 710
[illegible]*Mill.* I. 710
[illegible]*Auct.* I. 710
[illegible]*Jacq.* I. 710
[illegible]*DC.* I. 712
[illegible] *L.* I. 711
[illegible]*MB.* I. 711
[illegible] *grandiflora Sims* I. 711
macrophylla *Sol.* I. 710
montana *Clus.* I. 710
parviflora *Desf.* I. 711
pavonina *L.* I. 711
pavonina *Poir.* I. 711
pumila *L. fil.* I. 710
sodescens *W.* I. 711
rosmarinifolia *Pers.* I. 712
suaveolens *DC.* I. 711
β congesta - - -
sylvestris Mill. I. 710
tenuifolia *Desf.* I. 710
thesioides *Fisch.* I. 712
tuberculata *Forsk.* I. 711
α Forskahlii *DC.* - -
β Montbretii - - -
villosa *MB.* I. 711

RUTACEAE *Juss.* I. 709

Ruteria Moench II. 216
pinnata Moench II. 216
tenuifolia Moench II. 217
Rutidea *DC.* IV. 495
mollis *Blum.* IV. 495
parviflora *DC.* IV. 495
Rutidopoterium DC. II. 594 (Poterium)
Ruyschia *Jacq.* I. 566
clusiaefolia *Jacq.* I. 566
Souroubea *W.* I. 566
Ryanaea *DC.* I. 255
speciosa *Vahl* I. 255
Ryania Vahl I. 255
Rytidea Spr. IV. 495

S

[illegible]*dariffa DC.* I. 453 (Hibiscus)
[illegible]*ig. Cool.* II. 89
[illegible]*dicea Aubl.* IV. 439
[illegible]*aspera Aubl.* IV. 439
Sabicea
cinerea *Aubl.* IV. 4
diversifolia *Pers.* I
eriantha *DC.* IV. 4
hirsuta *H. B. et K.*
hirta *Sw.* IV. 439
pumila *Bartl.* IV.
Perottetii Rich. I
trillora *DC.* IV. 43
umbellata *Pers.* IV
villosa R. et Schu
Sabinea *DC.* II. 263
dubia *DC.* II. 263
florida *DC.* II. 263
Saccellium Bonpl. I
Saelanthus digitata
glandulosus Fors.
quadragonus For.
rotundifolius For
ternatus Forsk. I
Sagina *L.* I. 389
apetala *L.* I. 389
β agglomerata *L.* I.
cerastoides *Sm.* I. 3
ciliata *Fries* I. 389
erecta *L.* I 389
fasciculata *Poir.* I.
filiformis *Pourr.* I.
maritima *Sm.* I. 38
procumbens *L.* I. 3
quitensis *H. B. et K*
stricta *Fries* I. 389
Sagraea *DC.* III. 170
Berterii *DC.* III. 17
capillaris *DC* III. 1
columnaefolia *DC*
domingensis *DC.* II
fascicularis *DC* III.
guadalupensis *DC*
hirsuta *DC.* III. 171
hirtella *DC.* III. 17
microphylla *DC.* III
pilosa *DC.* III 171
rariflora *DC* III. 17
scabrida *DC.* III. 17
sessiliflora *DC* III.
tetragona *DC.* III. 1
umbrosa *DC.* III. 1
Sahlbergia Neck. IV
Sakaki Kaempf. I. 3
Saluberria Neck. II.
Salacia *L.* I. 570
africana *DC.* I. 570
Calypso *DC.* I. 571
chinensis *L.* I. 571

inensis *Lour.* I. 571
DC. I. 570
ariensis *DC.* I. 570
a *DC.* I. 570
i *DC.* I. 571
DC. I. 570
sis *DC.* I. 570
Lour. I. 333
sis *Lour.* I. 334
C. I. 334
DC. I. 334
lia *DC.* I. 334
ch. IV. 483
rinda *Rich.* IV. 484
Tourn. III. 80 *DC.* III. 82 (Lythrum)
olia *Lam.* III. 82
Lam. III. 82
a *Lam.* III. 81
Moench III. 83
Moench III. 82
IEAE *DC.* III. 75
HEAE Juss. III. 75
INAE Link III. 75
antoniensis *Vahl* I. 334
eck. III. 26
rt. et Schr. III. 112
ch. III. 113
Rich. III. 113
DC. III. 113
art. et Schr. III. 113
a sagittalis fl. Wett. II. 151
Hil. III. 28
ides *St. Hil.* III. 28
DC IV. 617
IV. 617
Guertn. I. 592
L. I. 484
Kaempf. IV. 182
EAE *H. B. et K.* IV. 321
INEAE Batsch IV. 321
ourn. IV. 321
all. IV. 322
ham. et Schl. IV. 323
Cham. et Schl. IV. 672
tis *Burm.* IV. 323
L. IV. 322

Sambucus
canadensis Thunb. IV. 323
chinensis *Lindl.* IV. 322
cochinchinensis Spr. IV. 323
ebuloides *Desv.* IV. 323
Ebulus *L.* IV. 322
β humilis *DC.* IV. 322
Gaudichaudiana *DC.* IV. 322
humilis Lam. IV. 322
humilis Mill. IV. 322
japonica *Thunb.* IV. 323
javanica *Reinw.* IV. 322
laciniata Mill. IV. 322
Loureiriana *DC.* IV. 323
mexicana *Presl* IV. 322, 672
monstrosa Hortul. IV. 323
nigra *L.* IV. 322
β virescens *DC.* IV. 322
γ leucocarpa *Sm.* - -
δ laciniata *DC.* - -
ε rotundifolia *DC.* IV. 323
ζ monstrosa - - -
nigra Lour. IV. 323
nigra Thunb. IV. 323
palmensis *Link* IV. 322
peruviana *H. B. et K.* IV. 323
phyteumoides *DC.* IV. 323
pubens *Mx.* IV. 323
pubescens Pers. IV. 323
racemosa *L.* IV. 323
β laciniata *Koch* IV. 323
suaveolens W. IV. 323
tiliaefolia Wall. IV. 257
virescens Desf. IV. 322
vulgaris Lam. IV. 322

Sameraria Desv. I. 210 *DC.* I. 210 (Isatis)
armena Desv. I. 210

Sampacca montana Rumph I. 81
sylvestris Rumph I. 79

Samyda *L.* II. 47
arborea Rich. II. 50
crenata Poir. II. 49
glabrata *Sw.* II. 47
icosandra Sw. I. 260
macrocarpa *fl. mex.* II. 48
macrophylla *W.* II. 48
multiflora *Cav.* II. 48
nitida *L.* II. 48
Niviana Poir. II. 50
parviflora L. II. 49
polyandra W. II. 51
pubescens L. II. 48
rosea *Sims* II. 48

[illegible] I. 48
[illegible] T. 65
[illegible] I. 55
[illegible] I. 48
[illegible] I. 49
[illegible] I. 55
[illegible] I. 55
[illegible] I. 58
[illegible] I. 59
[illegible] I. 51
[illegible] II. 57
[illegible] 521
[illegible] 521
[illegible] 521
[illegible] 521
[illegible] 521
[illegible] 521
[illegible] 953
[illegible] 953
[illegible] 953
[illegible] I. 953
[illegible] 953
[illegible] I. 953
[illegible] I. 953
[illegible] I. 953
[illegible] II. 593

[illegible]ORBEAE *Juss.* II. 588

[illegible] *DC.* IV. 84 (Sanicula)
[illegible] *DC.* IV. 85 (Sanicula)
[illegible] *Vaert.* IV. 84
[illegible]ccus *L.* IV. 84
[illegible]ccus *Spr.* IV. 84
[illegible]sis *Thunb.* IV. 84, 85
[illegible]ssicaulis *Poepp.* IV. 84
[illegible]cinifolia *W.* IV. 98
[illegible]tis *Don* IV. 85
[illegible] *Hamilt.* IV. 85
[illegible]opaea *L.* IV. 84
[illegible]sis *Cham. et Schlecht.* IV. 84
[illegible]volens *Poepp.* IV. 85
[illegible]maphrodita *Don* IV. 85
[illegible]anica *Blum.* IV. 85
[illegible]anica *Juss.* IV. 85
[illegible]berta *Cham. et Schlecht.* IV. 84
[illegible]arylandica *L.* IV. 84
[illegible]mas *Fuchs* IV. 84
[illegible]icana *DC.* IV. 84
[illegible]na *Reinw.* IV. 85
[illegible]nalis *Gou.* IV. 84
[illegible]narum *Bauh.* IV. 84
[illegible]ium *DC.* IV. 85
[illegible]ULEAE *Koch* IV. 57, 82

Santalaria DC. I

Santaloides L. II.
Saouari Aubl. DC

glabra Aubl. I.
villosa Aubl. I.

SAPINDACEAE
SAPINDEAE *H.*
SAPINDI Juss.

Sapindus *L.* I. 607
[illegible]rginatus *Lour.*
[illegible]culosus *Poir.*
arborescens *Aubl*
chinensis L. fil.
emarginatus *Vahl*
Forsythii *DC.* I.
fraxinifolius *DC.*
frutescens *Aubl.*
inaequalis *DC.* I.
indicus *Poir.* I. 6
laurifolius Bal
laurifolius *Vahl*
longifolius *Vahl*
marginatus *W.* I.
Mukorossi *Gaert*
pinnatus Mill.
Rarak *DC.* I. 608
rigidus *Ait.* I. 60
rubiginosus *Ro.r*
salicifolius *DC.* I
Saponaria *L.* I. 6
Saponaria Lou
Saponaria Mx.
senegalensis *Poir*
spinosus L. I. 6
stenopterus *DC.*
surinamensis *Poi*
tetraphyllus *Vahl*
trifoliata L. I.
Saponaria *L.* I. 365
bellidifolia *Sm.* I.
caespitosa Biv.
caespitosa *DC.* I.
caespitosa Sibth
cretica *L.* I. 366
cretica L. I. 353
depressa *Biv.* I.
elegans Lapeyr.
glutinosa *MB.* I.
hirsuta *Lahill.* I.
illyrica *L.* I. 366
lutea *L.* I. 366
ocymoides *L.* I. 3

L. I. 365
ia Ser. I. 365
L. - -
L. I. 366
- - -
Roxb. I. 365
l. I. 366
W. I. 366
org I. 367
fln. I. 366
r. I. 367
. I. 365
ra Fisch. I 365
DC. II. 482 (Caesalpinia)
um. IV. 493 Brid. IV. 673
Blum. IV. 493
Blum. IV. 493
m. L. II. 487
s Burm. II. 487
II. 487
DC. I. 129
DC. I. 129
DC. I. 129
DC. I. 638 (Monsonia)
EAE DC. IV. 342, 367
Afzel IV. 367
Sabin. IV. 368
DC. I. 225 (Crambe)
Pers. II. 522
ser. II 522
our. II. 522
et. Th. I. 521
Pet. Th. I. 521
Pet. Th. I. 521
Pet. Th. I. 521
oides DC. II. 32 (Ceanothus)
us P. Brown. II. 30
Thunb. II. 137
Thunb. II. 137
ia Thunb. II. 137
Wall. III. 485
Wall. III. 485
Presl IV. 15
Presl IV. 16
Gaertn. IV. 576
Gaertn. IV. 576
TACEAE DC. I. 627

SARMENTACEAE Vent. I. 627
Sassa Bruce II. 440
gummifera Gmel. II. 455
Sauraja W. I. 525
bracteolata DC. I. 526
bracteosa DC. I. 526
β punctata DC. I. 526
cauliflora DC. I. 526
crenulata DC. I. 526
excelsa W. I. 525
gigantea DC. I. 526
lanceolata DC. I 526
napaulensis DC. I 526
nudiflora DC. I. 526
serrata DC. I. 526
tristyla DC. I. 526
villosa DC. I. 525
SAURAJEAE DC. I. 525
Sauvagea Neck. I. 315
SAUVAGEAE Ging. I. 315
Sauvagesia Jacq. I. 315
Adyma Aubl. I. 315
erecta Aubl. I. 316
erecta H. B. et K. I. 315
erecta Jacq. I. 316
erecta L. I. 315
α β γ I. 315, 316
erecta Spr. I. 316
ericoides Ging. I. 316
fruticosa Mart. I. 316
geminiflora A. mex. I. 315
nutans Pers. I. 316
pendula Mart. I. 316
salicifolia Ging. I. 316
tenella Lam. I. 316
Savastenia Neck. III. 143
Savia Rufin. II. 383
Savignya DC. I. 157
aegyptiaca DC. I. 157
Saxifraga L. IV. 17, Don IV. 48
acaulis Gaud. IV. 26
adscendens Haw. IV. 35
adscendens Vahl IV. 28
α albiflora Ser. IV. 28
β flavida - - 29
γ secunda - - -
δ coronata - - -
ε glomerata - - -
adscendens α et β DC. IV. 28
adscendens γ DC. IV. 29
aestivalis Fisch. IV. 42
affinis Don IV. 31
ajugaefolia Ait. IV. 28

Saxifraga
ajugaefolia *L.* IV. 28
β Aitonis *Haw.* IV. 28
γ fimbriata *Ser.* - -
ajugaefolia β DC. fl. fr. IV. 28
ajugaefolia δ longipes Haw. IV. 28
aizoides L. IV. 47
aizoides *Sm.* IV. 47
β crocea *Gaud.* IV. 47
γ integra *Ser.* - -
aizoides β DC. fl. fr. IV. 47
Aizoon Guss. IV. 20
Aizoon *Jacq.* IV. 19
α vulgaris *Ser.* IV. 19
β recta - - -
γ neglecta - - -
Aizoon Ten. IV. 19
Aizoon minima Ser. IV. 19
Aizoon α Morett. IV. 19
β minor *Sternb.* IV. 19
Aizoon γ Gaud. IV. 19
Aizoon δ rufescens Gaud. IV. 19
alpina Pav. IV. 33
altera Alp. I. 366
altifida *Haw.* IV. 35
ambigua DC. IV. 21
amplexifolia Sternb. IV. 48
ampullacea Ten. IV. 26
andicola *H. B. et K.* IV. 29
androsacea Cunoll. IV. 23
androsacea *L.* IV. 24
α integrifolia *Ser.* IV. 24
β tridentata *Gaud.* IV. 24
androsacea trifida Haw. IV. 24
androsacea trifolia Sternb. IV. 24
androsacea γ longifolia Gaud. IV. 24
angustifida Hortul. IV. 31
angustifolia Hall. fil. IV. 25
annua Lapeyr. IV. 35
aphylla Sternb. IV. 24
aphylla Ten. IV. 23
aquatica Lapeyr. IV. 28
aquatica MB. IV. 30
aquatica var. Lapeyr. IV. 29
β *Lapeyr.* IV. 29
γ *Lapeyr.* IV. 29
arachnoidea *Sternb.* IV. 34
arenarioides *Brign.* IV. 22
aretioides *Lapeyr.* IV. 21
β micropetala *Ser.* IV. 21

Saxifraga
arguta *Don* IV. 40
ascendens All. IV
aspera *DC. fl. fr.*
α elongata *Gaud.*
β bryoides *DC.* IV.
aspera L. IV. 46
aspera MB. IV. 4
atropurpurea Ste
atro-rubens Bert
australis *Moric.* IV
autumnalis L. IV
bavarica Ray. I.
Bellardi All. IV.
biflora *All.* IV. 18
Bonplandii Don
brachypoda *Don* IV
bracteata *Don* IV.
bronchialis *L.* IV. 4
α leucusia *Don* IV.
Brunonis *Wall.* IV.
bryoides L. IV. 46
bulbifera DC. fl. f
bulbifera *L.* IV. 36
α Morisoniana *Ser.*
β veronicaefolia *Ster*
bulbifera arctica
Burseriana Lape
Burseriana *L.* IV. 2
Burseriana β spi
Burseriana γ Van
caesia *L.* IV. 21
α recurvifolia *Ser.* I
β patens *Ser.* IV. 2
caesia var. W. IV
caesia β Lam. IV.
caesia β major D
caesia γ Gaud. IV
caesia γ Moretti I
cuespitosa Birol.
caespitosa Cham.
caespitosa Don IV
cuespitosa Gaud.
caespitosa Lapeyr
caespitosa *L.* IV. 2
caespitosa Sm. IV.
caespitosa Scop. I
caespitosa Sternb.
caespitosa Vill. IV
caespitosa Wahlen
callosa Sm. IV. 19
calyciflora Lapeyr
capitata *Lapeyr.* IV.

iana Hortul. IV. 39
iana Schleich. IV. 41
ica W. IV. 20
ylla Dryand. IV. 31
L. IV. 36
Ser. IV. 36
- - - -
Sm. IV. 36
β Don IV. 36
β Gaud. IV. 36
nis Vir. IV. 29
Sternb. IV. 47
nis Sternb. IV. 35
ides Don IV 46
is Lour. IV. 43
Lapeyr. IV. 24
DC. fl. fr. IV. 40
uan IV. 40
hemifolia Ser. IV. 40
pifolia - - -
Pers. IV. 18
Sternb. IV. 22
ta Gmel. IV. 31
Schleich. IV. 31
sa hort. lond. IV. 32
Sternb. IV. 34
Ser. IV. 34
na Ser. IV. 34
- - - -
ana - - -
Haw. IV. 38
Fisch. IV. 48
L. IV. 18
alis Ser. IV. 18
ta Gaud. - 19
ra Ser. - -
na - - -
Ten. IV. 20
α Gaud. IV. 18
L. IV. 37
Ser. IV. 37
iana Ser. IV. 37
ra - - - -
a α Ait. IV. 37
rmis hort. oxf. IV. 32
nd. IV. 25
West IV. 19
. IV. 29
Cav. IV. 29
Gaud. IV. 42
L. IV. 41
Ser. IV. 42
ra - - -
Sternb. IV. 42

Saxifraga
cuneifolia diversifolia Ser. IV. 42
curvata Schleich. IV. 31
cuscutaeformis Lodd. IV. 42
Cymbalaria *L.* IV. 44
Cymbalaria MB. IV. 36
cymosa W. et Kit. IV. 29
dahurica *Pall.* IV. 36
β latifolia *Sternb.* IV. 39
daurica Schleich. IV. 42
davurica Sternb. IV. 39
decipiens Ehrh. IV. 32
decipiens Sieb. IV. 32
decipiens canescens Haw. IV. 32
decipiens controversa Haw. IV. 32
decipiens hirsuta Haw. IV. 32
densa Schleich. IV. 31
densifolia Schleich. IV. 31
denudata *Don* IV. 33, 666
depressa *Sternb.* IV. 24
diapensioides *Bell.* IV. 21
diapensioides Fisch. IV. 22
dichotoma *W.* IV. 33
diversifolia *Wall.* IV. 44
α lanceolata *Ser.* IV. 44
β parnassifolia *Ser.* IV. 44
γ Moorcroftiana - - -
dubia Schleich. IV. 32
elegans Mack. IV. 42
elongata Panz. IV. 32
elongata *Sternb.* IV. 39
β subspathulata *Sternb.* IV. 39
elongata β glabra Sternb. IV. 41
elongata β subspathulata Sternb. IV. 39
elongella Haw. IV. 26
elongella Schleich. IV. 31
elongella Sm. IV. 31
erecta Ten. IV. 19
erosa *Pursh* IV. 41
erosa Schleich. IV. 41
Escholtzii Cham. IV. 22
Escholtzii *Sternb.* IV. 18
evolvuloides *Wall.* IV. 46
exarata DC. fl. fr. IV. 27
exarata *Vill.* IV. 27
α major *Ser.* IV. 27
β minor *Gaud.* IV. 27
γ tenerior *Gaud.* IV. 27
exarata α Don IV. 27

Saxifraga
exarata β et γ *Don* IV. 28
exilis Poll. IV. 35
exilis *Steph.* IV. 35
filamentosa Cham. IV. 45
filicaulis *Wall.* IV. 46
fimbriata *Don* IV. 21
fimbriata *Wall.* IV. 45 *)
Fischeri *Ser.* IV. 22
flagellaris *W.* IV. 45
flavescens Sternb. IV. 31
florulenta *Morett.* IV. 20
foliolosa R. Br. IV. 41
fragilis Schrank IV. 30
geranioides Gou. IV. 30
geranioides *L.* IV. 29
α ranunculifolia *Ser.* IV. 30
β irrigua - - -
γ obtusiloba - - -
δ pedatifida - - -
geranioides Schleich. IV. 30
Geum herb. Patrin. IV. 42
Geum L. IV. 42
Geum Pursh IV. 41
glabella *Bertol.* IV. 26
glandulosa *Wall.* IV. 45
glandulosa W. herb. IV. 46
globulifera *Desf.* IV. 31
β gibraltarica *Ser.* - -
Gmelini Host IV. 31
gracilis Mack. IV. 42
gracilis Schleich. IV. 41
gracilis Steph. IV. 42
grandiflora Sternb. IV. 36
granulata *L.* IV. 35
α vulgaris *Haw.* IV. 35
β corsicana *Ser.* IV. 35
γ ramosissima - - 36
δ pendulifiora - - -
ε sessiliflora - - -
η bulbillaris - -
granulata gemmifera Haw. IV. 36
granulata multicaulis Lapeyr. IV. 36
granulata α Sternb. IV. 35
groenlandica *L.* IV. 27
α arctica *Haw.* IV. 27
hederacea *L.* IV. 43
heterophylla Sternb. IV. 29
hieracifolia *W. et Kit.* IV. 39
α spicata *Ser.* IV. 39
β capitellata *Ser.* IV. 39

*) cont. Praefatio.

Saxifraga
Hirculus *L.* IV. 44
α obtusata *Ser.* IV
β acutata - -
hirsuta *L.* IV. 42
α serrata *Walk.-A*
β punctata *Ser.* IV
γ Geum *Walk.-Ar*
δ hybrida *Ser.* IV.
hirsuta Sm. IV.
hirta Don IV. 3
hispidula *Don* IV.
Hohenwartii W
Hohenwartii β *pa*
St
hybrida Vill. IV.
hyperborea *R. Br.*
hypnoides All. IV
hypnoides Ehrh.
hypnoides *L.* IV. 3
α gemmifera *Ser.* I
β angustifolia *Haw.*
γ condensata *Sm.*
δ leptophylla *Haw.*
ε elongella *Ser.*
ζ spathulata *Haw.*
η Sternbergii *Wall*
ϑ villosa -
hypnoides Sm. IV
hypnoides aristat
hypnoides latifida
hypnoides rhodop
hypnoides septifi
hypnoides α *et* β
hypnoides δ *Aito*
Jamesii *Torr.* IV.
imbricata Lam.
incurva Mack. IV
incurvifolia *Don* I
intacta *W.* IV. 20
intermedia Heg.
intermedia Taus
intermedia α *Ga*
intermedia β *Ga*
intricata Lapeyr
irrigua MB. IV.
juniperina *Adams*
α Adamsiana *Ser.* I
β Steveniana -
Kruhsiana *Fisch.* I
ladanifera Lapey
ladanifera β *pedu*

Don IV. 32
Don IV. 32
IV. 47
hleich. IV. 31
Haw. IV. 33
Ham. IV. 33
- - -
uii Don IV. 21
uii Sternb. IV. 32
n IV. 32
Ser. IV. 35
Froel. IV. 24
Pers. IV. 31
ifolia Lapeyr. IV. 40
urr. IV. 43
ll. IV. 38
Ser. IV. 38
ll. - -
ell. IV. 19
lorett. IV. 20
Don IV. 19
media Don IV. 19
peyr. IV. 19
rnb. IV. 19
nb. IV. 19
nb IV. 19
lorett. IV. 20
en. IV. 20
n IV. 38
ea Lapeyr. IV. 21
on IV. 30
oir. IV. 25
Ser. IV. 25
. IV. 25
Sternb. IV. 25
rnb. IV. 20
Hortul. IV. 39, 40
V. 20
ch. IV. 41
IV. 24
isch. IV. 48
yr. IV. 28
na Wall. IV. 44
peyr. IV. 28
a. IV. 26
ulf. IV. 26
r. Lapeyr. IV. 26
tropurpurea Sternb. IV. 26
rh. IV. 19
ll. IV. 24
lon IV. 26

Saxifraga
muscoides Sternb. IV. 26
muscoides *Wulf.* IV. 25
α microphylla *Gaud.* IV. 26
β elatior - - -
γ crassifolia - - -
ε uniflora - - -
ζ capitata - - -
λ moschata - - -
μ atropurpurea *Ser.* - -
muscoides lineata Sternb. IV. 26
muscoides nana Sternb. IV. 26
muscoides β *Sternb.* IV. 26
muscoides δ *Sternb.* IV. 26
mutata Jacq. IV. 20
mutata *L.* IV. 20
α stenopetala *Ser.* IV. 20
β macropetala - - -
myosotifolia *Don* IV. 45
neglecta *Bray* IV. 43
neglecta Ten. IV. 19
Nelsoniana *Don* IV. 41
nervosa Lapeyr. IV. 27
nitida *Schreb.* IV. 22
nivalis *L.* IV. 38
α densiflora *Ser.* IV. 38
β tenuis *Wahlenb.* IV. 38
notkana Moç. IV. 40
nuda *Haw.* IV. 41
nudicaulis *Don* IV. 37
nutans *Don* IV. 37
obtusifida *Don* IV. 30
oppositifolia DC. fl. fr. IV. 18
oppositifolia *L.* IV. 17
α imbricata *Ser.* IV. 18
β distans - - -
oppositifolia α *W.* IV. 18
oppositifolia γ *W.* IV. 18
orientalis *Jacq.* IV. 43
Pacumbis Buch. IV. 38
pallida *Wall.* IV. 38
palmata Lapeyr. IV. 27
palmata Lejeun. IV. 31
palmata Panz. IV. 32
palmata Sm. IV. 32
palmata Steph. IV. 35
palustris Hortul. IV. 39
paniculata *kort. madr.* IV. 33
paniculata Schleich. IV. 39
paradoxa W. IV. 43
parnassifolia *Don* IV. 25
parnassifolia Wall. IV. 44
parviflora *Biv.* IV. 44
α ramosa *Ser.* IV. 44
β Bocconiana *Ser.* IV. 44

Saxifraga
patens Gaud. IV. 22
pauciflora *Sternb.* IV. 42
Pavonii *Don* IV. 28
pectinata *Pursh* IV. 33
pedatifida Ehrh. IV. 30
pedemontana *All.* IV. 29
α densiflora *Ser.* - -
β laxiflora - - -
γ crenata - - -
penduliflora Bast. IV. 36
pensylvanica *L.* IV. 39
α conglomerata *Mx.* IV. 39
β corymbifera - - 40
pentadactyla Don IV. 30
pentadactylis *Lapeyr.* IV. 30
α laxiflora *Ser.* IV. 30
β corymbosa - - -
γ capitellata - - -
peruviana *Sternb.* IV. 33
petraea Gou. IV. 29
petraea Jacq. IV. 33
petraea *L.* IV. 34
α latiloba *Ser.* IV. 34
β angustiloba *Ser.* IV. 34
γ integrifolia - - -
petraea Pall. IV. 30
petraea Pav. IV. 31
petraea Wulf. IV. 34
petraea α Gaud. IV. 34
petraea Bellardi Gaud. IV. 34
integrifolia Gaud. IV. 34
δ littoralis Gaud. IV. 34
planifolia *Lapeyr.* IV. 24
α albida *Ser.* IV. 24
β trifida *Gaud.* IV. 24
planifolia citrina Gaud. IV. 24
planifolia α Sternb. IV. 24
planifolia γ Seguierii Sternb. IV. 25
platypetala Schleich. IV. 31
platypetala Sm. IV. 31
polita Hortul. IV. 42
Ponae Sternb. IV. 34
Ponae α Sternb. IV. 34
porophylla Bertol. IV. 21
propinqua R. Br. IV. 45
pubescens *DC. fl. fr.* IV. 27
α sulcata *Ser.* IV. 28
β Prostiana - - -
pubescens α et β DC. IV. 28
pubescens γ et δ DC. IV. 28
pulchella *Don* IV. 32

Saxifraga
punctata L. IV. 42
punctata Pall. IV.
punctata Retb. IV
purpurea All. IV.
pygmaea Haw. IV.
pyramidalis Lapey
pyramidalis Ten.
pyrenaica Scop. IV
pyrenaica Vill. IV
pyrolifolia Don IV
quinquedens *Haw.* I
quinquefida *Haw.* IV
quinquefida var. L
ramulosa *Wall.* IV.
recta Lapeyr. IV.
recta Ten. IV. 20
recurva Schleich.
recurvifolia Lapey
repanda W. IV. 44
reticulata W. IV.
retroflexa Hortul.
retusa *Gou.* IV. 18
rigida Chr. Sm. IV
rivularis *L.* IV. 36
α subsessilis *Ser.* IV.
β pedunculosa - -
rivularis Sm. IV. 3
rivularis Ph. Thes
Rocheliana *Sternb.*
rosularis Schleich.
rosulenta Ehrh. IV
rotundifolia *L.* IV. 4
α vulgaris *Ser.* IV. 4
β repanda *Don* -
rupestris Schleich.
rupestris Ph. Thes
rupestris W. IV. 3
Russi *Presl* IV. 43
sarmentosa *L. fil.* IV
β cuscutaeformis *Ser.*
Schraderi Sternb.
Scopolii Vill. IV. 3
secunda *Morett.* IV.
sedoides DC. fl. fr.
sedoides *L.* IV. 23
α flavida *Ser.* IV. 23
β Hohenwartiana *Ser.*
sedoides Wulf. IV.
sedoides colorata
sedoides α Don IV
Seguieri Gaud. IV.
Seguierii *Spr.* IV. 2
α flavicans *Ser.* IV.
β aurantiaca *Ser.* -

ndra Fisch. IV. 42
ncens Sweet IV. 40
lia Pursh IV. 25
Mack. IV. 42
Pursh IV. 45
L. IV. 36
ris Brot. IV. 42
Desf. IV 33
Ser. IV 33
ta Haw. IV. 32
Don IV. 41
Adams IV 47
nica Gmel. IV. 31
Sieb. IV. 21
nnii hort. Canal. IV. 32
L. IV. 40
ris Ser. IV. 40
ra DC. - -
lia Hall. fil. IV. 40
na Poir. - -
s β pumila Gaud. IV. 40
Don IV. 27
na Merk IV. 46
ala Gaud. IV. 24
iana Sternb. IV. 35
fera Jacq. IV. 43
Hall. fil. IV. 26, 27
Wall. IV. 41
Wulf. IV. 22
Sut. IV. 24
es Scop. IV. 23
lata Retz IV. 47
ylites DC. fl. fr. IV. 35
lites L. IV. 35
ta Ser. IV. 35
Gaud. - -
ylites α Don IV. 35
ylites β alpicola Don IV. 34
Jan IV. 24
la Don IV. 32
Schleich. IV. 31
a Schrad. IV. 30
sa α Fisch. IV. 39
β atrata Fisch. IV. 39
L. IV. 42
ata Ser. IV. 42
tifolia Don IV. 42.
a punctata Sm. IV. 42
a R. Br. IV. 27
a Froel. IV. 24
a Sternb. IV. 32

Saxifraga
valdensis *DC.* IV. 22
α densiflora *Ser.* IV. 22
β laxiflora - - -
Vandellii *Sternb.* IV. 33
varians Sieb. IV. 25
venosa *Haw.* IV 26
veronicaefolia Bertol. IV. 36
vernalis W. IV. 39
villosa W. IV 32
virginica Nutt. IV 39
virginiensis Don IV 39
virginiensis *Mx.* IV 39
viscosa *Haw.* IV. 29
vivipara Vest IV 36
Wormskioldii Fisch. IV. 42

SAXIFRAGACEAE *DC.* IV. 1
SAXIFRAGAE Juss. IV. 1
SAXIFRAGEAE R. Br. IV. 1
SAXIFRAGEAE *DC.* IV. 17
SAXIFRAGEAE Vent. IV. 1

Scabiosa *R et Schult.* IV. 654 *L.* IV. 651, 652, 654 *L. et Auct.* IV. 647 *Vaill.* IV. 650 *L. Spr. Wallr.* IV. 650
acaulis L. IV. 660
acutiflora *Reichenb.* IV. 656
africana *L.* V 657
agrestis W. et Kit. IV. 659
alba Scop. IV. 655
albescens W IV. 649
aleppica *Coult.* IV. 655
alpina L. IV. 647
altissima Jacq IV. 657
altissima Mill. IV. 647
ambigua *Ten.* IV. 657
ambrosioides Sm. IV. 648
amoena *Jacq.* IV. 658
amplexicaulis *L.* IV. 661
angulata Rafin. IV. 657
angustifolia *Hoffmans.* IV. 663
annua integrifolia Tourn. IV. 658
arborea Prosp. Alp. IV. 654
argentea L. IV. 655
arvensis L. IV. 651
arvensis Ucria IV. 657
asterocephala Thuill. IV. 660
atrata hort. madr IV. 647
atropurpurea *L.* V. 657
β setifera *DC.* IV. 657
γ grandiflora *DC.* IV. 657

Scabiosa
atropurpurea var. Coult. IV. 657
atropurpurea α et β Coult. IV. 657
atropurpurea γ Coult. IV. 658
attenuata L. fil. IV. 649
australis *Wulf.* IV. 661
banatica W. et Kit. IV. 659
bidens Sibth. et Sm. IV. 650
Biebersteinii R. et Schult. IV. 656
brachiata Guss. IV. 653
brachiata Sibth. et Sm IV. 653
Brunoniana Wall. IV. 647
calyptocarpa St. Am. IV. 657
Candollei *Wall. herb.* IV. 654
canescens hort. taur. IV. 651
canescens W. et Kit. IV. 660
capillata R. et Schult. IV. 660
caucasea Sims IV. 654
caucasica *MB.* IV. 654
α heterophylla *DC.* IV. 654
β elegans - - -
caucasica R. et Schult. IV. 654
centauroides Lam. IV. 648
ceratophylla R. et Schult. IV. 662
ceratophylla Ten. IV. 659
ciliata Horn. IV. 651
ciliata Spr. IV. 651
cinerea Lam. IV. 659
cochinchinensis *Lour.* IV. 661
collina Requi. IV. 651
Columbaria *L.* IV. 658
β Columnae *DC.* IV. 659
γ banatica - - -
δ agrestis - - -
ε Gramuntia - - -
ξ ceratophylla - - -
η commutata - - -
Columbaria holosericea Coult. IV. 659
Columbaria ochroleuca Coult. IV. 658
Columbaria odorata Thuil. IV. 660
Columbaria var. Coult. IV. 659
Columbaria var. MB. IV. 659
Columbaria var. Poll. IV. 658
Columbaria α Coult. IV. 658
Columnae Ten. IV. 659
comosa R. et Schult. IV. 658
commutata R. et Schult. IV. 659
connata Horn. IV. 654
coriacea W. IV. 648

Scabiosa
corniculata W. et K
cornucopia *Vaviss.*
coronopifolia R. et
coronopifolia Sibt
coronopifolia *W. ha*
coronopifolia hir
crenata *Cyr.* IV. 656
β hirsuta *Guss.* IV.
crenata R. et Schu
cretacea MB. IV.
cretica *L.* IV. 654
Cupani Guss. IV.
dahurica Fisch. IV
dahurica *W.* IV. 66
daucoides *Desf.* IV.
decurrens Sibth. et
decurrens Thunb.
diandra Lag. IV.
dichotoma Lam. IV
dichotoma *Ucria* IV
dipsacifolia Schot
divaricata Jacq. I
divaricata Lam. I
divaricata Spr. IV
diversifolia Baum
dubia Moench IV
dumetorum Brow
eburnea Sibth IV
elata Horn. IV. 64
elegans Spr. IV. 6
Fischeri *DC.* IV. 65
flava Sibth. et Sm.
fruticulosa Sm. IV
gigantea Ledeb. IV
glabrata Schott IV
Gmelini St. Hil. I
gracilis R. et Schu
graminifolia *L.* IV.
Gramuntia Brot.
Gramuntia L. IV.
Gramuntia var.
grandiflora Scop.
Hacqueti Lam. IV
heraclea *W.* IV. 66
heterophyllos Gme
hirta *W.* IV. 661
hispanica *W.* IV. 66
Illadnikiana *Host* I
holosericea *Bertol.*
humilis *Host* IV. 66
humilis Thunb. IV
hybrida All. IV. 6
hybrida Bouch. IV

et Schult. IV. 662
Schult. IV. 662
Vill. IV. 657
L. IV. 657
Hoffm. et Link IV. 662
folia Hortul. IV. 651
folia L. IV. 651
folia Savi IV. 651
folia Sut. IV. 651
folia var. DC. fl. fr. IV. 650
lia R. et Schult. IV. 653
ata Sibth. et Sm. IV. 652
Reich. IV. 648
L. IV. 656
R. et Schult. IV. 656
i Schult. IV. 651
Lichtenst. IV. 662
W. et Kit. IV. 648
Link IV. 659
is Lag. IV. 652
a L. IV. 649
a Scop. IV. 649
Vahl IV. 661
unculata Fisch. IV. 658
a W. et Kit. IV. 651
it. IV. 661
ll. IV. 658
rsk. IV. 656
am. IV. 650
L. IV. 649
Lag. IV. 653
L. IV. 657
Vill. IV. 659
Wulf. IV. 656
rutaefolia Bocc. IV. 660
er. IV. 660
Desf. IV. 656
ba R. et Schult. IV. 656
a Hortul. IV. 651
. IV. 660
na Vis IV. 659
ensis Jacq. IV. 655
MB. IV. 651
a Visian. IV. 653
Host. IV. 662
et Schult. IV. 661
Pernh. IV. 658
gardh IV. 635
Vest IV. 658

Scabiosa
nudicaulis Lam. IV. 660
ochroleuca *L.* IV. 658
Olivieri *Coult.* IV. 656
orientalis Lag. IV. 650
ovatifolia Lag. IV. 651
palaestina *L.* IV. 655
papposa Gaertn. IV. 652
papposa L. IV. 652
parviflora Desf. IV. 660
pauciseta *DC.* IV. 658
pectinata *Lag.* IV. 656
plumosa Hoffmans. et Link IV. 653
plumosa R. et Schult. IV. 652
plumosa Sibth. et Sm. IV. 652
polymorpha Schmidt IV. 651
polymorpha ð Weig. IV. 658
prolifera *L.* IV. 655
propontica Lag. IV. 650
pseudaustralis R. et Schult. IV. 661
pterocephala L. IV. 653
pubescens Wahlenb. IV. 651
pubescens W. IV. 651
pumila *Poir.* IV. 660
pyrenaica *All.* IV. 659
α cinerea *DC.* IV. 659
ð mollissima *DC.* IV. 659
γ tomentosa - - -
pyrenaica DC. fl. fr. IV. 659
repens Brign IV. 661
reversa *Ledeb.* IV. 662
rhizantha *Vivian.* IV. 662
rigida L. IV. 649
rotata MB. IV. 655
rupestris MB. IV. 656
rupestris R. et Schult. IV. 656
rutaefolia Vahl IV. 660
Saviana Reich. IV. 658
saxatilis *Cav.* IV. 661
scabra Thunb. IV. 649
Scopolii *Link* IV. 662
semipapposa *Salzm.* IV. 658
setifera Lam. IV. 657
sibirica Lam. IV. 648
Sibthorpiana Sm. IV. 653
sicula MB. IV. 656
sicula L. IV. 656
silenifolia W. et Kit. IV. 653
simplex DC. fl. fr. IV. 655
simplex Desf. IV. 655
sphakiotica R. et Schult. IV. 653
stellata *L.* IV. 655
β pinnatifida *DC.* IV. 655
stellata β et γ Coult. IV. 655

Scabiosa
stricta W. et Kit. IV. 658
styriaca *Vest* IV. 662
suaveolens *Desf.* IV. 660
Succisa *L.* IV. 660
α hirsuta *Wallr.* IV. 661
β glabrata - - -
sylvatica L. IV. 651
sylvatica β Gaud. IV. 651
sympaganthera R. et Pav. IV. 664
syriaca DC. IV. 648
syriaca α L. IV. 648
syriaca β L. IV. 648
tatarica Gmel. IV. 647
tenuifolia Lag. IV. 653
tenuifolia Roth IV. 658
tenuifolia var. Sav. IV. 658
tomentosa Cav. IV. 659
tomentosa Sibth. et Sm. IV. 653
transylvanica All. IV. 648
transylvanica L. IV. 647
transylvanica Sieb. IV. 648
Trenta Hacq. IV. 647
trifida Thunb. IV. 649
ucranica *L.* IV. 655
β umbellata *Coult.* IV. 656
γ sicula - - -
ucranica MB. IV. 662
ucranica δ Coult. IV. 656
uniseta Savi IV. 658
uralensis Murr. IV. 648
uralensis Reich. IV. 651
urceolata *Desf.* IV. 660
ustulata Thunb. IV. 649
Vahlii Coult. IV. 655
verbenacea Lam. IV. 649
Webiana *Don* IV. 660
Willichii Link IV. 652
SCABIOSEAE *DC.* IV. 645
Scaligeria *DC.* IV. 248
microcarpa *DC.* IV. 249
Scandalida Neck. II. 215
SCANDICINEAE *Koch* IV. 58, 220
Scandix *Gaertn.* IV. 220 *L.* IV. 220, 222, 231 *Hoffm.* IV. 220, 221 *Auct.* IV. 218 *Sibth. et Sm.* IV. 240
Anthriscus L. IV. 224
apiculata *DC.* IV. 221
aurea Roth IV. 226
australis DC. fl. fr. IV. 221
australis *L.* IV. 221
australis β MB. IV. 221
Scandix
brachycarpa *Guss*
Bulbocastanum
bulbosa Roth IV
Cerefolium L. I
chilensis *Mol.* IV.
clavata Spr. IV.
dulcis Muehl. IV
falcata *Lond. jou*
fumarioides W.
gilanica *Gmel.* IV
glaberrima Des
glochidiata Lab
grandiflora *L.* IV.
β glabrata *DC.* IV
hirsuta Scop. IV
iberica *MB.* IV. 2
infesta Jacq. IV
infesta L. IV. 21
latifolia Sibth. e
macrosperma W
millefolia W. he
nodosa L. IV. 22
nutans Moench
odorata Burm.
odorata L. IV. 2
parviflora Retz
Pecten Hoffm. IV
Pecten-Veneris *L.*
pinnatifida *Vent.*
procumbens L. I
Stella Russ. IV.
temula Roth IV.
tinctoria Scop. I
trichosperma L.
Scaphu cauliflora
giganteu Nor. I.
Schaefferia *Jacq.* II.
completa Sw. II.
frutescens *Jacq.* II.
β buxifolia *DC.* -
paniculata *Spr.* II.
racemosa *fl. mex.*
viridescens *fl. mex*
Schefflera digitata
Schepperia *Neck.* I.
juncea *DC.* I. 245
Schetti Rheed. IV.
Schiedea Bartl. IV
mexicana Bartl.
Schinus *L.* II. 74
dentatus Andr. I
dependens Ort. II
Fagara L. I. 725

Vol. II. 74
II. 74
L. II. 74
folius Raddi II. 74
L. I. 725
Andrz. I. 160
Andrz. I. 160
Mx. I. 104
Mx. I. 104
DREAE *DC.* I. 104
Bartl. IV. 571
artl. IV. 572
Pet. Th. I. 521
Pet. Th. I. 522
et. Th. I. 522
Th. I. 522
Sims I. 236
ims I 236
W. DC. I. 615 (Melicocca)
. I. 615
Desv. II. 72
. I. 610
C. I. 610
DC. I. 611
I. 610
nsis *DC.* I. 611
v. I. 610
DC. I. 610
B. et K. I. 611
St. Hil. I. 611
DC. I. 610
DC. I. 610
B. et K. I. 611
Sw. I. 611
I. 611
. I. 610
I. 611
. I. 610
I. 611
DC. I. 611
ddi II. 512
ya Raddi II. 512
a Raddi II. 512
hreb. IV. 319
Wall. IV. 320
W. IV. 319
R. et Schult. IV. 319
et Schult. IV. 319
all. IV. 320
Lam. IV. 319
II. 508 (Schotia)
II. 507
A. II. 508

Schotia
latifolia *Jacq.* II. 508
simplicifolia *Vahl* II. 508
speciosa *Jacq.* II. 508
stipulata *Ait.* II. 508
tamarindifolia *Afz.* II 508
Schotiara DC. II. 508 (Schotia)
Schousboea W. III. 22
coccinea W. III. 22
commutata Spr. III. 17
Schouwia *DC.* I. 224
arabica *DC.* I. 224
semiserrata Schrad. I. 446
Schradera *Vahl* IV. 443
brasiliensis *Mart.* IV. 443
capitata *Vahl* IV. 443
cephalotes *W.* IV. 443
ligularis Rudg. IV. 444, 533
polycephala *DC.* IV. 444
Schrankia *W.* II. 443
aculeata *W.* II. 443
distachya *fl. mex.* II. 443
hamata *H. et Bonpl.* II. 443
leptocarpa *DC.* II 443
uncinata *W.* II. 443
Schrebera Retz II. 10
alhens Retz I 10
schino des Thunb. II. 12
Schubertia Blum. IV. 87
Schultzia *Spr.* IV. 112 *Wall.* IV. 186
crinita *Spr.* IV. 112
Lindlei Wall. IV. 187
Schultzia Spr. IV. 112
Schweiggeria *Spr.* III. 30
fruticosa *Spr.* III. 30
Schwenkfelda Schreb. IV. 439
Schwenkfeldia W. IV. 439
aspera Spr. IV. 397
aspera W. IV. 439
aurea Spr. IV. 397
cinerea Sw. IV. 439
diversifolia Spr. IV. 439
hirsuta Spr. IV. 439
umbellata R. et Pav. IV. 440
villosa W. IV. 439
SCIADOPHYTUM Neck. IV. 55
Sciodaphyllum *P. Brown.* IV. 259
acuminatum *Poir.* IV. 261
angulatum *Poir.* IV. 261
Brownii *Spr.* IV. 260
conicum *Poir.* IV. 260
divaricatum *Blum.* IV. 260

Sciodaphyllum
ellipticum *Blum.* IV. 260
humile *Blum.* IV. 259
longifolium Blum. IV. 266
lucidum *Blum.* IV. 260
palmatum *Blum.* IV. 259
parasiticum *Blum.* IV. 260
pedicellatum *Poir.* IV. 261
pentandrum *Poir.* IV. 260
quinduense *DC.* IV. 261
scandens *Blum.* IV. 259
subavene *Blum.* IV. 260
tomentosum *Blum.* IV. 260
β farinosum - - -
Sciuris Nees et Mart. I. 730
Schreb. I. 734
bracteata Nees et Mart. I. 730
multiflora Nees et Mart. I. 730
simplicifolia Nees et Mart. I. 730
SCLERANTHEAE *Link* III. 377
Scleranthus *L.* III. 378
annuus *L.* III. 378
diander *R. Br.* III. 378
hirsutus *Presl* III. 378
perennis *L.* III. 378
polycarpus *L.* III. 378
pungens *R. Br.* III. 378
Sclerococcus Bartl. IV. 435
angustifolius Bartl. IV. 436
ferrugineus Bartl. IV. 436
laevigatus Bartl. IV. 436
lineatus Bartl. IV. 435
radicans Bartl. IV. 435
Sclerosciadium *Koch* IV. 140
humile *Koch* IV. 140
Sclerostemma Schott IV. 654
argenteum Schott IV. 655
atropurpureum Schott IV. 657
connatum Schott IV. 654
Scopolii Schott IV. 655
siculum Schott IV. 656
Sclerothamnus *R. Br.* II. 109
microphyllus *R. Br.* II. 110
Scolobus Rafin. II. 99
Scolosanthus *Vahl* IV. 484
triacanthus *DC.* IV 484
versicolor *Vahl* IV. 484
Scopolia Sm. II. 83
aculeata Sm. II 83
inermis Sm. II. 83
Scorpioides Tourn. II. 308
Scorpiurus *L.* II. 308
acutifolia *Viv.* II. 308
echinata α Lam. II. 30
echinata β Lam. II. 30
echinata γ Lam. II. 30
laevigata *Sibth. et Sm.* I
muricata *L.* II. 308
pinnata Mill. II. 311
purpurea *Desf.* II. 308
subvillosa *L.* II. 308
sulcata *L.* II. 308
vermiculata *L.* II. 308
Scorpius Lois. II. 308
Scorpius spinosus Moe
Scotia Thunb. II. 507
Scottea *DC.* II. 118
dentata *R. Br.* II. 118
Scottia R. Br. II. 118
Scurrula DC. IV. 301
Scutellaria secunda Ru
tertia Rumph IV 254
Scutia Commers. DC. II.
Scutula *Lour.* III. 7
scutellata *Lour.* III. 7
umbellata *Lour.* III. 7
Scyphiphora *Gaertn.* IV.
hydrophylacea *Gaertn.*
Scytalia Gaertn I. 611
chinensis Gaertn. I.
trijuga Roxb. I. 615
Sechium *R. Br.* III. 313
americanum *Lam.* III. 31
edule *Sw.* III. 313
palmatum *Ser.* III. 313
Securidaca *L.* I. 340 *Tou*
complicata *H. B. et K.* I
erecta *L.* I. 341
hebeclada *DC.* I. 341
legitima Gaertn. II. 31
lutea Mill. II. 313
mollis *H. B. et K.* I. 34
paniculata *Lam.* I. 341
pubescens *DC.* I. 341
α obovata *DC.* - -
β ovata - - -
virgata *Sw.* I. 340
volubilis *L.* I 340
Securigera *DC.* II. 313
Coronilla *DC.* II. 313
Securilla Pers. II. 313

III. 401 *L. Tourn.*
II. 401 *Hall.* III. 411
I. 407
DC. III. 407
m. III. 407
All. III. 409
DC. III. 411
III. 402
Haw. III. 407
var. Haw. III. 408
II. 406
DC. III. 406
- - -
ill. III. 409
All. III. 404
Poir. III. 408
Sm. III. 408
III. 409
DC. III. 407
L. III. 403
DC. III. 406
ds. III. 405
ll. III. 409
um. III. 405
III. 409
DC. III. 408
Spr. III. 408
Brot. III. 405
Ten. III. 406
ll. III. 410
C. III. 401
III. 407
Pers. III. 409
ubry III. 405
ast III 406
II. 405
- - -
DC. fl. fr. III. 409
Desf. III. 404
t. et K. III. 410
ois. III 407
DC. III. 410
Viv. III. 404
DC. III. 406
DC. III. 405
II. 404
DC. III. 404
DC. III. 404
- - -
- - -
s Haw. III. 408
Vahl III. 404
V. III. 408
Delil. III. 410
ubg III. 406

Sedum
Cotyledon Jacq. III. 401
crassicaule Hortul. III. 408
cristatum Schrad. III. 406
cruciatum *Desf.* III. 403
cyanaeum *Rud.* III. 404
dasyphyllum *L.* III. 406
dasyphyllum var. DC. III. 414
deficiens Don III. 403
deltoideum *Ten.* III. 404
dendroideum *fl. mex.* III. 409
dentatum *DC.* III. 403
dentatum Don III. 403
denticulatum Don I.I. 403
dioicum Don III. 408
divaricatum Ait. III. 411
divaricatum Lapeyr. III. 409
ebracteatum *fl. mex.* III. 409
elegans Lejeun. III. 408
eriocarpum *Sibth et Sm.* III. 409
filiforme Poir. III. 409
Forsteri Haw. III. 408
Forsterianum *Sm.* III. 408
fruticulosum Brot. III. 408
galioides All. III. 404
glaciale Clarion. III. 407
glaucum Lam. III. 406
glaucum Sm. III. 408
glaucum *W. et Kit.* III. 405
globiferum Pourr. III. 406
Guettardi Vill. III. 405, 409
haematodes *Mill.* III. 404
haematodes Scop. III 405
heptapetalum Horn. III. 404
heptapetalum *Poir.* III. 404
himalense *Don* III. 402
hirsutum *All.* III 406
hispanicum DC. fl. fr. III. 408
hispanicum *L.* III. 406
hispidum *Desf.* III. 409
hispidum Poir. III. 406
hungaricum Poir. III. 405
hybridum *L.* III. 402
Jacquini Haw. III. 408
ibericum *Stev.* III. 403
involucratum *MB.* III. 402
latifolium *Bert.* III. 402
laxiflorum *DC.* III. 409
libanoticum L. III. 399
liliaceum *Ledeb.* III. 410
lineare *Thunb.* III. 410
lividum *W.* III. 403
magellense *Ten.* III. 410
maximum Hoffm. III. 402
melanantherum *DC.* III. 410
micranthum Bast III. 406

Sedum
minus Haw. III. 407
monregalense Balb. III. 403
moranense *H. B. et K.* III. 405
nicaeense All. III. 408
Notarjani Ten. III. 403
Notarjanni *Ten.* III. 403
nudum *Ait.* III. 409
oblongum Haw. III. 405
octogonum Hortul. III. 403
Oederi Roth III. 409
oppositifolium *Sims* III. 403
oxypetalum *H. B. et K.* III. 409
pallidum MB. III. 405
pallidum d'Urv. III. 408
paniculatum Lam. III. 404
pectinatum *DC.* III. 403
petraeum Segui. III. 414
pilosum *MB.* III. 406
populifolium *L. fil.* III. 403
portlandicum Lob. III. 408
portulacoides W. III. 403
procumbens *Schrank* III. 410
pruinatum *Brot.* III. 410
pubescens *Vahl* III. 409
pulchrum *Mx.* III. 403
pusillum Mx. III. 414
quadrifidum *Pall.* III. 407
quitense *H. B. et K.* III. 410
recurvatum W. III. 408
reflexum DC. III. 407
reflexum fl. dan. III. 408
reflexum *L.* III. 408
β recurvatum *DC.* III. 408
γ collinum - - -
δ cristatum - - -
reflexum var. Spr. III. 410
repens *Schleich.* III. 409
reticulatum Schrank III. 406
Rhodiola *DC.* III. 401
roseum Scop. III. 401
roseum *Stev.* III. 402
rostratum Ten. III. 407
rotundifolium Lam. III. 404
rubens *DC.* III. 405
α decandrum *DC.* III. 405
β pentandrum - - -
rubens fl. dan. III. 405
rubens Haenk. III. 409
rufescens Ten. III. 408
rupestre DC. III. 408
rupestre fl. dan. III. 409
rupestre *L.* III. 407
β heptangulare *DC.* III. 407
rupestre Sm. III. 407
rupestre Vill. III. 408

Sedum
rupestre α *Gou*
saxatile All. III
saxatile *W.* III.
schistosum Lejeu
sempervivoides
Sempervivum *Le*
septangulare
sexangulare *L.* II
sexfidum *MB.* II
spathulatum W
sphaericum La
spicatum fl. me
spinosum Thu
spirale Haw. II
spurium *MB.* III
stellatum *L.* III.
stenopetalum *Pa*
stoloniferum *Gm*
tectorum Scop.
telephioides *Mx.*
Telephium *L.* III
Telephium ε *ma*

tenellum *MB.* III
tenuifolium Si

teretifolium fl.
teretifolium α
ternatum *Mx.* III
tetraphyllum S

turgidum Bast
turgidum d'Urv
turgidum Rauw
Urvillei *DC.* III.
verticillatum L
verticillatum *L.*
villosum *L.* III.
β pentandrum *D*
virens *Ait.* III.
vire cens *W.* III.
Sekakul Rauw. I
Selenocarpaea D

Selinoides DC. I

Selinum *Hoffm.*
IV. 176 *Gau*
IV. 152 *Cau*
Spr. IV. 20
acaule Cav. IV.
acaule Pursh
alpinum MB.
alsaticum Cran
Anethum Roth

[redacted] *Roth* IV. 168
[redacted] *Lam.* IV. 165
[redacted] *Pers.* IV. 115
[redacted] *Viv.* IV. 115
[redacted] *Crantz* IV. 165
[redacted] *All.* IV. 181
[redacted] *Crantz* IV. 180
[redacted] *Bertol.* IV. 180
[redacted] *Hall. fil.* IV. 180
[redacted] *Jacq.* IV. 180
[redacted] *Redowsk.* IV. 179
[redacted] *Balb.* IV. 181
[redacted] *Mx.* IV. 153
[redacted] *DC.* IV. 165
[redacted]*iense Fisch.* IV. 179
[redacted] *Crantz* IV. 176
[redacted] *Gilib.* IV. 152
[redacted] IV. 165
[redacted] *Vill.* IV. 147
[redacted] *MB.* IV. 184
[redacted] IV. 180
[redacted] *Jacq.* IV. 176
[redacted] *Kit.* IV. 179
[redacted] *Schrad.* IV. 208
[redacted] *DC. fl. fr.* IV. 147
[redacted] *Wall.* IV. 178
[redacted] *alb.* IV. 181
[redacted] *Spr.* IV. 185
[redacted] *Lam.* IV. 180
[redacted] *Wall.* IV. 179
[redacted] *um Spr.* IV. 185
[redacted] *ia Crantz* IV. 183
[redacted] *um Bess.* IV. 179
[redacted] *Gmel.* IV. 168
[redacted] *Lam.* IV. 176
[redacted] *MB.* IV. 181
[redacted] *chum.* IV. 181
[redacted] *Ledeb.* IV. 169
[redacted] *ceum Vill.* IV. 165
[redacted] *lum Car.* IV. 79
[redacted] *L.* IV. 152
[redacted] *n Schleich.* IV. 180
[redacted] *Gaud.* IV. 180
[redacted] *am.* IV. 180
[redacted] *Bernh.* IV. 167
[redacted] *Crantz* IV. 170
[redacted] *um Scop.* IV. 180
[redacted] *um β DC. fl. fr.* IV. 180
[redacted] IV. 180
[redacted] *Thuill.* IV. 176
[redacted] *um Spr* IV. 177, 182
[redacted] *Crantz* IV. 189
[redacted] *W.* IV. 102
[redacted] *oides Desf.* IV. 181

Selinum
Peucedanum Sow. IV. 177
podolicum Bess. IV. 166
polymorphum Spr. IV. 180
pratense Spr. IV. 152
proliferum Cav. IV. 79
pseudo-carvifolia All. IV. 165
pubescens Moench. IV. 168
pyrenaeum Gou. IV. 168
rablense Gaud. IV. 181
ramosissimum Wall. IV. 176
rigidulum Viv. IV. 115
scabrum Lapeyr. IV. 168
Seguieri L. IV. 158
Seguieri L. fil. IV. 166
Schiwereckii Bess. IV. 179
sibiricum Retz IV. 181
spinosum Cav. IV. 79
stellatum *Don* IV. 165
sylvestre Crantz IV. 168
sylvestre L. IV. 152, 179
tenuifolium Wall. IV. 181
terebinthinaceum Trev. IV. 179
venetum Spr. IV. 180
Sellowia *Roth* III. 380
uliginosa *Roth* III. 380
Semarillaria acutangula R. et Pav. I. 605
obovata R. et Pav. I. 605
subrotunda R. et Pav. I. 605
Semecarpus *L. fil.* II. 62
Anacardium *L. fil.* II. 62
β angustifolium *DC.* II. 62
γ cuneifolium - - -
δ obtusiusculum - - 63
Cassuvium Spr. II. 62
SEMPERVIVAE Juss. III. 381
Sempervivum *L.* III. 411
africanum *Mill.* III. 414
aizoides *Lam.* III. 411
anomalum Lag. III. 407
arachnoideum *L.* III. 413
arboreum *L.* III. 411
aureum *C. Sm.* III. 412
barbatum Horn. III. 412
barbatum *Sm.* III. 412
β hybridum *Salm-Dyk* III. 412
caespitosum *C. Sm.* III. 412
calyciforme Haw. III 412
canariense *L.* III. 412, 411
ciliare Haw. III. 412
ciliatum Sims III. 412
ciliatum *W.* III. 411

Sempervivum
claviculatum *Sieb.* III. 414
cuspidatum Haw. III. 400
dichotomum *DC.* III. 413
dodrantale *W.* III. 412
flagelliforme *Fisch.* III. 413
foliosum Sm. III. 412
frutescens *Haw* III. 411
glandulosum *Ait.* III. 411
globiferum Happ. III. 413
globiferum *L.* III. 413
β *Sims* - -
glutinosum *Ait.* III. 411
grandiflorum Haw. III. 413
hirtum *L.* III. 413
hispanicum *W.* III. 414
latifolium Hoffmans. III. 411
laxum *Haw.* III. 414
lineolare Haw. III. 412
Monanthes *Ait.* III. 414
montanum *L.* III. 413
mutabile *Schlecht.* III. 414
prasinatum Spr. III. 410
pumilum *MB.* III. 413
punctatum *C. Sm.* III. 412
pygmaeum *C. Sm.* III. 413
sediforme Jacq. III. 408
Seguieri *DC.* III. 414
Simsii Sweet III. 412
Smithii *Sims* III. 412
soboliferum Sims III. 413
spathulatum Horn. III. 412
stellatum Poll. III. 414
stellatum *Sm.* III. 412
tabulaeforme *Haw.* III. 412
tectorum *L.* III. 413
tortuosum *Ait.* III. 411
urbicum *Horn.* III. 411, 412
β retusum *Haw.* - -
urbicum Hortul. III. 411
villosum Ait. III. 411, 413
villosum *Haw.* III. 411
Senacia *Comm.* I. 347 *Lam.* I. 347
elliptica *Lam.* I. 348
glauca Lam. II. 11
lanceolata *Lam.* I. 348
Maytenus Lam. II. 9
napaulensis *DC.* I. 347
octogona Lam. II. 9
undulata *Lam.* I. 347
β *DC.* I. 347
Senebiera *Poir.* I. 202
Coronopus *Poir.* I. 202
dubia H. B. et K. I. 204
helenaiana *DC.* I. 202
incisa W. I. 203
Senebiera
integrifolia *DC.* I.
linoides *DC.* I. 20
nilotica *DC.* I. 20
pectinata *DC.* I. 2
pinnatifida *DC.* I.
β incisa - -
pinnatifida H. B.
serrata *Poir.* I. 20
Senega DC. I. 330
Senna Tourn. II. 4
Senra *Cav.* I. 457
incana *Cav.* I. 457
Senraea W. I. 457
Septas *L.* III. 383
capensis *L.* III. 38
β globifera *DC.* II
globifera Sims I
Umbella *Haw.* III
Seriana Schum. I.
Serjana *Plum.* I. 60
acapulcensis *H. B.*
angustifolia *W.* I.
caracasana *W.* I.
divaricata *Schum.*
emarginata *H. B.*
glabrata *H. B. et*
heterophylla *DC.*
lucida *Schum.* I.
lupulina *Schum.*
mexicana *W.* I. 6
mollis *H. B. et K*
Ossaea *DC.* I. 60
oxyphylla *H. B.*
paniculata *H. B.*
parviflora *H. B. e*
paucidentata *DC.*
pubescens *H. B.*
racemosa *Schum.*
sinuata *Schum.* I
spectabilis *Schu*
triternata *W.* I.
Seringia *Gay* I 48
ovata Spr. II. 1
platyphylla *Gay*
Serissa *Comm.* IV.
capensis Thun.
foetida *Comm.* I
foetida W. IV.
Serpicula *L.* III. 6
capensis Raeu.
repens *L.* III. 6
rubicunda *Burc*
serpyllifolia B

l. 401 *L. Tourn.*
401 *Hall.* III. 411
07
. III. 407
. III. 407
l. III. 409
. III. 411
. 403
w. III. 407
r. *Haw.* III. 408
406
DC. III. 406
- - -
l. III. 409
All. III. 404
ir. III. 408
Sm. III. 408
III. 409
DC. III. 407
L. III. 403
DC. III. 406
ds. III. 405
. III. 409
m. III. 405
III. 409
C. III. 408
Spr. III. 408
Brot. III. 405
en. III. 406
l. III. 410
. III. 401
III. 407
Pers. III. 409
bry III. 405
st III 406
l. 405
- -
DC. fl. fr. III. 409
sf. III. 404
et K. III. 410
is. III. 407
. III. 410
v. III. 404
C. III. 406
DC. III. 405
. 404
C. III. 404
DC. III. 404
- - -
- - -
Haw. III. 408
hl III. 404
. III. 408
lil. III. 410
by III. 406

Sedum
Cotyledon Jacq. III. 401
crassicaule Hortul. III. 406
cristatum Schrad. III. 408
cruciatum *Desf.* III. 403
cyanaeum *Rud.* III. 404
dasyphyllum *L.* III. 406
dasyphyllum var. DC. III. 414
deficiens Don III. 403
deltoideum *Ten.* III. 404
dendroideum *fl. mex.* III. 409
dentatum *DC.* III. 403
dentatum Don III. 403
denticulatum Don I.I. 403
dioicum Don III. 408
divaricatum Ait. III. 411
divaricatum Lapeyr. III. 409
ebracteatum *fl. mex.* III. 409
elegans Lejeun. III. 408
eriocarpum *Sibth et Sm.* III. 409
filiforme Poir. III. 409
Forsteri Haw. III. 408
Forsterianum *Sm.* III. 408
fruticulosum Brot. III. 408
galioides All. III. 404
glaciale Clarion. III. 407
glaucum Lam. III. 406
glaucum Sm. III. 408
glaucum *W. et Kit.* III. 405
globiferum Pourr. III. 406
Guettardi Vill. III. 405, 409
haematodes *Mill.* III 404
haematodes Scop. III 405
heptapetalum Horn. III. 404
heptapetalum *Poir.* III. 404
himalense *Don* III. 402
hirsutum *All.* III 406
hispanicum DC. fl. fr. III. 408
hispanicum *L.* III. 406
hispidum *Desf.* III. 409
hispidum Poir. III. 406
hungaricum Poir. III. 405
hybridum *L.* III. 402
Jacquini Haw. III. 408
ibericum *Stev.* III. 403
involucratum *MB.* III. 402
latifolium *Bert.* III. 402
laxiflorum *DC.* III. 409
libanoticum L. III. 399
liliaceum *Ledeb.* III. 410
lineare *Thunb.* III. 410
lividum *W.* III. 403
magellense *Ten.* III. 410
maximum Hoffm. III. 402
melanantherum *DC.* III. 410
micranthum Bast III. 406

Seseli
pratense Riv. IV. 161
proliferum Spr. IV. 145
puberulum *DC.* IV. 147
β pallidum - - -
pumilum All. IV. 104
pumilum L. IV. 103
pusillum Brot. IV. 108
pyrenaeum L. IV. 168
rigidum *W. et Kit.* IV. 145
saxifragum L. IV. 108
saxifragum Schott IV. 152
scoticum Riv. IV. 157
selinoides Ress. IV. 152
selinoides Jacq. IV. 161
striatum *Thunb.* IV. 148
tauricum Link IV. 146
tenuifolium *Ledb.* IV. 669
tomentosum *Viv.* IV. 144
tortuosum *L.* IV. 147
β tauricum *DC.* IV. 148
γ graecum - - -
tortuosum MB. IV. 148
tortuosum Sibth. IV. 148
tortuosum Trev. IV. 148
triternatum *Pursh* IV. 146
Turbith L. IV. 155
Turbith Ten. IV. 108
varium Koch IV. 146
varium *Trev.* IV. 146
β brachycarpum *Bess.* IV. 146
venosum Hoffm. IV. 152
verticillatum Desf. IV. 108
SESELINEAE *Koch* IV. 57, 135
Sesuvium *L.* III. 453
longifolium *W.* III. 453
microphyllum *W.* III. 453
parviflorum *DC.* III. 453
pedunculatum Pers. III. 453
Portulacastrum H. B. et K. III. 453
Portulacastrum *L.* III. 453
Portulacastrum β Sims III. 453
repens *W.* III. 453
revolutifolium *Ort.* III. 453
sessile Pers. III. 453
spathulatum H. B. et K. III. 453
Sethia *H. B. et K.* I. 576
indica *DC.* I. 576
Sherardia *Dill.* IV. 581 *Cyr.* IV. 577
arvensis *L.* IV. 581
foetida Lam. IV. 577
Sherardia
foetidissima Cyr. IV
fruticosa *L.* IV. 581
muralis L. IV. 610
muralis Sibth. IV. 6
muralis Stev. IV. 6
Skringata Jones III. 6
Sibbaldia *L.* II. 586
altaica *L.* II. 587
erecta *L.* II. 587
grandiflora *Pall.* II. 5
octopetala Mill. II. 5
parviflora *W.* II. 587
polygyna *W.* II. 587
procumbens *L.* II. 587
Sibi Kaempf. III. 93
Sibia DC. III. 93 (Lage
Sicelium P. Brown. I
Sickingia *W.* IV. 621
Erythroxylon *W.* IV.
longifolia *W.* IV. 621
Sicyoides Tourn. III.
Sicyos *L.* III. 309 *Auct.*
acutus *Raf.* III. 309
angulata L. I. 630
angulatus *L.* III. 309
edulis Sw. III. 313
Garcini L. III. 308
laciniatus *L.* III. 309
lobata Mx. III. 312
microphyllus *H. B.*
parviflorus *W.* III. 30
triqueter *Moç. et Sess*
vitifolius *W.* III. 309
Sida *Cav.* I. 459 *L. Ku*
abutiloides *Jacq.* I. 47
Abutilon *L.* I. 470
acaulis *Cav.* I. 466
acerifolia *Lag.* I. 472
acerifolia Zucc. I.
acrantha *Link* I. 472
acuminata *DC.* I. 462
acuta *Burm.* I. 460
alba Cav. I. 462
alba *L.* I. 460
albida *W.* I. 471
alceoides *Mx.* I. 474
alnifolia *L.* I. 461
althaeifolia *Sw.* I. 464
β aristosa *DC.* I. 465
americana *L.* I. 470
amplexicaulis Lam
amplexifolia *fl. mex.*
angustifolia Cav. I.

ä IV. 168
Lam. IV. 165
rra. IV. 115
Viv. IV. 115
antz IV. 165
ill. IV. 181
rantz IV. 180
Bertol. IV. 180
Hall. fil. IV. 180
lacq. IV. 180
sdowsk. IV. 179
b. IV. 181
lx. IV. 153
IV. 165
se Fisch. IV. 179
rantz IV. 176
ilib. IV. 152
IV. 165
Vill. IV. 147
MB. IV. 184
IV. 180
q. IV. 176
IV. 179
brad. IV. 208
DC. fl. fr. IV. 147
all. IV. 178
. IV. 181
rr. IV. 185
. IV. 180
ll. IV. 179
Spr. IV. 185
Crantz IV. 183
Bess. IV. 179
nel. IV. 168
n. IV. 176
. IV. 181
n. IV. 181
leb. IV. 169
m Vill. IV. 165
Cav. IV. 79
IV. 152
hleich. IV. 180
ud. IV. 180
IV. 180
nh. IV. 167
antz IV. 170
Scop. IV. 180
DC. fl. fr. IV. 180
. 180
ill. IV. 176
Spr IV. 177, 182
ntz IV. 189
. IV. 102
Desf. IV. 181

Selinum
Peucedanum Sow. IV. 177
podolicum Bess. IV. 166
polymorphum Spr. IV. 180
pratense Spr. IV. 152
proliferum Cav. IV. 79
pseudo-carvifolia All. IV. 165
pubescens Moench. IV. 168
pyrenaeum Gou. IV. 168
rablense Gaud. IV. 181
ramosissimum Wall. IV. 176
rigidulum Viv. IV. 115
scabrum Lapeyr. IV. 168
Seguieri L. IV. 158
Seguieri L. fil. IV. 166
Schiwereckii Bess. IV. 179
sibiricum Retz IV. 181
spinosum Cav. IV. 79
stellatum *Don* IV. 165
sylvestre Crantz IV. 168
sylvestre L. IV. 152, 179
tenuifolium Wall. IV. 181
terebinthinaceum Trev. IV. 179
venetum Spr. IV. 180
Sellowia *Roth* III. 380
uliginosa *Roth* III. 380
Semarillaria acutangula R. et Pav. I. 605
obovata R. et Pav. I. 605
subrotunda R. et Pav. I. 605
Semecarpus *L. fil.* II. 62
Anacardium *L. fil.* II. 62
β angustifolium *DC.* II. 62
γ cuneifolium - - -
δ obtusiusculum - - 63
Cassuvium Spr. II. 62
SEMPERVIVAE Juss. III. 381
Sempervivum *L.* III. 411
africanum *Mill.* III. 414
aizoides *Lam.* III. 411
anomalum Lag. III. 407
arachnoideum *L.* III. 413
arboreum *L.* III. 411
aureum *C. Sm.* III. 412
barbatum Horn. III. 412
barbatum *Sm.* III. 412
β hybridum *Salm-Dyk* III. 412
caespitosum *C. Sm.* III. 412
calyciforme Haw. III 412
canariense *L.* III. 412, 411
ciliare Haw. III. 412
ciliatum Sims III. 412
ciliatum *W.* III. 411

Sida
indica *L.* I. 471
interrupta *Balb.* I. 464
Jussiaeana *DC.* I. 463
lanceolata W. I. 469
lasiostega *Link* I. 473
Lechensultiana *DC.* I. 468
lignosa *Cav.* I. 469
linearis *Cav.* I. 460
linifolia *Cav.* I. 459
luciana *DC.* I. 468
macrodon *DC.* I. 464
maculata Bert. I. 463
maculata *Cav.* I. 462
Magdalenae *DC.* I. 467
malacophylla Link et Otto I. 458
malvaeflora *fl. mex.* I. 474
Malvaviscus fl. mex. I. 459
mauritiana *Jacq.* I. 469
micans *Cav.* I. 462
microphylla *Cav.* I. 461
microsperma *Cav.* I 469
Milleri *DC.* I. 472
mollicoma *W.* I. 471
mollis *Ort.* I. 470
mollis Rich. I. 472
mollissima *Cav.* I. 470
morifolia Cav. I. 463
mucronulata *DC.* I. 461
multicaulis *Cav.* I. 463
multifida Cav. I. 458
multiflora *Cav.* I. 464
muricata *Cav.* I. 460
mutica *Delil.* I. 470
Napaea *Cav.* I. 466
nervosa *DC.* I. 465
nudiflora *L'Herit.* I. 468
nutans *L'Herit.* I. 467
obliqua fl. mex. I. 462
obtusa *Cav.* I. 469
occidentalis *L.* I. 466
orbiculata *DC.* I. 471
orientalis *Cav.* I. 461
ovata Cav. I. 463
oxyphylla *fl. mex* I. 465
palmata Cav. I. 466
palmata fl. mex. I. 472
palmata Jacq. I. 466
paniculata Cav. I. 465
paniculata *L.* I. 465
parvifolia *DC.* I. 461
patens *Andr.* I. 473
patula *Pers.* I. 472
paucifolia *DC.* I. 472
peduncularis *DC.* I. 469
Sida
pellita *H. B. et K.*
pentacarpos *Roxb.*
periplocifolia *L.* I.
α zeylanica *DC.* -
β caribaea - -
γ peruviana - -
periptera Sims I.
permollis *W.* I. 47
persica *Burm.* I. 4
peruviana Cav. I.
petiolaris *DC.* I. 47
philippica *DC.* I. 4
Phyllanthos *Cav.* I.
pichinchensis *H. et*
pilosa *Cav.* I. 463
β glabra *Cav.* I. 46
pilosa L'Herit. I.
pilosa Retz I. 463
pinnata *Cav.* I. 466
planicaulis Cav.
planiflora Cav. I.
plumosa Cav. I. 4
polyantha *Schlecht.*
populifolia Cav.
populifolia *Lam.* I.
procumbens Sw.
prostrata Cav. I.
pterosperma L'He
pubescens *Cav.* I. 4
pulchella *Bonpl.* I.
pungens *H. B. et K.*
purpurascens *Link*
pusilla *Cav.* I. 461
pyramidata *Cav.* I.
quinqueloba fl. me
racemosa Burm.
radiata L. I. 441
radicans *Cav.* I. 46
ramosa *Cav.* I. 469
recisa *Link* I. 462
reflexa *Cav.* I. 469
repanda *Roth* I. 46
repens var. Cav.
retrofracta *DC.* I. 4
retrorsa L'Herit.
retusa *L.* I 462
retusa philippica
rhombifolia *L.* I. 46
β canescens *Cav.* I.
rhomboidea *Roxb*
ricinoides *L'Herit.*
rotundifolia *Cav.* I.
rubra Ton. I 459
Schranckii *DC.* I. 47
scoparia Lour. I.

Linn. I. 472
I. 471
I. 473
Cav. I. 470
I. 469
DC. I. 469
fl. mex. I. 472
I. 469
W. I. 472
DC. I. 469
I. 468
Cav. I. 460
I. 468
Cav. I. 471
Koch. I. 470
DC. I. 468
Cav. I. 471
Cav. I. 461
I. 466
I. 468
Jacq. I. 468
I. 471
L'Herit. I. 464
I. 464
Retz I. 460
I. 469
L'Herit. I. 463
465
Lam. I. 463
DC. I. 473
Cav. I. 465
I. 471
I. 473
Koch. I. 472
I. 469
L'Herit. I. 467
467
I. 471
Schreb. IV. 478
IV. 478
Rich. IV. 478
DC. - -
W. Kitt. IV. 478
IV. 478
Jacq. IV. 478
IV. 478
L. fil. II. 41

Sieversia W. II. 553
anemonoides W. II. 553
Rossii R. Br. II. 553
Sijal Forsk. II. 499
Silaus *Bess.* IV. 161
alpestris Bess. IV. 161
Besseri *DC.* IV. 161
Mathioli Koch IV. 161
peucedanoides *DC.* IV. 161
pratensis *Bess.* IV. 161
tenuifolius *DC.* IV. 161
Silene *L.* I. 367
acaulis *L.* I. 367
β elongata *DC.* I. 367
γ parviflora *Otth.* I. 367
δ alba - - -
ε plena - - -
acaulis L. I. 367
acaulis β exscapa DC. fl. fr. I. 367
adscendens *Lag.* I. 383
aegyptiaca *L. fil.* I. 380
β retroflexa *Pers.* I. 380
Allamani *Otth.* I. 379
alpestris *Jacq.* I. 375
altaica *Pers.* I. 374
ambiguens Lejeun. I. 377
amoena *L.* I. 381
anastomosans Lag. I. 380
anglica *L.* I. 371
angustifolia *MB.* I. 369
antirrhina hort. madrit. I. 378
antirrhina *L.* I. 376
apetala *W.* I. 369
arenaria Desf. I. 378
arenarioides *Desf.* I. 378
Armeria *L.* I. 383
β alba - - 384
Armeria MB. I. 384
Armeria Pall. I. 385
arvatica Lag. I. 374
Atocion *Murr.* I. 383
auriculata *Sibth. et Sm.* I. 384
Baldwynii *Nutt.* I. 382
Behen *L.* I. 368
bellidifolia *Jacq.* I. 374
bicolor *Thor.* I. 380
bipartita Desf. I. 374
brachypetala *Rob. et Cast.* I. 372
bupleuroides *L.* I. 382
Burchellii *Otth.* I. 374
caesia *Sibth. et Sm.* I. 384
caespitosa *Stev.* I. 383

Silene
campanula *Pers.* I. 377
cana *Otth.* I. 382
canariensis *Spr.* I. 372
canescens *Ten.* I. 373
capensis *Otth.* I. 379
carnosa *Moench* I. 369
caryophylloides *Otth.* I. 369
caspica *Pers.* I. 381
Catesbaei *Walt.* I. 379
catholica *Otth.* I. 378
cerastoides *L.* I. 372
cernua *Thunb.* I. 385
cheiranthifolia *Schott* I. 374
cheiranthoides Poir. I. 379
chloraefolia *Sm.* I. 381
chlorantha Stev. I. 370
chlorantha *W.* I. 378
ciliata *Pourr.* I. 374
β geniculata *DC.* I. 375
cinerea *Desf.* I. 372
clandestina *Jacq.* I. 376
β angustifolia *Otth.* I. 376
coarctata *Lag.* I. 371
coccinea Moench I. 379
colorata *Schousb.* I. 374
compacta *Fisch.* I. 384
congesta *Sibth. et Sm.* I. 384
conica *L.* I. 371
coniflora *Nees* I. 371
conoidea *L.* I. 371
cordifolia *All.* I. 383
corsica *DC.* I. 380
costata *Otth.* I. 376
Coulteriana *Otth.* I. 368
crassifolia *L.* I. 374
cretica *L.* I. 376
crispa *Poir.* I. 383
cylindriflora *Otth.* I. 371
decumbens *Bern.* I. 373
decumbens Schreb. I. 369
densiflora d'Urv. I. 369
depressa *MB.* I. 381
dianthifolia *Otth.* I. 373
dianthoides *Pers.* I. 383
dichotoma *Ehrh.* I. 373
diffusa *Otth.* I. 373
discolor *Sibth. et Sm.* I. 385
distachya Brot. I. 374
distans *Otth.* I. 370
disticha *W.* I. 372
divaricata *Clem.* I. 376
divaricata Sibth. et Sm. I. 384
divaricifolia *Otth.* I. 378
echinata *Otth.* I. 380

Silene
effusa *Otth.* I. 370
elata *Otth.* I. 370
elegans *Brot.* I. 379
eranthema Wib. I.
exscapa All. I. 367
falcata *Sibth. et Sm.*
filiformis *Otth.* I. 37
fimbriata *Sims* I. 36
flavescens *W. et Kit*
fontana Ten. I. 37
frutescens MB. I.
fruticosa *L.* I. 381
fruticulosa Dietr.
fruticulosa *Sieb.* I. 3
gallica *L.* I. 374
geminiflora *W.* I. 37
geniculata Pourr.
gigantea *L.* I. 370
glauca Pourr. I. 37
glauca *Zea* I. 379
glaucifolia *Lag.* I. 37
gracilis *DC.* I. 374
graminifolia *Otth.* I.
grata *Henk.* I. 375
gypsophila *Desf.* I.
hirsuta Lag. I. 371
hirsuta Poir. I. 37
hirsutissima *Otth.* I.
hirta W. I. 380
hispanica *Otth.* I. 3
hispida *Desf.* I. 373
iberica *MB.* I. 373
jenisea Poir. I. 374
jeniseensis *W.* I. 37
imbricata *Desf.* I. 3
inaperta *L.* I. 376
inclusa *Horn.* I. 385
indica *Roxb.* I. 369
inflata *Sm.* I. 368
α vulgaris *Otth.* I. 3
β angustifolia *DC.* I.
γ rubra *Rem.* I. 368
δ maritima *DC.* I. 36
ε viridiflora *DC.* I. 3
ζ coarctata *Lapeyr.* I.
η uniflora *Otth.* -
θ tabaria - -
infracta W. et Kit
involuta *Forsk.* I. 37
italica *DC.* I. 381
β cana *Otth.* I. 382
γ rubrifolia *Otth.* I.
juncea Roth I. 382
juncea *Sibth. et Sm.*

Lam. I. 459
ia Mill. I. 472
fl. I. 469
ch. I. 473
I. 464
I. 470
inea Jacq. I. 465
L. I. 468
DC. I. 460
C. I. 467
Herit. I. 470
Balb. I. 460
a Balb. I. 463
rn. I. 472
. I. 462
I. 473
v. I. 464
Cav. I. 464
DC. I. 460
a fl. mex. I. 459
DC. I. 460
hrank I. 472
Cav. I. 472
C. I. 467
w. I. 463
Cav. I. 467
ia Gay I. 462
W. I. 462
DC. I. 466
w. I. 461
Cav. I. 465
L. I. 440
ex. I. 473
ia Cav. I. 461
lia Jacq. I. 461
L. fil. I. 461
Lag. - -
DC. I. 461
I. 461
L'Herit. I. 471
C. I. 465
DC. I. 462
ink I. 473
Link I. 473
L. I. 464
V. I. 471
L'Herit. I. 471
ea Cav. - -
ora Pers. I. 459
I. 469
Cav. I. 465, 458
bot. mag. I. 459
W. I 458
Horn. I. 459

Sida
denudata *Nees et Mart.* I. 467
diffusa *H. B. et K.* I. 463
Dilleniana W. I. 459
dioica *Cav.* I. 466
disticha *Cav.* I. 467
Dombeyana *DC.* I. 463
dumosa *Sw.* I. 465
emarginata *W.* I. 464
erosa *Link* I. 461
Eteromischos Cav. I. 470
excelsior *Cav.* I. 468
exstipularis *Cav.* I. 471
ferruginea *DC.* I. 468
flavescens Cav I. 463
flavescens *W.* I 463
floribunda *H. B. et K.* I. 465
foetida *Cav.* I. 467
fragrans *L'Herit.* I. 464
frutescens *Cav.* I. 461
fruticosa *Mill.* I. 472
Gaya *DC.* I. 466
geminiflora *DC.* I. 470
geranioides *DC.* I. 474
gigantea *Jacq.* I. 469
glabra Mill. I. 466
glauca *Cav.* I. 471
glomerata *Cav.* I. 460
glutinosa *Cav.* I. 464
gracilis *Rich.* I. 473
grandiflora Poir. I. 469
grandifolia W. I. 470
graveolens *Roxb.* I. 473
hastata bot. mag. I. 459
hastata W. I. 458
hederaefolia *Cav.* I. 463
herbacea *Cav.* I. 463
hermannioides *H. B. et K.* I. 461
hernandioides *L'Herit.* I. 468
heterophylla *Cav.* I. 465, 458
hirsuta *Mill* I. 473
hirta *Lam.* I. 470
hispida Bert. I. 463
hispida *Pursh* I. 472
hondensis *H. B. et K.* I. 462
humilis Cav. I. 463
humilis *W.* I. 463
α β γ - - -
jamaicensis *Cav.* I 460
jamaicensis Mill. I. 430
jatrophoides *L'Herit.* I. 466
javensis *Cav.* I. 465
ibarrensis *DC.* I. 470
imberbis *DC.* I. 469
incana *Link* I. 468

Silene
Reinwardtii Roth I. 380
repens *Patrin herb.* I. 379
Requienii *Otth.* I. 381
reticulata *Desf.* I. 380
reticulata Hortul. I. 380
rigidula L. I. 372
rigidula *Sibth. et Sm.* I. 384
rotundifolia *Nutt.* I. 383
rubella *L.* I. 369
rubens *Vest* I. 378
rugosa *Pers* I. 380
rupestris *L.* I 375
ruthenica *Otth.* I. 370
β pedunculata *Otth.* I. 370
sabuletorum *Link* I. 374
Salzmannii *Otth.* I 381
saxatilis Sims I. 377
saxifraga *L.* I. 377
scabriflora Brot. I. 375
sciotica *Otth* I. 372
secundiflora *Otth.* I. 375
sedoides *Jacq.* I. 376
sericea *All* I. 380
β minor *Otth.* I. 380
sericea Bertol I. 373
sessiliflora *Desf.* I. 375
setacea *Otth.* I. 372
sibirica *Pers.* I. 370
sicula Cyrill. I. 376
Siegeri *Baumg.* I. 384
spathulata *MB.* I. 379
spergulifolia *MB.* I. 369
spicata DC. fl. fr. I. 372
spinescens *Sibth. et Sm.* I. 384
staticefolia *Sibth. et Sm.* I. 370
stellata *Ait.* I. 368
stellata Lapeyr. I. 374
stricta *L.* I. 379
succulenta *Forsk.* I. 381
supina *MB.* I. 381
tatarica *Pers.* I. 370
tenuifolia *Otth.* I. 379
tenuis *W.* I. 378
thymifolia *Sibth et Sm.* I. 384
tomentosa *Otth.* I. 383
tridentata *Desf.* I. 371
trinervia *Seb. et Maur.* I. 373
undulata *Ait.* I. 371
uniflora Roth I. 368
uniflora γ DC. fl fr. I. 368
Urvillii *Schott* I. 377
vallesia *L.* I. 381
viscosa *Pourr.* I. 373
viticillata *Otth.* I. 370
vulgaris *Retz* I. 374
Silene
villosa *Forsk.* I. 3
villosa Moench I
virginica *L.* I. 379
virginica Mx. I.
virginica Rafin.
virginica var. ilic
viridiflora *L.* I. 37
viscaginoides *Hor*
viscida *Spr.* I. 37
viscosa *Pers.* I 3
viscosissima *Ten.*
wolgensis *Otth.* I.
SILENEAE *DC.*
Siler *Scop.* IV. 200
aquilegifolium
aquilegifolium
caucasicum Spr
lancifolium Moe
montanum Mori
sulsum Spr. IV.
trilobum *Scop.* IV
SILERINEAE
Siliqua Tourn. II.
Siliquaria Forsk.
glandulosa Fors
Siliquastrum Tou
cordatum Moen
orbiculatum Mo
Simaba *St. Hil.* I.
Aruba *St. Hil.* I.
ferruginea *St. Hil*
floribunda *St. Hil*
guianensis *Aubl.*
orinocensis *H. B.*
suaveolens *St. Hi*
trichilioides *St. H*
Simaruba *Aubl.* I.
amara Aubl. I.
excelsa *DC.* I. 73
glauca *DC.* I. 733
officinalis *DC.* I.
SIMARUBEAE
Simira Aubl. IV.
nitida Poir. IV.
Palicurea Poir.
tinctoria Aubl.

...ura. I. 217
I. 220
...Jacq. I. 219
...is DC. I. 218
...a DC. I. 220
...a. I. 220
...L. I. 219
...DC. I. 218
...sis Roxb. I. 139
...a Desf. I. 227
...L. I. 219
...unb. I. 219
...L. I. 219
...Lour. I. 219
Desf. I. 219
...a Rafin. I. 221
...g. I. 220
...
...L. I. 222
...ortul. I. 223
...Lam. I. 220
I. 220
...dit. I. 220
Desf. I. 218
...sf. I. 220
...a Lag. I. 220
...Banks herb. I. 230
...L. I. 230
...housb. I. 220
...hunb. I. 219
I. 220
...ia West I. 229
...W. I. 218
I. 218
... I. 219
...Burm. I. 218
... I. 218
...Poir. I. 218
DC. I. 218
...DC. I. 218
...ica Spr. I. 221
...Jacq. I. 194
. 218
...a DC. I. 218
...
...
...a ...
...Lag. I. 221
...DC. I. 218
L. I. 219
...Lour. I. 221
...Delil. I. 185
...a Geners. I. 221
...s Poir. I. 221
...L. I. 219
...s L. I. 192

Sinapis
radicata Desf. I. 217
recurvata All. I. 216
retrorsa *Burch.* I. 218
subbipinnatifida *Lag.* I. 219
taurica *Fisch.* I. 219
timoriana *DC.* I. 219
torulosa Pers. I. 218
Tournefortii All. I. 216
tripinnata Burch. I. 194
turgida *Delil.* I. 220
turgida Pers. I. 218
villosa Merat I. 218
virgata Cav. I. 222
Singana *Aubl.* I. 564
guianensis *Aubl.* I. 564
Sipanea *Aubl.* IV. 414 *Pers.* IV. 414 *Rich.* IV. 414
angustifolia Rich. IV. 414
biflora *L. fil.* IV. 414
dichotoma *H. B. et K.* IV. 414
elatior Rich. IV. 415
glomerata *H B. et K.* IV. 414
pratensis *Aubl.* IV. 414
Siphanthera *Pohl* III. 121
cordata *Pohl* III 121
subtilis *Pohl* III. 121
tenera *Pohl* III. 121
Siphonomorpha Otth. I. 377 (Silene)
Sisurum Adans. IV. 124 *DC.* IV. 124 (Sium)
Sison *Lag.* IV. 110 *Mx.* IV. 71 *L. Spr.* IV. 114 *L. fil. MB.* IV. 175 *Pall.* IV. 112
aegopodioides Spr. IV. 248
alpinus Sieb. IV. 111
Ammi Lam. IV. 108
Ammi L. IV. 105
Ammi Ucr. IV. 108
Amomum *L.* IV. 110
Anisum Spr. IV. 122
arvensis Brot. IV. 103
aureus Spr. IV. 100
bulbosum Mx. IV. 71
canadense L. IV. 119
capensis Schult. III. 123
capillaceum Spr. IV. 111
carvifolium Bertol. IV. 116
coniifolium Wall. IV. 243
crinitum Pall. IV. 112
divaricatus Spr. IV. 107, 108
diversifolius Wall. IV. 110
fasciculatum Pohl IV. 105
flexuosus Ten. IV. 116
GussonianumBalbherb. IV. 83

Sison
Gussonii Spr. IV. 89
Haenkei Presl IV. 105
integerrimus Spr. IV. 100
inundatum Ther. IV. 111
laciniatum L'Herit. IV. 105
marginatum Mx. IV. 188
nodiflorum Brot. IV. 104
peregrinus Spr. IV. 102
Podagraria Spr. IV. 114
prolifer Broch. IV. 116
pumilus Brot. IV. 113
pusillum Mx. IV. 107
ranunculifolius Presl IV. 111
rotundifolius Spr. IV. 119
Ruta Burm. IV. 106
salsum L. fil. IV. 175
segetum L. IV. 102
Sieberianum *DC.* IV. 111
sylvaticum Brot. IV. 246
tener Wall. IV. 106
Thomasii Ten. IV. 119
trifidum Burm. IV. 106
trifoliatum Mx. IV. 100, 119
trinerve *Hamilt.* IV. 111
verticillato-inundatum Ther. IV. 105
verticillatum L. IV. 115
verticillatus Pall. IV. 175

SISYMBREAE *DC.* I. 186

Sisymbrium *All.* I. 190
acutangulum *DC.* I. 192
affine W. I. 192
album *Pall.* I. 195
altissimum L. I. 192
altissimum Pall. I. 193
amphibium L. I. 138
amphibium terrestre Ehrh. I. 137
amplexicaule Desf. I. 218
anceps Wahlenb. I. 137
apetalum Desf. I. 139
apetalum Lour. I. 139
aquaticum Gars. I. 138
arenosum L. I. 145, 146
asperum *L.* I. 193
atrovirens Horn. I. 139
austriacum *Jacq.* I. 192
β γ δ - - -
Barbareae L. I. 141
Barrelieri L. I. 222
Barrelieri Thuill. I. 222
bellidifolium Poir. I. 145
bonariense Poir. I. 138
brachycarpum *Richards.* I. 194

Sisymbrium
Burchellii *DC.* I.
bursifolium *L.* I.
bursifolium Patr
canescens *Nutt.* I.
capense *Thunb.* I.
cartilagineum *Pall*
catholicum L. I.
ceratophyllum L
cinereum *Desf.* I.
Columnae MB. I.
Columnae *Jacq.* I.
α altissimum *DC.*
β leiocarpum -
γ villosiusculum -
δ tenuisiliquum -
ε orientale -
contortum Cav. I.
contortuplicatum *L*
β rectisiliquum *Fis*
coniculatum *Cav.*
coronopifolium
crassifolium *Cav.* I.
crithmifolium R.
dentatum All. I.
domingense Poir
dubium Pers. I.
eckartsbergense
eglandulosum D
erucastrum Gou.
erucastrum Vill.
erysimifolium P.
erysimoides *Desf.*
exacoides *DC.* I.
filifolium W. I. 2
fugax *Lag.* I. 196
gallicum W. I. 19
gariepinum *Burch.*
α apricum -
β nemorosum -
geraniifolium Pe
glabrum hort. vie
glabrum W. I. 19
glaciale Forst. I.
heterophyllum Fe
hirsutum *Lag.* I. 1
hispanicum *Jacq.* I.
hispidum Poir. I.
hispidum Vahl I.
indicum L. I. 139
integrifolium L.
Irio *L.* I. 192
β γ δ L. I. 193
junceum *MB.* I. 19
α β - - -
laevigatum W. I.

m *Rafn.* I. 196
C. I. 191
s *Wulf.* I. 138
L. I. 140
Thuill. I. 193
kerm. I. 193
m *Roth* I. 138
a *Jit.* I. 194
y. I. 138
L. I. 216. 223
Thuill. I. 222
Vill. I. 215
. I. 222
fine Stev. I. 230
m *H. B. et K.* I. 194
. I. 195
m *L.* I. 137
e *Poir.* I. 139
a I. 192
m *Schleich.* I. 192
- - -
cop. I. 191
m *DC.* I. 191
L. I. 193
Leyss. I. 137
Jacq. I. 193
I. 217
m *Lam.* I. 193
nch I. 195
n *DC.* I. 190
n *Fisch.* I. 190
Desf. I. 222
Lag. I. 221
pr. I. 193
DC. I. 194
a *DC.* I. 195
um *Forsk.* I. 192
m *L.* I. 194
teph. I. 191
m *L.* I. 138
m *Vill* I. 192
Delil I. 195
β *DC.* I. 215
Lag. I. 195
B. I. 194
Lag. I. 194
um *Pall.* I. 142
um *Schlecht.* I. 143
DC. I. 193
Thunb. I. 196
um *Redowsk.* I. 190
erm. I. 195, 139
I. 193
ursk I. 194
um *Poir.* I. 145

Sisymbrium
stoloniferum Presl I. 139
strictissimum *L.* I. 191
strigosum Thunb. I. 216
subhastatum *W.* I. 192
supinum *L.* I. 194
sylvestre Burm. I. 193
sylvestre L. I. 137
tanacetifolium *L.* I. 194
tanacetifolium Walt. I. 137
taraxacifolium *DC.* I. 192
β γ - - -
tenuifolium L. I. 222
Tillieri Bell. I. 192
tomentosum Stev. I. 141
torulosum *Desf.* I. 195
tripinnatum *DC.* I. 194
tuberosum Lag. I. 151
valentinum L. I. 183, 216
vimineum L. I. 222
Sium *Koch* IV. 124 *Adans.* IV. 104 *Lam.* IV. 175 *L.* IV. 104, 109 *Spr.* IV. 114
Amomum Roth IV. 110
angustifolium *L.* IV. 125
angustifolium Thunb. IV. 125
annuum Roth IV. 147
Apium Roth IV. 101
aromaticum Lam. IV. 110
asperum *Thunb.* IV. 125
Berula Gou. IV. 125
brevifolium Hortul. IV. 124
Bulbocastanum Spr. IV. 115
bulbosum Thor. IV. 105
canadense Lam. IV. 119
Cicuta Vest IV. 99
cicutaefolium Gmel. IV. 110
Cordienii Lois. IV. 116
crassipes Spr. IV. 104
decumbens *Thunb* IV. 126
denticulatum Baldw. IV. 188
Douglasii *DC.* IV. 125
erectum Huds. IV. 125
Falcaria L. IV. 110
falcatum Dub. IV. 110
ferulaefolium Spr. IV. 117
filifolium *Thunb.* IV. 125
filifolium W. herb. IV. 139
graecum L. IV. 143, 159
graecum Lour. IV. 126, 159
graecum Sieb. IV. 126
grandiflorum *Thunb.* IV. 125
graveolens Vest IV. 101
Hippomarathrum Roth IV. 144
hispidum Spr. IV. 125
hispidum *Thunb.* IV. 125

[illegible] V. 125
[illegible] V. 110. 139
[illegible] IV. 105
[illegible] V. 105
[illegible] V. 110
[illegible] IV. 124
[illegible] V. 124
MB. IV. 124
MB. IV. 110
ocrenicum Cat. pers. gorenk. IV. 124
[illegible] IV. 104
[illegible] IV. 125
[illegible] *Presl* IV. 124
[illegible] *Pursh* IV. 188
[illegible] *Spr.* IV. 116
[illegible] *Spr.* IV. 117
[illegible] *Burm.* IV. 124
[illegible] *Thunb.* IV. 126
[illegible] *M. Jan.* IV. 125
[illegible] *L.* IV. 104
[illegible] *Lam.* IV. 176
[illegible] *Kit.* IV. 126
[illegible] *Thunb* IV. 126
[illegible] *Thunb.* IV. 125
[illegible] *Spr.* IV. 116
[illegible] *Hortul.* IV. 124
[illegible] IV. 105
[illegible] IV. 105
[illegible] IV. 104
[illegible] *L.* IV. 188
[illegible] *Walt* IV. 188
[illegible] *Roth* IV. 108
[illegible] *Lam.* IV. 102
[illegible] *L.* IV. 143
[illegible] *Roth* IV. 161
[illegible] *DC* IV. 124
[illegible] *L.* IV. 124
[illegible] *DC.*
tenuifolium Ell. IV. 188
Thunbergii *DC.* IV. 125
tortuosum Roth IV. 148
tricuspidatum Ell. IV. 188
verticillatum Lam. IV. 115
villosum *Thunb.* IV. 125
virescens Lois. IV. 116
[illegible]*rescens Spr.* IV. 116
[illegible]*la Thunb.* II. 18
[illegible]*lica Thunb.* III. 18
[illegible]*era Forst. DC.* III. 39 (Fuchsia)
[illegible]*inea Moench* III. 38
[illegible]*rticata Forst.* III. 40
[illegible]*ea Plum. DC.* I. 515 (Sloanea)
[illegible]*a L.* I. 515 *Loefl.* I. 514
Sloanea
Aubletii Sw. I. 5
Berteriana *Choix.*
corymbiflora *DC.*
dentata *L.* I. 515
grandiflora Sm.
Massoni *Sw.* I. 51
Plumieri Aubl.
sinemariensis *Aubl.*
Smeathmannia *Bank*
laevigata *Soland*
pubescens *Solana*
Smegmadermos R.
emarginatus R.
Smithia Ait. II. 32
capitata Desv. I
conferta *Sm.* II. 3
domingensis Bal
geminiflora *Roth*
sensitiva *Ait.* II. 3
spicata *Spr.* II. 32
SMYRNEAE *Ko*
Smyrnium *Lag.* IV. 99. 2
acuminatum Sm
aegopodioides *H. B*
aegyptiacum L.
apiifolium *W.* IV.
atropurpureum
aureum Burm.
aureum L. IV. 1
Barbinode Mühl
cicutarium MB.
cordatum Walt.
creticum Math.
Dioscoridis Spr.
Dodonaei Spr.
heterophyllum M
integerrimum L.
laterale *Thunb.* IV
Mathioli Presl IV
Mathioli Tourn.
nodiflorum All.
nudicaule MB.
nudicaule Pursh
olus atrum *L.* IV.
perfoliatum *Mill.*
β Kitaibelii *DC.* IV
perfoliatum W. et
perfoliatum α La
ramosum d'Urv.
rotundifolium *Mill.*
trifoliatum Mühl.
Sobolewskia *MB.* I. 2
lithophila *MB.* I. 2

...n. I. 217
...220
...eg. I. 219
...lia *DC.* I. 218
... *DC.* I. 220
... I. 220
... I. 219
DC. I. 218
...sis *Roxb.* I. 139
... *Desf.* I. 227
L. I. 219
...mb. I. 219
... I. 219
... *Lour.* I. 219
Desf. I. 219
...a *Rafin.* I. 221
...ag. I. 220
... - -
... *L.* I. 222
Portul. I. 223
Lam. I. 220
... I. 220
... *Ait.* I. 220
Desf. I. 218
...sf. I. 220
...la *Lag.* I. 220
... *Banks herb.* I. 230
... *L.* I. 230
...housb. I. 220
...hunb. I. 219
I. 220
...lia *West* I. 229
... *W.* I. 218
I. 218
... I. 219
... *Burm.* I. 218
... I. 218
... *Poir.* I. 218
DC. I. 218
... *DC.* I. 218
...nica *Spr.* I. 221
... *Jacq.* I. 194
I. 218
... *DC.* I. 218
... - - -
... - - -
...a - - -
Lag. I. 231
DC. I. 218
L. I. 219
... *Lour.* I. 221
Delil. I. 185
...ha *Geners.* I. 221
...ns *Poir.* I. 221
... *L.* I. 219
...es *L.* I. 192

Sinapis
radicata Desf. I. 217
recurvata All. I. 216
retrorsa *Burch.* I. 218
subbipinnatifida *Lag.* I. 219
taurica *Fisch.* I. 219
timoriana *DC.* I. 219
torulosa Pers. I. 218
Tournefortii All. I. 216
tripinnata Burch. I. 194
turgida *Delil.* I. 220
turgida Pers. I. 218
villosa Merat I. 218
virgata Cav. I. 222
Singana *Aubl.* I. 564
guianensis *Aubl.* I. 564
Sipanea *Aubl.* IV. 414 *Pers.* IV. 414 *Rich.* IV. 414
angustifolia Rich. IV. 414
biflora *L. fil.* IV. 414
dichotoma *H. B. et K.* IV. 414
elatior Rich. IV. 415
glomerata *H B. et K.* IV. 414
pratensis *Aubl.* IV. 414
Siphanthera *Pohl* III. 121
cordata *Pohl* III 121
subtilis *Pohl* III. 121
tenera *Pohl* III. 121
Siphonomorpha Otth. I. 377 (Silene)
Sisurum Adans. IV. 124 *DC.* IV. 124 (Sium)
Sison *Lag.* IV. 110 *Mx.* IV. 71 *L. Spr.* IV. 114 *L. fil. MB.* IV. 175 *Pall.* IV. 112
aegopodioides Spr. IV. 248
alpinus Sieb. IV. 111
Ammi Lam. IV. 108
Ammi L. IV. 105
Ammi Ucr. IV. 108
Amomum *L.* IV. 110
Anisum Spr. IV. 122
arvensis Brot. IV. 103
aureus Spr. IV. 100
bulbosum Mx. IV. 71
canadense L. IV. 119
capensis Schult. III. 123
capillaceum Spr. IV. 111
carvifolium Bertol. IV. 116
coniifolium Wall. IV. 243
crinitum Pall. IV. 112
divaricatus Spr. IV. 107, 108
diversifolius Wall. IV. 110
fasciculatum Pohl IV. 105
flexuosus Ten. IV. 116
GussonianumBalb.herb. IV. 83

Sorbus
microcarpa Pursh II. 637
spuria Pers. II. 637
torminalis Crantz II. 636
Sorindeia *Pet. Th.* II. 80, 75
africana *DC.* II. 80
madagascariensis *DC.* II. 80
Soulamea *Lam.* I. 335
amara *Lam.* I. 335
Souroubea Aubl. I. 566
Aubletii Meyer I. 566
guianensis Aubl. I. 566
Southwellia nobilis Salisb. I. 482
Spaendoncea tamarindifolia Desf. II. 486
Spallanzania *DC.* IV. 406 *Neck.* III. 289 *Poll.* II. 588
corymbosa *DC.* IV. 406
Spananthe *Jacq.* IV. 81 *Lag.* IV. 80 *Spr.* IV. 81
Huanaca Lag. IV. 81
paniculata *Jacq.* IV. 81
saniculaefolia Spr. IV. 81
sinuata Spr. IV. 61
Sparmannia *Thunb* I. 503
africana *L. fil.* I. 503
Spartianthus Link II. 145
junceus Link II. 145
Spartium *DC.* II. 145 *L.* II. 145 153 *Lam.* II. 153
aethnense Biv. II. 150
albicans Cav. II. 145
album Desf. II. 153
aphyllum L. fil. II. 150
arboreum Desf. II 154
aspalathoides Desf. II. 147
biflorum Desf. II. 146
capense L. II. 119
capitatum Cav. II. 146
cinereum Vill. II. 149
complicatum Gou. II. 158
complicatum Lois. II. 158
congestum W. II. 149
contaminatum Ait. II. 226
contaminatum L. II. 136
corsicum Lois. II. 148
creticum Desf. II. 169
cuspidatum Cav. II. 148
cuspidosum Burch. II. 147
cytisoides L. fil. II. 137
decumbens Jacq. II. 152
dispermum Moench II. 153
erinaceoides Lois. II. 147
Spartium
ferox Desf. II.
glabrum Mill. II
grandiflorum B
heterophyllum L
hirsutum Mill.
horridum Vahl
interruptum Ca
junceum *L.* II. 14
lanigerum Desf
linifolium Desf
lusitanicum Mi
microphyllum C
molle Cav. II. 14
monospermum
multiflorum Ait
nubigenum Ait.
parviflorum Ve
patens Cav. II
patens L. II. 15
persicum W. II.
pinnatifolium
procerum W. II
purgans L. II.
radiatum L. II.
ramosissimum
rigidum Viv. II.
scoparium L. II
Scorpius L. II.
sepiarium L. II.
sericeum Ait. II
sericeum Vent.
sophoroides Ber
sphaerocarpon
spinosum Alp.
spinosum Brot.
spinosum L. II.
supranubium L
thebaicum Delil.
tricuspidatum C
trispermum Sm.
umbellatum Des
umbellatum Loi.
villosum Poir. I
virgatum Ait. II
Spathelia *L.* II. 84
rhoifolia *DC.* II. 8
simplex *L.* II. 84
Spathularia Haw.
Clusii Haw. IV.
leucanthemifolia
Spennera *Mart. her*
acuminifolia *Mart.*
annua *Mart.* III. 1

[redacted]

a Mart. herb. III. 116
botrys DC. III. 115
DC. III. 117
DC. III. 116
Mart. et Schr. III. 116
C. III. 115
DC. III. 117
DC. III. 116
C. III. 115
II. 116
Mart. herb. III. 115
art. herb. III. 115
C. III. 115
DC. III. 116
DC. III. 116
Mart. herb. III. 115
C. III. 116
394
ill. I. 395
Ser. I. 395
I. 394
Poir. I. 394
Brot. I. 320
Pers. I. 394
394
Bess. I. 394
rs. I. 401
. 394
394
Pers. I. 394
sb. I. 394
. I. 394
I. 394
All. I. 394
Lam. I. 394
. I. 394
. I. 407
. I. 394
. I. 394
. I. 394
Pers. I. 400 (Arenaria)
sl I. 401
Mx. I. 421
Mx. I. 422
Mx. I. 421
Mx. I. 421
Meyer IV. 552 Pohl
L. Lam. Spr. IV.
Rich. IV. 540 Auct.
, 571 Roxb. W. IV. 569

Spermacoce
aculeata Schlecht. IV. 542
adscendens Fisch. IV. 573
adscendens Pav. IV. 569
adscendens W. IV. 551
affinis Pohl IV. 546
alata Aubl. IV. 544
apiculata W. IV. 564
apiculata W. herb. IV. 542
arenosa Pohl IV 564
articularis *L. fil.* IV. 555
articulata Pohl IV. 564
aspera Aubl. IV. 548
aspera Spr. IV. 544
aspera Vahl IV. 544
assurgens *R. et Pav.* IV. 557
assurgens Spr. IV. 552
aturensis H. B. et K. IV. 546
barbata Lam. IV. 563
barbata Spr. IV. 563
bogotensis H. B. et K. IV. 565
brasiliensis Spr. IV. 547
Burmanni *DC.* IV. 555
capitata fl. mex. IV. 567
capitata R. et Pav. IV. 545
capitata W. herb. IV. 548
capitellata Spr. IV. 556
capitellata W. IV. 545
cephalotes *W.* IV. 556
chaetocephala *DC.* IV. 554
ciliaris Pav. IV. 564
coccinea Pav. IV. 567
coerulea *Pohl* IV. 552
coerulescens *Aubl.* IV. 558
commutata Schult. IV. 564
conferta Schott IV. 563
cornifolia Fisch. IV. 545
corymbosa Burm. IV. 555
corymbosa L. IV. 556
corymbosa Roth IV. 570
corymbosa R. et Pav. IV. 550
costata *Roxb.* IV. 556
crassifolia Hortul. IV. 573
cristata W. IV. 556
cymosa Spr. IV. 549
decidua Bosc IV. 556
declinata Pav. IV. 562
dichotoma H. B. et K. IV. 542
diffusa *H. B. et K.* IV. 553
diffusa Pohl IV. 544
diodina Mx. IV. 562
discolor E. Meyer IV. 564
distans H. B. et K. IV. 542
divergens Pohl IV. 568
diversifolia *H. B. et K.* IV. 558
echioides *H. B. et K.* IV. 558

Spermacoce
elliptica *Thunb. et Otto* IV. 556
elongata Pohl IV. 547
ericaefolia Lichtenst. IV. 579
erioclada *DC.* IV. 557
β linearifolia *DC.* IV. 557
exserta Roxb. IV. 569
fasciculata Pohl IV. 547
ferruginea St. Hil. IV. 547
filifolia Perrott.et Lepr. IV. 540
Fischeri Link IV. 573
flagellaris W. IV. 554
flagelliformis *Poir.* IV. 554
flavescens Pohl IV. 548
flexuosa *Lour.* IV. 555
frigida W. IV. 571
fruticosa hort paris. IV. 575
fruticosa Pohl IV. 541
Galeopsidis *DC.* IV. 554
galioides Pohl IV. 573
gentianoides St. Hil. IV. 549
glabra *Mx.* IV. 558
glabra Roxb. IV. 570
globosa Pohl IV. 547
globosa Schum IV. 541
gracilis Pohl IV. 545
gracilis *R. et Pav* IV. 557
gracillima Pohl IV. 559
grandiflora Spr. IV. 563
hebecarpa *DC.* IV. 553
β angustior - - -
hedyotidea *DC.* IV. 555
hexagona W. IV. 557
hexandra Rich. IV. 568
hirsuta R. et Schult. IV. 568
hirta Jacq. IV. 572
hirta Pav. IV 567
hirta Rottl. IV. 555
hirta Sw. IV. 573
hispida *L.* IV. 555
humifusa *W.* IV. 557
hyssopifolia H. B. et K. IV. 562
inconspicua *Bartl.* IV. 557
insularis Spr. IV. 570
involucrata *Pursh* IV. 558
laevis *Lam* IV. 556, 544
laevis Roxb. IV. 570
laevis Spr. IV. 544
lanceolata W. herb. IV. 552
lanigera Pohl IV. 574
lasiantha *Rafin.* IV. 558
lateralis Pohl IV 568
latifolia *Aubl.* IV. 558
latifolia Pohl IV. 549
lavandulaefolia Pohl IV. 548
linearis *H. B. et K.* IV. 553

Spermacoce
lineata Blum.
lineata Ham.
lineata *Roxb.* IV
linifolia Nees
linifolia Vahl
linoides Pohl
lithospermoide
longiflora H.
longifolia *Aubl.*
longifolia Bas
longifolia L'H
longiseta Pohl
lutescens Pohl
microphylla P.
mucronata Ne
muriculata *DC.*
nana *Roxb.* IV.
Neesiana Schr
neglecta Schot
obscura *DC.* IV
ocymifolia *W.*
ocymoides Bur
Oldenlandiae *D*
orinocensis H
palmetorum *DC*
parviflora Sal
peruviana Per
philippensis *Spr*
phyllocephala *L*
pilosa *DC.* IV.
Poaya var. pur

Poaya var. α
polycephala *Ba*
portoriccensis *B*
procumbens *L.*
prostrata *Aubl.*
psyllioides H.
pumila Pohl
pusilla Pohl
pusilla Wall.
radiata Sieb.
radicans *Aubl.*
radicans W. h
radula Spr. IV
radula W. IV.
reclinata *Nees*
ramisparsa P
reflexa Pohl
remota *Lam.* IV
rigida H. B. et
rigida Salisb
rigida W. IV.
riparia *Cham. et*
rotata *Poir.* IV.

[illegible]
[illegible]hiana Schult. IV. 570
[illegible]hii Spr. IV. 570
[illegible]cy. IV. 567
[illegible]ir. IV. 567
[illegible]ulata Pohl IV. 547
[illegible]C. IV. 554
[illegible]a Bartl. IV. 557
[illegible] Blum. IV. 555
[illegible] IV. 555
[illegible] Pohl IV. 548
[illegible] Gmel. IV. 546
[illegible] Roxb. IV. 556
[illegible] W. IV. 554
[illegible] Beauv. IV. 564
[illegible] IV. 564
[illegible] Aubl. IV. 557
[illegible]hl IV. 568
[illegible] IV. 542
[illegible] Poepp. IV. 573
[illegible]C. IV. 554
[illegible] et Schult. IV. 556
[illegible]. herb. IV. 541
[illegible]l. IV. 554
[illegible] DC. IV. 555
[illegible]xb. IV. 555
[illegible]a Pohl IV. 547
[illegible]oir. IV. 567
[illegible]Sims IV. 567
[illegible]unb. et Otto IV. 556
[illegible]nk IV. 573
[illegible] Pav. IV. 543
[illegible]s Jacq. IV. 553
[illegible]sa Spr. IV. 553
[illegible]is Retz IV. 569
[illegible]. B. et K. IV. 547
[illegible]hl IV. 543
[illegible] IV. 552
[illegible]av. IV. 547
[illegible]hl IV. 543
[illegible]b. IV. 569
[illegible] hort. berol. IV. 553
[illegible] Ham. IV. 543
[illegible] W. IV. 551
[illegible]a L. IV. 541
[illegible]a Sieb. IV. 541
[illegible]a Sw. IV. 541
[illegible]a v. americana L. IV. 541
[illegible]a senegalensis L. IV. 561
[illegible]w. IV. 572
[illegible]W. IV. 572

COCEAE *Cham. et Schlecht.* IV. 342, 538

Spermadictyon Roxb. IV. 462
azureum Lindl. IV. 462
suaveolens Roxb. IV. 462
Spermatura Reich. IV. 232
Spermaxyrum *Labill.* I. 532
aphyllum *DC.* I. 532
Phyllanthi *Labill.* I. 532
strictum *DC.* I. 532
Sphaeridiophorum Don II. 222
Sphaerocapnos DC. I. 130 (Fumaria)
Sphaerococca DC. I. 615 (Meliocca)
Sphaerolobium *Sm.* II. 107
medium *R. Br.* II. 108
minus Labill. II. 108
vimineum *Sm.* II. 108
Sphaeroma DC. I. 435 (Malva)
Sphaerophysa *DC.* II. 270
caspica *DC.* II. 271
salsula *DC.* II. 271
Sphaerostigma Ser. III. 46 (Oenothera)
Sphallerocarpus *Bess.* IV. 230
Cyminum *Bess.* IV. 230
Sphenocarpus Rich. III. 17
Sphondylium Hoffm. DC. IV. 192 (Heracleum)
asperum Hoffm. IV. 193
austriacum Scop. IV. 194
Branca Scop. IV. 192
Branca ursina Hoffm. IV. 192
conforme Moench IV. 191
pubescens Hoffm. IV. 193
Spielmannia Cass. IV. 103
Spiradiclis *Blum.* IV. 418
caespitosa *Blum.* IV. 418
Spiraea *L.* II. 541 *Tourn.* II. 541 *L.* II. 546 *Camb.* II. 541 542, 544
acutifolia W. II. 543
alba Ehrh. II. 544
alpina hort. paris. II. 542
alpina *Pall.* II. 543
altaicensis Laxm. II. 544
argentea *Mutis* II. 543
ariaefolia *Sm.* II. 544
Aruncus *L.* II. 545
β americana *Mx.* II. 545
bella *Sims* II. 542
betulaefolia *Pall.* II. 544
callosa *Thunb.* II. 544
cana *W. et Kit.* II. 543
canescens *Don* II. 544
cantoniensis Lour. II. 543
capitata *Pursh* II. 542

Spiraea
ceanothifolia *Horn.* II. 544
chamaedrifolia *L.* II. 542
α vulgaris *Camb.* - -
β media *Pursh* - -
γ oblongifolia *Camb.* II. 542
∂ subracemosa - - -
chamaedryfolia Jacq. II. 542
coeruleacens *Poir.* II. 544
corymbosa *Rafin.* II. 544
crataegifolia *Link* II. 546, 544
crenata Bess. II. 543
crenata Fisch. II. 543
crenata L. II. 543
denudata Presl II. 545
digitata *W.* II. 546
discolor *Pursh* II 545
Filipendula *L.* II. 546
α vulgaris *Camb.* II. 546
β minor - - -
∂ pubescens - - -
flexuosa *Fisch.* II. 542
foliosa Poir. II. 542
hypericifolia Camb. II. 543
hypericifolia *DC.* II. 543
α uralensis *Ser.* - -
β Pallasiana *Ser.* II. 543
γ acuta - - -
∂ crenata - - -
ε savranica - - -
ζ Besseriana - - -
hypericifolia L. II. 543
hypericifolia γ DC. fl. fr. II. 543
japonica Camb. II. 541
incisa *Thunb.* II. 543
kamtschatica *Pall.* II. 545
laevigata *L.* II. 544
lanceolata *Poir.* II. 542
lobata *Murr.* II. 545
magellanica *Poir.* II. 544
oblongifolia W. et Kit. II. 542
obovata Rafin. II. 544
obovata W. et Kit. II. 543
opulifolia *L.* II. 542
β tomentella *Ser.* II. 542
palmata L. fil. II. 545
palmata Pall. II. 546
palmata *Thunb.* II. 545
pikowiensis *Bess.* II. 543
pinnata Blum. IV. 12
pinnata Moench II. 545
pubescens DC. fl. fr. II. 546
quinqueloba *Baumg.* II. 546
Spiraea
salicifolia *L.* II
α carnea *Ait.*
β alpestris *Pal*
γ paniculata *W*
∂ latifolia -
savranica Be
sibirica hort.
sorbifolia *L.* II.
β alpina *Pall.*
stipulata W.
thalictroides *Pa*
tomentosa *L.* II
trifoliata L. I
trilobata *L.* II.
Ulmaria *L.* II. 5
α tomentosa *Ca*
β denudata
ulmarioides B
ulmifolia *Scop.*
β phyllantha *Ser.*
vaccinifolia *Don*
SPIRAEACEAE
Spiranthera *St. Hi*
odoratissima *St.*
Spiraria Ser. II.
Spirocarpaea D(
Spirocarpos Ser.
SPIROLOBEAE
SPIROLOBEAE TACE
SPIROLOBEAE MENTACE
Spirospermum *Pet.*
pendulifiorum *Pe*
Spirostylis Schul
Haenkeana Pr
SPONDIACEAE
Spondias *L.* II. 74
Cytheraea Sons
dulcis *Forst.* II.
lutea *L.* II. 75
mangifera *Pers.*
β amara *Lam.*
Mombin Jacq. II
Mombin L. II. 7
Myrobalanus J
Myrobalanus L.
purpurea *L.* II. 7
simplicifolia Ro

es ferruginea Smeathm. II. 87
s Smeathm. II. 87
Smeathm. II. 86
s modesta Schult. I. 498
il II. 45
Thunb. II. 45
Thunb. II. 45
rpha Otth. I. 371 (Silene)
Lam. I. 615
folia Poir. I. 615
lon DC. I. 615
m. IV. 573
DC. IV. 573
DC. IV. 573
s Cham. IV. 573
Murr. I. 562
ides Murr. I. 562
utt. I. 200
lia Nutt. I. 200
DC. I. 200
a Nutt. I. 200
ria C. et J. Bauh. DC. I. 56 (Delphinium)
L. II. 2
DC. II. 2
a DC. II. 3
lla R. et Pav. II. 3
Burm. I. 635
alis Spr. II. 3
lis Sw. II. 3
L. II. 3
. II. 2
LEACEAE *DC.* II. 2
endron Tourn. II. 2
n Scop. II. 3
DC. I. 96
DC. I. 96
as Link II. 144
Link II. 144
rmum Thonn. IV. 571
stum Thonn. IV. 572
fl. fr. I. 438 (Lavatera)
a DC. fl. fr. I. 438
1 et 2 Loefl. IV. 293
I. 396 *Dill.* III. 70
Hoffm. I. 398
Poll. I. 398 III. 368
s Scop. I. 395
Stellaria
arenaria *L.* I. 398
aristata *Ser.* I. 396
biflora Jacq. I. 404
biflora *L.* I. 398
brevifolia *Schum.* I. 398
bulbosa *Wulf.* I. 397
Cerastium L. I. 396
cerastoides *L.* I. 398
β triflora *DC.* I. 398
cerastoides Wulf. I. 398
ciliata *Fahl* I. 397
ciliata W. herb. I. 399
cordata *W. herb.* I. 396
crassifolia *Ehrh.* I. 398
cuspidata *W. herb.* I. 396
dahurica *W. herb.* I. 399
dichotoma *L.* I. 397
dichotoma W. herb. I. 399
diffusa *W. herb.* I. 399
dubia *Bast.* I. 397
dubia var. Bast. I. 397
elegans *Ser.* I. 400
elongata *Nutt.* I. 399
falcata *Ser.* I. 398
Fischeriana *Ser.* I. 398
florida *Fisch.* I. 399
Friesiana *Ser.* I. 397
glauca *With.* I. 397
graminea *L.* I. 397
graminea β L. I. 398
groenlandica *Retz* I. 398
holostea *L.* I 397
humifusa *Sw.* I. 398
lanceolata *Poir.* I. 396
latifolia *Pers.* I. 396
Laxmanni *Fisch.* I. 397
longifolia Fries I. 397
longifolia *Muehl.* I. 400
longipes *Goldie* I. 400
mantica DC. fl. fr. I. 417
media *Sm.* I. 396
mollis Fisch. I. 397
mollis W. herb I. 418
mosquensis *MB.* I. 399
muralis *Link* I. 400
nemorum *L.* I. 396
ovata *W. herb.* I. 399
Pallasiana *Ser.* I. 399
palustris Retz I. 398
pubera *Mx.* I. 397
pubescens W. herb. I. 408
radians *L.* I. 396
β uniflora *L.* I. 396
radicans *Lapeyr.* I. 400
recurvata *W. herb.* I. 399

Stellaria
rotundifolia *Poir.* I. 397
rupestris *Scop.* I 400
ruscifolia *W. herb.* I. 399
sabulosa *Fisch.* I. 397
saxifraga *Bertol.* I. 396
scapigera *W.* I. 398
Schlechtendaliana *Ser.* I. 399
serpyllifolia Scop. I 411
serpyllifolia *W. herb.* I. 399
Stephaniana *W. herb.* I. 399
subulata *Boeber* I. 399
uliginosa Curt. I. 398
undulata *Thunb.* I. 398
velutina *Ser.* I. 397
villosa *Poir.* I. 396
villosa W. herb. I. 399
virgata *Ser.* I. 396
viscida *MB.* I. 397
β glabriuscula *MB.* I. 397
STELLATAE L. IV. 341
STELLATAE *Ray* IV. 343, 580
Stenopetalum *R. Br.* I. 201
lineare *R. Br.* I. 201
Stenostemum Juss. IV. 460
Stenostomum *Gaertn.* IV. 460
acutatum *DC.* IV. 460
bifurcatum *DC.* IV. 460
dichotomum *DC.* IV. 461
lucidum *Gaertn.* IV. 460
nitidum *DC.* IV. 461
tomentosum *DC.* IV. 460
Stephania *W.* I. 253
cleomoides *W.* I. 253
elliptica *DC.* I. 253
Stephanium Schreb. IV. 524
guianense Gmel. IV. 530
Sterculia *L.* I. 481
acuminata *Beauv.* I. 482
angustifolia *Roxb.* I. 482
Balanghas Ait. I. 482
Balanghas Cav. I. 482
Balanghas *L.* I. 482
coccinea *Roxb.* I. 482
colorata *Roxb.* IV. 483
cordifolia *Cav.* I. 483
foetida *L.* I. 483
frondosa *Rich.* I. 482
grandiflora *Vent.* I. 482
guttata *Roxb.* I. 482
licteres *Pers.* I. 483
rophylla *Beauv.* I. 482
nbia *DC.* I. 483
Sterculia
Jvira Rich. I. 483
Jvira *Sw.* I. 483
lanceolata *Cav.* I. 48
longifolia *Vent.* I. 4
macrophylla *Vent.* I
monosperma Vent.
nitida *Vent.* I. 482
nobilis *Sm.* I. 482
oblongifolia *A. mex.*
platanifolia *L.* I. 483
populifolia *DC.* I. 4
β acutiuscula -
populifolia Roxb.
punctata *A. mex.* I.
rubiginosa *Vent.* I.
urceolata *Sm.* I. 482
urens *Roxb.* I. 483
villosa *Roxb.* I. 483
STERCULIACE
STERCULIACE
STERCULIEAE *L*
Stereoxylon R. et Pa
ciliatum Poir. III.
corymbosum R. et
crenulatum Poir.
cuneifolium R. et
discolor Poir. IV.
paniculatum R. et
patens R. et Pav.
pendulum R. et Pa
pulverulentum R
resinosum R. et P
revolutum R. et P
ruhrum R. et Pav.
serratum Poir. IV
virgatum R. et Pa
Sterigma *DC* I. 212
elychrysifolium *DC.*
sulphureum *DC.* I.
tomentosum *DC.* I.
torulosum *DC.* I. 21
Stevenia *Adams et Fi*
alyssoides *Adamset*
cheiranthoides *DC.*
β
Stevensia *Poit.* IV. 34
buxifolia *Poit.* IV.
Stewartia *Cav.* I. 528
corchoroides Fors
Malachodendron
marylandica And

Lour. I. 257
Lour. I. 257
hus R. et Schult. IV. 469
umbens Spr. IV. 540
eauv. IV. 619 *Haw.* I. 400
Beauv. IV. 619
Mx. III. 375
Lx. III. 375
Pers. II. 404
Brown. DC. II. 405 (Mucuna)
Pers. II. 405
ers. II. 405
DC. IV. 502 (Coffea)
Pers. III. 289
s. III. 289
ers. III. 289
Juss. III. 289
C. III. 289
DC. III. 289
Blum. III. 289
DC. III. 289
Blum. III. 289
Rich. IV. 498
Rich. IV. 498
Ser. I. 414 (Cerastium)
v. I. 621
et Pav. I. 621
R. et Pav. I. 621
et Pav. I. 621
Cav. I. 621
arinosa R. Br. I. 244
Vahl I. 242
sa Vahl I. 244
a R. Br. I. 244
olia Vahl I. 244
les Ell. DC. II. 394 (Phaseolus)
Ell. II. 394
Ell. II. 395
laris Ell. II. 395
Lucq. IV. 469
Lucq. IV. 470
Pers. IV. 469
us Mart. IV. 671
Ser. I. 352 (Gypsophila)
pentagyna L'Herit. I. 528
Sturmia lucida Gaertn. IV. 460
Stylaria DC. I. 242 (Polanisia)
Stylidium Lour. III. 204 (IV. 267)
chinense Lour. III. 204 (IV. 267)
Stylis Poir. III. 204 (IV. 267)
chinensis Poir. III. 204 (IV. 267)
Stylobasium *Desf.* II. 92
spathulatum *Desf.* II. 92
Stylocorina Labill. IV. 440
corymbosa Labill. IV. 440
Stylocoryna *Cav.* IV. 377 *Rich.* IV. 393
fragrans *Blum.* IV. 377
laxiflora *Blum.* IV. 377
macrophylla *Bartl.* IV. 377
malabarica *DC.* IV. 377
Pandaki *DC.* IV. 377
pubescens *Bartl.* IV. 377
racemosa *Cav.* IV. 377
tomentosa *Blum.* IV. 377
Wehera Rich. IV. 394
Stylonema DC. I. 196 (Erysimum)
Stylophorum DC. I. 121 (Meconopsis)
petiolatum Nutt. I. 121
Stylosanthes *Sw.* II. 317
elatior *Sw.* II. 318
erecta *Beauv.* II. 317
glutinosa *H. B. et K.* II. 318
gracilis *H. B. et K.* II. 318
guianensis *Sw.* II. 318
humilis *H. B. et K.* II. 318
hispida Mx. II. 318
hispida *Rich.* II. 318
mucronata *W.* II. 318
procumbens *Sw.* II. 317
viscosa *Sw.* II. 317
Subularia *L.* I. 235
aquatica *L.* I. 235
purpurea Forsk. I. 224
SUBULARIEAE *DC.* I. 235
Succisa Vaill. Wallr. Spr. IV. 647 *Coult.* IV. 657 (Scabiosa)
alpina Spr. IV. 647
ambrosioides Spr. IV. 648
amplexicaulis Spr. IV. 661
atropurpurea Moench IV. 657
centauroides Spr. IV. 648
decurrens Spr. IV. 648

Succisa
glabra Bauh. IV. 661
hirsuta Bauh. IV. 661
humilis Spr. IV. 649
joppica Spr. IV. 648
laevigata Spr. IV. 648
lancifolia Moench IV. 648
leucantha Spr. IV. 649
macrocalycina Moench IV. 656
pentaphylla Moench IV. 647
pratensis Moench IV. 660
rigida Spr. IV. 649
scabra Spr. IV. 649
stellata Moench IV. 655
syriaca Spr. IV. 648
tatarica Spr. IV. 647
transylvanica Spr. IV. 647
trifida Spr. IV. 649
ustulata Spr. IV. 649
Succowia *Medik.* I. 224
balearica *Medik.* I 224
SUCCULENTAE L. Vent. III. 381
Suffrenia *Bell.* III. 76
filiformis *Bell.* III. 76
Sulitra Medik. II. 271
Sumac DC. II. 67 (Rhus)
SUMACHINEAE *DC.* II. 66
Suriana *Plum.* II. 91
maritima *L.* II. 91
Suteria *DC.* IV. 536 *Roth* IV. 673
calycina *DC.* IV. 536
Sutherlandia *R. Br.* II. 273
frutescens *R. Br.* II. 273
microphylla *Burch.* II 273
Suzygium P. Brown. III 256
fruticosum P. Brown. III. 257
Swainsona *Salish.* II. 271
coronillaefolia *Salish.* II. 271
galegifolia *R. Br.* II. 271
lessertiaefolia *DC.* II. 271
Swartzia *W.* II. 422 *Schreb.* II. 424
alata *W.* II. 424
apetala *Raddi* II. 424
aptera *DC.* II. 423
brachystachya *DC.* II. 423
dodecandra *W.* II. 422
Flamingii *Raddi* II. 423
grandiflora *W.* II. 422
Langsdorfii *Raddi* II. 423
Swartzia
longifolia *DC.* II. 423
myrtifolia *Sm.* II. 423
ochnacea *DC.* II. 423
parviflora *DC.* II. 423
pinnata *W.* II. 423
polyphylla *DC.* II. 424
simplicifolia *W.* II. 423
tomentosa *DC.* II. 423
triphylla *W.* II. 423
β grandiflora *Raddi* II. 4
SWARTZIEAE *DC.* I
Sweetia *DC.* II. 381
filiformis *DC* II. 382
lignosa *DC.* II. 382
longifolia *DC.* II. 381
Swietenia *L.* I. 625
chloroxylon Roxb. I.
febrifuga *Roxb.* I. 625
Mahogoni *L.* I. 625
senegalensis *Desv.* I. 62
Soymida Dunc. I. 625
Syalita Rheed. I. 76
Symmetria *Blum.* III. 94
obovata *Blum.* III. 94
Symphocalyx Bert. III.
Symphonia L. fil. I. 563
esculenta Arrud. I. 5
globulifera L. fil. I. 5
SYMPHONIEAE *Cho*
Symphoria Pers. IV. 33
conglomerata M.r. IV
elongata Presl IV. 33
glaucescens Spr. IV. 3
glomerata Pursh IV.
heterophylla Presl IV
leucocarpa Hortul. IV
microphylla Spr. IV.
montana Spr. IV. 339
parviflora Desf. IV. 3
racemosa Pursh IV. 3
Symphoricarpa Neck. I
Symphoricarpos *Dill.* IV.
glaucescens *H. B. et K.*
microphyllus *H. B. et K.*
montanus *H. B. et K.* I
odorata Humilt. IV. 3
racemosus *M.r.* IV. 339
vulgaris *M.r.* IV. 339
Symphyanthus DC. IV. 2

DC. II. 515 (Bauhinia)
…m. III. 265
…nch III. 206
Moench III. 265
…tn. III. 259
…um *DC.* III. 261
…. III. 260
III. 261
…m *Gaertn.* III. 260
…ium *DC.* III. 260
DC. III. 261
…. III. 259
…C. III. 260
DC. III. 259
…. III. 259
…a *DC.* III. 261
DC. III. 259
260
…*C.* III. 260
…. III. 259
…C. III. 261
…*ertn.* III. 261
…um *DC.* III. 261
…n. III. 261
DC. III. 261
DC. III. 261
…. III. 260
…. III. 259
…. III. 260
DC. III. 259
…a *Gaertn.* III. 259
C. III. 261
DC. III. 261
…. III. 261
. III. 260
III. 260
…*C.* III. 260

T

II. 487
L. II. 487
L. 487
…bl. II. 487
. II. 487
III. 333
…*ss.* III. 333
Lamb. herb. III. 335
…s. III. 335
…ss. III. 335
…ss. III. 335
…a *Juss.* III. 335
III. 334

Tacsonia
longiflora Pers. III. 335
manicata *Juss.* III. 334
β γ δ
micradena *DC.* III. 334
mixta *Juss.* III. 334
β longiflora III. 335
mollissima *H. B. et K.* III. 334
parvifolia *DC.* III. 335
peduncularis *Juss.* III. 334
β Dombeyana *DC.*
pinnatistipula *Juss.* III. 334
β penaipes *Sm.*
pubescens *DC.* III. 335
quadridentata *DC.* III. 335
quadriglandulosa *DC.* III. 335
reflexiflora Juss. III. 330
Rohriana *DC.* III. 335
sanguinea *DC.* III. 334
speciosa *H. B. et K.* III. 335
Stoupyana *DC.* III. 335
Tacso Pers. III. 335
tomentosa *Juss.* III. 334
trifoliata *Juss.* III. 334
trigona *DC.* III. 334
trinervia *Juss.* III. 335
tripartita *Juss.* III. 334
viridiflora *Juss* III. 336
Tacsonioides DC. III. 330 (Passiflora)
Talangnimia Chap. IV. 389
Talauma *Juss.* I. 81
Plumieri *Sw.* I. 81
β longifolia *DC.* I. 82
Talinastrum DC. III. 357 (Talinum)
Talinellum DC. III. 358 (Talinum)
Talinum *Sims* III. 356 *W.* III. 355 *Pursh Nutt.* III. 356 *Sims Haw.* III. 357 *R. et Pav.* III. 358
adscendens hort. berol. III. 359
album R. et Pav. III. 359
Anacampseros W. III. 355
arachnoides Ait. III 355
caulescens Spr. III. 359
ciliatum Hook. III. 359
ciliatum R. et Pav. III. 359
crassifolium *W.* III. 357
β albiflorum *DC.*
crenatum *R. et Pav.* III. 358
cuneifolium *W.* III. 357

Talinum
decumbens W. III. 455
dichotomum R. et Pav. III. 357
filamentosum Ait. III. 356
fruticosum W. III. 357
lineare Hoffmans. III. 359
lineare H. B. et K. III. 359
lingulatum R. et Pav. III. 358
monandrum R. et Pav. III. 359
mucronatum *H. B. et K.* III. 358
napiforme *DC.* III. 357
nitidum R. et Pav. III. 359
paniculatum Gaertn. III. 357
paniculatum Moench III. 357
paniculatum R. et Pav. III. 358
patens *W.* III. 357
patens β W. III. 357
polyandrum *R. et Pav.* III. 358
reflexum *Cav.* III. 357
revolutum *H. B. et K.* III. 358
teretifolium *Pursh* III. 356
triangulare *W.* III. 357
trichotomum Desf. III. 357
umbellatum R. et Pav. III. 358
Talisia *Aubl.* I. 609
Acladodea *DC.* I. 609
glabra *DC.* I. 609
guianensis *Aubl.* I. 609
hexaphylla *Vahl* I. 609
rosea Vahl I. 609
Tamara Rheed. I. 114
Tamarindus *L.* II. 488
indica *L.* II. 488
occidentalis *Gaertn.* II. 488
TAMARISCINEAE *Desv.* III. 95
Tamariscus Tourn. III. 95
decandrus Lam. III. 97
gallicus All III. 96
germanica Lob. III. 97
maderaspatanus Petiv. III. 98
pentandrus Lam. III. 96
Tamarix *Desv.* III. 95 *Auct.* III. 97
africana *Poir.* III. 95
articulata *Vahl* III 96
canariensis *W.* III. 96
canescens Desv. III. 95
chinensis *Lour.* III 96
dahurica W. III. 98
decandra Moench III. 97
decandra Pall. III. 97
Tamarix
dioica *Roth* III. 96
epacroides Sm. III
ericoides Roth III.
ericoides *W.* III. 97
gallica MB. III. 96
gallica Habl. III. 9
gallica *L.* III. 96
gallica β W. III. 9
gallica γ W. III. 9
germanica L. III.
germanica Pall. I
germanica caspic
germanica subhor
germanica β W. I
gracilis *W.* III. 96
herbacea W. III. 9
hispida *W.* III. 95
indica *W.* III. 96
laxa *W.* III. 96
longifolia W. III.
mucronata Sm. II
narbonnensis Lob
orientalis Forsk.
Pallasii *Desv.* III. 9
paniculata Stev. I
parviflora *DC.* III. 9
passerinoides *Delil.*
pentandra Pall. I
pentandra var. P
pycnocarpa *DC.* III.
senegalensis *DC.* III
songarica *Pall.* III.
tetrandra *Pall.* III.
β octandra - -
tomentosa Sm. III.
Tangaraca Adans.
Tani Rheed. III. 12
Tanibouca Juss. III
guianensis Aubl.
Tanroujou Juss. II.
Tapiria *Juss.* II. 90
guianensis *Aubl* II.
Tapirira Aubl. II. 9
Tapogomea Aubl. I
IV. 533
alba Aubl. IV. 535
axillaris Poir. IV
Carapichea Poir.
elata Poir. IV. 53
glabra Aubl. IV. 5
muscosa Poir. IV.
punicea Poir. IV.
purpurea Aubl. I

s
a Aubl. IV. 533
Aubl. IV. 534
l. II. 58
Aubl. II. 58
a. II. 480
Molin. II. 481
bl. DC. II. 478 (Dipterix)
folia Aubl. II. 478
ertn. IV. 395
Gaertn. IV. 395
ianensis Aubl. II. 66
R. Br. I. 78
R. Br. I. 78
R. Br. I. 78
R. Br. I. 78
ich. II. 487
Fisch. I. 210
pa *Fisch.* I. 210
Fisch. I. 210
DC. II. 339
DC. II. 339
ria *DC.* II. 339
DC. II. 339
R. Br. I. 178
C. I. 178
DC. I. 178
ifolia *DC.* I. 178
oba - - -
IEAE *DC.* III. 366
Tourn. III. 366
ium *L.* III. 366
L. III. 366
DC. III. 366
Lam. III. 366
Hook. III. 316
Hook. III. 316
Br. IV. 49
a *Lindl.* IV. 49
a *R. Br.* II. 118
ims II. 118
. Br. II. 118
l. I. 77
Mol. I. 78
Raf. I. 725
sa Raf. I. 726
Spr. IV 127, 132
cens Spr. IV. 134
nsis Spr. IV. 190
a Spr. IV. 133
is Spr. IV. 134
scens Spr. IV. 133
sa Spr. IV. 133
ginea Spr. IV. 133

Tepesia *Gaertn.* IV. 438
dubia *Gaertn.* IV. 438
Tephrosia *Pers.* II. 248
Appollinea *DC.* II. 254
argentea *Pers.* II. 252
β glabrinscula *DC.* II. 252
astragalina *H. B. et K.* II. 250
biflora *DC.* II. 254
brachystachya *DC.* II. 253
brachystachya *DC.* II. 249*)
candida *DC.* II. 249
capensis *Pers.* II. 252
capitulata *Link* II. 255
caribaea *DC.* II. 251
chrysophylla Pursh II. 250
cinerea *Pers.* II. 253
coerulea Pers. II. 247
Colutea *Pers.* II. 252
coronillaefolia *DC.* II. 252
digitata *DC.* II. 255
domingensis *Pers.* II. 251
emarginata *H. B. et K.* II. 251
falcata *Pers.* II. 255
filifolia *Pers.* II. 256
frutescens *DC.* II. 256
fruticosa *DC.* II. 249
gracilis *Nutt.* II. 250
grandiflora *Pers.* II. 251
heterophylla Fisch. II. 253
hispida *DC.* II. 250
hispidula *Pursh* II. 250
hypargyrea *DC.* II. 253
Laguscana *DC.* II. 253
lanceaefolia *Link* II. 251
leptostachya *DC.* II. 251
leucantha *H. B. et K.* II. 252
linearis *Pers.* II. 254
littoralis *Pers.* II. 253
longifolia Pers. II. 382
lupinifolia *DC.* II. 255
mariana *DC.* II. 253
maxima *Pers.* II. 252
mimosoides *Pers.* II. 256
mollis *H. B. et K.* II. 250
mucronata *DC.* II. 251
myrtifolia *DC.* II 255
nervosa *Pers.* II. 25a
ochroleuca *Pers.* II. 250
oroboides *H. B. et K.* II. 250
β leiocarpa *DC.* II. 251
pallens *Pers.* II. 254
paucifolia *Nutt.* II. 250

*) conf. Praefatio.

Tephrosia
Perriniana *DC.* II. 251
pinnata *Pers.* II. 254
piscatoria *Pers.* II. 252
prostrata *Nutt.* II. 250
pumila *Pers.* II. 254
purpurea *Pers.* II. 251
pusilla *Pers.* II. 255
reflexa *DC.* II. 252
Rheedii *DC.* II. 255
Senna *H. B. et K.* II. 253
senticosa *Pers.* II. 254
sericea *DC.* II. 249 *)
sericea *Pers.* II. 255
sophoroides *DC.* II. 249
spinosa *Pers.* II. 254
stipularis *DC.* II. 254
striata *Pers.* II. 255
stricta *Pers.* II 253
suberosa *DC.* II. 249
ternata *DC.* II. 256
timoriensis *DC.* II. 254
tinctoria *Pers.* II. 252
tomentosa *Pers.* II. 253
totta *Pers.* II. 255
toxicaria *Pers.* II. 249
trapezicarpa *DC.* II 255
trifoliata *DC.* II. 256
uniflora *Pers* II. 255
venustula *H. B. et K.* II. 252
villosa *Pers.* II. 251
virginiana *Pers.* II. 250

Teramnus *P. Brown.* II. 382
uncinatus *Sw.* II. 382
volubilis *Sw.* II. 382

TEREBINTHACEAE *Juss.* II 61

Terebinthus Juss. II. 64 *Tourn.* II. 64

Terebraria Sessé IV. 458

Terminalia *L.* III. 10 *Juss.* III. 10 *Lam.* III. 10
alata Roth III. 14
angustifolia *Jacq.* III. 11
arbuscula *Sw.* III. 13
argentea Mart. III. 20
Badamia *DC.* III. 12
Bellerica *Roxb.* III. 12
bengalensis *Roxb.* III. 12
Benzoe Pers. III. 11

*) conf. Praefatio.

Terminalia
Benzoin L. fil. III.
brasiliensis *Spr.* III
Catappa Blum. III
Catappa *L.* III. 11
β subcordata *W.* III
Chebula *Retz* III.
ciliata *Spr.* III. 13
citrina *Roxb.* III. 1
coriacea Rottl. III
crenulata Roth II
cuneata Roth III.
discolor *Spr.* III. 1
elliptica *W.* III. 13
erythrophylla *Burc*
fagifolia *Mart.* III.
Fatraea *DC.* III. 12
firma *Mart.* III. 14
glabrata *Forst.* III.
januarensis *DC.* III.
intermedia Bert.
lanceolata *Mart.* III
latifolia *Sw.* III. 12
β dichotoma *Meyer*
lucida *Hoffmans.*
macrostemon *Spr.*
madagascariensis
mauritiana *Lam.* III
mauritiana W. II
moluccana *Lam.* III
monaptera *Roth* III
Myrobalana Roth
Pamea *DC.* III. 13
paniculata *Roth* III.
procera *Roxb.* III.
punctata *Roth* III.
reticulata *Roth* III.
rhomboidea *Spr.* III
rotata Roxb. III.
sericea *Burch.* III.
Tanibouca *Sm.* III.
trifoliata *Spr.* III. 1
Vernix *Lam.* III. 11
villosa *Spr.* III. 13

TERMINALIAC J

TERMINALIEAE
Ternatea Tourn. Ka *DC.* II. 23
vulgaris H. B. et K
Ternstroemia *L. fil.* I.
brevipes *DC.* I. 523

ia
ia *H.B. et K.* I. 524
a *Sm.* I. 524
Ault. I. 524
v. I. 524
w. I. 523
R. et Pav. I. 524
Thunb. I. 524
I. 523
dis fl. mex. I. 523
dis Mutis I. 523
tis Sw. I. 523
a *DC.* I. 523
Mal. misc. I. 524
v. I. 523
ita *R. et Pav.* I. 524
Mal. misc. I. 524
C. I. 524
I. 524
DEMIACEAE *DC.* I. 523
DEMIEAE *DC.* I. 523
OEMIEAE
Mirb I. 523
Nees et Mart. I. 728
rus Nees et Mart. I. 729
r. 481
DC. IV. 481
V. 574
IV. 574
les *DC.* IV. 574
667
olia *DC.* IV. 667
rnand. II. 67
67
C I. 68
I. 68
Mal. misc. I. 69
68
eyer I. 69
s W. I. 69
et Moç. I. 69
Vahl I. 68
DC. I. 68
I. 68
67
I. 69
Lam. I. 68
DC. I. 68
DC. I. 67
I. 68

Tetracera
ovalifolia *DC.* I. 68
Perriniana *Spr.* I. 69
Rheedii *DC.* I. 68
rotundifolia *Sm.* I. 68
sarmentosa Vahl I. 69
senegalensis *DC.* I. 68
stricta W. I. 69
Tigarea *DC.* I. 68
tomentosa *W.* I. 68
volubilis *L.* I. 67
Wahlbomia *DC.* I. 68
Tetraceratium DC. I. 140 (Notoceras)
Tetractis *Spr.* I. 16
capensis *Spr.* I. 16
Tetradium *Lour.* II. 88
trichotomum *Lour.* II. 88
Tetragastris Gaertn. II. 80
ossea Gaertn. II. 80
Tetragonia *L.* III. 451
cornuta Gaertn. III. 452
crystallina *L'Herit.* III. 452
decumbens *Mill.* III. 452
echinata *Ait.* III. 452
expansa *Ait.* III. 452
fruticosa *L.* III. 452
halimifolia Forst. III. 452
herbacea *L.* III. 452
hirsuta *L. fil.* III. 452
japonica Thunb. III. 452
ivaefolia L. fil. III. 67
linearis *Haw.* III 452
obovata *Haw.* III. 453
peruviana hort. Chels. III. 359
spicata *L. fil.* III. 452
tetrapteris *Haw.* III. 452
villosa Poir. III. 452
Tetragonocarpus Comm. DC. III. 452 (Tetragonia)
Tetragonoides DC. III. 452 (Tetragonia)
Tetragonolobus *Scop.* II. 215
biflorus *Ser.* II. 215
conjugatus *Ser.* II. 215
maritimus Roth II. 215
purpureus *Moench* II. 215
β minor *Moriç.* - -
siliquosus *Roth* II. 215
β maritimus *Ser.* - -
Tetramerium Juss. IV. 496
Gaertn. IV. 496 *DC.* IV. 496 (Furamea)

Tetramerium
coeruleum Nees et Mart. IV. 497
jasminoides H. B. et K. IV. 497
latifolium Cham. et Schl. IV. 497
montevidense Cham. et Schl. IV. 497
multiflorum Bartl. IV. 497
occidentale Nees et Mart. IV. 497
odoratissimum Gaertn. IV. 496
oleaefolium Spr. IV. 502
paniculatum Spr. IV. 500
sessilifolium H. B. et K. IV. 497
stipulaceum Cham. et Schl. IV. 497
Tetrapathaea DC. III. 323 (Passiflora)
Tetrapteris *Cav.* I. 587 *Pluk.* III. 452
acapulcensis *H. B. et K.* I. 587
acutifolia *Cav.* I. 587
buxifolia *Cav.* I. 587
citrifolia *Pers.* I. 587
discolor *DC.* I. 587
inaequalis Cav. I. 587
mucronata *Cav.* I. 587
pauciflora *DC.* I. 587
Tetrastemon DC. III. 172 (Tetrazygia)
Tetrataenium DC. IV. 191 (Heracleum)
Tetratheca *Sm.* I. 343
ericifolia *Sm.* I. 343
glandulosa *Labill.* I. 343
glandulosa Sm. I. 343
juncea *Sm.* I. 343
oppositifolia Pers. I. 722
pilosa *Labill.* I. 343
thymifolia *Sm.* I. 343
Tetrazygia *Rich.* III. 172
angustifolia *DC.* III. 172
crotonifolia *DC.* III. 172
discolor *DC.* III. 172
elaeagnoides *DC.* III. 172
tetrandra *DC.* III. 172
Tetrazygos ciliatus Rich. III. 197
THALAMIFLORAE *DC.* I. 1
Thalictrum *L.* I. 11
Thalictrum
acuminatum S
acutilobum *DC.*
alpinum *L.* I. 12
anemonoides *Mx*
β uniflorum *Pur*
angustifolium *Ja*
angustifolium
angustifolium
angustifolium
aquilegifolium *L.*
β atropurpureum
γ formosum *DC.*
Batula Buchan
calabricum *Spr.*
carolinianum *Bo*
β subpubescens
carolinianum
Chelidonii *DC.* I.
cinereum *Desf.* I
clavatum *DC.* I.
collinum *Wallr.*
concinnum *W.* I.
contortum *L.* I. I
Cornuti L. I. 12
Cornuti Poir. I
corynellum *DC.*
Dalingo Bucha
densiflorum *H. B.*
dioicum *L.* I. 12
discolor W. I. I
divaricatum *Hors*
elatum *Murr.* I.
β ambiguum *Schle*
flavum *L.* I. 14
β pauperculum *D*
γ vaginatum
flavum Thunb.
foetidum *L.* I 13
foliolosum *DC.* I.
galioides *Nestl.* I
glaucescens *DC.*
glaucum *Desf.* I.
japonicum Thun
laevigatum Mx.
laserpitiifolium *W*
longistylum *DC.* I
lucidum *L.* I. 14
majus *Murr.* I. 1
medium *Murr.* I.
medium Poir. I.
mexicanum *DC.* I.
minus *L.* I. 13
minus Poll. I. 13
minus Spr. I. 13

[redacted]
Juss. I. 14
Desf. I. 14
L. I. 12
L. fil. I. 12
DC. I. 11
H. B. et K. I. 11
L. I. 14
Pursh I. 12
Schleich. I. 13
L. I. 12
DC. I. 12
Mühl. I. 15
DC. I. 12
DC. I. 12
DC. I. 15
I. 15
DC. I. 15
Poir. I. 14
Pursh I. 12
DC. I. 11
DC. I. 12
Schleich. I. 13
Gaertn. I. 13
L. I. 13
I. 15
Br. I. 16
Poir. I. 15
Steph. I. 13
L. fil. I. 13
DC. I. 15
Lasch. I. 14
L. I. 15
Desf. I. 14
Brown. I. 260
Nutt. IV. 202 *Nutt.*
203 *Guss.* IV. 215
Nutt. IV. 303
L. IV. 203
L. IV. 203
Lag. IV. 202
V. 203
IV. 202
DC. IV. 202
Vis. - -
Nutt. IV. 204
Spr. IV. 205
Spr. IV. 239
Nutt. IV. 203
Guss. IV. 215
Desf. IV. 203
Trv. IV. 203
Lag. IV. 203
Brot. IV. 203
Mill. IV. 154
V. 202

THAPSIEAE *Koch* IV. 58 202
Thaspium *Nutt.* IV. 153, 99
actaeifolium *Nutt.* IV. 154
atropurpureum *Nutt.* IV. 154
aureum Nutt. IV. 100
Barbinode *Nutt.* IV. 154
Thea *L.* I. 530
Bohea stricta Ait. I. 530
cantoniensis Lour. I. 530
chinensis *Sims* I. 530
α viridis *L.* I. 530
β Bohea - - -
cochinchinensis *Lour.* I. 530
oleosa *Lour.* I. 530
THEACEAE Mirb. I. 529
Thelyra *Pet. Th.* II. 527
Thenardia rosea fl. mex. III. 108
Theobroma *Juss.* I. 484
angustifolia *fl. mex.* I 484
bicolor *H. et Bonpl.* I. 484
Cacao *L.* I. 484
Guazuma L. I. 485
guianensis *W.* I. 484
ovatifolia *fl. mex.* I. 485
Theodora speciosa Medik. II. 508
Thermia Nutt. II. 99
rhombifolia Nutt. II. 99
Thermopsis *R. Br.* II. 99
corgonensis *DC.* II. 99
fabacea *DC.* II. 99
laburnifolia Don II. 99
lanceolata *R. Br.* II. 99
napaulensis *DC.* II. 99
rhombifolia *DC.* II. 99
Thespesia *Corr.* I. 455
grandiflora *DC.* I. 456
populnea *Corr.* I. 456
β guadalupensis *DC.* I. 456
Thexera DC. II. 72 (Rhus)
Thlaspi *Dill.* I. 175
africanum Burm. I. 208
alliaceum *L.* I. 176
alpestre *L.* I. 176
alpinum Jacq. I. 176
arabicum MB. I. 209
arvense *L.* I. 175
baicalense *DC.* I. 175
bonariense Poir. I. 206
Bursa-pastoris L. I. 177
campestre L. I. 204
carneum Russel I. 209
ceratocarpon *Murr.* I. 175
cochleariforme *DC.* I. 176

Thlaspi
coerulescens Presl I. 176
collinum *MB.* I. 176
cordatum Desf. I. 208
divaricatum Poir. I. 206
glastifolium Poir. I. 204
hastulatum Stev. I. 178
heterophyllum *DC.* I. 176
hirtum L. I 205
latifolium *MB.* I. 175
luteum Biv. I. 208
magellanicum *Pers.* I. 176
marginatum Lapeyr. I. 209
minimum Arduin. I. 177
montanum *L.* I. 176
β praecox *Wulf.* I. 176
γ alpinum *Jacq.* - -
nemorosum Adam I. 176
oppositifolium Poir. I. 208
orbiculatum *Stev.* I. 176
peregrinum Poir. I. 209
perfoliatum *L.* I. 176
β simplicissimum *DC.* I. 176
praecox Wulf. I. 176
Psychine W. I. 224
samolifolium *DC.* I. 177
saxatile L. I. 209
Schranckii *Schult.* I. 177
tuberosum *Nutt.* I. 177
umbellatum *Stev.* I. 176
THLASPIDEAE *DC.* I. 175
Thlaspidium DC. I. 181 (Biscutella)
Thomasia *Gay* I. 489
foliosa *Gay* I. 489
purpurea *Gay* I. 489
quercifolia *Gay* I. 489
solanacea *Gay* I. 489
triphylla *Gay* I. 489
Thora DC. I. 30 (Ranunculus)
Thouinia *Poit.* I. 612
decandra *H. et Bonpl.* I. 612
integrifolia *Spr.* I. 612
pinnata *Turp.* I. 612
polygama *Meyer* I. 612
simplicifolia *Poit.* I. 612
tomentosa *DC.* I. 612
trifoliata *Poit.* I. 612
villosa *fl. mex.* I. 612
Thryallis *L.* I. 583
brasiliensis *L.* I. 583
Thuja aphylla L. III. 96
Thunbergia capensis Montin. IV. 382
Thylachium *Lour.* I. 254
africanum *Lour.* I. 254
Thylachium
heterophyllum *Juss.*
lucidum *DC.* I. 254
oppositiflorum *DC.*
ovalifolium Juss.
panduriforme *Juss.*
Thyrsanthus Ell. I
frutescens Ell. II
Thysanus *Lour.* II. 9
cochinchinensis *DC*
Palala Lour. II.
Thysselinum Hoffm
Adans. IV. 165
(
dahuricum Spr.
palustre Hoffm.
palustre Spr. IV.
Plinii Spr. IV. 17
Thysselium Riv. IV
Tiarella *L.* IV. 50
alternifolia *Fisch.*
biternata *Vent.* IV.
bracteata Torr.
cordifolia *L.* IV. 5
Menziesii *Pursh* I
polyphylla *Don* IV
trifoliata *L.* IV. 50
Tibouchina *Aubl.* III
aspera *Aubl.* III.
Ticanto Adans. II.
Ticorea *Aubl* I. 730
bracteata *St. Hil.*
febrifuga *St. Hil.*
foetida *Aubl.* I. 73
jasminiflora *St. Hi*
longiflora *DC.* I. 7
pedicellata *DC.* I.
simplicifolia *St. H*
Tiedemannia *DC.* IV
teretifolia *DC.* IV.
Tigarea Pursh II.
aspera Aubl. I. 6
dentata Aubl. I.
tridentata Pursh
Tilia *L.* I. 512
alba Mx. I. 513
alba W. et Kit. I
americana L. I.
americana Walt
argentea *DC.* I. 51
canadensis Mx.
caroliniana Mill
corallina hort. k
cordata Mill. I. 5
cordifolia Bess.

eca Bosc I. 513
a Desf. I. 513
a borealis Wahlenb. I. 513
a γ L. I. 513
ent. I. 513
olia Ehrh. I. 513
lla Vent. I. 513
a Hayn. I. 513
Ait. I. 513
lla Vent. I. 513
pensis hort. paris. I. 513
lia Ehrh. I. 513
DC. I. 514
lla Scop. I. 513
a Ait. I. 513
phylla Vent. I. 513
folia Vent. I. 513
C. I. 513
a Desf. I. 513
a Moench I. 514
Puer. I. 513
a Scop. I. 513
AE *Juss.* I. 503
h. III. 381 *L.* III. 381
Lam. III. 382
L. III. 382
L. fil. III. 389
R. et Pav. III. 382
Nutt. III. 414
ruv. III. 406
Lapierr. I. 390
DC. III. 382
. III. 381
ris Sm. III. 382
'ata Sieb. III. 382
a L. fil. III 389
Schkuhr III. 382
β Poir. III. 382
H. B. et K. III. 382
ou. III. 406
Nutt. III 381
a W. III. 389
i W. III. 382
DC. III. 382
amph IV. 461
Cham. et Schl. IV. 461
dii Cham. et Schl. IV. 461
DC. IV. 461
DC. I. 327 (Polygala)
Schult. I. 614

Tina
cupanioides *DC.* I. 614
madagascariensis *Pet. Th.* I. 614
Tinus Tourn. IV. 323, 324
laurifolius Borkh. IV. 324
Titu Scop. III. 33
Tium hians Moench II. 281
lineare Moench II. 284
Tlacoxochitl jasminiflora Hern. IV. 365
Tonnabo Aubl I. 523
punctata Aubl. I. 523
Tobira Kaempf. I. 346
Tococa *Aubl.* III. 165 *Don* III. 165, 166
bullifera *Mart. et Schr.* III 165
formicaria *Mart. herb.* III. 165
guianensis *Aubl.* III. 165
heterophylla Don III. 166
Majeta Don III. 166
sanguinea *Don* III. 166
vesiculosa *DC.* III. 166
Tocoyena *Aubl.* IV. 374 *Rich.* IV. 375
hirsuta *Moriç.* IV. 375
insignis R. et Schult. IV. 374
latifolia Lam. IV. 375
longiflora *Aubl.* IV. 374
longifolia *H. B. et K.* IV. 375
longifolia Poir. IV. 374
macrophylla *H. B. et K.* IV. 374
Mutisii *H. B. et K.* IV. 375
scandens Blum. IV. 387
Toddalia *Juss.* II 83
aculeata *Pers.* II. 83
α acanthophylla *DC.* II. 83
β nitida *Lam.* - -
γ rubricaulis *W.* - -
angustifolia *Lam.* II. 83
inermis Pers. II 83
lanceolata *Lam.* II 83
paniculata *Lam.* II. 83
Toluifera L. II. 94 *Lour.* II. 89
Balsamum Mill. II. 95
Tonsella Schreb. I 570
africana W. I. 570
decussata Vahl I. 569
laevigata Hoffmans. I. 570
madagascariensis Vahl I. 571
prinoides W I. 571
scabra Vahl I. 570
senegalensis Vahl I. 570
Tontanea Juss. IV. 396
guianensis Aubl. IV. 397
repens Pers. IV. 397

Tontelea Aubl. I. 570
scandens Aubl. I 570
Topobea Aubl. III. 195
paniculata Rich. III. 105
parasitica Aubl. III. 196
TORDYLINEAE *Koch* IV. 58, 196
Tordylioides Wall. IV. 199
Tordyliopsis *DC.* IV. 199
Brunonis *Wall.* IV. 199
Tordylium *Tourn.* IV. 197 *Lam. Lag.* IV. 197 *Hoffm. Koch* IV. 197 *L.* IV. 199, 217 *Auct.* IV. 195, 218
absinthifolium Pers. IV. 195
aegyptiacum Lam. IV. 197
americanum Nutt. IV. 196
Anthriscus L. IV. 218
apulum Guss. IV. 198
apulum L. IV. 198
apuluu *Riv.* IV. 198
β humile *DC.* IV. 198
cordatum Poir. IV. 197
cyrenaicum Spr. IV. 105
grandiflorum Moench IV. 198
Hasselquistiae *DC.* IV. 198
humile Desf. IV. 198
insulare Clark IV. 198
latifolium L. IV. 218
lusitanicum W. IV. 198
magnum Brot. IV. 198
maximum *L.* IV. 198
microspermum Ten. IV. 198
nodosum L. IV. 219
officinale *L.* IV. 198
peregrinum L. I. 199
Sekakul Mill. IV. 190
siifolium Scop. IV. 194
suaveolens Delil. IV. 190
syriacum *L.* IV. 197
Torilis *Spr.* IV. 218 *Adans.* IV. 217
africana *Spr.* IV. 219
Anthriscus *Gmel.* IV. 218
Anthriscus Spr. IV. 219
chlorocarpa *Spr.* IV. 219
crinita Spr. IV. 213
elata *DC.* IV. 220
helvetica *Gmel* IV. 219
α divaricata *DC.* - -
β anthriscoides *DC.* IV. 219
γ purpurea - - -
heterophylla *Guss.* IV. 219
japonica *DC.* IV. 219
infesta Hoffm. IV. 219
macrocarpa Gaertn. IV. 225
Torilis
microcarpa *Bess.* I
neglecta *Schult.* IV
nodosa *Gaertn.* IV
peruviana Presl
purpurea Ten. IV
rubella Moench IV
scabra *DC.* IV. 219
trichosperma *Spr.*
trilobata Viv. IV.
tuberculata *Spr.* IV
tumida Moench IV
ucranica Spr. IV.
Tormentilla L. Juss.
erecta L. II. 574
officinalis Sm. II.
reptans L. II. 574
Torminaria DC. II.
Torricellia *DC.* IV. 2
tiliaefolia *DC.* IV.
Touchiroa Aubl. R
aromatica Aubl.
Parivoa Rich. II.
Vouarana Rich.
Toulicia *Aubl.* I. 612
guianensis *Aubl.* I.
Tounatea Aubl. D
guianensis Aubl.
Tournefortia Pont
Tovomita Aubl. I 5
guianensis Aubl.
Toxicodendron Ga Tour
arborescens Mill.
arboreum Mill. II
Cobbe Gaertn. I.
crenatum Mill. II.
pinnatum Mill. II
pubescens Mill. II
volubile Mill. II. 6
vulgare Mill. II. 6
Trachymene *Rudg.* I
anceps *DC.* IV. 73
buxifolia Sieb. IV
coerulea Graham
compressa *Spr.* IV.
cyanea Cunn. IV.
ericoides *Sieb.* IV.
incisa Rudg. IV.
lanceolata *Rudg.* IV
linearis *Spr.* IV. 73
myrtifolia *Sieb.* IV.
ovalis *DC.* IV. 73
β confertа *DC.* IV.

dg. IV. 73
r. IV. 73
a DC. IV. 73
:. IV. 73
rum Reich. IV. 127
idium DC. IV. 106 (Helosciadium)
rum Link DC. IV. 108 (Ptychotis)
Link IV. 108
DC. I. 70
C. I. 70
m DC. I. 70
tha argentea Mill. II. 296
is Pocok. II. 297
Spr. IV. 119, 120 *DC.* IV. 120 (Pimpinella)
rum Spr. IV. 122
Spr. IV. 121
e Spr. IV. 121
m Sieb. IV. 121
os Schult. IV. 123
Presl IV. 121
Presl IV. 121
Choisy IV. 122
um Spr. IV. 121
ei Spr. IV. 121
Ledeb. IV. 121
nk IV. 123
um Spr. IV. 123
hort. paris. IV. 121
um Tourn. DC. IV. 119 (Pimpinella)
m africanum Tourn. IV. 120
Lam. IV. 114
Moench IV. 119
am. IV. 119
am. IV. 120
um Moench IV. 120
ur. II. 11
Lour. II. 11
I. 63
L fil. III. 64
Roxb. III. 64
s Lour. III. 64
nensis *Lour.* III. 64
III. 63
nosa *Roxb.* III. 63
W. II. 89
W. II. 90
R. Br. I. 344
Br. I. 344
R. Br. I. 344

TREMANDREAE *R. Br.* I. 343
Tremanthus Pers. I. 621
ferrugineus Pers. I. 621
Trembleya *DC.* III. 125
agrestis *DC.* III. 126
heterostemon *DC.* III. 126
Lychnitis *DC.* III. 126
phlogiformis *DC.* III 126
rosmarinoides *DC.* III. 125
triflora *DC.* III. 126
Trentepohlia lepidioides Roth I. 232
Trepocarpus *Nutt.* IV. 201
Aethusae *Nutt.* IV. 201
brachycarpus *DC.* IV. 202
Trianthema *Sauv.* III. 351
anceps *Thunb.* III. 352
crystallina *Vahl* III. 352
decandra *L.* III. 352
fruticosa Vahl III. 369
humifusa *Thunb.* III. 352
β - - -
monogyna *L.* III. 352
obcordata Roxb. III. 352
pentandra Guertn. III. 352
pentandra *L.* III. 352
β obcordata *DC.* III. 352
polyandra *Blum.* III. 352
portulacastrum Sauv. III. 352
procumbens Mill. III. 352
triquetra *Rottl.* III. 352
Triblemma R. Br. III. 113
maculatum Mart. herb. III. 114
nymphaeifolium Mart. herb. III. 113
Tribuloides Tourn. III. 63
Tribulus *Tourn.* I. 703
alatus *Delil.* I. 703
albus *Poir.* I. 703
cistoides *L.* I. 703
lanuginosus *L.* I. 704
maximus *L.* I. 704
pentandrus Forsk. I. 704
terrestris *L.* I. 703
β subinermis *Fisch.* I. 703
trijugatus *Nutt.* I. 704
Tricalysia *Rich.* IV. 445
angolensis *Rich.* IV. 445
Tricentrum *DC.* III. 123
leptophyllum *DC.* III. 123
ovalifolium *DC.* III. 123
Triceraja W. I. 571
tinifolia W. I. 572

Triceros *Lour.* II. 89
cochinchinensis *Lour.* II. 89
Trichera Schrad. IV. 650, 651
DC IV. 651 (Knautia)
arvensis Schrad. IV. 651
ciliata R. et Schult. IV. 651
dumetorum R. et Schult. IV. 654
hybrida R. et Schult IV. 650
leucantha Schrad. IV. 651
mutabilis Schrad. IV. 650
pubescens Schrad. IV. 651
sylvatica Schrad. IV. 651
Tricheroides DC. I. 650 (Knautia)
Trichilia *L.* I. 622 *Juss.* I. 622
alliacea *Forst.* I 623
capensis Pers. I. 623
emetica *Vahl* I. 622
glabra L. I. 622
glandulosa *Sm.* I. 623
Guara L. I. 624
Halesia Loefl. I. 623
havanensis *Jacq.* I. 622
heterophylla *W.* I. 623
hirta *L.* I. 622
inermis *Spr.* I 623
moschata *Sw.* I. 623
β odorata *Andr.* I. 623
nervosa *Vahl* I. 623
octandra Sol. I. 623
odorata Andr. I. 623
pallida *Sw.* I. 622
procera Forsyth I. 626
quadrijuga *H. B. et K.* I. 622
scandens *Lunan.* I. 623
spectabilis *Forst.* I. 623
spinosa *W.* I. 623
spondioides *Sw.* I. 622
terminalis *Jacq.* I. 623
tomentosa *H. B. et K.* I. 622
trifoliata *L.* I. 623
TRICHILIEAE *DC.* I. 622
Trichlis Hall. III. 376
Trichoa *Pers.* I. 103
conferta *Pers.* I. 103
racemosa *Pers.* I 103
Trichocarpaea DC. IV. 220 (Torilis)
Trichocarpus Schreb. I. 516
Neck. II 531
laurifolia W. I. 516
Trichocladus *Pers.* IV. 269
crinitus *Pers.* IV. 269
Trichogonium DC. IV. 195 (Heracleum)
Trichosanthes *L.* I
amara *L.* III. 315
anguina *L.* III. 31
angulata *Lam.* III
caudata W. III.
chinensis *Ser.* III
colubrina *Jacq.* II
coriacea *Blum.* II
corniculata *Lam.*
costata *Blum.* III.
cucumerina *L.* III.
cuspidata *Lam.* II
foetidissima Jac
globosa *Blum.* III
grandiflora *Blum.*
hexasperma *Blum*
laciniosa *Klein* II
macrocarpa *Blum.*
nervifolia *L.* III. 3
ovigera *Blum.* III.
pilosa *Lour.* III. 3
pubera *Blum.* III.
punctata L. III.
scabra *Lour.* III.
tamnifolia *Poir.* II
tricuspidata *Lour.*
trifoliata *Blum.* II
tuberosa W. III.
villosa *Blum.* III.
Triclinium odora
Triclisperma grand
Tricuspidaria *R. et P*
dependens *R. et Pa*
Tricuspis Pers. I
Tridactylites annu
petraea Haw. IV.
Tridesmos Chois. I
Trifoliastrum Ser.
TRIFOLIEAE
TRIFOLIEAE *Brown.*
Trifolium *Tourn.* II
I
adscendens *Horn.*
affine Lejeun. II.
africanum *Ser.* II. 2
agrarium *L.* II. 205
alatum *Bir.* II. 203
albidum *Retz* II. 19

L. II. 189
Ser. - -
II. 194
Ser. II. 194
- - -
Ser. II. 195
II. 204
Leis. II. 187
P. et K. II. 199
MB. II. 202
ser. MB. II. 202
V. et Kit. II. 200
L. II. 189
Schrank II. 199
Horn. II. 191
. II. 194
Brot. II. 191
. 190
Ser. II. 191
- - -
- - -
Ser. - -
Savi II. 191
eb. II. 204
g. II. 193
Ser. II. 201
C. II. 194
k. II. 202
II. 318
II. 192
chousb. II. 195
Ser. II. 200
Sternb. II. 203
Reyn. II. 199
Ser. II. 200
Schreb. II. 205
. II. 193
II. 207
Mx. II. 201
ot. II. 199
II. 196
rk II. 205
huil. II. 196
II. 193
Lag. II. 207
. II. 197
MB. II. 190
ast. II. 192
Ahill. II. 205
II. 206
Guss. II. 207 *)
Guss. II. 198
ag. II. 194

tio.

Trifolium
conicum Kit. II. 194
conicum *Pers.* II. 194
constantinopolitanum *Ser.* II. 193
controversum Jan II. 206
Cupani Tin. II. 203
cuspidatum *Lour.* II. 207
decipiens *Horn.* II. 205
dentatum W. et Kit. II. 186
depauperatum *Desv.* II. 203
diffusum *Ehrh.* II. 196
diffusum Thunb. II. 207
dipsaceum Thuil. II. 194
divaricatum *Horn.* II. 191
echinatum Bauh. II. 178
echinatum *MB.* II. 191
elegans *Savi* II. 201
elongatum *W.* II. 194
erectum Walt. II. 384
erinaceum *MB.* II. 191
eximium *Steph.* II. 203
β albiflorum *Fisch.* II. 204
expansum *Kit.* II. 195
filiforme *L.* II. 206
β microphyllum *Ser.* II. 206
flavescens *Tin.* II. 206
flexuosum Jacq. II. 195
formosum Curt. II. 200
formosum Savi II. 201
formosum *d Urv.* II. 207
fragiferum *L.* II. 202
β proliferum *Bernard* II. 203
fruticans L. II. 218
gemellum *Pourr.* II. 191
glaciale Reyn. II. 197
glareosum Schleich. II. 200
globosum *L.* II. 196
glomeratum *L.* II. 198
gracile Thuil. II. 191
guianense Aubl. II 318
Gussoni *Tin.* II. 204
hedysaroides *Pall.* II. 204
heterophyllum *Tratt.* II. 196
hirsutum *Thunb.* II. 207
hirtum *All* II. 196
β pictum *Ser.* II. 96
γ pygmaeum *Ser.* II. 196
hispidum Desf. II. 196
hybridum L. II. 200
hybridum *Savi* II. 200
incarnatum *L.* II. 190
β Molinerii *DC.* II. 190
indicum fl. rubr. Kleink. II. 224
intermedium *Guss.* II. 190
involucratum *W.* II. 204
irregulare Pourr. II. 192

Trifolium
isthmocarpon *Brot.* II. 201
Kitaibelianum *Ser.* II. 194
Kochianum Hayne II. 186
laevigatum Poir. II. 198
Lagascanum *Ser.* II. 194
Lagopus *Pourr.* II. 190
lanatum *Thunb.* II. 207, 196
lappaceum *L.* II. 191
lasiocephalum *Link* II. 207
latinum *Seb.* II. 202
leucanthum *MB.* II. 197
ligusticum *Balb.* II. 191
β parvulum *Ser.* - -
Lupinaster *L.* II. 204
β albiflorum *Ser.* II. 204
γ oblongifolium - - -
macrorhixon W. et Kit. II. 187
magellanicum II. 207
malacanthum *Link* II. 191
maritimum *Huds.* II. 192
β Bastardianum *Ser.* II. 192
medium *L.* II. 195
β pedunculosum *Ser.* II. 195
megacephalum *Nutt.* II. 204
Melilotus coerulea L. II 181
- *cretica L.* II. 185
- *hamosum MB.* II. 181
- *indica γ L.* II. 189
- *indica δ L.* II. 187
- *italica L.* II. 188
- *officinalis α L.* II. 186
- *officinalis β L.* II. 187
- *palustre W. et Kit.* 187
- *polonica L.* II. 187
- *segetalis Brot.* II. 187
- *tauricum MB.* II. 188
messanense L. II. 189
Michelianum *Savi* II. 201
micranthum *Viv.* II. 206
microcephalum *Pursh* II. 207
microphyllum *Desv.* II. 195
minimum *Hart.* II 206
minus Sm. II. 206
Molinerii Balb. II. 190
montanum *L.* II. 201
β pedunculosum *Ser.* II. 201
γ incanum - - -
nigrescens *Viv.* II. 199
noricum *Wulf.* II. 195
Trifolium
obcordatum *Desv.*
oblongifolium *Ser.*
obscurum Gouss.
obscurum *Savi* II.
ochroleucum *L.* II.
β dichotomum *Ser.*
γ humile -
δ tomosum - -
ochroleucum β DC
ochroleucum γ DC
Oliverianum *Ser.* I
ornatum *Clark.* II.
ornithopodioides
pallescens *Schreb.*
pallidum *W. et Kit*
pannonicum *L.* II.
β barbatum *Ser.* II.
parisiense *DC. fl. fr*
β pygmaeum *Ser.* II
parviflorum *Ehrh.*
patens Schreb. II.
pauciflorum *d'Urv.*
pensylvanicum *W.*
phleoides *Pourr.* I
physodes *Stev.* II.
pictum Roth II. I
polyanthemum T
polycephalum *Ser.*
polymorphum *Poir*
pratense *L.* II. 195
α sativum *Ser.* II.
β flavicans - -
γ gracilescens *Ser.*
δ pedunculatum -
ε multifidum -
pratense sativum
pratense γ Ser. I
procumbens *L.* II.
β campestre *Ser.* II
γ subpinnatum - -
δ nanum - -
procumbens Sm.
Prutetianum *Gouss.*
pseudo-procumbe
purpureum *Lois.* II
recurvum W. et K
reflexum *L.* II. 201
reflexum *W. et Kit*
repens *L.* II. 198
β rubescens *Ser.* II.
γ luxurians *DC.* -

*) conf. Praefatio.

[illegible] *Ser.* II. 199
[illegible] - - -
[illegible] *L.* II. 202
Savi II. 192
Presl II. 193
[illegible] *Ser.* II. 200
[illegible] *Sibth. et Sm.* II. 207
. II. 190
[illegible] *Ser.* II. 190
[illegible] *Ser.* II. 190
[illegible] *Schousb.* II. 201
Ten. II. 207
Ten. II. 201 *)
Vill. II. 197
L. II. 192
[illegible] *Savi* II. 206
[illegible] *Brot.* II. 192
[illegible] *Lag.* II. 200
[illegible] *L.* II. 205
[illegible] *Ser.* II. 205
[illegible] *Vill.* II. 205
[illegible] *W.* II. 205
[illegible] *Desf.* II. 196
Sibth. et Sm. II. 190
[illegible] *L.* II. 202
[illegible] *Lam.* II. 197
[illegible] *L.* II. 194
[illegible] *Ser.* - -
[illegible] *Savi* II. 194
L. II. 197
Pall. II. 197
[illegible] *Thunb.* II. 206
[illegible] II. 192
[illegible] II. 198
Ser. II. 198
Sturm. II. 198
W. II. 200
[illegible] *L.* II. 202
L. II. 198
[illegible] II. 192
Gerard II. 192
[illegible] *Ten.* II. 192
[illegible] *Ten* II. 206
[illegible] II. 199
[illegible] *Vill.* II. 197
[illegible] *L.* II. 203
[illegible] *MB.* II. 193
[illegible] II. 203
[illegible] *MB* II. 202
[illegible] *Ser.* II. 199
L. II. 203
[illegible] *Ser.* II. 203
[illegible] *Sternb.* II. 203

[illegible]

Trifolium
unifolium Forsk. II. 218
vaginatum Schleich. II. 195
Vaillantii Lois. II. 201
Vaillantii Poir. II. 201
variabile Guss. II. 197
vesiculosum *Savi* II. 202
β coerulescens *Ser.* - -
volubile *Lour.* II. 206
Xatardii *DC.* II. 193
β baeticum *Ser.* II. 193
Trifurcarium DC. III. 138 (Arthrostemma)
Trigonella *L.* II. 181
aegyptiaca *Poir.* II. 184
americana *Nutt.* II. 185
anguina *Delil.* II. 183
armata *Thunb.* II. 185
Besseriana *Ser.* II. 181
calliceras *Fisch.* II. 182
cancellata *Desf.* II. 183
coerulea *Ser.* II. 181
corniculata *L.* II. 184
crassifolia *Horn.* II. 185
cylindracea *Desv.* II. 185
elatior *Sibth. et Sm.* II. 183
esculenta *W.* II. 185
Fischeriana *Ser.* II. 183
flexuosa *Delil.* II. 183
flexuosa Fisch. II. 183
Foenum graecum *L.* II. 182
Foenum graecum β DC. fl. fr. II. 182
glabra *Thunb.* II. 185
gladiata Hortul. II. 182
gladiata *Stev.* II. 182
hamigera *Spr.* II. 183
hamosa *L.* II. 183
hirsuta *Thunb.* II. 185
hybrida *Pourr.* II. 184
indica L. II. 210
laciniata *L.* II. 184
littoralis *Guss.* II. 182
maritima *Delil.* II. 181
media Delil. II. 184
mniocarpa Wallr. II. 172
monspeliaca *L.* II. 183
occulta *Delil.* II. 185
ornithopodioides *DC.* II. 184
ornithorhynchos *Fisch.* II 184
oxyrhyncha Fisch. II. 182
parviflora *Sm.* II. 183
petiolaris *Viv.* II. 185
pinnatifida *Cav.* II. 183
platycarpos *L.* II. 184
polyantha *Desv.* II. 184

Trigonella
polycerata *L.* II. 184
prostrata *DC.* II. 182
ruthenica *L.* II. 184
spicata *Sibth. et Sm.* II. 185
spinosa *L.* II. 182
striata *L. fil.* II. 182
tenuis *Fisch.* II. 183
tenuis Spr. II. 183
tomentosa *Thunb.* II. 185
torta *Sm.* II. 183
uncinata *Ser.* II. 181
villosa *Thunb.* II. 185
Trigonia *Aubl.* I. 571
laevis *Aubl.* I. 571
mollis *DC.* I. 571
sericea *H. B. et K.* I. 571
villosa *Aubl.* I. 571
α obtusata *Aubl.* I. 571
β cuneata - - -
γ oblonga - - -
Trigonis Jacq. DC. I. 613 (Tupania)
tomentosa Jacq. I. 613
Trigonophyllum Gaud. IV. 18
Triguera acerifolia Cav. I. 474
Trigula trifoliata Noronh. I. 6
Trilepisium *Pet. Th.* II. 639
madagascariense *DC.* II. 639
Trilophus ampelisagria Fisch. I. 103
Trilopus Mith. IV. 268
Trinia *Hoffm.* IV. 103
Dufourii *DC.* IV. 104
glaberrima var. Hoffm. IV. 103, 104
Henningii Koch IV. 103
hispida *Hoffm.* IV. 104
Hoffmanni *MB.* IV. 104
Hoffmanni β MB. IV. 104
Kitaibelii *MB.* IV. 103
ramosissima Fisch. IV. 104
sesleoides Ledeb. IV. 668
vulgaris *DC.* IV. 103
α Hennigii *DC.* IV. 103
β Jacquini - - -
γ Dalechampii - - 104
Triodon *DC.* IV. 566
anthospermoides *Cham. et Schl.* IV. 566
glomeratus *DC.* IV. 566
polymorphus *Cham. et Schl.* IV. 566
α microphyllus *Cham. et Schl.* IV. 566

Triodon
β intermedius Ch
γ macrophyllus C
Trionella DC. I.
Trionum Medik.
Triopteris *L.* I. 586
acuminata W.
acutifolia W. I
bifurca Gaertn
brasiliensis *Poir.*
buxifolia W. I.
citrifolia Sw. I
discolor Meyer
floribunda *Bilb.*
havanensis *H. B.*
jamaicensis *L.* I.
indica W. I. 58
lingulata *Poir.* I.
lucida *H. B. et K*
ovata *Cav.* I. 586
pauciflora Mey
rigida *Sw.* I. 586
Triosteum *L.* IV. 3
angustifolium *Va*
himalayanum *Wa*
hirsutum *Roxb.*
majus Mx. IV.
minus Mx. IV.
perfoliatum *L.* IV
triflorum Vahl
Triphaca *Lour.* I.
africana *Lour.* I.
Triphasia *Lour.* I.
aurantiola Lou
monophylla *DC.*
trifoliata *DC.* I. 5
Triplinervium G
Triplostegia *Wall.*
glandulifera *Wal*
Tripterium DC.
Trisanthus cochi
Tristania *R. Br.* III
albens *hort. bero*
conferta *R. Br.* I
depressa *hort. an*
laurina *R. Br.* III
neriifolia *R. Br.*
suaveolens *Sm.* II

[illegible] *Pet. Th.* I. 583
[illegible] *Poir.* I. 583
[illegible] *Juss.* III. 144
[illegible] *Blum.* III. 144
[illegible] *Poir.* III. 144
[illegible] *Pers.* III. 144
[illegible] *Comm.* III. 144
[illegible] *Kurt.* IV. 671
[illegible] I. 506 *Gaertn.* I. 506
[illegible] *H. B. et K.* I. 508
[illegible] *H. B. et K.* I. 508
[illegible] *Lam.* I. 507
[illegible] *DC.* I. 506
[illegible] *Lam.* I. 507
I. 507
[illegible] *L.* I. 506
DC. I. 506
[illegible] *Forsk.* I. 507
Lam. I. 506
Vahl I. 506
H B. et K. I. 507
[illegible] *Lam.* I. 506
I. 507
[illegible] I. 506, 507
I. 506
[illegible] *Vahl* I. 506
H. B. et K. I. 507
[illegible] I. 506
[illegible] *Vall.* I. 507
[illegible] *Link* I. 507
I. 507
[illegible] *mex.* I. 506
B. et K. I. 506
[illegible] I. 506
Gaertn. I. 506
[illegible] *mex.* I. 506
Forst. I. 506
[illegible] *lia Sw.* I. 507
Jacq. I. 507
[illegible] *a Lindl.* I. 507
Lam. I. 506
[illegible] *ia Roth* I. 506
H. B. et K. I. 506
L. I. 507
[illegible] *DC.* I. 506
Link I. 507
Roxb. I. 506
[illegible]. I. 507
[illegible] *hl* I. 507
[illegible], III. 67
[illegible] I. 499
[illegible] I. 499
[illegible] I. 499

Trochiscanthes *Koch* IV. 154
nodiflorus *Koch* IV. 154
Trollius *L.* I. 45
altissimus Wend. I. 45
americanus *Mühl.* I. 46
α pentapetalus *Banks herb.* I. 46
β decapetalus *Bosc herb.* I. 46
asiaticus *L.* I. 46
caucasicus *Stev.* I. 46
europaeus *L.* I. 45
β humilis *DC.* I. 45
γ napelliifolius *Koepp.* I. 46
humilis Crantz I. 45
medius Wend. I. 46
minimus Wend. I. 46
patulus *Salisb.* I. 46
α pedunculatus *DC.* I. 46
β subinvolucratus - - -
TROPAEOLEAE *Juss.* I. 683
Tropaeolum *L.* I. 683
aduncum *Sm.* I. 684
bicolorum *R. et Pav.* I. 684
ciliatum *R. et Pav.* I. 684
dipetalum *R. et Pav.* I. 684
hybridum *L.* I. 684
majus *L.* I. 683
minus *L.* I. 683
pentaphyllum *Lam.* I. 684
peregrinum Jacq. I. 684
peregrinum L. I. 684
pinnatum *Andr.* I. 684
polyphyllum *Cav.* I. 684
pubescens *H. B. et K.* I. 684
Smithii *DC.* I. 684
tuberosum *R. et Pav.* I. 684
Trotula trianthis Comm. herb. III. 90
Truncaria *DC.* III. 106
caryophyllaea *DC.* III. 106
Tschudya *DC.* III. 155
asperiuscula *DC* III. 155
pulverulenta *DC.* III. 155
rufescens *DC.* III. 155
verticillata *DC.* III. 155
Tsjerou-Candel Rheed. III. 32
Tsjerou-Kara Rheed. IV. 475
Tsjocatti Rheed. I. 737
Tubanthera Comm. II. 30
Tuberaria DC. I. 270 (Helianthemum)
Tubocytisus DC. II. 155 (Cytisus)
Tula *Adans.* IV. 418
Adansoni *R. et Schult.* IV. 418
Tunica prolifera Scop. I. 355

Turgenia *Hoffm.* IV. 217
heterocarpa *DC.* IV. 218
latifolia *Hoffm.* IV. 218
multiflora *DC.* IV. 218
Turgosea Haw. III. 383
aloides Haw. III. 388
capitellata Haw. III. 387
linguaefolia Haw. III. 387
obovata Haw. III. 387
pertusa Haw. III. 387
thyrsiflora Haw. III. 387
tomentosa Haw. III. 387
Turia *Forsk.* III. 303
cordata *Lam.* III. 304
cylindrica *Forsk.* III. 303
Cijef *Forsk.* III. 304
Leloja *Forsk.* III. 304
Moghadd *Forsk.* III. 304
Turnera *Plum.* III. 346 *Lam. W.* III. 348
acuta *Spr.* III. 346
acuta W. III. 346, 347
angustifolia Curt. III. 346
apifera *Mart.* III. 346
aspera *Poir.* III. 348
brasiliensis *W.* III. 348
carpinifolia *H. B. et K.* III. 347
cistoides *L.* III. 347
coerulea *fl. mex.* III 346
corchorifolia *W.* III. 348
cuneiformis *Juss.* III. 346
β III. 346
Desvauxii *DC.* III. 348
diffusa W. III 347
elegans Otto III. 346
frutescens *Aubl.* III. 347
β latifolia *DC.* - -
glabra *DC.* III. 347
guianensis *Aubl.* III. 347
hirsuta Bert. III. 347
hirta Desv. III. 348
hirta *W.* III. 348
Humboldtii Spr. III, 347
integrifolia *W.* III. 348
microphylla *DC.* III. 347
microphylla Desv. III. 347
mollis *H. B. et K.* III. 346
obtusifolia Sm. III. 346
odorata *Rich.* III. 348
odorata Vahl III. 346
peruviana W. III. 346
pinnatifida *Juss.* III. 346
α lycopifolia *DC.* - 347
β angustiloba - - -
Pumilea *L.* III. 347
Turnera [illegible]
Pumilea Poir. III.
racemosa *Jacq.* III.
rugosa W. III. 348
rupestris *Aubl.* III.
sedoides *L.* III. 347
sericea *H. B. et K.*
setosa Sm. III. 347
subulata *Sm.* III. 34
tomentosa *H. B. et*
tomentosa W. III.
trioniflora *Sims* III.
ulmifolia *L.* III. 346
β angustifolia *DC.*
ulmifolia β W. III
villosa Raeusch.
virgata *W.* III. 348

TURNERACEAE

Turpinia *Vent.* II. 3
paniculata *Vent.* II.
pomifera *DC.* II. 3
punctata Pers. II.
Turraea *L.* I. 620
glabra Cav. I. 620
herbacea *Poir.* I. 6
heterophylla *Sm.* I.
lanceolata *Cav.* I. 6
maculata *Sm* I. 620
pubescens *W.* I. 62
rigida *Vent.* I. 620
sericea *Sm.* I. 620
tomentosa Cav. I.
virens Hell. I. 623
virens *L.* I. 620
β Billardierii *DC.* I.
Turrita major Clus.
Turritis *Dill.* I. 141
alpina Jacq. I. 147
alpina W. I. 144
bellidifolia All. I.
coerulea All. I. 14
curtisiliqua Fries
glabra *L.* I. 142
β ramosa *L.* I. 142
hirsuta Jacq. I. 14
hirsuta L. I. 144
hispidula *DC.* I. 142
laevigata W. I. 14
lyrata Rafin. I. 14
minor Schleich. I.
multiflora Lapeyr
oblongata Rafin.
ochroleuca Lam.

Ehrh. I. 143
Desf. I. 146
ns Desf. I. 145
ill. I. 144
a Schrank I. 199
ea DC. I. 142
Lapeyr. I. 236
All. I. 144
DC. I. 442 (Pavonia)

U

W. IV. 374
ldtii Spr. IV. 385
s W. IV. 374
lia Spr. IV. 404
Spr. IV. 375
sa Schum. IV. 376
s W. IV. 374
I. 144
talis Thor. II. 144
s L. I. 338
is L. II. 144
ens β L. II. 144
ides Brot. II. 144
florus Pourr. II. 144
Roth II. 144
m. II. 144
alis Lois. II. 144
s Thor. II. 144
ozan. III. 360
s Loxan. III. 360
Tourn. II. 541 *Moench*
545 *Camb. DC.* II. 545 (Spiraea)
is Moench II. 545
RIAE Vent. II. 541
DC. IV. 457 (Guettarda)
um Link IV. 199
mum Link IV. 199
Varcgr. II. 476
LLATAE Tourn. IV. 55
LIFERAE *Juss.* IV. 55
DC. III. 399 *J. et C. Bauh.* III. 400
DC. III 400
DC. III. 399
alis DC. III. 400
eas DC. III. 399
phyllus DC. III. 400
rus DC. III. 400
nus DC. III. 400

Umbilicus
β peltatus *DC.* III. 400
samius *DC.* III. 399
sedoides *DC.* III. 400
Sempervivum *DC.* III. 399
serratus *DC.* III. 400
spinosus *DC.* III. 400
thyrsiflorus *DC.* III. 400
Uncaria *Schreb.* IV 347
acida *Roxb.* IV. 347
aculeata W. IV. 349
cirrhiflora *Roxb.* IV. 348
ferrea *DC.* IV. 348
ferruginea *DC.* IV. 348
glabrata *DC.* IV. 348
Gambir *Roxb.* IV. 347
guianensis *Gmel.* IV. 349
inermis W. IV. 345
insignis *DC.* IV. 348
lanosa *Wall.* IV. 348
macrophylla *Wall.* IV. 348
ovalifolia *Roxb.* IV. 347
pedicellata *Roxb.* IV. 348
pilosa *Roxb.* IV. 348
sclerophylla *Roxb.* IV. 347
sessilifructus *Roxb.* IV. 349
tomentosa *DC.* IV. 349
Unguicularia DC. II. 400 (Dolichos)
Unjula Rheed. IV. 265
Unona *L.* I. 88
acuminata *DC.* I. 89
acutiflora *Dunal* I. 92
aethiopica *Dunal* I. 91
aromatica *Dunal* I. 91
chinensis *DC.* I. 91
cochinchinensis *DC.* I. 91
crassipetala *Dunal* I. 89
Desmos Dunal I. 91
discolor *Vahl* I. 91
discreta *L. fil.* I. 91
dumetorum *Dunal* I. 92
esculenta *Dunal* I. 90
fuscata *DC.* I. 89
grandiflora *Leschen.* I. 90
hamata *Dunal* I. 90
latifolia *Dunal* I. 91
leptopetala *DC.* I. 91
Lessertiana *Dunal* I. 90
ligularis *Dunal* I. 90
longifolia *Lam.* I. 90
lucida *DC.* I. 92
macrocarpa *Vahl* I. 89
Marenteria *DC.* I. 89
monilifera Gaertn. I. 91
Musaria *Dunal* I. 89

Unona
Narum *Dunal* I. 89
nitidissima *Dunal* I. 90
obtusiflora *DC.* I. 89
odorata *Dunal* I. 90
ovata *Vahl* I. 89
β Afzeliana *DC.* I. 89
oxypetala *DC.* I. 91
penduliflora *Moc. et Sessé* I. 89
polycarpa *DC.* I. 92
selanica *DC.* I. 92
sylvatica *Dunal* I. 91
tripetala *DC.* I. 90
tripetaloidea Dunal I. 90
uncinata *Lam.* I. 90
β - - -
undulata *Dunal* I. 91
violacea *Dunal* I. 90
xylopioides *Dunal* I. 92
Unonaria DC. I. 89 (Unona)
Uraria *Desv.* II. 324
cercifolia *Desv.* II. 325
comosa *DC.* II. 324
crinita *Desv.* II. 324
lagocephala *DC.* II. 324
lagopoides *DC.* II. 324
Lagopus *DC.* II. 324
picta *Desv.* II. 324
Uraspermum Nutt. IV. 232
Claytoni Nutt. IV. 232
hirsutum Big. IV. 232
Urceolaria W. IV. 443
exotica Gmel. IV. 443
Urena *L.* I. 441
aculeata Mill. I. 442
americana L. fil. I. 441
americana Sm. I. 442
foetida L'Herit. I. 444
grandiflora *A. max.* I. 442
heterophylla *Sm.* I. 442
Lappago *Sm.* I. 441
leptocarpa L. fil. I. 443
lobata Cav. I. 441
lobata *L.* I. 441
microcarpa *DC.* I. 442
monopetala *Lour.* I. 442
morifolia *DC.* I. 442
multifida *Cav.* I. 441
muricata *DC.* I. 442
ovalifolia Forsk. I. 453
paradoxa *H. B. et K.* I. 442
pilosa Burch. I. 438
polyflora Lour. I. 441
procumbens *L.* I. 441
repanda *Sm.* I. 441
Urena
reticulata *Cav.* I. 441
Ribesia *Sm.* I. 442
scabriuscula *DC.* I. 4
sinuata *L.* I. 442
sinuata Sw. I. 442
stellata *Spr.* I. 442
subtriloba *Schrank*
Swartzii *DC.* I. 442
typhalea L. I. 443
tricuspis *Cav.* I. 441
viminea *Cav.* I. 442
Urophyllum *Jack et W.*
glabrum *Jack et W.*
villosum *Jack et W.*
Urvillaea *H. B. et K.* I
Berteriana *DC.* I. 60
ulmacea *H. B. et K.*
Usteria W. IV. 622
Usubis triphylla Bu
Uvaria *L.* I. 88
cerasoides Roxb. I
Chamae *Beaur.* I. 8
dulcis *Dunal* I. 88
esculenta Roxb. I.
excelsa Vest I. 94
Gaertneri *DC.* I. 88
javana *Dunal* I. 88
lanceolata Sw. I. 9
ligularis Lam. I. 9
lucida Vent. I. 90
lutea *Roxb.* I. 88
spectabilis *DC.* I. 88
suberosa Roxb. I.
tomentosa *Roxb.* I.
tomentosa Vahl I.
trifoliata Gaertn.
tripetala Lam. I. 9
uncata Vahl I. 90
undulata Lam. I.
velutina *Dunal* I. 8
zeylanica Aubl. I.
zeylanica *L.* I. 88

V

Vaccaria Dod. DC.

Vahlia *Thunb.* IV. 53
capensis *Thunb.* IV.
Oldenlandiae *DC.* IV
ramosissima *Alph. D*
sessiliflora *DC.* IV. 5
silenoides *Alph. DC.*
tomentosa *Alph. DC.*

ch. IV. 58
V. 613 *W. et Kit.* IV. 613
. IV. 614
. IV. 614
t Kit. IV. 605
. 614
C. IV. 614
. 614
W. et Kit. IV. 605
Moench IV. 614
rm. IV. 613 *L.* IV. 593, 605, 613
IV. 608
rt. IV. 608
Lam. IV. 608
Lam. IV. 608
Desf. IV. 606
Lam. IV. 599
s W. IV. 606
l IV. 606
St. Am. IV. 605
IV. 606
L. IV. 613
it. IV. 610
V. 605
IV. 605
Spr. IV. 606
V. IV. 605
L. IV. 592
P. IV. 606
a Bell. IV. 605
v. IV. 606
ffm. IV. 605
Gmel. IV. 607
P. IV. 605
ll. IV. 605
toth IV. 608
m. IV. 608
t Pav. III. 195
et Pav. III. 195
Pav. III. 195
t Pav. III. 195
Pav. III. 195
ffm. IV. 340
ffm. IV. 340
I. 618 II. 42
. I. 618
Rausch. I. 618
Vack. II. 487
IV. 639 *R. et Pav.*
639 *Dufr. W.* IV. 632
Kth. IV. 635
Horn. IV. 641

Valeriana
altissima Mik. IV. 641
alypifolia *H. B. et K.* IV. 633
angustifolia Cav. IV. 632
angustifolia *Tausch* IV. 641
angustiloba *DC.* IV. 641
annua Gray IV. 632
aretioides *H. B. et K.* IV. 633
asarifolia *Dufr.* IV. 637
brachiata Pers. IV. 638
bulbosa Jmp. IV. 637
Calcitrapa L. IV. 632
capensis *Vahl* IV. 641
capitata *Pall.* IV. 637
Cardaminea MB. IV. 641
carnosa *Sm.* IV. 635
celtica *L.* IV. 636
celtica Vill. IV. 636
ceratophylla *H. B. et K.* IV. 640
chaerophylla Pers. IV. 629
chaerophylloides Sm. IV. 629
chamaedrifolia *Cham. et Schl.* IV. 634
Clematitis *H. B. et K.* IV. 634
coarctata *R. et Pav.* IV. 635
connata *R. et Pav.* IV. 633
Cornucopiae L. IV. 630
crassifolia *H. B. et K.* IV. 634
crispa R. et Pav. IV. 629
cuspidata Bertol. IV. 636
decussata *R. et Pav.* IV. 639
dentata W. IV. 627
dichotoma A. nex. IV. 640
dioica Bess. IV. 637
dioica *L.* IV. 637
β integrifolia *L.* IV. 637
dioica simplicifolia Reich. IV. 637
Dioscoridis Sibth. IV. 641
echinata L. IV. 626
elata Don IV. 640
elongata *L.* IV. 637
β polygama *DC.* IV. 637
excelsa Poir. IV. 641
glauca Lapeyr. IV. 636
glauca *Poepp.* IV. 639
globiflora *R. et Pav.* IV. 639
globulariaefolia *Rom.* IV. 636
Hardwickiana R. et Schult. IV. 640
Hardwickii Don IV. 640
Hardwickii *Wall.* IV. 640
hebecarpa *DC.* IV. 636
heterophylla Leis. IV. 636
hirtella *H. B. et K.* IV. 633
hyalinorhiza *R. et Pav.* IV. 638

Valeriana
Jatamansi Jones IV. 624
intermedia Sternb. IV. 636
intermedia *Vahl* IV. 636
interrupta *R. et Pav.* IV. 639
italica *Lam.* IV. 637
laciniata R. et Pav. IV. 629
lapathifolia *Vahl* IV. 635
laurifolia *H. B. et K.* IV. 634
laxiflora *DC.* IV. 638
Leschenaultii *DC.* IV. 640
leucocarpa *DC.* IV. 638
leucophaea *DC.* IV. 641
locusta L. IV. 641
locusta Ucr. IV. 630
locusta β vesicaria L. IV. 628
longifolia *H. B. et K.* IV. 634
lucida hort. par. IV. 641
lyrata *Vahl* IV. 639
macrophylla MB. IV. 635
macrorhiza *Poepp.* IV. 635
magellanica Lam. IV. 635
mexicana *DC* IV. 640
microphylla *H B. et K.* IV. 633
monandra Vill. IV. 632
monorhiza Dufr. IV. 637
montana Gen. IV. 637
montana *L.* IV. 635
β rotundifolia *DC.* IV. 636
γ cuspidata - - -
montana α Lapeyr. IV. 636
montana γ appendiculata Lapeyr. IV. 636
oblongifolia *R. et Pav.* IV. 635
obovata *Schult.* IV. 633
obtusifolia *DC.* IV 635
officinalis *L.* IV. 641
olitoria W. IV. 625
orbiculata Sibth. IV. 632
paniculata *R et Pav* IV. 638
Papilla *Bert* IV. 638
pauciflora *Mx.* IV. 638
Phu Lapeyr. IV. 636
Phu *L.* IV. 637
pilosa *R. et Pav.* IV. 634
pinnatifida *R. et Pav.* IV. 638
plantaginea *H. B. et K.* IV. 634
polemonioides *H B. et K* IV. 639
polygama Bess. IV. 637
polystachya *Sm.* IV. 639
procera *H. B. et K.* IV. 635
pubescens Hopp. IV. 626
pumila W. IV. 628
pyramidalis *H. B. et K.* IV. 639
pyrenaica *L.* IV. 636

Valeriana
quadrangularis *H. B.*
radiata W. IV. 62
repens Host IV. 6
repens *Wall.* IV. 6
rigida *R et Pav.* IV
rotundifolia Vill.
rubra All. IV. 632
rubra α L. IV. 63
rubra β L. IV. 63
rupestris Pall. IV
rupicola Lag. IV.
ruthenica W. IV.
salicariaefolia *Vahl*
Saliunca *All.* IV. 63
sambucifolia *Mik.* I
samolifolia Bert.
Sanguisorbae Per
sanguisorbaefolia *Ca*
saxatilis Lapeyr.
saxatilis *L.* IV. 636
saxatilis Vill. IV.
scandens Forsk. I
scandens *L.* IV. 63
scorpioides *DC.* IV.
sedifolia *d'Urv.* IV.
serrata *R. et Pav.* I
sibirica L. IV. 62
sibirica W. IV 6
sisymbriifolia *Desf*
sorbifolia *H. B. et*
spathulata *R. et Pa*
Spica Vahl IV. 62
supina DC. fl. fr.
supina *L.* IV. 636
supina W. IV. 63
sylvestris Gray
tenera *Wall.* IV. 6
tenuifolia *R. et Pa*
tolucana *DC.* IV.
tomentosa *H. B. et*
trinervis Viv. IV
triphylla *H. B. et*
tripteris *L.* IV. 63
tripteris β integ Walk.
tuberosa Jmp. IV
tuberosa *L.* IV. 63
β monorhiza *DC.*
urticaefolia *H B*
vaginata *H. B. et*
vesicaria W. IV
villosa Thunb. IV
villosa Wall. IV.
virgata *R. et Pav.*

ne.r. IV. 634
. IV. 640
epp. IV. 635
epp. IV. 638
epp. IV. 638
epp. IV. 628
EAE *DC.* IV. 623
oench IV. 625
V. 625 *Lindl.* IV.
631 *Dill.* IV. 578
. IV. 627
C. IV. 627
Urv. IV. 627
a Bir. IV. 626
. IV. 629
DC. IV. 629
ndl. IV. 631
IV. 628
DC. - -
uss. IV. 628
tegrifolia
Reichenb. IV. 628
IV. 626
IV. 627
r. Dufr. IV. 628
IV. 626
sv. IV. 626
C. IV. 627
. IV. 625
IV. 626
. IV. 628
ufr. IV. 627
ch IV. 623
a Lois. IV. 628
Lois. IV. 627
IV. 627
C. IV. 627
DC. IV. 627
nch IV. 625
Reichenb. IV. 625
rm IV. 627
ufr. IV. 629
. IV. 627
IV. 628
R. et Schult. IV. 628
r. IV. 625
st. IV. 627
DC. IV. 628
Link IV. 628
DC. IV. 628
. IV. 627
IV. 626
ufr. IV. 626
nch IV. 628

Valikaha Adans. III. 5
Vallea *Mutis* I. 520
cordifolia *R. et Pav.* I. 520
pubescens *H. B. et K.* I. 520
stipularis *Mutis* I. 520
Valli-canirum Rheed. I. 99
Vanalphimia Djinote Lech. I. 526
lanceolata Lech. I. 526
Vangueria *Comm.* IV. 454
Commersonii Desf. IV. 454
cymosa Gaertn. IV. 454
edulis *Vahl* IV. 454
infausta *Burch.* IV. 454
madagascariensis Gmel. IV. 454
spinosa *Roxb.* IV. 454
Vanguiera Pers IV. 454
verrucosa Sieb. IV. 455, 622
Van-Rheedia Plum. I. 564
Vareca *Gaertn.* III. 337
zeylanica *Gaertn.* III. 337
Varennea *DC.* II. 522
polystachya *DC.* II. 522
Vascoa *DC.* II. 119
amplexicaulis *DC.* II. 119
perfoliata *DC.* II. 119
VASCULARES *DC.* I. 1
Vateirea *Aubl.* II. 521
guianensis *Aubl.* II. 521
Vatica *L.* I. 517
chinensis *L.* I. 517
Vauanthes Haw. III. 392
Vauquelinia *Corr.* II. 547
corymbosa *Corr.* II. 548
Vavanga Rohr IV. 454
chinensis Rohr IV. 454
edulis Vahl IV. 454
Velaga Adans. DC. I. 500 (Pterospermum)
xylocarpa Gaertn. I. 500
Velarum DC. I. 191 (Sisymbrium)
Velezia *L.* I. 387
clavata d'Urv. I. 388
quadridentata *Sibth. et Sm.* I. 388
rigida *L.* I. 387
Vella *DC.* I. 223
annua L. I. 224
aspera Pers. I. 224
pseudocytisus *L.* I. 223
tenuissima Pall. I. 184
VELLEAE *DC.* I. 223
Venelia Comm. I. 573

Ventenatia *Beauv.* I. 527
glauca *Beauv.* I. 527
Ventilago *Gaertn.* II. 38
denticulata *W.* II. 38
maderaspatana *Gaertn.* II. 38
Verea W. III. 394
Vereia Andr. III. 394
acutiflora Andr. III. 395
crenata Andr. III. 395
Vermontea decandra Comm. II. 54
Verticillaria R. et Pav. I. 564
Verticordia *DC.* III. 208
Brownei *DC.* III. 209
Fontanesii *DC.* III. 209
Verulamia DC. IV. 485
corymbosa Poir. IV. 485
Vesicaria *Lam.* I. 159
arctica *Richards.* I. 159
arenosa *Richards.* I. 160
cretica *Poir.* I. 159
edentula Poir. I. 163
fruticulosa *Desv.* I. 159
gemonensis Poir. I. 160
globosa *Desv.* I. 159
ludoviciana *DC.* I. 159
paniculata *Desv.* I. 159
physiphora *Andrz.* I. 159
reticulata *Lam.* I. 159
sinuata *Poir.* I. 159
utriculata *Lam.* I. 159
vestita *Desv.* I. 159
Vesicariana DC. I. 159 (Vesicaria)
Vesicastrum Ser. II. 202 (Trifolium)
Vestingia Fahr. III. 453
cauliflora Moench III. 454
Heisteri Fahr. III. 454
Viborgia *Spr.* II. 135 *Moench* II. 155
fusca *Thunb.* II. 136
obcordata *Thunb.* II. 136
sericea *Thunb.* II. 136
Viboryuia Ort. II. 522
polystachya Ort. II. 522
Viburnum *L.* IV. 323 *Tourn.* IV. 323 324 *Moench* IV. 323 324
acerifolium *L.* IV. 327
acuminatum *Wall.* IV. 325
alnifolium Marsh. IV. 328
ayavacense *H. B. et K.* IV. 324
cassinoides Durei IV. 326
cassinoides *L.* IV. 326
Viburnum
cassinoides Mx.
chinense Zoyh. I
Colebrookeanum *I*
cordifolium *Wall.*
coriaceum *Blum.*
cotinifolium *Don*
cuspidatum *Thun*
cylindricum *Ham.*
dahuricum *Pall.* I
dentatum *L.* IV. 3
dentatum Thunl
dentatum glabel
dentatum lucida
dentatum β pul
dentatum semi-t
dichotomum Han
dilatatum *Thunb.*
edule *Pursh* IV. 3
erosum *Thunb.* IV
erubescens *Wall.*
foetidum *Wall.* IV
glabratum *H. B. et*
glabrum W. IV.
grandiflorum *Wall*
grandifolium Sm
hirtum Thunb. I
japonicum Spr. I
integerrimum *Wal*
involucratum *Wal*
laevigatum Ell. I
laevigatum *W.* IV.
lanceolatum Hill
Lantana *L.* IV. 326
Lantana Wall.
Lantana β cana
Lantana grandi
lantanoides *Mx.* IV
lauriforme Lam.
Lentago *L.* IV. 32
lobatum Lam. IV
lucidum Mill. IV.
lutescens *Blum.* I
macrophyllum T
microcarpum *Cham*
molle *Mx.* IV. 32
monogynum *Blum.*
Mullaha *Hamilt.* I
nervosum *Don* IV.

lit. IV. 326
IV. 325
Walt. IV. 326
Desf. IV. 326
Ker. IV. 326
Mühl. IV. 326
IV. 328
DC. IV. 328
americana Ait. IV. 328
dula Mx. IV. 328
Pimina Mx. IV. 328
vosum R. et Schult. IV. 328
Pall. IV. 328
Pursh IV. 328
Thunb. IV. 329
Wall. IV. 328
Wall. IV. 325
L. IV. 325
Pursh IV. 326
Hamilt. IV. 324
Rafin. IV. 326
Poir. IV. 325
Torr. IV. 325
sianum Schult. IV. 327
Vent. IV. 324
Pers. IV. 324
Reinw. IV. 325
V. 325
L. fil. IV. 15
Thunb. IV. 15
leyh. IV. 326
W. IV. 325
Wall. IV. 327
Link IV. 324
Swert IV. 324
fil. IV. 324
IV. 324
Ait. IV. 324
- - -
- - -
strictum Ait. IV. 324
Lam. IV. 326
Rafin. IV. 327
Thunb. IV. 329
Thunb. IV. 15
Marsh. IV. 328
Rafin. IV. 327
IV. 327
IV. 15
IV. 243

Vicatia
coniifolia *DC.* IV. 243
Vicia *Tourn.* II. 354 *L. Lam.* II. 354
abbreviata *Fisch.* II. 356
acutifolia *Ell.* II. 357
alba Moench II. 361
alpestris *Stev.* II. 356
altissima *Desf.* II. 359
americana *Mühl.* II. 355
amoena *Fisch.* II. 355
amphicarpa *Dorth.* II. 362
andicola *H. B. et K.* II. 357
angustifolia Roth II. 361
argentea *Lapeyr.* II. 359
articulata W. II. 367
atropurpurea *Desf.* II. 359
bacla *Moench* II. 365
bactra *Zucc.* II. 365
benghalensis *L.* II. 359
bicolor *W.* II. 365
Biebersteinii *Bess.* II. 363
biennis *L.* II. 359
biflora *Desf.* II. 360
bipartita *Moench* II. 364
bithynica Hoppe II. 374
bithynica L. II. 374
Bivonea *Rafin.* II. 357
boetica *Fisch.* II. 365
Broteriana *Ser.* II. 357
calcarata *Desf.* II. 360 379
canadensis *Zucc.* II. 361
canescens *Labill.* II. 358
capensis *Berg.* II. 358
caroliniana *Walt.* II. 356
cassubica *L.* II. 356
α glabriuscula *Ser.* II. 356
β Orobus - - -
cassubica Sturm II. 356
cassubica florib. pallidis DC. II. 378
ciliaris *Sibth. et Sm.* II. 365
cinerea *MB.* II. 356
consentina *Spr.* II. 358
cordata *Wulf.* II. 362
Coris *Thouin.* II. 365
cornigera *Chaub.* II. 361
Cracca *L.* II. 357
cracca Pursh II. 355
craccoides Rafin. II. 355
dentata *Fisch.* II. 360 355
disperma *DC.* II. 359
dubia *Schult.* II. 362
dumetorum *L.* II. 355
β dentata *Ser.*

Vicia
Ervilia W. II. 367
Faba L. II. 354
ferruginea *Bess.* II. 365
fruticosa W. II. 264
galegifolia Andr. II. 271
galloprovincialis *Poir.* II. 365
Gerardi *Jacq.* II. 357
Gerardi W. II. 358
glabra Schleich. II. 361
globosa *Retz* II. 361
gracilis Lois. II. 367
gracilis *Russel* II. 365
grandiflora *Scop.* II. 363
helvetica hort. Prag. II. 361
hirsuta *Fisch.* II. 365
hirsutissima *Cyrill.* II. 365
hirta Balb. II. 363
humilis *H. B. et K.* II. 360
hybrida Huds. II. 362
hybrida *L.* II. 363
incisa *MB.* II. 361
intermedia *Viv.* II. 361
laevigata *Sm.* II. 362
lathyroides *L.* II. 362
lathyroides Ph. Thom. II. 361
laxiflora Brot. II. 367
leptophylla *Rafin.* II. 365
leucantha Bertol. II. 357
leucosperma Moench II. 361
lineata *MB.* II. 364
littoralis Jacq. II. 253
littoralis Salzm. II. 357
longifolia *Poir* II. 359
luganensis Schleich. II. 361
lutea *L.* II. 363
β pallidiflora *Ser.* II. 363
γ muricata - - -
megalosperma MB. II. 362
melanops *Sibth. et Sm.* II. 365
Michauxii *Spr.* II. 362
microphylla *d'Urv.* II. 358
Mitchelli *Rafin.* II. 360
monadelpha *Roth* II. 365
monantha Retz II. 360
multifida Wallr. II. 367
multiflora Pollich. II. 356
Musquinez *Bosc* II. 365
narbonensis *L.* II. 364
α serratifolia *Ser.* II. 365
β integrifolia - - -
Nissoliana *L.* II. 360
nodosa *Fisch.* II. 365
ochroleuca *Ten.* II. 358
onobrychioides *L.* II. 358

Vicia
β angustissima *Ser*
oroboides Wulf.
Orobus DC. II.
pannonica *Jacq.*
β purpurascens *Se*
γ linearifolia -
pannonica β *W*
parviflora *Cav.* II.
parviflora Lois.
parviflora Mx.
pellucida *Jacq.* II
peregrina *L.* II. 3
perennis *DC.* II.
β suffruticosa *Ser.*
pilosa *MB.* II. 36
pimpinelloides *M*
Piscidia Forst.
pisiformis *L.* II.
platycarpos *Roth*
polyphylla *Desf.*
pontica *W.* II. 35
pseudo-cracca *B.*
pulchella *H. B. et*
punctata *Schleich*
purpurascens
purpurea *Stev.* II
β minor - -
pusilla *Mühl.* II.
pyrenaica *Pourr.*
repens *d'Urv.* II.
sativa Hoppe II
sativa *L.* II. 360
α obovata *Ser.* II
β segetalis - -
γ leucosperma *Ser*
δ angustifolia -
ε glabra -
ξ pygmaea -
sativa nemoral
sativa β *L.* II. 3
segetalis Thuill
sepium *L.* II. 364
β ochroleuca *Best*
γ subrotunda *Ser.*
δ capsella -
serratifolia Jac
setifolia *H. B. et*
sordida MB. II.
sordida *W. et Ki*
β rotundata *Ser.*
spuria *Rafin.* II.
stipulacea Pur
striata MB. II.

L. II. 355
einm. II. 360
Roth II. 358
Ten. II. 357
hort. Paris. II. 355
ma Lois. II. 367
Mart. II. 365
Desf. II. 365
ch. et Maur. II. 363
Ser. II. 364
- - -
en. II. 365
Fisch. II. 364
cula Fisch. II. 364
W. II. 356
Brot. II. 357
oth II. 359
Mart. II. 365
Bronn. II. 353
Adans. II. 353
hirsuta Moench II. 364
t. DC. IV. 657 (Scabiosa)
II. 401
ivi II. 401
avi II. 401
DC. II. 239
DC. II. 239
Sm. II. 107
Sm. II. 107
Link II. 107
RAE Juss. I. 627
RAE *DC.* I. 627
rn. I. 291 *L.* I. 291
ss. I. 296
Link I. 301
nsis R. et Schult. I. 306
Pio I. 298
acq. I. 301
R. et Pav. I. 300
Ker. I. 302
rea DC. I. 302
purpurea Fisch. I. 302
a W. et Kit. I. 295
Sym. I. 302
ifolia Banks herb. I. 307
Forsk. I. 300
cens L. I. 299
ifolia DC. I. 299

Viola
β integrifolia *DC.* I. 299
γ serratifolia - - 300
δ latifolia - - -
arborescens Loefl. I. 289
arenaria *DC.* I. 298
β aprica *DC.* I. 298
γ sarmentosa *DC.* I. 298
arguta *H. B. et K.* I. 304
arvensis DC. fl. fr. I. 303
asarifolia *Pursh* I. 292
aspera *Ging.* I. 295
atropurpurea Rafin. I. 291
barbata W. I. 292
Bertoloni Pio I. 302
betonicaefolia *Sm.* I. 294
β longiscapa *DC.* - -
biflora *L.* I. 300
blanda *Nutt.* I. 295
blanda W. I. 295
buxifolia Poir. I. 308
calcarata *L.* I. 302
α Zoysii *DC.* I. 302
β Halleri - - -
γ albiflora - - -
δ Bertolonii - - -
ε aethnensis *DC.* I. 302
ζ decipiens - - -
calceolaria Moç. et Sessé I. 311
calthaefolia *Poir.* I. 293
campestris MB. I. 295
canadensis Ell. I. 301
canadensis *L.* I. 301
α β - - -
canina *L.* I. 298
β minor *DC.* I. 298
γ alba - - -
δ macrantha *DC.* I. 298
ε japonica - - -
canina Walt. I. 298
canina fl. alho Dill. I. 298
capensis Thunb. I. 308
capillaris *Pers.* I. 304
cenisia *All.* I. 301
α ovatifolia *DC.* I. 301
β diversifolia - - -
γ Valderia - - 302
cenisia All. I. 301
cenisia Lapeyr. I. 301
chamaedrifolia *R. et Pav.* I. 306
cheiranthifolia *H. et Bonpl.* I. 302
clandestina Pursh I. 295
collina Bess. I. 295

Viola
Commersonii *DC.* I. 297
concolor Forst. I. 306
corchorifolia *Domb.* I. 304
cordata Walt. I. 292, 293
cordata W. I. 298
cordifolia *Lewis* I. 295
cornuta *L.* I. 301
Cotyledon *Ging.* I. 300
crassiuscula *Bory* I. 305
cucullata Ait. I. 292
cucullata Bigel. I. 294
cucullata *Ell.* I. 292
α obliqua *DC.* - -
β glaberrima *DC.* I. 292
γ hispidula - - -
∂ cordiformis - - -
cucullata fl. mex. I. 289
cucullata Lewis I. 292
dactyloides *R. et Schult.* I. 293
debilis Mx. I. 297
debilis *Pursh* I. 298
declinata W. et Kit. I. 303
decumbens *L. fil.* I. 299
dentata Pursh I. 294
diandra Allam. I. 290
dichotoma *fl. mex.* I. 297
diffusa *Ging.* I. 298
digitata Pursh I. 291
Dombeyana *DC.* I. 305
elongata *Poir.* I. 306
enneasperma L. I. 309
epipsila *Ledeb.* I. 305
erecta Gerard I. 299
erecta Roth I. 310
ericetorum Schrad. I. 299
eriocarpa *Lewis* I. 301
excelsa W. herb. I. 289
filiformis R. et Pav. I. 310
frutescens Roth I. 311
frutescens R. et Pav. I. 308
gibbosa *Raftn.* I. 305
glandulosa Domb. I. 297
glauca MB. I. 298
glutinosa Poir. I. 310
Gmeliniana *R. et Schult.* I. 294
β scorpiurifolia *DC.* I. 294
γ elongata *Ging.* - -
∂ cordifolia - - -
gracilis Biv. I. 302
gracilis R. Br. I. 305
grandiflora DC. fl. fr. I. 302
grandiflora L. herb. I. 302
grandiflora α DC. fl. fr. I. 303

Viola
hastata *Mx.* I. 300
β - - -
hederacea *Labill.*
α *DC.* I.
β elatines - -
γ petiolaris - -
hirta Lewis I. 30
hirta *L.* I. 295
α vulgaris *DC.* I.
β fragrans - -
γ alpina - -
∂ alba - -
ε scabra - -
hirta L. herb. I.
hirta aprica Spr
hirta v. alpina
hispanica frutic.
hispida Lam. I. 3
hispida Lapeyr.
Hookeriana *H. B. e*
humilis *H. B. et K*
Hybanthus Aubl.
japonica *Langsd.*
Jtubu Aubl. I. 30
Jtubu var. Aubl.
Jpecacuanha L.
Kitaibeliana R.
Krockeri *Gmel.* I.
labradorica *Schran*
lactea Sm. I. 299
lanceolata *Forst.* I.
β - -
lanceolata L. I. 2
lancifolia Thore
Langsdorfii *Fisch.*
α β -
laurifolia Sm. I.
Lewisiana *Ging.* I.
linarifolia Poi.
lineata herb. hor.
lineata Orteg. I.
linifolia Poir. I.
littoralis Spr. I.
longifolia R. Br.
longifolia Poir.
Ludovicea Jan I.
lusitanica Bret.
lutea DC. fl. fr. I.
lutea Sm. I. 303
lutea Tratt. I. 30

ɛaphyllos Commers. I. 297
rophyllos Commers. I. 297
Cav. I. 297
yfla DC. I. 297
yfla - - -
Patrin herb. I. 293
Forst. I. 297
Banks herb. I. 308
rma Bert. I. 308
ala Bonpl. I. 310
la W. I. 310
I. 302
I. 297
DC. I. 297
- - -
I. 299
DC. I. 299
DC. I. 299
- - -
- - -
fl. fr. I. 299
iana Ging. I. 297
MB. I. 298
Schmidt I. 298
olia All. I. 301
DC. - -
ursh I. 300
ewis I. 292
io I. 292
Lewis I. 297
I. 296
DC. I. 296
- - -
- - -
Thunb. I. 295
ar. Banks herb. I. 296
ra Rudg. I. 290
B. I. 302
t. I. 293
aa DC. I. 294
fin. I. 293
Fisch. I. 302
Buchan I. 298
I. 291
MB. I. 292
- - -
- - -
ıylla MB. I. 292
Ging. - -
Patrin herb. I. 293
I. 294
DC. I. 294

Viola
β pensylvanica DC. I. 294
papilionacea *Pursh* I. 292
α β DC. - -
parietariaefolia Banks herb. I. 308
parviflora L. fil. I. 310
parvifolia R. et Schult. I. 310
parvula Tineo I. 304
Patrinii *DC.* I. 293
β chinensis DC. I. 293
γ napaulensis - - -
pedata *L.* I. 291
α linearilobα DC. I. 291
β atropurpurea - - -
γ ranunculifolia DC. I. 291
pedata var. bicolor Pursh I. 291
peduncularis Langsd. I. 297
pensylvanica Mx. I. 301
persicariaefolia Poir. I. 305
philippica *Cav.* I. 294
pinnata *L.* I. 292
α sibirica DC. I. 293
β europaea - - -
primulaefolia Buchan I. 293
primulaefolia *L.* I. 293
α cordata DC. - -
β Boscii - - -
γ Nuttalli - - -
δ ovata - - -
primulaefolia L. I. 293
primulaefolia β Lour. I. 293
primulifolia Ait. I. 293
primulifolia Nutt. I. 293
primulifolia Pursh I. 294
prostrata *R. et Schult.* I. 303
prunellaefolia Fisch. I. 293
prunellaefolia *H. B. et K.* I. 306
prunifolia W. I. 308
pubescens *Ait.* I. 301
α β - - -
pumila *Vill.* I. 299
α lancifolia DC. I. 299
β ericetorum - - -
γ littoralis - - -
punctata *Lewis* I. 305
punctata W. I. 331
punicea R. et Pav. I. 304
purpurascens Schmidt I. 296
pusilla Schleich. I. 298
pygmaea *Poir.* I. 300
pyrenaica *Ram.* I. 296
pyrolaefolia v. α Poir. I. 297
β - - -
radicans *DC.* I. 297

Viola
ranunculifolia Poir. I. 291
reniformis R. Br. I. 305
repens Buchan I. 296
repens Dombey I. 305
repens Lewis I. 298
rostrata *Pursh* I. 298
rothomagensis var. DC. fl. fr. I. 303
rothomagensis *Desf.* I. 303
rotundifolia *Mx.* I. 295
β pallens *Banks herb.* I. 295
rubella *Cav.* I. 304
rupestris Schmidt I. 298
Ruppii All. I. 299
sagittaefolia Salisb. I. 294
sagittata *Ait.* I. 294
β emarginata *Nutt.* I. 294
γ debilata *Lewis* - -
sarmentosa MB. I. 299
scabra Braun I. 295
scabra *R. Br.* I. 305
scandens Bert. I. 289
scandens *H. B. et K.* I. 304
scandens R. et Pav. I. 297
scaturiginosa Wallr. I. 296
scrotiformis *DC.* I. 299
Selkirkii *Pursh* I. 305
serpens *Wall.* I. 296
serpyllifolia *H. et Bonpl.* I. 305
sororia W. I. 295
spathulata *W.* I. 306
stipularis Cav. I. 304
stipularis *Sw.* I. 305
striata *Ait.* I. 297
striata Pursh I. 297
stricta Horn. I. 299
stricta Poir. I. 309
suavis MB. I. 294, 296
suavis Fisch. I. 294
suberosa Desf. I. 299
sudetica *W.* I. 302
α lutea *DC.* - - -
β calaminaria *DC.* I. 303
γ media - - -
δ ramosior - - -
suffruticosa Roth I. 311
sylvestris Lam. I. 298
tenella Lewis I. 303
tenella Poir. I. 304
teucriifolia *H. et Bonpl.* I. 305
teucriifolia R. et Schult. I. 306
thesifolia Poir. I. 309
tricolor *L.* I. 303
α hortensis *DC.* I. 303
β degener - - -
Viola
γ alpestris *DC.* I
δ crassifolia - -
ε calycina - -
ζ appendiculata *DC*
η purpurea -
ϑ declinata *Ging.*
ι ovatifolia *DC.*
κ arvensis -
λ sabulosa -
μ gracilescens -
ν trimestris -
ξ hirta *Ging.*
ο bellioides *DC.*
π nana -
tricolor Oed. I.
tricolor Pursh I
tridentata *Menzie*
trifida *Spr.* I. 305
triloba Lewis I.
tripartita *Ell.* I. 3
uliginosa *Bess.* I.
uliginosa Mühl.
uliginosa Schra
umbraticola *H. B.*
uniflora *L.* I. 301
Valderia All. I.
variegata *Fisch.* I.
verticillata Ort
villosa *Walt.* I. 2
Wallichiana *Ging*
Zoysii Wulf. I.
Violaceoides Mx. I.
VIOLARIEAE *L*
VIOLEAE *DC.* I.
Virecta *DC.* IV. 414
dichotoma Spr.
elatior *DC.* IV. 41
fasciculata Ham
glomerata Spr.
multiflora *Rich.* I
pratensis Vahl
procumbens *Sw.*
prostrata Ham.
suffruticosa Ha
virens Vahl IV.
Virgilia *Lam.* II. 98
aurea *Lam.* II. 98
capensis *Lam.* II.
capensis Sims II
intrusa *R. Br.* II.
lutea *Mx.* II. 98
robinioides *DC.* II
rubiginosa *DC.* II.

iflora Cav. II. 96
DC. II. 98
Vill. IV. 113
des Gaertn. IV. 113
laevis Dill. I. 376
DC. I. 385 (Lychnis)
is Roehl I. 385
pendulum Jacq. IV. 516
Tourn. IV. 277 *MB.* *Hoffm.* IV. 277
Wl IV. 281
. IV. 278
Thunb. IV. 278, 285
Valt. IV. 278, 280
pr. IV. 282
Heyn. herb. IV. 283
um DC. IV. 281
olium Spr. IV. 282
n Forst. IV. 285
Plum. IV. 280
n Burm. IV. 284
ne DC. - -
um Pohl IV. 284
DC. IV. 284
n DC. IV. 281
yum DC. IV. 280
Lam. IV. 280
m Spr. IV. 279
Bory IV. 279
fil. IV. 283
Blum. IV. 285
n Sm. IV. 279
um Poir. IV. 284
n Pohl IV. 280
DC. IV. 285
n Don IV. 284
um Spr. IV. 281
um var. Spr. IV. 281
e Spr. IV. 285
Wall. IV. 284
Pohl IV. 281
Cham. et Schl. IV. 671
Wall. IV. 278
v. IV. 282
s Comm. IV. 286
Pursh IV. 280
all. IV. 284
. IV. 285
m Wall. IV. 279
m DC. IV. 282
n DC. IV. 278
Thunb. IV. 283
m DC. IV. 282

Viscum
Kaempferi *DC.* IV. 285
Kunthianum *DC.* IV. 283
lanceolato-ellipticum Pohl IV. 282
latifolium Ham. IV. 279
latifolium Lam. IV. 280
latifolium Sw. IV. 280
leptostachyum *DC.* IV. 280
leucocarpum Rafin. IV. 280
ligulatum Blum. IV. 285
macrophyllum *Spr.* IV. 282
macrostachyon *Jacq.* IV. 281
macrostachyum Spr. IV. 280
martinicense *DC.* IV. 280
microphyllum *Pohl* IV. 283
moniliforme *Blum.* IV. 284
monoicum *Roxb.* IV. 278
monstrosum Bert. IV. 284
mucronatum *DC.* IV. 282
myrtilloides Spr. IV. 282
myrtilloides W. IV. 282
nepalense Spr. IV. 284
oblongifolium *DC* IV. 283
obscurum *Thunb.* IV. 285
obtusatum *Wall.* IV. 279
Opuntia Thunb. IV. 283
opuntioides Heyn. herb. IV. 284
opuntioides *L.* IV. 284
β angustius *DC.* - -
opuntioides W. IV. 284
opuntioides var. Spr. IV. 283
opuntioides β Lam. IV. 280
orientale Heyn. herb. IV. 278
orientale *W.* IV. 278
ovalifolium *Wall.* IV. 278
Oxycedri *DC. fl. fr.* IV. 283
pauciflorum *L. fil.* IV. 285
pennivenium *DC.* IV. 282
Perrottetii *DC.* IV. 280
piperoides *DC.* IV. 281
platyphyllum *Spr.* IV. 279
purpureum *L.* IV. 285
quadrangulare *DC.* IV. 283
racemosum Aubl. IV. 280
rotundifolium *L fil.* IV. 279
ruhrum Burm. IV. 285
ruhrum *L.* IV. 281
ruhrum var. Spr. IV. 283
saururoides *DC.* IV. 280
Schiedeanum *DC.* IV. 670
Schottii *Pohl* IV. 281
stellatum *Ham.* IV. 278
stenophyllum Spr. IV. 281
taenioides *Comm.* IV. 283

Viscum
tereticaule *DC.* IV. 280
β cubense - - -
terrestre L. IV. 285
tetragonum *DC.* IV. 282
tomentosum *DC.* IV. 670
torulosum *DC.* IV. 279
triflorum *DC.* IV. 279
trinervium *Lam.* IV. 280
trinervium Spr. IV. 283
tunaeforme *DC.* IV. 284
umbellatum *Blum.* IV. 279
undulatum *Pohl* IV. 282
vaginatum *Humb. et Bonpl.* IV. 284
vaginatum Spr. IV. 285
velutinum *DC.* IV. 281
venosum *DC.* IV. 279
β lanceolatum *DC.* IV. 279
verticillatum *Lam.* IV. 285
verticillatum L. IV. 280
verticillatum Nutt. IV. 280
Sieb. fl. martin. No. 227 IV. 280
Sieb. fl. trinit. No. 357 IV. 281
Visena Houtt. I. 490
indica Houtt. I. 491
Vismia *Vand.* I. 542
acuminata *Pers.* I. 543
β caparosa - - -
arborescens *Chois.* I. 543
brasiliensis *Chois.* I. 543
caparosa H. B. et K. I. 543
cayennensis *Pers.* I. 543
dealbata *H. B. et K.* I. 542
ferruginea *H. B. et K.* I. 542
glabra *R. et Pav.* I. 542
guianensis *Pers.* I. 542
β glabrata *Chois.* - -
guineensis *Chois.* I. 543
latifolia *Chois.* I. 543
lauriformis *Chois.* I 543
macrophylla *H. B. et K.* I. 542
petiolata *Chois.* I. 543
reticulata *Chois.* I. 542
rufescens *Pers.* I. 542
sessilifolia *Pers.* I. 542
tomentosa *R. et Pav.* I. 543
VISMIEAE *Chois.* I. 541
VITES Juss. I. 627
Viticella DC. I. 8 (Clematis)
Vitis *L.* I. 633
aestivalis *Mx.* I. 634
β sinuata *DC.* - -
arborea W. I. 633
Vitis
capensis Thunb. I
caribaea *DC.* I. 634
cirrhosa Thunb.
cordifolia *Mx.* I. 6
cordifolia Roth I.
dentata *Link* I. 63
flexuosa *Thunb.* I.
glabrata *Roth* I. 63
hederacea W. I. 6
heptaphylla L. IV
heterophylla *Thunb*
Heyneana *R. et Sch*
incisa Jacq. I. 63
indica H. B. et K.
indica *L.* I. 634
indica Sw. I. 634
indica Thunb. I.
indivisa W. I. 63
Kanguruh Hortu
Labrusca *L.* I. 634
Labrusca Lour. I
Labrusca Walt. I
laciniosa *L.* I. 633
nigra Fuchs I. 4
odoratissima Do
palmata *Vahl* I. 63
pentaphylla Thu
pinnata Vahl I. 6
quinquefolia Lam
riparia *Mx.* I. 635
rotundifolia *Mx.* I.
sinuata Pursh I.
ternata Roth I. 6
tiliaefolia *H. et Bo*
tomentosa *Roth* I.
trifida *Roth* I. 634
trifolia L. I. 631
triloba *Roth* I. 634
vinifera *L.* I. 633
vinifera var. R.
virginiana *hort. pa*
vulpina Walt. I.
vulpina W. I. 634
Wallichii *DC.* I. 63
Vitmannia elliptic
Viviania Rafin. IV
domingensis Raf
psychotrioides C
Voandzeia *Pet. Th.* II
subterranea *Pet. Th*
Vochy Aubl. III. 26

Aubl. III. 26
: III. 26
III. 26
rt. III. 27
r. III. 26
t. III. 27
oir. III. 26
ert. III. 28
ert. III. 28
. III. 27
m. III. 26
art. III. 27
lart. III. 27
r. III. 28
lart. III. 27
I. 27
C. III. 27
. III. 26
lart. III. 27
C. III. 27
a DC. III. 27
- - -
- - -
ICEAE Mart. III. 25
INAE Juss. III. 25
AE *St. Hil.* III. 25
osa fl. wetter. II. 149
apensis Burm. I. 247
. IV. 275, II. 42
ubl. IV. 275
Aubl. II. 475
Aubl. II. 475
II. 511
II. 511
II. 511
: II. 511
m. II. 511
bl. II. 519
Aubl. II. 520 I. 610
C. II. 169 (Anthyllis)
em. II. 170
Moench II. 170
Vulneraria
rustica Lam. II. 170
vesicaria Lam. II. 171

W

Waga Rheed. II. 467
Wahlbomia indica Thunb. I. 68
Wahlenbergia Blum. IV. 377
fragrans Blum. IV. 377
Waldschmidtia Neck. II. 519
Waldsteinia *W.* II. 555 *Tratt.* II. 555
Doniana Tratt II. 555
fragarioides Tratt. II. 555
geoides *W.* II. 555
Moenchii Tratt. II. 555
sibirica Tratt. II. 555
Walkera *Schreb.* I. 737
integrifolia *DC.* I. 737
serrata *W.* I. 737
Wallichia *DC.* I. 501 *Reinw.* IV. 440 *Roxb.* IV. 441
arborea Reinw. IV. 441
spectabilis *DC.* I. 501
WALLICHIEAE *DC.* I. 501
Walli-iti-canni Rheed. IV. 304
Wallrothia *Spr.* IV. 162 IV. 115
divaricata Presl. IV. 117
splendens Spr. IV. 162
tenuifolia *DC.* IV. 162
tuberosa Spr. IV. 117
Waltheria *L.* I. 492
americana *L.* I. 492
angustifolia *H. B. et K.* I. 492
angustifolia L. I. 492
arborescens Cav. I. 492
corchorifolia *Pers.* I. 492
cordata *Sm.* I. 492
elliptica *Cav.* I. 493
erioclada *DC.* I. 493
glabra *Poir.* I. 492
indica Jacq. I. 492
indica *L.* I. 493
laevis Schrank I. 492
longifolia *DC.* I. 493
Lophanthus *Forst.* I. 492
microphylla *Cav.* I. 493
ovata *Cav.* I. 493
Wangenheimia umbellata Dietr. IV. 256
Warneria Mill. I. 23
canadensis Mill. I. 23

Webera Schreb. W. IV. 393
Schreb. IV. 473
auriculata Wall. IV. 394
corymbosa W. IV. 394
cymosa W. IV. 394
densiflora Wall. IV. 394
macrophylla Roxb. IV. 394
odorata Roxb. IV. 394
oppositifolia Roxb. IV. 394
scandens Roxb. IV. 394
tetrandra W. IV. 395, 474
thyrsoidea Roth IV. 394
truncata Wall. IV. 394
Weigela Thunb. IV. 330
coraeensis Thunb. IV. 330
japonica Thunb. IV. 330
Weigelia Pers. IV. 330
coraeensis Pers. IV. 330
Weihea Magdalenae Spr. IV 293
Weinmannia *L.* IV. 8
australis *Cunn.* IV. 9
Balbisiana *H. B. et K.* IV. 9
caripensis *H. B. et K.* IV. 11
chilensis *DC.* IV. 665
cinerea Pav. IV. 10
dioica Spr. IV. 666
diversifolia *Moric.* IV. 10
dryadifolia *Moric.* IV. 9
elliptica *H. B. et K.* IV. 8
fagaroides *H. B. et K.* IV. 10
glabra *L. fil.* IV. 10
glabra var. β Ser. IV. 11
heterophylla *H. B. et K.* IV. 9
hirta *Sw.* IV. 10
hirta var. Sw. IV. 11
hirtella *H. B. et K.* IV. 10
laurina *H. B. et K.* IV. 9
macrophylla *H. B. et K.* IV. 9
macrostachya *DC.* IV. 10
madagascariensis *DC.* IV. 9
marginata *Moric.* IV. 10
microphylla *H. B. et K.* IV. 10
microphylla Pav. IV. 10
ovalis *Pav.* IV. 8
ovata *Cav.* IV. 9
ovata Pav. IV. 9
paniculata Cav. IV. 8
parviflora *Forst.* IV. 9
paulliniaefolia *Pohl* IV. 11
pinnata L. IV. 10
polyphylla *Cav.* IV. 11
producta *Moric.* IV. 11
pubescens *H. B. et K.* IV. 11
racemosa *Forst.* IV. 8
Weinmannia
reticulata *Pav.* IV
sessiliflora Pav.
sorbifolia *H. B. et*
subcordata *Moric*
tomentosa *L. fil.* I
trichosperma *Cav.*
trifoliata Lam.
trifoliata *Thunb.*
Wendia Hoffm. I
Chorodanum H
Wendlandia *Bartl.*
cinerea *DC.* IV. 4
coriacea *DC.* IV.
corymbosa *DC.* I
dentiflora *DC.* IV
exserta *DC.* IV. 4
glabrata *DC.* IV.
Lawsoniae *DC.* I
longifolia *DC.* IV
luzoniensis *DC.* I
multiflora Bart
paniculata *DC.* IV
pendula *DC.* IV.
populifolia W.
proxima *DC.* IV.
puberula *DC.* IV.
spicata *DC.* IV. 4
tetrandra *DC.* IV.
tinctoria *DC.* IV.
Wendtia DC. IV. 1
Wepferia Heist. I
Wiborgia Thunb.
Wikstroemia *Schra*
fruticosa *Schrad.*
Wilia Hoffm. vid
Willdenowia Gme
Windmannia P. I
Wintera DC. I. 7
Winterana L. I.
aromatica Sol. I
Canella L. I. 56
lanceolata Poir
Winterlia Moench
triflora Moench
Wisenia indica G
Wisteria *Nutt.* II.
chinensis *DC.* II.
floribunda *DC.* II
frutescens *DC.* II.
speciosa Nutt. I
Woodfordia Salis
floribunda Salis

Bruce II. 88
b. I. 75
I. 75
I. 75
nsis DC. I. 75
- - -
- - -
tth. I. 75
heterophylla Thonn. I. 240
III. 100
IV. 103
DC. IV. 103
IV. 220. 221 *Duby*
IV. 221 (Scandix)
Hoffm. IV. 221
Hoffm. IV. 222
ffm. IV. 222
ffm. IV. 221

X

558
Roxb. I. 562
xb. I. 562
Blum. IV. 413
Reinw. IV. 413
um IV. 413
g. IV. 74
IV. 74
b. IV. 74
g. IV. 74
DC. IV. 74
C. IV. 74
Holl. No. 247. IV. 74
XYLEAE Nees et Mart. I. 709
Sm. I 725
R. Br. DC. II. 109 (Dillwynia)
I. 533
L. I. 708
I. 533
- -
- -
st. I. 533
I. 708
533
C. I. 533
Jacq. I. 533
chreb. I. 626
Koen. I. 626
I. 456
2
nal I. 93
Xylopia
brasiliensis *Spr.* I. 93
frutescens *Aubl.* I. 92
frutescens Gaertn. I. 92
glabra *L.* I. 92
ligustrifolia *Dunal* I. 92
muricata *L.* I. 92
nitida *Dunal* I. 92
prinoides *Dunal* I. 93
salicifolia *H. et Bonpl.* I. 92
undulata Pal. Beauv. I. 91
Xylosteon (*Xylosteum*) *Adans.* IV. 333 *Torr.* IV. 330 *Juss.* IV. 330, 333 *Tourn.* IV. 330, 333, 335 *DC.* IV. 333 (Lonicera)
canadense Duham. IV. 337
ciliatum Pursh IV. 335
cordatum Moench IV. 335
dumetorum Moench IV. 335
ibericum MB. IV. 337
involucratum Richards. IV. 336
mexicanum H. B. et K. IV. 336
oblongifolium Gold. IV. 337
scandens Ham. IV. 333
Solonis Eaton IV. 337
tataricum Dum. Cours. IV. 335
villosum Mx. IV. 337

Z

Zaleya Burm. III. 351, 352 *DC.* III. 352 (Trianthema)
decandra Burm. III. 352
Zaluzania Comm. IV. 392 *DC.* IV. 393 (Bertiera)
Zamaria Rafin. IV. 393
Zanonia *L.* III 298 *Blum.* III. 298 *DC.* III. 298 (Zanonia)
indica *L.* III. 298
macrocarpa *Blum.* III. 299
Zanthorhiza *Marsh.* I. 65
apiifolia *L'Herit.* I. 65
Zanthoxylum *H. B. et K.* I 725 *L.* I. 725
acanthopodium *DC.* I. 727
acuminatum *Sw.* I. 726
affine *H. B. et K.* I. 726
americanum Mill. I. 727
armatum *Roxb.* I. 727
aromaticum *W.* I. 727

Zanthoxylum
Aubertia *DC.* I. 725
Avicennae *DC.* I. 726
Budrunga *DC.* I. 728
caribaeum Gaertn. I. 727
caribaeum Lam. I. 727
carolinianum Gaertn. I. 727
Clava-Herculis *L.* I. 727
Clava Herculis var. L. I. 727
corymbosum *DC.* I. 726
Culantrilo *H. B. et K.* I. 725
emarginatum *Sw.* I. 726
fraxineum *W.* I. 726
hermaphroditum *W.* I. 727
heterophyllum *Sm.* I. 726
horridum *DC.* I. 728
juglandifolium *W.* I. 727
β Berterianum *DC.* - -
lanceolatum *Poir.* I. 727
martinicense *DC.* I. 726
mite *W.* I. 727
monogynum *St. Hil.* I. 725
nitidum *DC.* I. 727
obtusifolium *Poir.* I. 727
Ochroxylum *DC.* I. 725
oppositifolium *DC.* I. 728
Pentanome *DC.* I. 725
Perrotetii *DC.* I. 726
pimpinelloides *DC.* I. 726
piperitum *DC.* I. 725
Pterota *H. B. et K.* I. 725
punctatum *West* I. 725
ramiflorum Mx. I. 727
Rhetsa *DC.* I. 728
rhoifolium *Lam.* I. 727
rigidum *Humb.* I. 727
sapindoides *DC.* I. 728
senegalense *DC.* I. 726
spinifex *DC.* I. 728
spinosum *Sw.* I. 726
ternatum *Sw.* I. 725
Thunbergii *DC.* I. 726
tragodes *DC.* I. 725
tricarpum *Mx.* I. 726
trifoliatum L. IV. 252
zeylanicum *DC.* I. 728
Zieria *Sm.* I. 722
arborescens *Sims* I. 723
cytisoides *Sm.* I 723
hirsuta *DC.* I. 723
laevigata Bonpl. I. 723
laevigata *Sm.* I. 723
lanceolata *R. Br.* I. 723
macrophylla *Bonpl.* I. 723
microphylla *Bonpl.* I 723
pauciflora *Sm* I. 723
Zieria
pilosa *Rudg.* I. 723
Smithii Andr. I. 72
Zilla *Forsk.* I. 224
myagroides *Forsk.* I.
α macrocarpa *DC.* -
β microcarpa - -
ZILLEAE *DC.* I. 224
Zizia *Koch* IV. 99
aurea *Koch* IV. 100
β acuminata *DC.* IV. 1
cordata *Koch* IV. 100
integerrima *DC.* IV. 1
Zizyphus *Tourn.* II. 19
africana Mill. II. 20
agrestis *Schult.* II. 2
angulata *Lam.* II. 22
Baclei *DC.* II. 20
bubalina Lichtenst.
capensis *Poir.* II. 22
celtidifolia *DC.* II. 20
domingensis Dubus
exserta *DC.* II. 21
glabratus Heyn. II.
hamosa Vall. II. 27
havanensis *H. B. et K*
heterogenea *Poir.* II.
horrida *Roth* II. 20
incurva *Roxb.* II. 20
Jujuba *Lam.* II. 21
Jujuba Mill. II. 19
latifolia *Roxb.* II. 20
Lotus *Lam.* II. 19
lucidus Moench II.
mauritiana *Lam.* II. 2
mucronata *W.* II. 19
myrtoides Ort. II. 2
Napeca Lam. II. 20
Napeca *W.* II. 20
nummularia Gmel.
obliqua *Roth* II. 20
Oenoplia *Mill.* II. 21
oppositifolia Vall. I
orbicularis *Schult.* II
orthacantha *DC.* II. 21
oxycarpa *DC.* II. 21
Paliurus W. II. 22
paniculata Hamilt.
paniculata *Roth* II. 20
peruviana Lam. II.
reticulata *DC.* II. 20
rotundata *DC.* II. 21
rotundifolia *Lam.* II.
rotundifolius Roth
rugosa *Lam.* II. 20

ıf. II. 19
m. II. 19
Schult. II. 22
ult. II. 21
ti W. II. 20
DC. - -
DC. II. 20
oir. II. 21
oir. II. 21
a Roth II. 21
R. et Schult. II. 72
. II 23
n. II. 19
. II. 21
n P. Brown. DC. II. 405 (Mucuna)
II. 316
Sm. II. 316
mel. II. 317
s. II. 317
Sm. II. 317
Pers. II. 316
- - -
DC. II. 317
s. II. 339
Leich. II. 316
II. 316
Sm. II. 317
II. 317
tend. II. 326
B. et K. II. 317
. II. 316
DC. II. 316
Pers. II. 352
ix. II. 317
B. et K. II. 317
Pers. II. 317
Roll No. 610 II. 317
m. IV. 195
DC. IV. 195
C. IV. 196
Hoffm. IV. 196

Zucca *Comm.* III. 319
Commersoniana *Ser.* III. 319
Zuccagnia *Cav.* II. 486
punctata *Cav.* II. 486
Zuccarinia *Blum.* IV. 368
macrophylla *Blum.* IV. 368
Zwingera Schreb. I. 733
amara W. I. 734
Zygia P. Brown. II. 440
Zygomeris fl. mex. II. 315
flava fl. mex. II. 315
ZYGOPHYLLEAE *R. Br.* I. 703
Zygophyllum *L.* I. 705
aestuans *L.* I. 706
album *L.* I. 706
arboreum Jacq. I. 707
Billardierii *DC.* I. 705
capense *Lam.* I. 706
coccineum *L.* I. 706
cordifolium *L. fil.* I. 705
decumbens *Delil.* I. 705
desertorum Forsk. I. 706
Fabago *L.* I. 705
foetidum *Schrad. et Wendl.* I. 705
β insuave *Sims* I. 705
γ retrofractum *Thunb.* I. 705
fruticulosum *DC.* I. 705
insuave Sims I. 705
lanatum *W.* I. 706
maculatum *Ait.* I. 706
microphyllum *Thunb.* I. 706
Morgsana *L.* I. 706
portulacoides Forsk. I. 705
proliferum Forsk. I. 706
prostratum *Thunb.* I. 706
retrofractum Thunb. I. 705
sessilifolium *L.* I. 706
simplex *L.* I. 705
spinosum *L.* I. 706
tridentatum *fl. mex.* I. 706
Zymum Nor. I. 583

Berolini, formis Nauckianis.

GENERALIS ET SPECIALIS

AD

A. P. DECANDOLLE

PRODROMUM SYSTEMATIS NATURALIS
REGNI VEGETABILIS.

PARS II.

IS TOMOS OPERIS CANDOLLEANI QUINTUM, SEXTUM ET SECTIONEM PRIOREM SEPTIMI).

AUCTORE

M. W. BUEK, M. D.



PRAEFATIO.

od vulgo fieri solet, ut, qui librum in lucem edituri , commendare ipsum lectoribus aequis studeant, id mihi qualemcumque praefationem scribenti haud licet, quum sciam, libellum a me confectum non tam lectum, quam delibatum et quasi per frustula decerptum iri. Nihilo- mihi persuasum est, utilitatem, quam ex illo percipiant que in botanicis studiis versantur, tantam fore, ut neque ri neque defendi debeat quum opusculum ipsum, tum et tempus quantum ei conficiendo impendi, tum libri editio. Neque tamen mihi tantum tribuo aut sumo, icquid bonae frugis et excellentiae inest et botanico- laudibus omnino dignum meo ingenio meoque studio ri existimem. Id si facerem, similis profecto essem avi- isti, quam aquilae dorso insidentem ejusque nisu in elatam, regios honores illi debitos sibi vindicasse narrat. Operis enim auctor et parens, cui vitam et ac gratiam, quam apud omnes Botanices studiosos niet, clarissimus ille est, in eo genere studiorum, quae ornanda delegit, paene princeps meoque praeconio or, qui ipsum *Prodromum* scripsit et lubenter, ne ipsi um otium ad graviores partes perficiendas surriperetur,

mechanicam mero operis partem, i. e. indicem generalem specialem, a me suscipi passus est. *Illius* sunt quae que in opusculo meo offeruntur, meo tantum labore ordinem alphabeticum disposita, ut facilior sit eorum et magis expeditus ad Botanices quasi sacraria botanicorum aditus. Mea si sunt aliqua merita, unice in gentissima operis Candolleani perscrutatione accurate que citandorum nominum, synonymorum et paginarum profecto sunt quaerenda, quae ne in Indice desiderentur indefesso studio ac labore, quod sine ulla gloriolae ditate profiteri possum, plaudente, uti spero, botanicorum corona, omnem meam curam et operam collocavi.

Index Candolleanus, quatenus adhuc confectus *duabus* edetur *partibus*, quarum *prior*, tomos quinque primos Prodromi complectens, jamjam sub prelo et brevi emittetur; *posterior*, tomum quintum, sextum et tionem primam septimi comprehendens, nunc prima, postera quidem, in lucem prodit. Quam vero ordinis versionem neminem non probaturum esse equidem dubito, quum hi, quos primos indice instrui curavi, novissimam et locupletissimam magnae *Compositarum* miliae Monographiam exhibentes, majori certe plerorumque ne dicam, omnium botanicorum cura et quotidiana consuetudine gaudeant, eorumque index edendus a se jamdudum exspectetur. Pars tertia, et fortasse quarta, hac consequetur, si Deus O. M. quum mihi, tum, quod cipuum est et ab omnibus profecto, qui Botanices stu sunt, candidissimis precibus exoptatur, viro maxime rando, *Prodromi auctori*, vitam et vires, quae ad ciendum tantum opus requiruntur, suppeditare velit.

Quod ad ordinem typographicum attinet, nom praemittenda videntur. Nomina in Prodromo recepta

ADDENDA ET EMENDANDA.

1	Lin.	22	pro	carthamoides *Hamilt.*	lege	carthamoides *DC.*
-	-	23	-	caespitosa *Wall.*	-	caespitosa *DC.*
-	-	26	-	denticulata *Wall.*	-	denticulata *DC.*
-	-	42	-	uniflora *Wall.*	-	uniflora *DC.*
1	-	2	adde	*Apuleja Zeyheri Less.* VI. 515		
2	-	32	pro	*canenses*	lege	*canescens*
1	-	13	-	*β Fastigiata*	-	*β fastigiata*
2	-	11	-	*Candolleana Bees.*	-	*Candolleana Bess.*
1	-	39	-	*rupestris Pill.*	-	*rupestris Pill. et Mitt.*
-	-	40	-	*rupestris Vill. et Mitt.*	-	*rupestris Vill.*
1	-	15	-	glabellus *Nees* V. 241	-	glabellus *Nees* V. 242
2	-	12	post	*sinuatum Ledeb.*	adde	*sinense Sabin.* VI. 42
1	-	12	pro	V. 571 VII. 298	lege	V. 571 VII. 289
2	-	3	post	*biflora Less.*	adde	*glabrata Lindl.* V. 353
2	-	36	pro	*columnae*	lege	*Columnae*
2	-	6	-	*arvensis MB.* VI. 633	-	*arvensis MB.* VI. 643
2	-	45	-	Spilacron	-	*Spilacron*

ADDENDA ET EMENDANDA.

Col. 2	Lin. 22	pro	carthamoides *Hamilt.*	lege	carthamoides *DC.*
- - -	23	-	caespitosa *Wall.*	-	caespitosa *DC.*
- - -	26	-	denticulata *Wall.*	-	denticulata *DC.*
- - -	42	-	uniflora *Wall.*	-	uniflora *DC.*
- 1 -	2	adde	*Apuleja Zeyheri Less.* VI. 515		
- 2 -	32	pro	*canenses*	lege	*canescens*
- 1 -	13	-	*β Fastigiata*	-	*β fastigiata*
- 2 -	11	-	*Candolleana Bees.*	-	*Candolleana Bess.*
- 1 -	39	-	*rupestris Pill.*	-	*rupestris Pill. et Mitt.*
- - -	40	-	*rupestris Vill. et Mitt.*	-	*rupestris Vill.*
- 1 -	15	-	glabellus *Nees* V. 241	-	glabellus *Nees* V. 242
2 -	12	post	*sinuatum Ledeb.*	adde	*sinense Sabin.* VI. 42
1 -	12	pro	V. 571 VII. 298	lege	V. 571 VII. 289
2 -	3	post	*biflora Less.*	adde	*glabrata Lindl.* V. 353
2 -	36	pro	*columnae*	lege	*Columnae*
2 -	6	-	*arvensis MB.* VI. 633	-	*arvensis MB.* VI. 643
2 -	45	-	Spilacron	-	*Spilacron*

a DC. VI. 32
MB. VI. 29
DC. VI. 29
DC VI. 32
W. VI. 26
Ledeb. VI. 25
L. VI. 24
af. VI. 24
DC. - -
Fisch. VI. 22
chleich. VI. 21
acq. VI. 20
Ten. VI 23
W. VI. 129
VI. 23
. 21
l. 26
polit. VI. 27
tuhr VI. 30
. VI. 26
. VI. 33
Raf. VI. 24
Auch. VII. 296
hr. VI. 30
W. et Kit. VI. 28
l. 26
leich. VI. 25
VI. 25
DC. VI. 32
. VII. 296
Lam. VI. 58
. VI. 59 VI. 129
W. herb. VI. 59
am. VI. 27
VI. 28
30
lithuan. VI. 23
VI. 23
rt. Paris. VI. 59
am. VI. 29
A. Meyer VI. 29
n. VI. 30
bth. VI. 23
Lapeyr. VI. 27
VI. 26
ess. VI. 23
Desf. VI. 58
houin VI. 58
ortul. VI. 30
VI. 31
A. Meyer VI. 32
Lag. VI. 31
VI. 33
rr. VI. 25
VI. 33

Achillea
semipectinata *Desf.* VI. 27
β repanda *DC.* VI. 27
senecioniflora Vest VI. 25
sericea Vis. VI. 21
serrata Retz VI. 22
serrata Sow. VI. 27
serrulata Horn. VI. 23
setacea Auch. VII. 295
setacea *W. et Kit.* VI. 25
sicula Raf. VI. 26
speciosa Haenk. VI. 23
squarrosa *Ait.* VI. 33
sylvatica Reck. VI. 33
sylvatica *Ten.* VI. 26
β subvelutina *DC.* VII. 295
Szowitzii *Fisch. et Mey.* VI. 26
tanacetifolia *All.* VI. 25
β cristata *DC.* VI. 25
tanacetifolia Ten. VI. 28
taurica *MB.* VI. 29
tenuifolia *Lam.* VI. 31
tenuifolia W. VI. 31
teretifolia *W.* VI. 31
Thomasiana Hall. fil. VI. 21
tomentosa Lewis. VI. 30
tomentosa *L.* VI. 30
tomentosa Pall. VI. 29
Tournefortii *DC.* VI. 28
tyrolensis Wendr. VI. 21
umbellata Sibth. VI. 22
valesiaca Sut. VI. 21
velutina Desf. VI. 28
vermiculata *Trin.* VI. 32
virgata Hortul. VI. 31
viscosa Lam. VI. 27
Achromolaena Cass. VI. 154
viscosa Cass. VI. 157
Achyrachaena *Schauer* VII. 292
mollis *Schauer* VII. 292
Achyrastrum Neck. VII. 79
ACHYRIDEAE *DC.* V. 212, 312
Achyrocline *Less.* VI. 219
alata *DC.* VI. 221
bogotensis *DC.* VI. 221
candicans *DC.* VI. 221
celosioides *DC.* VI. 221
flaccida *DC.* VI. 220
leptocephala *DC.* VI. 220
mathiolaefolia *DC.* VI. 221
pterocaula *DC.* VI. 221
rufescens *DC.* VI. 220
satureioides *DC.* VI. 220
β remotifolia *DC.* VI. 220
tamariscina Schrank VI. 262
Vargasiana *DC.* VI. 220

Achyrocline
Vauthieriana *DC.* VI. 229
Achyrocoma Cass. V. 15
tomentosa Cass. V. 64.
Achyrocome ambigua Schrank VI. 256
Achyropappus *H. B. et Kunth* V. 654 *MB.* VI. 563
anthemoides *H. B. et Kunth* V. 654
maritimus Poepp. V. 657
pedatus Less. V. 655
schkuhrioides *Link* V. 654
Achyrophorus *Scop.* VII. 92 *Tausch.* VII. 90 *Vaill.* VII. 95 *Gaertn.* VII. 91
ambiguus *DC.* VII. 93
andinus *DC.* VII. 92
apargioides *DC.* VII. 94
α et β - - -
arenarius *DC.* VII. 95
aurantiacus *DC.* VII. 93
Balbisii Horn. VII. 91
chrysanthus *DC.* VII. 94
helveticus *Scop. et Less.* VII. 93
hispidus *DC.* VII. 92
maculatus *Scop.* VII. 93
β monocephalus *DC.* VII. 93
γ oblongifolius - - -
δ microcephalus - - -
oxyodontus *DC.* VII. 92
petiolaris *DC.* VII. 94
pinnatifidus *DC.* VII. 93
radicatus Scop. VII. 91
ramosus *DC.* VII. 92
roseus Less. VII. 99
Scorzonerae *DC.* VII. 94
β glabrata - - -
γ ramosa - - -
serioloides *DC.* VII. 93 VII. 307
sessiliflorus *DC.* VII. 95
sonchoides *DC.* VII. 95
tenuifolius *DC.* VII. 94
α lanceifolius - -
β Gayanus - -
γ Neesianus - -
Acicarpha *Juss.* V. 3
bupleuroides *Less.* V. 3
lanata *Lag.* V. 3
procumbens *Less.* V. 3
spathulata *R. Br.* V. 3
β glauca *DC.* V. 3
tribuloides *Juss.* V. 3
Acilepis Don V. 15 (Vernonia)
lanata Spr. VII. 36
squarrosa Don V. 15

Acilepis
squarrosa Spr. V
Aciphyllaea DC. V

Acispermum Neck
Acleia *DC.* VI. 340
helbeysia *DC.* VI.
Acmella Rich. DC.

hiflora Spr. V. 5
brachyglossa Ca.
brasiliensis Spr.
buphthalmoides
caulirhiza Caill.
ciliata Cass. V.
debilis Cass. V.
fimbriata Cass.
globosa Spr. V.
hirta Lag. V. 54
intermedia Rich
Linnaei Cass. V
mauritiana Ric
Mutisii Cass. V.
occidentalis Per
repens Pers. V.
tenella Cass. V.
trilobata Spr. V
uliginosa Cass.
Acosta DC. V. 90
Rolandrae DC.
Acourtia *Don* VII.
formosa *Don* VII
helleclada *DC.* VI
microcephala *DC.*
moschata *DC.* VI
rigida *DC.* VII. 6
Acrocentron Cass

tenuifolium Ca
Acrocephalum Ca
Acrolophus Cass.

Acroptilon *Cass.* VI
angustifolium
obtusifolium Ca
Picris *DC.* VI 6
α obtusifolia *DC.*
β angustifolia -
γ subdentata -
δ oxylepis -
ε serrata -
Picris var. Fisc.

repens *DC.* VI. 6
serratum Cass.
subdentatum C

Lef. V. 575
s Cass. V. 662
ia Spr. V. 662
Spr. V. 574
moides H. B. et K. V. 661
Spr. V. 674
la Juss. V. 662
ss. Pers. V. 662 (Cephalophora)
tt. V. 663
la Pers. V. 662
sh. V. 657
DC. VI. 82 (Cenia)
C. V. 655
DC. V. 656
tt. V. 575
V. 576
DC. V. 575
- - -
DC. VII. 290
- - -
- - -
les Ell. VII. 290
les Nutt. V. 575 VII 290
Fresen. VII. 290
V. 576
tt. V. 576
DC. V. 576
tt. V. 575
V. 576
C. V. 575
TUM Neck. V. 4
DC. V. 543 (Wedelia)
m Ell. V. 653 (Balduina)
look. V. 207
V. 207
ss. V. 207
DC. VI 49
DC. VI. 49
VI. 50
C VI. 49
ess. V. 10
Less. V. 11
ss. V. 607
ss V. 607
Pers. V. 638
DC. V. 638
Pers. V. 638
C. VI. 136
DC. VI. 136
Forst. V. 110
Arn. VII. 266

Adenostemma
aquaticum *Don* V. 114
aquaticum Don V. 112
Berterii *DC.* V. 110
biflorum *Less.* V. 114
brasilianum *Cass.* V. 112
caffrum *DC.* V. 112
Dregei *DC.* V. 111
elatum *Don* V. 112
β laxum *DC.* V. 112
erectum *DC* V. 113
fastigiatum *Blum.* V. 111
glutinosum *DC.* V. 111
hirsutum *Blum.* V. 113
latifolium *Don* V. 112
leiocarpum *DC.* V. 113
macrophyllum *Blum.* V. 113
β repens *DC.* V. 113
madurense *DC.* V. 113
mauritianum *DC.* V. 110
microcephalum *DC.* V. 111
natalense *DC.* V. 112
parvillorum *Blum.* V. 111
α divaricatum *DC.* V. 111
Perrottetii *DC.* V. 110
platyphyllum *Cass.* V. 114
reticulatum *DC.* V. 113
Roylei *DC.* V. 112
rugosum *Wight* V. 112
Swartzii *Cass.* V. 110
tinctorium *Cass.* V. 111
triangulare *DC.* V. 113
viscosa var. Commersonii Cass. V. 111
viscosum *Forst.* V. 111
ADENOSTYLEAE *Cass. DC.* V. 103, 126
Adenostyles *Cass.* V. 203
albida Cass. V. 204
albifrons Reich. V. 204
alpina Bluff et Finger. V. 203
candidissima Cass. V. 204
glabra *DC.* V. 203
hybrida *DC.* V. 204
leucophylla *Reich.* V. 204
Petasites *Bluff et Fing.* V. 204
β nuda *DC.* V. 204
viridis Cass. V. 203
Adenotrichia Lindl. VI. 416
amplexicaulis Lindl. VI. 416
senecioides Fisch. et Mey. VI. 417
Adopogon Neck. DC. VII. 89 (Cynthia)
Aegoseris Reich. DC. VII. 154 (Barkhausia)

A

ıll. et Lex. VII. 253
Lall. et Lex. VII. 253
Cass. VI. 141
Cass. VI. 141
es DC. VI. 282 (Carpesium)
Bess. VI. 105 (Artemisia)
Tourn. DC. VI. 120 (Artemisia)
cum Dod. VI. 28
Bess. VI. 123
ns Lob. VI. 121
m Bess. VI. 121
stum a subcanescens Bess. VI. 121
se Bess. VI. 121
MB. VI. 125
Bess. VI. 118
m Lam. VI. 124
um humile Bess. VI. 122
um Fisch. VI. 126
Bess. VI. 125
Steph. VI. 125
Stev. VI. 125
Bauh. VI. 102
m. VI. 124
m MB. VI. 122
m hort. Gor. VI. 125
m Fisch. VI. 122
. VI. 124
VI. 121
. VI. 122
s. VI. 123
Stev. VI. 123
umg. VI. 118
s. VI. 124
Bess. VI. 124
Bess. VI. 124
. VI. 122
. VI. 122
ss. VI. 123
Ehr. VI. 126
Gürtn. VI. 117
I. 124
ess. VI. 124
VI. 125
. 617
618

Acantholaena DC. V. 460 (Micropus) *)
Acantholepis *Less.* VI 527
orientalis *Less.* VI. 527
Acanthophyllum Hook. et Arn. VII 52
axillare Hook. et Arn. VII. 52
Acanthophyton Less. DC. VII. 84 (Cichorium)
Acanthosperma Arrab. V. 3
littorale Arrab. V. 3
Acanthospermum *Schrank* V. 521
brasilum Mart. V. 522
brasilum Schrank V. 522
hirsutum *DC.* V. 522.
hispidum *DC.* V. 522
humile *DC.* V. 522
xanthioides *DC.* V. 521
α obtusifolium *DC.* V. 522
β acutifolium - - -
γ glabratum - - -
Acanthotheca *DC.* VI. 73
dentata *DC.* VI. 74
integrifolia *DC.* VI. 74
pinnatisecta *DC.* VI. 73
α obtusiloba - - -
β escholtzioides - -
Acanthoxanthium DC. V. 523 (Xanthium)
Acarna Cass. W. Less. DC. VI. 549 (Atractylis) *Vaill.* VI. 634
cancellata All. VI. 550
caespitosa W. VI. 550
chinensis Bunge VI. 549
cyanoides fl. Wetter. VI. 676
gummifera W. VI. 547
lancea W. VII. 48
macrocephala W. VI. 548
macrophylla W. VI. 548
ovata W. VII. 48
rigida God. VI. 674
Acharitherium Bluff et Fing. VI. 248
arvense Bluff et Fing. VI. 249
Achillea *Neck.* VI. 24 *L.* VI. 19, 24
abrotanifolia L. VI. 129
aegyptiaca Gmel. VI. 29

*) vide Centrolaena.

Achillea
aegyptiaca hort. Paris. VI. 27
aegyptiaca L. VI. 28
Ageratum *L.* VI. 27
Ageratum α et β Lam. VI. 27
albicaulis *C. A. Meyer* VI. 31
alhida W. VI. 31
aleppica *DC.* VII. 296
alpina L. VI. 22
alpina W. VI. 22
alpina flosculosa Desf. VI. 27
ambigua Poll. VI. 25
amoena C. A. Meyer VI. 32
anthemoides *W.* VI. 30
arborea Horn. VI. 84
argentea Lam. VI. 131
asplenifolia *Vent.* VI. 26
atrata DC. fl. fr. VI. 20
atrata Jacq. VI. 20
atrata L. VI. 20
aurea Lam VI. 58
auriculata W. VI. 27
banatica *Kit* VI. 29
Bardana Hamilt. V. 631
bicolor *Wender.* VI. 33
bipinnata L. VI. 59
biserrata MB. VI. 23
capillaris Poir. VI. 25
capillata Lapeyr. VI. 27
capitata W. VI. 21
cartilaginea Ledeb. VI. 23
chamaemelifolia *Pourr.* VI. 27
Clavennae L. VI. 21
Clusiana Tausch VI. 20
Clusii Sav. VI. 20
clypeolata *Sibth.* VI. 28
coarctata Poir. VI. 28
compacta Lam. VI. 25
compacta *W.* VI. 28
conferta *DC.* VI. 32
coronopifolia *W.* VI. 27
corymbifera Gmel. VI. 26
cretica *L.* VI. 31
crispa Lam. VI. 26
cristata hort. Tuur. VI. 25
cristata Retz VI. 22
cristata W. VI. 22
crithmifolia *W. et Kit.* VI. 25
cuneifolia Lam. VI. 23
cuspidata *Wall.* VI. 30
cylindrica Poir. VI. 30
damascena *DC.* VII. 296
decipiens *Vest* VI. 33
decolorans *Schrad.* VI. 27
β subflosculosa *DC.* VI. 27
decumbens *Lam.* VI. 29
Achillea
dentifera *DC.* VI.
β ambigua *Poll.*
distans W. et K.
dracunculoides
erioclada *DC.* VII.
eriophora *DC.* VI.
Eupatorium MB.
falcata Auch. VI
falcata Lapeyr.
falcata *L.* VI. 30
falcata W. VI. 3
fasciculata Bur
filicifolia Fisch.
filipendulina *Lam.*
α leptoclina *DC.*
β eupatoria –
γ filicifolia *MB.*
γ Szowitziana *DC.*
fragilis Bath. VI
Genipi Murr. VI
Gerberi *MB.* VI.
β subcristata *DC.*
Gerberi W. VI.
glomerata MB.
gracilis Raf. VI
grandiflora MB.
Haenkeana Tau
helvetica Murr.
helvetica Schleic
Herba rota All.
hispanica Schra
holosericea *Sibth.*
imbricata Auch.
imbricata *Vent.* V
impatiens L. VI.
impunctata Ves
incisa Clairv. V
inodora L. VI.
intermedia Schk
lanata Lam. VI.
lanata *Spr.* VI. 2
lenensis Turcz.
leptophylla *MB.*
leptophylla Schr
leucanthema Pe
ligustica *All.* VI.
ligustica β DC.
lingulata W. et
livia Scop. VI. 2
macrophylla L.
macrophylla Pall.
magna All. VI.
magna *L.* VI. 25

us Reich. VI. 16
Less. VI. 16
ucens DC. VI. 16
s DC. VI. 15
Lois. VI. 16
ucens DC VI. 16
s DC. VI. 16
L. VI. 16
us bicolor Pers. VI. 16
us purpurascens Pers. VI. 16
C. V. 311
. V. 311
V. 628
is DC. V. 629
g. VII. 40
um DC. VII. 40
Turcz. VII. 40
ula - - -
Less. VII. 40
ess. VII. 40
lus Vaill. VI. 77
C. VI. 271
. VI. 274
)C. VI. 275
C. VI. 274
DC. VI. 273
. VI. 275
DC. VI. 273
- - -
ata - - -
C. VI. 274
DC. VI. 273
. VI. 274
)C. VI. 274
la DC. VI. 272
DC. VI. 272
phala DC. VI. 272
hala - - -
a DC. VI. 272
)C. VI. 273
)C. VI. 272
. VI. 274
)C. VI. 275
)C. VI. 272
)C. VI. 272
. VI. 273
. VI. 274
DC. VI. 273
DC. VII. 54 (Panargyrum)
Don VII. 26
on VII. 26
ss. VI. 267
s Gaertn. VI. 268

Anaxeton
asperum *DC.* VI. 268
eximium Schrank VI. 213
foetidum Gaertn. VI. 187
hirsutum *Less.* VI. 268
nudifolium Gaertn. VI. 200
nycthemerum *Less.* VI. 268
racemosum Schrank VI. 178
recurvum *DC.* VI. 269
virgatum *DC.* VI. 268
Ancanthia *DC.* VI. 557
igniaria *DC.* VI. 557
Andrieuxia *DC.* V. 559
mexicana *DC.* V. 559
Andromachia *H. B. et K.* V. 95
Cass. V. 96
acaulis H. B. et K. V. 97
alternifolia Kunze V. 348
Deppeana *Less.* VII. 265
grandiflora *H. B. et K.* V. 95
hieracioides H. B. et K. V. 97
igniaria *H. B. et K.* V. 95
Jussieui Cass. V. 97
melastomoides *H. B. et K.* V. 96
nubigena *H. B. et K.* V. 96
Poiteavi Cass. V. 97
sessiliflora *H. B. et K.* V. 96
solidaginea *H. B. et K.* V. 96
verbascifolia *H. B. et K.* V. 96
volubilis *H. B. et K.* V. 96
Andryala *L.* VII. 244
Agardhii *Huensel.* VII. 244
candidissima Desf. VII. 245
cheiranthifolia L'Herit. VII. 246
cheiranthifolia Link VII. 244
chondrilloides Scop. VII. 172
coronopifolia Link. VII. 244
corymbosa Brot. VII. 245
crithmifolia Ait. VII. 246
dentata *Sibth.* VII. 245
diffusa Jan. VII. 246
glandulosa Lam. VII. 246
incana DC. fl. fr. VII. 244
integrifolia *L.* VII. 246
α vulgaris *DC.* VII. 246
β undulata - - -
γ angustifolia - - -
δ diffusa - - -
laciniata Lam. VII. 244
lanata Hubl. VII. 103
lanata L. VII. 234
lanata Vill. VII. 246
laxiflora *DC.* VII. 246
lyrata Pourr. VII. 244
macrocephala *Boiss.* VII. 244

Achyrocline
Vauthieriana *DC.* VI. 220
Achyrocoma Cass. V. 15
tomentosa Cass. V. 64.
Achyrocome ambigua Schrank VI. 256
Achyropappus *H. B. et Kunth* V. 654 *MB.* VI. 563
anthemoides *H. B. et Kunth* V. 654
maritimus Poepp. V. 657
pedatus Less. V. 655
schkuhrioides *Link* V. 654
Achyrophorus *Scop.* VII. 92 *Tausch.* VII. 90 *Vaill.* VII. 95 *Gaertn.* VII. 91
ambiguus *DC.* VII. 93
andinus *DC.* VII. 92
apargioides *DC.* VII. 94
α et β - - -
arenarius *DC.* VII. 95
aurantiacus *DC.* VII. 93
Balbisii Horn. VII. 91
chrysanthus *DC.* VII. 94
helveticus *Scop. et Less.* VII. 93
hispidus *DC.* VII. 92
maculatus *Scop.* VII. 93
β monocephalus *DC.* VII. 93
γ oblongifolius - - -
δ microcephalus - - -
oxyodontus *DC.* VII. 92
petiolaris *DC.* VII. 94
pinnatifidus *DC.* VII. 93
radicatus Scop. VII. 91
ramosus *DC.* VII. 92
roseus Less. VII. 99
Scorzonerae *DC.* VII. 94
β glabrata - - -
γ ramosa - - -
serioloides *DC.* VII. 93 VII. 307
sessiliflorus *DC.* VII. 95
sonchoides *DC.* VII. 95
tenuifolius *DC.* VII. 94
α lucarifolius - -
β Gayanus - -
γ Neesanus - -
Acicarpha *Juss.* V. 3
bupleuroides *Less.* V. 3
lanata *Lag.* V. 3
procumbens *Less.* V. 3
spathulata *R. Br.* V. 3
β glauca *DC.* V. 3
tribuloides *Juss.* V. 3
Acilepis Don V. 15 (Vernonia)
lanata Spr. VII. 36
squarrosa Don V. 15

Acilepis
squarrosa Spr.
Aciphyllaea DC.

Acispermum Nees
Acleia *DC.* VI. 340
bellebysia *DC.* VI
Acmella Rich. D

biflora Spr. V.
brachyglossa C
brasiliensis Spr
buphthalmoides
caulirhiza Cail
ciliata Cass. V.
debilis Cass. V.
fimbriata Cass.
globosa Spr. V.
hirta Lag. V. 5
intermedia Ric
Linnaei Cass.
mauritiana Ri
Mutisii Cass. V
occidentalis Pe
repens Pers. V
tenella Cass. V
trilobata Spr.
uliginosa Cass.
Acosta DC. V. 90
Rolandrae DC.
Acourtia *Don* VII
formosa *Don* VI
hebeclada *DC.* V
microcephala *DC*
moschata *DC.* V
rigida *DC.* VII.
Acrocentron Cas

tenuifolium Ca
Acrocephalum C
Acrolophus Cass

Acroptilon *Cass.* V
angustifolium
obtusifolium C
Picris *DC.* VI 6
α obtusifolia D
β angustifolia -
γ subdentata -
δ oxylepis -
ε serrata -
Picris var. Fis

repens *DC.* VI.
serratum Cass
subdentatum C

Ref. V. 575
as Cass. V. 662
dia Spr. V. 662
a Spr. V. 574
hemoides H. B. et K. V. 661
ta Spr. V. 674
ylla Juss. V. 662
Less. Pers. V. 662 (Cephalophora)
Nutt. V. 663
ylla Pers. V. 662
Pursh. V. 657
ia DC. VI. 82 (Cenia)
DC. V. 655
ia DC. V. 656
a Nutt. V. 575
tt. V. 576
ia DC. V. 575
- - -
ides DC. VII. 290
dii - - -
rii - - -
oides Ell. VII. 290
oides Nutt. V. 575 VII 290
dia Fresen. VII. 290
tt. V. 576
Nutt. V. 576
sa DC. V. 576
Nutt. V. 575
DC. V. 576
DC. V. 575

HYTUM Neck. V. 4
a DC. V. 543 (Wedelia)
mum Ell. V. 653 (Balduina)
Hook. V. 207
ook. V. 207
Less. V. 207
DC. VI 49
a DC. VI. 49
DC. VI. 50
DC VI. 49
Less. V. 10
as Less. V. 11
Less V. 607
Less. V. 607
um Pers. V 638
m DC. V. 638
m Pers. V. 638
DC. VI. 136
DC. VI. 136
m Forst. V. 110
ium Arn. VII. 266

Adenostemma
aquaticum *Don* V. 114
aquaticum Don V. 112
Berterii *DC.* V. 110
biflorum *Less.* V. 114
brasilianum *Cass.* V. 112
caffrum *DC.* V. 112
Dregei *DC.* V. 111
elatum *Don* V. 112
β laxum *DC.* V. 112
erectum *DC* V. 113
fastigiatum *Blum.* V. 111
glutinosum *DC.* V. 111
hirsutum *Blum.* V. 113
latifolium *Don* V. 112
leiocarpum *DC.* V. 113
macrophyllum *Blum.* V. 113
β repens *DC.* V. 113
madurense *DC.* V. 113
mauri ianum *DC.* V. 110
microcephalum *DC.* V. 111
natalense *DC.* V. 112
parviflorum *Blum.* V. 111
α divaricatum *DC.* V. 111
Perrottetii *DC.* V. 110
platyphyllum *Cass.* V. 114
reticulatum *DC.* V. 113
Roylei *DC.* V. 112
rugosum *Wight* V. 112
Swartzii *Cass.* V. 110
tinctorium *Cass.* V. 111
triangulare *DC.* V. 113
viscosa var. Commersonii Cass. V. 111
viscosum *Forst.* V. 111
ADENOSTYLEAE *Cass. DC.* V. 103, 126
Adenostyles *Cass.* V. 203
albida Cass. V. 204
albifrons Reich. V. 204
alpina Bluff et Finger. V. 203
candidissima Cass. V. 204
glabra *DC.* V. 203
hybrida *DC.* V. 204
leucophylla *Reich.* V. 204
Petasites *Bluff et Fing.* V. 204
β nuda *DC.* V. 204
viridis Cass. V. 203
Adenotrichia Lindl. VI. 416
amplexicaulis Lindl. VI. 416
senecioides Fisch et Mey. VI. 417
Adopogon Neck. DC. VII. 89 (Cynthia)
Aegoseris Reich. DC. VII. 154 (Barkhausia)

Aetheolaena Cass. VI. 340, 422
involucrata Cass. VI. 422
Aetheopappus Cass. VI. 574 (Centaurea)
pulcherrimus Cass. VI. 574
Aetheorhiza *Cass.* VII. 159
bulbosa *Cass.* VII. 160
Aethionia Don VII 86
filiformis Don VII. 87
Agalma DC. VII. 250 (Mulgedium)
Aganippea *fl. mex.* VI. 3
bellidiflora *fl. mex.* VI. 3
dentata *DC.* VI. 3
Agarista *DC.* V. 565
calliopsidea *DC.* V. 569
Agathaea *Cass.* V 223
barbata *DC.* V. 224
β subalbescens *DC.* V. 224
Bergeriana *DC.* V. 223
brevifolia *DC.* V. 225
coelestis Cass. V. 225
diffusa *DC.* V. 224
Ecklonis *Nees* V. 225
elongata *Nees* V. 225
hirta *DC.* V. 224
hispida *DC.* V. 224
β barbigera *DC.* V. 224
leiocarpa *DC.* V. 225
microphylla *Cass.* V. 225
rotundifolia *Nees* V. 223
scabrida *DC.* V. 225
serrata *Nees* V. 223
stricta *DC.* V. 224
strigosa *Nees* V. 225
tenera *DC.* V. 224
tricolor *Nees* V. 226
Zeyheri *Nees* V. 224
Agathomeris Delaun. VI. 157
Agathyrsus Don VII. 247
Agenora Don VII. 95
AGERATEAE *Less. DC.* V. 103, 107
Ageratoides DC. V. 108 (Coelestina)
Ageratum *L.* V. 108 *Auct.* V. 107, 108
album Steud. V. 108
altissimum L. V. 175
angustifolium Spr. V. 656
aquaticum Ro.rb. V. 113
arbutifolium H. B. et K. V. 115
ciliare *L.* V. 109
coelestinum Sims V. 108
coeruleum Desf. V. 108
conyzoides *L.* V. 108
α obtusifolium *DC.* V. 108
β hirtum - - -
Ageratum
γ mexicanum *DC.* V
δ cordifolium - -
cordifolium Ro.rb.
corymbosum Bath.
corymbosum Zucc
domingense *Spr.* V.
febrifugum Sessé
guianense Aubl. V
hirtum Lam. V. 1
latifolium Cav. V.
lineare Cav. V. 12
maritimum *H. B. et*
matricarioides *Less.*
melissaefolium *DC.*
mexicanum Bot.
obtusifolium Lam
pedatum Ort. V. 6
punctatum Jacq.
punctatum Ort. V
purpureum Sessé
strictum Sims V.
viscosum Ort. V.
Aglossa DC. V. 543
DC. VI. 258 (
Agoseris Raf. VII. 2
Agrianthus *Mart.* V.
campestris *Mart.* V
corymbosus *DC.* VI
empetrifolius *Mart.*
Agrimonia mollucca
Agriphyllum Juss.
asteroides Desf. V
ciliare Desf. VI. 4
grandiflorum Des
Ainsliaea *DC.* VII. 13
aptera *DC.* VII. 14
pteropoda *DC.* VII.
β silhetensis *DC.* VI
Aiolotheca *DC.* V. 508
parthenioides *DC.* V
Alarçonia *DC.* V. 537
angustifolia *DC.* V.
helenioides *DC.* V.
Albertinia *Spr.* V. 80
bardanoides Mart
bicolor *DC.* V. 81
brasiliensis Less.
brasiliensis *Spr.* V.
capitata *DC.* V. 82
crotonoides *DC.* V.
Elaeagnus *Mart.* V.
erythropappa *DC.* V
glomerulata *DC.* V.

is Ten. VII. 103
s MB. VII. 127
W. VII. 107
ropa DC. VII. 107
iflora Viv. VII. 131
ra Gaud. VII. 102
ta Hoppe VII. 103
W. VII. 100
a Schrank VII. 128
a W. VII. 105
tum VII. 101
W. VII. 104
Viv. VII. 254
iv. VII. 254
nchos Less. VI. 160 (Leptorhynchos)
us DC. V. 310
mus DC. V. 310
lojer VI. 216 *Don.* VI. 216
Bojer VI. 217
Bojer VI. 217
Don VI. 216
ta Don VI. 214
Don VI. 215
Don VI. 214
DC. VI. 217
ides Bojer VI. 217
des DC. VI. 217
a DC. VI. 217
es Don VI. 215
lon Lag. VII. 15
DC. V. 350 (Aplopappus)
Cass. V. 345
DC. V. 348
C. V. 348
atus DC. V. 348
DC. V. 349
lis DC. V. 347
mifolius DC. V. 348
C. V. 346
lius DC. V. 347
C. V. 349
DC. V. 350
DC. V. 346
C. V. 346
s Cass. V. 347
DC. V. 347
es DC. V. 348
alus DC. V. 346
C. V. 349
DC. V. 348
s DC. VII. 280
DC. V. 346

Aplopappus
linearifolius *DC.* V. 347
macrocephalus *DC.* V. 348
phyllocephalus *DC.* V. 347
prunelloides *DC.* V. 346
pulchellus *DC.* V. 347
ramulosus *DC.* V. 350
scaposus *DC.* V. 350
scrobiculatus *DC.* V. 348
sericeus *DC.* V. 349
spinulosus *DC.* V. 347
squarrosus *Hook. et Arn.* VII. 280
stoloniferus *DC.* V. 349
Aplophyllum Cass. VII. 6 *Less.* VII. 8
Aplotaxis *DC.* VI. 538
albescens *DC.* VI. 540
andryaloides *DC.* VI. 542
auriculata *DC.* VI. 541
Bungei *DC.* VI. 539
candicans *DC.* VI. 540
Candolleana *DC.* VI. 541
carthamoides *Hamilt.* VI. 540
caespitosa *Wall.* VI. 539
cirsioides *DC.* VI. 540
deltoidea *DC.* VI. 541
denticulata *Wall.* VI. 539
α hypoleuca *DC.* VI. 540
β glabrata - - -
discolor *DC.* VI. 541
Frolovii *DC.* VI. 538
gnaphalodes *Royle* VI. 542
gossypina *DC.* VI. 541
β minor *DC.* VI. 542
leontodontoides *DC.* VI. 539
multicaulis *DC.* VI. 540
nepalensis *Spr.* VI. 539
nivea *DC.* VI. 541
obvallata *DC.* VI. 541
pungens *DC.* VI. 539
Roylei *DC.* VI. 538
taraxacifolia DC. VI. 532
uniflora *Wall.* VI. 539
Apogon *Ell.* VII. 78
gracilis *DC.* VII. 79
humilis *Ell.* VII. 78
Aposeris *Neck.* VII. 82 *Cass.* VII. 89
foetida Cass. VII. 80
foetida *Less.* VII. 82
lucida Less. VII. 80
Apuleja Gaertn. VI. 514
asteroides Gaertn. VI. 506
atractyloides Less. VI. 515
fruticosa Gaertn. VI. 506
heterophylla Less. VI. 517

Ambrosia
humilis Arrab. V. 526
integrifolia *Mühl.* V. 527
maritima Arrab. V. 526
maritima Ferr. V. 525
maritima *L.* V. 525
microcephala *DC.* V. 527
paniculata *Mx.* V. 527
peruviana *W.* V. 526
polystachya *DC.* V. 526
psilostachya *DC.* V. 526
pusilla Raf. V. 527
senegalensis *DC.* V. 525
tenuifolia *Spr.* V. 527
tomentosa *Nutt.* V. 527
trifida *L.* V. 527
villosissima Forsk. V. 525
AMBROSIACEAE Less. V. 500
AMBROSIEAE *Cass. Less. DC.* V. 500
AMELLEAE *DC.* V. 211, 212
AMELLOIDEAE Less. V. 213
Amellus *Cass.* V. 213 *P. Br.* V. 544 *L.* V. 96, 213 *Adans.* V. 226
alternifolius Roth V. 215
anisatus *Cass.* V. 214
annuus *W.* V. 215
carolinianus Walt. V. 491
coilopodius *DC.* V. 214
diffusus Forst V. 216
floribundus W. herb. V. 96
flosculosus *DC.* V. 214
hispidus *DC.* V. 214
β angustissimus *DC.* V. 214
Lychnitis *L.* V. 214
Lychnitis E. Meyer V. 214
microglossus *DC.* V. 215
nanus *DC.* V. 215
pedunculatus Ort. V. 679
rosmarinifolius Poepp. V. 216
scabridus *DC.* V. 214
spinulosus Pursh V. 347
strigosus *Less.* V. 214
tenuifolius *Burm.* V. 214
tridactylus *DC.* V. 215
umbellatus L. V. 97
villosus Pursh V. 327
Ammobium *R. Br.* VI. 153
alatum Gaudich. VI. 153
alatum *R. Br.* VI. 153
spathulatum Gaudich. VI. 153
Ammogeton *Schrad.* VII. 98
scorzoneraefolium *Schrad.* VII. 98
Amphérephis H. B. et K. V. 70
aristata H. B. et K. V. 70
indica Wall. V. 66
Amphérephis
intermedia Link V
mollis Wall. V. 67
mutica H. B. et K.
Amphiachyris DC. V
Amphicalea DC. V. 6
Amphidoxa *DC.* VI. 24
gnaphalodes *DC.* VI
Amphiglossa *DC.* VI.
callunoides *DC.* VI.
corrudaefolia *DC.* V
nitidula *DC.* VI. 258
perotrichoides *DC.* V
triflora *DC.* VI. 258
Amphilasia DC. VI.
Amphirhapis *DC.* V. 3
albescens *DC.* V. 34
cuspidata *DC.* V. 34
heterotricha *DC.* V.
pedunculatis *DC.* V.
pubescens *DC.* V. 3
rubricaulis *DC.* V. 3
zeylanica *DC.* VII. 2
Amphirephis psiloca
Wightiana Wall.
Amphistephium DC.
Anacis Schrank V.
auriculata *Schrank*
tripteris *Schrank* V
Anactidea DC. VI.
Anactilaena DC. V
Anactis Cass. VI. 55
caespitosa Cass. V
serratuloides Cass
Anacyclus *Pers. DC.* V
alexandrinus W.
aureus Lam. VI. 7
aureus L. VI. 7
australis Sieb. VI.
Barrelieri Guss.
clavatus *Pers.* VI. 1
creticus L. VI. 14
creticus var. d Ur
divaricatus Balb.
mucronulatus Gu
officinarum Hayn
orientalis *L.* VI. 17
pectinatus Bory V
pedunculatus *Pers.*

is Reich. VI. 16
Less. VI. 16
scens DC. VI. 16
DC. VI. 15
ois. VI. 16
racemosa DC VI. 16
DC. VI. 16
L. VI. 16
us bicolor Pers. VI. 16
us purpurascens Pers. VI. 16
DC. V. 311
C. V. 311
V. 628
sis DC. V. 629
Sieg. VII. 40
trum DC. VII. 40
ale Turcz. VII. 40
ale - - -
a Less. VII. 40
Less. VII. 40
yclus Vaill. VI. 77
DC. VI. 271
C. VI. 274
DC. VI. 275
C. VI. 274
DC. VI. 273
- - -
rens - - -
DC. VI. 274
la DC. VI. 273
C. VI. 274
DC. VI. 274
hala DC. VI. 272
a DC. VI. 272
cephala DC. VI. 272
ephala - - -
ana DC. VI. 272
a DC. VI. 273
DC. VI. 272
DC. VI. 274
DC. VI. 275
DC. VI. 272
DC. VI. 272
C. VI. 273
C. VI. 274
a DC. VI. 273
ta DC. VII. 54 (Panargyrum)
a Don VII. 26
Don VII. 26
Cass. VI. 267
ea Guertn. VI. 268

Anaxeton
asperum *DC.* VI. 268
eximium Schrank VI. 213
foetidum Guertn. VI. 187
hirsutum *Less.* VI. 268
nudifolium Guertn. VI. 200
nycthemerum *Less.* VI. 268
racemosum Schrank VI. 178
recurvum *DC.* VI. 269
virgatum *DC.* VI. 268
Ancanthia *DC.* VI. 557
igniaria *DC.* VI. 557
Andrieuxia *DC.* V. 559
mexicana *DC.* V. 559
Andromachia *H. B. et K.* V 95
Cass. V. 96
acaulis H. B. et K. V. 97
alternifolia Kunze V. 348
Deppeana *Less.* VII. 265
grandiflora *H. B. et K.* V. 95
hieracioides H. B. et K. V. 97
igniaria *H. B. et K.* V. 95
Jussieui Cass. V. 97
melastomoides *H. B. et K.* V. 96
nubigena *H. B. et K.* V. 96
Poiteavi Cass. V. 97
sessiliflora *H. B. et K.* V. 96
solidaginea *H. B. et K.* V. 96
verbascifolia *H. B. et K.* V. 96
volubilis *H. B. et K.* V. 96
Andryala *L.* VII. 244
Agardhii *Haensel.* VII. 244
candidissima Desf. VII. 245
cheiranthifolia L'Herit. VII. 246
cheiranthifolia Link VII. 244
chondrilloides Scop. VII. 172
coronopifolia Link. VII. 244
corymbosa Brot. VII. 245
crithmifolia Ait. VII. 246
dentata *Sibth.* VII. 245
diffusa Jan. VII. 246
glandulosa Lam. VII. 246
incana DC. fl. fr. VII. 244
integrifolia *L.* VII. 246
α vulgaris *DC.* VII. 246
β undulata - - -
γ angustifolia - - -
δ diffusa - - -
laciniata Lam. VII. 244
lanata Hahl. VII. 103
lanata L. VII. 234
lanata Vill. VII. 246
laxiflora *DC.* VII. 246
lyrata Pourr. VII. 244
macrocephala *Boiss.* VII. 244

Andryala
mollis Asso VII. 246
nemausensis Gou. VII. 179
nigricans *Poir.* VII. 245
nudicaulis L. VII. 179
parviflora Lam. VII. 246
var. α et β *Lam.* VII. 246
pinnatifida *Ait.* VII. 244
pinnatifida Link VII. 244
pinnatifida var. maderensis VII. 246
pontana Vill. VII. 171
ragusina Hortul. VII. 246
ragusina *L.* VII. 244
β lyrata *DC.* VII. 244
γ incana - - -
δ ramosissima *Boiss.* VII. 244
Rothia *Pers.* VII. 245
sinuata *L.* VII. 246
β intermedia *DC.* VII. 246
tenuifolia *DC.* VII. 245
β lyrata *Guss.* VII. 245
γ arenaria *DC.* VII. 245
tomentosa Scop. VII. 246
undulata Presl VII. 246
varia *Lowe* VII. 245
α candidissima *DC.* VII. 245
β angustifolia - - -
γ subglabrata - - 246
δ aprica - - -
ε cheiranthifolia- - -
ζ crithmifolia - - -
varia var. α Lowe VII. 246
varia var. Lowe VII. 246
Andryaloides DC. V. 377 (Conyza)
Anecio Neck. VI. 340
ANGIANTHEAE *DC.* V. 500 VI. 119
Angianthus *Wendl.* VI. 150
tomentosus *Wendl.* VI. 150
Anhebecarpaea DC. V. 221 (Felicia)
Anisochaeta *DC.* V. 109
mikanioides *DC.* V. 110
Anisoderis Cass. VII. 157 (Barkhausia)
Anisopappus *Hook. et Arn.* VII. 253
chinensis *Hook. et Arn.* VII. 253
Anisoramphus *DC.* VII. 251
hypochaerideus *DC.* VII. 251
Anisotrichia DC. V. 80 (Albertinia)
Inoleptus DC. VII. 184 (Sonchus)

Anomantia Raf.
Anomostephium *D*
buphthalmoides
ellipticum *DC.* V
oblongifolium *D*
ovatifolium *DC.*
Anonymos Walt.
asteroides M.r.
ciliatus Walt.
graminifolius
odoratissimus
paniculatus W
pilosus Walt.
racemosus Wa
ramosus Walt.
unifforus Walt
Antennaria *R. Br.*
alpina *Gaertn.*
alpina Less. VI
carpathica *Bluff*
cinnamomea *DC.*
contorta *Don* VI
dioica *Gaertn.*
β hyperborea *DC*
γ congesta -
hyperborea Do
javanica *DC.* VI.
leontopodina *DC*
Leontopodium
leucophylla Ho
margaritacea *R.*
margaritacea
monocephala *DC*
plantaginea *R. B*
saxatilis *DC.* VI.
semidecurrens *D*
triplinervis *Sims*
β cuneifolia *DC.*
γ intermedia -
villosissima Do
ANTENNARIEAE *L*

Anthalmum Neck
ANTHEMIDEAE *Ca*

Anthemiopsis Bo
elongata Bojer
macrophylla B
Anthemis *DC.* VI.
4, 7
aethnensis *Schou*
afra Burm. VI.
ageratifolia *Sibth.*
ageratifolia Sib
agrestis Waltr.

m. VI. 117
Ehrh. VI. 120
ss. VI. 106
cq. VI. 112
a Bess. VI. 112
s. VI. 112
VI. 112
Fisch. VI. 112
Lam. VI. 112
et γ Bess. VI. 112
Pallasiana Bess. VI. 112
W. herb. VI. 107
W. VI. 109
ss. VI 104
ni Bess. VI. 118
a Fis. VI. 121
VI. 120
Bess. VI. 101
L VI. 98, 118
ss. VI. 99
L VI. 98
Bess. VI. 99
- - -
dii - - -
- - -
- - -
- - -
- - -
DC. VI. 104
ell. VI. 103
deb. VI. 118
VI. 96
VI. 96
Pursh VI. 99
Turcz. VI. 96
a et β Bess. VI. 96
Steveniana Bess. VI. 96
lutinosa Ten. VI. 95
Gmeliniana Bess. VI. 96
Vill. VI. 121
DC. VI. 122
- - -
- - -
- - -
α Villarsiana Bess. VI. 121
siana Bess. VI. 122
ca Ten. VI. 122
iana Bess. VI. 122
VI. 105

Artemisia
canadensis *Mx.* VI. 99
canadensis Vaill. VI. 99
canariensis *Less.* VI. 121
canescens W. VI. 111
canescens γ Fischeriana Bess. VI. 112
cannabina Jacquem. VI. 97
capillaris *Thunb.* VI. 126
capillifolia *Fisch.* VI. 122
capillifolia Lam. V. 176
carvifolia Roxb. VI. 119
carvifolia *Wall.* VI. 119
caucasica W. VI. 123
caudata *Mx.* VI 97
cernua Dufour VI. 106
cernuiflora Dufour VI. 106
chamaemelifolia *Vill.* VI. 108
β iberica *Bess.* VI. 108
γ armeniaca *Bess.* VI. 109
chamaemelifolia α et β Lam. VI. 108
Chamissoniana Bess. VI. 119
chinensis Burm. VI. 125
chinensis *L.* VI. 118
chinensis L. VI. 110
chrysantha Fisch. VI. 125
Chrysanthemum Russ VI 140
cinerea hort. Paris VI. 122
coerulescens *L.* VI. 100
α latifolia *DC.* VI. 100
β angustifolia *DC.* VI. 101
Columnae α virescens Ten. VI. 122
β canenses Ten. VI. 122
commutata *Bess.* VI. 98
compacta *Fisch.* VI. 102
α Fischeriana *DC.* VI. 102
β Stephaniana - - -
γ Helmiana - - -
Contra L. VI. 101
controversa Jan. VI. 126
corymbosa *Fisch.* VI. 118
corymbosa Lam. VI. 121
corymbosa δ Kitaibeliana Bess. VI. 122
crithmifolia *L.* VI. 95
cuneifolia *DC.* VI. 126
curilensis *Spr.* VI. 117
Deliliana *Bess.* VI. 95
delphinensis Bess. VI. 124
densiflora *Viv.* VI. 126
dentata W. VI. 124
depressa Turcz. VI. 107
desertorum Bess. VI. 98

Anthemis
petraea *Ten.* VI. 7
pontica *W.* VI. 6.
praecox Link VI. 14
prolifera Pers. VI. 18
psorosperma Ten. VI. 13
ptarmicaefolia Adam VI. 23
pubescens W. VI. 16
punctata *Vahl.* VI. 8
Pyrethrum Gou. VI. 8
Pyrethrum L. VI. 16
ramosa Link VI. 13
repanda L. VI. 19
repens Walt. V. 623
retusa *Delil.* VI. 5
retusa Link VI. 5
revoluta Link VI. 14
rigescens *W.* VI. 11
rosea *Sibth.* VI. 12.
Rudolphiana Adam VI. 5
ruthenica *MB.* VI. 11
salvifolia Bojer VI. 3
saxatilis DC. VI. 8
saxatilis W. VI. 8
scariosa *DC.* VI. 4.
secundiramea *Biv.* VI. 10
β Urvilleana *DC.* VI. 10
γ indurata - - -
sinuata Lall. et Lex. V. 553
sphacelata *Presl* VI. 6
stipulacea Moench VI. 62
styriaca Vest VI. 8
suffruticosa Horn. VI. 8
tinctoria *L.* VI. 11.
β pallida *DC.* VI. 11
γ discoidea *Vahl* VI. 11
δ monantha *MB.* VI. 11
tomentosa Gou. VI. 16
tomentosa d'Urv. VI. 9
tomentosa W. VI. 9
tomentosa minor Guss. VI. 8
triloba Ort. V. 553
Triumfetti DC. VI. 11
Valentina α L. VI. 16
Valentina β L. VI. 16
vulgaris L. VI. 51. 52
Wiedemanniana *Fisch. et Meyer* VI. 10
Anthemoides Less. V. 681
Antithrixia *DC.* VI. 277
flavicoma *DC.* VI. 278
Antodon Neck. VII. 101
Anvillea *DC.* V 487
Garcini *DC.* V. 487
Apalochlamys *Cass.* VI. 157
Billarderii *DC.* VI. 157
Apalochlamys
Endlicherii *D*
Kerrii *DC.* V
Apalus *DC.* V.
anthemifolius
Apargia *Less.* V
alpina W. V
angustifolia
arenaria Mc
aspera W. e
aurantiaca
aurea Hopp
autumnalis
autumnalis
Berinii Jan.
borealis Bor
bulbosa Bal
canescens S
caucasica M
chillensis (ch
cichoracea T
ciliata Presl
coronopifoli
crispa W. V
crispa var.
crocea Poll.
crocea Sturm
dannhialis S
dubia Hoppe
fasciculata
guestphalica
hastilis Hoff
heterophylla
hieracioides
hirta Schkuh
hispanica M
hispanica W
hispida Borg
hispida Sm.
hispida Ten.
hyoseridifoli
hyoseroides
hyoseroides
incana Scop.
livida Moenc
lucida Ten.
lyrata Ten.
pratensis Li
Rosani Ten.
salina M. W

*) rectius Blennosp

exicana Bess. VI. 114
VI. 96
DC. VI. 96
VI. 97
VI. 110
VI. 114
Rich. VI. 115
106
ay VI. 95
Bess. VI. 93
Bess VI. 131
ikowiana Bess. VI. 111
ess. VI. 105
Fahlenb. VI. 110
VI. 110
Ledeb. VI. 111
DC.
vii Bess.
Willdenoviana Bess. VI. 111
riana
tiana
W. VI. 111
ll. VI. 115
isch. VI. 122
k. VI. 117
123
DC. VI. 123
VI. 94
I. 123
k. VI. 110
s. VI. 110
DC. VI. 110
Bess. VI. 96
Fisch. VI. 116
on VI. 127
DC. VI. 113
echm. VI. 104
C. VI. 104
et β Stechm. VI. 104
folia Desf. VI. 98

Artemisia
Lindleyana *Bess.* VI. 109
α legitima
β brevifolia
γ subdentata
δ Coronopus
Lippii *Jan* VI. 101
Lippii Bess. VI. 95
lithophila Turcz. VI. 122
littoralis Retz V. 462
Lohelii All. VI. 108
longepedunculata *Rud.* VI. 119
longifolia *Nutt.* VI. 115
Ludoviciana Bess VI. 110
Ludoviciana *Nutt.* VI. 110
macrantha *Ledeb.* VI. 109
macrobotrys *Ledeb.* VI. 111
α macrophylla *Bess.* VI. 111
β Merkiana
γ Libanotis
δ Ciconium
ε latifolia
ζ Stelleriana
θ baicalensis
macrocephala *Jaquem.* VI. 125
maderaspatana L. V. 373
maritima Engl. Bot. VI. 102
maritima Leys. VI. 103
maritima *L.* VI. 103
β suaveolens *DC.* VI. 104
maritima α Lam. VI. 103
— β 102
— γ 104
maritima α Steckmanniana Bess. VI. 102
β *Willdenowiana* 104
γ *Willhemsiana*
δ *Stephaniana* 102
ε *Helmiana*
ζ *Linnaeana* 103
η *Fischeriana* 102
ζ *Szowitziana* 103
κ *Lercheana* 103 104
λ *Gmeliniana*
μ *Boschniakiana*
ν *Meyeriana*
ο *Kitaibeliana* 102
π *Hablitziana* 103
ρ *Marschalliana* 104
σ *Steveniana*
τ *Hanseniana*
υ *erivanica*
maritima δ Bess. VI. 103

Apuleja
rigida Gaertn. VI. 522
Arachnites DC. VII. 90 (Hypochaeris)
Aracium Neck. VII. 198
alpinum Monn. VII. 248
chondrilloides Less. VII. 171
Arctio Lam. VI. 542
lanuginosa Lam. VI. 543
Arction Cass. VI. 542
Arctium *Dalech.* VI. 542 *L. Vill. W.* VI. 661
Bardana W. VI. 661
Carduelis L. VI. 628
lanuginosum *Lam.* VI. 543
Lappa Sow. VI. 662
Lappa W. VI. 661
Lappa α L. VI 661
Lappa β L. VI. 661
majus Schkuhr VI. 661
minus Schkuhr VI. 662
Personata L VI. 629
tomentosum Schkuhr VI. 661
Arctogeron *DC.* V. 260
gramineum *DC.* V. 261
ARCTOTEAE *DC.* VI. 449. 484
Arctotheca *Wendl.* VI. 495
grandiflora *Schrad.* VI. 495
repens *Wendl.* VI. 495
ARCTOTIDEAE *DC.* VI. 449, 484
Arctotis *Gaertn.* VI. 484 *Auct.* V. 681, 688 *L.* VI. 484, 491, 494, 495
acaulis Jacq. VI. 485
acaulis *L.* VI. 485
β tricolor *DC.* VI. 485
γ undulata - - -
δ speciosa - - -
acaulis E. Meyer VI. 486
acaulis Mill. VI. 485.
adpressa *DC.* VI. 485
aenea *Jacq.* VI. 489
amplexicaulis *Less.* VI. 488
angustifolia Jacq. VI. 492
angustifolia *L.* VI. 486
anthemoides L. V. 681
arborescens W. VI. 488
argentea *Thunb.* VI. 489
aspera *L.* VI. 487
α cichoracea *Berg.* VI. 488
β scabra - - -
γ aureola - - -
δ cuprea *Dc.* VI. 488
ε arborescens *Jacq.* VI. 488
aspera var. Less. VI. 487

Arctotis
aspera α angust
asplenifolia Bur
aureola Ker. VI.
auriculata *Jacq.* VI
β melanocycla *Dc.*
bellidifolia *Berg.* V
α integrifolia *Dc.* VI
β incisa - -
bicolor W. VI. 48
Calendula L. VI.
calendulacea Jac
campanulata *DC.* V
α subtomentosa -
β puberula -
candida *Thunb.* VI
canescens *DC.* VI.
cernua Thunb. V
cineraria *Jacq.* VI.
corruscans L. VI
crithmoides Berg
crithmoides Jacq.
cuneata *DC.* VI. 48
cuprea Jacq. VI.
decumbens Jacq.
decumbens Thunb
decurrens *Jacq.* VI
dentata L. V. 684
dentata Thunb. V
denudata Thunb.
diffusa *Thunb.* VI.
echinata *DC.* VI. 48
elatior *Jacq.* VI. 48
elatior W. VI. 48
elegans Thunb. V
elongata *Thunb.* V
fastuosa *Less.* VI.
β spinulosa *DC.* VI.
flaccida *Jacq.* VI. 4
foeniculacea Jacq
formosa Thunb.
glabrata Jacq. VI
glandulosa *Thunb.*
glaucophylla Jacq
glutinosa Sims V
grandiflora Ait.
grandiflora Jacq.
grandis Thunb.
hispidella Juss. h
humilis Salish. V
hypochondriaca
hypochondriaca
incisa Thunb. VI.
interrupta Thun

te Lam. VI. 488
lunb. VI. 487
Thunb. VI. 494
lunb. VI. 503
DC. VI. 486
- - -
- - -
ides Jacq. VI. 490
unb. VI. 489
DC. VI. 489
VI. 488
acq. VI. 488
W. VI. 487
Thunb. VI. 493
lunb. VI. 487
nb. VI. 65
Thunb. V. 684
. VI. 486
V. 686
unb. V. 685
lacq. VI. 487
t. V. 681
V. 689
unb. V. 684
eb. VI. 486
nb. V. 688
g. V. 684
nb. V. 681, 686
unb. VI. 489
L. VI. 492
Berg. VI. 496
lish. VI. 495
unb. V. 686
I. 489
VI. 495
VI. 487
VI. 488
. VI. 488
Meyer VI. 488
. VI. 510
VI. 488
ib. VI. 492
Thunb. VI. 484
V. 688
eb. V. 683
nb. V. 688
y. VI. 485
cq. VI. 487
cq. VI. 487
Pour. VI. 512
Berg. VI. 488
. VI. 488
- -
- -
- -

Arctotis
superba L. VI. 496
tenuifolia L. V. 687
tenuifolia Poir. VI. 71.
tomentosa Thunb. VI. 492
tricolor Jacq. VI. 485
tricolor W. herb. VI. 486
trifida Thunb. V. 687
trifurcata Burm. V. 686
tristis L. VI. 496
undulata Jacq. VI. 485
undulata Thunb. VI. 488
venidioides *DC.* VI. 489
virgata *Jacq.* VI. 489
β obtusifolia *DC.* VI. 489
Arelina Neck. VI. 514
Argophyllaea DC. V. 266 (Eurybia)
Argyranthus Neck. VI. 267
Argyrochaeta Cav. V 532 *DC.* V. 532 (Parthenium)
bipinnatifida Cav. V. 532
Argyrocome Schrank VI. 211
ericoides Lam. VI. 172
ferruginea Schrank VI. 212
imbricata Lam. VI. 255
retorta Cass. VI. 175
retorta Gaertn. VI. 177
seminuda Schrank VI. 212
Stuehelina Schrank VI. 212
vulnerata Schrank VI. 213
Argyroxiphium *DC.* V. 668
sandwicense *DC.* V. 663
Aristotela Adans. VI. 473
Armania *Bert.* V. 576
fruticulosa *Bert.* V. 576
Arnica *L.* VI. 316
alpina Loestad. VI. 317
amplexicaulis Wall. VI. 314
angustifolia *Vahl.* VI. 317
Bellidiastrum L. V. 226
Chamissonis *Less.* VI. 317
ciliata Thunb. VII. 252
Claytoni Pursh. VI. 318
Clusii All. VI. 319
cordata E. Meyer VII. 16
cordata Thunb. VII. 16
cordata Wulf. VI. 320
coronopifolia L. VI. 511 VII. 17
corsica Lois. VI. 319
crenata Thunb. V. 217
crocea L. VII. 16
Doronicum Jacq. VI. 319
floccosa Bert. VI. 357
fulgens *Pursh* VI. 317
Gerbera Burm. VII. 15

Arnica
[illegible] L. VII. 15
[illegible] Lam. VI. 319
[illegible] Thunb. V. 210
[illegible] Forsk. VII. 17
[illegible] Thunb. VI. 316
[illegible] VII. 20
[illegible] VI. 397
[illegible] Thunb. V. 210
[illegible] VI. 357
[illegible] VI. 317
[illegible] VI. 322
[illegible] VI. 358
[illegible] VI. 317
[illegible] VI. 317
[illegible] Vaill. VI. 317
[illegible] VI. 358
[illegible] VI. 318
[illegible] VI. 317
[illegible] VI. 314
[illegible] VI. 318
[illegible] VI. 318
[illegible] Thunb. VI. 355
[illegible] Pers. VI. 323
[illegible] Thunb. VI. 17
[illegible] L. VI. 16
[illegible] Pursh VI. 317
[illegible] Pers. VII. 16
[illegible] W. V. 303
scorpioides Jacq. VI. 319
scorpioides L. VI. 319
scorpioides W. VI. 319
serrata Thunb. VII. 15
sinuata Thunb. VII. 16
styriaca Vill. VI. 319
tabularis Thunb. V. 210
tuxilaginea Rottb. VI. 363
umalaschkensis *Less.* VI. 317
Wulfeniana Poll. VI. 320
Arnoldia Cass. VI. 70, 73 *DC.* VI. 73 (Dimorphotheca)
Arnopogon W. VII. 115
asper W. VII. 116
Dulechampii W. VII. 116
picroides W. VII. 116
Arnoseris *Gaertn.* VII. 79
pusilla *Gaertn.* VII. 79
Aronicum *Neck.* VI. 319
altaicum *DC.* VI. 320
Bauhini Reich. VI. 319
corsicum *DC.* VI. 319
Doronicum *Reich.* VI. 319
latifolium Reich. VI. 319
scorpioides *DC.* VI. 319
α latifolium *DC.* VI. 319
β medium - - -
Aronicum
γ glaciale *DC.* VI. 319
δ Bauhini - - -
scorpioides Reich. VI.
Arrhenachne Cass. V. 3
juncea Cass. V. 423
Arrowsmithia *DC.* VII. 254
styphelioides *DC.* VII. 2
Artemisia *L.* VI. 93
abrotanoides Jacquem
Abrotanum *L.* VI. 108
Abrotanum Savi VI. 12
Absinthium *L.* VI. 125
β grandiflora *Bess.* VI. 12
γ insipida - - -
absinthioides Poir. VI.
acetica *Jacquem.* VI. 10
achilleoides Turcz. VI.
Adamsii *Bess.* VI. 107
afra *Jacq.* VI. 106
albida Ledeb. VI. 104
alpina W. VI. 123
alpina α MB. VI. 123
altaica Desf. VI 109
altissima Ehr. VI. 108
ambigua L. VI. 265
ambigua Thunb. VI. 2
Ammaniana *Bess.* VI. 9
anethifolia Fisch. VI.
anethifolia *Stechm.* VI.
β Stelleriana *Bess.* VI. 1
γ erectiflora *DC.* VI. 12
δ multicaulis *Bess.* VI. 1
anglica hort. Paris. V
annua *L.* VI. 119
annua β Lam. VI. 120
aprica Gebl. VI. 125
aprica Ledeb. VI. 125
aquatica *Laur.* VI. 126
arborescens *L.* VI. 121
arctica Less. VI. 117
arctica *Less.* VI. 119
arenaria *DC.* VI. 94
α nutans *Bess.* VI. 94.
β cernua - - -
γ erecta - - -
argentea Ruch. VI. 12
argentea *L'Herit.* VI. 1
argyrophylla *Ledeb.* VI.
armeniaca *Lam.* VI. 111.
β potentillaefolia *DC.* VI.
arragonensis *Lam.* VI. 1
β valentina *DC.* VI. 101
γ candicans *Bess.* VI. 10
Athanasia Bess. VI 1
atrata Bess. VI 117

sm. VI. 117
Ehrh. VI. 120
ess. VI. 106
Jacq. VI. 112
iana Bess. VI. 112
ess. VI. 112
DC. VI. 112
is Fisch. VI. 112
Lam. VI. 112
s et η Bess. VI. 112
Pallasiana Bess. VI. 112
is W. herb. VI. 107
W. VI. 109
Bess. VI 104
teni Bess. VI. 118
ina Vis. VI. 121
. VI. 120
na Bess. VI. 101
All. VI. 98, 118
Less. VI. 99
all. VI. 98
Bess. VI. 99
- - -
ieldii - - -
ri - - -
- - -
i - - -
i - - -
na DC. VI 104
Wall. VI. 103
Ledeb. VI. 118
L. VI. 96
C. VI. 96
Pursh VI. 99
Turcz. VI. 96
α et β Bess. VI. 96
γ Steveniana Bess. VI. 96
glutinosa Ten. VI. 95
Gmeliniana Bess. VI. 96
Vill. VI. 121
DC. VI. 122
- - -
- - -
- - -
ta α Villarsiana Bess. VI. 121
tesiana Bess. VI. 122
tica Ten. VI. 122
niana Bess. VI. 122
) VI. 105

Artemisia
canadensis *Mx.* VI. 99
canadensis Vaill. VI. 99
canariensis *Less.* VI. 121
canescens W. VI. 111
canescens γ Fischeriana Bess. VI. 112
cannabina Jacquem. VI. 97
capillaris *Thunb.* VI. 126
capillifolia *Fisch.* VI. 122
capillifolia Lam. V. 176
carvifolia Roxb. VI. 119
carvifolia *Wall.* VI. 119
caucasica W. VI. 123
caudata *Mx.* VI 97
cernua Dufour VI. 106
cernuiflora Dufour VI. 106
chamaemelifolia *Vill.* VI. 108
β iberica *Bess.* VI. 108
γ armeniaca *Bess.* VI. 109
chamaemelifolia α et β Lam. VI. 108
Chamissoniana Bess. VI. 119
chinensis Burm. VI. 125
chinensis *L.* VI. 118
chinensis L. VI. 110
chrysantha Fisch. VI. 125
Chrysanthemum Russ. VI 140
cinerea hort. Paris VI. 122
coerulescens *L.* VI. 100
α latifolia *DC.* VI. 100
β angustifolia *DC.* VI. 101
Columnae α virescens Ten. VI. 122
β canenses Ten. VI. 122
commutata *Bess.* VI. 98
compacta *Fisch.* VI. 102
α Fischeriana *DC.* VI. 102
β Stephaniana - - -
γ Helmiana - - -
Contra L. VI. 101
controversa Jan. VI. 126
corymbosa *Fisch.* VI. 118
corymbosa Lam. VI. 121
corymbosa δ Kitaibeliana Bess. VI. 122
crithmifolia *L.* VI. 95
cuneifolia *DC.* VI. 126
curilensis *Spr.* VI. 117
Deliliana *Bess.* VI. 95
delphinensis Bess. VI. 124
densiflora *Viv.* VI. 126
dentata W. VI. 124
depressa Turcz. VI. 107
desertorum Bess. VI. 98

Artemisia
desertorum *Spr.* VI. 97
α Sprengeliana *Bess.* VI. 98
β Jacquemontiana - - -
γ Fontanesiana - - -
δ Willdenowiana - - -
desertorum Spr. VI. 98
discolor *Dougl.* VI. 109
Douglasiana *Bess.* VI. 115
Dracunculus *L.* VI. 97
α sativa *Bess.* VI. 97
β inodora - - -
Dracunculus β Fastigiata Bess. VI. 97
dubia *Wall.* VI. 110
elegans Roxb. VI. 100
eriantha Ten. VI. 118
eriopoda *Bung.* VI. 96
Eschholziana Bess. VI. 106
exilis Fisch. VI. 119
fasciculata *MB.* VI. 116
α iberica *Bess.* VI. 116
β armeniaca - - -
fasciculata tenuiloba Fisch. et Meyer VI. 116
filaginoidea Stechm. VI. 103
Fischeriana *Bess.* VI. 105
γ vegetior *Bess.* VI. 105
foeniculacea Stev. VI. 108
foetida *Jacquem.* VI. 98
Fontanesiana *Bess.* VI. 96
fragrans C. A. Meyer VI. 104
fragrans *W.* VI. 104
frigida Gebl. VI. 125
frigida *W.* VI. 124
α Willdenowiana *Bess.* VI. 125
β Gebleriana - - -
γ Fischeriana - - -
δ Gmeliniana - - -
ε Bieberstеiniana - - -
ζ Stevenjana - - -
frigida W. VI. 125
fruticans Comm. VI. 261
fruticosa W. herb. VI. 94
furcata MB. VI. 119
gallica *W.* VI. 102
garganica Ten. VI. 122
Gayana *Bess.* VI. 95
Genipi Stechm. VI. 118
glabra Jacquem. VI. 97
glabrata *Wall.* VI. 100
glacialis All. VI. 124
glacialis Habl. VI. 123
glacialis Jacq. VI. 124
glacialis *L.* VI. 124
Artemisia
glacialis Vitm
glauca *Pall.* V
β fastigiata *Bo*
Globularia *Cha*
glomerata *Led*
glomerata Si
glomerulata
glutinosa *Gay*
Gmelini *Stech*
α Bieberstеinia
β legitima
γ Gebleriana
δ Jacquemontia
ε Turczaninowi
ζ cashmyrica
gnaphalioides
gnaphalioides
gnaphalodes *N*
gracilis L'He
granatensis *Bo*
grandiflora *MB*
grandiflora
grata *Wall.* V
groenlandica
Halodendron *T*
helvetica Sch
hemisphaerica
Herba-alba
herbacea *Ehrh*
herbacea her
heterophylla *B*
α Laurentiana
β Mertensiana
γ Kittiziana
δ Adamsiana
Heyneana W
hirsuta Rottl
hispanica Jac
hispanica *Lam.*
hololeuca *MB.*
holosericea L
— α
Hookeriana *Bes*
humilis MB.
humilis Wulf
Jacquemontiana
japonica *Thun*
jenisseanus Sp
inculta *Delil.*
inculta Sieb.
indica Wall.
indica *W.* VI.

'. V. 241
ger DC. V. 241
is Auct. V. 276
is L. V. 276
sus Burm. V. 220
sus Krebs V. 276
sus W. V. 276
sus var. Thunb. V. 276
sus β W. V. 276
rot. V. 257
eus Rich. et Less. V. 267
DC. V. 227
Less. V. 259
Nees V. 241
- - -
eyer V. 236
us Labill. V. 269
Nees V. 246
is Bernh. V. 265
s Cav. V. 314
s Roxb. V. 345
s Banks herb. V. 327
itt. V. 247
is Pursh V. 227
us Hortul. V. 232
L. V 232
us Walt. V. 264
s Nutt. V. 232
ees V. 235
Ledeb. V. 256
Turcz. V. 256
DC. V. 242
Scop. V. 463
llus Nees V. 233
llus Thunb. VI. 277
lus W. V. 233
culus DC. V. 234
- - -
Nees V. 237
is Lindl. V. 242
Lindl. V. 233
op. V. 466
hunb. V. 220
Lam. V. 236
Thunb. V. 297
s Forst. V. 226
dis Desf. V. 243
Ell. V. 273
W. V. 273
us Poir. V. 239
'ensis Wall. V. 480
tus Cunningh. V. 269
dius Berg. V. 220
dius Cav. V. 255

Aster
hyssopifolius L. V. 255
japonicus *Less.* V. 228
javanensis Garc. V. 303
ibericus Stev. V. 231
ilicifolius Cunningh. V. 268
incisus Fisch. V. 258
indicus Heyn. V. 275
indicus L. V. 303
indicus W. V. 474
infirmus Mx. V. 273
inuloides Don V. 299
inuloides Fisch. V. 231
intermedius Turcz. VII. 272
ircutianus *DC.* V. 229
junceus Ait. V. 239
junceus Nees V. 245
junceus Pursh V. 245
junceus β V. 237
lacerus Lindl. V. 231
laevigatus Lam. V. 236
laevigatus Pursh V. 239
laevigatus *W.* V. 246
laevis Dietr. V. 247
laevis *L.* V. 246
laevis Vahl V. 238
Lamarckianus *Nees* V. 241
lanceolatus Lejeun. V. 240
lanceolatus Nutt. V. 237
lanceolatus *W.* V. 240
lanuginosus Wendl. V. 220
latifolius Desf. V. 264
lavendulaceus W. herb. V. 274
laxifolius *Nees* V. 236
β salicifolius *Lindl.* V. 236
γ carneus - - -
laxus *W.* V. 240
β *Nees* V. 240
ledifolius Cunningh. V. 269
ledifolius Pursh V. 257
lepidophyllus Pers. V. 270
leptophyllus Desf. V. 256
leptophyllus Fisch. V. 257
leptophyllus hort. Paris. V. 242
leucanthemus *Desf.* V. 240
linifroides Mühl. V. 230
Lima *Lindl.* V. 230
linarifolius Mx. V. 278
linariifolius L. V. 277
linifolius Burm. VI. 398, 400
linifolius L. V. 255
linoides hort. Gayhac. V. 231
Linosyris Bernh. V. 352
liratus Sims V. 267
lithospermifolius hort. Paris. V. 259

Artemisia
matricarioides Less. VI. 131
Mendozana *DC.* VI. 106
Mertensiana Waltr. VI. 111
Messerschmidiana *Bess.* VI. 107
α viridis
β incana
mexicana *W. herb.* VI. 114
Michauxiana *Bess.* VI. 117
millefoliata MB. VI. 107
minima L. VI. 140
minima Thunb. VI. 139
minor *Jacquem.* VI. 124
mollis *Gay* VI. 125
mollissima *Don* VI. 125
molluccana *Roxb.* VI. 107
monogyna Fisch. herb. VI. 103
monogyna *W. et Kit.* VI. 102
β microcephala *DC.* VI. 103
γ Szowitziana
monosperma *Delil.* VI. 95
monosperma Spr. VI. 101
montevidensis *Spr.* VI. 121
Moorcroftiana *Wall.* VI. 117
Moxa *DC.* VI. 121
multicaulis Ledeb. VI. 126
Mutellina Ten. VI. 118
Mutellina *Vill.* VI. 123
myriantha *Wall.* VI. 112
nana *Gaud.* VI. 98
β Allionii *DC.* VI. 98
nana β parviflora Reis. VI. 98
nana β parviflora Gaud. VI. 96
naronitana Vis. VI. 108
neapolitana Ten. VI. 94
neglecta Spr. VI. 98
nilotica L. VI. 79
nitida Bertol. VI. 123
nitrosa *Steckm.* VI. 105
nivea Redowsk. VI. 112
Novae Zelandiae hort. Paris. VI. 120
norvegica *Vahl* VI. 119
nutans *W.* VI. 103
α glabriuscula *DC.* VI. 103
β incana
γ Hablitziana
nutans β MB. VI. 102, 104
Nuttalliana *Bess.* VI. 96
obtusiloba *Ledeb.* VI. 121
α gracilis
β fruticulosa
occitanica Salzm. VI. 96
odoratissima *Desf.* VI. 94
officinalis Gat. VI. 112

Artemisia
Oliveriana *Gay*
orientalis herb
orientalis W.
pachystachya *D*
Pallasiana *Fisch*
pallens *Wall.*
palmata Lam.
palmata Lape
palmata var.
palmata α Lam
β Candolleana
palustris *L.* VI.
paniculaeformis
paniculata *Lam.*
paniculata Re
paniculata Re
parviflora *Roxb*
α villosior *DC.*
parviflora A.
parviflora Re
pauciflora M
pauciflora Spr
pauciflora *Steck*
pectinata *Pall.*
pedemontana
pedunculosa
pedunculata
petrosa Jan V
peucedanifolia *J*
pinnatifida Ja
piperita Pall.
plumosa Fisch
pontica Burm
pontica *L.* VI.
β intermedia *B*
potentillaefoli
Prescottiana *Be*
procera Bess.
procera Lape
procera Ledeb
procera *W.* VI.
α Willdenowiana
β Kraschenninikowii
γ Sieberiana
δ Stephaniana
ε Ledebouriana
ζ Stevensiana
η Fischeriana
ϑ Visianiana
procumbens B
pubescens *Ledeb*
β Steveniana *B*

)
lla Gmel. VI. 102
ta Bess. VI. 110
ta γet; Bess. VI. 111
ta γ Bess. VI. 111
'oleusis Bess. VI. 111
ecens Jacquem. VI. 115
a Bess. VI. 115
ia - - -
ifolia - - -
bula DC. VI. 99
a Ledeb. VI. 98
a Vis. VI. 127
r C. Sm. VI. 102
'. Sm. VI. 102
'ii Ledeb. VI. 97
'all. VI. 112
Buch VI. 102
'C. VI. 101
niana Hook. VI. 117
Hamilt. VI. 119
ana Bess. VI. 114
DC. VI. 115
Moench VI. 101
All. VI. 124
Ledeb. VI. 124
'. VI. 124
'a DC. VI. 124
ara - - -
ia - - -
- - -
α Ledebouriana Bess. VI. 124
aeana - - -
rothiana - - -
lenowiana - -
α L. VI. 124
Mull. VI. 119
Pall. VI. 123
Pill. VI. 122
Vill. et Mitt. VI. 118
Wallr. VI. 124
Steph. VI. 106
Stev. VI. 108
s Tiles. VI. 96
Ledeb. VI. 107
Ten. VI. 94
chult. VI 102
VI 103
W. VI. 94
Bess. VI. 112
efolia Turcz. VI. 107
s Lam. VI. 101
s Woodv. VI. 104
W. et Kit. VI. 122

Artemisia
scariosa Rich. VI. 126
scoparia *W. et Kit.* VI. 99
selengensis *Turcz.* VI 112
semavinensis Bess. VI. 117
Senecionis Jacquem. VI. 129
senjavinensis *Bess.* VI. 116
sericea *Stechm.* VI. 122
α nitens *DC.* VI. 122
β grandiflora - - -
γ parviflora - - 123
δ Pallasiana *Bess.* VI. 123
sericea W. VI. 122
sericea α Steveniana Bess. VI. 122
β *Gmeliniana Bess.* VI. 123
γ *Ledebourian* - - -
sericea β parviflora Ledeb. VI. 123
Seriphium Wallr. VI. 103
serrata Nutt VI. 115
Sieberi *Bess* VI. 101
Sieversiana *W.* VI. 126
β *acutangula Bess.* VI. 126
γ *punctata* - - -
δ *absinthioides* - - -
spicata *Jacq.* VI. 118
β eriantha *DC.* VI. 118
spicata Roch. VI. 118
spicata Ten. VI. 118
spithamea Pursh. VI. 99
splendens *W.* VI. 123
β peduncularis *Bess.* VI. 123
Stechmanniana *Bess.* VI. 109
α samamisica - - -
β armeniaca - - -
Stechmanniana α sibirica Bess. VI. 109
Stelleriana *Bess.* VI. 119
sternutatoria Roxb. VI. 139
Steveniana *Bess.* VI. 116
stricta Heyn V. 374
suaveolens Fisch. VI. 119
subcanescens W. VI. 121
subulosa W. herb. VI. 94
subviscosa Turcz. VI. 122
succulenta *Ledeb.* VI. 120
supina Stev. VI. 112
tanacetifolia *All.* VI. 117
tanacetifolia Lam. VI. 117
tanacetifolia L. VI. 111
tanacetifolia pedemontana L. VI. 98
tanacetoides Less. VI. 132

Artemisia
taurica *MB.* VI. 104
α Marschalliana *DC.* VI. 104
β Steveniana - - -
γ Hausseniana - - -
δ erivanica - - -
tenuifolia Adams VI. 107
tenuifolia W. V. 176
Tilesii *Ledeb.* VI. 113
β arctica *Bess.* VI. 114
Tournefortiana *Reich.* VI. 119
trichophylla *Wall.* VI. 100
trifida Turcz. VI. 130
trifurcata Desf. VI. 96
trifurcata *Steph.* VI. 119
Triniana *Bess.* VI. 117
Tschernieviana *Bess.* VI. 95
Turczaninoviana *Bess.* VI. 106
umbelliformis Lam. VI. 124
umbrosa Turcz. VI. 113
valentina Delil. VI. 101
valentina Lam. VI. 101
valentina W. VI. 101
vallesiaca *All.* VI. 103
vallesiana Lam VI. 103
variabilis *Ten.* VI. 94
α virescens - - -
β canescens - - -
γ americana *Bess.* VI. 94
vermiculata Lam. VI. 262
vermiculata L. VI. 263
vermiculata Schang. VI. 99
vestita *Wall.* VI. 106
violacea Ledeb. VI. 99
virgata Richards VI. 125
viridifolia Ledeb. VI. 124
viridis W. VI. 124
viscosa DC. herb. VI. 95
vulgaris Burm. VI. 114
vulgaris *L.* VI. 112
α umbrosa *Bess.* VI. 113
β Merkiana - - -
γ vulgatissima - - -
δ coarctata - - -
ε mongolica - - -
η kamtschatica - - -
ζ rubriflora - - -
ϑ parviflora - - -
ι latifolia - - -
κ latiloba *Ledeb.* VI. 123
λ glabra - - -
vulgaris Wallr. VI. 113
vulgaris β communis Ledeb. VI. 113
vulgaris minor Ledeb. VI. 113

Artemisia
vulgaris leucop
— *tenuif*
Wallichiana Be
Wulfeni Schleic
ARTEMISIEAE *Less*
Artemisioides DC.
ARTHROSTYLE.
Ascaricida Cass. V.
indica Cass. V.
Aspelina Cass. VI.
Aspidalis Gaertn.
Aspidejum Zollik.
Aspilia *Pet. Thouar*
Bojeri DC. V. 56
Thouarsii DC. V
Astelma Less. VI. 2 211
canescens Don
crassifolium Don
eximium R. Br.
fruticans Ker. V
milleflorum Don
modestum Sieb.
speciosissimum
Astemma *Less.* V. 5
dubium *Less.* V. 5
Aster *Nees* V. 226
Auct. V. 217, 2 254. 258. 260. 261, 271, 272, 274, 2
abbreviatus *Nees*
acris Gmel V. 35
acris hort Paris.
acris L. V. 255
acris L. herb V.
acris Nees V. 256
acris W. V. 256
acris β Lam. V. 2
aculeatus herb. P
aculeatus Labill.
acuminatus Mx.
acuminatus Nees
adfinis Less. V. 2
adscendens *Lindl.*
adulterinus Lindl
adulterinus *W.* V.
aestivus *Ait.* V. 22
aethiopicus Burm
albescens Wall. V

herb. V. 264
V. 227
...rum DC. V. 227
DC. V. 227
fugax Poir. V. 257
...er. hispida Lag. VII. 274
Auct. V. 259.
W. V. 258
Moench. V. 231
...is Lodd. V. 287
Turcz V. 259
Bernh. V. 264
Bess V. 231
Reich. V. 231
Roem. V. 231
...ot. reg. V. 231
...cq. V. 231
V. 231
DC. V. 231
- - -
- - -
- - -
- - -
Lindl. V. 229
...am. V. 236
...tis Lam. V. 231
...dis Mx. V. 232
Mühl. V. 246
dl. V. 236
...us Ell. V. 272
...us Lam. V. 273
...us Jacq. V. 220
Nees V. 240
V. 299
V. 246
Mx. V. 233
s Lahill. V. 267
DC. V. 227
...s V. 236
...sis Asso V. 257
...florus Poir. V. 240
...ilt V. 277
V. 238
Wall. V. 277
Wall. V. 277
L. V. 641
dl V. 232
Hortul. V. 270
...dl. V. 244
...um Scop. V. 226
...s Nees V. 240
W. V. 240
DC. V. 240
Nees - -

Aster
γ rigidulus *DC.* - -
δ salicinus - - -
bellidiflorus W. V. 240
bellidioides Don V. 299
benghalensis Heyn. V. 292
berberifolius Cunningh. V. 268
bessarabicus Bernh. V. 231
bicolor Dietr. V. 239
biennis Nutt. V. 244
bifidus Nees V. 256
biflorus *Mx* V. 229
biflorus Nees V. 230
biflorus Prescott V. 231
bifrons All. V. 465
bifrons *Lindl.* V. 243
blandus *Pursh* V. 237
bonariensis Spr. V. 284
britannicus All. V. 468
brumalis *Nees* V 236
Buhonium Scop. V. 467
Caffrorum Less. V. 221
californicus *Less.* V. 228
canescens *Pursh* V. 244
canus W et Kit. V. 256
capensis Less. V. 225
caricifolius *H. B. et K.* V. 246
carneus Nees V. 236
carolinianus *Walt.* V. 232
caucasicus W. V 277
chamaedryfolius Lam. VII. 13
Charieis Less. V. 225
chilensis *Nees* V. 245
chinensis L. V. 274
chrysanthemoides W. herb. V. 262
chrysocomoides Desf. V. 220
chrysocomoides *Turcz.* VII. 272
chrysophyllus Cunningh. V. 266
ciliaris Thunb. V. 218
ciliatus Nees V. 243
ciliatus W. V. 244
ciliolatus *Lindl.* V. 235
coerulescens *DC.* V. 235
concinnus *W.* V. 245
β *Nees.* V. 245
concolor *L.* V. 243
confertus Desf. V. 245
confertus *Nees* V. 245
conspicuus *Lindl.* V. 230
conspicuus Turcz. V. 229
conyzoides Desf. V. 220
conyzoides W. V. 261
conyzoides β Nutt. V. 261
cordifolius Hortul. V. 265

Aster
cordifolius Lam. V. 233
cordifolius *L.* V. 233
cordifolius Mx. V. 265
cordifolius *Mx.* V. 241 *)
cordifolius Nutt. V. 234
cordifolius var. glaber Desf. V. 233
— *var. pubescens Desf.* V. 233
coriaceus *Forst.* V. 227.
corinceus Hortul. V 276
cornifolius Mühl. V. 273
Cornuti Mull. V. 234
Cornuti Wendl. V. 234
corymbosus Ait. V. 265
corymbosus Moench V. 467
crenatus Less. V. 217
crinitus L. VI. 277
crinitus Thunb. VI. 277
crispus Forsk. V. 475
crocifolius *H. B. et K.* V. 228
cyanaeus Nees V. 246
cyanaeus *Hoffm.* V. 246
α et β DC. V. 246
cydoniaefolius Cunningh. V. 267
Cymbalariae Thunb. V. 223
debilis Bojer VI. 276
decorus Desf. V. 246
decurrens Cunningh. V. 269
dentatus Andr. V. 271
dentatus Thunb. V. 219
dichotomus Ell. V. 273
diffusus *Ait.* V. 242
diffusus acuminatus Pers. V. 273
discoideus *Ell.* V. 247
divaricatus L. V. 265
divaricatus Raf. V. 241
divaricatus Spr. V. 273
divergens *Ait.* V. 241
β humilior *Nees.* V. 241
divergens β Nutt. V. 242
diversifolius *Mx.* V. 234
diversifolius Spr. V. 234
Douglasii *Lindl.* V. 239
α et β DC. V. 239
dracunculoides Bess. V. 255
dracunculoides Lam. V. 256
dracunculoides Ledeb. V. 256
dracunculoides W. V. 240
dracunculoides discoideus minor Ledeb. V. 353

*) conf. Praefatio.

Aster
Drummondii *Lindl*
dumosus *L.* V. 241
dumosus Nees V.
dysentericus All.
echinatus Less. V
Ecklonis Less. V.
elaeagnifolius Cu
elaeophilus Cunn
elegans Nees V. 2
elegans W. V. 23
ellipticus Cunnin
elongatus Thunb.
eminens Ness V.
eminens W. V 2
eminens virgineu
ensifolius Scop. V
eremophilus Bun
ericaefolius Fors
ericoides Lam. V
ericoides *L.* V. 241
ericoides multiflo
erubescens Sieb.
espenbergensis *Nee*
β dubius *DC.* V. 22
exasperatus Lin
exilis *Ell.* V. 247
falcatus *Lindl.* V
fascicularis E. M
fastigiatus Fisch.
fastigiatus Ledeb
fastigiatus Lehm
ferrugineus We
filaginifolius *Hook.*
filifolius Vent. V
filifolius Zeyh. V
filiformis Eckl. V
firmus *Nees* V. 23
Fischerianus *DC.* V
flaccidus Bunge
flexuosus Fisch.
flexuosus Nutt.
floribundus Nutt
floribundus W.
foliaceus *Lindl.* V
foliolosus Ell. V.
foliolosus Hortu
foliolosus Nees V
foliosus Pers. V.
fragilis Nees V.

W. V. 241
teger DC. V. 241
tus Auct. V. 276
tus L. V. 276
losus Burm. V. 220
losus Krebs V. 276
losus W. V. 276
losus var. Thunb. V. 276
losus β W. V. 276
Brot. V. 257
iceus Rich. et Less. V. 267
DC. V. 227
Bess. V. 259
Nees V. 241
Nees - -
Meyer V. 236
osus Labill. V. 269
Nees V. 246
tus Bernh. V. 265
us Cav. V. 314
us Roxb. V. 345
tus Banks herb. V. 327
Nutt. V. 247
lius Pursh V. 227
orus Hortul. V. 232
us L. V. 232
orus Walt. V. 264
us Nutt. V. 232
Nees V. 235
Ledeb. V. 256
Turcz. V. 256
us DC. V. 242
us Scop. V. 463
yllus Nees V. 233
yllus Thunb. VI. 277
yllus W. V. 233
oculus DC. V. 234
- - - -
Nees V. 237
alis Lindl. V. 242
Lindl. V. 233
Scop. V. 466
Thunb. V. 220
s Lam. V. 236
s Thunb. V. 297
eus Forst. V. 226
talis Desf. V. 243
Ell. V. 273
W. V. 273
icus Poir. V. 239
idensis Wall. V. 480
hitus Cunningh. V. 269
folius Berg. V. 220
folius Cav. V. 255

Aster
hyssopifolius L. V. 255
japonicus *Less.* V. 228
javanensis Garc. V. 303
ibericus Stev. V. 231
ilicifolius Cunningh. V. 268
incisus Fisch. V. 258
indicus Heyn. V. 275
indicus L. V. 303
indicus W. V. 474
infirmus Mx. V. 273
inuloides Don V. 299
inuloides Fisch. V. 231
intermedius Turcz. VII. 272
ircutianus *DC.* V. 229
junceus Ait. V. 239
junceus Nees V. 245
junceus Pursh V. 245
junceus β V. 237
lacerus Lindl. V. 231
laevigatus Lam. V. 236
laevigatus Pursh V. 239
laevigatus *W.* V. 246
laevis Dietr. V. 247
laevis *L.* V. 246
laevis Vahl V. 238
Lamarckianus *Nees* V. 241
lanceolatus Lejeun. V. 240
lanceolatus Nutt. V. 237
lanceolatus *W.* V. 240
lanuginosus Wendl. V. 220
latifolius Desf. V. 264
lavendulaceus W. herb. V. 274
laxifolius *Nees* V. 236
β salicifolius *Lindl.* V. 236
γ carneus - - -
laxus *W.* V. 240
β Nees V. 240
ledifolius Cunningh. V. 269
ledifolius Pursh V. 257
lepidophyllus Pers. V. 270
leptophyllus Desf. V. 256
leptophyllus Fisch. V. 257
leptophyllus hort. Paris. V. 242
leucanthemus *Desf.* V. 240
linroides Mühl. V. 230
Lima *Lindl.* V. 230
linarifolius Mx. V. 278
linariifolius L. V. 277
linifolius Burm. VI. 398, 400
linifolius L. V. 255
linoides hort. Gaybac. V. 231
Linosyris Bernh. V. 352
liratus Sims V. 267
lithospermifolius hort. Paris. V. 259

Aster
longicaulis Dufour V. 253
longifolius Desf. V. 254
longifolius *Lam.* V. 239
β major *W.* - -
γ eminens *Nees* - -
δ densiflorus - - -
ε laevigatus - - -
ζ breviramens - - -
η albiflorus - - -
longifolius Nees V. 236
lucidus *Wender.* V. 247
lusitanicus Brot. V. 257
luxurians *Nees.* V. 238
luxurians Spr. V. 238
macrophyllus L. V. 265
macrophyllus Raf. V. 264
macrophyllus var. Van Roy V. 264
macrophyllus carneus Hortul. V 265
macrorhizus Cunningh. V 260
macrorhizus Thunb. V. 219
magellanicus Spr. V. 216
marginatus *H. B. et K.* V. 247
marylandicus Mx. V. 261
maximus Less. V. 285
Menziesii *Lindl.* V 243
mespilifolius Less. V. 321
microphyllus Lahill. V. 270
microphyllus *Torr* V. 244
microphyllus Vent. V. 270
miser Ait. V 240
miser hort. Paris. V. 244
miser *L.* V. 243
β myrtifolius *DC.* V. 243
γ abbreviatus - - -
modestus *Lindl.* V. 231
molliusculus Wall. V. 277
montanus All. V. 468
montanus R. Br. V. 229
montanus *Nutt.* V. 233
monticola Lindl. V. 287
muranensis H. B. et K. V. 273
multiceps *Lindl.* V. 237
multiflorus *Ait* V. 243
β ciliatus *Nees* V. 244
multiflorus Nees V. 243
multiradiatus Wall. V. 299
mutabilis *Ait.* V. 245
[illegible]*is L.* V. 239
[illegible]*des Lahill.* V. 268
[illegible]*us W.* V. 243
[illegible] *Meyer* V. 218
[illegible]*s Ait.* V. 257
DC. V. 247

Aster
nivalis Adams V. 2
Novae Angliae *Ait.* V
α agrestis *Nees* V. 23
β hortensis - - 23
γ roseus *DC.* - -
Novae Angliae Ell.
Novae Angliae Herr
Novae Angliae L. V
Novae Belgiae Herr
Novi Belgii L. V. 2
Novi Belgii *Nees* V.
α amplifolius - -
β squarrosus - -
γ serus - -
δ floribundus *DC.* -
Novi Belgii W. V.
Novi Belgii var. Ne
Novi Belgii minor N
nudicaulis Comm. V
nudiflorus *Nutt.* V. 2
obliquus Lindl. V. 2
obliquus *Nees* V. 237
β *Nees* V. 237
oblongifolius *Nutt.* V
obovatus Ell. V. 273
obovatus Meyer V.
obtusatus W. V. 27
ochraceus H. B. et K
odontophyllus Wall
odorus All. V. 479
officinalis All. V. 48
onustus *Nees* V. 245
β squarrosus *Nees* V 24
oppositifolius L. V.
pallens W. V. 234
paludosus Ait. V. 26
paniculatus *Ait.* V. 23
paniculatus Lam. V
paniculatus W. V. 2
pannonicus Jacq. V
papposus W. VII. 13
parviflorus *Nees* V. 24
patens *Ait.* V. 232
patens α et β Nees V
patentissimus *Lindl.* V
patulus *Lam.* V. 234
β *DC.* V. 234
pauciflorus Lindl. V
pauciflorus Nutt. V
pedunculatus Wall.
pellitus *H. B. et K.* V
pendulus *Ait.* V. 243
peregrinus herb. P
peregrinus *Pursh* V. 2

Pers. V. 401
DC. V. 409
...our. V. 447
...rs. V. 428
Pers. V. 405
...ers. V. 424
... DC. V. 404
- - - -
... DC. V. 419 *)
...sis Pers. V. 68
DC. V. 403
H. B. et K. V. 418
...ers. V. 402
... Mx. V. 408
... Vahl V. 406
DC. V. 418
- - - -
... Less. V. 418
...our. V. 389
B. et K. V. 408
DC. V. 405
C. V. 399
H. B. et K. V. 407
et Pav. V. 403
DC. V. 408
DC. V. 413
Don VII. 282
V. 419
...ides DC. V. 414
H. B. et K. V. 417
DC. V. 423
H. B. et K. V. 419
...rs. V. 426
Pers. V. 428
DC. V. 400
... Pers. V. 408
Gaud. V. 406
Pers. V. 409
Poepp. V. 411
Vahl V. 409
...a DC. V. 409
Trev. V. 384
V. 425
DC. VII. 282
...rs. V. 399
DC. V. 404
Poepp. V. 425
Burm. V. 387
... DC. V. 410
410
V. 415
V. 428
...rogn. VII. 282

Baccharis
vaccinioides *H. B. et K.* V. 422
Vahlii *DC.* V. 411
Vauthieri *DC.* V. 409
velutina *DC.* V. 415
veneta *H. B. et K.* V. 428
venosa *DC.* V. 425
venosa Poepp. V. 425
venulosa *DC.* V. 421
venusta *H. B. et K.* V. 400
vernonioides *DC.* V. 422
villosa *Vahl* V. 427
viminea *DC.* V. 400
virgata Bojer V. 385
viscosa Walt. V. 451
vismioides *DC.* V. 412
volubilis *H. B. et K.* V. 417
xalapensis *H. B. et K.* V. 411
Baccharoides L. V. 60 *DC.* VII. 27 (Proustia)
anthelminthica Moench V. 61
Baeria *Fisch. et Mey.* VII. 254
chrysostoma *Fisch. et Mey.* VII. 254
Bahia *Lag.* V. 656
achilleoides *DC.* V. 657
ambrosioides *Lag.* V. 657
angustifolia *DC* V. 656
artemisiaefolia *Less.* V. 657
β Douglasii *DC.* V. 657
confertiflora *DC.* V. 657
integrifolia *DC.* V. 656
lanata *DC.* V. 657
leucophylla *DC.* V. 657
oppositifolia *DC.* V. 656
sinuata *Less.* V. 656
stoechadifolia *DC.* V. 656
β californica - - -
tenuifolia *DC.* V. 657
trolliifolia *DC.* V 657
Baillieria Cass. V. 506
aspera Aubl. V. 506
Barbasco H. B. et K. V. 507
commelinoides Less. V. 506
erosa Spr. V. 506
neriifolia H. B. et K. V. 507
pedunculosa Spr. V. 507
sylvestris Aubl. V. 506
terebinthinacea Spr. V. 506
Balbisia *DC.* VI. 447 *W.* V. 679
Berterii *DC.* VI. 447
Caledoniae Spr. V. 267
canescens Pers. V. 679
divaricata Cass. V. 679
elongata W. V. 679
pedunculata Hoffmanns. V. 679

Aster
sibiricus β Nees V. 230
— *γ* - - 229
silenifolius *Turcz.* V. 227
simplex *W.* V. 239
sinuatus Cunningh. V. 272
solidagineus M.r. V. 261
solidaginoides W. V. 261
sparsiflorus Mx. V. 242
sparsiflorus Pursh V. 254
sparsiflorus W. V. 242
spathularis Brouss. V. 315
spathulatus hort. Madr. V. 315
spathulatus *Lindl.* V. 231
speciosus Horn. V. 230
spectabilis *Ait.* V. 230
β bellidifolius *Nutt.* V. 230
spectabilis W. V. 230, 239
spurius W. V. 231
squarrosulus *Nees* V. 239
β albiflorus - - -
squarrosus All. V. 467
squarrosus *Walt.* V. 243
stellulatus Labill. V. 272
stenophyllus *Lindl.* V. 242
strictus *Poir.* V. 245
β angustifolius *Lindl.* V. 245
strictus Pursh V. 230, 245
strictus Wender. V. 256
strigosus Licht. V. 225
strigosus Thunb. V. 214
subasper *Lindl.* V. 237
subcymosus Bernh. V. 264
subspicatus *Nees* V. 237
subulatus hort. Paris. V. 242
subulatus M.r. V. 254
surculosus Ell. V. 230
surculosus *Mx.* V. 230
β *DC.* V. 230
tanacetifolius H. B. et K. V. 262
tardiflorus L. V. 231
tardiflorus *Nees* V. 238
β caespitosus *Lindl.* V. 238
tataricus *L. fil.* V. 230
tenellus L. V. 219
tenellus Thunb. V. 219
tenerrimus Less. V. 262
tenuifolius *L.* V. 244
β et γ *Nees* V. 245
tenuifolius L. herb. V. 257
tenuifolius Moessl. V. 245
tenuifolius W. V. 242

Aster
thyrsiflorus *Hoffm.*
β squarrosus *Lindl.*
Tilesii Wickst. V
tomentellus *Hook.*
tomentosus E. Me
tomentosus Schra
tortifolius Mx. V
Tradescanti Hoff
Tradescanti *L.* V. 2
Tradescanti Nees
trinervis hort. Pa
trinervis R. et Pa
trinervis var. α
trinervius Roxb.
Tripolium MB. V
Tripolium Ledeb.
Tripolium L. V. 2
Tripolium Walt.
turbinellus *Lindl.*
umbellatus Ait. V
unalaschkensis *Less*
undulatus L. V. 2
undulus Moench
uniflorus Mx. V.
urophyllus *Lindl.*
Vaillantii All. V.
vernus L. V. 299
vernus Pers. V. 2
versicolor Hortul
versicolor *W.* V. 2
villosus Mx. V. 24
villosus Thunb. V
vimineus Lam. V.
vimineus *W.* V. 23
β glaber *DC.* V. 236
virgatus Nees V.
virgineus Nees V.
viscosus Labill. V
Zeyheri Less. V. 2
ASTEREAE *DC.* V. 21
ASTERINEAE *DC.* V.
Asteringa cotuloide

Asteriscus *Moench* V
aquaticus *Moench*
aquaticus γ pyg

graveolens *DC.* V.
imbricatus *DC.* V.
lanuginosus *Auch.*
maritimus *Moench*
odorus *DC.* V. 486
sericeus *DC.* V. 486
α latifolius *DC.* V. 4

idia *DC.* V. 486
yllus - - -
EAE *Less. DC.* V. 8, 211
Tourn. V. 433, 485, 486
Blum. V. 302
um. V. 303
Less. V. 260 VII. 277
ala *Less.* V. 260
us Less. Faill. VI. 278
DC. VI. 278 (Leyssera)
ia Gaertn. VI. 278
a *Less.* VII. 299
oides *Less.* VII. 300
Cass. VII. 127
Cass. VII. 127
Cass. VII. 127
Don. DC. VII. 189 (Sonchus)
Veck. VI. 548
ss. VI. 86 *L.* VI. 84, , 86, 90 *Walt.* V. 680
. VI. 84
Thunb. VI. 91
Thunb. VI. 88
Berg. VI. 86
L. VI. 86
L. VI. 87
VI. 88
L. VI. 89
Lam. VI. 89
DC. VI. 88
ormis Comm. V. 314
Burm. VI. 91
L. VI. 91
DC. VI. 87
E. Meyer VI. 87
oda *DC.* VI. 88
a - - -
E. Meyer - -
DC. VI. 89
rata *DC.* VI. 89
L. VI. 87
Thunb. VI. 91
E. Meyer VI. 91
Thunb. VI. 88
hala *DC.* VI. 88
lia L. V. 288
hunb. VI. 87, 89
DC. VI. 88
E. Meyer VI. 288
lia Walt. V. 680

Athanasia
hastata Walt. V. 545
hirsuta *Thunb.* VI. 90
hirsuta Zeyh. VI. 137
indica Hamilt. VI. 558
laevigata L. VI. 91
lanuginosa Cav. VI. 86
linifolia L. VI. 92
longifolia *Lam.* VI. 89
longifolia Lam. VI. 92
maritima L. VI. 34
microphylla *DC.* VI. 87
obovata Walt. V. 680
pachycephala *DC* VI 88
palmatifida *DC.* VI. 89
parviflora L. VI. 85
parviflora Thunb. VI. 85
pectinata L. VI. 92
pinnata L. VI. 92
pinnata E. Meyer VI. 85
pubescens *L.* VI. 88
β *DC.* VI. 88
pubescens Thunb. VI. 87
pumila L. VI. 290
punctata Berg. VI. 86
quinquedentata *Thunb.* VI. 90
quinquedentata Thunb. VI. 88
rotundifolia *DC.* VI. 87
rugulosa *E. Meyer* VI. 87
salicifolia *Dietr.* VI. 90
scariosa *DC.* VI. 88
sertulifera *DC.* VI. 87
sessiliflora L. fil. VI. 290
squarrosa L. VI. 286
tanacetifolia Roth VI. 85
tomentosa *Thunb.* VI. 87
tricuspis Poir. VI. 89
trifurcata *L.* VI. 89
β tricuspis *DC.* VI. 89
trifurcata Thunb. VI. 89
trinervia Walt. V. 680
uniflora L. VI. 288
virgata *Jacq.* VI. 89
β glabra *DC.* VI. 89

ATHANASIEAE *Less. DC.* V. 499 VI. 84
Athanasioides DC. VI. 91 (Morysia)
Athennea Adans. V. 11
Athrixia *Ker.* VI. 276
angustissima *DC.* VI. 277
capensis *Bot. Reg.* VI. 276
β latifolia *DC.* VI. 277
debilis *DC.* VI. 276
ericaefolia *DC.* VI. 277

Athrixia
heterophylla *Less.* VI. 277
phylicoides *DC.* VI. 277
sessilifolia *DC.* VI. 277
tomentosa Less. VI. 280
Athroisma *DC.* V. 368
laciniatum *DC.* V. 369
Athronia Neck. V. 620
Atractylis *L.* VI. 549 *Cass.* VI. 550 *Vaill.* VI. 610
angustifolia Houtt. VI. 506
armena Poir. VI. 613
cancellata *L.* VI. 550
caespitosa *Desf.* VI. 550
chinensis *DC.* VI. 549
comosa *Sieb.* VI. 550
flava *Desf.* VI. 551
fusus-agrestis Gaertn. VI. 610
humilis *L.* VI. 550
humilis Sieb. VI. 551
humilis β L. VI. 551
lanata Scop. VI. 610
leucophaea Gaertn. VI. 610
mexicana L. fil. VII. 22
oppositifolia L. VI. 506
pilosa Moench VI. 610
purpurata L. fil. VII. 34
radiciflora *DC.* VI. 551
rigida Poir. VI. 611
serratuloides *Sieb.* VI. 550
speciosa *DC.* VI. 549
Atractylodes *DC.* VII. 48
lancea *Thunb.* VII. 48
ovata *Thunb.* VII. 48
Atraxyle DC. VI. 610 (Kentrophyllum)
Auchera *DC.* VI. 557
orientalis *DC.* VI. 557
Augusta Leand. VII. 26
grandiflora Leand. VII. 26
parviflora Leand. VII. 26
Aulacophora DC. VI. 330 (Cacalia)
Aurelia Cass. V. 314
amplexicaulis Cass. V. 315
decurrens Cass. V. 314

B

Babounya DC. VI. 36 (Santolina)
Bacasia R. et Pav. DC. VII. 3 (Baccharidesia)
corymbosa R. et Pav. VII. 3
lanceolata R. et Pav. VII. 3
Bacasia
spinosa R. et P
BACCHAREAE *DC.*
BACCHARIDEAE *L.*
Baccharis *L.* V. 38
absinthoides H.
adnata W. V.
adscendens *Pers*
aegyptiaca Per
affinis *DC.* V. 4
Alamani *DC.* V.
alaternoides *H. B.*
alaternoides P
alpina *H. B. et*
altissima Bojer
amplexicaulis
angustifolia D
angustifolia *Mx.*
anomala *DC.* V.
aphylla *DC.* V.
arborea *L.* V. 4
arborescens D
arbutifolia *H. B.*
arbutifolia Va
arguta Pers. V
articulata *Pers.*
aruncа Schrad
assuensis *H. B.*
asteroides Coll.
attenuata Boja
auriculata W.
avicenniaefolia *D*
axillaris *DC.* V
β dentata - -
γ acutiloba - -
banksiaefolia
berberifolia *H.*
Blanchetiana *DC.*
bogotensis *H. B.*
brachylaenoides
bracteolata *DC.*
brevifolia *DC.* V.
breviseta *DC.* V.
bryoides *Pers.* V
buddleioides *H.*
buxifolia *Pers.* V
caespitosa Pers
calvescens *DC.* V
camporum *DC.* V
canescens *Spr.* V
capitata *H. B. et*
caprariaefolia *DC*
cassinaefolia *DC.*
cassinoides *DC.*

l. B. et K. V. 602
Thuil. V. 594
s H. B. et K. V. 598
s Poepp. V. 604
W. V. 598
DC. V. 605
DC. V. 597
rma Fisch. V. 602
s Perrot. V. 631
ica Spr. V. 604
midii Turcz. V. 602
s Gaudich. V. 593
. V. 594, 595
Desf. V. 602
V. 545
lt. V. 545
. V. 595
donicae Forst. VII. 290
Lam. V. 625
s. V. 603
lum. V. 602
DC. V. 600
Hook. et Arn. V. 604
P. V. 602
Poir. V. 602
s Gaudich. V. 598
. 597
s Forst. V. 593
s Wall. V. 632 VII. 291
s Spr. V. 601
m V. 603
H. B. et K. V. 596
C. V. 604
da DC. V. 604
ris DC. V. 600
a DC. V. 595
huil. V. 594
Wall. V. 551
nk V. 597
s V. 595
B. et K. V. 601
B. et K. V. 598
s Cav. V. 599
sis Less. V. 598
L. V. 493
Sw. V. 493
H. B. et K. V. 602
. V. 597
s Desf. V. 602
B. et K. V. 599
Less. V. 599
t. V. 597
DC. V. 600

Bidens
sundaica *Blum.* V. 598
tenella *L.* V. 605
tenuifolia Labill. V. 632
tereticaulis *DC.* V. 598
tetragona *DC.* V. 596
tripartita *L.* V. 594
β pinnatifida *Turcz.* V. 594
γ hybrida *DC.* V. 594
δ tenuis - - -
tripartita Roxb. V. 596
tripartita Wall. V. 598
tripartita β indivisa DC. VII. 290
triplinervia *H. B. et K.* V. 596
valparadisiaca Colla V. 604
verticillata *L.* V. 605
Wallichii *DC.* V. 598
BIDENTIDEAE *Less. DC.* V. 498, 593
Bigelowia *DC.* V. 329
dracunculoides *DC.* V. 329
missouriensis *DC.* V. 329
nudata *DC.* V. 329
uniligulata *DC.* V. 329
virgata *DC.* V. 329
viscidiflora *DC.* VII. 279
Biotia *DC.* V. 264 *Cass.* V. 691
commixta *DC.* V. 265
corymbosa *DC.* V. 265
β alata *Bartl.* V. 265
glomerata *DC.* V. 265
latifolia *DC.* V. 264
macrophylla *DC.* V. 265
β divaricata - - -
Schreberi *DC.* V. 264
Schreberi var. Lindl. V. 264
Blainvillea *Cass.* V. 492
biaristata *DC.* V. 492
Gayana *Cass.* V. 492
latifolia *DC.* V. 492
β angustifolia *DC.* V. 492
Prieureana *DC.* V. 492
rhomboidea *Cass.* V. 492
β lanceolata *DC.* V. 492
Blanchetia *DC.* V. 75 VII. 308
heterotricha *DC.* V. 75
Blaxium Cass. VI. 70 *DC.* VI. 71 (Dimorphotheca)
decumbens Cass. VI. 71
Blennosperma *Less.* VII. 288
anthemifolium (sub Apalo) *DC.* V. 508
chilense *Less.* VII. 288
Blepharipappus *Hook.* V. 679

Baccharis
longipes *Kunze* V. 401
Lundii DC. V. 404
lycopodioides Pers. VI. 293
macrantha *H. B. et K.* V. 417
madagascariensis Pers. V. 320
magellanica *Pers.* V. 405
marginalis *DC.* V. 402
medullosa *DC.* V. 405
megapotamica *Spr.* V. 422
mesoneura *DC.* V. 412
micrantha *H. B. et K.* V. 418
microcephala *DC.* V. 425
microdonta *DC.* V. 416
microphylla *DC.* V. 406 *)
microphylla *H. B. et K.* V. 407
milleflora *DC.* V. 426
mollis *H. B. et K.* V. 414
montana *DC.* V. 404
montevidensis Spr. V. 29
mucronata Hook. et Arn. V. 414 VII. 280
mucronata *H. B. et K.* V. 418
multiflora *H. B. et K.* V. 419
myriocephala *DC.* V. 426
myrsinites *Pers.* V. 419 VII. 282
Neaei *DC.* V. 411.
nerifolia L. V. 430
nervosa *DC.* V. 399
nitida *Pers.* V. 421
nitida Wall. V. 445
nuda *DC.* V. 424
oblongifolia *Spr.* V. 420
β glabriuscula *DC.* V. 420
obovata *DC.* V. 408
obovata Hook et Arn. V. 410
obtusifolia *H. B. et K.* V. 406
odorata *H. B. et K.* V. 407
orgyalis *DC.* V. 416
oronocensis *DC.* V. 422
ovalis Pers. V. 450
ovata Sieb. V. 450
oxyodonta *DC.* V. 404
oxyphylla *DC.* V. 400
paniculata *DC.* V. 420
parviflora Pers. V. 402
parviflora Poir. V. 418
parvifolia *DC.* V. 424
paucidentata *DC.* V. 420
pauciflosculosa *DC.* V. 413
β puncticulata - - -
pedicellata *DC.* V. 407

*) conf. Praefatio.

Baccharis
pentaptera *DC.*
Pentlandii *DC.*
petiolata *DC.* V.
philippensis *H.*
phlogopappa *DC.*
phylicaefolia *DC.*
phylicoides *H. B.*
phyteumoides *D.*
pilularis *DC.* V.
Pingraea *DC.* V.
α latifolia *DC.*
β angustifolia -
platensis *Spr.*
platypoda *DC.*
Poeppigiana *DC.*
polyantha *H. B.*
polyantha Spr.
polygalaefolia *H.*
polyptera *DC.*
prinoides *H. B.*
prostrata *Pers.*
prunifolia *H. B.*
ptarmicaefolia *D.*
Pterocaulon
pteronioides *DC.*
puberula *DC.* V.
punctigera *DC.*
punctulata *DC.*
quadrinervia *Per.*
quinquenervis *D.*
quitensis *H. B.*
racemosa *DC.* V.
radicans *DC.* V.
rapunculoides
resiniflua *Hochst.*
resinosa Hook.
resinosa *H. B. et*
retusa *DC.* V. 4
reticularia *DC.*
revoluta *H. B. et*
rhexioides *H. B.*
rigida Hook. et
riparia *H. B. et*
riparia Poepp.
rosmarinifolia *Hs*
β subsinuata *DC.*
rotundifolia *Spr.*
rufescens *Spr.*
rugosa W. her.
rupicola *H. B. et*
sagittalis *DC.* V.
β Poeppigii *DC.*

Pers. V. 401
DC. V. 409
Lour. V. 447
Pers. V. 428
Pers. V. 405
Pers. V. 424
DC. V. 404
- - -
DC. V. 419 *)
Pers. V. 68
DC. V. 403
H. B. et K. V. 418
Pers. V. 402
Mx. V. 408
Vahl V. 406
DC. V. 418
- - -
Less. V. 418
Lour. V. 389
B. et K. V. 408
DC. V. 405
V. 399
B. et K. V. 407
et Pav. V. 403
DC. V. 408
DC. V. 413
Lam VII. 282
V. 419
Les DC. V. 414
H. B. et K. V. 417
V. 423
B. et K. V. 419
s. V. 426
rs. V. 428
DC. V. 400
Pers. V. 408
Gaud. V. 406
Pers. V. 409
Poepp. V. 411
hl V. 409
DC. V. 409
Trev. V. 384
V. 425
DC. VII. 282
V. 399
DC. V. 404
Poepp. V. 425
Lorm. V. 387
DC. V. 410
410
V. 415
V. 428
Vogn. VII. 282

Baccharis
vaccinioides *H. B. et K.* V. 422
Vahlii *DC.* V. 411
Vauthieri *DC.* V. 409
velutina *DC.* V. 415
veneta *H. B. et K.* V. 428
venosa *DC.* V. 425
venosa Poepp. V. 425
venulosa *DC.* V. 421
venusta *H. B. et K.* V. 400
vernonioides *DC.* V. 422
villosa *Vahl* V. 427
viminea *DC.* V. 400
virgata Bojer V. 385
viscosa Walt. V. 451
vismioides *DC.* V. 412
volubilis *H. B. et K.* V. 417
xalapensis *H. B. et K.* V. 411
Baccharoides L. V. 60 *DC.* VII. 27 (Proustia)
anthelminthica Moench V. 61
Baeria *Fisch. et Mey.* VII. 254
chrysostoma *Fisch. et Mey.* VII. 254
Bahia *Lag.* V. 656
achilleoides *DC.* V. 657
ambrosioides *Lag.* V. 657
angustifolia *DC* V. 656
artemisiaefolia *Less.* V. 657
β Douglasii *DC.* V. 657
confertiflora *DC.* V. 657
integrifolia *DC.* V. 656
lanata *DC.* V. 657
leucophylla *DC.* V. 657
oppositifolia *DC.* V. 656
sinuata *Less.* V. 656
stoechadifolia *DC.* V. 656
β californica - - -
tenuifolia *DC.* V. 657
trolliifolia *DC.* V 657
Baillieria Cass. V. 506
aspera Auhl. V. 506
Barbasco H. B. et K. V. 507
commelinoides Less. V. 506
erosa Spr. V. 506
neriifolia H. B. et K. V. 507
pedunculosa Spr. V. 507
sylvestris Auhl. V. 506
terebinthinacea Spr. V. 506
Balbisia *DC.* VI. 447 *W.* V. 679
Berterii *DC.* VI. 447
Caledoniae Spr. V. 267
canescens Pers. V. 679
divaricata Cass. V. 679
elongata W. V. 679
pedunculata Hoffmanns. V. 679

Balbisia
suffruticosa Distr. V. 267
BALBISIEAE *DC.* V. 390 VI. 447
Baldingeria Nock. VI. 77
Balduina *Nutt.* V. 652 *DC.* V. 653 (Balduina)
multiflora *Nutt.* V. 653
uniflora *Nutt.* V. 653
Balsamita Desf. VI. 62 *Less. Auct.* VI. 135 *DC.* VI. 62 (Pyrethrum)
ageratifolia Desf. VI. 135
annua DC. fl. fr. VI. 131
Audibertii Requien VI. 131
corymbosa Salzm. VI. 135
dentata Wall. V. 309
flabelliformis Pers. VI. 137
grandiflora Desf. VI. 135
major Dod. VI. 63
mas Blackw. VI. 63
multifida Roj-Clem. VI. 679
suaveolens Pers. VI. 63
tridentata Delil. VI. 139
virgata Desf. VI. 135
vulgaris W. VI. 63
Balsamorhiza Hook. V. 551 *DC.* 551 (Heliopsis)
Baltimora L. V. 509
alba Pers. V. 510
recta L. V. 510
trinervata Moench V. 510
BALTIMOREAE Cass. V. 500
Barbellina Cass. DC. VI. 544 (Stachelina)
sericea Cass. VI. 544
Barkhausia *Moench* VII. 152 *Nutt.* VII. 144
aculeata *DC.* VII. 159
albida *Cass* VII. 152
alpina *DC.* VII. 183
aspargioides Duby VII. 150
aspera Reich. VII. 179
Balbisiana *DC.* VII. 155
bellidifolia *DC.* VII. 156
bursifolia *Spr.* VII. 155
byzantina *DC.* VII. 158
Candollei *Spr.* VII. 159
caroliniana Nutt. VII. 144
chondrilloides Bluff et Fing. VII. 172
comata *Lowe* VII. 157
divaricata *Lowe* VII. 157
α robusta - - -
β parvula - - -
dubia *Lowe* VII. 157
fluxuosa *DC.* VII. 156
foetida *DC.* VII. 159

Barkhausia
glandulosa *Pre*
β pinnatipartita
graveolens *Lin.*
Haenseleri *Boiss.*
hiemalis Spr.
hieracioides *Lo*
hispida Reich
intybacea DC
juvenalis *Delil.*
laciniata *Lowe*
α pinnatifida *Lo*
β integrifolia
Leontodon D
leontodontoides
β *Reich.* VII. 1
Lessingii Hoo
macrophylla *Sp*
Marschallii *C. A*
muricata Spr
nana *DC.* VII.
β lyratifolia *Tu*
paludosa Bas
pinguis *Reich.*
porrifolia *DC.*
prostrata *Dun*
purpurea *Biv.*
raphanifolia
raphanifolia *Sp*
recognita *DC.*
reflexa Presl.
repens *Spr.* VI
rhoeadifolia *M*
Roylei *DC.* VII
rubra *Moench*
sardoa *Spr.* VI
scaligera K
scariosa Mœn
scariosa *Reich.*
senecioides *Spr*
β minima *Schim*
setosa *DC.* VII.
β subintegrifolia
setosa Reich.
spathulata *Spr.*
Suffreniana *DC.*
taraxacifolia *DC.*
β praecox *Duby*
γ latybracea -
δ ramosissima *D*
ε hiemalis -
taraxacifolia
taraxacoides *DC.*
tenerrima *Tin.*
tenerrima Tin

ısia
lolia DC. VII. 155
icolor Spr. VII. 151
ria Spr. VII. 153
lia Hart. et Rent. VII. 158
mis Hopp. VII. 152
a L. fil. VII. 2
H. B. et K. VII. 3
a Don VII. 3
a Less. VII. 2
Don VII. 3
VII. 3
VII. 3
on VII. 3
l. VII. 2
VII. 3
k. VII. 10
DC. VII. 1
ns V. 641, 679
t. VI. 504 Less. DC.
VI. 505 (Berkheya)
utt. VI. 507
. 70
. V. 70
. V. 71
VI. 441
I. 441
I. 441
Rauw. VI. 567
ndolleanum Arn. VII. 292
VII. 88
V. 212, 304
ntanus Dumort. VII. 271
chel. V. 226 Vaill. VI. 290
V. 226
Hoppe V. 226
ess. VI. 291
C. VI. 291 (Osmites)
V. 212, 302
ill. V. 305
4
7. 304
l. V. 306
. 304
Gou. V. 303
bill. V. 307
s. V. 308
am. V. 305
. V. 304
DC. V. 307
s Triumf. V. 304

Bellis
pappulosa *Boiss.* VII. 276
perennis *L.* V. 304
β integrifolia *DC.* V. 305
pilosa Blum. V. 308
ramosa Jacq. V. 490
ramosa Lam. V. 304
repens Lam. V. 304
spinosa P. Alp. VI. 135
stipitata Labill. V. 307
sylvestris *Cyr.* V. 305
β hybrida *Ten.* V. 305
Bellium *L.* V. 303
annuum Less. V. 304
bellidioides Desf. V. 304
bellidioides *L.* V. 303
crassifolium *Moris* V. 303
dentatum Viv V. 304
giganteum Cass. V. 303
minutum *L.* V. 303
nivale *Requien* V. 303
rotundifolium *DC.* V. 303
Benedicta DC. VI. 533 (Saussurea)
Bennetia Gray VI. 531
alpina a Gray VI. 535
Berardia Vill. VI. 542
subacaulis Vill. VI. 543
Berckheya Ehrh. VI. 504
Berinia andryaloides Brign. VII. 172
Berkheya *Less.* VI. 504
albida Licht. VII. 36
bisulca W. VI. 498
canescens *DC.* VI. 507
carduiformis *DC.* VI. 507
carlinoides *W.* VI. 505
carthamoides *W.* VI. 505
cernua R. Br. VI. 504
ciliaris W. VI. 499
corymbosa *DC.* VI. 507
cruciata *W.* VI. 506
cuneata *W.* VI. 506
cynaroides *W.* VI. 504
decurrens W. VI. 497
eryngiifolia *Less.* VI. 505
fruticosa *Ehrh.* VI. 506
grandiflora *W.* VI. 506
β angustifolia *DC.* VI. 506
γ verticillata - - -
δ spinosissima - - -
hispida W. VI. 499
incana W. VI. 506
lanceolata *W.* VI. 506
obovata *W.* VI. 507
palmata *W.* VI. 505

Berkheya
patula W. VI. 498
pectinata W. VI. 499
pinnata *Less.* VI. 505
pungens *W.* VI. 505
scolymoides *DC.* VI. 504
setifera *DC.* VI. 507
setosa W. VI. 499
spinosissima W. VI. 506
squarrosa W. VI. 498
squarrosa W. herb. VI. 498
sulcata W. VI. 498
umbellata *DC.* VI. 507
uniflora *W.* VI. 505
Berkheyoides Less. DC. VI. 497 (Stephanocoma)
Berlandiera *DC.* V. 517
texana *DC.* V. 517
Berniera *DC.* VII. 18
nepalensis *DC.* VII. 18
Berthelotia *DC.* V. 375
lanceolata *DC.* V. 376
α senegalensis *DC.* V. 376
β indica - - -
Bethencourtia Chois. VI. 411
palmensis Chois. VI. 411
Bichenia Don Less. DC. VII. 29 (Chaetanthera)
aurea Don VII. 29
cineraria Don VII. 21
dealbata Don VI. 29
plicata Don VII. 21
sinuata Gill. et Don VII. 20
Bidens *L.* V. 593
Abadiae *DC.* V. 601
acmelloides Berg V. 624
alba *DC.* V. 605
alausensis *H. B. et K.* V. 602
andicola *H. B et K.* V. 599
angustifolia Lam. V. 625
angustissima *H. B. et K.* V. 601
anthriscoides *DC.* V. 600
β angustiloba *DC.* V. 601
apiifolia L. V. 630
arborea Roxb. V. 502
arguta *H. B. et K.* V. 596
luxurians *W.* V. 596
atriplicifolia L. V. 106
australis Spr. V. 593
Bardana Wall. V. 631
Beckii *Torr.* V. 595
Berteriana Spr. V. 606
bipinnata Hook. et Arn. V. 604
bipinnata *L.* V. 603
brachycarpa *DC.* V. 600
Bidens
bullata *L.* V. 595
californica *DC.* V. 5
caracasana *DC.* V. 6
caucalidea *DC.* V. 6
cernua L. V. 594
cernua Schkuhr V
cernua tenuis Tu
cernua *W.* V. 594
α discoidea *DC.* V. 59
β radiata - - -
γ minima - - 59
chilensis *DC.* V. 603
β apiifolia *DC.* V. 60
chinensis herb. Pet
chinensis Wall. V.
chinensis W. V. 59
chrysantha *DC.* V. 6
chrysanthemoides *M*
chrysanthemoides
connata *Mühl.* V. 59
Coreopsidis *DC.* V. 5
β reptans - -
γ incisa - -
crithmifolia *H. B. et*
crocata Cav. V. 617
cynapiifolia *H. B. et*
daucifolia *DC.* V. 60
decolorata *H. B. et K*
decomposita *Wall.* V
decussata Pav. V.
delphinifolia *H. B. et*
dichotoma *Desf.* V
diversifolia Hortu
diversifolia W. her
dondiaefolia *Less.* V.
exaristata *DC.* V. 60
ferulaefolia *DC.* V. 6
fervida Lam. V. 62
foeniculifolia *DC.* V.
floribunda *H. B. et K*
frondosa *L.* V. 594
frondosa α Lam. V
frutescens Mill. V.
fruticosa *DC.* V. 596
fusca Lam. V. 624
glaberrima *DC.* V. 6
grandiflora *Balb.* V.
graveolens *Mart.* V.
helianthoides *H. B. e*
heterophylla *Ort.* V.
hirsuta Sw. V. 493
hirtella *H. B. et K.* V
hispida *H. B. et K.* V

?. et K. V. 602
ısil. V. 594
H. B. et K. V. 598
Poepp. V. 604
. V. 598
C. V. 605
L. V. 597
ıa Fisch. V. 602
Perrot. V. 631
a Spr. V. 604
ıidii Turcz. V. 602
Gaudich. V. 593
V. 594, 595
Desf. V. 602
545
t. V. 545
V. 595
loniae *Forst.* VII. 290
Lam. V. 625
V. 603
ım. V. 602
C. V. 600
ook. et Arn. V. 604
. V. 602
Poir. V. 602
Gaudich. V. 598
597
Forst. V. 593
Wall. V. 632 VII. 291
Spr. V. 601
V. 603
H. B. et K. V. 596
. V. 604
a DC. V. 604
s DC. V. 600
DC. V. 595
ısil. V. 594
Vall. V. 551
k V. 597
V. 595
. et K. V. 601
B. et K. V. 598
Cav. V. 599
is Less. V. 598
. V. 493
w. V. 493
. B. et K. V. 602
V. 597
Desf. V. 602
B. et K. V. 599
Less. V. 599
t. V. 597
DC. V. 600

Bidens
sundaica *Blum.* V. 598
tenella *L.* V. 605
tenuifolia Labill. V. 632
tereticaulis *DC.* V. 598
tetragona *DC.* V. 596
tripartita *L.* V. 594
β pinnatifida *Turcz.* V. 594
γ hybrida *DC.* V. 594
δ tenuis - - -
tripartita Roxb. V. 596
tripartita Wall. V. 598
tripartita β indivisa DC. VII. 290
triplinervia *H. B. et K.* V. 596
valparadisiaca Colla V. 604
verticillata *L.* V. 605
Wallichii *DC.* V. 598
BIDENTIDEAE *Less. DC.* V. 498, 593
Bigelowia *DC.* V. 329
dracunculoides *DC.* V. 329
missouriensis *DC.* V. 329
nudata *DC.* V. 329
uniligulata *DC.* V. 329
virgata *DC.* V. 329
viscidiflora *DC.* VII. 279
Biotia *DC.* V. 264 *Cass.* V. 691
commixta *DC.* V. 265
corymbosa *DC.* V. 265
β alata *Bartl.* V. 265
glomerata *DC.* V. 265
latifolia *DC.* V. 264
macrophylla *DC.* V. 265
β divaricata - - -
Schreberi *DC.* V. 264
Schreberi var. Lindl. V. 264
Blainvillea *Cass.* V. 492
biaristata *DC.* V. 492
Gayana *Cass.* V. 492
latifolia *DC.* V. 492
β angustifolia *DC.* V. 492
Prieureana *DC.* V. 492
rhomboidea *Cass.* V. 492
β lanceolata *DC.* V. 492
Blanchetia *DC.* V. 75 VII. 308
heterotricha *DC.* V. 75
Blaxium Cass. VI. 70 *DC.* VI. 71 (Dimorphotheca)
decumbens Cass. VI. 71
Blennosperma *Less.* VII. 288
anthemifolium (sub Apalo) *DC.* V. 508
chilense *Less.* VII. 288
Blepharipappus *Hook.* V. 679

Blepharipappus
glandulosus *Hook.* V. 679
scaber *Hook.* V. 680
Blepharispermum *Wight* V. 368
petiolare *DC.* V. 368
subsessile *DC.* V. 368
Blepharodon *DC.* V. 346 (Aplopappus)
Blepharolepis *DC.* VI. 193 (Helichrysum)
Blumea *DC.* V. 432
acutata *DC.* V. 438
β *DC.* V. 438
alata *DC.* V. 448
β cernua *DC.* V. 448
γ natalensis - - -
amplectens *DC.* V. 433
anagallidifolia *DC.* V. 433
appendiculata *DC.* V. 447
arenaria *DC.* V. 433
aromatica *DC.* V. 446
aurita *DC.* V. 449
β aegyptiaca *DC.* V. 449
γ Berteriana - - -
axillaris *DC.* V. 434
balsamifera *DC.* V. 447
barbata *DC.* V. 434
Belangeriana *DC.* V. 444
bifoliata *DC.* V. 434
cernua *DC.* V. 436
Chamissoniana *DC.* V. 434
chinensis *DC.* V. 444
chinensis *Hook. et Arn.* VII. 283*)
cichoriifolia *DC.* V. 437
cinerascens *DC.* V. 438
crepidifolia *DC.* V. 437
cuneifolia *DC.* V. 441
Cunninghami *DC.* V. 435
densiflora *DC.* V. 446
Dregeana *DC.* V. 436
β gracilis - - -
elongata *DC.* V. 445
eriantha *DC.* V. 444
excisa *DC.* V. 446
fasciculata *DC.* V. 442
flava *DC.* V. 439
β subnuda *DC.* V. 439
garlepina *DC.* V. 448
ndulosa *DC.* V. 438
ierata *DC.* V. 443
-
Blumea
glutinosa *DC.*
gracilis *DC.* V.
grandis *DC.* V.
guineensis *DC.*
β folioloza -
Hamiltoni *DC.*
Heyneana *DC.*
hieracifolia *DC.*
holosericea *DC.*
hymenophylla
β subpubescens
integrifolia *DC.*
lacera *DC.* V.
α Burmanni *D*
β Commersonii -
γ Wallichii -
δ Blumei -
laciniata *DC.* V
lactucaefolia *D*
lapsanoides *DC*
leptoclada *DC.*
Leschenaultiana
leucanthema *D*
longifolia *DC.*
macrophylla *D*
macrostachya *D*
manillensis *DC.*
membranacea *D*
muralis *DC.* V.
Musra *DC.* V.
myriocephala *D*
napifolia *DC.* V
obovata *DC.* V.
oligocephala *D*
oloptera *DC.* V
oxyodonta *DC.*
β tenera -
γ glabrata -
oxyodonta va
parvifolia *DC.*
paucifolia *DC.*
Perrottetiana *D*
phyllostachya *D*
procera *DC.* V.
pterodonta *DC.*
pubiflora *DC.*
purpurea *DC.*
racemosa *DC.*
riparia *DC.* V.
runcinata *DC.*
salvifolia *DC.* V
semivestita *DC.*
senecioides *DC.*
senegalensis *DC*

[redacted]

...ies *Decaisn.* V. 437
...ia *DC.* V. 447
...noides *DC.* V. 443
...lia *DC.* V. 438
...ia *DC.* V. 445
...a *DC.* V. 443
...ta *DC.* V. 439
...ex *DC.* V. 441
DC. V. 447
...C. V. 433
DC. V. 437
...a *DC.* V 436
...C. V. 437
...C. V. 440
...s *DC.* V. 447
...C. V. 442
V. 439
...C. V. 441
DC. V. 441
...C V. 435
...a *DC.* V. 435
...iensis - - -
var? DC. V. 436
...*in.* V. 554
W. V. 639 *W. Pers.*
...*C.* V. 640 (Dysodia)
fl. mexic. V. 639
...i *Spr.* V. 638
...*noides W.* V. 640
Pers. V. 640
fl. mexic. V. 640
...*dl.* V. 640
...*n Kunth* V. 639
...*n Less.* V. 639
...*Spr.* V. 640
...*ima Spr.* V. 640
Spr. V. 640
...*C.* V. 640 (Dysodia)
94
V. 94
...C. V. 10, 94
...*rit.* V. 301
...*ot. mag.* V. 301
Herit. V. 302
V. 301
Herit. V. 301
...*s DC.* V. 460 (Micropus)
... *Cass.* V. 1
V. 2 *Poepp. Less.* V. 2
...*p.* V. 2
Juss. V. 2
...*lia Juss.* V. 2
Poepp. V. 2

Borkhausia Boehm. Link VII. 152
Borrichia *Adans.* V. 488
arborescens *DC.* V. 489
argentea *DC.* V. 489
demissa *DC.* V. 489
frutescens *DC.* V. 489
β angustifolia *DC.* V. 489
peruviana *DC.* V. 489
Botriyadenia Gmelini Fisch. et Meyer V. 309
Brachanthemum *DC.* VI. 44
fruticulosum *DC.* VI. 45
Brachyachyris Spr. V. 312
Euthamiae Spr. V. 313
Brachyclados *Don* VII. 33
lycioides *Gill. et Don* VII. 33
Brachycome *Cass.* V. 305 VII. 276
Gaudich. V. 280
aculeata Less. V. 305
aculeata Sieb. V. 306
angustifolia *Cunningh.* V. 306 VII 278
Billardierii Cass. V. 306
ciliaris *Less.* V. 306 VII. 277
dentata Gaudich. V. 281
diversifolia *Fisch. et Meyer* VII. 276
glabra *Benth.* VII 276
heterodonta *DC.* V. 305 VII. 277
heterophylla *Benth.* VII. 277
iberidifolia *Benth.* VII. 276
leucanthemifolia *Benth.* VII. 277
linearifolia Benth. VII. 278
linearifolia *DC.* V. 306 VII. 278
marginata *Benth.* VII. 277
multifida *DC.* V. 306 VII. 277
oblongifolia *Benth.* VII. 277
scapiformis *DC.* V. 306 VII. 277
α puberula - - -
β glabra - - -
scapiformis β DC. VII. 277
scapigera *DC.* VII. 277
Sieberi *DC.* V. 306 VII. 277
β Gunnii - - -
spathulata Gaudich. V. 280
stricta *DC.* V. 305 VII. 277
tenera *Benth.* VII. 277
triloba Gaudich. V. 281
xanthocomoides Less. V. 310
Brachyderea Cass. DC. VII. 160 (Crepis)
rigida Cass. VII. 161
Brachyglossa DC. V. 265 (Eurybia)
Brachyglottis *Forst.* V. 210

Brachyglottis
Caledoniae *DC.* V. 211
Forsteri *DC.* V. 211
repanda *Forst.* V. 210
rotundifolia *Forst.* V. 210
Brachygyne Cass. VI. 147
Brachylaena *R. Br.* V. 429
dentata *DC.* V. 430
β salicina - - -
discolor *DC.* V. 430
elliptica *Less.* V. 430
grandifolia *DC.* V. 430
neriifolia *R. Br.* V. 430
racemosa *Less.* V. 430
Brachymeris *DC.* VI. 76
scoparia *DC.* VI. 76
Brachyramphus *DC.* VII. 176
caribaeus *DC.* VII. 177
goraeensis *DC.* VII. 177
intybaceus *DC.* VII. 177
obtusus *DC.* VII. 177
sonchifolius *DC.* VII. 177
taraxacoides *DC.* VII. 177
Brachyrhynchos *Less.* VI. 437
albicaulis *DC.* VI. 438
cymbalarifolius *DC.* VI. 438
α flavus - - -
β purpureus - - -
γ rotundifolius - - -
diversifolius *DC.* VI. 439
α obtusilobus - - -
β acutilobus - - -
γ cuneatus - - -
elongatus *Less.* VI. 439
eupatorioides *Less.* VI. 439
junceus *Less.* VI. 437
trachycarpos *DC.* VI. 438
tuberosus *DC.* VI. 438
Brachyris *Nutt.* V. 312 VII. 278
californica *DC.* V. 313
dracunculoides *DC.* V. 313
γ angustissima - - -
Euthamiae *Nutt.* V. 313
microcephala *DC.* V. 313 VII. 278
Neaeana *DC.* V. 313
ovatifolia *DC.* V. 313
paniculata *DC.* V. 313
ramosissima *Hook* VII. 278
Brachyscoma Cass. V. 305
Brachystephium *Less.* VI. 303 *)
leucanthemoides *Less.* VI. 304

*) cum Brachycoma conjungen- VII. 277, 299.

Brachystephium
leucanthemoides
scapigerum *DC.* V
scapigerum DC.
Brachystylis E. M.
scoparia E. Mey.
Brassavola Adans
Brauneria Neck.
Breea Less. VI. 64
Breteuillia Bucho
Brickellia cordif

Bridgesia Hook. V
Brocchia Vis. DC.

cinerea Vis. VI.
Brotera Spr. V. 6
corymbosa W. V
contrayerva Spr
Sprengelii Cass.
Broteroa *DC.* V. 63
trinervata *Pers.* V
Bubonium DC. V.
Bulbostylis *DC.* V.
Cavanillesii *DC.* V
diffusa *DC.* VII. 2
glabra *DC.* V. 139
hebecarpa *DC.* V.
lanata *DC.* VII. 2
nepetaefolia *DC.*
oliganthes *DC.* V.
pauciflora *DC.* V.
pedunculosa *DC.*
pendula *DC.* V. 1
reticulata *DC.* VII
secundiflora *DC.* V
spinaciaefolia *DC.*
triangularis *DC.* V
BUPHTHALMEAE *Les*

Buphthalmum *Cass.*
angustifolium *Pur*
aquaticum L. V
arabicum Delil.
arborescens L. V
asperrimum Spr.
asperum Horn.
asteroides L. V.
asteroideum Viv.
australe Spr V
bonariense Pers.
canum L. Herit.
capense L. V. 48
chrysanthemoide.
cordifolium W.
crassifolium Ra

um
n *Vahl herb.* V. 491
L. VI. 459
W. V. 487
num *Vent.* V. 488
us *L.* V. 489
Burm. V. 487
rum *L.* V. 483
rum *Schkuhr* V. 483
s *Forsk.* V. 486
ides *Forst.* V. 548
ides *L.* V. 550
lium *W.* V. 484
m *Cav.* V. 487
Mill. V. 489
Moris V. 483
n *Brouss.* V. 477
. V. 489
ss. V. 483
n *L.* V. 486
Poir. V. 483
Lausch. V. 484
thousb. V. 487
Lour. V. 484
r. V. 484
Garc. V. 487
m *Lam.* V. 489
Vahl V. 488
rsk. V. 484
Hamilt. V. 551
m. V. 538
Pursh V. 484
DC. V. 483
m *L.* V. 483
Cav. V. 539
L'Herit. V. 486
Link V. 486
L. fil. V. 486
ll. V. 486
mum *Ard.* V. 485
Schreb. V. 485
L. V. 487
um *Link* V. 486
Spr. V. 538
Poepp. V. 577
Forst. V. 548
. V. 663
. V. 664
DC. V. 664
DC. V. 664
cordata Alam. V. 166
iret V. 168
ns. V. 483

C

Cacalia *DC.* VI. 327 *Cass.* VI. 336
L. VI. 336, 337 *Tourn.* V. 203
acaulis L. fil. VI. 339
aconitifolia *Bung.* VI. 329
albifrons L. fil. V. 204
albifrons β Gaud. V. 204
Alliariae Gou. V. 204
alliarinefolia Lam. V. 203
alliarinefolia Poir. V. 205
alpina Jacq. V. 203
alpina var. α L. V. 204
— — *β L.* V. 203
alpina var. tomentosa All. V. 204
amplifolia *DC.* VI. 328
angulata Arrab. V. 203
angulata Vahl VI. 303
angulosa Wall. VI. 299
angustifolia H.B. et K. VI. 421
angustifolia Wall. VI. 303
Anteuphorbium L. VI. 338
appendiculata L. fil. VI. 409
arborea H.B. et K. VI. 335
arbuscula Thunb. VI. 470
arenaria H.B. et K. VI. 423
articulata L. fil. VI. 339
asclepiadea L. fil. VI. 422
atriplicifolia *L.* VI. 329
aurantiaca Blum. VI. 300
aurantiaca Wall. VI. 300
auriculata *DC.* VI. 329
baccharidifolia Poepp. VI. 414
Berlandieri *DC.* VI. 328
bicolor Hamilt. VI. 300
bicolor Roxb. VI. 299
bicolor β Wall. VI. 301
bipinnata E. Meyer VI. 397
bipinnata Thunb. VI. 397
bulbosa Lour. VI. 301
cancellata Rud. VI. 435
candicans Poepp. VI. 325
candidans Vahl VI. 412
canescens Poepp. VI. 414
canescens W. VI. 338
carnosa Ait. VI. 337
cervariaefolia *DC.* VI. 328
cinerarioides H.B. et K. VI. 421
cissampelina *DC.* VI. 331
citrina Bojer VI. 302
Clematitis Poir. VI. 330
coccinea Curt. VI. 302
cordata Arrab. V. 203
cordifolia *H. B. et K.* VI. 327
cordifolia var. L. fil. V. 201.

Cacalia
cordifolia Mutis V. 189
cor Jesu Arrab. V. 184
crassissima Wall. VI. 442
cuneifolia L. VI. 337
Cusimbua Don V. 650
cylindrica Lam. VI. 477
cylindriflora Wall. VI. 298
decurrens Arrab. V. 425
disticha Heyn. V. 384
echinata L. fil. VI. 411
elata Spr. VI. 314
emarginata Arrab. V. 184
ficoides L. VI. 337
fimbrillifera Cass. VI. 404
Finlaysoniana Wall. VI. 299
flexuosa *Wall.* VI. 330
β subcordata *DC.* VI. 330
flexuosa W. herb. VII. 69
foetens Wall. VI. 300
frutescens Arrab. V. 428
glabra Vill. V. 203
glabra Wall. VI. 302
glabrata H. B. et K. VI. 335
graciliflora Wall. VI. 365
gracilis Bojer VI. 303
grandiflora Wall. VI. 442
hastata *L.* VI. 327
α pubescens *Ledeb.* VI. 327
β glabra - - -
Haworthii Sweet VI. 338
heterophylla Poepp. VI. 414
hieracioides Roxb. VI. 300
hieracioides W. V. 650 VI. 300
hirsuta Vill. V. 204
humifusa Bojer VI. 303
humilis H. B. et K. VI. 423
jatrophoides *H. B. et K.* VI. 328
ilicifolia H. B. et K. VI. 422
incana Bosc VI. 330
incana Heyn. VI. 299
involucrata H. B. et K. VI. 422
Kleinia L. VI. 338
kleinioides H. B. et K. VI. 335
laciniata Jacq. VI. 339
lacintata Wall. VI. 301
laeta Arrab. V. 184
lanata H. B. et K. VI. 422
lanceolata *Ell.* VI. 329
lanceolata Nutt. VI. 330
laurifolia Mutis V. 195
ledifolia H. B. et K. VI. 421
leucopappa *DC.* VI. 330
leucophylla W. V. 204
Linaria Cav. V. 649
Linaria β pumila Poir. V. 649

Cacalia
linearis Labill. V
linifolia Heyn. V
linifolia L. V. 64
longifolia Haw.
Lycopersicum He
macrophylla MB.
maculata Hamilt
mikaniaefolia *DC.*
mucronata Heyn
napeaefolia *DC.* VI
nepalensis Spr. V
nitida Arrab. V.
nitida H. B. et K.
nivea Kunze VI.
obsoleta Arrab. V
odorata Desf. VI
oppositifolia Poi
ovalis Ker. VI. 30
ovata Ell. VI 329
ovata *Wall.* VI. 32
paniculata *Raf.* VI.
papillaris L. VI.
patens H. B. et K.
pauciflora Spr. V
peltata H. B. et.
penicillata *Cass.* VI
peucedanifolia Ja
pilosa Arrab. V.
pinnata *W.* VI. 331
pinnata W. VI. 3
pinnatifida Berg.
pinnatifida Lour.
pinnatifida Wigh
Porophyllum L. V
prenanthoides *H. B.*
prenanthoides Sie
procumbens Lour
pteranthes *Raf.* VI.
pubescens Raf. V.
pugioniformis Sa
pulchella H. B. et
pumila Bojer VI.
punctulata Arrab
pungens H. B. et
purpurascens Wa
quinqueloba Thun
racemosa *DC.* VI. 3
radicans L. fil. VI
radulaefolia *H. B. et*
ramosa Spr. VI. 3
reclinata Wall. V
reniformia *Mühl.* V
repens L. VI. 337
reticulata Arrab.
reticulata *Vahl* VI.

folia *W.* VI. 331
Thunb. VI. 338
bifolia W. V. 24
rsus Arrab. V. 428
his Sw. V. 648
a H.B. et K. VI. 327
ata Lam. VI. 339
ria Heyn. VI. 301
a Vahl VI. 302
a Labill. VI. 441
thus Blum VI. 298
nica L. VI 353
Vahl VII. 71
a Spr. VI. 404
a Thunb. VI. 404
a Zeyh. VI. 404
rens Spr. VI. 442
rens Vahl VI. 339
es Desf. VI. 353
es H. B. et K. VI. 422
Arrab. V. 203
Arrab. V. 424
llav. et Lex VI. 327
a Forsk. VI. 303
a Hortul. VI. 302
a L. VI. 302
a Wall. VI. 302
a var. Wall. VII. 177
L. VI. 327
a Bojer VI. 303
L. VI. 303
H. B. et K. VI. 420
Arrab. V. 203
Spr. VI. 368
DC. VI. 328
Eckl. VI. 403
Haw. VI. 338
Jacq. V. 204
Thunb. VI. 390
Vill. V. 204
β hybrida Vill. V. 204
ris Arrab. V. 203
Arrab. V. 203
Arrab. V. 428
Arrab. V. 184
Bosc VII. 89
Lutt. VI. 329
des H. B. et K. VI. 328
hum. VI. 331
les H. B. et K. VI. 335
lia Auch. VII. 301
eq. VI. 406
rab. V. 203
Blum. VI. 331
Hamilt. VI. 370

Cacalia
Wightiana Wall. VI. 370
Cacalianthemum Dill. DC. VI. 336 (Kleinia)
CACALIEAE Less. VI. 293
Cacosmia *H. B. et K.* V. 97, VII. 265, 292
quinquenervia *DC.* (sub Clairvillea) VII. 292
rugosa *H. B. et K.* V. 98
Cadiscus *E. Meyer* VII. 254
aquaticus *E. Meyer* VII. 255
Caesulia *Roxb.* V. 482
axillaris *Roxb.* V. 482
radicans W. V. 497
scandens Poepp. V. 564
CAESULIEAE *DC.* V. 213, 482
Calais *DC.* VII. 85
Douglasii *DC.* VII. 85
Lindleyi *DC.* VII. 85
linearifolia *DC.* VII. 85
Calcitrapa Vaill. VI. 592 *Cass. DC.* VI. 596 (Centaurea)
altissima Lam. VI. 563
aspera Cass. VI. 599
brevissima Moench VI. 563
cichoracea Lam. VI. 599
collina Lam. VI. 589
conferta Moench VI. 593
cucullata Moench VI. 591
elongata Moench VI. 559
Galactites Lam. VI. 616
Hypophaestum Gaertn. VI. 597
lanuginosa Lam. VI. 606
myacantha Cass. VI. 597
napifolia Moench VI. 600
nudicaulis Lam. VI. 669
patibilcensis H. B. et K. VI. 593
solstitialis Lam. VI. 594
sonchifolia Lam. VI. 599
stellata Lam. VI. 597
subspinosa Moench VI. 591
Verutum Moench VI. 592
Calcitrapoides Vaill. VI. 598
Calea *R. Br.* V. 671 *Gaertn.* VI. 292
aculeata Labill. VI. 156
Amellus L. V. 493
aspera Jacq. V. 545
axillaris *DC.* V. 673
Berteriana *DC.* V. 672
brachiata *DC.* V. 673
cacosmioides *Less.* V. 674
cordata *Lour.* V. 675
cordifolia *Sw.* V. 672
coriacea *DC.* V. 675
cuneifolia *DC.* V. 674

Calea
cymosa *Less.* V. 674
elegans *DC.* V. 674
gentianoides *DC.* V. 672
glabra *DC.* V. 674
jamaicensis *L.* V. 672
Leontophthalmum *Less.* V. 675
leptophylla Forst. VI. 155
lobata Sw. VI. 292
multiplinervia *Less.* V. 675
nitida *Less.* V. 664
oligocephala *DC.* V. 675
oppositifolia L. V. 107
pedunculuris H.B.et K. V. 670
pedunculuris var. epapposa H. B. et K. V. 669
pedunculosa *DC.* V. 673
pinifolia Forst. VI. 166
pinnatifida *Less.* V. 674 VII. 294
prunifolia *H. B. et K.* V. 672
scoparia L. V. 424
serrata *Less.* V. 673
sessiliflora *Less.* V. 673
solidaginea *H. B. et K.* V. 673
spectabilis var. Cass. VI. 157
ternifolia *H. B. et K.* V. 673
uniflora *Less.* V. 674
urticaefolia *DC.* V. 674
verbenaefolia *DC.* V. 673
Zacatechichi *Schlecht.* V. 672
Caleacte Less. V. 669 *R. Br. DC.* V. 673 (Calea)
pinnatifida R. Br. V. 674
rotundifolia Less. V. 669
urticaefolia R. Br. V. 674
Calebrachys Cass. V. 669 *DC.* V. 669 (Calydermos)
pedunculuris Cass. V. 670
CALEINEAE Cass. V. 668
Calendula *Neck.* VI. 451 *L.* VI. 70. *Auct.* 451, 456
aegyptiaca *Desf.* VI. 453
americana *Mill.* V. 454
amplexicaulis Thunb. VI. 457
amplexifolia Holl. et Reich. VI. 452
anemoneflora *Breit.* VI. 454
arborescens Jacq. VI. 456
arragonica *Fisch.* VI. 454
arvensis MB. VI. 454
arvensis *L.* VI. 452
β bicolor *DC.* VI. 452
aspera Thunb. VI. 468
Asterinus Fisch. VI. 454
bicolor Raf. VI. 452
byzantina *DC.* VI. 453

Calendula
ceratosperma
chrysanthemif
cornuta Poir.
Crista galli V
cristata ? VI. 4
cuneata Thun.
Dalgesirum H
decumbens *Mill.*
decurrens Thu
dentata Steud
denticulata *Scho*
echinata *DC.* VI
eriocarpa *DC.* V
flaccida Vent.
fruticosa Hort
fruticosa L. V
fruticosa Thu
fulgida Raf. V
glabrata Thun
gracilis *DC.* VI.
graminifolia L
hispanica Hor
hispida Thunb
hybrida L. VI.
hybrida Sweet
incana *W.* VI. 4
linifolia *Wendl.*
maderensis *DC.*
magellanica W
marginata *W.* VI
maritima *Guss.*
maritima Lowe
monstrosa Bur
muricata Thun
nudicaulis L. V
officinalis *L.* VI.
β prolifera *DC.* V
officinalis var. l
opposita Ait. V
parviflora Gau
parviflora *Raf.* V
parviflora Thu
persica *C. A. Mey*
persica var. Fisc
pinnata Thunb
pluvialis L. VI.
pluvialis Thunl
pumila Forst. V
pumila β Forst.
pusilla Pet. Th
rigida Ait. VI. 4
rosmarinifolia
sancta L. VI. 45

[redacted]
s *Thunb.* VI. 70
Cyr. VI. 452
carpa DC. VI. 453
W. VI. 452
lata Hoffmanns. VI. 454
Cav. VI. 454
ta DC. VI. 454
- - -
Desf. VI. 454
Guss. VI. 454
Lowe VI. 454
ar. Guss. VI. 454
Vahl VI. 453
Desf. VI. 452
Thunb. VI. 457
t. Mag. VI. 72
cq. VI. 71
Sims VI. 71
Gay VI. 452
Raf. VI. 454
dr. VI. 72
AE DC. VI. 449, 451
Less. DC. VI. 449, 451
. V. 2
triplicifolius Spr. V. 106
s V. 258
V. 258
DC. V. 259
es V. 244
Tees V. 259
indl. V. 259
. V. 259
yle V. 258
dl. V. 259
es V. 259, 297
V. 258
Turcz. V. 259
V. 259
dl. V. 259
C. A. Meyer VI. 568
. Meyer VI. 568
ch. et Meyer VII. 294
Fisch. et Mey. VII. 294
naphaloides Burm. VI. 278
. V. 671
V. 671
. V. 671
. V. 671
rea Don VII. 167
ichenb. V. 568
Hook. V. 568
Calliopsis
bicolor Reich. V. 568
cardaminefolia *DC.* V. 568
Drummondii brit. flow. Gard. VII. 289
nudata Spr. V. 574
palmata Spr. V. 573
rosea Spr. V. 574
tinctoria *DC.* V. 568
β atropurpurea *Hook.* VII. 289
Callistemma Cass. V. 274
hortense Cass. V. 274
indicum G. Don V. 303
Callistephus *Cass.* V. 274
biennis *Lindl.* V. 275
chinensis *Nees* V. 274
Heyneanus *DC.* V. 275
hortensis Cass. V. 275
Wightianus *DC.* V. 275
Callophora DC. V. 542 (Wedelia)
Calocalais DC. VII. 85 (Calais)
Calocephalus *R. Br.* VI. 151
citreus *Less.* VI. 151
lacteus *Less.* VI. 151
Calomeria Vent. VI. 157
amaranthoides Vent. VI. 158
Calomnea Buchoz V. 651
pulcherrima Buchoz V. 652
Calopappus *Meyen* VII. 28
acerosus *Meyen* VII. 28
Caloptilium *Lag.* VII. 52
Lagascae *Hook. et Arn.* VII. 52
Calotis *R. Br.* V. 302 VII. 275
breviseta *Benth.* VII. 275
cuneifolia *R. Br.* V. 302
dentex *R. Br.* V. 302
dilatata *Cunningh.* V. 302
lappulacea *Benth.* VII. 276
microphylla *Benth.* VII. 276
Caltha Vaill. Tourn. VI. 451
arvensis Moench VI. 452
dentata Moench VI. 452
officinalis Moench VI. 451
vulgaris Bauh. VI. 451
Calthoides B. Juss. VI. 473
Calycadenia *DC.* V. 695
cephalotes *DC.* V. 695
multiglandulosa *DC.* V. 695
truncata *DC.* V. 695
villosa *DC.* V. 695
Calycera *Rich.* V. 2
balsamitaefolia *Rich.* V. 2
Cavanillesii *Rich.* V. 2
herbacea Cav. V. 2
CALYCEREAE *R. Br.* V. 1
Calycium Ell. V. 316

Calycocorsus Schmidt VII. 150
Calydermos *Lag.* V. 669 *Spr.* V. 11 *(vide Calidermos)*
jamaicensis Spr. V. 140
longifolius *Lag.* V. 669
peduncularis *DC.* V. 669
repens Spr. V. 11
rugosus *DC.* V. 670
salmeaefolius *DC.* V. 670
scaber *Lag.* V. 669
Calyptocarpus *Less.* V. 629
vialis *Less.* V. 630
Campuloclinium *DC.* V. 136 VII. 268
kleinioides *DC.* V. 137
macrocephalum *DC.* V. 137
β strigosum - - -
palustre *DC.* V. 137 VII. 268
subpaniculatum *DC.* V. 137
urticaefolium *DC.* V. 137
Campylotheca *Cass.* V. 593
australis Less. V. 593
grandiflora *DC.* V. 593
micrantha *Cass.* V. 593
β australis *DC.* - -
Camutia Bonat. V. 520
perfoliata Bonat. V. 521
Cappa DC. V. 469 (Inula)
Carbeni Adans. VI. 606
Carderina Cass. VI. 340, 397
Cardispermum Trant. VI. 70
CARDOPATEAE *Less. DC.* VI. 450, 527
Cardopatium *Juss.* VI. 527
corymbosum *Pers.* VI. 528
Cardopatum Pers, VI. 527
CARDUINEAE *Less. DC.* VI. 450, 617
Carduncellus *Adans.* VI. 614 VII. 304
acaulis Presl VI. 614
coeruleus *DC.* VI. 615
α dentatus *DC.* VI. 615
β incisus - - -
γ multifidus - - -
hispanicus *Boiss.* VII. 304
mitissimus *DC.* VI. 615
β macrocephalus *DC.* VI. 615
monspeliensium *All.* VI. 614
pectinatus *DC.* VI. 615
pinnatus *DC.* VI. 614
α caulescens *DC.* VI. 614
β acaulis *Guss.* - -
γ humilis *DC.* - -
tingitanus DC. et Duby VI. 615
Carduoides Less. DC. VI. 497 (Stephanocoma)
Carduus *Gaertn.* VI. 621 VII. 304
Auct. VI. 633, 634, 657, 660

Carduus
acanthocephalus *C.*
acanthoides Bau
acanthoides D'U
acanthoides *L.* VI.
Acarna L. VI. 63
acaulis L. VI. 65
acicularis *Bertol.*
adpressus *C. A. Me*
afer Jacq. VI. 65
affinis *Guss.* VI. 6
agrestis *Presl* VI.
β episcopior - -
Aitonii *Räusch.* V
alatus Don VI. 6
albidus MB. VI.
altaicus Patrin
altissimus L. VI.
ambiguus Schlei
angustifolius La
apenninus Jan
arabicus *Jacq.* VI.
arctioides Vill.
arctioides *W.* VI.
arenarius *Desf.* V
arenarius fl. fra
Argemone *Pourr.*
Argemone Schlei
argentatus *L.* VI.
argyracanthus
argyroa *Biv.* VI. 6
β fastigiatus *DC.* V
armatus *Russ.* VI
arvensis Tabern
astracanicus *Spr.*
atriplicifolius
aurosicus Vill.
australis L. fil.
autareticus Vill
axillaris Gaud.
Barrelieri *hort. P*
benedictus Cam.
Bonjarti Savi
bulbosus Lam.
callosus *Roth* VI.
candicans *W. et K*
Candollei *Morett.*
canus L. VI. 64
carlinaefolius *Lam*
carlinaefolius
carlinaefolius α
— β
carlinoides Dur
carlinoides *Gou.* V
carlinoides Tou.

· *Pers.* VI. 647
L. VI. 658
Adam VI. 638
'es Hamilt. VI. 563
s Hoppe VI. 628
Viv. VI. 625
us Vill. VI. 669
W. VI. 669
. VI. 629
VI. 646
Ten. VI. 622
Cyr. VI. 670
rr. VI. 635
. VI. 635
VI. 624
l. VI. 645
ink VI. 633
Kit. VI. 624
s. VI. 648
'is VI. 625
C. VI. 625
ıss. VI. 625
en. VI. 625
ım VI. 637
Horn. VI. 629
Hortul. VI. 628
W. VI. 628
ı. VI. 636
VI. 626
623
)C. VI. 624
r. VI. 676
L. VI. 676
polyclonos L. VI. 675
ıam. VI. 659
franc. VI. 628
ortul. VI. 628
VI. 628
Gaud. VI. 628
et Kit. - -
II. - -
- -
Gat. - -
ıll. - -
DC. VI. 628
's. VI. 654
ubill. VI. 659
Pers. VI. 659
- - -
ı. VI. 640
VI. 645
l. VI. 650
VI. 627
ıaf. VI. 638

Carduus
elongatus Wall. VI. 564
eriocephalus Dod. VI. 638
eriophorus L. VI. 638
eriophorus Thunb. VI. 640
erisithales Jacq. VI. 648
erisithales Vill. VI. 649
erucagineus Lam. VI. 649
eryngioides P. Alpin VI. 590
fasciculiflorus *Viv.* VI. 625
fastigiatus Moris VI. 626
ferox Lam. VI. 637
flavescens L. VI. 670
foliosus Hook. VI. 654
fruticosus Desf. VI. 658
fruticosus Poir. VI. 548
Galactites Bauh. VI. 616
Galactites Lam. VI. 626
Gayanus Dur. VI. 625
giganteus Desf. VI. 637
Gigas Tineo VI. 637
glaber Nutt. VI. 651
glaber Steud. VI. 648
glaucophyllus *Desf.* VI. 630
glaucophyllus Desf. VI. 628
glaucophyllus Hortul. VI. 628
glaucus Cav. VI. 669
glaucus *Ledeb.* VI. 629
glaucus Ledeb. VI. 628
glomeratus Lam. VI. 645
glycacanthus Sibth. et Sm. VI. 677
gnaphaloides Cyr. VI. 658
gnaphaloides Räusch. VI. 214
hamulosus MB. VI. 623
hamulosus *Ehrh.* VI. 623
β obscurus *DC.* - -
hamulosus Ten. VI. 621
hastatus Lam. VI. 653
helenioides Lam. VI. 653
helenioides L. VI. 653, 655
haemorrhoidalis Officin. VI. 643
heteromallus Don VI. 540
heterophyllus Lightf. VI. 650
heterophyllus L. VI. 653
Hippolyti Bory VI. 642
hispanicus Bory VII. 304
hispanicus *Lag.* VI. 629 *(delendus* VII. 305*)*
hispanicus Lam. VI. 658
horridulus Pers. VI. 651
hybridus Steud. VI. 646
Hystrix *C. A. Meyer* VI. 622
igniarius Pall. herb. VI. 557
indicus Klein VI. 564

Carduus
intermedius *Hall.* VI. 630
intricatus Reich. VII. 304
involucratus Wall. VI. 639
lanatus Hamilt. VI. 540
lanatus Pers. VI. 654
lanceolatus L. VI. 636
lanceolatus Lour. VI. 629
lanuginosus *W.* VI. 622
lappaceus MB. VI. 637
laxiflorus *Tausch* VI. 629
leucanthos Cav. VI. 670
leucocephalus Pers. VI. 639
leucographus Clairv. VI. 628
leucographus L. VI. 617
leucophyllus *Turcz.* VI. 623
linearis Thunb. VI. 621
litigiosus Moris VI. 626
litigiosus Nocc. VI. 625
lycopifolius Vill. VI. 669
macrocephalus *Desf.* VI. 621
macrocephalus Wall. VI. 542
macropterus Spr. VI. 675
marianus L. VI. 616
medius *Gou.* VI. 627
mexicanus Moric. VI. 637
microcephalus Gaud. VI. 626
mollis Gou. VI. 677
mollis L. VI. 676
mollis Poll. VI. 676
monspessulanus L. VI. 645
montanus Pers. VI. 650
montanus Suffr. VI. 625
montosus Poll. VI. 622
Morisii Balb. VI. 625
moschatus Guss. VI. 677
multiflorus Gaud. VI. 624
myriacanthus *Salzm.* VI. 624
neglectus Steud. VI. 643
neglectus *Ten.* VI. 627
nepalensis Spr. VI. 542
nigrescens *Vill.* VI. 623, 629 VII. 304
nitidus W. et Kit. VI. 669
nutans MB. VI. 621
nutans *L.* VI. 621
β lucidus *DC.* VI. 622
obvallatus Wall. VI. 541
odoratus Mühl. VI. 651
oleraceus Vill. VI. 647
onopordioides *Fisch.* VI. 622
orientalis Adam VI. 552
orientalis Pers. VI. 639
osseticus Adam VI. 635
palustris L. V. 646
palustris Savi VI. 642
paniculatus Vahl VI. 646

Carduus
pannonicus Hos
pannonicus Sch
parviflorus L. V
pauciflorus Per
pectinatus L. V
pedemontanus
peregrinus Retz
peregrinus *Retz*
Personata *Jacq.* V
personatus Gae
pinnatifidus Ca
platylepis *Saut.*
podacanthus *DC.*
polyacanthus La
polyanthemos M
polyanthemos L.
polyanthemus Sc
polyanthos Schr
polyclonos W. V
polymorphus La
pratensis Huds.
pratensis Lam.
ptarmicaefolius *M*
pterocaulos Step
pumilus Nutt. V
pungens Pers. V
pycnocephalus fl.
pycnocephalus L
pycnocephalus P
pycnocephalus S
pycnocephalus

pygmaeus Jacq.
pyrenaicus Gou.
pyrochroos Less.
radiatus W. et K
radicans Roxb.
remotifolius Ho
repandus Pers.
rheginus Steud.
rigens Lachen. V
rivularis Hoppe
rivularis Jacq. V
rufescens Pers.
salisburgensis P
samniticus Ten.
Sanctae Balmae *Le*
sordous *DC.* VI. 6
scaber Poir. VI.
seminudus *MB.* V
semipectinatus
semipinnatus De
serratuloides Jac
serratuloides L.
serratuloides Ne

us hort. Belv. VI. 630
nissimus Kerb VI. 635
nissimus Vill. VI. 648
nissimus Walt. VI. 651
lanus Bert. VI. 628
us L. VI. 638
us L. VI. 658
s Strud. VI. 659
us MB. VI. 640
lulus Reich. VII. 301
s L. VI 660
s Lam. VI. 648
s L. VI. 648
us Curt. VI. 626
s Sm. VI. 626
folius *DC.* VI. 626
- - -
phalus - - -
- - -
Gaud. VI. 628
Scop. VI. 667
β All. VI. 667
s pyrenaicus Tourn. VI. 624
les Lam. VI. 649
alus Wall. VI. 563
Hamilt. VI. 639
Jacq. VI. 644
Vill. VI. 650
L. VI. 645
MB. VI. 623
Nutt. VI. 651
Turcz. VI. 669
s Bosc VI. 651
s Jacq. VI. 653
s Walt. VI. 651
avi VI. 635
Dietr. VI. 630
MB. VI. 555
V. 125 *Pont.* V. 108
ss. V. 125
L. VI. 545 *Cass.* VI. 545
All. VI. 545
C. VI. 545
B. VI. 634
m. VI. 545
VI. 545
urm. VI. 517
W. VI. 546
g. VI. 546
es L. VI. 515
ii Horn. VI. 546
Presl VI. 546

Carlina
caulescens Lam. VI. 546
Chamaeleon Vill. VI. 545
Chardousse Vill. VI. 545
corymbosa *L.* VI. 547
Cynara Pourr. VI. 545
Echinus MB. VI. 661
Fontanesii *DC.* VI. 548
gummifera *Less.* VI. 547
hispanica Lam. VI. 547
involucrata *Poir.* VI. 547
lanata *L.* VI. 546
β monocephala *DC.* VI. 546
γ prolifera - - -
lanata Pall. VI 546
Lobeliana Tausch VI 547
longifolia Reich. VI. 546
longifolia Viv. VI. 547
lyrata Thunb. VI. 548
macrocephala Less. VI. 548
macrocephala *Moris* VI. 547
macrophylla *Desf.* VI. 548
nebrodensis *Guss* VI. 546
β glabriuscula *DC.* VI. 546
onopordifolia Bess. VI. 545
patula Burm. VI. 522
Pola Hacq VI. 546
pyrenaica L. VI. 624
racemosa Gou. VI. 547
racemosa *L.* VI. 547
radiata Viv. VI. 547
salicifolia Cav. VI. 548
salicifolia *Less.* VI. 548
β corymbosa *DC.* VI. 548
scabra Burm. VI. 456
sicula *Ten.* VI. 546
β purpurascens *DC.* VI. 546
simplex pl. rar. Hung. VI. 546
subacaulis *DC. fl. fr.* VI. 545
α acaulis - - 546
β caulescens - - -
γ simplex - - -
δ aggregata - - -
sulphurea Desf. VI. 547
utzka Hacq. VI. 545
vulgaris *L.* VI. 546
β sublanata *DC.* VI. 546
xeranthemoides *L. fil.* VI. 548
CARLINEAE *DC.* VI. 450, 531
Carlowizia Less. Moench DC. VI. 548 (Carlina)
corymbosa Cass. VI. 548
salicifolia DC. VI. 548

Carmelita *Gay* VII. 14
formosa *Gay* VII. 15
Carminatia *Moç. DC.* VII. 267
tenuiflora *DC.* VII. 267
Carphephorus *Cass.* V. 132 VII. 267
baicalensis *DC.* V. 132
coridifolius *DC.* VII. 267
Pseudo-Liatris *Cass.* V. 132
revolutifolius *DC.* V. 133
Carpesium *L.* VI. 281
abrotanoides *L.* VI. 282
cernuum *L.* VI. 281
ciliatum *Wall.* VI. 281
nepalense *Less.* VI. 281
pedunculosum *Wall.* VI. 281
pubescens *Wall.* VI. 281
racemosum *Wall.* VI. 282
trachelifolium *Less.* VI. 282
Wulfianum Schreb. VI. 282
Carpholobus sessiliflorus Schott. V. 18
Carpholoma Don VI. 255
rigidum Don VI. 255
Carphostephium Cass. V. 678
trifidum Cass. V. 679
Cartesia Cass. V. 71
centauroides Cass. V. 71
CARTHAMEAE *DC.* VI. 450, 609
Carthamoides Vaill. VI. 613, 614
Carthamus *Tourn.* VI. 611 *Hill.* V. 71 *L. Schkuhr* VI. 610, 614
africanus Lam. VI. 506
arborescens L. VI. 611
armenus W. VI. 613
cancellatus Lam. VI. 550
canescens Lam. VI. 634
Carduncellus L. VI. 615
Carduncellus β Lam. VI. 615
carolinianus Mx. V. 71
coeruleus L. VI. 615
coeruleus β Lam. VI. 615
corymbosus L. VI. 528
creticus L VI. 610
cynaroides MB. VI. 556
dentatus Vahl VI. 611
ferox α Lam. VI. 637
β - - 638
flavescens W. VI. 613
glaber Burm. VI. 612
glaucus MB. VI. 611
gummiferus Lam. VI. 547
helenioides Desf. VI. 613
hircinus Lag. VI. 611
humilis Lam. VI. 614
involucratus Lam. VI. 648
laevis Hill. V. 71
Carthamus
lanatus L. VI. 61
leucocaulos Sibt
leucocaulos D U
maculatus Lam.
marcoticus Deli
mitissimus L. V
multifidus Desf.
oxyacantha *MB.* V
pectinatus Desf.
persicus W. VI
pinnatus Desf.
pterocaulos C. A.
rigidus var. Bu
rigidus W. VI. 6
salicifolius L. fil
tauricus MB. VI
Teneriffae *Gmel*
tinctorius *L.* VI. 6
tingitanus L. VI
Cartodium Sol. VI.
Cassinia *R. Br.* VI
aculeata Cunnin
aculeata *R. Br.* VI
affinis *R. Br.* VI.
arcuata *R. Br.* VI.
argophylla *Cunni*
aurea *R. Br.* VI.
aurea R. Br. VI.
berberifolia Cun
cuneifolia *Cunnin*
Cunninghami *DC.*
denticulata *R. Br.*
glossophylla *Cass.*
hygrophila *Cunni*
laevis Endl. VI.
laevis *R. Br.* VI.
ledifolia *Cunning*
leptophylla *R. Br.*
longifolia *R. Br.*
obovata *Cunningh*
patens Cunningh
quinquefaria *R Br*
retorta *Cunningh.*
rosmarinifolia *Cun*
spathulata Endl
spectabilis Ker.
spectabilis var.
uncata *Cunningh.*
CASSINIEAE *Less. D*

Cassiopea Don VII.
Castalis Less. Cass. 72 (D
Ventenati Cass.
Castra regia Arrud

Tourn. VII. 83
Vaill. Less. VII. 83
Desf. VII. 83
L. VII. 83
. VII. 117
VII. 83
: VI. 269 (Antennaria)
us. VII 165 *Moesl. et Reich.* VII. 167
esl. et Reich. VII. 167
: *Cass.* V. 209
Cass. V. 209
Cunningh. V. 209
. VI. 82
a *DC.* VI. 83
: VI. 83
ess. VI. 83
C. VI. 82
DC. VI. 83
ala *E. Meyer* VI. 79
DC. VI. 83
C. VI. 83
C. VI. 82
VI. 82
pa *Less.* VI. 83
DC. VI. 83
ers. VI. 82
s. VI. 565 *L.* VI. 558, 565
lia *Lam.* VI. 584
Spr. VI. 603
rsk. VI. 600
I. 588
ihth. VI. 595
VI. 567
. VI. 565
. *Meyer* VI. 567
C. VI. 581
VI. 594
loretti VI. 596
. VI. 595
ss. VI. 584
m. VI. 566
sch. et Meyer VI. 585
VI. 567
VI. 569
569
DC. VI. 569
- - -
- - -
- - -
VI. 570
Delil. VI. 597
DC. VI. 601
I. 566
F. VI. 666

Centaurea
amara Habl. VI. 579
amara *L.* VI. 569
α vulgaris *DC.* VI. 570
β angustifolia - - -
γ glabrata - - -
δ incisa - - -
ε bracteata - - -
ζ nana *Duby* - -
θ dracunculifolia *DC.* VI. 570
ι cuculligera - - -
amara var. Spr. VI. 569
Amberboi Lam. VI. 560
ambigua *Guss.* VI. 582
ambigua Ten. VI. 582
ambigua Thom. VI. 573
ambracea Schkuhr VI. 560
americana *Nutt.* VI. 575
americana Spr. VI. 593
ammophila Bess. VI. 586
angustifolia Schrank VI. 570
antennata *Dufour* VI 574
apiculata *Ledeb.* VI. 581
aplolepis *Moretti* VI. 584
β subciliata *DC.* - -
apula *Lam.* VI. 593 VII. 303
arachnoidea Viv. VI. 588
arenaria MB. VI. 581
arenaria Reich VI. 583
arenaria Sten VI 581
arenaria D'Urv. VI. 582, 584
argentea *L.* VI. 582
argophylla Steud. VI. 590
arguta *Nees* VI. 567
argyrophylla *W.* VI. 590
armoracifolia *Sibth. et Sm.* VI. 603
aspera *L.* VI. 599
α auricularia *DC.* VI. 600
β subinermis - - -
astracanica *Spr.* VI. 601
athoa *DC.* VI. 588
atrata *W.* VI. 579
atropurpurea Oliv. VI. 590
atropurpurea Spr. VI. 587
atropurpurea W. et Kit. VI. 587
Aucheriana *DC.* VI. 576
aurea *Ait.* VI. 595
auriculata Balb. VI. 599
auriculata *Spr.* VI. 604, 601
australis Poepp. VI. 575
austriaca Reich. VI. 573
austriaca *W.* VI. 573
β latifolia *DC.* - -
γ ambigua *DC.* VI. 573

Centaurea
axillaris W. VI. 579
babylonica MB. VI. 567
babylonica *L.* VI. 567
badensis Tratt. VI. 580
baldensis Pers. VI. 566
Balsamita Don VI. 561
Balsamita *Lam.* VI. 574
bannatica *hort. Pesth.* VI. 604
Behen Lam. VI. 567
Behen *L.* VI. 567
benedicta L. VI. 606
Besseriana *DC.* VI. 585
Biebersteinii *DC.* VI. 583
bimorpha Viv. VI. 599, 600
Boissieri *DC.* VII. 303
bombycina *Boiss.* VII. 302
brachyptera *DC.* VI. 567
bracteata Bertol. VI. 570
Calcitrapa MB. VI. 597
Calcitrapa *L.* VI. 597
β autumnalis *DC.* VI. 597
γ brevicaulis - - -
Calcitrapa C. A. Meyer VI. 597
calcitrapoides Gou. VI. 597
calcitrapoides *L.* VI. 597
calcitrapoides Thuil. VI. 597
calendulacea Lam. VI. 562
calocephala *DC.* VI. 587
α flava - - -
β mixta - - -
γ atropurpurea - - -
calocephala W. VI. 587
calophylla Steud. VI. 587
calva *Ledeb.* VI. 583
cana *Sibth. et Sm.* VI. 579
cancellata Sieb. VI. 595
candidissima Lam. VI. 580
canariensis *Brouss.* VI. 577
capillata *L.* VI. 601
capillata W. VI. 601
cappadocica *DC.* VI. 595
caroliniana *Walt.* VI. 601
carduiformis *DC.* VI. 590
carduncella *DC.* VI. 591
Carduus Forsk. VI. 551
Carelli *Rausch.* VI. 604
carniolica Host VI. 579
carpathica Generi VI. 579
caucasica MB. VI. 579
centaurioides α MB. VI. 589
— β - - - -
Centaurium *L.* VI. 566
centauroides *L.* VI. 589
β macracantha *DC.* VI. 589

Centaurea
centauroides Ti
ceratophylla Mc
ceratophylla *Ten.*
cerinthefolia *Sibth*
caespitosa Vahl
cheiranthifolia
chilensis *Hook. e*
β breviloba *DC.* V
chilensis Miers
chrysanthemifolia
cichorea L. VI.
cicutaefolia Ho
Cineraria MB
Cineraria Jacq.
Cineraria *L.* VI.
Cineraria β L.
Cineraria cauca
Cineraria tauri
cinerea *Lam.* VI.
cirrhata Reich.
Clementei *Boiss.*
coarctata Spr.
cochinchinensis *D*
coerulescens *W.*
collina Forsk.
collina *L.* VI. 588
β macracantha *DC*
congesta W. her
conifera L. VI.
consanguinea *DC.*
contracta Viv.
coriacea W. et
coronopifolia *Lam*
corymbosa Pour
crassifolia *Bertol*
cretica Spr. VI.
crinita *W. herb.*
Crocodylium *L.*
cruenta *W.* VI. 5
Crupina L. VI.
crupinoides Des
cucullata *Spr.* VI.
cuneifolia *Sibth. et*
β angustiloba *DC.*
cuspidata Auch.
cuspidata *Vis.* VI
cyanifolia Poir.
cyanoides *Berggr.*
Cyanus *L.* VI. 57
Cyanus B. Wall
cynaroides Link
dealbata *W.* VI. 5

MB. VI. 576
- - -
Thuil. VI. 571
Auch. VI. 579
B. VI. 575
Boiss. VII. 303
DC. VI. 576
Dubois VI. 570
DC. VI. 596
B. VI. 578
n. VI. 569
gustifolia Guss. VI. 569
m. VI. 586
DC. - -
- - -
la- - -
VI. 591
Balb. VI. 573
en. VI. 582
- - -
Wall. VI. 563
Sibth. VI. 595
tifolia Duf. VI. 570
VI. 571
ll. VI. 617
esf. VI. 604
Schousb. VI. 591
Spr. VI. 588
Forsk. VI. 595
L. VI. 592
L. VI. 559
Lam. VI. 590
Web. et Mohr VI. 574
Urv. VI. 595
f. VI. 598
MB. VI. 566
Viv VI 587
W. VI. 579
Balb. VI. 572
orn. VI. 603
L. VI. 544
esf. VI 594
DC. - -
s L. VI. 616
L. VI. 568
esf. VI. 587
V. VI. 560
Tortul. VI. 569
Vahl VI. 600
ta DC. VI. 601
DC. VI. 587
Boiss. VII. 303
ra Sessé et Moç VI. 575

Centaurea
heterophylla *W.* VI. 600
hispida *DC.* VI. 589
horrida *Badar.* VI. 586
horrida Ten. VI. 597
hyalina L'Herit. VI. 566
hybrida *All.* VI. 586
hypoleuca *DC.* VI. 575
hyssopifolia *Vahl* VI. 573
Hystrix Boiss. VII. 303
Jacea *L.* VI. 570
β pratensis *DC.* VI. 570
γ decumbens - - -
δ mollis - - 571
ε phyllocephala - - -
Jacea β DC. fl. fr. VI. 570
γ - - - 571
Jacea cuculligera Reich. VI. 570
Jacea grandiflora Gaud. VI. 570
jacobeaefolia *Lam.* VI. 590
jacobeaefolia Spr. VI. 590
iberica *Trev.* VI. 597
incana Burm. V. 361 VI. 489
incana Desf. VI. 589
incana Lag. VI. 586
incana *Ten.* VI. 569
indica Less. VI. 558
integrifolia *C. A. Meyer* VI. 576
intybacea *Lam.* VI. 577 VI. 601
involucrata *Desf.* VI. 578, 601
Isnardi L. VI. 600
Kartschiana *Scop.* VI. 582
laciniata *Guss.* VI. 582
lanata DC. fl. fr. VI. 610
lanata Roxb. VII. 14
lancifolia Sieb. VI. 561
lanigera *DC.* VI. 579
lappacea Ten. VI. 593
lasiorhiza *DC.* VI. 600
latifolia Dietr. VI. 589
latisquama *DC.* VI. 589
α taurica - - -
β salonitana - - -
leucantha Pourr. VI. 577
leucantha Web. et Mohr VI. 579
leucocephala *hort. Erfurt.* VI. 604
leucolepis *DC.* VI. 568
leucophylla *MB.* VI. 582
limbata *Link* VI. 581
linearifolia Lam. VI. 574
linearifolia Pers. VI. 574
lingulata *Lag.* VI. 602 VII. 302
linifolia Lam. VI. 573

Centaurea
linifolia *Vahl* VI. 574
Lippii L. VI. 559
livoniana Weinm. VI. 602
livonica *Ledeb.* VI 602
lyrata Bell. VI. 664
lyrata Pers. VI. 593
macrocephala *Muss.-Puschk.* VI. 568
maculosa Guss. VI. 582
maculosa *Lam.* VI. 583
maculosa β DC fl. fr. VI. 583
margaritacea *Ten.* VI. 568
marginata Ten. 594
maritima *Duf.* VI. 599
Marschalliana *Spr.* VI. 576
β DC. VI 576
maxima Forsk. VI. 603
melitensis Gou. VI. 593
melitensis *L.* VI. 593
melitensis Spr VI. 593
membranacea Lam. VI 664
mentyerica Vill. VI. 603
Meryonis *DC.* VI. 598
mexicana *DC.* VI. 575
micracantha *Dufour* VI. 603
micrantha Gmel. VI. 583
mixta *DC.* VI 594
mollis Schleich VI 571
mollis W. et Kit. VI. 579
monantha Clark. VI. 592
montana Burm. VI. 577
montana *L.* VI. 578
α cyanea DC. VI. 578 VII. 302
β purpurascens DC. VI. 579
γ albida - - -
δ citrina - - -
montana β Wahl. VI. 579
monticola *Boiss.* VII 302
moschata *DC.* VI. 560
moschata α L. VI. 560
β - - -
moschata β MB. VI. 560
Moschus Hahl. V. 677
mucronata Forsk. VI. 591
mucronifera *DC.* VI. 569
multifida *Pers.* VI. 603
muricata L. VI. 559
muricata Pers. VI 559
mutabilis *St. Am* VI. 572
myacantha *DC. fl. fr.* VI. 597
nana Chesn. VI. 570
nana *Desf.* VI. 566
napifolia *L.* VI 600
neglecta *W.* VI. 604
nervosa Reich. VI. 573
Centaurea
nervosa W. VI. 57
nicaeensis All. VI.
nigra Lam. VI. 57
nigra *L.* VI. 571
β decipiens *DC.* VI. 5
nigra β Merat VI.
nigra radiata DC.
nigrescens Gaud.
nigrescens *W.* VI. 5
nitens *MB.* VI. 568
nitida Naldi VI. 6
nudicaulis L. VI.
Nuttallii Spr. VI
ochroleuca Sims V
ochroleuca W. VI
Oliveriana *DC.* VI
orientalis *L.* VI. 587
ornata *W.* VI 588
orthacantha *Tausch*
ovina MB. VI. 585
ovina Hortul VI.
ovina *Pall.* VI. 585
pallescens Bové V
pallescens *Delil* VI
pallida Wall. VI.
paniculata MB. V
paniculata Gaud.
paniculata Lag. V
paniculata *L.* VI. 58
β abrotanifolia *DC.* V
γ subindivisa -
δ sublanata -
ε valesiaca -
ζ olympica -
paniculata Vill. V
pannosa *DC.* VI. 58
Parolinii *DC.* VI. 5
parviflora *Desf.* V.
parviflora Lam V
parviflora MB. VI
patibilcensis *DC.* VI
patula *DC.* VI. 583
pectinata *L.* VI. 572
β incoronata *DC.* VI.
pelia *DC.* VI. 586
penicillata Delil.
peregrina *L.* VI. 604
pergamacea *DC.* VI.
Perrottetii *DC.* VI
phrygia Jacq VI
phrygia *L.* VI. 573
β incoronata *DC.* VI.
phrygia Lour. VI.
Picris Pall. VI. 6

ala Brot. VI. 665
atha Spr. VI. 599
ha W. VI. 600 VII. 303
DC. VI. 584
ata - - -
ha Lag. VI. 604
fertul. VI 593
DC. VI. 597
Horn. VI. 602
's Thuil. VI. 570
ns Balb. VI. 572
ens Habl. VI. 576
is Sieb. VI. 595
a Fent. VI 601
Boiss. VII. 303
phala hort. Monsp. VI. 596
a DC. VI. 572
s W. VI 589, 603
a Pers. VI. 559
Ledeb. VI 565
ea DC. VI. 565
a - - - 566
la C. A. Meyer VI. 565
rima Wight VI. 578
ima W. VI. 574
DC. VI. 578
L. VI. 577
is DC. VI. 577
nor - - 578
divisa - - -
L. VI. 591
d'Urv VI. 591
ta Dufour VI. 573
Vis. VI. 584
Pers. VI. 602
a Chesn. VI. 570
a Hoffm. VI 578
ica Spr. VI. 602
L. VI. 669
L. VI. 589
ssima Tausch VI. 568
ifolia Salzm. VI. 591
a Sibth. VI. 591
ina d'Urv. VI. 592
Lam. VI. 589
MB. VI. 589
bachii DC. VI. 583
L. VI 663
ata MB. VI. 574
atica L. VI. 664
a C. A Meyer VI. 594
ag. VI. 602
as Horn. VI. 580

Centaurea
rigida *Russ.* VI. 604 *)
rigida *W.* VI. 580
rigidifolia *Bess.* VI. 587
riparia *Cunningh.* VI. 602
rivularis *Brot.* VI. 602
romana L VI 599
rubescens *Bess* VI. 587
rupestris *L.* VI. 588
α subinermis *DC.* VI. 588
β aculeosa - - -
ruthenica *Lam.* VI. 566
β *DC.* VI. 566
rutifolia *Sibth. et Sm.* VI. 602
sabulosa Horn. VI 586
sabulosa *Ledeb* VI. 604
salicifolia *MB.* VI. 571
salmantica L. VI. 563
salonitana Vis. VI 589
sanguinea *Spr.* VI. 604
saxicola *Lag.* VI. 604
Scabiosa *L.* VI. 580
β italica *Lam.* VI. 580
γ tenuifolia *Schleich.* VI. 580
δ coriacea *DC.* VI. 580
ε adpressa *Ledeb.* VI. 580
ζ variifolia *Lois.* - -
Scabiosa d'Urv. VI. 580
scabra Presl VI 593
Schimperi *DC.* VI. 596
Schmidtiana *Tausch* VI. 604
Schouwii *DC.* VI. 593
scoparia *Sieb.* VI. 596
scorpiurifolia *Dufour* VI. 600
sempervirens *L.* VI. 577
senegalensis *DC* VI. 598
Seridis *L.* VI. 599
serratuloides *Krock.* VI. 604
sessilis *W.* VI. 602
setifera Lag. VI. 568
setosa *Cav.* VI. 602
sevana Vill. VI. 579
sibirica *L.* VI. 576
β *DC.* - -
sibirica MB. VI. 576
sicula Leyss. VI. 594
sicula *L.* VI. 593
simplex *Cav.* VI. 603
sinaica *DC.* VI. 592
solstitialis *L.* VI. 594
β lappacea *Ten.* VI. 594
solstitialis var. Schouw VI. 594
solstitiali-paniculata Schiede VI. 586

*) conf. Praefatio.

Centaurea
sonchifolia *L.* VI. 599
β auriculata *DC.* VI. 599
γ dimorpha - - -
sordida Graf VI. 587
sordida *W.* VI. 590
Sparmanni *DC.* VI. 598
spathulata *Ten.* VI. 571
spathulata Zeraph. VI. 601
sphaerocephala *L.* VI. 599
spinosa *L.* VI. 586
spinosa W. VI. 586
spinoso-ciliata Vansoen VI. 586
spinulosa *Rochel* VI. 572
spinulosa Spr. VI. 572
splendens Auct. ital. VI. 569
splendens L. VI. 568
splendens MB. VI. 568
splendens Ten. VI. 569
squarrosa *W.* VI. 585
staminea W. VI. 601
stellata Bell. VI. 597
stellata Lam. VI. 597
stenophylla *Dufour* VI. 600
stereophylla *Bess.* VI. 580
Steveni *MB.* VI. 594
Stoebe Desf. VI 583
Stoebe *L.* VI. 602, 603
Stoebe Tausch VI 603
stricta hort. Madrit. VI. 602
stricta W. et Kit. VI. 579
strobilacea Guel. VI. 587
suaveolens W. VI. 560
subspinosa Rochel VI. 591
sulphurea Lag. VI. 587
sulphurea *W.* VI. 593 VII. 303
sylvatica Pourr. VI. 580
tagana *Brot.* VI. 566
α legitima *Poir.* VI. 566
β elata - - -
tagana W. VI. 566
taraxacifolia Don VI. 539
tatarica L. fil. VI. 587
tatarica W. VI. 589
tenella Hortul. VI. 563
tenuiflora *DC.* VI. 584
β fastigiata *Moretti* VI. 585
tenuiflora Hortul. VI. 563
tenuifolia *Dufour* VI. 596 VII. 302
Teydis Sm. et Buch VI. 567
theiantha Spr. VI. 587
thrinciaefolia *DC.* VI. 590

Centaurea
tingitana L. VI.
tingitana Splith.
Torreana *Ten.* VI.
transalpina *Schleic*
trichacantha *Spr.*
trichocephala *W.*
trinervia *Steph.* VI
Triumfetti All.
Triumfetti hort.
uliginosa *Brot.* VI
unifiora *L* VI. 573
Urvillei *DC.* VI. 59
ustulata *DC.* VI. 57
variegata Lam.
verbascifolia *Vahl*
Verutum *L.* VI. 59
Villarsii *Mutel* VI.
viminea Less. VI.
virgata Bess. VI.
virgata Cav. VI.
virgata *Lam.* VI. 5
virgata W. VI. 5
vochinensis Lejea
vochynensis Ber
Wallichiana Les
Wiedemanniana *Fis*
wolgensis *DC.* VI.
xanthina Spr. VI
Zanonii Seb. et M
Zuccariniana *DC.*
CENTAURIEAE *DC.*
Centaurium Cass.
(Centaurea)
Centauropsis *Bojer*
fruticosa *Bojer* V.
lanuginosa *Bojer* V.
Centipeda Less. V.
capensis Less. V.
orbicularis Lour.
Centrachaena Schot
Centrapalus Cass.
galamensis Cass.
Centratherum *Cass.* V.
chinense Less. V.
intermedium *Less.*
muticum *Less.* V.
punctatum *Cass.* V.
Centrocarpha Don
aristata Don V. 5
grandiflora Don
triloba Don V. 55
Centroclinium Don

linium
ium Hook. VII. 35
s Don VII. 35
m Hook. VII. 35
as (rectius pro *Acan-*
thena) *DC.* V. 524 (Fran-
seria)
rmum Kunth V. 521
Spr. VI. 64
themum Spr. VI. 64
ess. V. 522
ers H.B.et K. V. 522
ios Neck. DC. VI.
643 (Cirsium)
s Nees et Mart. VII. 73
Nees et Mart. VII. 74
Cav. V. 661 VII. 293
V. 663
es Less. V. 661
chrad. V. 662
ess. V. 663
Don VII. 293
V. 662
Less. V. 662
DC. V. 662
s. V. 662
s Don VII. 293
. V. 663
s. V. 662
us Vaill. Rich. V.
593
ch. V. 597
a DC. V. 522 (Acan-
thospermum)
ess. V. 660 VII. 293
Less. V. 660
Arn. VII. 293
k. V. 488 VII. 287
ss. V. 488
ch. VII. 287
rsk. V. 488
ia Cass. V. 488
DC. V. 488
ertn. V. 620
DC. VI. 665 (Rha-
ponticum)
ss. DC. VI. 664 (Rha-
ponticum)
les Cass. VI. 665
VII. 58
Bert herb. VII. 57
DC. VII. 59
VII. 60
Bert. VII. 57
VII. 59
VII. 59

Chabraea
glandulosa *Don* VI. 59
lithospermifolia *DC.* VII. 60
multifida *DC.* VII. 60
prenanthoides Bert. VII. 57
purpurea *DC.* VII. 59
rosea *DC.* VII. 59
scrobiculata *DC.* VII. 59
suaveolens *DC.* VII. 59
tenuior Bert. VII. 57
tomentosa *DC.* VII. 60
viscosa Bert. herb. VII. 59
Chaenactis *DC.* V. 659
glabrinscula *DC.* V. 659
lanosa *DC.* V. 659
CHAENANTHOPHORAE Lag. VII. 1
Chaetachlaena Don VII. 34
odorata Don VII. 34
Chaetactis DC. V. 317 (Hetero-
theca)
Chaetanthera *R. et Pav. DC.* VII.
29 *Don Less.* VII. 30, 32
H. B. et K. VII. 60
argentea *Don* VII. 30
Berteriana *Less.* VII. 29
Berteroana Hook. et Arn. VII.
29
Caput-Tringae Less. VII. 32
chilensis Bert. herb. VII. 30
chilensis *DC.* VII. 30
chilensis Hook. et Arn. VII. 31
ciliata *R. et Pav.* VII. 31
dealbata *Hook. et Arn.* VII. 29
eryngioides Gill. et Don VII. 31
flahellata Don VII. 31
incana *Poepp.* VII. 31
β spathulata *Poepp.* VII. 31
Kunthiana Less. VII. 31
limbata Less. VII. 32
lineurifolia Poepp. VII. 30
linearis *Less.* VII. 30
linifolia *Less.* VII. 30
magellanica Spr. VII. 65
moenchioides *Less.* VII. 31
multicaulis *DC.* VII. 31
β prostrata *Hook. et Arn.* VII. 31
multiflora H. et Bonp. VII. 64
pinnatifida H. et Bonp. VII. 62
prostrata Don VII. 31
pungens H. et Bonp. VII. 62
ramosissima var. Hook. et
Arn. VII. 31
recurvata Spr. VII. 65
scariosa Don VII. 31
sericea Lag. VII. 30

Chaetanthera
serrata R. et Pav. VII. 30
spinulosa Cass. VII. 30
tenella *DC.* VII. 31
tenella Less. VII. 31
tenuifolia *Gill.* VII. 30
β eryngioides *Hook. et Arn.* VII. 31
villosa *Gill.* VII. 30
Chaetopappa *DC.* V. 301
asteroides *DC.* V. 301
Chaetophora Nutt. V. 301
asteroides Nutt. V. 301
Chakiatella Cass. V. 563
platyglossa Cass. V. 563
stenoglossa Cass. V. 563
Chalarium Poit. V. 546
Chalceios DC. VI. 549 (Atractylis)
Chamaecyparissus DC. VI. 35 (Santolina)
Chamaeleon Bauh. VI. 527 *Cass. DC.* VI. 547 (Carlina)
albus Dalech. VI. 545
caulescens Cass. VI. 548
gummifer Cass. VI. 547
megacephalus Cass. VI. 548
salmanticense Clus. VI. 634
Chamaemela DC. VI. 50 (Matricaria)
Chamaemelum Cass. DC. VI. 4 (Anthemis)
alpinum All. VI. 8
arvense All. VI. 6
Cota All. VI. 10
Cotula All. VI. 13
discoideum All. VI. 11
incrassatum Hoffmans. VI. 16
maritimum All. VI. 8
Marschallianum a Meyer VI. 5
montanum All. VI. 8
nobile All. VI. 6
orientale Tourn. VI. 17
proliferum Moench VI. 18
tinctorium All. VI. 11
Triumfetti All. VI. 11
Chamaepeuce *DC.* VI. 657 VII. 305
afra *DC.* VI. 659
Casabonae *DC.* VI. 658
cynaroides *DC.* VI. 659
diacantha *DC.* VI. 659
echinocephala *DC.* VI. 660
firma *DC.* VI. 659
fruticosa *DC.* VI. 658
gnaphalodes *DC.* VI. 658
hispanica *DC.* VI. 658 VII. 305
horrida *DC.* VI. 660 VII. 305
mutica *DC.* VI. 657
Chamaepeuce
nivea *DC.* VI. 659
polycephala *DC.* VI.
stellata *DC.* VI. 658
stricta *DC.* VI. 659
Chamaestephanum H
Chamomilla DC. VI.

Chaptalia *Vent. Ledeb.*
Anandria Spr. VII
dentata *Cass.* VII. 41
exscapa Poepp. VI
gossypina Royle V
heterophylla Don
lyrata *Don* VII. 41
lyrata Spr. VII. 40
maxima Don VII.
oblonga *Don* VII. 41
ovalis *Don* VII 41
rotundifolia *Don* VI
runcinata H. B. et
tomentosa *Vent.* VII
Chardinia *Desf.* VI 53
cylindrica Desv. V
xeranthemoides *Desf*
Charieis *Cass.* V. 300
coerulea Cass. V.
coerulea Nees V. 3
heterophylla *Cass.* V
α β γ *DC.* V. 301
Neesii Cass. V. 301
Chartolepis Cass. E

Chatelania Neck. VI
Cheirolophus Cass. I

lanceolatus Cass.
pinnatifidus Cass.
Cherina Cass. Hook.
29, 30 *DC.* VI

microphylla Hook.

Chevreulia *Cass.* VII.
acuminata *Less.* VII.
filiformis *Hook. et A*
gnaphalioides *Don* V
lycopodioides *DC.* V
pusilla *DC.* VII. 45
stolonifera *Cass.* VII
xeranthemoides *Don*
Chiliadenus Cass. I

camphoratus Cass.
Chiliophyllum *DC.* V.
globosum *DC.* V. 35

Cass. V. 216
Cass. V. 216
Nees V. 216
olium - - -
γ *Nees* V. 216
olium *Less.* V. 216
C. V. 397
C. V. 397
DC. VI. 219 (Stenocline)
C. VII. 14
DC. VII. 14
DC. VI. 209 (Helichrysum)
Cass. V. 449, 453
es Cass. V. 454
yos Cass. V. 453
ss. V. 454
ass. V. 454
ass. V. 454
DC. V. 453 (Pterocaulon)
Ehrenb. VI. 138
hrenb. VI. 139
Less. VI. 75
ss. VI. 75
VII. 141 *Wall.* VII. 151
ia Poir. VII. 176
ylla Borckh. VII. 142
VII. 241
Lam. VII. 241
. VII. 141
Wall. VII. 140
Fisch. et Meyer VII. 142
ieb VII. 180
Poir. VII. 194
Lapeyr. VII. 143
. VII 143
ir. VII. 143
ir. VII. 194
ei Spr. VII. 158
oir. VII. 194
ia Poir. VII. 195
Wall. VII. 151
Heget. VII. 142
Vall. VII. 140
B. VII 142
oir. VII. 194
Vall. VII. 139
es Roth VII. 87
oir. VII. 195
Lam. VII. 194
Poir. VII. 242

Chondrilla
juncea Ledeb. VII. 142
juncea *L.* VII. 142
β rigens *DC.* VII. 142
γ acanthophylla - - -
juncea Schkuhr VII. 142
juncea β *Gaud.* VII. 142
laevigata Pursh VII. 144
lanceolata Poir VII. 193
latifolia *MB.* VII. 142
longifolia Hamilt VII. 151
longifolia Wall. VII. 135
lyrata Poir. VII. 192
multiflora Poir. VII. 194
muralis Lam. VII. 140
nudicaulis L. VII. 181
paniculata Lam. VII 142
pauciflora *Ledeb.* VII. 142
pauciflora Sesséet Moç VII 144
Peltidium Moritz VII. 150
pinnata Lam. VII. 189
pinnatifida *Poir.* VII. 143
prenanthoides *Vill.* VII. 142
pulchra Lam. VII. 160
purpurea Lam. VII. 194
racemosa Poir. VII 140
ramosissima *Sibth.* VII. 141
ramosissima Zeyh. VII. 176
repens Lam. VII. 178
rhombifolia Poir. VII. 196
rigens Reich. VII. 142
runcinata Wall. VII. 192
sagittata *Wall.* VII. 143
Sessaeana Don VII. 144
sessiliflora Lam. VII. 176
sicula Bocc. VII. 183
squarrosa Poir. VII. 196
stricta *Ledeb.* VII. 142
tenuifolia Lam. VII. 194
tenuis Hamilt. VII. 151
viminea Lam. VII 176
virgata Presl VII. 142
Chorisma Don VII. 177
Chorisis *DC.* VII. 177
repens *DC.* VII. 178
Choristea Thunb. DC. VI. 503 (Didelta)
carnosa Thunb. VI. 503
spinosa Thunb. VI. 503
Chresta *Arrab.* V. 85 VII. 265
cordata Arrab. V. 85
exsucca *DC.* V. 85
pycnocephala *DC.* V. 85
β Halimodendron *DC.* V. 85
sphaerocephala *DC.* V. 85 VII. 265

Chromochaeta DC. V. 351 (Pyrrocoma *DC.* VI. 322 (Doronicum)
Chromochiton (Cromochiton) Cass. VI. 154, 155
Chromolaena *DC.* V. 133
horminoides *DC* V. 133
Chronopappus *DC.* V. 84
bifrons *DC.* V. 84
Chrysactinium H B. et K. V. 97
Chrysanthellina Cass. V. 630
fasciculata Cass. V. 631
gracilis Cass. V. 631
Chrysanthellum *Rich.* V. 630 VII. 291
indicum *DC.* V. 631 VII. 291
procumbens *Rich.* V. 630
senegalense *DC.* V. 631
Swartzii *Cass.* V. 631
CHRYSANTHEMEAE *Less. DC.* V. 499. VI. 38
Chrysanthemoides Tourn. VI. 459
coerulea Moench V. 309
Chrysanthemum *DC.* VI. 63 VII. 297 *L.* VI. 45, 53, 63, 135
absinthifolium Fisch. VI. 46
Achilleae L. VI. 57
alpinum MB. VI. 56
alpinum L. VI. 54
angustifolium *Raf.* VI. 67
anomalum Lag. VI. 49
aragonense Asso VI. 61
arcticum Ledeb. VI. 46
arcticum L. VI 45
argenteum W. VI. 56
arvense herb. Mexic. V. 311
atratum L. VI. 48
Balsamita L. VI. 63
— *β hort. Paris.* VI. 63
Bieberstenianum Adam VI. 5
bipinnatum L. VI. 60
Bocconi Pourr. VI. 61
brevirradiatum Hortul. VI. 64
Broussonetii *Balb.* VI. 66
β parvifolium *DC.* V. 67
Broussonetii Pers. VI. 66
caespitosum *Weinm.* VI. 67
carinatum *Schousb.* VI. 65
carinatum W. VI. 65
carnosulum *DC.* VI. 65
carnosum Pers. VI. 49
carolinianum Walt. V. 302
caucasicum Pers. VI. 56
ceratophylloides All. VI. 56
cinerariaefolium Bocc. VI. 55
coccineum Sims VI. 55
Chrysanthemum
coccineum W.
coronarium *L.*
β tricricoides
γ macrocephalum
coronopifolium
corsicum Sieb.
corymbiferum
corymbosum L.
daucifolium *Per*
discoideum All
floseulosum L.
floseulosum β
foenicalaceum *L*
α vulgare
β pinnatifidum
γ bipinnatifidum
foliosum Bros
frutescens *L.* V
β hispidum Che
frutescens Th
fruticulosum
fuscatum Des
glabratum Th
glabrum Poir.
glaucum Pers.
gracilicaule L
grandiflorum
grandiflorum
grandiflorum *W*
α adnectum *D*
β intermedium
γ subnudum
δ cuneiforme
Hallari Sut.
heterophyllum
hirtum Thunb
hispidum A. R
humile Spr.
hybridum α G
— *β*
japonicum Th
incanum Thu
indicum L.
indicum Thun
indicum purp
inodorum L.
intermedium
italicum *L.* VI.
lacustre Bros
lanceolatum,
lanceolatum
lanceolatum

[illegible]themum
[illegible]inosum *Genera.* VI. 57
[illegible]yllum *DC.* VI. 65
[illegible] - - -
[illegible] - - -
[illegible]themum *L.* VI. 46
[illegible]themum *ε DC. fl. fr.* VI. 48
[illegible]themum *ζ DC. fl. fr.* VI. 135
[illegible]mum *alpinum Reich.* VI. 48
[illegible]es *Less.* VI. 67
[illegible]um *ageratifolium Tourn.* VI. 19
[illegible]halum *Vis.* VI. 61
[illegible]dum *W. et Kit.* VI. 58
[illegible]m *Pers.* VI. 53
[illegible] *Ramond* VI. 46
H. B. et K. VI. 67
[illegible]um *L.* VI. 60
Brot. VI. 61
Vill. VI. 55
[illegible]nsehort. *Paris.* VI. 46
[illegible]se *L.* VI. 48
[illegible] *Genars.* VI. 46
[illegible] *L.* VI. 48
[illegible] *W.* VI. 46
[illegible] *Desf.* VI. 61
[illegible] *Desf.* VI. 63
[illegible]. VI. 61
[illegible]C. VI. 65
[illegible]m *Brot.* VI. 67
[illegible]ay VI. 47
Lag. VI. 61
[illegible] *Desf.* VI. 49
Pers. VI. 54
[illegible]olium *Pers.* VI. 58
[illegible]m *Pers.* VI. 52
[illegible]m *L.* VI. 49
[illegible]m *Lois.* VI. 45
[illegible]um *Ait.* VI. 66
[illegible]n *h. fil.* VI. 66
[illegible] *Pers.* VI. 58
[illegible] *Vent.* VI. 58
[illegible]s *Laur.* VI. 62
[illegible]folium *Muss.-Puschk.* VI. 23
[illegible]tum *Pers.* VI. 61
Stev. VI. 67
W. VI. 67
[illegible]is. VI. 67
Pers. VI. 60
Vis. VI. 55
[illegible]dum VI. 56
[illegible]inum *W. et Kit.* VI. 46

Chrysanthemum
Roxburghii *Desf.* VI. 64
α discoideum *DC.* VI. 64
β breviradiatum - - -
γ radiatum - - -
segetum Forsk. VI. 64
segetum *L.* VI. 64 VII. 297
senecioides Dunal VI. 64
sericeum Adam VI. 55
serotinum L. VI. 57
setabense Duf. VI. 49
sibiricum Turcz. VI. 46
sinuatum Ledeb. VI. 46
sylvaticum Jauvy. VI. 47
sylvestre W. VI. 46
tanacetifolium hort. Paris. VI. 66
tanacetifolium *W.* VI. 67
tomentosum Lois. VI. 54
tricolor Andr. VI. 65
trifurcatum Desf. VI. 61
tripartitum Sweet VI. 62
Turreanum Vis. VI. 55
uliginosum Pers. VI. 57
umbrosum *W.* VI. 67
viscosum *Desf.* VI. 64
Zawadskii *Herbich* VI. 67
Chryseis Cass. Less. VI. 558, 559
DC. VI. 559 (Amberboa)
moschata Cass. VI. 560
odorata Cass. VI. 559
odorata C. A. Meyer VI. 560
CHRYSEIDEAE FALSAE Cass. VI. 609
Chrysis Ren. V. 585
Chrysocoma *Cass.* V. 353 VII. 280
L. V. 351, 353
acaulis Walt. V. 63
adpressa Arrab. V. 18
alata Arrab. V. 184
alterna Arrab. V. 65
amara Schum. V. 68
aphylla Arrab. V. 424
arborea Arrab. V. 65
aurea Bojer V. 322
aurea Thunb. V. 353
biflora L. V. 256, 352
camphorata Rob. et Cass. V. 476
candicans Delil. V. 352
cappillacea Mx. V. 176
cernua L. V. 353
ciliaris W. V. 353
ciliata *L.* V. 353
ciliata E. Meyer V. 354
cinerea Labill. VI. 165

Chrysocoma
Coma-aurea *L.* V. 353
β patula *DC.* V. 353
γ cernua - - -
coronopifolia Mx. V. 176
cruciata Arrab. V. 428
cymosa Arrab. V. 65
decurrens *DC.* V. 354
decussata Arrab. V. 399
dentata Arrab V. 428
denticulata Jacq. VI. 135
dichotoma Jacq. V. 477
divaricata Fisch. V. 352
dracunculoides Lam. V. 256, 352
dracunculoides Pursh V. 329
ferruginea Spr. VI. 165
gigantea Walt. V. 63
graminifolia L. V. 341
graminifolia Walt. V. 63
graveolens Nutt. V. 329
herbacea Arrab. V. 65
horizontalis Arrab. V. 65
humilis *DC.* VII. 280
incana Burm. V. 358
indivisa Arrab. V. 428
lappulina Bojer V. 323
liburnica Spr. V. 352
linearis Arrab. V. 65
Linosyris Asso V. 255
Linosyris L. V. 352
Linosyris tripollicaris Vill. V. 352
longifolia *DC.* V. 354
β patula - - -
maculata Arrab. V. 184
maritima Arrab V. 428
medio-serrata Arrab. V. 65
megapotamica Spr. VII. 269, 280
microcephala *DC.* V. 353
microphylla Thunb. V. 353
monantha Arrab. V. 65
montana Vahl V. 352
mucronata Forsk. V. 475
nauseosa Pursh V. 329
nivea *W.* V. 354
nuda Arrab. V. 424
nudata Mx. V. 329
oblongifolia *DC.* V. 354
oligophylla Arrab. V. 57
oppositifolia L. V. 357
palustris Savi V. 352
paniculata Arrab. V. 65
patula Berg. V. 353
patula L. V. 353
pauciflora Arrab. V. 109
peduncularis *DC.* V. 353

Chrysocoma
pedunculata Ar
pilosa Arrab. V.
pinnatifida *DC.* V
Preaca Arrab.
pterocaula *DC.* V.
pumila Arrab. V
punctulata Arra
purpurea *Forst.* V
purpurea Forst.
quadrangularis
repanda Arrab.
reticulata Labil
sancta Arrab. V
saxatilis DC. fl.
scabra Thunb. V
scoparia L. V. 4
senecioides hort.
sericea L. fil. V.
serrata Arrab. V
sessilis Arrab. V
spathulata Forsk
sphacelata Moen
spicata Forsk. V
spinosa Delil. V.
squamata Hook
squamata Labill.
tenuifolia *Berg.* V.
tomentosa Arrab.
tomentosa *L.* V. 35
tomentosa Walt.
tridentata *DC.* V. 3
undulata *Thunb.* V
uniflora Spr. V.
verticalis Lag. V.
verticillata Arra
villosa L. V. 352
violacea Schum.
virgata Nutt. V.
virginiana hort.
CHRYSOCOMEAE *DC.*
Chrysogonum *L.* V. 5
dichotomum *Vahl*
Diotostephus *DC.* V
peruvianum L. V
virginianum *L.* V. 5
virginianum Mx.
Chrysomelea Tausc
auriculata Tausc
lanceolata Tausc
Chrysopelta Tausch
Chrysophania *Kunth*
fastigiata *Kunth* V.
CHRYSOPSIDEAE *DC.*
Chrysopsis *Nutt.* V. 3
alba Nutt. V. 264

ina Nutt. V. 272
Ell. V. 326
DC. V. 328
ll. V. 327
ta Ell. V. 317
l. V. 327
Ell. V. 327
ia *Ell.* V. 326
C. V. 327 VII. 279
C. VII. 279
Nutt. V. 273
lia Nutt. V. 277
Nutt. V. 255
ll V. 327
Nutt V. 273
Ell. V. 326
ll. V. 317
lia *Ell.* V. 327
utt. V. 327 VII. 279
verium gnaphalioides W. herb. V. 673
na *Less.* V. 567 *E. Meyer* VI. 501
acea E. Meyer VI. 501
Less. V. 568
Cass. V. 98
ens Cass. V. 100
iata Cass. V. 99
a Cass. V. 100
Cass. V. 101
Juss. VII. 9
Don VII. 10
Poepp. VII. 10
Don VII. 10
Don VII. 10
Don VII. 12
Don VII. 11
Don VII. 10
I. et Bonpl. VII. 9
hylla *H. et Bonpl.* VII. 9
Gmel. VII. 9
H. et Bonpl. VII. 9
Don VII. 11
lon Poepp. VII. 11
lia *Gill. et Don* VII. 10
ta Don VII. 11
a Jaum. VII. 9
DC. VII. 9.
Don VII. 9
lon VII. 9
ook. VII. 10
ata Don VII. 11
Rich. V. 563
sa Rich. V. 563
Vallr. VII. 247

Cicerbita
alpina Wallr. VII. 248
corymbosa Wallr. VII. 138
intybacea Wallr. VII. 177
muralis Wallr. VII. 140
CICHORACEAE Vaill. V. 4
CICHORACEAE *Vaill. DC.* V. 9 VII. 74
CICHOREAE Spr. VII. 74
Cichorium *Tourn. L.* VII. 83
alatum Hochst. VII 75
ambiguum Schult. VII. 84
cicorea Dumort. VII. 84
Cosnia Hamilt. VII. 84
Endivia herb. Madr. VII. 84
Endivia L. VII. 84
Endivia *W.* VII. 84
α Cosnia *DC.* - - -
β sativa - - -
glabratum *Presl* VII. 84
Intybus *L.* VII. 84
β divaricatum *DC.* VII. 84
pumilum *Jacq* VII. 84
spinosum *L.* VII 84
Cinara Tourn. VI. 620
Cineraria *Less.* VI. 305 *Cass.* VI. 340 *L. Auct.* VI. 305, 313, 355, 359, 362, 409
acanthifolia Spr. VI. 355
Aitoniana Spr. VI. 307
alata L. fil. VI. 470
alchemilloides *DC.* VI. 307
alliariaefolia *Desf.* VI. 308, 348
alpestris Hoppe VI. 360
alpina All. VI. 362
alpina Hoppe VI. 360
alpina Huds. VI. 361
alpina Lam. VI. 361
alpina L. VI. 347
alpina Wahlenb. VI. 348
alpina W. VI. 347
alpina β L. VI. 347
altaica C. A. Meyer VI. 315
ambigua Biv. VI. 356
ambracea Horn. VI. 348
amelloides L. V. 225
americana L. VI. 416
angulata Alam. VI. 431
angulata Mairet VI. 431
angulosa Lam VI. 308
angulosa E. Meyer VI. 337
angustifolia H B. et K. VI. 430
anomala Sibth. VI. 351
anthemoides Spr. VI. 365
appendiculata Poir. VI. 409
arachnoidea Reich. VI. 358

Cineraria
arctotidea *DC.* VI. 366
aspera *Thunb.* VI. 365
atriplicifolia *DC.* VI. 366
atropurpurea Ledeb. VI. 347, 360
atropurpurea Spr. VI. 347
aurantiaca Hoppe VI. 361
aurantiaca Sims VI. 362
aurantiaca floccubosa Reich. VI. 362
aurea L. VI. 348
auriculata Ledeb. VI. 358
aurita Andr. VI. 410
aurita L'Herit, VI. 409
Balsamita Lam. VI. 359
Bergeriana Spr. V. 223
bicolor W. VI. 356
bipinnata W. VI. 397
bracteata C. Smith. VI. 410
brasiliensis Spr. VI. 419
cacaliformis Lam. VI. 315
cacalioides L. fil. VI. 478
Caledoniae Spr. V. 211 VI. 373
campestris DC. fl. fr. VI. 361
campestris Reich. VI. 361
campestris Retz. VI. 361
canadensis Walt. VI. 294
candida Presl VI. 356
canescens Walt. herb. V. 277
canescens *Wendl.* VI. 397
capillacea Thunb. VI. 74
capitata Hoppe VI. 360
capitata Ledeb. VI. 361
capitata Wahlenb. VI. 362
caspica Pers. VI. 358
caucasica Hoffm. VI. 352
caucasica MB. VI. 348
ceratophylla Ten. VI. 356
cernua Thor. VI. 317
cernua Wall. VI. 314
chamaedrifolia *Lam.* VI. 369
chinensis Spr. VI. 363, 368
Clusiana Host VI. 360
congesta R. Br. VI. 363
cordifolia Jacq. VI. 347
cordifolia L. fil VI. 347
cordifolia auriculata Jacq. VI. 348
coronata *Thunb.* VI. 369
coronata Zeph. VI. 428
corymbosa Moench V. 298
crassiflora Lam. VI 413
crassifolia Host VI. 360
crassifolia Kit. VI. 369
crenata Spr. VI. 368

Cineraria
crispa L. fil. V
— *β Ledeb*
— *γ*
crispa var. G
crocea Trutt.
cruenta Mass.
cruenta alba
cuneata R. Mo
cymbalarifolia
—
cymbalarifolia
cymbalarifolia
dealbata Spr.
decipiens Spr.
denticulata H
denticulata W
discolor Sims
discolor Sw. V
divaricata Sp
Doria Spr. VI
dracunculoide
Dregeana *DC.* V
elatior Bouch
elongata L. fil.
erodioides *DC.*
erosa *W.* VI. 3
exilia *DC.* VI. 3
filifolia Thunb
Fischeri Ledeb
flammea Turcz
Forsteri Spr.
frigida Richa
frigida Spr. V
fulva Stev. VI.
geifolia *L.* VI. 3
β glabra DC. VI.
gerandifolia *DC.*
α stipulosa D
β uliginosa
γ paniculata
gibbosa Guss.
gigantea Sm.
glabella Turcz
glaberrima Sp
glabra Sw. VI.
glabrata Ledeb
glabrata Sw.
glauca L. VI. 3
grandiflora Sp
hastifolia L.
heterophylla
heterophylla

yllo Pursh VI. 433
Vent. V. 223
ul herb. V. 226
E. Meyer V. 224
L'Herit. VI. 306
Hoepp. VI. 417
V. VI. 410
Reich. VI. 389
Spr. VI. 369
Thunb. VI. 363
. VI. 412
utt. VI. 438
unb. VI. 435
VI. 383
s Pursh VI. 433
s Roth VI. 362
s Schkuhr VI. 359
Sow. VI. 361
W. VI. 360
A. Vill. VI. 362
alpina Jacq. VI. 360
w. VI. 412
. VI. 410
VI. 410
VI. 404
erit. VI. 409
nb. VI. 309
Lam. VI. 361
VI. 309
chards. V. 288
il. VI. 395
il VI. 395
VI. 446
gh. V. 224
est VI. 355
rit. VI. 307
DC. VI. 308
ret VI. 431
dl. VI. 360
Jacq. VI. 362
Sturm VI. 362
ar. pedemontana DC. VI. 360
VI. 411
VI. 308
eb. VI. 347
s Ledeb. VI. 316
L'Herit. VI. 410
. VI. 355, 435
Valt. VI. 435
DC. VI. 305
s Vahl V. 225
s VI. 346
eyer VI. 306

Cineraria
mongolica Turcz. VI. 315
montevidensis Spr. VI. 419
multiflora L'Herit. VI. 410
nebrodensis Guss. VI. 355
nivea W. VI. 390
Othonnites L. VI. 478
ovata Spr. V. 344
ovirensis Koch VI. 360
oxyodonta *DC.* VI. 306
palmensis Nees VI. 411
palustris fl. altaic. VI. 363
palustris L. VI. 363
pandurata Thunb. VI. 383
papposa Reich. VI. 360, 361
parviflora Ait. VI. 307
parviflora fl. mexic VI. 431
parviflora MB. VI. 348
pauciflora Spr. VI. 367
pedunculosa *DC.* VI. 305
perfoliata L. fil. VI. 472
Petasitis Sims VI. 431
phylicaefolia Poepp. VI. 415
pinnata Lall. et Lex. VI. 427
pinnatifida W. VI. 433
platanifolia Schrank VI. 431
platycarpa *DC.* VI. 305
polycephala *DC.* VI. 307
polyglossa *DC.* VI. 306
populifolia L'Herit. VI 409
— *alba Hortul.* VI. 410
— *leucantha Vent.* VI. 410
praecox Cav. VI. 431
pratensis Hoppe VI. 360
pratensis radiata Reich. VI. 360
pulchella B. Meyer VI. 438
pumila Thunb. VI. 306
purpurata *L.* VI. 309
racemosa MB. VI. 358
ramentosa L'Herit. VI. 411
renifolia C. A. Meyer VI. 316
reniformis Spr. VI. 315
repanda Lour. VI. 363
repanda W. V. 210
rivularis W. et Kit. VI. 359
robusta Ledeb. VI. 316
rotundifolia W. V. 210
salicifolia H. B. et K. VI. 430
salicifolia Moç. VI. 430
sarmentosa Leschen. VI. 369
saxifraga *DC.* VI. 306
β axillipila - - 307
scapiflora *L'Herit.* VI. 309
scapigera Banks herb. VI. 439

Cineraria
Schkuhrii Reich. VI. 360
scirpina E. Meyer VI. 438
scordifolia hort. Berol. VI. 439
Sellei Spr. VI. 419
senecifolia Poir. VI. 347
serrata *W.* VI. 309
sibirica W. et Kit. VI. 315
sonchifolia *L.* VI. 309
spathulaefolia Gaud. VI. 362
spathulaefolia Gmel. VI. 362
spathulaefolia Reich. VI. 362
spathulata Lam. VI. 470
speciosa Schrad. VI. 315
spinulosa *Lam.* VI. 309
sudetica Koch VI. 359
taraxacifolia MB. VI. 348
taurica Stev. VI. 575
tenella Link V. 219
tenuifolia Gaud. VI. 362 VII. 301
thyrsoidea Ledeb. VI. 316
tilandsiaefolia Poepp. VI. 415
tomentosa *Less.* VI. 308
trachyphylla Spr. V. 225
trifurcata Spr. VI. 435
tuberosa E. Meyer VI. 438
tussilaginea Thunb. VI. 369
Tussilaginis L'Herit. VI. 410
uliginosa Ledeb. VI. 348
uncinata *Spr.* VI. 369
undulata W. VI. 434
verna Mairet VI. 430
verticillata Mairet VI. 430
vestita Haw. VI. 482
vestita Spr. VI. 412
viscosa *Ait.* VI. 309
Vulneraria Alam. VI. 428
Cirseltium Gärtn. VI. 549 *DC.* VI. 550 (Atractylis)
cancellatum Gärtn. VI. 550
humile Gärtn. VI. 550
Cirsioides DC. VI. 539 (Aplotaxis)
Cirsium *Tournef.* VI. 634 VII. 303 *Cass.* VI. 643 *Less.* VI. 658, 659
Acarna Moench VI. 634
aciculare *Tausch* VI. 654
acaule *All.* VI. 652
β caulescens *DC.* VI. 653
γ Gmelini *C. A. Meyer* VI. 654
δ gregarium *Boiss.* VII. 305
acaulos Lam. VI. 652
aduncum *Fisch. et Meyer* VI. 636
afrum DC. VI. 659
alpinum α β. fr. VI. 635

Cirsium
alpicum β β. fr.
altissimum *Spr.* VI
ambiguum *All.* VI.
β hastatum *DC.*
γ albidum
anglicum *Lobel.* VI
angustifolium *DC.*
angustifolium T
angustissimum *DC.*
apiculatum *DC.* VI
arachnoideum *MB.*
arctioides Scop.
argenteum *Poyer*
argunense *DC.* VI.
argyracanthum *DC.*
arietatum *DC.* VI.
armenum *DC.* VI.
arvense *Scop.* VI.
β *DC.* VI. 643
autaraticum Mus
baeticum Spr. VI
Bertolonii *Spr.* VI.
Bigelowii *DC.* VI.
bracteatum Link
bracteosum *DC.* VI
bulbosum *DC.* VI.
bulbosum β palli
bulgaricum *DC.* VI
canum All. VI. 64
canum *MB.* VI. 64
canum italicum
carlinoides Fisch
carniolicum All.
carniolicum Scop
carthamoides L
Casabonae β. fr.
cernuum *Lag.* VI.
Cervini Thom. VI
Chailleti *Gaud.* VI
chium *DC.* VI. 64
eichoraceum Spr.
ciliato-affine Ba
ciliatum *MB.* VI.
ciliatum hybridu
compactum α La
— *β*
congestum *Fisch.*
consanguineum *DC*
controvetsum *DC.*
α purpureum
β

'*Urv.* VI. 636
oiss. VII. 305
Spr. VI. 659
Mk. VI. 653
m Koch VI. 648
C. VI. 654
Scop. VI. 628
Fisch. VI. 654
Link VI. 654
DC. VI. 659
ss. VI. 643
r. VI. 640
Lam. VI. 650
DC. VI. 649
DC. VI. 643
DC. VI. 638
alum Spr. VI. 660
nk VI. 641
herb. VI. 557
. VI. 642
Fisch. VI. 642
Scop. VI. 638
DC. VI 638
glutinosum Gaud. VI. 649
DC. VI. 649
- - -
Turcz. VI. 650
VI. 637
DC. VI 637
Fisch. VI. 663
MB. VI. 635
Poiss. VII. 305
C. VI. 654
DC. VI. 636
Spr. VI. 637
d'Urv. VI. 639
pessulanum Gay. VI. 645
C. VI. 648
Lam. VI. 649
pr. VI. 652
es Spr. VI. 658
um Gaud. VI. 649
All. VI. 653
um Spr. VI. 540
lum All. VI. 653
m DC. VI. 653
- - - -
- - -
Mx. VI. 651
MB. VI. 638
Lag. VI. 660
Koch VI. 646
DC. VI. 645

Cirsium
japonicum *DC.* VI. 640
igniarium Spr. VI. 557
incanum *Fisch.* VI. 643
inclinatum Lam. VI. 627
involucratum *DC.* VI. 639
jorullense *Spr.* VI. 650
italicum *DC.* VI 635
kamtschaticum *Ledeb.* VI. 644
Lachenalii Gmel. VI. 648
lacteum Koch VI. 645
laeve Moench VI. 648
lanatum *Spr.* VI. 654
lanceolatum *Scop.* VI. 636
β hypoleucum *DC.* - -
γ breve-decurrens *DC.* VI. 636
laniflorum *MB.* VI. 638
β Szowitzianum *DC.* VI. 638
γ subnudum - - -
laniflorum Fisch. VI. 638
lappaceum *MB.* VI. 637
lappaceum Lam. VI. 629
latifolium *Lowe* VI. 653
leucocephalum *Spr.* VI. 639
β armenum *DC.* VI. 639
leucopsis *DC.* VI. 644
β incertum - - -
leucostylum Moench VI. 628
libanoticum *DC.* VI. 647
Lobelii Ten. VI. 637
lucidum *DC* VI. 654
lyratum Bunge VI. 539
macrocephalum *C. A. Meyer* VI. 640
maculatum Lam. VI. 617
maculatum Moench VI. 660
maculatum Scop. VI. 616
mareoticum Spr. VI. 611
medium All. VI. 650
mexicanum *DC.* VI. 636
mite *Fisch.* VI 655
molle Scop. VI. 676
monspessulanum *All.* VI. 644
β pyrenaicum *DC.* VI. 645
γ dissectum - - - -
montanum *Spr.* VI. 650
munitum *MB.* VI. 639
muticum *Mx.* VI. 652
neglectum *Fisch.* VI. 655
neglectum Fisch. VI. 643
nepalense *DC.* VI. 642
niveum Spr. VI. 660
numidicum *Spr.* VI. 655
Nuttalii *DC.* VI. 651
obvallatum *MB.* VI. 651

Cirsium
ochroleucum *All.* VI. 648
β arachnoideum *DC.* VI. 649
γ mixtum - - -
ochroleucum α *fl. fr.* VI. 649
— β - - - 648
odontolepis *Boiss.* VII. 305
oleraceo-acaule *Horop.* VI. 655
oleraceo-rivulare *DC.* VI. 647
oleraceum *All.* VI 647
orientale *Spr.* VI. 649
orgyale Hortul. VI. 654
orgyale *Lmk* VI 655
palfens *DC.* VI. 647
palustre *Scop.* VI. 645
palustri-bulbosum *DC.* VI. 646
paniculatum Lam. VI. 624
paniculatum Spr. VI. 646
pannonicum *DC.* VI. 645
parviflorum *DC.* VI. 647
pauciflorum *Spr.* VI. 649
parcuarense *Spr.* VI. 637
pendulum *Fisch.* VI. 650
pinnatifidum *Spr.* VI. 670
polyanthemum *DC.* VI. 641
β brachycentrum - - 642
polyanthemum Spr. VI. 641
polyanthos *Cirr.* VI. 642
polycephalum *DC.* VI. 639 *)
polycephalum *W.* VI. 655
praealtum Cass. VI. 643
praemorsum Michl VI. 647, 649
protense *DC.* VI. 645
pubigerum *DC.* VI. 650
purpureum All. VI. 654
pumilum *Spr.* VI. 651
β Hystrix *Nutt.* VI. 651
pungens Spr. VI. 641
pygmaeum Scop. VI. 532
pyrenaicum DC fl. fr. VI. 645
remotifolium *DC.* VI. 655
repandum *M.r.* VI. 651
replicatum *DC.* VI. 655
rheginum Spr. VI. 659
rhizocephalum *C. A. Meyer* VI. 651
rigens Reich. VI. 647
rigens *Wallr.* VI. 648
rigens β *Gaud.* VI. 654
rigidum *DC.* VI. 640
rulare All. VI. 649
ani Ten. VI. 636
eni Vill. VI. 652
icens Ram. VI. 647
anum MB. VI. 666
—
Cirsium
scleranthon MB.
segetum *Bunge* V
semidecurrens *DC*
semipectinatum *D*
serratuloides *DC.*
— β -
serratum *Tausch*
serrulatum *MB.* V
serrulatum var.
setigerum *Ledeb.*
setosum *MB.* VI.
siculum *Spr.* VI.
β pungens *DC.* -
simplex Horn. V
simplex *C. A. Mey*
sorocephalum *Fisc*
spathulatum *Gaud*
spectabile *DC.* VI.
spinosissimum B
spinosissimum *Sco*
spinosissimum py
squarrosum *Fisch.*
stellatum All. VI
strictum Spr. VI
strigosum MB. V
strigosum *Fisch. et*
subalatum *Gaud.*
subalpinum *Gaud.*
β laeteum -
sylvaticum *Tausch*
syriacum Gärtn.
taticum DC. fl
Tauschii *DC.* VI. 6
tomentosum *C. A. M*
tricephalodes *DC.*
α salisburgense -
β rivulare -
tricephalodes β *l*
tricholoma *Fisch. et*
trispinosum Moe
tuberosum All. V
ucranicum *Bess.* V
uliginosum *MB.* VI
undulatum *Spr.* VI.
variabile α *Moen*
— β -
verutum Spr. VI.
virginianum *M.r.* V
vlassovianum *Fisch.*
Wallichii *DC.* VI.
Zizianum Koch V

sis DC. VI. 331 (Cacalia)
ass. VI. 18
Cass. VI. 18
Cass. VI. 18
DC VI. 245
a DC. VI. 245
Less. DC. VII. 34 (Onoseris)
C. V. 636 *(delendum et ecosmia referendum)* VII 265, 292
via DC. V. 636 VII. 292
ia. DC. VII. 60 *Cass.* VII. 63 *Less.* VII. 65
ia Don VII. 61
ia VII. 61
DC. VII. 62
ia Cass. VII. 65
a DC. VII. 61
folia DC. VII. 61
ia VII. 61
. DC. VII. 62
ula Cass. VII. 64
DC. VII. 62
Lag. VII. 62
ta Lag. VII. 64
ia VII. 61
DC. VII. 61 (Clarionea)
is DC. VII. 65 (Homoianthus)
. VI. 633
DC. VI. 633
DC. VI. 633
C. V. 127 VII. 267
DC. V. 128
C. V. 128
DC. V. 128 VII. 267
Don Less. DC. VII. 71 (Trixis)
ris Don VII. 71
brad. VI. 491
brad. VI. 494
ia phlomoides Hortul. V. 613
. V. 505
DC. V. 506
DC. V. 507
ia DC. V. 506
ides DC. V. 506
C. V. 506
Alam. V. 505
DC. V. 506
DC. V. 507
ata DC. V. 507

Clibadium
peruvianum *Poepp.* V. 505
rotundifolium *DC.* V. 505
β - - -
surinamense *L.* V. 505
terebinthinaceum *DC.* V. 506
β Badieri - - -
Trinitatis *DC.* V. 505
Vargasii *DC.* V. 506
Clomenocoma *Cass.* V. 641
aurantia *Cass.* V. 641
pinnata *DC.* V. 641
Clomium Adans. VI. 621, 627
Closirospermum Neck. VII. 152
Cnicus *Vaill. DC.* VI. 606 *Schreb. et Auct.* VI. 634, 657, 660, 666
Acarna L. VI. 634
acauli-oleraceus Schiede VI. 648
acaulis Hoffm. VI. 652
afer Sieb. VI. 659
afer Ten. VI. 660
afer a W. VI. 659
β - - -
alsophilus Poll. VI. 650
altaicus Steph. VI. 538
altissimus Ell. VI. 640
ambiguus Lois. VI. 653
ambiguus Schleich. VI. 653
angustifolius Hamilt. VI 652
arachnoideus hort. Paris. VI. 635
arachnoideus MB. VI. 639
arachnoideus Wall. VI. 642
araneosus Desf. VI. 635
arenarius W. VI. 625
Argemone Lapeyr. VI. 627
arvensis Hoffm. VI. 643
arvensis β Lois. VI. 643
auriculatus Wall. VI. 541
autareticus Lois. VI. 649
autareticus W. VI. 653
benedictus *L.* VI. 606
Bonjarti Pill. et Mitt. VI. 635
candicans B. et F. Wall. VI. 540
candicans A. C. D. E. Wall. VI. 540
canus W. VI. 644
carlinoides Schrank VI. 661
carniolicus W. VI. 647
carthamoides Wall. VI. 540
carthamoides W. VI. 666
Casabonae W. VI. 658
centaureoides L. VI. 663

Cnicus
cernuus L. VI. 667
cernuus Wall. VI. 648
Chamaepeuce Desf. VI. 656
Chamaepeuce Pers. VI. 650
ciliatus Vieus. VI. 649
ciliatus W. VI. 636
collinus Horn. VI. 625
Cynara Lam. VI. 663
cynaroides W. VI. 659
deltoideus Wall. VI. 641
dentatus Forsk. VI. 611
dentatus W. VI. 650
discolor MBbl. VI. 649
dissectus W. VI. 645
dubius W. VI. 632
echinatus W. VI. 636
echinocephalus W. VI. 660
eriophorus Hoffm. VI. 668
eriophorus Juss. herb. VI. 635
erisithales L. VI. 649
firmus Presl VI. 650
flavescens W. VI. 670
fruticosus Desf. VI. 650
Galactites Lois. VI. 616
gigantius W. VI. 667
glaber Ell. VI. 651
glutinosus Bigel VI. 652
gossypinus Wall. VI. 641
Gouani Lapeyr. VI. 627
Gouani W. VI. 627
helenioides W. VI. 653
heterophyllus W. VI. 653
horridulus Ell. VI. 651
horridus Bertol. VI. 648
horridus MB. VI. 638
horridus Forsk. VI. 628
hybridus Schleich VI. 649
inermis W. VI. 663
involucratus Wall. VI. 639
jorullensis H. B. et K. VI. 651
italicus Sch. et Maur. VI. 635
lactrus Schleich. VI. 645
lanatus W. VI. 654
lanceolatus Hoffm. VI. 636
laniflorus MB. VI. 639
lappaceus MB. VI. 637
lappaceus hort. Paris. VI. 639
leucocephalus W. VI. 639
lucidus Wall VI. 622
mitis Horn. VI. 635
mollis Vill. VI. 652
montanus W. et Kit. VI. 650
multicaulis Wall. VI. 649
munitus MB. VI. 636
muticus W. VI. 636

Cnicus
muticus Pall. VI.
nivalis Bieb.
niveus Presl VI.
niveus Wall. VI
obvallatus MB.
obvallatus Sibth.
ochroleucus W.
oleraceo-rivularis
oleraceus L. VI.
oleraceus β VI.
orientalis W. V
argyalis W. VI.
paludosus Lois.
palustri-oleraceus
palustri-rivularis
palustri-tuberosus
palustris W. VI
palustris β MB.
parviflorus Hall
pauciflorus W.
pauxarensis M
pedemontanus
pinnatifidus W.
polyanthemus B
Pontederae Poll.
pratensis Lam.
pratensis W. VI
pubigerus Desf.
pungens Bir. VI
pungens Sch. VI
pungens W. VI.
pyrenaicus W.
rectus hort. Par
repandus Ell. VI
replicatus Horn.
rigens W. VI. 6
rivularis W. VI.
rufescens Lois.
sannensis Schle
salisburgensis
seminudus Schl
semipectinatus
semipectinatus
semipectinatus
serratuloides W
serrulatus MB.
serrulatus β.
setosus Besa. V
spathulatus M
spinosissimus

ms Lapeyr. VI. 648
ms L. VI. 648
Hern. VI. 655
P. VI. 658
m. VI. 659
MB. VI. 640
P. VI. 660
leraceus Schiede VI. 647
W. VI. 650
MB. VI. 644
. VI. 664
Nevers VI. 666
n VI. 639
Pursh VI. 653
s. V. 107
H. B. et K. V. 108
C. V. 108
. 107
ss. V. 108
C. V. 108
DC. V. 107
- - -
. V. 107
. V. 108
DC. VI. 85 (Hymenolepis)
s. VI. 41
. VI. 42
Cass. V. 136, 138
Cass. V. 136
Myconis Cass. VI. 61
. 630
Spr. V. 631
& VII. 99
oth VII. 100
cq. VI. 283
y. VI. 283
DC. V. 344
DC. V. 344
C. V. 344
DC. V. 344
. V. 345
. V. 344
Vaill. V. 5
FLORAE Gaertn. V. 5
. V. 531
C. V. 531
C. V. 135 VII. 268
e DC. V. 135
C. V. 135

Conoclinium
coelestinum *DC.* V. 135
microphyllum *DC.* V. 135
prasiifolium *DC.* V. 135 VII. 268
Conophora DC. VI. 329 (Cacalia)
Contarena Adans. V. 88
Conyza *Less.* V. 377 VII. 281 *Ait.* *Lam.* V. 69 *L.* V. 377, 396 *Wall.* V. 77
abbreviata Wall. V. 25
absinthifolia *DC.* V. 383
acuminata Wall. V. 32
adnata H. B. et K. V. 450
aegyptiaca *Ait.* V. 382
aegyptiaca Rové V. 382
ageratoides *DC.* V. 385
alata Baumg. V. 465
alata Roxb. V. 448
alata A. Wall. V. 448
alata B. Wall. V. 449
albicans Wall. V. 26
albida *W. herb.* V. 378
alopecuroidea Kunth V. 454
alopecuroidea Sw. V. 454
alopecuroides var. a Lam. V. 454
altaica *DC.* V. 380
ambigua *DC.* V. 381
ambigua Hook. et Arn. V. 378
amoena *Link* V. 382
amplexicaulis Lam. V. 433
amplexicaulis Mx. V. 451
amplexicaulis Wight V. 434
amygdalina *Lam.* V. 386
amygdalina Spr. V. 446
anagallidifolia Wall. V. 434
anchusaefolia *Poir.* V. 386
andryaloides *DC.* V, 377
angustifolia *Hamilt.* V. 383
angustifolia hort. Paris. V. 420
anthelminthica L. V. 61
appendiculata Blume V. 447
appendiculata Lam. VI. 376
apurensis *H. B. et K.* V. 380
arabica *W.* V. 388
arborea Wall. V. 22
arborescens Forst. V. 344
arborescens L. V. 48
arborescens Sw. V. 49
arbutifolia Lam. V. 417
argentea *Lam* V. 386
argentea Perrot. V. 449
argentea Spr. V. 443
argentea A. B. C. Wall. V. 469
argentea D. Wall. V. 469
arguta *Less.* V. 377
aromatica Wall. V. 446

Conyza
articulata Lam. V. 424
aspera *Bory* V. 385
asteroides Desf. V. 450
asteroides L. V. 261
asteroides *Wall.* V. 362
attenuata *DC.* V. 364
attenuata Wall. V. 33
Aucheri *DC.* VII. 281
aurita Heyne V. 441
aurita L. V. 449
axillaris Lam. V. 435
axillaris W. V. 435
balsamica Wall. V. 319
balsamifera L. V. 447
barbata DC. V. 434
bellidifolia Wall. V. 25
bifoliata Cham. V. 434
bifoliata DC. V. 434
bifoliata Walt. V. 261
bifolielata Wall. V. 435
bifrons Gou. V. 465
bifrons L. V. 451
blanda Wall. V. 32
Bojeri *DC.* V. 384
Bovei *DC.* V. 381
bovina Hamilt. V. 444
bracteolata Rottl. V. 434
bracteolata Wall. V. 62
bryoides Lam. V. 427
buxifolia Lam. V. 422
cafra *DC.* V. 381
calocephala *Bory* V. 385
calycina Cav. V. 397
camphorata Ell. V. 452
canariensis W. V. 477
candicans Wall. VII. 26
candida L. V. 464
candida W. V. 464
canescens Bory V. 473
canescens Kekl. VII. 13
canicans Thunb. V. 72
capitata Spr. V. 82
capitata Wall. V. 439
Cappa Hamilt. V. 469
cardaminifolia *H. B. et K.* V. 379
carolinensis Jacq. V. 452
cataphracta W. herb. V. 427
cayennensis *Spr.* V. 369
chenopodifolia Lam. VI. 300
chenopodioides *DC.* V. 379
chilensis *Spr.* V. 378
β monocephala *DC.* V. 378
chinensis Lam. V. 69
chinensis L. V. 445
chinensis Pers. V. 369

Conyza
Chingoyo H. B.
chrysocomoides
chrysocomoides
ciliaris *Spr.* V. 3
cinerarioides
cinerascens W
cinerea L. V. 24
cinerea Wall.
cinerea B. Wall
cinerea C. Wall
clethraefolia W
communis Wall
congesta Spr. V
conica *Poir.* V. 3
coronopifolia *H.*
coronopifolia
Coronopus Lam
Cortesii H. B. et
corymbosa Rox
Cotoneaster W.
crispata *Vahl* V.
cuneata Bojer
cuneata Hamilt
cuneifolia Lam.
cuneifolia Wall
cupressiformis
Dampieri Cunn
decurrens L. V.
densiflora Heyn
dentata *W.* V. 3
β rhomba *DC.* V.
dichotoma L. fil.
diffusa Poir. V.
Dioscoridis Ro
discolor Bory
disticha *Spr.* V. 3
disticha Wall.
disticha A. Wal
divaricata Spr.
divergens Wall.
divergens K. W
diversifolia *Wo*
domingensis W.
dongolensis *Del*
elaeagnifolia W
elegantula Wal
elongata Wall.
erigeroides *DC.*
eriophora Wall.
eupatorioides W
excisa Wall. W
extensa Wall.
falcigera Wal
fasciculata W

edeb. VII. 161
W. VII. 155
VII. 86
ll. VII. 158
Tausch VII. 163
Lois. VII. 156
var. Lois VII. 156
eyr. VII. 154
II. 163
C. VII. 163
- - -
. VII. 153
et Maur. VII. 161
Fill. VII 166
δ. i. x. DC. VII. 167
el. VII. 160
C. A. Meyer VII.164
b. VII. 164
L. VII. 155
Pall. VII. 179
. VII. 162
Froel. VII. 171
- - -
- - -
- - -
- - -
- - -
- - -
les Jacq. VII. 172
les Moesl. et Reich. VII. 171
roel. VII. 165
sf. VII 154
roel. VII. 167
ks herb. VII. 157
n. VII. 172
ia Desf. VII. 87 155
en. VII. 162
- - -
Link VII. 87
rn. VII. 179
. VII. 162
Gochn. VII. 154
L. VII. 179
Poll. VII. 163
Roth VII. 162
ll. VII. 132
ch. VII. 161
k. VII. 172
Tausch VII. 161
dit. VII. 87
v. VII. 172
Froel. VII. 172

Crepis
foetens *Froel.* VII. 172
foetens Link VII. 158
foetida L. VII. 158
foetida var. coa D'Urv. VII. 97
Froelichiana *DC.* VII. 165
β subglabra - - -
γ pauciflora - - -
fuliginosa *Sibth. et Sm.* VII. 161
β adscendens *DC.* - -
glandulosa *Bast.* VII. 172
glandulosa Guss. VII. 158
globifera Hall. fil. VII. 179
Gmelini *Froel.* VII. 164
Gmelini Schultz VII. 164
graminifolia Ledeb. VII. 155
grandiflora *Froel.* VII. 166
β conyzaefolia - - -
γ pappoleuca - - -
δ subruncinata *DC.* - -
ε glabrescens *Froel.* - -
grandiflora W. VII. 173
heterogyna *Froel.* VII. 169
heterosperma Schrad. VII. 179
heterotricha *DC.* VII. 168
hiemalis Biv. VII. 154
hieracioides Lam. VII. 128
hieracioides Schkuhr VII. 129
hieracioides W. et Kit. VII.170
hieracioides *W.* VII. 170
β croatica *Froel.* - -
γ succisaefolia - - -
δ gracilis - - 171
ε glabrifolia - - -
ζ Sternbergii - - -
hirta Pers. VII. 155
hispida Pers. VII. 155
hispida W. et Kit. VII. 155
hispidissima Bartl. VII. 129
hispidula Delil. VII. 109
hyoseroides *Sibth.* VII. 172
hyoseridifolia *Moesl. et Reich.* VII. 171
incana Lapeyr. VII. 244
incana *Sibth.* VII. 172
incarnata *Less.* VII. 165
incarnata Vis. VII. 158
integrifolia *Vest* VII. 173
interrupta *Sibth.* VII. 161
interrupta Sieb. VII. 161
intybacea Brot. VII. 154
Kitaibelii *Froel.* VII. 168
lacera *Ten.* VII. 161
Lachenalii Gochn. VII. 163
laciniata Schkuhr VII. 129

Conyza
neriifolia L'Herit. V. 439
nutans Hamilt. V. 436
obliqua Hamilt. V. 439
obliqua W. V. 433
oblonga Wall. V. 469
oblongifolia *Spr* V. 399
obovata Wall. V. 446
obscura *DC.* V. 387
β calvescens *DC.* V. 387
obtusa *H. B et K.* V. 379
odorata L. V. 452
odorata Rumph V. 447
odorata guadalupensis Spr. V. 452
oleaefolia Lam. V. 352
orientalis *W.* V. 389
ovata Wall. V. 25
oxyodonta Wall. V. 444
panamensis *W.* V. 390
paniculata Desf. V. 381
paniculata herb. Madr. V. 438
paniculata W. V. 441
parvifolia Wall. V. 437
patula Ait. V. 69
pauciflora W. V. 61
petiolaris *Wall.* V. 383 VII. 281
pinifolia Bory VI. 293
pinnatifida *Less* V. 387
pinnatifida var. Roxb. V. 384
pinnatilobata *DC.* V. 387
β hispida - - -
platensis Spr. V. 52
platylepis Spr. V. 31
podocephala *DC.* V. 387
β dumosa - - -
polygonata Wall. V. 465
populifolia Lam. V. 74
portoricensis Bert. V. 52
procera Desf. V. 378
procera Wall. V. 445
procumbens *Balb.* V. 390
prolifera Blume V. 320
prolifera Lam. V. 65, 320
prostrata Ten. V. 390
proteiformis Perr. V. 376
pubescens *DC.* V. 381
pubigera *L.* V. 389
pulchella *H. B. et K.* V. 380
pumila Pers. V. 433
pumila Sibth. et Sm. V. 397
punctata *W.* V. 390 *(est* Aplopappus pulchellus VII. 281)
punctata W. V. 347 VII. 280
punctulata Wall. V. 69
punduana Wall. V. 32

Conyza
pungens Lam.
pungens Pers.
purpurascens
purpurea Hem
pusilla *Houtt.*
pusilla H. B. et
pycnostachya
pyxmaea, Sieb.
pyrifolia Lam.
racemosa Spr.
racemosa Wall
ramiflora Spr.
redolens W. V.
retusa Lam V.
rigida Sw. V.
riparia Blume
riparia magdal
robusta Roxb.
Roylei *DC.* V.
rubra Hamilt.
rufa *Wall.* V.
rufidula *Spr.* V.
rugosa Ait. V.
rugosa Vahl V.
runcinata Wa
runcinata B.
rupestris Buch
rupestris L. V.
rutilans Poir.
salicifolia α et
salicifolia ang
saligna Wall.
salsoloides Tu
salvifolia Bory
saxatilis L. V.
saxatilis Sieb.
saxatilis Ten.
scabra L. V.
scabrida *DC.* V.
β angustifolia *DC*
scandens Wall
scorpioides La
semipinnatifida
semivestita W
senecioides Ha
senegalensis Si
senegalensis W
sericea Ait. V.
sericea *Bory* V.
sericea Wall.
serrata Bory
serrulata Lam

Froel. VII. 168
Delil. VII. 156
ill. fil. VII. 155
rs. VII. 155
VII. 167
Froel. VII. 169
oel. VII. 168
am. VII. 132
DC. VII. 170
Guss. VII. 153
una All. VII. 128
una W. VII. 129
urca. VII. 164
hunb. VII. 218
hultz VII 163
op. VII. 162
Ait. VII. 87
les Desf. VII. 155
olia Thuill. VII. 154
is MB. VII. 153
is W. VII. 154
Lam. VII. 162
. VII. 162
Roth VII. 163
Vallr. - - -
Vill. VII. 154
ar. Ledeb. VII. 164
Banks herb. VII. 87
W. VII. 155
r. VII 173
Moench VII. 179
esl VII. 173
Thuill. VII. 162
ch VII. 163
Fisch. VII. 151
alb. VII. 154
am. VII. 153
. VII. 153
L. VII. 153
fl. fr. VII. 162
II. 162
ti VII. 162
VII. 162
umifusa Schlecht. VII. 162
af. VII. 86
pegr. VII. 128
oel. VII. 166
DC. VII. 144 (Pyrrhopappus)
nch V. 351
ia Moench V. 353
Moench V. 352
Crinitaria Cass. Less. V. 351 VII. 279
hiflora Cass. V. 256
hiflora Less. V. 352
humilis Hook. VII. 280
Linosyris Less. V. 352
viscidiflora Hook VII. 279
Critonia *P. Brown.* V. 140 *Gärtn.* V. 126
Dalea *DC.* V. 140
daleoides *DC.* V 141
elliptica Raf. V 178
hebebotrya *DC.* V. 141
Kuhnia Mx. V 126
macropoda *DC.* V. 140
parviflora *DC* V. 140
Pseudo-Dalea *DC.* V. 140
Crocidium *Hook.* VII 301
multicaule *Hook.* VII. 302
Crociseris Reich. VI. 357
Crocodylium Cass. VI. 565 *Vaill. DC.* VI. 591 (Centaurea)
aureum Sweet VI. 595
syriacum Cass. VI. 591
Crocodilodes Adans. VI. 504 *Vaill.* VI. 549
Crodisperma aspera Poit. V. 563
Cromochiton vide Chromochiton.
Crossolepis *Less.* VI. 158
linifolia *Less.* VI. 158
pusilla *Benth.* VI. 158
Crossostephium *Less.* VI. 127
artemisioides *Less* VI. 127
Crupina *Cass.* VI. 565
vulgaris *Cass.* VI. 565
Cryphiospermum *Beauv.* V. 497
repens *Beauv.* V. 497
Cryptocarpha R. Br V. 3
spathulata Cass. V. 3
tribuloides Cass. V. 3
Cryptogyne Cass. DC. VI. 147 (Eriocephalus)
Cryptopetalum Cass. DC. V. 101 (Lorentea)
ciliare Cass. V. 102
Cryptostemma *R. Br.* VI. 495
calendulacea Sims VI. 496
calendulaceum *R. Br.* VI. 495
α runcinatum *DC.* VI. 496
β lyratum - - -
γ integrifolium - - -
hypochondriacum *R. Br.* VI. 496
runcinatum *R. Br.* VI. 496
Culcitium *H. et Bonpl.* VI. 324
canescens *H. et Bonpl.* VI. 324
humile *DC.* VI. 325

Coreopsis
chrysantha L. V. 605
chrysantha Spr. V. 599
coronata *Hook.* VII. 289
coronata L. V. 598
coronata Spr. V. 598, 600
coronata Walt. V. 572
corymbifolia Hamilt. V. 602
crassifolia Ait. V. 570
delphinifolia *Lam.* V. 572
dichotoma Mx. V. 570
diversifolia *DC.* V. 571 VII. 298
diversifolia Hook. V. 571
diversifolia Jacq. V. 602
ferulaefolia Jacq. V. 603
filifolia *Hook.* VII. 290
foeniculacea fl mexic. V. 603
foetida Cav. V. 577
formosa Bonat. V. 606
fruticosa Forst. V. 593
fruticosa Vest V. 596
Georgina nuda Cass. V. 494
— *pruinosa Cass.* V. 494
gladiata Nutt. V. 570
gladiata *Walt.* V. 570
grandiflora *Hogg.* V. 572
heterophylla Cav. V. 555
hirta Raf. V. 569
incisa Ker. V. 599
integrifolia *Poir.* V. 570
lanceolata *L.* V. 570
α succisaefolia *DC.* V. 570
β glabella *Mx.* - -
γ villosa - - -
latifolia *Mx.* V. 571
leucantha L. V. 598
leucorhiza Lour. V. 605
limensis Jacq. V. 567
linearifolia *DC.* V. 570
longipes *Hook.* VII. 290
major Walt. V. 572
mitis *Mx.* V. 572
multifida *DC.* V. 573
β mutica - - -
mutica *DC.* V. 571
β subvillosa *DC.* V. 571
Neaei *DC.* V. 573
nudata *Nutt.* V. 574
odorata Lam. V 603
Oemleri *Ell.* V. 571
ovata Cav. V. 576
palmata *Nutt.* V. 573
parviflora W. V. 606
pauciflora *kort. Hamb.* V. 574

Coreopsis
perfoliata Bosc
pubescens *Ell.* V.
reptans L. V. 59
rosea *Nutt.* V. 57
scabra Raf. V. 5
senifolia *Mx.* V. 5
β rigida *Nutt.* V. 5
serrata fl. mexic.
serrulata Poir.
stellata Banks h
tannensis Forst.
tannensis Spr. V
tenuifolia *Ehr.* V.
tetragona Lall. e
tinctoria Nutt.
trichosperma *Mx.*
trichosperma β
trifida *Lam.* V. 57
tripteris L. V. 5
venusta *H. B. et K*
verticillata Lam.
verticillata L. V.
verticillata W.
verticillata var.
verticillata β ten

Coreopsoides Moen
lanceolata Moenc
Corethrogyne *DC.* V
californica *DC.* V.
Corethropsis DC.

Corona-solis Tour
Corvisartia Cass.
DC.

Helenium Merat
CORYMBIFERAE
Corymbium *L.* V. 88
africanum L. V.
congestum *E. Mey*
cymosum *E. Meye*
filiforme *L. fil.* V.
glabrum L. fil. V
glabrum *Thunb.*
gramineum Burm
gramineum Lam.
hirsutum Eckl.
hirsutum Thunb
luteum *E. Meyer*
nervosum *Thunb.*
scabrum *L. fil.* V.
villosum *Less.* V.
villosum Thunb.

DC. VI. 642 (Cirsium)
. 606
ifolia Spr. V. 607
V. 602
pr. V. 607
W. V. 606
. 606 VII. 291
w. V. 606
DC. - -
B. et K. V. 606
ides *H. B. et K.* V. 607
H. B. et K. V. 607
I. B. et K. V. 606
. et K. V. 607
H. B. et K. V. 607
Lav. V. 606
B. et K. V. 606
indl. VII. 291
. V. 606
. VI. 77 *Auct.* V. 371
4 *L.* VI. 77, 82, 140
rn. VI. 15 *Vaill.* VI. 82
lia W. VI. 15
490
L. VI. 78
DC. VI. 79
la - - -
ia - - -
. 78
. VI. 79
th V. 372
Thunb. VI. 79
E. Meyer VI. 78
.. VI. 51
DC. VI. 79
- - -
emifolia Blume V. 372
elil. VI. 132
a Sibth. VI. 17
Sibth. VI. 81
ia *L.* VI. 78
Meyer VI. 144
W. VI. 139
Wall. V. 375
mb. VI. 77
Spr. VI. 144
auh. VI. 13
epp. VI. 139
Licht. VI. 137
E. Meyer VI. 144
Thunb. VI. 132
Lacq. VI. 135
L. VI. 135

Cotula
hemisphaerica Wall. VI. 140
heterocarpa *DC.* VI. 80
integrifolia Burch. VI. 78
latifolia Pers. V. 372
latifolia v. javanica Blume V. 372
laxa *DC.* VI. 78
leptalea *DC.* VI. 80
lyrata Bojer V. 372
maderaspatana W. V. 373
matricarioides Bong VI. 131
microcephala *DC.* VI. 79
minima Blume VI. 139
minima *DC.* VI. 80
minima W. VI. 140
minuta Forst. VI. 139
minuta W. VI. 139
montevidensis Spr. VI. 78
multifida *DC.* VI. 80
nudicaulis Thunb. VI. 83
oxyodonta *DC.* VI. 78
β major - - -
prostrata L. V. 490
pterocarpa *DC.* VI. 80
pubescens *Desf.* VI. 80
pumila Houtt. VI. 83
pusilla Eckl. VI. 78
pusilla *Thunb.* VI. 78
β subindivisa *DC.* - -
pygmaea Poir. VI. 45
pyrethraria *L.* VI. 81
quinquefida Thunb. VI. 137
quinqueloba L. fil. VI. 39
reptans Bojer V. 371
Russeliana Wall. VI. 140
sericea Thunb. VI. 83
sinapifolia Roxb. V. 372
sinapifolia G. Wall. V. 375
sonchifolia MB V. 372
sororia *DC.* VI. 79
Sphaeranthus *Link* VI. 80
Spilanthus L. V. 625
Spilanthus W. V. 625
sternutatoria Wall. VI. 139
stricta L. VI. 39
tanacetifolia W. VI. 132
Teesdaliae *DC.* VI. 80
tenella *E. Meyer* VI. 80
tripinnata Thunb. VI. 132
turbinata L. VI. 82
umbellata L. fil. VI. 77
Verbesina L. V. 110
villosa *DC.* VI. 79
viscosa L. VI. 42

Cotula
viscosa Spr. VI. 42
COTULEAE *Less. DC.* V. 499 VI. 76
Cousinia *Cass.* VI. 552 VII. 302
aggregata *DC.* VI. 553
albida *DC.* VI. 552
arachnoidea *Fisch. et Meyer* VI. 553
araneosa *DC.* VI. 556
Aucheri *DC.* VI. 555
Belangeri *DC.* VI. 553
brachyptera *DC.* VI. 554
canescens *DC.* VI. 556
carduiformis *Cass.* VI. 556
carlinoides *DC.* VI. 554
chlorocephala *C. A. Meyer* VI. 554
cynaroides *C. A. Meyer* VI. 556
grandis *C. A. Meyer* VI. 557
Hablitzii *C. A. Meyer* VI. 554
hamosa *C. A. Meyer* VI. 555
Hohenackeri *Fisch. et Meyer* VI. 555
Hystrix *C. A. Meyer* VI. 554
incompta *DC.* VI. 553
intermedia *C. A. Meyer* VI. 553
libanotica *DC.* VI. 556
lucida *DC.* VI. 553
macrocephala *C. A. Meyer* VI. 556
macroptera *C. A. Meyer* VI. 555
microcephala *C. A. Meyer* VI. 552
multiloba *DC.* VI. 554
odontolepis *DC.* VI. 556
Oliverii *DC.* VI. 552
onopordoides *Ledeb.* VI. 556 VII. 302
purpurea *C. A. Meyer* VI. 555
ramosissima *DC.* VI. 552
recurvata *DC.* VI. 555
tenella *Fisch. et Meyer* VI. 553
tenuifolia *C. A. Meyer* VI. 554
wolgensis *C. A. Meyer* VI. 555
Craspedia *Forst.* VI. 152
fimbriata *DC.* VI. 152
glauca Lindl. VI. 152
glauca Spr. VI. 152
macrocephala *Hook.* VI. 153
pilosa Spr. VI. 152
Richea *Cass.* VI. 152
uniflora Forst. VI. 152

CRASPEDIEAE Less. VI. 149
Crassicolla DC. V. 373 (Grangea)
Crassina Scop. V. 534
Crassocephalum Moench Less. VI. 294, 297, 298, 301
Crassocephalum
ambiguum Less
cernuum Moen
fatmense Hochs

flavum Decaisn
sonchifolium L.
valerianaefoliu
Crassula fruticos
Cremocephalum *Ca*
cernuum *Cass.* V
CREPIDEAE Cass.
Crepis *Moench* VI
127 *Auct.* VI
VII. 159 *I*
adenantha *Vis.* V
Adoni Spr. VII
aethnensis *Presl*
agrestis Sadl. V
agrestis *W. et K*
albida All. VII.
albida Vill. VII.
alpestris *Tausch*
A. glabrescens *Tau*
β Jacquiniana *Froe*
γ Gmeliniana -
δ Willdenowiana -
B. pubescens -
ε integrifolia -
ζ foliata -
η Allionii -
λ viscidula -
alpina Lam. VII.
alpina L. VII. 15
altissima Balb.
ambigua Balb. V
amygdalina Lag.
andryaloides *Lowe*
angustifolia DC

Apargia Pers. VI
apargioides W. V
armena *DC.* VII. I
aspera Lam. VII.
aspera L. VII. 17
aurea *Cass.* VII. 1
β runcinata *Fresl.*
γ taraxaciformis -
δ leiocephala -
ε Halleriana -
ζ crocea -
auriculaefolia F
auriculaefolia *Sieb.*
austriaca All. VI
austriaca Jacq. V
baetica Mill. VII.

deb. VII. 161
V. VII. 155
VII. 86
t. VII. 158
Tausch VII. 163
Lois. VII. 156
var. Lois VII. 156
eyr. VII. 154
II. 163
C. VII. 163
- - -
. VII. 153
et Maur. VII. 161
Vill. VII 166
. t. x. DC. VII. 167
el. VII. 160
C. A. Meyer VII. 164
b. VII. 164
L. VII. 155
Fall. VII. 179
. VII. 162
Froel. VII. 171
- - -
- - -
- - -
- - -
- - -
- - -
des Jacq. VII. 172
des Moesl. et Reich. VII. 171
Froel. VII. 165
esf. VII 154
Froel. VII. 167
nks herb. VII. 157
rm. VII. 172
lia Deaf. VII. 87 155
Ten. VII. 162
- - -
ia Link VII. 87
Horn. VII. 179
C. VII. 162
is Gochn. VII. 154
is L. VII. 179
is Poll. VII. 163
is Roth VII. 162
All. VII. 132
isch. VII. 161
ok. VII. 172
ia Tausch VII. 161
Ait. VII. 87
Viv. VII. 172
Froel. VII. 172

Crepis
foetens *Froel.* VII. 172
foetens Link VII. 158
foetida L. VII. 158
foetida var. con D'Urv. VII. 97
Froelichiana *DC.* VII. 165
β subglabra - - -
γ pauciflora - - -
fuliginosa *Sibth. et Sm.* VII. 161
β adscendens *DC.* - -
glandulosa *Bast.* VII. 172
glandulosa Guss. VII. 158
globifera Hall. fil. VII. 179
Gmelini *Froel.* VII. 164
Gmelini Schultz VII. 164
graminifolia Ledeb. VII. 155
grandiflora *Froel.* VII. 166
β conyzaefolia - - -
γ pappulenca - - -
δ subruncinata *DC.* - -
ε glabrescens *Froel.* - -
grandiflora W. VII. 173
heterogyna *Froel.* VII. 169
heterosperma Schrad. VII. 179
heterotricha *DC.* VII. 168
hiemalis Biv. VII. 154
hieracioides Lam. VII. 128
hieracioides Schkuhr VII. 129
hieracioides W. et Kit. VII. 170
hieracioides *W.* VII. 170
β croatica *Froel.* - -
γ succisaefolia - - -
δ gracilis - - 171
ε glabrifolia - - -
ζ Sternbergii - - -
hirta Pers. VII. 155
hispida Pers. VII. 155
hispida W. et Kit. VII. 155
hispidissima Bartl. VII. 129
hispidula Delil. VII. 109
hyoseroides *Sibth.* VII. 172
hyoseridifolia *Moesl. et Reich.* VII. 171
incana Lapeyr. VII. 244
incana *Sibth.* VII. 172
incarnata *Less.* VII. 165
incarnata Vis. VII. 158
integrifolia *Vest* VII. 173
interrupta *Sibth.* VII. 161
interrupta Sieb. VII. 161
intybacea Brot. VII. 154
Kitaibelii *Froel.* VII. 168
lacera *Ten.* VII. 161
Lachenalii Gochn. VII. 163
laciniata Schkuhr VII. 129

Crepis
laevigata *Dumort.* VII. 173
lampsanoides *Froel.* VII. 169
β cupholepida - - 170
lappacea Host VII. 129
lappacea Lapeyr. VII. 128
lappacea *W.* VII. 173
lappacea W. VII. 128
lapsanifolia Reich VII. 160
latialis Seb. VII. 161
latifolia Balb. VII. 161
latifolia Pers. VII. 161
leiosperma Gaud. VII. 162
leontodontoides All. VII. 156
linifolia Thuill. VII. 162
lodomeriensis *Bess.* VII. 163
longe-pinnatifida Chevr. VII. 162
lyrata *Froel.* VII. 170
macrocephala *DC.* VII. 173
macrophylla Desf. VII. 155
macrorhiza Banks herb. VII. 87
mauritiana *Froel.* VII. 164
montana *Moesl. et Reich.* VII. 171
β lanceolata *Froel.* VII. 172
γ biflora - - -
montana D'Urv. VII. 161
multicaulis *Ledeb.* VII. 165
β ochotensis *DC.* - -
multiflora *Sibth.* VII. 173
muricata Sibth. VII. 179
nana Richards. VII. 156
neglecta L. VII. 162
nemausensis Gou. VII. 179
nicaeensis Balb. VII. 163
nicaeensis Pers. VII. 163
nigricans *Viv.* VII. 173
nuda Lam. VII. 179
nudiflora Viv. VII. 179
oporinoides *Boiss.* VII. 165
paludosa *Moench* VII. 170
β exaltata *Froel.* - -
γ glabrescens - - -
δ subumbellata - - -
ε pauciflora - - -
paniculata *Presl* VII. 173
parviflora *Desf.* VII. 162
parviflora Jacq. VII. 162
patula Chevr. VII. 162
patula Desf. VII. 179
patula Poir. VII. 77
pauciflora *Desf.* VII. 161
pectinata Lowe VII. 87
Crepis
pinnatifida *Froel.*
pinnatifida Hor
pinnatifida W.
polymorpha Pol
polymorpha *Wal*
γ stricta *Wallr.* V
β humilis *Gaud.*
γ diffusa *Wallr.* a
polymorpha β t
porrifolia Don
praecox Balb.
praemorsa *Froel.*
β glabrata -
γ multiflora -
δ lanceolata -
ε grandiflora -
ζ petiolata -
pterosperma He
pulcherrima Fi
pulchra *L.* VII. 1
β lampsanifolia *D*
pulchra β *L.* VI
pulmonariaefolia
pungens *Desf.* V
purpurea MB.
purpurea Steu
pygmaea *L.* VII.
β integrifolia *Fro*
γ incanescens -
δ glandulosa -
ε colorata -
radicata Forsk.
radicata *Sibth.* V
ramosissima *D'U*
raphanifolia H
recognita Gaud
rhagadioloides
rhoeadifolia M
rigens Ait. VII.
rigida Pers. VII
rigida *W. et Kit.*
ruhealis Juss. V
ruhra L. VII. 15
ruhricaulis Per
ruderalis Bouc
sahauda Balb.
sagittata *Wend.*
salicifolia *Froel.*
scabra Lapeyr.
scabra Pers. VI
scabra *W.* VII. 1
scanensis L. VII
scariosa W. VII

Frod. VII. 168
les Delil. VII. 156
Hall. fil. VII. 155
ra. VII. 155
. VII. 167
Frod. VII. 169
Frod. VII. 168
Lam. VII. 132
DC. VII. 170
s Guss. VII. 153
ana All. VII. 128
ana W. VII. 129
urca. VII. 164
lumb. VII. 218
Kultz VII 163
p. VII. 162
Ait. VII. 87
les Desf. VII. 155
lia Thuill. VII. 154
s MB. VII. 153
s W. VII. 154
am. VII. 162
VII. 162
Roth VII. 163
Vallr. - - -
Vill. VII. 154
ar. Ledeb. VII. 164
Banks herb. VII. 87
W. VII. 155
r. VII 173
Moench VII. 179
esl VII. 173
Thuill. VII. 162
ch VII. 163
Fisch. VII. 151
Vall. VII. 154
am. VII. 153
. VII. 153
L. VII. 153
fl. fr. VII. 162
VII. 162
ti VII. 162
VII. 162
umifusa Schlecht. VII. 162
sf. VII. 86
peyr. VII. 128
vel. VII. 166
. *DC.* VII. 144 (Pyrrhopappus)
ch V. 351
Moench V. 353
loench V. 352

Crinitaria Cass. Less. V. 351 VII. 279
biflora Cass. V. 256
biflora Less. V. 352
humilis Hook. VII. 280
Linosyris Less. V. 352
viscidiflora Hook VII. 279
Critonia *P. Brown.* V. 140 *Gärtn.* V. 126
Dalea *DC.* V. 140
daleoides *DC.* V 141
elliptica Raf. V 178
hebebotrya *DC.* V. 141
Kuhnia Mx. V. 126
macropoda *DC.* V. 140
parviflora *DC* V. 140
Pseudo-Dalea *DC.* V. 140
Crocidium *Hook.* VII 301
multicaule *Hook.* VII. 302
Crociseris Reich. VI. 357
Crocodylium Cass. VI. 565 *Vaill. DC.* VI. 591 (Centaurea)
aureum Sweet VI. 595
syriacum Cass. VI. 591
Crocodiloides Adans. VI. 504 *Vaill.* VI. 549
Crodisperma aspera Poit. V. 563
Cromochiton vide Chromochiton.
Crossolepis *Less.* VI. 158
linifolia *Less.* VI. 158
pusilla *Benth.* VI. 158
Crossostephium *Less.* VI. 127
artemisioides *Less.* VI. 127
Crupina *Cass.* VI. 565
vulgaris *Cass.* VI. 565
Cryphiospermum *Beauv.* V. 497
repens *Beauv.* V. 497
Cryptocarpha R. Br V. 3
spathulata Cass. V. 3
tribuloides Cass. V. 3
Cryptogyne Cass. DC. VI. 147 (Eriocephalus)
Cryptopetalum Cass. DC. V. 101 (Lorentea)
ciliare Cass. V. 102
Cryptostemma *R. Br.* VI. 495
calendulacea Sims VI. 496
calendulaceum *R. Br.* VI. 495
α runcinatum *DC.* VI. 496
β lyratum - - -
γ integrifolium - - -
hypochondriacum *R. Br.* VI. 496
runcinatum *R. Br.* VI. 496
Culcitium *H. et Bonpl.* VI. 324
canescens *H. et Bonpl.* VI. 324
humile *DC.* VI. 325

ima *Prest* VI. 621
is a *Lam.* VI. 620
E *Less. DC.* V. 9 VI. 449
Cass. VI. 617
EPHALAE *Vaill. Juss.* V. 4 VI. 449
DC. VI. 666 (Leuzea)
ffmans. VI. 495
driaca *Hoffmans.* VI. 496
VII. 89
ulis *Beck* VII. 89
VII. 89
DC. VII. 89
Beck VII. 88
Don VII. 89
DC. VII. 286
DC. VII. 286
ss. VI. 17
DC. VI. 17
- - 18
Less. VI. 17

D

V. 494
fl. mexic. V. 494
ia *Salisb.* V. 494
Lag. V. 494
av. V. 494
Thouin V. 494
ag. V. 494
ir. V. 494
a Ait. V. 494
Hortul. V. 494
rtul. V 494
Juv. V. 494
Poir. V. 494
ucc. V. 494
. V. 494
lia Salisb. V. 494
Hortul V. 494
Ait. V. 494
Desf. V. 494
ss. VII. 255
ss. VII. 255
Cass. VI. 211
ass. VI. 212
ima Cass VI. 212
na Colla VI. 416
H. B et K. VII. 3
H B. et K. VII. 4

Decachaeta *DC.* V. 133 VII. 268
Haenkeana *DC.* V. 133 VII. 268
Decaneurum *DC.* V. 66 VII. 264, 308
amygdalinum *DC.* V. 68
dendigulense *DC.* V. 67
divergens *DC.* V. 68
β lanceolatum *DC.* V. 68
epileium DC. V. 67
fimbrilliferum *DC.* V. 68
frutescens *DC.* V. 66
glabrum *DC.* V. 67
grande *DC.* V. 67
molle *DC.* V. 67 VII. 264
α epileium *DC.* V. 67
β scabridum - - -
obovatum *DC.* V. 67
phyllolaenum *DC.* VII. 264
reticulatum *DC.* V. 66 VII. 308
scabridum DC. V. 67
scariosum *DC.* VII. 264
senegalense *DC.* V. 68
silhetense *DC.* V. 67
Deckera Schultz VII. 132
Delilia Spr. V. 502
Berterii Spr. V. 503
Deloderium Cass. DC. VII. 109 (Millina)
taraxacifolium Cass. VII. 110
Delucia *DC.* V. 633 VII. 291
ostruthioides *DC.* V. 633 VII. 291
Demetria Lag. V. 314
glutinosa Lag. V. 314
spathulata Lag. V. 315
Demidium *DC.* VI. 246
filagineum *DC.* VI. 247
Dendranthema DC. VI. 62 (Pyrethrum)
Dendroseris Don VII. 242
Berteriana Hook. et Arn. VII. 243
macrophylla Don VII. 243
marginata Hook. et Arn. VII. 243
micrantha Hook. et Arn. VII. 243
mollis Hook. et Arn. VII. 243
neriifolia Hook. et Arn. VII. 243
pinnata Hook. et Arn. VII. 243
Denekia *Thunb.* V. 462
capensis *Thunb.* V. 462
β latifolia *DC.* V. 462
γ minor - - -
glabrata *DC.* V. 462
Denira Adans. V. 529
Dens Leonis Tourn. VII. 145

Detridium Nees V. 223 *DC.* V. 223 (Agathaea)
Berginnum Nees V. 223
Detrioides Less. V. 223
Detris Adans. DC. V. 223 (Agathaea)
Diabasis DC. VII. 297 (Matricaria)
Diacantha Lag. VII. 2 *Less. DC.* VII. 3 (Barnadesia)
arborea Less. VII. 3
Diacanthoides DC. VII. 2 (Barnadesia)
Dialesta *H. B. et K.* V. 76
discolor *H B. et K.* V. 77
staavioides Mart. V. 79
Diaphoranthus Meyen VII. 53
fuscus Meyen VII. 53
Diazeuxis *Don* VII. 22
intermedia *DC.* VII. 22
latifolia *Don* VII. 22
Mutisiana Don VII. 22
serrata Don V. 58
trinervis *Don* VII. 22
Dichrocephala *DC.* V. 371 *L'Herit.* VI. 139
capensis *DC.* V. 371
chrysanthemifolia *DC.* V. 372
erecta L'Herit. V. 372
gracilis *DC.* V. 371
grangeaefolia *DC.* V. 372
latifolia *DC.* V. 372
β javanica - - -
lyrata *DC.* V. 372
minuta L'Herit. VI. 139
sonchifolia *DC.* V. 372
Dicoma *Less.* VII. 35 *Cass.* VII. 36
Burmanni *Less.* VII. 37
capensis *Less.* VII. 36
β leiolepis *DC.* - -
γ angustifolia - - -
diacanthoides *Less.* VII. 37
lanuginosa *DC.* VII. 36
latifolia *DC* VII. 37
macrocephala *DC.* VII. 36
radiata *Less.* VII. 37
relhanioides *Less.* VII. 37
speciosa *DC.* VII. 37
tomentosa *Cass.* VII. 36
Didelta *Less. L'Herit.* VI. 503
annuum *Less.* VI. 504
capensis Lam. VI. 503
carnosum *Ait.* VI. 503
carnosum W. VI. 503
cernuum *Less.* VI. 503
obtusifolia Cass. VI. 503
Didelta
spinosum *Ait.* VI. 5
α Thunbergii *DC.* VI
β Dregei - -
tetragoniaefolium
tomentosum *Less.*
Diglossus Cass. V.
variabilis Cass. V
Dimerostemma *Cass.*
brasilianum *Cass.* V
Dimorphanthes Cas
aegyptiaca Cass.
angustifolia Cass
bidentata Cass. V
Gouani Cass. V.
procera Cass. V.
sicula Cass. V. 47
stipulacea Cass.
Dimorphotheca *Vaill.*
aurantiaca *DC.* VI.
chrysanthemifolia *L*
cuneata *DC.* VI. 72
Dregei *DC.* VI. 72
Ecklonis *DC.* VI. 7
fruticosa *DC.* VI. 7
graminifolia *DC.* VI
hybrida *DC.* VI. 70
incrassata Moenc
leptocarpa *DC.* VI.
multifida *DC.* VI. 7
nudicaulis *DC.* VI.
pluvialis *Moench* V
β lyrata *DC.* VI. 70
pluvialis var. Ca
polyptera *DC.* VI.
scabra *DC.* VI. 72
sinuata *DC.* VI. 72
staticefolia Vaill.
Tragus *DC.* VI. 71
Dioneden Cass V.
argentea H. B. et
bidentata Cass. V
glabrata H B. et
indentata Cass. V
thurifera Bert. h
Diorthodon DC. VI
Diotis *Desf.* VI. 34
candidissima *Desf.*
Diotostephus Cass.
repens Cass. V. 5
Diplocoma Don V.
villosa Don V. 31
Diplogon Raf. V. 3

us Raf. V. 327
ylium Raf. V. 327
EAE DC. V. 211. 271
s Cass. DC V. 275 VII.
Less. V. 272, 274, 325
s. V. 298 *Auct.* V. 345
ook. VII. 273
linus Hook. VII. 273
us. V. 276
s DC. V. 277
DC. V. 277
Hook. VII. 273
DC. V. 277
mis Less. V. 347
Less. V. 275
hemifolius Less. V. 348
folius Less. V. 347
olius Cass. V. 282
ess. V. 298
DC. V. 276
Less. V. 346
DC. V. 276
C. V. 276
ius DC. V. 276
Hook. VII. 280
Less. V. 275
276
Less. V. 347
lius Less. V. 325
Hook. VII. 273
des Less. V. 348
Hook. VII. 279
ndl. V. 278
s Lindl. V. 278
s Lindl. V. 277
Hook. VII. 279
Lindl. V. 278
halus Poepp. V. 348
s Lindl. V. 277
Less. V. 276
Lindl. V. 264
Less. V. 696 VII. 275
tus Hook. VII. 279
des Poepp. V. 346
ides Lindl. V. 264
Less. VII. 280
ndl. V. 277
lius Less. V. 272
. V. 276
ook. VII. 279
ess. V. 263
etus Nees V. 348
Less. V. 349
us Less. V. 276

Diplopappus
umbellatus Hook. VII. 273
villosus Hook. et Arn. VII. 279
Diplosastera Tausch V. 568
tinctoria Tausch V. 568
Diplostemma *Hochst. et Steud.* VII. 75, 306
alatum *DC.* VII. 75
Diplostephium Cass. V. 272 VII. 273 *Kunth* V. 273
aculeatum Nees V. 270
acuminatum *DC.* V. 273
amygdalinum *Cass.* V. 272 VII. 273
β humilius *DC.* V. 273
boreale Spr. V. 273
cornifolium *DC.* V. 273
dichotomum *DC.* V. 273
extenuatum Nees V. 276
filifolium Nees V. 276
fruticulosum Nees V. 276
grandiflorum Spr. V. 95
hispidum Nees V. 276
igniarium Spr. V. 96
lavandulaefolium *H. B. et K.* V. 273
linariaefolium var. Nees V. 277, 278
liratum Nees V. 267
longipes Cass. V. 276
melastomoides Spr. V. 96
microphyllum Nees V. 270
moranense *Nees* V. 273
nubigenum Spr. V. 96
obovatum *DC.* V. 273
obtusatum Nees V. 276
ochraceum Nees V. 262
phlogotrichum Nees V. 272
ramulosum Nees V. 270
sessiliflorum Spr. V. 96
solidagineum Spr. V. 96
stellulatum Nees V. 272
teretifolium Nees V. 276
umbellatum *DC.* V. 272 VII. 273
verbascifolium Spr. V. 96
volubile Spr. V. 96
Diplothrix *DC.* V. 611
acerosa *DC.* V. 611
juniperifolia *DC.* V. 612
Dipterocome *Fisch. et Meyer* VII. 255
pusilla *Fisch. et Meyer* VII. 256
Discocalea DC. V. 672 (Calea)
Discocenia DC. VI. 83 (Cenia)
Discomela Raf. V. 586
Discopoda DC. V. 604 (Bidens)

Disparago *Gaertn.* VI. 257
ericoides *Gaertn.* VI. 257
lasiocarpa *Cass.* VI. 258
β *DC.* VI. 258
laxifolia *DC.* VI. 257
seriphioides *DC.* VI. 257
Disparella DC. VI. 257 (Disparago)
Distasis *DC.* V. 279
modesta *DC.* V. 279
Distephanus *Cass.* V. 74
capitatus *Bojer* V. 74
populifolius *Cass.* V. 74
trinervis *Bojer* V. 75
Distreptus *Cass.* V. 87
angustifolius Cass. V. 87
crispus *Cass.* V. 87
nudiflorus *Less.* V. 87
spicatus *Cass.* V. 87
spiralis Less. V. 87
Disynanthus Raf. VI. 269 *)
Disynaphia *DC.* VII. 267
montevidensis *DC.* VII. 267
Ditrichum *(Dithrichum) Cass.* V. 619 VII. 291
macrophyllum *Cass.* V. 619
Dixonium W. herb. V. 482
longifolium W. herb. V. 482
Doellingeria *DC.* V. 263 *Nees* V. 263, 272
amygdalina Nees V. 273
obovata Nees V. 273
pturmicoides Nees V. 264
scabra *Nees* V. 263
trichocarpa *DC.* V. 263
umbellata Nees V. 272
Dolichlasium *Lag.* VII. 72
glanduliferum *Lag.* VII. 73
Lagascae Gill. VII. 73
Dolichogyne *DC.* VII. 256
gnaphalioides *DC.* VII. 256
stachelinoides *DC.* VII. 256
Dolichostylis Cass. VII. 4
Dolomiaea *DC.* VI. 542
macrocephala *DC.* VI. 542
Donia R. Br. V. 314 *Auct.* V. 345 *Less.* V. 476
canariensis Less. V. 477
ciliata Nutt. V. 346
glutinosa R. Br. V. 314
squarrosa Pursh V. 315
Donioides DC. V. 477 (Jasonia)
Dorutolepis Benth. DC. VI. 163 (Podolepis)

*) vide Dysinanthus.

Doria *Less.* VI. 4 330 *Thun*
acutiloba *DC.* V
alata *Thunb.* VI
β serrulata *DC.* V
altissima Gmel
arbuscula *DC.* V
bipinnata Thu
campanulata *DC.*
carnosa *DC.* VI.
chromochaeta *D(*
β pappodes -
cluytiaefolia *DC.*
cneorifolia *DC.* V
denticulata Th
digitata *Less.* VI
β incisa *DC.* VI.
diversifolia *DC.*
elongata Thun
eriocarpa *DC.* VI
β humilis - -
erosa Thunb. V
Gymnodiscus *DC*
incisa Thunb.
lasiocarpa *DC.* V
Laureola *DC.* VI
linearifolia *DC.* V
Lingua *Less.* VI.
nana *DC.* VI. 47(
nivea Thunb. V
perfoliata Less
perfoliata *Thunb*
pinnatifida Th
ramosa *DC.* VI.
retrofracta *Less.*
β pluridentata *DC*
semicalva *DC.* VI
serrata Thunb.
sonchifolia Th
spinescens *DC.* V
taraxacoides *DC.*
tortuosa *DC.* VI.
undulata Thun
undulosa *DC.* VI
virga-aurea Sc
Dorobaea Cass. V
pimpinellifolia
Doronicum *L.* VI. 32
acaule Walt. VI
altaicum Pall. V
Arnica Desf. VI
Arnottii *DC.* VI.
asplenifolium L.

dium β Lam. VII. 15
um MB. VI. 321
Jacq. VI. 321
trum L. V. 226
um Roxb. V. 474
um Wight VI. 322
MB. VI. 320
Pourr. VI. 319
Ten. VI. 320
var. Ten. VI. 320
Lam. VI. 320
um Sternb. VI. 320
Poir. VI. 319
Link VI. 322
Guss. VI. 320
W. V. 314
rum Lam. VI. 319
Mill. VI. 357
Lam. VI. 319
Lam. VII. 20
Walt. V. 299
Wight VI. 322
DC. VI. 322
Reich. VI. 322
Fisch. VI. 321
Lausch VI. 321
Cerv. V. 317
Lam. VI. 317
Mx. VI. 318
DC. VI. 321
Reich. VI. 320
W. VI. 320
ches Jacq. VI. 321
L. VI. 320
dium DC. VI. 321
ches Sow. VI. 321
ches β L. VI. 321
Lam. VI. 323
es Lam. VII. 17
L. VI. 321
eum C. A. Meyer VI. 321
eum Roth VI. 321
eum W. VI. 322
Dumort. VI. 320
ium Lam. VII. 16
Walt. V. 299
VI. 321
W. VI. 321
m. VI. 322
C. VI. 322
s. V. 558
Cass. V. 558
Dracunculus Bess. DC. VI. 93 (Artemisia)
hortensis Blackw. VI. 97
Drepania Juss. DC. VII. 86 (Tolpis)
ambigua DC. VII. 86
barbata Desf. VII. 86
falcata Rouss. VII. 86
umbellata DC. VII. 86
Drimyphyllum Burch. V. 501
helenianum Burch. V. 502
Drozia Cass. VII. 60 *Less. DC.* VII. 61 (Clarionea)
dicephala Cass. VII. 62
monocephala Cass. VII. 62
Dubautia *Gaudich.* V. 680
laxa *Hook. et Arn.* V. 681
plantaginea *Gaudich.* V. 681
Dubyaea *DC.* VII 247, 307
cristulata *DC.* VII. 247
hispida *DC.* VII. 247 VII. 307
sonchoidea *DC.* VI. 247
Duchesnia Cass. V. 475
crispa Cass. V. 475
Dugaldea Cass. V. 662
Duhaldea *DC.* V. 366
chinensis *DC.* V. 366
Dumerilia *Less.* VII. 66, 306 *Lag.* VII. 55
Alamani *DC.* VII. 67 VII. 306
axillaris Lag. VII. 55
Humboldtii *Less.* VII. 67
paniculata Cass. VII. 55
paniculata DC. VII. 55
paniculata H. B. et K. VII. 55
Dunantia *DC.* V. 626 VII. 291
Achyranthes *DC.* V. 627 VII. 291
microcephala *DC.* V. 627 VII. 291
Dysinanthus Raf. VI. 269
plantagineus Raf. VI. 270
Dysodia *DC.* V. 639
acerosa *DC.* V. 641
appendiculata *Lag.* V. 640
chrysanthemoides *Lag.* V. 640
fastigiata *DC.* V. 640
grandiflora *DC.* V. 640
incana *DC.* V. 640
porophylla *DC.* V. 639
α radiata - - -
β discoidea - - -
pubescens *Lag.* V. 640
serratifolia *DC.* V. 641
Dysodium Rich. V. 519
divaricatum hort. Paris. V. 520
divaricatum Rich. V. 520

Dysodium
radiatum Desf. V. 520
Dyssoda Lag. V. 638
Cavanillesii Lag. V. 638
Dyssodia Cav. Lag. V. 639 *W.* V. 639
glandulosa Cav. V. 640
glandulosa Less. V. 639
porophylla Cav. V. 639
porophylla Lag. V. 639
Porophyllum W. V. 639
subintegerrima Lag. V. 640
tagetiflora Lag. V. 640
DYSSODIEAE Cass. V. 638

E

Echenais *Cass.* VI. 660
carlinoides *Cass.* VI. 661
β nutans *DC.* VI. 661
carlinoides DC. VI. 661
cirsioides *DC.* VI. 661
nutans Cass. VI. 661
Echinacea *Moench* V. 554
angustifolia *DC.* V. 554
heterophylla *Don* V. 555
purpurea *Moench* V. 554
serotina *DC.* V. 554
Echinanthus Neck. VI. 522
Echinodium Poir. V. 521
Echinolema Jacq. fil. V. 3
arenarium Jacq. fil. V. 3
ECHINOPEAE DC. VI. 522
ECHINOPODEAE Cass. VI. 522
Echinops *L.* VI. 522
acaulis *Lam* VI. 527
altaicus Hortul. VI. 524
bannaticus *Rochel* VI. 524
cephalotes *DC.* VI. 526
cornigerus *DC.* VI. 525
creticus Tourn. VI. 525
dahuricus *Fisch.* VI 523
α latilobus *DC* VI. 523
β angustilobus - - -
echinatus *Roxb.* VI. 526
eriophorus Steph. VI. 523
exaltatus *Schrad.* VI. 523
fruticosus L. V. 90
giganteus Hortul. VI. 524
glaberrimus *DC.* VI. 525
Gmelini Ledeb. VI. 523
Gmelini *Turcz.* VI. 527
Gmelini var. α Trautv. VI. 523
— - β — - -
graecus *Mill.* VI. 526
Echinops
grandiflorus Cl
hebelepis *DC.* VI.
horridus *Desf.* V.
humilis *MB.* VI.
humilis Ledeb.
humilis Reich.
lanatus Steph.
lanuginosus La
maximus Siev.
microcephalus *Sil*
multiflorus Lam
niveus *Wall.* VI.
nodiflorus Lam.
orientalis Trau
paniculatus hot
paniculatus Jac
pauciflorus Lam
persicus *Stev. et*
platylepis *Trauti*
Prescottii Fisch
pungens Trauti
Ritro Ledeb. VI
Ritro *L.* VI. 524
α vulgaris *DC.* V
β tenuifolius - -
γ Meyeri - -
Ritro Schkuhr
Ritro elegans L
Ritro ruthenici
ruthenicus Bes
ruthenicus Rei
sphaerocephalus *L*
β glabratus *DC.*
γ paniculatus - -
δ cornigerus - -
sphaerocephalus
sphaerocephalus
sphaerocephalus
spinosus Bové
spinosus *L.* VI 5
spinosus β Lin.
strictus Fisch.
strigosus *L.* VI. 5
β *DC.* VI. 527
strigosus MB.
Szowitzii *Fisch. et*
tauricus Hortu
tenuifolius Fisc
Tournefortii *Less*

nus Vahl VI. 525
minowii Trautw. VI. 527
Hortul. VI. 524
Lem. VI. 524
MB. VI. 525
DC. VI. 525
EAE Cass. VI. 522
EAE Less. DC. VI. 450, 522
Tourn. VI. 522
. 489 VII. 287
Moench V. 490
Mx. V. 491
rb. Madr. VI. 281
. VI. 491
C. V. 491
. 490 VII. 287
DC. V. 490
B. et K. V. 496
a Spr. V. 304
DC. V. 491
fil. V. 492
chrad. V. 490
rst. V. 491
Vall. V. 490
rad. V. 491
Mx. V. 491 VII. 287
C. V. 491
Cham V. 490
V. 490
DC. V. 490
D et E. Walt. V. 490
L. V. 490
V. 491
la Walt. V. 547
. V. 637
unge V. 490
W. V. 490
Blume V. 490
Less. DC. V. 213, 488
-tn. VI. 287
Cass. VI. 289
C. VI. 289
DC. VI. 289
Gaertn. VI. 289
DC. VI. 288
Herit. VI. 287
a. VI. 288
DC. VI. 288
DC. VI. 288
DC. VI. 288
ria Less. VI. 289
ia DC. VI. 289

Eclopes
pumila Less. VI. 290
punctata Cass. VI. 288
pungens Cass. VI. 289
schizolepis *DC.* VI. 289
sedifolia *DC.* VI. 288
speciosa *DC.* VI. 289
styphelioides *DC.* VI. 289
subpungens *Less.* VI. 289
β acicularis *DC.* VI. 289
trinervis *Less.* VI. 289
viscida *Less.* VI. 288
Edmondia Cass. Less. DC. VI. 214 (Helipterum)
bracteata Cass. VI. 214
splendens Cass. VI. 215
Edwarsia Neck. V. 593
Egletes *Less. Cass.* VI. 42
bellidiflora *Less.* VI. 42
domingensis *Cass.* VI. 42
β glabrata *DC.* VI. 42
humifusa *Less.* VI. 42
viscosa *Less.* VI. 42
Elachi *DC.* VII. 256
euphrasioides *DC.* VII. 256
Elachothamnos *DC.* V. 398
Cunninghami *DC.* V. 498
Electra *DC.* V. 630
mexicana *DC.* V. 630
ELEPHANTOPEAE *Cass. DC.* V. 10, 85
ELEPHANTOPODEAE Less. V. 85
Elephantopus *Cass.* V. 85 *L.* V. 85, 87
angustifolius Sw. V. 87
carolinianus *W.* V. 86
carolinianus var. simplex Nutt. V. 86
carolinensis albiflorus Meyer V. 86
cervinus Arrab. V. 86
flexuosus *Raf.* V. 87
hirtiflorus *DC.* V. 86
Martii *Graham* V. 86
mollis *H. B. et K.* V. 86
nudicaulis *Ell.* V. 86
nudiflorus Spr. V. 87
nudiflorus W. V. 87
scaber *L.* V. 86
scaber Sw. V. 86
spicatus Juss. V. 87
strigosus W. herb. V. 87
tomentosus Auct. V. 86
tomentosus L. V. 86

Elephantopus
virgatus *Desv.* V. 86
Elephantosis *Less.* V. 87
angustifolia *DC.* V. 87
biflora *Less.* V. 87
liatroides hort. Petrop. V. 87
quadriflora *Less.* V. 87
Eleutherochaeta DC. VI. 448 (Robinsonia)
Eleutherogeron DC. V. 293 (Erigeron)
Eleutherolepis DC. VI. 448 (Robinsonia)
Elphegea Cass. V. 318 *Less.* V. 218, 223
Bergiana Less. V. 223
ciliata Less. V. 218
crenata Cass. V. 319
dentata Cass. V. 319
hirta Cass. V. 386
lanceolata Cass. V. 319
latifolia Cass. V 319
microcephala Less. V. 218
minor Cass. V. 319
quinquenervia Cass. V. 319
reflexa Less. V. 222
Elvira *DC.* V. 502 *Cass.* V. 502
biflora *DC.* V. 503
Martyni Cass. V. 503
Elytropappus *Cass.* VI. 256
ambiguus *DC.* VI. 256
canescens *DC.* VI. 256
cyathiformis *DC.* VI. 257
glandulosus *Less.* VI. 256
α longifolius *DC.* VI. 256
β microphyllus - - -
γ pallens - - -
Rhinocerotis *Less.* VI. 256
spinellosus *Cass.* VI 256
spinulosus Less. VI. 256
Emilia *Cass.* VI 301
adscendens *DC.* VI 303
angulata *DC.* VI. 303
angustifolia *DC.* VI 303
citrina *DC.* VI. 302
flammea Cass. VI. 302
gracilis *DC.* VI 303
graminea *DC.* VI. 303
humifusa *DC.* VI. 302
prenanthoidea *DC.* VI. 303
pumila *DC.* VI. 302
purpurea Cass. VI. 302
rigidula *DC.* VI. 302
sagittata *DC.* VI. 302
scabra *DC.* VI. 303
sonchifolia *DC.* VI. 302
Enalcida Cass. V. 642
pilifera Cass. V. 646
Enantiotrichum E. Mey
Athanasiae E. Meyer
Serra E. Meyer VI. 44
Encelia *Adans.* V. 566
alternifolia Raeusch.
canescens *Cav.* V. 567
canescens Raeusch. V.
halimifolia *Cav.* V. 567
mexicana Mart. V. 57
oblongifolia *DC.* V. 567
parvifolia *H. B. et K.* V.
Endoleuca Cass. VI. 249
pulchella Cass. VI. 25
sphaerocephala Cass.
Endoptera *DC* VII. 178
aspera *DC.* VII. 179
β inermis *DC.* VII. 179
Dioscoridis *DC.* VII. 17
Enhydra *DC.* V. 636
caesulioides Cass. V.
fluctuans *Lour.* V. 637
Heloncha *DC.* V. 637
longifolia *DC.* V. 637
maritima *DC.* V. 637
maritima Less. V. 63
oblonga *DC.* V. 637
paludosa *DC.* V. 637
sessilis *DC.* V. 637
Sobreyra *DC.* V. 637
subcuneata *DC.* V. 637
Enula Duby V. 464
Enydra Lour. V. 636
Epallage *DC* VI. 3
anemonifolia *DC.* VI. 4
dentata *DC.* VI. 4
rupestris *DC.* VI. 4
salvifolia *DC.* VI. 3
Epaltes *Cass.* V. 461
australis *Less.* V. 462
brasiliensis *DC.* V. 461
divaricata *Cass.* V. 461
hirsuta *Less.* V. 462
linearifolia *DC.* V. 461
littoralis *Less.* V. 461
mexicana *Less.* V. 462
pygmaea *DC.* V. 461
EPILTIDEAE Less. V. 4
Epiclinostrum Bojer VI
Candollei Bojer VII. 1
hirsutum Bojer VII. 1
Epitrachys DC. VI. 635
Erato *DC.* V. 317
polymnioides *DC.* V. 31

EAE (ERECHTHITEAE)
DC. V. 500 VI. 293
Raf. VI. 294
DC. VI. 295
DC. VI. 296
ma DC. VI. 297
s Less. VI. 295
a DC. VI. 294
ns DC. VI. 295
a DC. VI. 295
DC. VI. 297
a DC. VI. 297
hala- - -
a Raf. VI. 294
DC. VI. 296
VI. 297
Less. VI. 294
les DC. VI. 296
. VI. 297
ta DC. VI. 295
DC. VI. 297
DC. VI. 295
DC VI. 296
DC. VI. 296
lia DC. VI. 295
es DC. VI. 339 (Kleinia)
vm Less. VI. 197
Cass. VI. 261 *DC.* VI. 261 (Seriphium)
Less. V. 82
tus Less. V. 82
la DC. VI. 137 (Pentzia)
C. V. 77 (Monosis)
DC. V. 211, 279
. 283 VII. 274 *Don* V. 432
290
osum DC. V. 290
- - - VII. 274
V. 290
vm L. V. 382
V. 289
on V. 448
um. V. 291
DC. V. 291
L. V. 291
Sow. V. 291
ess. V. 287
eriocalyx Ledeb. V. 287
Nutt. V. 299
ule Poir. V. 285
ule Torr. V. 286

Erigeron
andicola *DC.* V. 287
β pubescens *DC.* VI. 287
angulosum Gaud. VII. 274
angustissimum *Lindl.* V. 286
annuum Pers. V. 298
anomalum *DC.* V. 293
armerifolium *Turcz.* V. 291
asperum *Nutt.* V. 286
asteroides Andrz. V. 290
asteroides Roxb. V. 434
atticum Vill. V. 291
australe Horn. V. 299
bellidifolium *Mühl.* V. 285
β scariosum *DC.* V. 285
bellidifolium Raf. V. 285
bellioides *DC.* V. 288
Berterianum *DC.* V. 286 VII. 274
bonariense *L.* V. 289
camphoratum L. V. 452
canadense Less. V. 290
canadense *L.* V. 289
canadense Ten. V. 381
canadense β pusillum Bart. V. 289
canescens *W.* V. 293
capense Houtt. V. 72
carolinianum L. V. 298
caucasicum *Stev.* V. 293
chinense *Jacq.* V. 290
chinense Sieb. V. 449
ciliatus Ledeb. V. 380
cochinchinense *Lour.* V. 293
cochinchinense Spr. V. 446
compositum *Pursh* V. 288
contortum Desf. V. 381
crispum Pourr. V. 381
cuneifolium *DC.* V. 288
cuspidatum Spr. V. 444
decurrens *DC.* V. 293
decurrens Vahl V. 388
delphinifolium W. V. 282
dentatum Burm. V. 388
diffusus Pers. V. 349
divaricatum *Mx.* V. 289
diversifolium *Cav.* V. 293
dracbachense Retz V. 291
dubium *Spr.* V. 293 *)
elongatum *Ledeb.* V. 291
elongatum Moench V. 291
expansus Spr. V. 254
extipulatum Schum. V. 382

*) ad Polyactidium Sprengelii Schlecht. referendum VII. 274, 275.

H.B.et K. V. 139
Wall. V. 15
V. 158
B. et K. V. 169
B. et K. V. 168
Vall. V. 31
B. et K. V. 155
brad. V. 138
DC. V. 157
V. 151
r. V. 183 VII. 270
H. B. et K. V. 162
H. B. et K. V. 161
V. 166
V. 147
B. et K. V. 165
V. 178
V. 149 *)
V. 176
V. 175
V. 183
V. 39
all. V. 32
V. 174
V. 149
V. herb. V. 41
B et K V. 155
fart. VII. 270
V. 146
H. B. et K. V. 168
et K. V. 156
C. V. 144
145
V. 172
V. 178
l. VI. 281
et K. V. 147
V. 145
V. 152
V. 147
l. V. 179
151
sr. V. 152, 183
V. 152
ess. V. 170
V. 31

Eupatorium
pyrifolium *DC.* V. 153
quadrangulare *DC.* V. 150
quaternum *DC.* V. 183
Reevesii *Wall.* V. 179
reflexum L. V. 445
remotifolium *DC.* V. 165
repandum *W.* V. 145
resinosum *Torr.* V. 176
reticulatum *Desv.* V. 183
reticulatum Hook. et Arn. V. 157
retrofractum Thunb. V. 481
rhinanthaceum *DC.* V. 146
rhomboideum *H. B. et K.* V. 172
rigidum Sw. V. 134
Rosalesia *DC.* V. 183
rosmarinifolium Lahill. VI. 165
rotundifolium *L.* V. 178
β ovatum *Torr.* V. 178
rubricaule *H. B. et K.* V. 157
rufescens *Lund* V. 168
rufum Spr. V. 33
rugosum *H. B. et K.* V. 159
rugosum Schrad. V. 174
rugosum Spr. V. 184
salicinum *Lam.* V. 146, 161
salicinum Spr. V. 172
Salvia *Colla* V. 157
salviaefolium *H. B. et K.* V. 161
salviaefolium Sims V. 151
Salzmannianum *DC.* V. 159
saturejaefolium Lam. V. 186
scabridum *Ell.* V. 177
scabrum H. B. et K. V. 148
scabrum *L. fil.* V. 148
scandens L. V. 199
scandens Spr. VI. 404
scandens Thunb. V. 198
scandens Walt. V. 200 - VII. 271
scariosum Wallr. V. 138
Schiedeanum *Schrad.* V. 159
β virgatum *DC.* V. 159
γ diversifolium - - -
Schlechtendalii *DC.* VII. 269
Schraderi *DC.* V. 174
secundiflorum Bert. herb. V. 48
secundiflorum Lag. V. 138
semiserratum *DC.* V. 177
sericeum *H. B. et K.* V. 142
serotinum *Mx.* V. 175
serratifolium *DC.* V. 181
serratuloides *H. B. et K.* V. 143

Erigeron
falcatum Don V. 439
fasciculatus Colla V. 289 VII. 274
fastigiatum *Horn.* V. 294
filiforme *Spr.* V. 294 *)
floriferum *Hook.* VII. 275
foetidum L. V. 323
fragrans *Spr.* V. 294
frigidum *Boiss.* VII. 274
fruticosum *DC.* V. 283
Gaudichaudi *DC.* VII. 274
glabellum *Nutt.* V. 284
glabratum Hoppe V. 291
glabrifolium *DC.* V. 287
glandulosum Poir. V. 326
glaucum *Ker.* V. 284
glomeratum Spr. V. 437
glutinosum hort. Paris. V. 319
glutinosum L. V. 476
gnaphalioides H. B. et K. V. 283
Gouani L. V. 381
gramineum L. V. 261
graminens Stev. V. 291
graminosum Russ. herb. V. 444
grandiflorum *Hook.* VII. 275
grandiflorum Hoppe V. 291
graveolens L. V. 468
heterophyllum W. V. 299
hieracifolium Don V. 442
hieracifolium Poir. V. 260
hirsutum Hoppe V. 291
hirsutum *Lour.* V. 294
hirsutum Pursh V. 286
hirsutum Wall. V. 292
hirtellum *DC.* V. 290
hirtus Thunb. V. 387
hispidum *DC.* V. 292
humile *Grah.* V. 286
humilis Spr. V. 287
hyssopifolium Mx. V. 298
jamaicense *L.* V. 288
japonicum Thunb. V. 382
incanum Vahl V. 388
incisum Thunb. V. 387
incisum W. V. 387
incisum var. caribaeum Spr. V. 291
incisus Sieb. V. 321
integrifolium *Bigel.* V. 286
inuloides Poir. V. 480

*) delendum; est Diplopappus pinifolius Less. V. 496 VII. 275.

Erigeron
Jussieui Spr. V
kamtschaticum *D*
Karvinskianum *D*
laevigatum *Rich.*
lanatum *Hook.* V
Lehmanni Lehm
Lehmanni *Spr.* V
lepidotum *Less.*
leptorhizon *DC.*
Leschenaultii *DC*
leucanthum De
linearifolium *Cav*
linearis Spr. V
linifolium Bert
linifolium W. V
Linosyris Clair
lonchophyllum *H*
longipes *DC.* V.
maximum *Otto* V
molle Don V. 4
montevidense *Spr*
monticola *Wall.*
mucronatum *DC.*
multicaule *Wall.*
β maderense *DC.*
γ sirmorense -
multicaule B
multicaule C.
multiflorum *Hoo*
murale L-p yr
Myosotis *Pers.*
myosotoides Ju
nervosum W.
nudicaule M.x.
nudicaule Pers
obliquum L. V.
obovatus Spr.
paniculatum L
pappochroma *La*
pauciflorum *Hoo*
philadelphicum *L*
β quercinum *DC.*
philadelphicum
philadelphicum
phlogotrichus
pilosum *Pers.* V
pinifolium *Poir.*
pinnatifidum
pinnatifidum
pinnatum L. fi
podolicus Bess.
podolicus β pau

ron
ppigii *DC.* V. 287
escens *H. B. et K.* V. 283
hellum *DC.* V. 287
... *DC* V. 287
hellum *Mx.* V. 285
lum *Nutt.* V. 286
reum *Ait.* V. 285
llum *Lehm.* V. 294
lum *Nutt.* V. 289
folium *Lam.* V. 285
ifolium *Pursh* V. 285
tum *Hook.* VII. 275
sus *Spr.* V. 299
rum *Raf.* V. 289
um *Spr.* V. 294 *)
xum *Poir.* V. 294
re *Spr.* V. 288
Sw. V. 288
Spr. V. 294
DC. V. 292
atum *Bert. herb.* V. 288
e *Hoppe* V. 291
s *Poir.* V. 386
var. Poir V. 385
s *Pers.* V. 385
s *Thunb.* V. 480
Thunb. V. 294
DC. V. 287
ium *DC.* V. 287
um *Moench* V. 381
atum *DC.* V. 292
s *Retz* V. 447
n *Forsk.* V. 382
L. V. 477
num *Vest* V. 291
n *DC.* V. 284
um *Hook. et Arn.* V. 289
sum *Clairv.* V. 464
um *Schum.* V. 449
DC. V. 289
um *Ell.* V. 299
um *Mühl.* V. 299
um *Roxb.* V. 292
DC. V. 284
\- - -
se *Retz* V. 295
DC. V. 288
atum *L. fil.* V. 408
um *DC.* V. 290
Hook. VII. 274

actidium Sprengelii Schlecht.
dum VII. 274, 275.

Erigeron
trisulcum Don V. 440
tuberosum L. V. 476
undulatum Moench V. 289
uniflorum L. V. 291
Villarsii (*Villarii*) *Bell.* V. 291
Villarsii W. V. 290
virens Russ. herb. V. 439
viscosum hort. Paris. V. 319
viscosum L V. 470
vulgare L. V. 290
Wahlii *Gaudich.* V. 295
Wightianum Wall. V. 275
Wightii *DC.* V. 286
Erinesa Don VII. 10, 11
Eriocarpha Cass. V. 564
ERIOCEPHALEAE *Less. DC.* V. 500 VI. 145
Eriocephalus *L. Cass.* VI. 145 *Vaill.* VI. 635
affinis *DC.* VI. 147
africanus Burm. VI. 145
africanus L. VI. 145
africanus Sieb. VI. 147
aspalathoides *DC.* VI. 148
β ambiguus - - -
capitellatus *DC.* VI. 148
decussatus Burch. VI. 148
eximius *DC.* VI. 147
glaber *Thunb.* VI. 148
laricinus *DC.* VI. 148
microcephalus *DC.* VI. 148
microphyllus *DC.* VI. 148
paniculatus Cass. VI. 147
pectinifolius L. VI. 144
pedicellaris *DC.* VI. 146
petrophiloides *DC.* VI. 146
pteronioides *DC.* VI. 146
pubescens *DC.* VI. 148
punctulatus *DC.* VI. 146
β brevifolius - - -
purpureus Burch. VI. 148
racemosus Gaertn. VI. 147
racemosus *L.* VI. 147
racemosus β Burm. VI. 147
scariosus *DC.* VI. 147
septifer *Cass.* VI. 145
septulifer *DC.* VI. 145
sericeus *Gaudich.* VI. 145
spicatus Burm. VI. 147
spinescens *Burch.* VI. 147
tenuifolius *DC.* VI. 146
β filifolius - - -
tuberculosus *DC.* VI. 146
umbellulatus Cass. VI. 147

Eriocephalus
umbellulatus *DC.* VI. 147
β glabriusculus - - -
γ argenteus - - -
Eriocline Cass. VI. 459
obovata Cass. VI. 459
Eriocoma H. B. et K. V. 564
arborescens Alam. V. 566
floribunda H. B. et K. V. 564
fragrans Don V. 565
frutescens Alam. V. 565
grandiflora Alam. V. 565
heterophylla Schrad. V. 565
Eriocoryne Wall. DC. VI. 541 (Aplotaxis)
nidularis Wall. VI. 541
Eriolepis Cass. DC. VI. 635 (Cirsium)
ferox Cass. VI. 637
lanceolata Cass. VI. 636
lanigera Cass. VI. 638
Eriopappus Dumort. VI. 362
Eriophyllum Lag. V. 656
caespitosum Dougl. V. 657
stoechadifolium Lag. V. 656
trolliifolium Lag. V. 658
Eriopoda DC. VI. 2 (Oederia)
Eriosphaera *Less* VI. 166
apiculata *DC.* VI. 166
catipes *DC.* VI 167
coriacea *DC.* VI 167
dubia *DC.* VI. 167
Oculus-cati *Less.* VI. 166
rotundifolia *DC.* VI. 166
Eriostemon Less. VI. 538
taraxacifolium Less. VI. 539
Eriothrix *Less.* VI. 293
lycopodioides *DC.* VI. 293
Eriotrix Cass. VI. 293
juniperifolia Cass. VI. 293
Eritheis Gray VII 284
maritima Gray VII 284
Erythrolaena *Sweet* VI. 657
conspicua *Sweet* VI. 657
Erythropogon *DC.* VI 254
imbricatum *DC.* VI. 255
umbellatum *DC.* VI. 255
Eschenbachia Moench V. 377
globosa Moench V. 382
Esopon Raf. VII. 240
glaucum Raf VII 241
Espejoa *DC.* V. 660 VII. 292
mexicana *DC* V. 660 VII. 292
Espeletia *Mutis* V. 516
argentea *H. et Bonp.* V. 516
corymbosa *H. et Bonp.* V. 517

Espeletia
grandiflora *H. et B*
rigida H. et Bon
Ethulia *Cass.* V. 12 *G*
Nees V. 1
ageratoides Spr.
angustifolia *Bojer*
aquatica Roxb.
auriculata Thun
Bidentis L. V. 6
brasiliensis *Link*
conyzoides Bojer
conyzoides *L.* V. 1
α indica *DC.* - -
β africana - - -
divaricata L. V.
divaricata A. B
divaricata C. W
divergens Russ
gariepina *DC.* V. 1
glomerata Spr. V
gracilis *Delil.* V. 1
involucrata Nees
nepalensis Spr. V
paniculata Schk
ramosa Roxb. V.
repanda Nees V
spurganophora
Struchium Sw. V
tomentosa L. VI.
uniflora Walt. V
ETHULIEAE *DC.* V.
Euageratum DC. V

EUAMELLEAE *DC.* V
Euandryala DC. V

EUANTHEMIDEAE *DC*
Euanthemis DC. VI.
Euaplopappus DC.

Euarctotis DC. VI.

EUASTEREAE *DC.* V
Euathrixia DC. VI

Euberkheya DC. VI

Eubrachyrhynchos
(Bra
Eubrachyris DC. V

Eucaculia DC. VI.
Eucalaïs DC. VII. 8
Eucalia canescens

dermos DC. V. 669 (Calydermos)
lophora DC. V. 662 (Cephalophora)
anthera Hook. et Arn. DC. VII. 30 (Chaetanthera)
Cass. DC. VI. 235 (Gnaphalium)
Cass. VI. 235
Cass. VI. 236
Cass. VI. 236
Cass. VI. 236
Don VI. 197
Don VI. 200
DC. VII. 84 (Cichorium)
DC. V. 505 (Clibadium)
DC. V. 212 V. 375
C. VII. 161 (Crepis)
DC. VII. 89 (Cynthia)
DC. VII. 36 (Dicoma)
kium DC V. 272 (Diplostephium)
DC. VI. 320 (Doronicum)
ss. VI. 340
Cass. VI. 353
DC. V. 639 (Dysodia)
C. VI. 288 (Eclopes)
C. V. 490 (Eclipta)
DC. V. 283 (Erigeron)
V. 458 (Evax)
EAE *DC.* V. 651
EAE *DC.* V. 499, 668
mexic. V. 502
DC. VII. 15 (Gerbera)
um DC. VI. 222 (Gnaphalium)
DC. V. 583 (Harpalium)
DC. V. 499, 653
um DC. VI. 169 (Helichrysum)
DC. V. 550 (Heliopsis)
DC. VII. 132 (Helminthia)
DC. V. 661 (Hymenoxys)

Euhypochaeris Duby. DC. VII. 90 (Hypochaeris)
EUINULEAE *DC.* V. 213, 463
Eujasonia DC. V. 476 (Jasonia)
Eulasiospermum DC. VI. 38 (Lasiospermum)
Euleuceria DC. VII. 56 (Leuceria)
Euliatris DC. V. 128 (Liatris)
Eulucilia DC. VII. 46 (Lucilia)
Eulychnophora DC. V. 79 (Lychnophora)
Eumelampodium DC. V. 518 (Melampodium)
Eumillina DC. VII. 109 (Millina)
Eumonosis DC. V. 77 (Monosis)
Eumorphia *DC.* VI. 2
Dregeana *DC.* VI. 3
Eumorphoides DC. VI. 49 (Adenachaena)
Eumulgedium DC. VII. 248 (Mulgedium)
EUMUTISIEAE *DC.* VII. 4
Eunuchoglossum DC. VI. 48 (Leucanthemum)
Euoederia DC. VI. 2 (Oederia)
Euoldenburgia DC. VII. 12 (Oldenburgia)
Euonoseris DC. VII. 34 (Onoseris)
Euosmites DC. VI. 290 (Osmites)
Euozothamnus DC. VI. 165 (Ozothamnus)
Eupanargyrum DC. VII. 54 (Panargyrum)
EUPATORIACEAE *Less. DC.* V. 8, 103
EUPATORIEAE *DC.* V. 103, 104
Eupatoriophalacron Vaill. V. 489
Eupatorium *L.* V. 141 VII. 268 *Auct.* V. 133, 135, 136, 138, 141 86, 187
acuminatum Don V. 3
acuminatum *H. B. et K.* V 153
acuminatum Spr. V 33
acuminatum Wall. V. 32
adenanthum *DC.* V 164
adenophorum *Spr.* V. 164
affine *H. B. et K.* V. 182
affine Mairet herb. VII. 66

Eupatorium
ageratifolium *DC.* V. 173
β mexicanum - - -
γ domingense - - -
ageratoides Bert. herb. V. 173
ageratoides *L. fil.* V. 175
album Ell. V. 178
album *L.* V. 178
β glandulosum *DC.* V. 178
album Thunb. V. 79
alternans *DC.* V. 144
alternifolium Ard. V. 126
altissimum *L.* V. 177
amarum Vahl V. 195
amoenum *Pursh* V. 178
amphidyctium *DC.* V. 163
amygdalinum *Lam.* V. 182
anethifolium *DC.* V. 182
angustifolium *Spr.* V. 153
araliaefolium *Less.* V. 166
arboreum *H. B. et K.* V. 161
areolare *DC.* V. 169
areolatum Perrot. V. 12
argutum *H. B. et K.* V. 162
Armani Balb. V. 104
aromaticum Ell. V. 175
aromaticum *L.* V. 175
aromatisans *DC.* V. 150
asclepiadeum *DC.* V. 148
asperum Roxb. V. 31
atriplicifolium hort. Paris. V. 143
atriplicifolium *Vahl* V. 144
auriculatum Lam. VI. 404
auriculatum *Vahl* V. 174
australe *Thunb.* V. 182
axillare fl. mexic. V. 138
Ayapana *Vent.* V. 169 VII. 270
azureum *DC.* V. 168
bacch roides *H. B. et K.* V. 153
Bacleanum *DC.* V. 157
ballotaefolium *H. B. et K.* V. 163
bartsiaefolium *DC.* V. 147
Berlandieri *DC.* V. 167
Berterianum *Colla* V. 170
bicolor Lam. VI. 326
birmanicum *DC.* V. 179
bogotense *DC.* V. 81
brachiatum Wickst. V. 143
brasiliense *Spr.* V. 182
brevipes *DC.* V. 168
brevisetum *DC.* V. 169
β - - -
Brickellia *DC.* V. 182
bupleurifolium *DC.* V. 149

Eupatorium
Bustamenta *DC.*
cacalioides *H B.*
caducisetum *DC.*
calaminthaefolium
β pluridentatum
calyculatum Ho
campestre *DC.* V
Candolleanum *H*
canescens Ort.
canescens *Vahl* V
β adenocarpum *DC*
cannabinum *L.* V.
β indivisum *DC.* -
capense Spr. fil.
capillare Desv.
ceanothifolium *Mi*
ceanothifolium
celebicum Blum
celtidifolium *Lam*
chamaedryfolium *I*
Chilca *H. B. et K.*
chilense Bert. V
chilense *Molin.* V.
chinense *L.* V. 179
ciliatum *Less.* V.
cinerascens Wal
cinereum L. fil. V
cinereum Thunb
Clematitis *DC.* V.
coelestinum L. V
collinum *DC.* V. 1
coloratum Spr. V
coloratum W. V.
compositifolium
comptoniaefolium *I*
concinnum *DC.* V.
condensatum Rei
conglobatum *DC.* V
connatum Mx. V
consanguineum *DC.*
conyzoides *Vahl* V.
cordatum Burm.
cordatum *Walt.* V.
β Fraseri *DC.* -
cordifolium *Sw.* V.
cordiforme Poir. V
coriaceum Vahl V
cornifolium W. h
coronopifolium *W.* V
cotinifolium *W.* V.
crassifolium Raf.

n
m f V. 191
DC. V. 172
Pers. V. 126
DC. V. 149
um W. V. 177
tum Spr. V. 32
tum W. herb. V. 77
folium W. herb. V. 23
folium DC. V. 172, 183
H. B. et K. V. 140
V. 140
um DC. V. 154
um Ruf. V. 135
Jacq. V. 166
um Poepp. V. 183
Spr. V. 153
tum Vahl V. 198
Vahl V. 174 *)
DC. V. 161
Spr. V. 35, 161
um Berg. V. 357
Less. V. 143
ium Schrad. V. 159
lium *DC.* V. 161
um DC. V. 167
se Spr. V. 173
DC. VII. 269
ir. V. 152
um *DC.* V. 153
olium hort. Calc. V. 22
B. et K. V. 162
DC. V. 156
H. B. et K. V. 162
DC. V. 150 VII. 269
DC. V. 171
um - - -
n *DC.* V. 158
x. V. 178
H. B. et K. V. 156
mum Wall. V. 179
ianum Wall. V. 178
Spr. V. 174
Lam. VI. 330
Roxb. V. 319
n *H. B. et K.* V. 143
um *W.* V. 176
es DC. V. 176
ides Walt. V. 176
DC. V. 174
Wall. V. 451
oir. V. 175

ylis diffusa DC. VII. 268.

Eupatorium
fraternum *DC.* V. 163
Freyresii Thunb. V. 169
Freyreysii *Thunb.* V. 183
fuliginosum *H. B. et K.* V. 160
furcatum *Lam.* V. 146
fusco-rubrum Walt. V. 152
Gaudichaudianum *DC.* V. 148
glaberrimum *DC.* V. 144
glabratum *H. B. et K.* V. 157
glabriusculum *DC.* V. 161
glabrum Heyne V. 67
glandulosum H. B. et K. V. 165
glandulosum Mx. V. 178
glaucescens *Ell* V. 177
β leucolepis *DC.* - -
glechomaefolium Moç. V. 139
glechonophyllum *Less.* V. 165
glomeratum *DC.* V. 154
glumaceum *DC.* V. 181
glutinosum *Lam* V. 157
gnidioides *DC.* V. 150
gonocladum *DC.* V. 171
Gouani Hortul. V. 493
gracile *H. B. et K.* V. 162
graciliflorum *DC* V. 145
grandidentatum *DC.* V. 167
guadalupense *Spr.* V. 170
β Wydlerianum *DC.* - -
Haenkeanum *DC.* V. 158
β velutinum - - -
halimifolium *DC.* V. 150
havanense H. B. et K. V. 173
hebecladum *DC.* V. 164
helianthifolium *H. B. et K.* V. 155
hemisphaericum *DC.* V. 158
β molliusculum - - -
heterophyllum *DC.* V. 180
hexanthum *DC* V. 148
hirsutum *DC.* V. 170
hispidum *Pers.* V. 183
Houstonis Hortul. V. 493
Houstonis Mill V. 190
hypericifolium *H. B. et K.* V. 142
hyssopifolium Ell. V. 177
hyssopifolium *L.* V. 177
japonicum *Thunb.* V. 180
javanicum Blume V. 22
incarnatum *Walt.* V. 175
incomptum *DC.* V. 173
innumerosum *DC.* V. 164
integrifolium *Bert. herb.* V. 144

Eupatorium
intermedium *DC.* V. 148
inulaefolium *H. B. et K.* V. 156
iresinoides *H. B. et K.* V. 153
ivaefolium *L.* V. 146
β *DC.* V. 146
Karvinskianum *DC.* V. 163
Kleinioides H. B. et K. V. 137
laeve *DC.* V 169
laevigatum Torr. V. 152
lamiifolium *H. B et K.* V. 163
lamifolium Link V. 167
lanatum Spr. V 469
lanceolatum W. V. 178
lavandulaefolium *DC.* V. 154
leiophyllum *Less.* V. 173
leptocephalum *DC.* V 148
leptophyllum *DC.* V. 176
leucophyllum *H. B. et K.* V. 154
liatrideum *DC.* V. 142
β subcanum - -
ligustrinum *DC.* V. 181
Lindleyanum *DC.* V. 180
linearifolium Ell. V. 177
linearifolium Mx. V. 177
linearifolium *Walt.* V. 177
linifolium *DC.* V. 149
longicaule *DC.* V. 178
longicaule Wall. V. 33
loniceroides *H. B. et K.* V. 166
lucidum *Ort.* V. 173
ludovicianum *DC.* V. 183
Lundianum *DC.* V. 170
macranthum *Sw.* V. 141
macrocephalum Less. V. 137
macrodon *DC.* V. 145
macrophyllum L. V. 136
macrophyllum Sw. V. 136
macrophyllum W. V. 136
maculatum *L.* V 152
Mairetianum *DC.* V. 167
malvaefolium *DC.* V. 160
Marruhium Walt. V. 177, 178
Martiusii *DC.* VII. 269
Maximiliani *Schrad.* V. 143
β hispidulum *DC.* V. 143
megapotamicum *Spr.* V. 183 VII. 270
melissaefolium Lam. V. 186
melissoides W. V. 175
Mendezi *DC.* V. 160
menthaefolium *Poepp.* V. 183
menthaefolium Poepp. V. 38
micranthum Lag. V. 154
micranthum *Less.* V. 154

Eupatorium
microphyllum L. V
microstemon Cass.
molle Bert. herb.
molle *H. B. et K.* V
molle Sw. V. 136
molle W. V. 136
montanum *Sw.* V. 1
montevidense *Spr.*
multifidum *DC.* V.
multiflosculosum *DC*
myosotifolium *Jacq.*
myrtilloides *DC.* V.
mysorense Heyne
Neaeanum *DC.* V. 1
nepalense Spr. V.
nepetaefolium H.
nepetoides Lindl.
nervosum Sieb. V.
nervosum *Sw.* V. 16
nitidum *DC.* V. 180
niveum *H. B. et K.*
nodiflorum *Wall.* V
nutans H. B. et K.
obovatum W. herb.
obscurum *DC.* V. 14
obtusifolium W.
obtusissimum *DC.*
occidentale *Hook.* V
β subroseum *DC.*
odoratum *L.* V. 143
β cubense *DC.* V. 14
γ brachiatum - - -
odorato affine Sie
oliganthes Less.
oligocephalum *DC.*
orbiculatum *DC.* V.
orgyale *DC.* V. 174
origanoides *H. B. et*
Ossaeanum *DC.* V.
ovatum Bigel. V.
oxychlaenum *DC.* V
oxylepis *DC.* V. 14
pallescens *DC.* V. 1
β hirsutum - -
γ bonariense *DC.* VII
pallidum Hook. et
paniculatum Lin
paniculatum *Schrad*
papantlense *Less.* V
parviflorum Aubl.
parviflorum Ell.
parviflorum Sw.

m H.B.et K. V. 139
m Wall. V. 15
C. V. 158
H.B.et K. V. 169
H.B.et K. V. 168
n Wall. V. 31
H.B.et K. V. 155
Schrad. V. 138
um DC. V. 157
L. V. 151
a Spr. V. 183 VII. 270
um H.B. et K. V. 162
lium H.B.et K. V. 161
foç. V. 166
n DC. V. 147
e H.B.et K. V. 165
Valt. V. 178
n DC. V. 149 *)
n Ell. V. 176
s DC. V. 175
Spr. V. 183
s Spr. V. 39
m Wall. V. 32
n DC. V. 174
m DC. V. 149
- - - -
um W. herb. V. 41
n H.B et K V. 155
um Mart. VII. 270
a DC. V. 146
ium H.B.et K. V. 168
H.B.et K. V. 156
um DC. V. 144
- - - 145
le - - - -
DC. V. 172
Mühl. V. 178
Wall. VI. 281
H.B.et K. V. 147
Lam. V. 145
W. V. 152
n DC. V. 147
a Wall. V. 179
tianum - - -
L. V. 151
m Lour. V. 152, 183
m Mx. V. 152
alum Less. V. 170
le Don V. 31

latio.

Eupatorium
pyrifolium *DC.* V. 153
quadrangulare *DC.* V. 150
quaternum *DC.* V. 183
Reevesii *Wall.* V. 179
reflexum L. V. 445
remotifolium *DC.* V. 165
repandum *W.* V. 145
resinosum *Torr.* V. 176
reticulatum *Desv.* V. 183
reticulatum Hook. et Arn. V. 157
retrofractum Thunb. V. 481
rhinanthaceum *DC.* V. 146
rhomboideum *H.B.et K.* V. 172
rigidum Sw. V. 134
Rosalesia *DC.* V. 183
rosmarinifolium Lahill. VI. 165
rotundifolium *L.* V. 178
β ovatum *Torr.* V. 178
rubricaule *H.B.et K.* V. 157
rufescens *Lund* V. 168
rufum Spr. V. 33
rugosum *H.B.et K.* V. 159
rugosum Schrad. V. 174
rugosum Spr. V. 184
salicinum *Lam.* V. 146, 161
salicinum Spr. V. 172
Salvia *Colla* V. 157
salviaefolium *H.B.et K.* V. 161
salviaefolium Sims V. 151
Salzmannianum *DC.* V. 159
saturejaefolium Lam. V. 186
scabridum *Ell.* V. 177
scabrum H.B.et K. V. 148
scabrum *L. fil.* V. 148
scandens L. V. 199
scandens Spr. VI. 404
scandens Thunb. V. 198
scandens Walt. V. 200 VII. 271
scarinsum Wallr. V. 138
Schiedeanum *Schrad.* V. 159
β virgatum *DC.* V. 159
γ diversifolium - - -
Schlechtendalii *DC.* VII. 269
Schraderi *DC.* V. 174
secundiflorum Bert.herb. V. 48
secundiflorum Lag. V. 138
semiserratum *DC.* V. 177
sericeum *H.B.et K.* V. 142
serotinum *Mx.* V. 175
serratifolium *DC.* V. 181
serratuloides *H.B.et K.* V. 143

Eupatorium
serratum *Spr.* V. 183
serrulatum *DC.* V. 147
sessilifolium *L.* V. 151
Sieberianum *DC.* V. 181
silphiifolium *Mart.* VII. 269
sinuatum *Lam.* V. 145
sinuatum Lour. V. 183
smilacinum *H. B. et K.* V. 144
Soleirolii Lois. V. 180
solidaginoides *H. B. et K.* V. 155
sophiaefolium Auct. V. 171
sophiaefolium *L.* V. 184
sophioides *DC.* V. 170
sordescens *DC.* V. 167
sordidum *Less.* V. 162
speciosum Vent. V. 129
spicatum *Lam.* V 184
Sprengelianum *DC.* V. 184
squalidum *DC.* V. 142
squamosum *Don* V. 184
squarrosum Cav. V. 138
stachyophyllum *Spr.* V. 185
Sternbergianum *DC.* V. 167
steviaefolium *DC.* V. 158
β angustius - - -
stillingiaefolium *DC.* V. 160
stipulaceum Vahl V. 191
stoechadifolium *L fil.* V. 142
stramineum *DC.* V. 150
suaveolens *H B. et K.* V. 156
suaveolens Wall. V. 179
subalternifolium *DC.* V. 152
subobtusum *DC.* V. 161
subvelutinum *DC.* VII. 268
syriacum *Jacq.* V. 180
β indivisum *DC.* - -
tenuifolium *H. B. et K.* V. 154
ternifolium *Ell.* V. 151
β *DC.* V. 151
tetragonum *Schrad.* V. 171
teucrifolium *W.* V. 178
β verbenaefolium *DC.* V. 178
thespesiaefolium *DC.* V. 164
thyrsoideum *Moç.* V. 150
β puberum *DC.* - 151
tinifolium *H. B et K.* V. 160
tomentellum *Schrad.* V. 184 VII. 270
tomentosum Lam. VI. 330
tozziaefolium *DC.* V. 146
tremulum *Hook et Arn.* V. 269
triangulare Moç. V. 166
triangulare Poir. V. 144
triangulatum *Alam.* V. 172

Eupatorium
trichophorum *DC.*
trifidum *Vahl* V.
trifoliatum Hahl.
trifoliatum L. V.
trifiorum *Aubl.* V.
triplinerve Vahl
triste *DC.* V. 166
truncatum *W.* V.
uniflorum Moç.
urticaefolium L.
urticaefolium Re
vagans Wall. V.
vallincola *DC.* V.
Vargasianum *DC.*
Vauthierianum *DC.*
verbenaceum *DC.*
verbenaefolium
veronicaefolium

versicolor Wall.
verticillatum *Mühl.*
verticillatum var

vestitum Spr. V.
viburnoides *DC.* V.
villosum Bert. he
villosum *Sw.* V. 17
vincaefolium Lan
vindex *DC.* V. 160
violaceum Bert.
violaceum Raf. V
virgatum *Don* VII.
virgatum Schrad.
viscosum *H. B et K*
viscosum Wall. V.
Vitalbae *DC.* V. 16
volkameriaefolium

volubile Vahl V.
Wallichii *DC.* V. 1
xalapense *H. B. et K*
xylophylloides *DC.*
zeylanicum L. V.
EUPECTIDEAE *DC.* V
Eupetalacte DC. VI.

Euphania DC. V. 11
Euphrosyne *DC.* V. 5
parthenifolia *DC.*

Eupicris DC. VII. 11
Eupiqueria DC. V.

m W. VI. 247
tum Duby VI. 247
Schrank VI 252
kl. VI. 200
Desf. VI. 236
lorn. VI. 236
m E. Meyer VI. 173
short. Paris. VI. 236
L. VI. 168
Ten. VI. 182
me VI. 222
et K. VI. 223
Spr. VI. 223
Perrot. VI. 232
m L. VI. 175
m W. VI. 175
Auck. VII. 299
MB. VI. 184
H. B. et K. VI 225
um DC. VI. 235
Wall V. 439
E. Meyer VI. 192
folium Burm. VI. 173
folium E. Meyer VI. 206
folium Thunb. VI. 174
lium Lam. VI 209
icum Horn. VI 236
um Thunb. VI. 205
Thunb. VI. 268
et K. VI. 224
fil. VI. 256
nb VI. 209
Spr. VI. 227
Wall. VI. 231
alt. VI. 232
m Winch. VI. 270
DC. VI 222
u Spr. VI. 271
Thunb VI 237
Reinw. VI. 271
VI 222
VI. 679
L. VI. 191
B. et K. VI. 228
n Bory VI. 173
VI. 231
um Wall. VI. 273
DC. VI. 225
m Wall. VI. 270
Forst. VI. 235
DC VI. 236

Gnaphalium
β ramosum DC. VI. 236
involucratum Lam. VI. 237
involucratum Rich. VI. 236
involucratum β Sims VI. 236
italicum Roth VI. 183
kurmense *Mart.* VI. 237
lanatum Forst. VI. 228, 235
lanuginosum *H. B. et K.* VI. 228
lasiocaulon *Link* VI. 237
lavandulaceum *DC.* VI. 227
lavandulaefolium W. VI. 184
lavanduloides Bojer VI. 207
leg mum Gaertn VI. 34
leontopodinum Bory VI. 227
leontopod oides Reich. VI. 276
leontopodioides W. VI. 276
Leontopodium Jacq. VI. 276
leptoph llum *DC.* VI. 226
leysseroides Desf. V 279
longifolium Blume VI 274
loxense W. herb. VI. 221
lupulaceum Lam. VI. 208
uteo-album *L.* VI. 230
luteo-album depressum Pers. VI. 230
luteo-album var. incanum Rich. VI. 230
lycopodioides d'Urv. VII. 45
Lycopodium Pers. VI. 237
maculentum E. Meyer VI. 229
maculatum Thunb. VI. 229
madagascariense Poir. VI. 206
margaritaceum L. VI. 270
maritimum L. VI. 204
maritimum Schrank VI. 202
maritimum Thunb. VI. 204
maritimum W. VI. 204
martabanicum Wall. VI. 222
medium C. Bauh. VI. 231
medium Vill VI. 232
melanophthalmum Lowe VI. 177
micranthum *Thunb.* VI. 229
β spretum DC. VI 229
microphyllum W. VI. 183
millefiorum L. fil. VI. 213
millefiorum W. herb VI. 190
minimum Sm. VI. 248
modestum Hook. VI. 214
molle Thunb. VI. 204
monanthon W. herb. VI. 269
montanum W. VI. 248
montevidense *Spr.* VI. 237
moschatum *Cunningh.* VI. 236
mucronatum Berg. VI. 178

Euscorzonera DC. VII. 117 (Scorzonera)
EUSENECIONEAE *DC.* V. 500 VI. 298
Euseriphium DC. VI. 262 (Seriphium)
Eusonchus DC. VII. 184 (Sonchus)
Eusphaeranthus DC V. 369 (Sphaeranthus)
Eustenocline DC. VI. 219 (Stenocline)
Eustilpnophytum DC. VI. 92 (Stilpnophytum)
Eustoebe Cass. DC. VI. 259 (Stoebe)
Eutanacetum DC. VI. 128 (Tanacetum)
EUTARCHONANTHEAE *DC.* V. 213, 429
Eutarchonanthus DC. V. 431 (Tarchonanthus)
Euthamia Cass. V. 330 *Nutt. DC.* V. 341 (Solidago)
graminifolia Nutt. V. 341
tenuifolia Nutt. V. 341
Euthrincia DC. VII. 99 (Thrincia)
Euthrixia Don VII. 29
affinis Don VII. 30
salsoloides Don VII. 30
Eutragoceras DC. V. 533 (Tragoceras)
Eutrichogyne DC. VI. 265 (Trichogyne)
Eutrixis DC. VII. 67 (Trixis)
Hook. VII. 68
EUTUSSILAGINEAE *DC.* V. 103, 207
EUVERNONIEAE *DC.* V. 9, 10
Euxanthium DC. V. 523 (Xanthium)
Euxenia *Cham.* V. 501
grata *Cham.* V. 501
Mitiqui *DC.* V. 501
β subintegerrima *DC.* V. 501
radiata Nees V. 562
EUXENIEAE *DC.* V. 498, 500
Euxeranthemum DC. VI. 528 (Xeranthemum)
Evax *Gaertn.* V. 458
asterisciflora *Pers.* V. 459
Evax
discolor *DC.* V. 4
ericoides Schrad
exigua *DC.* V. 458
indica Hamilt.
involucratus Sch
mareotica *DC.* V.
multicaulis *DC.* V.
prolifera *Nutt.* V.
pygmaea *Pers.* V.
spathulata Pers.
umbellata Gaert
vera *Raf.* V. 459
Evopis Cass. Less.
heterophylla Cas
Eyselia Reich VI.
bellidiflora Reich

F

FACELIDEAE *Less.*
Facelis *Cass.* VII. 47
apiculata *Cass.* VII.
Faujasia *Cass.* VI. 29
pinifolia *Cass.* VI.
Faustula Cass. DC.
reticulata Cass.
Favonium Gaertn.
spinosum Gaertn.
Feaea Spr. V. 612
linearis Spr. V. 6
plantaginea Spr.
Felicia *DC.* V. 218 VI
adfinis *Nees* V. 219
angustifolia Nees
angustifolia *DC.* V.
α hyssopifolia - -
β glabra - -
brachyglossa Cass
cafrorum *Nees* V. 2
β validior *DC.* -
cana *DC.* V. 220
ciliaris *DC.* V. 221
β leiopoda *DC.* V. 22
cotuloides *DC.* V. 2
Dregei *DC.* V. 221
β dentata *DC.* V. 221
dubia Cass. V. 233
echinata *Nees* V. 22
erigeroides *DC.* V. 2

s *DC.* V. 220
ma - - -
DC. V. 221
Cass. V. 219
C. V. 220
lia Nees V. 220
DC. V. 221
DC. V. 221
a *DC.* V. 219
ma *DC.* V. 219
a *Nees* V. 220
C. V. 222
C. V. 222
C. V. 221
DC. V. 220
ecens *DC.* V. 220
Hochst. et Steud. VII. 271
ees V. 219
lia *Nees* V. 219
DC. V. 220
Lag. V. 552
ag. V. 552
ag. V. 553
DC. V. 553
Desf. V. 553
eltz VII. 87
Schultz VII. 87
n. VI 247 *W.* V. 458
ll. V. 458
Trock. VI. 245
Presl VI. 249
. VI. 248
a *DC.* VI. 249
na - - -
a *Raf.* VI. 247
Juss. VI. 248
Guss. V. 459
la Guss. VI. 247
ibth. V. 459
Lam VI. 248
VI. 248
ia *Presl* VI. 248
L. VI. 247
ata *Gaud.* VI. 247
na *DC.* - -
ta - - -
a var. pumila Raf. VI. 231
Steph. VI. 249
ta Requi. VI. 247
ioides W. VI. 276
dium L. VI. 276

Filago
mareotica Delil. V. 459
maritima L. VI. 34
minima Pers. VI. 248
montana *L.* VI. 248
β supina *DC.* - -
γ minima - - -
multicaulis Lam. V. 460
neglecta *DC.* VI. 248
paniculata Moench VI. 249
prostrata *DC.* VI. 249
pygmaea Cav. V. 459
pygmaea L. V. 458
pyramidata L. VI. 247
pyramidata Meyer VI. 248
rotundata Moench VI. 247
spathulata Presl VI. 248
supina Lam. V. 460
vulgaris Lam. VI. 247
Fimbrillaria Cass. DC. V. 387 (Conyza)
baccharoides Cass. V. 388
tubifera Cass. V. 386
Flaveria *Juss.* V. 635 V. 104 VII. 291
angustifolia *Pers.* V. 635
bonariensis *DC.* V. 635
capitata Juss. V. 635
Contrayerba *Pers.* V. 635
integrifolia fl. mexic. V. 635
linearis *Lag.* V. 635 VII. 291
maritima H. B. et K. V. 635
peruviana Juss. V. 105
radicans fl. mexic. V. 635
repanda Lag. V. 636
spicata Sm. V. 105
FLAVERIEAE *Less. DC.* V. 498. 634
FLOSCULOSAE Tourn. V. 4
Florestina *Cass.* V. 655
callosa *DC.* V. 655
pedata *Cass.* V. 655
tripteris *DC.* V. 655
Flotovia *Spr.* VII. 10
diacanthoides *Less.* VII. 11
excelsa *DC.* VII. 12
glabra *Spr.* VII. 11
hispida *DC.* VII. 11
lanceolata *Less.* VII. 11
orthacantha *DC.* VII. 11
paniculata *DC.* VII. 11
spinescens *Less.* VII. 11
tomentosa *Spr.* VII. 11
vepreculata *DC.* VII. 11

Flourensia *DC.* V. 592 VII. 290
cernua *DC.* V. 593
corymbosa *DC.* V. 592
laurifolia *DC.* V. 592 VII. 290
thurifera *DC.* V. 592
β angustifolia *DC.* V. 592
Forneum Adans VII. 244
Fornicium Cass. C. A. Meyer DC. VI 695 (Leuzea)
rhaponticoides Cass. VI. 666
Fougeria Moench V. 509
tetragona Moench V. 510
Fougerouxia *DC.* V. 509
alba *DC.* V. 510
recta *DC.* V. 510
Francoeuria *Cass* V. 475
crispa *Cass.* V. 475
β indica *DC.* - -
Frankia Schimperi Steud. VII. 280
Franseria *Cav.* V. 524
ambrosioides *Cav.* V. 524
artemisioides W. V. 524
Chamissonis *Less.* V. 524
α malvaefolia *DC.* - -
β bipinnatisecta - - -
Freemania hypnoidea Bojer VI. 218
Fresenia *DC.* V. 328
leptophylla *DC.* V. 328
scaposa *DC.* V. 328
Frolovia Ledeb. DC. VI 538 (Aplotaxis)
lyrata Ledeb. VI. 538
Fulcaldea *Poir.* VII. 4 *Less.* V. 77
laurifolia *Poir.* VII 4
tomentosa Less. V. 77
Fullartonia *DC.* V. 281
kamaonensis *DC.* V. 281

G

Gaillardia *Foug.* V. 651 VII. 292
alternifolia Räusch. V. 652
amara Raf. V. 652
aristata *Pursh* V. 652
bicolor Spr. V. 652
bicolor β Nutt. V. 652
bicolor β Drummondii Hook. V. 652 VII. 292
Drummondii *DC.* V. 652 VII. 292
lanceolata *Mx.* V. 652
picta brit. fl. gard. VII. 292
pulchella *Foug.* V. 652
rustica Cass. V. 652
GAILLARDIEAE *DC.* V. 4[illegible]
Galactites *Moench* VI. 6[illegible]
tomentosa *Moench* VI. [illegible]
β alata *DC.* VI. 617
γ elegans - - -
Galardia Lam. V. 651
acaulis Pursh V. 663
bicolor Ell. V. 652
bicolor Lam. V. 652
fimbriata Mx. V. 653
GALARDIEAE Nutt. V. [illegible]
Galasia Less. VII. 123
Galatea Cass. V. 254
Galatella *Cass.* V. 254 VII. [illegible]
acris Nees V. 256
albiflora Cass. V. 255
arragonensis *Nees* V. 257
asperrima Nees V. 277
biflora Nees V. 256
cana *Nees* V. 255
canescens Cass. V. 256
dahurica *DC.* V. 256
dracunculoides *DC.* V. 256
α radiata *DC.* V. 256
β discoidea - - -
fastigiata *Nees* V. 256 VII. [illegible]
glandulosa Nees V. 269
Hauptii *Lindl* V. 256
hyssopifolia *Nees* V. 255
insculpta Nees V. 255
intermedia Cass. V. 255
juncea *Lindl.* V. 257
leptophylla *Nees* V. 256
linifolia *Nees* V. 255
lusitanica *Nees* V. 257
nemoralis Hook. VII. 272
nemoralis *Nees* V. 257
β monocephala *Nees* V. 257
nudiflora *Lindl.* V. 257
pauciflora Nees V. 256
punctata Cass. V. 255
punctata *DC.* V. 255
α angustifolia *DC.* V. 255
β intermedia - - -
γ insculpta - - -
punctata Lindl. V. 25[illegible]
punctata Nees V. 288
rigida *Cass.* V. 256
squamosa *DC.* V. 257
tenuifolia *Lindl.* V. 257

llav. et Lex. VII. 257
allav. et Lex. VII. 257
t. et Pav. V. 677
a Spr. V. 677
nica Spr. V. 677
ia DC. V. 677
Cav. V. 677
677
DC. V. 677
diata R. et Pav. V. 677
idiata R. et Pav. V. 677
ook. et Arn. V. 677
Cav. V. 678
r. V. 677
Zucc. V. 677
Carr. W. V. 677
Kunth Less. V. 678
a Spr. V. 676
s H. B. et K. V. 678
Spr. V. 674
or. V. 613
a Spr. V. 654
ir. V. 673
s. V. 678
DC. V. 499, 668
a Nees et Mart. VII. 257
Nees et Mart. VII. 257
nsch. V. 651
DC. V. 2
C. V. 2
ss. VI. 40
rs. VI. 40
DC. VI. 40
ioides DC. VI. 40
ess VI. 41
DC. VI. 41
DC. VI. 41
s. VI. 40
ess. VI. 40
. VI. 40
ess. VI. 40
ss. V. 309
Less. V. 309
DC. V. 309
Cass. V. 309
ia Don VII. 72
Don VII. 72
Neck. VI. 70
ss. DC. VII. 178 (Endoptera)
a Cass. VII. 179
rtn. VI. 508

Gazania
araneosa *DC.* VI. 512
arctotoides *Less.* VI. 510
armerioides *DC.* VI. 511
Burchellii *DC.* VI. 514
ciliaris *DC.* VI. 513
β epitrachys *DC.* VI. 513
coronopifolia *DC.* VI. 511 VII. 17
diffusa Spr. VI. 501
Forbesiana *DC.* VI. 508
grandis *DC.* VI. 509
heterochaeta *DC.* VI. 511
hirtella *DC.* VI. 511
humilis *E. Meyer* VI. 511
intrusa *E. Meyer* VI. 511
jurineaefolia *DC.* VI. 511
Krebsiana *Less.* VI. 509
leptophylla *DC.* VI 512
leucolaena *DC.* VI. 509
Lichtensteinii *Less.* VI. 514
linearifolia *DC.* VI. 512
longifolia *Less.* VI. 510
longiscapa *DC.* VI. 513
mucronata *DC.* VI. 513
multijuga *DC.* VI. 509
nivea *Less.* VI. 509
Othonnites *Less.* VI. 510
Othonnites Less. VI. 511
oxyloba *DC.* VI. 512
Pavonia *R. Br.* VI. 510
pinnata *Less.* VI. 509
β leiopoda *DC.*
rigens *R. Br.* VI. 510
scabra *DC.* VI. 509
serrata *DC.* VI. 510
serrulata *DC.* VI. 512
speciosa *Less.* VI. 510
subbipinnata *DC.* VI. 508
subulata *R. Br.* VI. 512
β heterophylla *DC.*
tenuifolia *Less.* VI. 513
varians *DC.* VI. 513
unillora *Sims* VI. 512
Gebleria prenanthoides Bess. VII. 161
Geigera Less. V. 482
Geigeria *Griesel.* V. 482
africana *Griesel.* V. 482
Gelasia Cass. DC. VII. 123 (Scorzonera)
Jacquini Cass. VII. 124
villosa Cass. VII. 124
Georgia Spr. V. 494
bipinnata Spr. V. 606

Georgina W. V. 494
Cervantesii Sweet V. 494
coccinea W. V. 494
crocata Sweet V. 494
frustranea DC. V. 494
superflua DC. V. 494
variabilis W. V. 494
α *Kunth* V. 494
β - -
Geracium Reich. VII. 164
incarnatum Reich. VII. 165
paludosum Moesl. et Reich. VII. 170
parviflorum Moesl. et Reich. VII. 165
praemorsum Moesl. et Reich. VII. 164
prenanthoides Moesl. et Reich. VII. 211
succisaefolium Reich. VII. 170
Gerbera *Gron.* VII. 15
asplenifolia *Spr.* VII. 15
β Buxbaumii *DC.* - -
asplenifolia var. VII. 17
Burmanni *Cass.* VII. 16
cordata *Less.* VII. 16
coronopifolia *Cass.* VII. 17
coronopifolia Cass. VI. 511
crenata bot. Reg. V. 217
ferruginea *DC.* VII. 15
hirsuta *Less.* VII 17
Lagascae *Cass.* VII. 17
macrocephala Less. VII. 16
ovalifolia *DC.* VII. 17
piloselloides *Cass.* VII. 16
β discolor *DC.* VII. 17
sinuata Less. VII. 15
sinuata *Spr.* VII. 15
tomentosa *DC.* VII. 16
α elliptica - - -
β ustulata - - -
γ polyglossa - - -
Gerberia Cass. VII. 15
Linnaei Cass. VII. 15
Geropogon *L.* VII. 111
australis Spr. VII. 112
calyculatus L. VII. 124
glaber Jacq. VII. 112
glabrum *L.* VII. 111
hirsutum L. VII. 113
hirsutus All. VII. 124
Gibbaria *Cass.* VII. 257
bicolor *Cass.* VII. 257
Gifola Cass. DC. VI. 247 (Filago)
vulgaris Cass. VI. 247
Glandularia DC. V.
Glebionis Cass. VI.
VI. 64 (Chr
Roxburghii Cass.
GLOSSARIPHYTU
Glossocardia *Cass.* V.
Bosvallea *DC* V. 6
linearifolia Cass.
Glossogyne *Cass.* V.
chinensis Less. V.
pedunculosa *DC* V
pinnatifida *DC.* V.
tenuifolia *Cass.* V.
Glossophylla DC. VI
Gluphiphyllaea DC.
Glutinaria Comm.
Glycideras *Cass.* VII.
lucida *Cass.* VII. 25
Glyphia Cass. VII. 2
GNAPHALIEAE *Less.*
Gnaphalium *Don.* VI. 2
222 *L. et Auct.*
166, 167, 169, 21
245, 246, 247, 24
267, 269, 271, 2
VI. 34 *Poir.* V.
acaule Sieb. VI 24
Achilleae Sieb. VI
achilleoides Lam
achilleoides Sieb
acilepis *DC* VI. 229
acuminatum *Link* VI
adnatum Wall. VI
adnatum W. herb
adscendens Thunb.
aegyptiacum Pers.
affine Don VI. 223
affine *d'Urv.* VI. 23
alatum H. B. et K.
alausense W. herb.
albescens *Sw.* VI. 22
alpinum Asso VI. 2
alpinum Lightf. VI
alpinum L. VI. 269
alpinum W. VI. 26
alpinum β elatius
ambiguum Pers. VI

loiss. VII. 83
B. VI. 665
s MB. VI. 666
ss. DC. V. 617 (Verbesina)
. V. 617
m Don DC. VII. 165 (Crepis)
ss. VI. 494
. VI. 494
VI. 494
ess. VI. 494
Mart. herb. V. 78
rt. herb. V. 78
n DC. VII. 27 (Proustia)
. V. 583
V. 584
. V. 583
V. 584
ss. V. 583
C. V. 584 (Harpalium)
n VII. 240
VII. 241
ck VII. 241
ck VII. 242
Don VII. 240
k VII. 242
eck. VI. 528
V. 693
694
C. V. 694
. V. 693
tul. V. 271
Bonn. V. 270
. 16 W. V. 14
14
Cass. V. 16
Spr. V. 16
C. V. 219 (Felicia)
V. 136
C. V. 136
DC. V. 136
136
V. 136
V. 453 (Pluchea)
95
. V. 95
665 VII. 293
DC. V. 665 VII. 293

Hedraiophyllum Less. DC. VII. 24 (Gochnatia)
Hedypnois *Tourn.* VII. 81 *Gaertn.* VII. 79 *Scop.* VII. 145
arenaria *DC.* VII. 82
arenaria W. et Hortul. VII. 82
autumnalis Huds. VII. 108
biennis Huds. VII. 163
caspica Horn. VII. 81
coronopifolia *Ten.* VII. 81
crepidiformis Reich. VII. 81
cretica Cav. VII. 81
cretica *W.* VII. 81
β subacaulis *DC.* VII. 81
furfuracea Reich. VII. 81
globulifera Lam. VII. 81
hieracioides Huds. VII. 128
hirta Sm. VII. 99
laciniflora Viv. VII. 81
mauritanica W. VII. 81
monspeliensis W. VII. 81
paludosa Scop. VII. 148
pendula *DC.* VII. 82
β pinnatifida *DC.* VII. 82
pendula W. VII. 82
persica Fisch. VII. 81
polymorpha *DC.* VII. 81
pyrenaica Vill. VII. 101
radiata Gaertn. VII. 80
rhagadioloides Cass. VII. 81
rhagadioloides W. VII. 81
scabra Less. VII. 79
Taraxaci Vill. VII. 107
Taraxacum Scop. VII. 145
Tournefortii Cass. VII. 81
tubaeformis Ten. VII. 81
Heleastrum *DC.* V. 263 VII. 273
album *DC.* V. 264 VII. 273
β, γ - - -
paludosum *DC.* V. 264
Helenia L. DC. V. 666 (Helenium)
autumnalis Gaertn. V. 666
decurrens Moench V. 666
HELENIEAE *DC.* V. 499, 651
Helenium *L.* V. 665 VII. 293 *Cass.* V. 666 *Spr.* V. 656
aegyptiacum Vaill. V. 475
aegyptiacum tomentosum Vaill. V. 479
autumnale *L.* V. 666
β pubescens *Pers.* V. 666
autumnale Mill. V. 667
canaliculatum *Lam.* V. 666

Gnaphalium
connatum Spr. VI. 167
conoideum *H. B. et K.* VI. 233
conoideum Lam. VI 227
consanguineum *Gaudich.* VI.233
contortum Humilt. VI. 271
conyzoideum Lam. V. 396
cordifolium Bojer VI. 208
coriaceum E. Meyer VI. 167
coronatum L. VI. 267
crassifolium Lam. VI. 182
crassifolium L. VI. 175
crassifolium Lowe VI. 181
crassifolium W. VI 206
crispatulum *Delil.* VI. 231
crispum Lam. VI. 206
crispum L. VI. 208
crispum L. fil. VI. 199
crispum Perrot. VI. 197
crispum Pourr. VI. 182
cuneatum Wall. VI. 270
cuneifolium Wall. VI. 270
Cunninghami *DC.* VI. 235
Cupanianum Guss. VI 249
cylindricum L'Herit. VI. 268
cylindricum L. VI. 190
cylindrostachyum Wall. V. 455
cymatoides *Kunze* VI. 225
cymosum L. VI. 202
cynoglossoides Trev. VI. 270
dasyanthum W. V. 204
dealbatum Thunb. VI. 229
debile Thunb. VI. 230
decipiens *DC.* VI 236
declinatum L. fil. VI. 172
decumbens Lag. VI. 182
decumbens Thunb. VI. 265
decurrens Humilt. VI. 275
decurrens *Ives.* VI. 226
decurrens Schrank VI.224, 226
densum Lam. VI. 252
dentatum L. VI. 91, 137
dichotomum *W.* VI. 228
diffusum Bojer VI. 207
diffusum E. Meyer VI. 175
dioicum L. VI. 270
dioicum var. plantaginifolium Mx. VI. 270
diosmaefolium Vent. VI. 166
discolorum L. VI. 191
discolorum Thunb VI. 174
discolorum W. VI. 176
distans Schrank VI. 254
divaricatum Berg. VI. 208
divaricatum Schrank VI. 208

Gnaphalium
divaricatum
divergens Th
Dombeyanum
domingense *La*
dorsteniaeflor
drahaeforme
dysodes *Spr.*
elatum Lam.
elegans *H. B.*
elichrysoides
ellipticum DC
elongatum H
elongatum La
ericaeforme
ericoides Lam
ericoides L.
ericoides W
excisum Thu
eximium L.
expansum Th
falcatum *Lam.*
α β γ δ *DC.*
fasciculatum
fastigiatum S
fastigiatum
felinum Thu
ferrugineum
ferrugineum
filagineum *DC.*
filaginoides
filiforme Lilj
fluccidum W
flavissimum
flexuosum E
floccosum *DC.*
floridum Poir
foetidum L.
foliosum Poir
fragrans Sieb
frigidum Poe
fruticans L.
fruticans Sch
fruticans Th
fruticans W.
fruticosum F
fulvum Lam.
fuscatum Bo
fuscatum Per
fuscum Oed.
fuscum Scop.
gallicum Wa
gallicum W.
Gaudichaudianu
β subrufescens

s *Cav.* V. 590
. V. 583, 586
Rich. V. 563
ll. V. 588
usch V. 587
Ell. V. 586
t. V. 588
ok. V. 583
H. B. et K. V. 581
. V. 587
. V. 588
loç. V. 576
Ort. V. 575
. V. 592
x. V. 589
W. V. 589
V. 588
k V. 591
t. Madr. V. 585
t. V. 579
wein. V. 588
H. B. et K. V. 584
Ort. V. 584
V. 590
. *DC.* V. 590
H. B. et K. V. 591
m. V. 589
. V. 554
. V. 555
Raf. V. 555
V. 555
V. 555
. V. 555
Raf. V. 555
t. V. 555
Less. DC. V. 500
VI. 157
Helichrysum) DC.
298 *Cass.* VI 159,
. VI. 169 *Gaudich.*
s. VI. 164. 169, 211
DC VI. 188
. *DC.* VI. 188
VI. 186
DC. VI. 180
ss. VI. 185
I. 178
minsh. VI. 215
b. VI. 193
. VI. 198
DC. VI. 198
. - - -
. VI. 169
C. VI. 192

Helichrysum
angustifolium *DC.* VI. 183 VII. 299
anthemoides Sieb. VI. 216
anomalum *Less.* VI. 204
β rufescens *DC.* VI. 204
γ brevifolium - - -
aphelexioides *DC.* VI. 206
apiculatum *DC.* VI. 195
appendiculatum *Less.* VI. 208
β humile *DC.* VI. 209
arenarium *DC.* VI. 184 VII. 299
β aurantiacum *DC.* VI. 184
armenium *DC.* VI. 183 VII. 299
argenteum Schrank VI. 177
argenteum *Thunb.* VI. 179
argyrophyllum *DC.* VI. 186
argyrosphaerum *DC.* VI. 174
asteroides *DC.* VI. 194
auriculatum *Less.* VI. 209
β oblongifolium *DC.* - -
auriculatum E. Meyer VI. 174
Banksii *Cunningh.* VI. 188
Baxteri *Cunningh.* VI. 193
Belangerianum *DC.* VI. 184 VI. 237
bellidioides *DC.* VI. 210
bicolor *Lindl.* VI. 188
bicolorum Cunningh. VI. 215
Bojerianum *DC.* VI. 208
bracteatum *W.* VI. 188
α chrysanthum *DC.* VI. 189
β eriopodum - - -
γ viscosum - - -
δ albidum - - -
brevicilium *DC.* VI. 196
buchtormense *DC.* VI. 184
buddleioides *DC.* VI. 201
buphthalmoides Sieb. VI. 194
Burchellii *DC.* VI. 196
α complicatum *DC.* VI. 196
β intermedium - - -
caespitosum *DC.* VI. 182
caespitosum *DC.* VI. 173 *)
calliehrysum *DC.* VI. 183
canescens Less. VI. 212
canescens W. VI. 213
capillaceum *Less* VI. 170
α erectum *DC.* VI. 170
β diffusum - - -
γ majus - - -
capitellatum *Less.* VI. 206
β mollius *DC.* VI. 206

*) conf. Praefatio.

Gnaphalium
multicaule Lam. VI. 174
multicaule W. VI. 232
multiceps *Wall.* VI. 222
multiflorum Poir. V. 473
multiflorum W. VI. 208
muricatum Burm. VI. 252
muricatum L. VI. 250
muricatum Thunb. VI. 253
muricatum δ fasciculatum Berg. VI. 253
muscoides Desf. VI. 246
nanum *H B. et K.* VI 227
nanum W. VI. 168
neglectum Soy. VI. 248
nepalense Hortul. VI. 270
niliacum *Radd.* VI. 231
nitens W. herb. VI. 229
nitidum *Horn.* VI. 238
nivale Ten. VI. 276
niveum Juss. herb. VI. 436
niveum L. VI. 203
niveum Poir. VI. 189
niveum Thunb. VI. 204
nodiflorum Lam. VI. 177
norvegicum Jacq. VI. 232
notatum Thunb. VI 170
notatum W. VI. 190
Notonianum Wall. VI. 273
nubigenum Wall. VI. 272
nudifolium Burm. VI. 200
nudifolium L. VI. 200
nudifolium Sieb. VI. 200
nudifolium Spr. VI. 200
nudum Hoffm. VI. 231
obtusifolium Hortul. VI. 235
obtusifolium L. VI. 227
obtusifolium Spr. VI. 234
Oculus Thunb. VI. 166
Oculus cati L. fil. VI. 166
odoratissimum L. VI. 202
odoratum Thunb. VI. 185
orbiculare Thunb. VI. 173
orientale L. VI. 184
orientale d'Urv. VI. 184
orixense Roxb. VI. 230
ovatum Desf. VI. 181
oxyphyllum *DC.* VI. 225
β semilanatum
Pallasii Spr. VI 183. 269
pallidum Hamilt. VI. 222
pallidum *Lam.* VI. 230
paniculatum Berg. VI. 170
paniculatum *Colla* VI. 223
paniculatum Thunb. VI. 190
papillosum Poir. VI. 189

Gnaphalium
parviflorum α L
patulum Berg. V
patulum L. VI. 2
pauciflorum *DC.* V
pedunculare L.
pedunculare Ten
pellitum *H. B. et*
pellitum Schrad.
pendulum Presl
pensylvanicum *W.*
perfoliatum Wa
peruvianum *Spr.*
petiolatum L. VI
petiolatum Thun
phlomoides Lam.
pilosellum L. fil.
pilulare *Wahlenb.*
β nudum *DC.* VI. 2
piluliferum Hor
Pira-vira Less.
Pira-vira var.
plantagineum B
plantagineum L.
Plantago Bojer
plenum Burm. V
plicatum Fisch.et
pluricaule Hami
pluricaule Poir.
Poeppigianum *DC.*
polifolium Thun
polyanthos Thun
polycaulon Pers.
polycephalum *Mx.*
polycephalum Sp
polycephalum W
pompejanum Ten
prostratum *Less.*
prostratum Petr
prostratum Roxi
prostratum Thu
prostratum var.C
proteaecolorum
proteiforme *Lam.*
proteoides Sieb.
puberulum *DC.* VI
pulchellum E. Me
pulchellum Wall.
pulverulentum B
pulvinatum *Delil.*
pumilum *W.* VI. 2
purpurascens *DC.*
purpureum *L.* VI.

unk. VI. 245
hunb. VI. 168
Lam. V. 458
Thunb. VI. 172
Berg. VI. 174
Thunr. VI. 234
m W. VI. 247
ve Thunb. VI. 200
rveHamilt. VI.270
Schrank VI. 178
urm. VI. 177
DC. VI. 222
am. VI. 231
. Meyer VI. 245
VI. 232
am. VI. 268
rst. V. 455
t. VI. 265
229
0
Bojer VI. 207
n. VII. 47
pp. VI. 234
hunb. VI. 206
et K. VI. 229
VI. 206
m Thunb. VI. 176
unb. VI. 191
. B. et K. VI. 220
r. VI. 237
ry VI. 173
. VI. 182
sen VI. 266
VI. 185
n Gaudich. VI.236
L. VI. 176
um Pnepp. VI 220
H.B.et K. VI 220
Lam. VI. 220
me VI. 271
unb VI. 205
b. VI. 182
. VI. 225
chrank VI. 205
Poir. VI. 194
m Bojer VI. 217
nle DC. VI. 228
ns Wall. VI. 271
m Labill. VI. 195
Berg. VI. 265
m Berg. VI. 173
VI. 202
hunb. VI. 176
n. VI. 170
. VI. 182

Gnaphalium
siculum Tineo VI. 183
simplex *Rich.* VI. 235
simplicicaule Wall. VI. 271
simplicicaule *W. herb.* VI. 234
sinuatum *Lour.* VI. 237
solidaginoides Poir. V. 443
sordidum L. V. 396
spadiceum Lam. VI. 168, 191
spathulatum Burm. VI. 208
spathulatum Delil. VI. 231
spathulatum Lam. VI. 235
spathulatum Thunb. VI. 168
sphacelatum *H.B.et K.* VI. 234
α legitimum *DC.* VI. 234
β rectum - - -
γ chilense - - -
sphaericum Perrot. VI. 230
sphaericum Sieb. VI. 236
sphaericum W. VI. 236
spicatum *Lam.* VI. 232
β interruptum *DC.* VI. 232
γ sabulosum - - -
spicatum Vahl VI. 266
splendens W. herb. VI. 224
splendidum Thunb VI. 185
Sprengelii Hook.et Arn. VI.224
squarrosum L. VI. 167
stachydifolium *Lam.* VI. 233
stachydifolium Less. VI. 233
stachydifolium var. Cham. VI. 233
stachelinoides Thunb VI. 191
stellatum Burm. VI. 174
stellatum L. VI. 174
stenocladum Schrank VI. 268
Stoechas L. VI. 182
Stoechas Thunb. VI. 203, 206
Stoechas β inodorum Desf. VI. 182
stramineum *H.B.et K.* VI. 230
strictum Lam. VI. 185
strictum Moench VI. 232
strictum Roxb. VI. 232
strictum Zeyh. VI. 204
strigosum Thunb. VI. 202
suaveolens Arrab. V. 450
subdecurrens DC. VI. 271
supinum Vill. VI. 245
supinum var. indicum Spr. VI. 273
sylvaticum *L.* VI. 232
α rectum *DC.* - -
β fuscatum *Wahlenb.* VI. 232
sylvaticum Scop. VI. 232
sylvaticum Sm. VI. 232

Gnaphalium
tenellum Wall. VI. 273
Teneriffae Spr. V. 473
tenue *H. B. et K.* VI. 223
tenuifolium *Vahl* VI. 237
tephrodes Link VI. 205
teretifolium L. VI. 205
teretifolium W. VI. 205
Thuarsii Spr. VI. 234
tinctum Thunb. VI. 168
tomentosum Hoffm. VI. 231
tricostatum Sieb. VI. 202
tricostatum Thunb. VI. 209
trifidum Thunb. VI. 230
trinerve *DC.* VI 236
uliginosum *L.* VI. 230
ulophyllum Hook. et Arn. VI. 225
ulophyllum E. Meyer VI. 197
umbellatum L. fil. VI. 255
umbellatum Schrank VI. 250
umbellatum W. VI. 205
undatum Thunb. VI. 199
undulaefolium Reich. VI. 202
undulatum *L.* VI. 226
undulatum Pers. VI. 226
undulatum Walt. V. 453
unillorum *Lam.* VI. 237
uniflorum Pall. VI. 269
verbascifolium Schrank VI. 175
verticillatum Thunb. VI. 266
vestitum Thunb. VI. 230
Vira-Vira *Molin.* VI. 224
virgatum L. V. 454
virgineum Sibth. VI. 177
viscidum Blume VI 274
viscosum *H B. et K.* VI. 224
viscosum Poepp VI. 223
Wightianum Wall. VI. 273
Willdenowii Dietr. VI. 236
yuccaefolium Lam. VI. 173
Gnaphalodes Tourn. V. 460
dentata Moench V. 460
Gnaphalopsis *DC.* VII. 258
micropoides *DC.* VII. 258
Gnephosis *Cass.* VI. 151
tenuissima *Cass.* VI. 151
Gochnatia *H. B et K.* VII. 24
cordata *Less.* VII. 24
corymbosa *Less.* VII. 24
fassicularis *Don* VII. 24
genistoides Hook. et Arn. VII. 29
glutinosa *Don* VII. 25

Gochnatia
ilicifolia Less.
polymorpha Her.
pyrifolia *Don* VI
rigida *Don* VII.
rotundifolia *Less.*
spectabilis Less.
vernonioides *H.*
Gomesia Lallav.
Goniocaulon Cass
glabrum Cass. V
Gonospermum *Less*
canariense Less
elegans *DC.* VI. 8
fruticosum *Less*
multiflorum *DC.*
Gorteria *Guertn.* VI. 504 *L.* VI. 497
affinis *DC.* VI. 50
araneosa Meerb
asteroides L. VI
barbata L. fil. V
calendulacea *DC.*
carthamoides L.
cernua L. fil. VI
ciliaris L. VI. 49
ciliata Thunb. V
ciliata W. VI. 49
corymbosa *DC.* V
cruciata Houtt.
diffusa *Thunb.* VI
fruticosa Burm.
fruticosa L. VI
herbacea L. fil. V
hispida Lichtens
hispida L. fil. VI
incisa Thunb. V
integrifolia Thu
linearis Thunb.
Loureiriana *DC.* V
mitis Burm. VI
oppositifolia Lan
Othonnites Thun
ovata Vahl VI. 2
Pavonia Andr. V
pectinata Thunb
personata *L.* VI. 5
personata R. Me
pinnata Thunb.
rigens L. VI. 510
rigens Thunb. VI

ak. VI. 510
L'Herit. VI. 510
herb. VI. 522
499
VI. 501
VI. 498
VI. 507
VI. 498
. VI. 512
. VI. 449, 497
V. 661
ok. V. 662
epp. V. 501
Cass. VI. 319
ass. VI. 319
Cass. VI. 318
ss. VI. 319
f. 372 *Poir.* VI. 139
ss. V. 373
V. 373
s. V. 373
ir. VI. 139
ef. VI. 139
V. 372
ss. V. 373
ir. V 491
V. 372
a Desf. V. 373
Poir. V. 373
VI. 139
milt. VI. 141
. VI. 373
C. V. 212, 371
314 VII. 278
. V. 315
H. B. et K. V. 315
. 316
V. 315
DC. V. 316
ham. V. 316
I. 278
V. 315
V. 316
t. V. 348
l V. 314
et Arn. VII. 278
t Arn. VII. 278
258
V. 315
. 315
V. 316
C. V. 315
. V. 347

Grindelia
pulchella *Dunal* V. 315
rubricaulis *DC.* V. 316
sibirica Link V. 230
spathulata Bern. V. 315
spathulata Link V. 315
squarrosa *Dunal* V. 315
stricta *DC.* VII. 278
undecurrens *DC.* V. 315
Guandiola *H. et Bonpl.* V. 511
mexicana *H. et Bonpl.* V. 511
Guardiola Steud. V. 511
Guariruma Cass. VII. 4, 6 *Less.* VII. 6
Guizotia *Cass.* V. 551
abyssinica Cass. V. 551
oleifera *DC.* V. 551
α sativa *DC.* V. 552
β angustior - - -
Gundelia *Tourn.* V. 88
glabra Mill. V. 88
Tournefortii *L.* V. 88
α glabra - - -
β araneosa - - -
Tournefortii Mill. V. 88
Gundelsheimera Cass. V. 88
Guntheria megapotamica Spr. VII. 293
Gutierrezia *Lag.* V. 653
linearifolia *Lag.* V. 654
Gymnachaena Reich. VI. 264
bruniades Reich. VI. 264
Gymnactis DC. V. 317 (Heterotheca)
Gymnanthemum Cass. V. 15, 67 *DC.* V. 67 (Decaneurum)
congestum Cass. V. 23
cupulare Cass. V. 68
fimbrilliferum Cass. V. 23, 68
obovatum Gaudich. V. 67
Gymnarhena *Desf.* V. 374 VII. 280
micrantha *Desf.* V. 374 VII. 280
Gymnocline Cass. Less. VI. 53, 58
leucocephala Cass. VI. 58
macrophylla Bluff et Fing. VI. 58
Vaillantii Cass. VI. 59
xanthocephala Cass. VI. 59
Gymnoclines DC. VI. 58 (Pyrethrum)
Gymnocoronis *DC.* V. 106 VII. 266
attenuata *DC.* V. 106
spilanthoides *DC.* VII. 266
subcordata *DC.* V. 106

Gymnodiscus *Less.* VI. 469
capillaris *Less.* VI. 469
linearifolius *DC.* VI. 469
Gymnolaena DC. V. 641 (Dysodia)
Gymnoloma Ker V. 563
maculatum Ker V. 563
Gymnolomia H. B. et K. V. 561
hondensis H. B. et K. V. 562
rudbeckioides H. B. et K. V. 562
tenella H. B. et K. V. 562
triplinervia H. B. et K. V. 562
Gymnopsis *DC.* V. 561 VII. 289
dentata *DC.* V 561
euxenioides *DC.* V. 562
helianthoides *DC.* V. 562
hondensis *DC.* V. 562
rudbeckioides *DC.* V. 562
Schiedeana *DC.* V. 561
tenella *DC.* V. 562
triplinervia *DC.* V. 562
uniserialis *Hook.* VII. 289
verbesinoides *DC.* V. 561
wedelioides *DC.* V. 562
Gymnosperma *Less.* V. 311
corymbosum *DC.* V. 312
glutinosum *Less.* V. 312
multiflorum *DC.* V. 312
nudatum *DC.* V. 312
oppositifolium *DC.* V. 312
scoparium *DC.* V. 312
GYMNOSPERMEAE *DC.* V. 212, 310
Gymnostephium *Less.* V. 300
fruticosum *DC.* V. 300
gracile *Less.* V. 300
hirsutum *Less.* V. 300
Gymnostyles Juss. Pers. VI 142
alata Spr. VI. 143
anthemifolia Juss. VI. 142
chilensis Spr. VI. 143
lusitanica Spr. VI. 143
minuta Spr. VI. 143
Mutisii Spr. VI. 143
nasturtiifolia Juss. VI. 142
parthenifolia Moç. V. 530
pedunculata Moç. VI. 143
peruviana Spr. V 143
pterosperma Juss. VI. 143
stolonifera Juss. VI. 143
Gynema Raf. V. 450
argentea Raf. V. 453
balsamica Raf. V. 452, 453
dentata Raf. V. 452
parviflora Raf. V. 453
viscida Raf. V. 452
Gyneheteria (Gynheteria) W. V. 456
Gyneheteria
incana Spr. V. 456
incana W. V. 456
incana chilensis &
Gyneteria Spr. V. 45
Gynoxys *Cass.* VI. 325
noxis) V
baccharoides *Cass.* V
Berlandieri *DC.* VI.
α cordifolia - -
β cuneata - -
buxifolia *Cass.* VI. 3
cordifolia *Cass.* VI. 3
β Neaei *DC.* VI. 326
fuliginosa *Cass.* VI.
glabrata Less. VI.
Haenkei *DC.* VI. 326
incana Less. VI. 4
laciniata Less VI.
laurifolia *Cass* VI. 3
lucida Less. VI. 41
Poeppigii *DC.* VI. 32
pulchella *Cass.* VI. 3
Gynura *Cass.* VI. 298
angulosa *DC.* VI. 29
aurantiaca *DC.* VI. 3
auriculata Cass. V
auriculata *DC.* VI. 3
α glabrata - -
β pubescula - -
bicolor *DC.* VI. 299
bulbosa *Hook. et Ar*
divaricata *DC.* VI. 3
dubia *Cass.* VI. 301
ecalyculata *DC.* VI.
Finlaysoniana *DC.* V
foetens *DC.* VI. 300
haematophylla *DC.* V
lycopersicifolia *DC.*
nepalensis *DC.* VI. 3
nitida *DC.* VI. 299
nudicaulis *Arn.* VI.
ovalis *DC.* VI. 300
pinnatifida *DC.* VI. 3
Pseudo-china *DC.* V
purpurascens *DC.* VI
sagittaria *DC.* VI. 30
sarcobasis *DC.* VI. 3
sarmentosa *DC.* VI.
sinuata *DC.* VI. 301

H

Hacub Vaill. V. 88
Haenselera *Boiss.* VII.

ss. VII. 83
VI. 665
MB. VI. 666
DC. V. 617 (Verbesina)
V. 617
Don DC. VII. 165 (Crepis)
VI. 494
I. 494
I. 494
. VI. 494
rt. herb. V. 78
herb. V. 78
DC. VII. 27 (Proustia)
. 583
584
. 583
584
V. 583
V. 584 (Harpalium)
II. 240
I. 241
VII. 241
VII. 242
n VII. 240
II. 242
VI. 528
693
694
. 693
. V. 271
nn. V. 270
W. V. 14
ss. V. 16
r. V. 16
V. 219 (Felicia)
136
V. 136
. V. 136
6
136
453 (Pluchea)
V. 95
5 VII. 293
C. V. 665 VII. 293

Hedraiophyllum Less. DC. VII. 24 (Gochnatia)
Hedypnois *Tourn.* VII. 81 *Gaertn.* VII. 79 *Scop.* VII. 145
arenaria *DC.* VII. 82
arenaria W. et Hortul. VII. 82
autumnalis Huds. VII. 108
biennis Huds. VII. 163
caspica Horn. VII. 81
coronopifolia *Ten.* VII. 81
crepidiformis Reich. VII. 81
cretica Cav. VII. 81
cretica *W.* VII. 81
β subacaulis *DC.* VII. 81
furfuracea Reich. VII. 81
globulifera Lam. VII. 81
hieracioides Huds. VII. 128
hirta Sm. VII. 99
laciniflora Viv. VII. 81
mauritanica W. VII. 81
monspeliensis W. VII. 81
paludosa Scop. VII. 148
pendula *DC.* VII. 82
β pinnatifida *DC.* VII. 82
pendula W. VII. 82
persica Fisch. VII. 81
polymorpha *DC.* VII. 81
pyrenaica Vill. VII. 101
radiata Gaertn. VII. 80
rhagadioloides Cass. VII. 81
rhagadioloides W. VII. 81
scabra Less. VII. 79
Taraxaci Vill. VII. 107
Taraxacum Scop. VII. 145
Tournefortii Cass. VII. 81
tubaeformis Ten. VII. 81
Heleastrum *DC.* V. 263 VII. 273
album *DC.* V. 264 VII. 273
β, γ - - -
paludosum *DC.* V. 264
Helenia L. DC. V. 666 (Helenium)
autumnalis Gaertn. V. 666
decurrens Moench V. 666
HELENIEAE *DC.* V. 499, 651
Helenium *L.* V. 665 VII. 293 *Cass.* V. 666 *Spr.* V. 656
aegyptiacum Vaill. V. 475
aegyptiacum tomentosum Vaill. V. 479
autumnale *L.* V. 666
β pubescens *Pers.* V. 666
autumnale Mill. V. 667
canaliculatum *Lam.* V. 666

Helenium
elegans *DC.* V. 667
heterophyllum *DC.* V. 667
lanatum Spr. V. 657
longifolium *Sm.* V. 667
mexicanum *H. B. et K.* V. 666
microcephalum *DC.* V. 667
Milleri Schult. V. 666
oppositifolium Spr. V. 656
puberulum *DC.* V. 667
pubescens Ait. V. 663, 666
pubescens Hook. VII. 293
pumilum *W.* V. 667
quadridentatum *Labill.* V. 666
quadripartitum *Link* V. 667
stoechadifolium Spr. V. 656
trolliifolium Spr. V. 658
tubuliflorum *DC.* V. 666
varium *Schrad.* V. 666
vernale Walt. V. 653

HELIANTHEAE *Less.* V. 498, 534

Helianthus *L.* V. 585 VII. 290 *Auct* V. 563, 580, 583 *Less.* V. 580, 583
altissimus Jacq. V. 590
altissimus *L.* V. 590
β *DC.* V. 590
altissimus Tausch V. 590
altissimus W. V. 590
amplexicaulis *DC.* V. 589
angustifolius L. V. 587
angustifolius *Mx.* V. 587
annuus *L.* V. 585
β indicus *DC.* V. 585
γ pumilus - - -
argenteus *H. B. et K.* V. 590
aristatus *Ell.* V. 591
atrorubens Lam. V. 586
atrorubens *L.* V. 586
aureus H. B. et K. V. 584
buddleiaeformis *DC.* V. 588
buphthalmoides Hortul. V. 551
californicus *DC.* V. 589 · VII. 290
canescens Juss. herb. V. 591
canescens Mx. V. 587
ciliaris *DC.* V. 587
cochinchinensis *Pers.* V. 591
cordatus Lamb. V. 551
cornifolius *H. B. et K.* V. 589
corymbosus Poepp. V. 592
decapetalus *L.* V. 588 VII. 290
dentatus Cav. V. 579
diffusus Sims V. 586
divaricatus *L.* V. 587
diversifolius *Ell.* V. 588
doronicoides *Lam.* V. 587

Helianthus
excelsus W. V.
frondosus *L.* V. 5
giganteus Cav.
giganteus Hill.
giganteus *L.* V. 5
giganteus Lour.
giganteus W. V
Gigas Mx. V. 5
glutinosus Hoo

hirsutus *Raf.* V.
hispidulus Ell.
Hookeri Don V
Hookerianus *DC.*
incanus *Pers.* V.
indicus L. V. 58
laetiflorus *Pers.*
laevis L. fil. V.
leiostemon Raf.
lenticularis *Doug*
linearis Cav. V.
longicarpus Ho
longifolius Hoo

longifolius *Pursh*
macrocarpus *DC.*
macrophyllus *W.*
Maximiliani *Schr*
micranthus *Spr.*
microphyllus H

missuricus Spr.
mollis *Lam.* V. 5
mollis W. V. 58
multiflorus *L.* V.
oleifer Wall. V.
orgyalis *DC.* V. 5
ovatus *Lehm.* V.
parviflorus *Bernh*
parviflorus H.
patens *Lehm.* V.
pauciflorus *Nutt.*
petiolaris Hort
petiolaris *Nutt.* V
pilosus Tausch
platycephalus C
polycephalus Ca
procumbens *Pers*
procumbens Re
prostratus Desf
prostratus W.
pubescens Vahl
pubescens W. V
pumilus Pers. V

ı
ıdiatus *Cav.* V. 590
Desf. V. 583, 586
tosus Rich. V. 563
us Ell. V. 588
us Tausch V. 587
olius Ell. V. 586
us Ell. V. 588
us Hook. V. 583
us H. B. et K. V. 581
us L. V. 587
s Ell. V. 588
us Moç. V. 576
rus Ort. V. 575
Mol. V. 592
s Mx. V. 589
ius W. V. 589
Ell. V. 588
Link V. 591
hort. Madr. V. 585
Ort. V. 579
Schwein. V. 588
sis H.B. et K. V. 584
sis Ort. V. 584
L. V. 590
folius DC. V. 590
les H. B. et K. V. 591
Lam. V. 589
Raf. V. 554
Raf. V. 555
olin Raf. V. 555
af. V. 555
af. V. 555
Raf. V. 555
a Raf. V. 555
Raf. V. 555
AE Less. DC. V. 500
VI. 157
(Elichrysum) DC.
VII. 298 *Cass.* VI 159,
rtn. VI. 169 *Gaudich.*
Less. VI. 164. 169, 211
n DC VI. 188
olium DC. VI 188
DC. VI. 186
um DC. VI. 180
Less. VI. 185
s. VI. 178
Cunningh. VI. 215
Sieb. VI. 193
ess. VI. 198
lum DC. VI. 198
ibens - - -
DC. VI. 169
DC. VI. 192

Helichrysum
angustifolium *DC.* VI. 183 VII. 299
anthemoides Sieb. VI. 216
anomalum *Less.* VI. 204
β rufescens *DC.* VI. 204
γ brevifolium - - -
aphelexioides *DC.* VI. 206
apiculatum *DC.* VI. 195
appendiculatum *Less.* VI. 208
β humile *DC.* VI. 209
arenarium *DC.* VI. 184 VII. 299
β aurantiacum *DC.* VI. 184
armenium *DC.* VI. 183 VII. 299
argenteum Schrank VI. 177
argenteum *Thunb.* VI. 179
argyrophyllum *DC.* VI. 186
argyrosphaerum *DC.* VI. 174
asteroides *DC.* VI. 194
auriculatum *Less.* VI. 209
β oblongifolium *DC.* - -
auriculatum E. Meyer VI. 174
Banksii *Cunningh.* VI. 188
Baxteri *Cunningh.* VI. 193
Belangerianum *DC.* VI. 184 VI. 237
bellidioides *DC.* VI. 210
bicolor *Lindl.* VI. 188
bicolorum Cunningh. VI. 215
Bojerianum *DC.* VI. 208
bracteatum *W.* VI. 188
α chrysanthum *DC.* VI. 189
β eriopodum - - -
γ viscosum - - -
δ albidum - - -
brevicilium *DC.* VI. 196
buchtormense *DC.* VI. 184
buddleioides *DC.* VI. 201
buphthalmoides Sieb. VI. 194
Burchellii *DC.* VI. 196
α complicatum *DC.* VI. 196
β intermedium - - -
caespitosum *DC.* VI. 182
caespitosum *DC.* VI. 173 *)
callichrysum *DC.* VI. 183
canescens Less. VI. 212
canescens W. VI. 213
capillaceum *Less* VI. 170
α erectum *DC.* VI. 170
β diffusum - - -
γ majus - - -
capitellatum *Less.* VI. 206
β mollius *DC.* VI. 206

*) conf. Praefatio.

Helichrysum
Cassinianum Gaudich. VI. 216
cephaloideum *DC.* VI. 197
β polycephalum - - -
cerastoides *DC.* VI. 171
β *DC.* VI. 171
chionosphaerum *DC.* VI. 174
chlorochrysum *DC.* VI. 179
chrysanthum Pers. VI. 189
ciliatum *DC.* VI. 195
α Urvillei - - 196
β Sieberi - - -
γ Cunninghamii *DC.* VI. 196
cirrhosum *Less.* VI. 192
cochinchinense *Spr.* VI. 210
cochleariforme *DC.* VI. 185
collinum *DC.* VI. 190
concolorum *DC.* VI. 206
β brevifolium - - -
cordatum *DC.* VI. 180
cordifolium *DC.* VI. 208
Cotula Benth. VI. 215
crassifolium *Less.* VI. 175
crassinerve *DC.* VI. 99
creticum Tourn. VI. 183
crispum *Less.* VI. 208
β subrufescens *DC.* VI. 208
cylindricum *Less.* VI. 190
cymosum *Less.* VI. 202
dealbatum *Lahill.* VI. 189
declinatum *Less.* VI. 172
decorum *DC.* VI. 188
decumbens *Camb.* VI. 182 VII. 299
decurrens Moench VI. 226
diffusum Cunningh. VI. 216
diffusum *DC.* VI. 75
diosmaefolium Spr. VI. 166
diotoides *DC.* VI. 208
discolor *DC.* VI. 197
dubium Cass. VI. 160
elatum *Cunningh.* VI. 193
elegans *Don* VI. 210
elegantissimum *DC.* VI. 179
elongatum Moench VI. 184
emirnense *DC.* VI. 207
ericaefolium *Less.* VI. 172
β albidulum *DC.* VI. 172
ericoides Bojer VI. 219
ericoides *Pers.* VI. 172
Ernestianum *DC.* VI. 173
erythropogon Spr. VI. 255
excisum *Less.* VI. 192
eximium Less. VI. 213

Helichrysum
expansum *Less.* VI.
α erectum *DC.* VI. 17
β patulum - - -
fasciculatum Schr
fasciculatum var. *l*
felinum *Less.* VI. 17
α paniculatum *DC.* VI
β papillosum - -
γ elongatum - -
δ subhirsutum - -
ε scabrum - -
ζ congestum - -
ferrugineum Pers.
filagineum *DC.* VI. 1
filiforme Less. VI.
flavissimum *DC.* VI.
floribundum Cun
foetidum *Cass.* VI. 1
α pallidum *Less.* -
β citreum - -
folliculatum *DC.* VI.
β purpurascens *DC.* V
Fontanesii Camb.
frigidum *W.* VI. 177
fruticans *Less.* VI. 1
fulgidum *W.* VI. 187
β angustifolium *DC.* V
γ heterotrichum - -
δ subnudatum - -
ε monocephalum - -
ζ nanum - -
fulvescens *DC.* VI. 2
gariepinum *DC.* VI.
glabratum *DC.* VI.
glumaceum *DC.* VI.
gnaphalioides H.
gracile *DC.* VI. 181
grandiflorum Eckl.
grandiflorum *Less.*
graveolens *DC.* VI. 1
gymnocomum *DC.* V
β acuminatum - -
haemisphaericum *DC*
hamulosum *DC.* VI.
hebelepis *DC.* VI. 18
β angustius - - 18
heliotropifolium *DC.*
herniarioides *DC.* VI
Hookerianum *Wight*
Humboldtianum G

[illegible]
Less. VI. 214
Thunb. VI. 213
Less. VI. 191
DC. VI. 191
[illegible]
Hook. VI. 215
DC. VI. 191
Less. VI. 178
DC. VI. 204
Bojer VI. 219
Less. VI. 204
Camb. VI. 181
DC. VI. 190
VII. 298
Schrank. VI. 209
Thunb. VI. 178
Cunningh. VI. 193
ess. VI. 198
lium *DC.* VI. 184
folium H. B. et K. VI. 227
DC. VI. 207
yer VI. 171
VI. 187
DC. VI. 200
DC. VI. 169
C. VI. 170
C. VI. 194
m β brevifolium *ht et Arn.* VI. 273
DC. VI. 169
DC. VI. 175
DC. VI. 193
VI. 172
DC. VI. 172
Cunningh. VI. 216
eatum Schrank VI. 214
DC. VI. 198
aenk. VI. 189
ess. VI. 191
Reich. VI. 230
DC. VI. 201
Benth. VI. 189
Cunningh. VI. 188
DC. VI. 206
eum Moench VI. 270

ie.

Helichrysum
marginatum *DC.* VI. 180
marifolium *DC.* VI. 186
β oblongifolium *DC* VI. 186
maritimum *Less.* VI. 204
β microphyllum *DC.* VI. 204
melaleucum Holl. et Reich. VI. 177
melanacme *DC.* VI. 203
melanophthalmum *Lowe* VI. 177
metalasioides *DC.* VI. 171
miconiaefolium *DC.* VI. 200
β minus *DC.* VI. 200
micranthum *Cunningh.* VI. 189
microcephalum *DC.* VI. 207
microlepis *DC.* VI. 195
microphyllum *Camb.* VI. 183
micropoides *DC.* VI. 170
molle *Cunningh.* VI. 194
montanum *DC.* VI. 186
montevidense Spr. VII. 46
mucronatum *Less.* VI. 178
β niveum *DC.* VI. 178
multicaule *DC.* VI. 173
multinerve *DC.* VI. 199
α pallens - - -
β medium - - -
γ citrinum - - -
natalitium *DC.* VI. 201
nepalense Spr. VI. 270
niveum Less. VI. 203
nodiflorum *DC.* VI. 177
Notonianum DC. VI. 273
nudifolium *DC.* VI. 200
α scorzoneraefolium *DC.* VI. 200
β medium - - -
γ plantagineum - - -
obconicum *DC.* VI. 181
obovatum *DC* VI. 180
obvallatum *DC.* VI. 174
odoratissimum *Less.* VI. 202
α acuminatum *DC.* VI. 202
β undulaefolium - - -
odorum *DC.* VI. 196
oligocephalum *DC.* VI. 184
orientale *Tourn.* VI. 183 VII. 299
β coum *DC.* VI. 184
oxybelium *DC.* VI. 171
oxyphyllum *DC.* VI. 199
pallidum *DC.* VI. 199
α ellipticum *DC.* VI. 199
β intermedium - - -
γ longifolium - - -
panduraefolium Schrank VI. 209
panaetioides *DC.* VI. 194

Helichrysum
paniculatum *Thunb.* VI. 179
paniculatum W. VI. 179
pannosum *DC.* VI. 204
papillosum *Labill.* VI. 189
paronychioides *DC.* VI. 171
parviflorum *DC.* VI. 203
β longifolium - - -
δ aureum - - -
γ latifolium - - 204
pedunculare *DC.* VI. 198
pentzioides *Less.* VI. 192
petiolatum *DC.* VI. 208
phlomoides Spr. VI. 213
phylicaefolium *DC.* VI. 207
pilosellum *Less.* VI. 198
pinifolium Schrank VI. 214
Plantago *DC.* VI. 200
platypterum *DC.* VI. 201
plebejum *DC.* VI. 206
plicatum *DC.* VI. 183
polygalaefolium Cunningh. VI. 216
populifolium *DC.* VI. 180
proliferum W. VI. 266
pseudo-fasciculatum α Schrank VI. 215
pseudo-fasciculatum β Schrank VI. 215
pulchellum *DC.* VI. 190
quinquenerve Less. VI. 200
radicans Less. VI. 177
ramosum *DC.* VI. 181
ramulosum *DC.* VI. 176
recurvatum *Thunb.* VI. 178
repandum *DC.* VI. 203
reticulatum Spr. VI. 164
retortum *W.* VI. 177
β minus *DC.* VI. 178
retrorsum *DC.* VI. 207
retusum Spr. VII. 47
revolutum *Less.* VI. 206
Rhinocerotis mus. Berol. VI. 257
rigidulum *DC.* VI. 193
rigidum Ait. VI. 179, 193
rosmarinifolium Spr. VI. 166
rosum *Less.* VI. 205
rotundifolium *Less.* VI. 176
rubellum *Less.* VI. 191
rugulosum *Less.* VI. 205
α angustifolium *DC.* VI. 205
β latifolium - - -
rupestre *DC.* VI. 182 VII. 299
β Cambessedesii *DC.* VI. 182
γ Fontanesii - - -

Helichrysum
rupicola *DC.* VI. 1
rutidolepis *DC.* VI
rutilans *Less.* VI.
sanguineum *DC.* V
scabrum *Less.* VI.
scorpioides *Labill.*
semipapposum *DC*
β Gunnianum -
serotinum Boiss.
serpyllifolium *Les.*
α orbiculare *DC.* V
β polifol um - -
sesamoides W. V
sessile *DC.* VI. 17
simillimum *DC.* V
sordescens *DC.* VI
speciosissimum
speciosum Thunb
spectabile Lodd.
spiciforme *DC.* VI
spinosum Thunb
spirale Andr. VI
splendens Sims
splendidum *Less.*
squamosum *Thunb*
squarrulosum *DC.*
Staehelina Thun
Staehelina W. V
staehelinoides La
stellatum *Less.* VI
β laxum *DC.* VI. 1
stenopterum *DC.*
Stoechas *DC.* VI.
β serotinum *DC.* VI
Stoechas β DC.
stoloniferum De
stoloniferum *Thun*
striatum *Thunb.*
β villosum *DC.*
γ subflavescens -
subdecurrens *DC.*
subglomeratum *DC*
β imbricatum *DC.*
tenuiculum *DC.* VI
teretifolium *Less.*
α congestum *DC.*
β rufescens -
δ heterophyllum -
γ umbelliforme -
tricostatum *Less.*
trilineatum *DC.* VI
triplinerve *DC.* VI.
uliginosum Moen

[redacted]
Less. VI. 186
Less. VI. 198
DC. VI. 199
Thunb. VI. 212
W. VI. 213
Spr. VI. 255
W. VI. 202
Less. VI. 209
Don VI. 209
Schrank VI. 209
W. VI. 212
W. VI. 212
var. Thunb. VI. 212
DC. VI. 177
Sieb. VI. 189
DC. VI. 185
185
DC. VI. 178
DC. VI. 201
Lam. VI. 173
Less. VI. 196
nov. Holl. VI. 215
V. 537 *Less.* VI. 3
Less. VI. 3
riensis Less. VI. 4
Cass. V. 537
Raf. V. 555
DC. V. 498, 534
V. 550
Hook. V. 551
Dunal V. 550
Don V. 550
B. et K. V. 551
V. 622
V. 550
550
Cass. V. 551
Berol. V. 551
V. 550
Hook. V. 551
VI. 211
VI. 215
DC. VI. 216
DC. VI. 211
DC. VI. 213
DC. VI. 212
DC. VI. 212
213
DC. VI. 216
VI. 215

Helipterum
diffusum *DC.* VI. 216
Dregeanum *DC.* VI. 214
eximium *DC.* VI. 213
fasciculatum *DC.* VI. 214
ferrugineum *DC.* VI. 212
filiforme *DC.* VI. 215
floribundum *DC.* VI. 217
gnaphaloides *DC.* VI. 213
heterophyllum *DC.* VI. 214
Humboldtianum *DC.* VI. 216
humile *DC.* VI. 214
β pinifolium *DC.* VI. 214
incanum *DC.* VI. 215
β tricolor *DC.* VI. 215
phlomoides *DC.* VI. 213
polygalaefolium *DC.* VI. 216
punctatum *DC.* VI. 216
sesamoides *DC.* VI. 214
β *DC.* VI. 215
speciosissimum *DC.* VI. 211
β angustifolium *DC.* VI. 212
variegatum *DC.* VI. 212
virgatum *DC.* VI. 212
Helminthia *Juss.* VII. 132
aculeata *DC.* VII. 132
asplenioides *DC.* VII. 132
echioides *Gaertn.* VII. 132
β mollis *Duby* VII. 132
γ angustifolia *Bois.* VII. 132
δ pratensis *DC* VII. 132
humifusa *Trev.* VII. 132
pratensis Chev. VII. 132
rigida Schult. VII. 132
spinosa *DC. fl. fr.* VII. 132
Sprengeriana Gaertn. VII. 133
tuberculata Moench VII. 132
Helminthotheca Vaill. VII. 132
Helonomoium canescens W. herb. V. 551
Hemiachyris *DC.* V. 313
texana *DC.* V. 314
Hemisteptia lyrata Bunge VI. 539
Hemizonia *DC.* V. 692
angustifolia *DC.* V. 692
congesta *DC.* V. 692
luzulaefolia *DC.* V. 692
macradenia *DC.* V. 693
Henanthus Less. V. 356
fasciculatus Less. V. 360
Henotogyna DC. V. 432 (Tarchonanthus)

Henricia *Cass.* V. 262
agathaeides *Cass.* V. 263
Heracantha Link VI. 610 *Tabern. DC.* VI. 545 (Carlina)
cretica Link VI. 611
lanata Link VI. 610
taurica Link VI. 610
Herderia *Cass.* V. 13
truncata *Cass.* V. 13
α leptorhiza *DC.* V. 13
β adscendens - - -
γ multicaulis - - -
δ villosa - - 14
Hettia *Less.* VI. 483 *Neck.* VI. 443
crassifolia *Less.* VI. 483
Heteracia *Fisch. et Meyer* VII. 178
Szowitzii *Fisch. et Meyer* VII. 178
Heteractis *DC.* VI. 468
falcata *DC.* VI. 469
Heteranthemis Schott. VI. 63, 64
hirta hort. Berol. VI. 65
viscido-hirta Schott. VI. 64
Heterochaeta *DC.* V. 282
asteroides *DC.* V. 282
diplostephioides *DC.* V. 282
erigeroides *DC.* V. 282
gnaphalioides *DC.* V. 282
hispida *DC.* V. 282
pubescens *DC.* V. 283
Heterocoma *DC.* V. 14 V. 84
albida *DC.* V. 15
bifrons DC. V. 84
HETEROCOMEAE *DC.* V. 10, 14
Heterolepis *Cass.* VI. 496
conyzoides Bert. VI. 416
decipiens *Cass.* VI. 497
mitis *DC.* VI. 497
peduncularis *DC.* VI. 497
Heterolophus Cass. VI. 575
sibiricus Cass. VI. 576
Heteromorpha Cass. VI. 496
HETEROPAPPEAE *DC.* V. 212, 297
Heteropappus *Less.* V. 297
hispidus *Less.* V. 297
Heterosperma Cav. V. 632
ovatifolia Cav. V. 632
pinnata Cav. V. 632
Heterospermum *W.* V. 632
diversifolium *H. B. et K.* V. 632
pritimum *H. B. et K.* V. 632
stum *W.* V. 632
natum *W.* V. 632
ROTHALAMEAE *DC.* V. 211, 216
Heterothalamus *Les.*
brunioides *Less.*
psiadioides *Less.*
spartioides *Hook*
Heterotheca *Cass.* V
Chrysopsidis *DC.*
inuloides *Cass.* V
Lamarckii *Cass.*
leptoglossa *DC.* V
scabra *DC.* V. 31
HETEROTHECEAE *L*
Heterotrichum Mi
glabellum MB. V
leptophyllum Mi
pulchellum Fisc
sulsum MB. VI.
Schangini MB.
squalidum MB.
Stelleri MB. VI.
Hidalgoa *Less.* V. 5
Lessingii *DC.* V.
ternata Lallav.
ternata Less. V.
Hieracidium DC.
HIERACIEAE *Cass L*
Hieracioides DC. V
Hieracium *Froel.* VII. VII. 160, 179, 19
abscissum *Less.* V
aethnense Cup. V
affine *Tausch* VII
β asperum *DC.* -
γ calcareum - -
δ nemorense - -
ε ambiguum - -
alatum Lapeyr. V
albidum Vill. VII.
albiflorum *Hook.* V
Allionii *Tausch* V
alpestre Jacq. VI
alpicola Tausch
alpicolum *Schleich.*
alpinum β. Dan.
alpinum *L.* VII. 20
β pumilum *Hoppe* V
γ Barbarossa *Froel.*
δ canescens - -
ε pusillum - -
ζ decipiens - -

Hieracium
villosum *Lapeyr.* VII. 232
villosum *L.* VII. 228
α cordifolium *Froel.* VII 228
β oblongifolium *W.* - -
γ lanceolatum *Froel.* - -
δ latifolium - - -
ε humile *Jacq.* - -
ζ tubiceps *W.* - -
η hispidum *Froel.* - -
θ rubiginosum *Schrank* - -
ι latifolium *Froel.* - -
κ tubiceps - - -
λ glabrum *Hoppe* - -
μ obtusum *Froel.* - -
ν oblongifolium *W. herb.* VII. 228
ξ commune *Froel.* VII. 228
ο cuneatifolium *Vill.* VII. 228
π angustifolium *Hall. fil.* VII. 229
villosum *Monn.* VII. 227
villosum *elatum Ser.* VII. 228
villosum *involucratum Roch.* VII. 228
villosum β δ *Monn.* VII. 229
— ε - - -
— ζ - - 212
virgatum *Gerh.* VII. 213
virgatum *hort. Greifsw.* VII. 226
virgatum *Poepp.* VII. 217
virgatum *Pursh* VII. 213, 226
virosum *Ledeb.* VII. 226
virosum *Pall.* VII. 226
β oblongifolium *Froel.* VI. 227
γ cordifolium - - -
δ hispidum - - -
vulgatum *Fries* VII. 214
vulgatum *Spr.* VII. 216
vulgatum *tridentatum Fries* VII. 221
Waldsteinii Tausch VII. 216
Willdenowii Monn. VII. 219
Zizianum Tausch VII. 238
Hilairia DC. VII. 33
paniculata DC. VII. 33
Hingcha Roxb. V. 636
rupea Roxb. V. 637
Hierthia Neck. VI. 15, 17 *DC.* VI. 17 (Anacyclus)
alexandrina Less. VI. 17
orientalis Less. VI. 17
valentina Less. VI. 17
Hippia *L.* VI. 144 *Kunth* VI. 141
incolor Sm. V. 372
Hippia
bogotensis H. B. et K. VI. 142
frutescens *L.* VI. 144
gracilis *Less.* VI. 144 *(conf.* VI. 133)
α brevifolia *DC.* VI. 144
β longiloba - - -
hirsuta *DC.* VI. 144
integrifolia *Less.* VI. 144
minuta L. fil. VI. 143
minuta Mutis VI. 143
pedunculoris H. B. et K. VI. 141
repens *DC.* VI. 144
stolonifera Brot. VI. 143
HIPPIEAE *Less. DC.* V. 499 VI. 141
Hippioides DC. VI. 134 (Tanacetum)
Hipposeris Cass. VII. 33 *Less. DC.* VII. 35 (Onoseris)
Hirnellia Cass. VI. 150
cotuloides Cass. VI. 150
Hirpicium *Cass.* VI. 502
echinulatum *Cass.* VI. 502
Echinus *Less.* VI. 502
integrifolium *Less.* VI. 502
Hirtellina Cass. DC. VI. 544 (Staehelina)
lanceolata Cass. VI. 544
Hispidella *Barnad.* VII. 258
Barnadesii Cass. VII. 258
hispanica *Lam.* VII. 258
Hisutsua *DC.* VI. 44
cantoniensis *DC.* VI. 44
Hochstetteria *DC.* VII. 287
Schimperi *DC.* VII. 287
Hohenwartha Vest VI. 610
gymnogyna Vest VI. 610
Holocheilus Cass. VII. 71
ochroleucus Cass. VII. 71
Hololepis DC. V. 16 (Vernonia)
Holophyllaca DC. V. 670 (Meyeria)
Holophyllum *Less.* VI. 86 *Less.* VII. 8
capitatum *Less.* VI. 86
β glabratum *DC.* - -
lanuginosum *DC.* VI. 86
scabrum *DC.* VI. 86
Homanthis Kunth VII. 63 *DC.* VII. 64 (Homoianthus)
multiflorus H. B. et K. VII. 64

Hieracium
bifurcum *MB.* VII. 200
β simplex *Froel.* VII. 201
γ subcymosum - - -
δ stoloniflorum - - -
blattarioides L. VII. 167
boreale hort. Berol. VII. 212
boreale β lacerum Wimm. et Grab. VII. 221
brachiatum *Bertol* VII. 200
β obscurum *Lang* VII. 200
γ hirsutissimum *Froel.* VII. 200
δ subuniflorum - - -
ε polycephalum - - -
bracteolatum *Sibth. et Sm.* VII. 235
brevifolium *Tausch* VII. 225
β halimifolium *Froel.* VII. 225
breviscapum *DC.* VII. 206
β longiscapum *Monn.* VII. 206
γ aurantiacum - - -
δ uniflorum *Froel.* - -
Broteri *DC* VII. 235
bulbosum W. VII. 160
bupleuroides Bell. VII. 229
bupleuroides Gmel. VII. 219
caespitosum *Dumort.* VII. 235
calcareum *Bernh.* VII. 235
calcareum Gebh. VII. 221
calcareum hort. Landsh. VII. 219
calcareum Schult. VII. 235
calcareum W. herb. VII. 216, 235
californicum *DC.* VII. 235
calyculatum hort. Hafn. VII. 219
canadense hort. Gött. VII. 226
canadense *Mx.* VII. 213
candicans Tausch VII. 230
Candollei *Froel.* VII. 212
Candollei Monn. VII. 206
canescens *Link* VII. 235
canescens Schleich. VII. 215
capense *L.* VII. 218
β et γ *DC.* - -
capillaceum All VII. 219
ceratophyllum Desf. VII. 224
cerinthoides Engl. Bot. VII. 230
cerinthoides Gou. VII. 233
cerinthoides *L.* VII. 233
α rhomboidale *DC.* VII. 233
γ altissimum *Lapeyr.* - -
cerinthoides Monn. VII. 211
cerinthoides Sut. VII. 231
cerinthoides Vill. VII. 230

Hieracium
cerinthoides W.
cerinthoides β m
Mo
cerinthoides var.
E
cerinthoides cor
Mon
chilense *Less.* VII.
chlorospermum *Fr*
chondrilloides Cu
chondrilloides Ja
chondrilloides Vi
chondrilloides W
chrysanthum Les
cichoriifolium h
ciliatum *W.* VII. 2
ciliatum W. herb
cinereum *Tausch*
β orthopodum *DC.*
γ foecundum -
δ glabrescens -
coeruleum Scop.
collinum Bess. V
collinum *Gochn.* V
β asperum *Tausch*
γ Zizianum -
collinum Gunth.
collinum Kosteles
collinum W. herb
Columnae Ten. V
Commersonii *Mons*
compositum DC. β
compositum *Lapey*
conyzoideum Lam
conyzaefolium G
cordifolium *Lapeyr*
coronopifolium H
corymbosum hort.
corymbosum *Pers.*
cotoneifolium Ge
cotoneifolium *Lam.*
ζ Boccconi *Froel.*
γ tricephalum -
crassifolium *Bernh.*
crepidinum Froe
crinitum Jan. VI
crinitum *Sm.* VII. 2
cronticum Lapeyr
cronticum W. et K
croceum Lam. VII.
cydoniaefolium *Vill.*
β lanceolatum *Froel.*
γ tenuifolium -

um Schleich. VII. 211
um W. VII. 212
Woesl. et Reich. VII 203
Froel. VII. 207
. VII. 234
Dan. VII. 207
VII. 206
ch. VII. 207
leich. VII. 205
. VII. 203, 206
rm VII. 206
tsch VII. 207
VII. 207
Tausch. VII. 207
- - -
roel. - -
- - -
VII. 203
ngifolium
Reich. VII. 203
ifolium Ser. VII. 203
reotrichum
Grab. VII. 202
roel. VII. 234
. VII. 230
rm VII. 229
Sm. VII. 211
var. α Monn. VII. 212
peyr. VII. 215, 224
hult. VII. 220
ies VII. 257
el. VII. 236
orb. VII. 181
VII. 222
uz. - -
. VII. 202
VII. 201
. 203
II. 200
I. 201
. VII. 206
ul. - -
- -
- -
- -
Bess. VII. 206
eyr. VII. 211
le itin. Esl. VII. 216
erb. VII. 229

Hieracium
erianthum *H. B. et K.* VII. 236
eriophorum DC. fl. fr. VII. 227
eriophorum Lapeyr. VII. 226
eriophorum *Saint. Am.* VII. 227
eriophyllum *Link* VII. 236
fallax Reich. VII. 206
fallax Wallr. VII. 203
fallax *W.* VII. 205
β hirtellum *Froel.* VII. 206
γ paradoxum - - -
δ decumbens - - -
fallax β hybridum Duby VII. 200
fasciculatum *Pursh* VII. 236
fasciculatum Torr. VI. 217
filiferum *Tausch* VII. 236
filiforme *Poir.* VII. 236
fimbriatum Schreb. herb. VII. 207
flagellare hort. Hal. VII. 199
flagellare *W.* VII. 200
β caespitosum *Froel.* VII. 200
flexuosum Gmel. VII. 236
flexuosum hort. Taurin. VII. 212
flexuosum Lapeyr. VII. 232
flexuosum *W. et Kit.* VII. 229
α Kitaibelii *Froel.* VII. 229
β glabratum - - -
γ ruficaule - - -
δ bupleuroides - - -
ε dentatum *Hoppe* - -
flexuosum W. VII. 229
florentinum All. VII. 205
florentinum W. VII. 205
foetidum W. VII. 172
foliosum W. herb. VII. 226
Forskohlei *Froel.* VII. 223
frigidum Sten. VII. 165
fruticosum W. VII. 87
fruticosum angustifolium Dill. VII. 224
furcatum Hoppe VII. 201
glabratum W. herb. VII. 228
glabratum tubulosum Schleich. VII. 227
glabrum Turcz. VII. 147
glaciale Reyn. VII. 205
glanduliferum Hoppe VII. 227
glanduliferum *Sturm* VII 227
β lineare *Froel.* VII. 227
γ glabratum *Schleich.* - -
δ tubulosum *Froel.* - -
glandulosum Auch. VII. 168

Hieracium
glaucescens *Bess.* VII. 202
β oblongifolium *Froel.* - -
γ stoloniflorum - - -
glaucescens hort. Landsh. VII. 203
glaucifolium *Poepp.* VII. 207
glaucum *All.* VII. 219
β dentatum *Froel.* VII. 219
γ foliosum - - -
δ tubulosum - - -
ε capitatum - - -
ζ simplex - - -
glaucum Asch. VII. 169
glaucum Lejeune VII. 237
glaucum W. herb. VII. 219
glaucum var. All. VII. 219
globosum *Desf.* VII. 236
glomeratum *Froel.* VII. 207
β fimbriatum - - -
glutinosum *L.* VII. 236
Gmelini L. VII. 164
Gmelini Schreb. VII. 168
Gochnati Meyer VII. 203
gracile *Froel.* VII. 231 *)
gracile *Hook.* VII. 236
graminifolium *Gaud.* VII. 219
β linearifolium *Froel.* - -
γ polyphyllum *Schleich.* - -
δ rigidum *Froel* - -
ε glabratum *Spr.* VII. 220
ζ glaberrimum - - -
η macrocephalum *Fro l.* VII. 220
ϑ petiolatum - - -
grandiflorum All. VII. 166
graveolens *Froel.* VII. 219
β Schultesii - - -
γ alutaceum - - -
Gronowii *L.* VII. 217
Gronowii Pursh VII. 217
Gronowii W. herb. VII. 217, 218
Halleri Hook. VII. 237
Halleri Schleich. VII. 208
Halleri Sturm VII. 209
Halleri Vill. VII. 208
Halleri W. herb. VII. 208, 209
helianthifolium *Froel.* VII. 225
heteranthum Wall. VII. 247
hirsutum *Bernh. Tausch* VII. 213
hirtum *Froel.* VII. 213
hispidum Don V. 471 VII. 247
hispidum Forsk. VII. 223

*) conf. Praefatio.

Hieracium
Hoppeanum *F*
β macranthemu
γ pinnatifidum
δ petraeum
ε integrifolium
ζ humile
η maculatum
Hoppeanum
humifusum *Sp*
humile *Host*
β intermedium
γ lyratum
δ Jacquini *Vill*
ε integrifolium
ζ uniflorum *Fr*
humile W. he
hybridum *Cha*
hybridum Vil
hyoseriditoliu
jacobaeaefolium
Jacquini Vill
javanicum Ba
incanum L.
incanum *MB.*
incanum Spr.
incarnatum
incertum *DC.*
incisum Stur
integrifolium
intermedium
intermedium
intermedium *F*
intybaceum A
intybaceum *Ja*
β involucratum
γ parviflorum *F*
δ tubulosum *La*
ε balsameum *Fr*
intybaceum S
intybaceum a
Kalmii L. VII
Kalmii Spr.
Lachenalii ho
lactucaceum *Fr*
lactucaceum
lactucaceum S
Lactucella W
laevigatum *W.*
β hirsutulum *D*
γ incisum -
δ nivale *Froel.*
Lagopus *Don*
lampsanoides

ood V. 478
V. 478
Pers. V. 327
L. VII. 13
ir. V. 466
DC. VII. 284
Spr. V. 641
Wall. V. 474
ill. V. 470
V. 465
C. V. 467 VII. 284
- - 468
DC. V. -
L. V. 467
anthodio minore.
isch. et Mey. V. 468
Murr. V. 467
W. V. 467
Presl V. 468
Spr. V. 479
Bess. V. 465
Mill. V. 470
ss. V. 464 VII. 284
DC. V. 464
- - -
V. 469
m. V. 467
Pers. V. 485
erg VII. 13
oides Poir. V. 477
m. V. 466
L. VII. 13
m. V. 468
V. 464
Lam. V. 479
DC. VII. 283
Desf. V. 479
rs. V. 475
h. V. 479
ia W. V. 470
L. V. 470
With. V. 478
ibth. V. 480
Zucc. V. 468
Nutt. V. 317
mb. V. 228
m Salzm. herb. V. 479
ca L. V. 479
V. 466
DC. V. 470
DC. V. 469
rsh V. 327
V. 323
raph. V. 476
florist. Gall. V. 467

Inula
germanica *L.* V. 467 VII. 284
germanica MB. V. 467
germanica D'Urv. V. 467
germanica Vill. V. 467
glabra Bess. V. 465
glandulosa Lam. V. 327 (2)
glandulosa *W.* V. 468
glandulosa β Sims V. 468
glomeriflora Lam. V. 465
glutinosa Pers. V. 314
gnaphalodes Vent. V. 481
gossypina Mx. V. 327
graminifolia Mx. V. 326
grandiflora *W.* V. 468
graveolens *Desf.* V. 468
β frutescens *DC.* - - VII. 284
helenioides *DC.* V. 465
β floseulosa - - 466
Helenium *L.* V. 463 VII. 283
hirta *L.* V. 466
hirta Poll. V. 468
japonica *Thunb.* V. 471
incisa Lam. V. 479
indica L. V. 474
indica Russ. herb. V. 449
indica W. V. 474
indica F. Wall. V. 474
indica G. Wall. V. 474
lancifolia Wender. V. 466
latifolia *DC.* V. 468
Mariana L. V. 327
Mariana α Nutt. V. 327
β - - -
media *MB.* V. 467 (2)
micranthos *Poir.* V. 467
mollis *Bernh.* V. 471
montana Biv. V. 479
montana *L.* V. 468
montana MB. V. 465
montana Poll. V. 466
Montbretiana *Auch.* VII. 284
multicaulis *Fisch. et Mey.* VII. 284
nervosa *Wall.* V. 471
oblonga *DC.* V. 469
α argentea *DC.* V. 469
β pubescens - - -
Oculus Christi Lapeyr. V. 466
Oculus Christi *L.* V. 465 VII. 284
β campestris *DC.* V. 465
Oculus Christi MB. V. 465
odora Forsk. V. 479
odora L. V. 479
odora d'Urv. V. 468
Oetteliana Reich. V. 468

Hieracium
paniculatum hort. Hafn. VII. 220
paniculatum *L.* VII. 222
paniculatum Mx. VII. 222
pannonicum Jacq. VII. 161
pappoleucum Vill. VII. 166
paradoxum Nees VII. 206
parviflorum Schleich. VII. 165
parvulum Ten. VII. 167
pedunculatum Wallr. VII. 200
Pelleterianum *DC. fl. fr.* VII. 200
β majus *Froel.* - -
γ stoloniflorum *DC.* - -
pellucidum *Wahlenb.* VII. 237
perfoliatum *Froel.* VII. 211
phlomoides *Froel.* VII. 233
picroides Monn VII. 210
picroides *Vill.* VII. 210
α ramosissimum *Hegetsch.* VII. 210
β pallescens *Froel.* - -
δ pubescens *Gaud.* - -
pictum *Schleich.* VII. 216
pilocephalum *Link* VII. 237
Pilosella *L.* VII. 199
β incanum *Froel.* VII. 199
γ albo-barbatum *Froel.* VII. 199
δ Barbarossa - - -
ε pilosulum - - -
ζ concolor - - -
η stoloniflorum - - -
λ bifidum - - -
Pilosella Savi VII. 227
Pilosella β DC. fl. fr. VII. 199
Pilosella β Poll. VII. 200
Pilosella γ Ser. VII. 200
Pilosella γ grandiflora DC. fl. fr. VII. 200
Pilosella ε macranthum Ten. VII. 200
pilosellaeforme *Sturm* VII. 199
β biflorum *DC.* VII. 200
γ concolor - - -
piloselloides *Vill.* VII. 205
β armeriaefolium *Mocsl. et Reich.* VII. 205
γ ramosum *Froel.* - -
δ pilosum - - -
ε acutifolium *Vill.* - -
pilosum *Schleich.* VII. 229
β subnudum *Thom.* - -
pilosum Thom. VII. 229
pinnatifidum W. VII. 167
Hieracium
polyphyllum hort
polyphyllum Spr.
polytrichum Led.
porrifolium Bal.
porrifolium hort.
porrifolium *Jacq vi*
β armeriaefolium *Fr*
γ virgatum
δ dentatum
porrifolium Jacq
praealtum DC. β
praealtum *Gochn.*
β obscurum *Froel.*
γ multicaule *Tausch*
δ pteropodum *Froel*
ε hispidulum -
ζ parviflorum -
praealtum Hopp
praemorsum L.
prasinum *Dumort.*
pratense *Tausch*
β longifolium *Froel.*
γ stoloniferum -
δ minus -
ε auriculatum *Ser.*
ζ paniculatum *Froel.*
η apteropodum -
ϑ pinnatum -
prenanthoides Le
prenanthoides *Vill.*
β maximum *Froel*
γ denticulatum -
δ glastifolium *W. hor*
ε bupleurifolium *Ta*
ζ spicatum *All.* VII.
η pauciflorum *Froel.*
ϑ paradoxum -
ι elongatum -
κ Coderii -
prenanthoides Ill.
primulaefolium *Vi*
prostratum *DC.* VI
prostratum Pan
prunellaefolium
Pseudo-Pilosella
pulchrum Bauh.
pulmonarioides
pulmonarium *Sm.*
pumilum Auct. hel

DC. V. 82 (Albertinia)
B. et K. VII. 33
H. B. et K. VII. 33
VII. 55
Spr. VII. 55
L. fil. VII. 55
Less. VII. 55
Don VII. 56
VII. 55
Less. VII. 55
Don VII. 55
VI. 673 VII. 306
VI 675
C. VI. 675
DC. VI. 674
Ledeb. VI. 676
DC. VI. 676
DC. VI. 676, 674
DC.
A. Meyer VI. 677
VI. 675
C. VI. 675
DC. VI. 677
VI. 677
677 VII. 306
DC. VI. 677
C. VI. 675
DC. VI. 675
C. VI. 674
DC. VI. 674
DC. VI. 674
VI. 676
VI. 676
VI. 677
C. VI. 677
DC. VI. 674
VI. 676
DC. VI. 675
C. VI. 676
DC. VI. 677
sch. et Mey. VI 677
isch. et Mey. VI. 678
DC. VI. 674
Cass. VI. 676
DC. VI. 678
VII. 288
Nutt. V. 529
529
V. 529
ess. V. 529
rsh V. 529
H. B. et K. V. 530
V. 529
DC. V. 529
V. 530

Iva
imbricata *Walt.* V. 530
monophylla Walt. V. 527
xanthifolia *Nutt.* V. 529 VII. 288
IVEAE *Cass. DC.* V. 498, 527
Ixauchenus *Cass.* V. 308
sublyratus *Cass.* V. 308
Ixeris *Cass.* VII. 151
fontinalis *DC.* VII. 151
monocephala Cass. VII. 152
polycephala *Cass.* VII. 151
versicolor *DC.* VII. 151
Ixiauchenus Cass. V. 308
lyratus Less. V. 308
Ixiolaena *Benth.* VI. 161
viscosa *Benth.* VI. 162
Ixodia *R. Br.* VI. 153
achilleoides *R. Br.* VI. 154

K

Kahiria Forsk. V. 12
Kalbfussia *Schultz* VII. 101
Mülleri *Schultz* VII. 101
Salzmanni *Schultz* VII. 101
Kalimeris Cass. V. 258
platycephala Cass. V. 258
Kallias Cass. DC. V. 550 (Heliopsis)
dubia Cass. V. 551
ovata Cass. V. 551
Kareliuia *Less.* V. 375
caspia *Less.* V. 375
Kaulfussia Nees V. 300
amelloides Eckl. V. 223
amelloides Nees V. 301
amelloides Zeyh. V. 215
amelloides var. Spr. V. 224
ciliata Spr. fil. V. 219
strigosa Spr. fil. V. 225
Keerlia *DC.* V. 309 VII. 278
linearifolia *DC.* V. 310
ramosa *DC.* V. 310
skirrhobasis *DC.* V. 310 VII. 278
Kentrophyllum *Neck.* VI. 610 VII. 304
album Cass. VI. 611
arborescens *Hook.* VI. 611
dentatum *DC.* VI. 611
glaucum *Fisch. et Mey.* VI. 611
lanatum *DC.* VI. 610 VII. 304
leucocaulon *DC.* VI. 610
luteum Cass. VI. 610
mareoticum *DC.* VI. 611

Hieracium
spinulosum Spr. VII. 187
Sprengerianum L. VII. 129
spurium Chaix VII. 204
squamosum *Gmel.* VII. 238
staticifolium *All.* VII. 218
β uniflorum *Froel.* - 219
γ dentatum *DC.* - -
staticifolium DC. fl. fr. VII. 219
stelligerum *Froel.* VII. 214
Sternbergii *Froel.* VII. 214
stipitatum Jacq. VII. 150
stipitatum Sessé et Moç. VII. 41
stoloniferum Bess. VII. 202, 203
stoloniferum Desf. VII. 201
stoloniferum Viv. VII. 160
stoloniflorum W. et Kit. VII. 200
strictissimum *Froel.* VII. 211
strictum *Ledeb.* VII. 238 *)
strigosum *Don* VII. 238
stuppeum Reich. VII. 169
subnudum *Froel.* VII. 218
β retusum *Froel.* VII. 218
succisaefolium All. VII. 170
sudeticum *Sternb.* VII. 209
β simplex *DC.* VII. 209
γ hirsutum - - -
δ ramosum - - -
sylvaticum Balb. VII. 232
sylvaticum fl. Dan. VII. 215
sylvaticum Jan. VII. 221
sylvaticum Lapeyr. VII. 226
sylvaticum *Sm.* VII. 215
β angustifolium *Gmel.* VII. 215
γ Mertini - - -
δ Lachenalii - - -
ε corymbosum *Pers.* VII. 215
ζ petiolosum *Froel.* - -
η cruentum - - -
ϑ tinctum - - -
ι hirsutum - - -
κ canescens - - -
sylvaticum Spenn. VII. 224
sylvaticum W. herb. VII. 215
sylvaticum var. Gou. VII. 233
sylvestre *Tausch* VII. 225
β hirsutum *Froel.* VII. 225
γ hispidum - - -

*) delendum, est Crepis Bungei Ledeb. conf. VII. 164.

Hieracium
δ ruficaule *Froel.* V
ε oliganthum - -
ζ tenuifolium *Hoppe*
η longifolium *Froel.*
ϑ subglobosum *Ser.*
sylvestre δ Taus
symphytifolium *Fr*
Taraxaci L. VII.
Tenoreanum *Froel*
tenuifolium *Host*
tingitanum Salz
Tomasinii Host
tomentosum *All.* V
α polyanthemum *Fr*
tragopogoni capi

Triasii *Camb.* VII.
trichocephalum *W.*
triste *W. herb.* VI
β humile *Froel.* -
γ multiflorum - -
δ dentatum - -
tubulosum DC.
tubulosum W.
turbinatum Spr.
uliginosum Tur
umbellatum fl. D
umbellatum *L.* VI
α polyanthemum *Fr*
β integrifolium
γ coronopifolium *B*
δ carpathicum *Roch*
ε proliferum *Froel.*
ζ strumosum -
η leptocaulon *Wall*
ϑ lactaris *Berth.*
ι linearifolium *Fr*
κ cervicariaefolium
λ serotinum *Host*
undulatum *Ait.* V
Vahlii *Froel.* VII.
Vaillantii Taus
valde-pilosum
valde-pilosum ho

valde-pilosum W
variegatum Lam
velutinum Heget
venosum *L.* VII. 2
β commutatum *Fro*
venosum W. herb
verruculatum *Lind*
villosum Jacq. V

is. *DC.* VI. 559 (Amberboa)
is. VI. 559
DC. VI. 443
DC. VI. 443
ra *DC.* VI. 443
ra *Burch.* VI. 442
ra *W.* VI. 255
a *W.* VI. 255
ra. VII. 133 *Cass.* VII. 133
A. Meyer VII. 249
B. VII. 136
chrad. VII. 137
ll. VII. 137
C. VII. 140
Wall. VII. 139
. VII. 140
nb. VII. 136
a *DC.* - -
uh. VII. 138
VII. 138
a *Walt.* VII. 137
VII. 138
DC. VII. 133
. VII. 137
A. VII. 138
VII. 138
a Bauh. VII. 138
capitata Lob. VII. 138
Forsk. VII. 176
. VII. 139
A. Meyer VII. 139
a VII. 135
C. VII. 137
ll. VII. 137
DC. VII. 140
DC. VII. 135
f. VII. 140
. VII. 181
aertn. VII. 250
VII. 135
C. VII. 139
VII. 140
pr. VII. 134
Mx. VII. 134
VII. 139
C. VII. 140
. VII. 141
VII. 139
L. 136
lus VII. 136
rsk. VII. 143
Bigel. VII. 137

Lactuca
integrifolia Nutt. VII. 134
intybacea Jacq. VII. 177
laciniata *Roth* VII. 138
laevigata *DC.* VII. 140
leucophaea *Sibth.* VII. 136
longidentata *Moris* VII. 139
longifolia *DC.* VII. 135
longifolia Mx. VII. 137
Ludoviciana *DC.* VII. 141
maculata Horn. VII. 137
mauritiana *Poir.* VII. 141
microcephala *DC.* VII. 134
muralis *DC.* VII. 139
napifolia DC. VII. 193
nudicaulis Murr. VII. 181
oblongifolia Nutt. VII. 134
palmata W. VII. 138
perennis *L.* VII. 133
perennis var. Benth. VII. 133
perennis var. latifolia Wallr. VII. 133
perennis γ Lam. VII. 135
petraea *Fisch. et Mey.* VII 134
plicata Balb. VII. 137
prenanthoides Scop. VII. 143
procera Schrad. VII. 137
pulchella *DC.* VII. 134
quercina *L.* VII 138
quercina Spr. VII. 138
racemosa *W.* VII. 136
remotiflora DC. VII. 177
rigida *DC.* VII. 135
romana Gars. VII. 139
runcinata DC. VII. 140
sagittata *W. et Kit.* VII. 136
sagittifolia *Ell.* VII. 141
saligna *L.* VII. 136
β Wallrothiana *Wallr.* VII. 136
saligna Ruppiana Wallr. VII. 136
sanguinea *Bigel.* VII. 134
sarmentosa Wight VII. 181
sativa Blackw. VII. 139
sativa *L.* VII. 138
sativa var. Pers. VII. 138
sativa capitata Rosier VII. 138
sativa crispa L. VII. 138
sativa longifolia Lam. VII. 139
Scariola *L.* VII. 137
β maculosa *DC.* VII. 137
γ plicata - - -
segusiana *Balb.* VII. 135
sinuata Forsk. VII. 137

Homanthis
pinnatifidus H. B. et K. VII. 62
pungens H. B. et K. VII. 62
Homochroma *DC.* V. 324
Ecklonis *DC.* V. 324
Homoeanthus Spr. VII. 63 *Less.* VII. 64
multiflorus Spr. VII. 64
tomentosus Poepp. VII. 60
Homogyne *Cass.* V. 204
alpina *Cass.* V. 205
discolor *Cass.* V. 205
sylvestris *Cass.* V. 204
Homoianthus *DC.* VII. 63
ambiguus Cass. VII. 64
cubataensis *Less.* VII. 64
echinulatus *Cass.* VII. 65
laevis *DC.* VII. 64
linearis *DC.* VII. 64
magellanicus *DC.* VII. 65
multiflorus *Don* VII. 64
pinnatifidus Don VII. 62
pungens DC. VII. 62
squarrosus *DC.* VII. 64
viscosus *DC.* VII. 64
Hookia Neck. VI. 663
Hoorebeckia chilensis Cornel. V. 346
Hopkirkia *DC.* V. 660 *Spr.* V. 493
anthemoides *DC.* V. 660
Eupatoria Spr. V. 493
fruticulosa Spr. V. 493, 576
hirsuta Spr. V. 493
scandens Spr. V. 493
Hoplophyllum *DC.* V. 73
spinosum *DC.* V. 74
Hoppea Reich. VI. 313
sibirica Reich. VI. 315
speciosa Reich. VI. 315
Hostia Moench VII. 157
foetida Moench VII. 158
Hubertia Bory VI. 376
Ambavilla Bory VI. 376
conyzoides Bory VI. 376
pinifolia Juss. herb. VI. 293
tomentosa Bory VI. 376
Humea *Sm.* VI. 157
elegans *Sm.* VI. 158
Hunteria fl. mexic. V. 649
columbina fl. mexic. V. 649
fuscata fl. mexic. V. 650
Hyalaea DC. VI. 565 (Centaurea)
Hyalis *Don* VII. 28
Hyalis
argentea *Don* VII
α β DC. VII. 28
Hyalolepis *DC.* VI.
rhizocephala *DC.*
Hybridella Cass.
globosa Cass. V.
Hymenatherum *Cass*
Belenidium *DC.*
Berlandieri *DC.*
Kunthii *Less.* V.
Neaei *DC.* V. 642
pentachaetum *DC.*
tenuifolium Cas.
tenuilobum *DC.*
Hymenocentron C
58
Hymenolepis *Cass.*
Dregeana *DC.* VI.
elegans Cass. VI
incisa *DC.* VI. 85
leptocephala Cas
leucoclada *DC.* VI
parviflora *DC.* VI.
β tomentosa *DC.*
pinnata Less. V.
punctata *DC.* V. 8
Hymenomena Less
Hymenonema *Cass.*
asperum *DC.* VII.
Fontanesii Cass.
glaucum Hook.
graecum *DC.* VII.
laciniatum Hook
Tournefortii Ca.
Hymenopappus *L'He*
anthemoides Jus.
artemisiaefolius *DC*
Douglasii *Hook.*
filifolius *Hook.* V.
glaucus Spr. V.
laxiflorus L'Her
matricarioides S
pedatus Lag. V.
scabiosaeus Dou
scabiosaeus *L'Her*
tenuifolius Doug
tenuifolius *Pursh*
Hymenoxys *Cass.* V.
anthemoides *Cass.*
chrysanthemoides
Haenkeana *DC.* V.
linearifolia *Hook.*
odorata *DC.* V.

s. VI. 658
s. VI. 617
s. VI. 77 *Gaertn.*
82 *Pers.* VI. 39
rs. VI. 38
VI. 39
s. VI. 39
m. VI. 82
. 494
VI. 495
495
VI. 495
. *herb.* VII. 22
W. herb. VII. 22
. VI. 37, 38 *DC.*
(Lasiospermum)
lumb. VI. 76
nb. VI. 77
ass. VI. 77
uss. VI. 661
. VI. 662
- 661
VI. 661
661
. VI. 661
t Mey. VI. 662
. VI. 661
ampsana.
V. 607
ucc. V. 608
cc. V. 607
Schlecht. VII. 262
. VI. 246 VII. 299
. VI. 246
C. VI. 246
DC. VI. 246
VI. 246 VII. 299
r. VI. 231
II. 18 *Don* VII. 247
. VII. 18
I. 19
VII. 19
VII. 19
on VII. 247
. VII. 19
- -
- -
DC. - -
. *DC.* VII. 58 (Chabraea)
Cass. VII. 59
VII. 60
pp. VII. 60
lia Poepp. VII. 60

Lasiorhiza
purpurea Less. VII. 59
rosea Poepp. VII. 59
tomentosa Less. VII. 60
viscosa Cass. VII. 59
Lasiospermum *Lag.* VI. 37 *Fisch.* VII. 124
alpinum Reich. VI. 38
angustifolium Fisch. VII. 124
brachyglossum *DC.* VI. 38
ensifolium Fisch. VII. 124
hirtum Fisch. VII. 124
pedunculare *Lag.* VI. 38
radiatum *Trev.* VI. 38
Lasiospora Cass. Less. DC. VII. 124 (Scorzonera)
angustifolia Cass. VII. 124
cretica Cass. VII. 124
ensifolia Cass. VII. 124
hirsuta Cass. VII. 124
lanata Fisch. et Mey. VII. 124
latifolia Fisch. et Mey. VII. 125
Lasthenia *Cass.* V. 664 VII. 293
californica DC. V. 664
californica Lindl. VII. 293
glaberrima *DC.* V. 664 VII. 293
glabrata *Lindl.* V. 665
obtusifolia *Cass.* V. 664
β Bridgesii *DC.* - 665
Latreillea *DC.* V. 504
integrifolia *DC.* V. 504
serrata *DC.* V. 504
Launaea Cass. DC. VII. 181
bellidifolia Cass. VII. 181
pinnatifida Cass. VII. 181
Lavenia Sw. V. 110 *Wall.* V. 280 308
alba Wall. V. 112
alta Wall. V. 113
carnosa Wall. V. 112
decumbens Spr. V. 110
decumbens Sw. V. 110
dentata Wall. V. 114
divaricata Hamilt. V. 111
elata Spr. V. 112
erecta Blum. V. 111
erecta Gaudich. V. 111
erecta Sieb. V. 111
erecta W. V. 113
erecta β Wall. V. 111
glutinosa Gaudich. V. 111
hirsuta Blum. V. 113
latifolia Spr. V. 112
macrophylla Blum. V. 113
macrophylla Wight. V. 113
nudiflora hort. Calc. V. 112

I J

Jacea Cass. DC. VI. 570 (Centaurea)
alata Lam. VI. 578
alba Delarb. VI. 570
babylonica Bauh. VI. 567
involucrata Lam. VI. 577
nigra Cass. VI. 571
paniculata Lam. VI. 583
pumila Barr. VI. 574
ramosissima Amm. VI. 579
Scabiosa Lam. VI. 580
segetum Lam. VI. 578
supina Lam. VI. 570
Jacobaea Tourn. Thunb. Cass. VI. 340
adonidifolia Shaw VI. 346
anthoraefolia Presl VI. 351
auriculata Schrank VI. 349
bidentata Thunb. VI. 433
carniolica Schrank VI. 356
carnosa Presl VI. 345
elegans Moench VI. 408
gracilis Raf. VI. 432
incisa Presl V. 345
lanuginosa Presl VI. 350
macrophylla C. A. Meyer VI. 352
mucronata Thunb. VI. 390
nemorensis Schrank VI. 354
nivea Thunb. VI. 390
opuntiaefolia Raf. VI. 435
Othonnae C. A. Meyer VI. 351
ovata fl. Wetter. VI. 353
paludosa fl. Wetter. VI. 353
paniculata Thunb. VI. 399
persicifolia Thunb. VI. 390
peucedanifolia Thunb. VI. 397
purpurea Thunb. VI. 406
pyrenaica persicifolia Tourn. VI. 358
reclinata Thunb. VI. 398
sarracenica fl. Wetter VI. 353
scabra Thunb. VI. 434
sicula Bocc. VI. 345
sinuata Moench VI. 342
squalida C. A. Meyer VI. 346
tomentosa Moench VI. 355
tomentosa Thunb. VI. 389
vernalis C. A. Meyer VI. 345
vestita Thunb. VI. 435
vulgaris Gaertn. VI. 350
Jacosta E. Meyer VI. 76 *)
Jaquemontia Belang. VI. 41

*) recius Jocaste VII. 293.

Jaegeria *H. B. et K.*
abyssinica Spr.
calendulacea Spr
hirta *Less.* V. 544
macrocephala *Less.*
mnioides *H. B. et*
parviflora *DC.* V.
repens *DC.* V. 544
Jasonia *DC.* V. 476

dichotoma *DC.* V.
discoidea Cass.
glutinosa *DC.* V. 476
laevigata *DC.* V. 4
radiata Cass. V.
sicula *DC.* V. 476
α discoidea *DC.* V.
β radiata - -
tuberosa *DC.* V. 4
Jaumea *Pers.* V. 663
linearifolia *Pers.*
Ichtyothere *Mart.* V.
Cunabi *Mart.* V. 5
Ifloga Cass. DC. VI.

Fontanesii Cass.
Impia Dodon. Bluff

germanica Bluff

pyramidata Bluff

Ingenhouzia Bert.
thurifera Bert.
Intybellia *Cass.* VII.

praemorsa Monn.
purpurea *DC.* VII.
rosea Cass. VII.
taurica Less. VII.
Intybellioides DC.

Intybus praemorsa

Inula *Gaertn.* V. 463
V. 476 *L.* V.
Pers.
acuminata *DC.* V.
aestuans L. V. 61
africana *Lam.* V. 4
alpina Adam V.
ammophila *Bunge*
β subcoloides *DC.* V.
angustifolia *DC.* VI
appendiculata B
appendiculata C

um Link VII. 146
VII. 102
enarium Duby VII. 100
Merat VII. 101
DC. VII. 105
Hook. VII. 149
ss. VII. 100
VII. 99
l. VII. 104
Merat VII. 127
av. VII. 127
VII. 102
DC. VII. 102
- - -
- - -
oll. VII. 100
and. VII. 210
DC. fl. fr. VII. 102
DC. fl. fr. VII. 104
DC. fl. fr. VII. 103
erat VII. 102
DC. VII. 104
fl. fr. VII. 103
Wall. VI. 539
W. VII. 146
VII. 124
Ledeb. VII. 149
et Kit. VII. 148
VII. 104
deb. VII. 148
st VII. 102
aill. VII. 146
Brigant. VII. 146
Lam. VII. 107
C. A. Meyer VII. 145
Forsk. VII. 183
Forsk. VII. 106
L'Herit. VII. 132
W. et K. VII. 106
ries VII. 147
V. VII. 147
With. VII. 145
dan. VII. 148
m. VII. 148
Wall. VII. 149
Tausch VII. 148
it. VII. 146
Reich. VII. 109
VII. 105
a b c Vill. VII. 102
Merat VII. 99
Gou. VII. 101
Lam. VII. 80
VII. 148

Leontodon
Rosani *DC.* VII. 104
salinus Bess. VII. 147
salinus Ledeb. VII. 149
salinus Poll. VII. 148
saxatile Lam. VII. 100
saxatile *Reich.* VII. 103
Scorzonera Roth VII. 148
serotinus W. et Kit. VII. 147
sinense Lour. VII. 150
squamosum *Lam.* VII. 101
Stevenii Spr. VII. 149
Stevenii β sinuatus Ledeb. VII. 149
sublyratum *Merat* VII. 104
Taraxaci Lois. VII. 107
taraxacoides Hoppe VII. 146
taraxacoides *Merat* VII. 104
taraxacoides Räusch. VII. 146
Taraxacum L. VII. 145
Taraxacum Siev. VII. 146
Taraxacum With. VII. 148
Taraxacum β arenarium Bluff. et Fing. VII. 146
tenuiflorum *DC.* VII. 102
tenuifolium Hoppe VII. 148
terglovense Heig. VII. 171
tomentosum L. fil. VII 42
tuberosum L. VII. 100
umbellatum Schrank VII. 128
variegatum *DC.* VII. 105
Villarsii *Lois.* VII. 103
vulgare Lam. VII. 145

LEONTODONTEAE Schultz VII. 99
Leontodontoides Mich. VII. 82
Leontonyx *Cass.* VI. 167
angustifolius *DC.* VI. 168
β diffusus - - -
bicolor *DC.* VI. 168
candidissimus *DC.* VI. 169
colorata Cass. VI. 168
coloratus var. contractus Less. VI. 168
coloratus gracilis Less. VI. 168
glomeratus *DC.* VI. 168
pusillus *Less.* VI. 168
spathulatus *Less.* VI. 168
squarrosus *DC.* VI. 167
β pallidus - - -
γ longifolius - - 168
stramineus *DC.* VI. 168
tinctus *DC.* VI. 168
tomentosa Cass. VI. 167

Inula
orientalis Lam. V. 468
orientalis W. V. 467
paludosa Link V. 480
planifolia Link V. 479
polygonata *DC.* V. 465
primulaefolia *Lam.* V. 471
provincialis Gou. V. 471 VI. 357
provincialis *L.* V. 471
pseudo-cappa *DC.* V. 469
Pulicaria Brot. V. 480
Pulicaria L. V. 478
Pulicaria D'Urv. V. 479
Pulicaria β L. V. 480
pulicariaeformis *DC.* VII. 284
punctata Less. V. 469
punctata Mühl. V. 317
quadridentata *Lag.* V. 471
quadrifida Hamilt. V. 475
ramosissima Clairv. V. 466
repens Fisch. V. 479
Royleana *DC.* V. 464
salicina *L.* V. 466
β latifolia *DC.* V. 466
γ lancifolia - - - -
salicina Pall. V. 467
Saturejae Spr. V. 103
saturejoides Mill. V. 103
saxatilis Lam. V. 476
scabra Nutt. V. 317
scabra Wall. V. 474
semiamplexicaulis *Reuter* V. 466
serrata Pers. V. 315
spiraeifolia Lam. V. 467
spiraeifolia *L.* V. 467
β hybrida *Baumg.* V. 467
spiraeifolia W. V. 467
squarrosa Bernh. V. 464
squarrosa *L.* V. 466
β latifolia *DC.* V. 467
stolonifera Gay V. 349
suaveolens *Jacq.* V. 464
subaxillaris Lam. V. 317
thapsoides *DC.* V. 464 VII. 284
α Sprengelii *DC.* - -
β Poiretii *DC.* V. 465
γ Biebersteinii *DC.* V. 465
thapsoides Reich. V. 465
thapsoides Spr. V. 465
trichophylla Nutt. V. 327
ixis L. VII. 69
berosa Lam. V. 476
ginosa Sibth. et Sm. V. 478
dulata L. V. 479

Inula
undulata β Pe
Vaillantii *Vill.* V
verbascifolia I
vestita *Wall.* V.
β minor *DC.* -
villosa Vahl V.
viscosa *Ait.* V.
β laxiflora *DC.*
INULEAE *Cass. D*
Inulopsis DC. V.

Joannea Spr. VII
brasiliensis Sp.
triplinervis Sp
Joannesia Pers.
insignis Pers.
Jocaste E. Meyer
Johannia W. VII
elegans W. VII
insignis W. VI
Iphiona *DC. Cass.*
dubia Cass. V.
juniperifolia *Cass*
punctata Cass.
scabra *DC.* V. 4
Isanthus DC. VII.
Ismelia Cass. Le
DC. VI. 65 (C
frutescens Less
maderensis Do
nodosa Less. V
versicolor Cass.
Ismelioides DC. V

Isocarpha *R. Br.* V
Amellus Spr. V.
atriplicifolia *R. B*
Berterii Balb.
Billbergiana *Less*
echioides *Less.* V
oppositifolia *R. B*
Isocarphoides DC.

Isomeria Don V. 5
chinensis Wigh
cinerea Wight
Isonema Cass. V.
ovata Cass. V. 6
Isostigma *Less.* V. 6
crithmifolium *Les*
peucedanifolium *L*
simplicifolium *Le*
speciosum *Less.* V

DC. V. 82 (Albertinia)
B. et K. VII. 33
H. B. et K. VII. 33
VII. 55
pr. VII. 55
L. fil. VII. 55
Less. VII. 55
lis Don VII. 56
s. VII. 55
ess. VII. 55
Don VII. 55
VI. 673 VII. 306
VI 675
C. VI. 675
DC. VI. 674
Ledeb. VI. 676
DC. VI. 676
DC. VI. 676, 674
DC.
A. Meyer VI. 677
v. VI. 675
C. VI. 675
DC. VI. 677
VI. 677
677 VII. 306
DC. VI. 677
C. VI. 675
DC. VI. 675
C. VI. 674
DC. VI. 674
DC. VI. 674
VI. 676
VI. 676
VI. 677
C. VI. 677
DC. VI. 674
VI. 676
DC. VI. 675
C. VI. 676
DC. VI. 677
Fisch. et Mey. VI 677
Fisch. et Mey. VI. 678
DC. VI. 674
Cass. VI. 676
DC. VI. 678
VII. 288
Nutt. V. 529
529
V. 529
Less. V. 529
Ursk V. 529
H. B. et K. V. 530
V. 529
DC. V. 529
V. 530

Iva
imbricata *Walt.* V. 530
monophylla Walt. V. 527
xanthifolia *Nutt.* V. 529 VII. 288
IVEAE *Cass. DC.* V. 498, 527
Ixauchenus *Cass.* V. 308
sublyratus *Cass.* V. 308
Ixeris *Cass.* VII. 151
fontinalis *DC.* VII. 151
monocephala Cass. VII. 152
polycephala *Cass.* VII. 151
versicolor *DC.* VII. 151
Ixiauchenus Cass. V. 308
lyratus Less. V. 308
Ixiolaena *Benth.* VI. 161
viscosa *Benth.* VI. 162
Ixodia *R. Br.* VI. 153
achilleoides *R. Br.* VI. 154

K

Kahiria Forsk. V. 12
Kalbfussia *Schultz* VII. 101
Mülleri *Schultz* VII. 101
Salzmanni *Schultz* VII. 101
Kalimeris Cass. V. 258
platycephala Cass. V. 258
Kallias Cass. DC. V. 550 (Heliopsis)
dubia Cass. V. 551
ovata Cass. V. 551
Karelinia *Less.* V. 375
caspia *Less.* V. 375
Kaulfussia Nees V. 300
amelloides Eckl. V. 223
amelloides Nees V. 301
amelloides Zeyh. V. 215
amelloides var. Spr. V. 224
ciliata Spr. fil. V. 219
strigosa Spr. fil. V. 225
Keerlia *DC.* V. 309 VII. 278
linearifolia *DC.* V. 310
ramosa *DC.* V. 310
skirrhobasis *DC.* V. 310 VII. 278
Kentrophyllum *Neck.* VI. 610 VII. 304
album Cass. VI. 611
arborescens *Hook.* VI. 611
dentatum *DC.* VI. 611
glaucum *Fisch. et Mey.* VI. 611
lanatum *DC.* VI. 610 VII. 304
leucocaulon *DC.* VI. 610
luteum Cass. VI. 610
mareoticum *DC.* VI. 611

Kentrophyllum
rubrum Link VI. 611
tauricnm *Fisch. et Mey.* VI. 610
Kerneria Moench V. 593
dubia Cass. V. 597
ferulaefolia Cass. V. 603
helianthoides Cass. V. 595
rubifolia Cass. V. 598
serrulata Cass. V. 602
tetragona Moench V. 597
Klasea Cass. DC. VI. 668 (Serratula)
heterophylla Cass. VI. 669
pinnatifida Cass. VI. 668
quinquefolia Cass. VI. 668
Kleinia *L.* VI. 336 *Jacq.* V. 647 *Juss.* V. 663
acaulis *DC.* VI. 339
β Burchelli *DC.* VI. 339
γ Ecklonis - - -
aizoides *DC.* VI. 337
alata Meyer V. 197
angulata W. VI. 303
Anteuphorbium *DC.* VI. 338
articulata *Haw.* VI. 339
breviscapa *DC.* VI. 337
cacalioides Less. V. 650
cana *DC.* VI. 338
colorata H. B. et K. V. 650
crassulaefolia *DC.* VI. 336
cuneifolia *DC.* VI. 337
Cusimbua Less. V. 650
ficoides *Haw.* VI. 337
filifolia Spr. V. 651
glandulosa fl. mexic. V. 648
gonoclada *DC.* VI. 336
Haworthii *DC.* VI. 338
hieracioides Less. V. 650
japonica Less. V. 651
jorullensis H. B. et K. V. 649
linearis hort. Paris. V. 650
longiflora *DC.* VI. 337
neriifolia *Haw.* VI. 338
obscura Spr. V. 651
odora *Forsk.* VI. 339
oppositifolia Spr. V. 651
papillaris *Haw.* VI. 338
pendula *Forsk.* VI. 339
pinguifolia *DC.* VI. 336
Porophyllum W. V. 648
pteroneura *DC.* VI. 338
pugioniformis *DC.* VI. 338
radicans *DC.* VI. 337
radicans Haw. VI. 337
repens *Haw.* VI. 337
Kleinia
rigida *DC.* VI. 33
ruderalis Jacq.
Selloi Spr. V. 65
semperviva *Forsk.*
subradiata *DC.* VI
suffruticosa Les
suffruticosa W.
tagetoides H. B.
talinoides *DC.* VI.
tomentosa Haw.
viridiflora H. B.
Koanophyllum Ars
Koelpinia *Pall.* VII.
linearis *Pall.* VII.
α glabra *DC.* -
β araneosa - -
Krigia *Schreb.* VII.
amplexicaulis N
caroliniana *Nutt.*
chilensis Nees V
Dandelion Ell. V
Dandelion Nutt.
dichotoma *Nutt.*
leptophylla *DC.* VI
montana *Nutt.* VII
oppositifolia Raj
pinnatifida Bert
pusilla hort. mon
virginica *W.* VII. 8
virginica β dicha
Kugaia DC. V. 65
Kuhnia *L.* V. 126 VI
arabica *Hochst. et*
arguta *H. B. et K.*
baccharoides *DC.*
Critonia W. V. 1
cupatorioides *L.* V.
frutescens Horn.
glabrata *DC.* V. 12
α β - - -
glutinosa *Ell.* V. 12
hirtiflora *DC.* V. 12
paniculata *Cass.* V.
podocarpa *DC.* V. 1
rosmarinifolia *Vent.*
villosa *Spr.* V. 127
Kyberia Neck. V. 3

L

LABIATIFLORAE

v. DC. VI. 559 (Amberboa)
v. VI. 559
DC. VI. 442
DC. VI. 443
ron DC. VI. 443
ora Burch. VI. 442
um W. VI. 255
n W. VI. 255
ora. VII. 133 *Cass.* VII. 133
A. Meyer VII. 249
MB. VII. 136
Schrad. VII. 137
All. VII. 137
DC. VII. 140
Wall. VII. 139
L. VII. 140
Bunb. VII. 136
olia DC. - -
Bauh. VII. 138
C. VII. 138
na Walt. VII. 137
l. VII. 138
a DC. VII. 133
ef. VII. 137
auh. VII. 138
. VII. 138
tera Bauh. VII. 138
n capitata Lob. VII. 138
a Forsk. VII. 176
DC. VII. 139
C. A. Meyer VII. 139
on VII. 135
DC. VII. 137
ähl. VII. 137
DC. VII. 140
DC. VII. 135
af. VII. 140
k. VII. 181
Gaertn. VII. 250
. VII. 135
DC. VII. 139
. VII. 140
Spr. VII. 134
Mx. VII. 134
. VII. 139
DC. VII. 140
hl. VII. 141
. VII. 139
VII. 136
Blume VII. 136
Forsk. VII. 143
Bigel. VII. 137

Lactuca
integrifolia Nutt. VII. 134
intybacea Jacq. VII. 177
laciniata *Roth* VII. 138
laevigata *DC.* VII. 140
leucophaea *Sibth.* VII. 136
longidentata *Moris* VII. 139
longifolia *DC.* VII. 135
longifolia Mx. VII. 137
Ludoviciana *DC.* VII. 141
maculata Horn. VII. 137
mauritiana *Poir.* VII. 141
microcephala *DC.* VII. 134
muralis *DC.* VII. 139
napifolia DC. VII. 193
nudicaulis Murr. VII. 181
oblongifolia Nutt. VII. 134
palmata W. VII. 138
perennis *L.* VII. 133
perennis var. Benth. VII. 133
perennis var. latifolia Wallr. VII. 133
perennis γ Lam. VII. 135
petraea *Fisch. et Mey.* VII 134
plicata Balb. VII. 137
prenanthoides Scop. VII. 143
procera Schrad. VII. 137
pulchella *DC.* VII. 134
quercina *L.* VII 138
quercina Spr. VII. 138
racemosa *W.* VII. 136
remotiflora DC. VII. 177
rigida *DC.* VII. 135
romana Gars. VII. 139
runcinata DC. VII. 140
sagittata *W. et Kit.* VII. 136
sagittifolia *Ell.* VII. 141
saligna *L.* VII. 136
β Wallrothiana *Wallr.* VII. 136
saligna Ruppiana Wallr. VII. 136
sanguinea *Bigel.* VII. 134
sarmentosa Wight VII. 181
sativa Blackw. VII. 139
sativa *L.* VII. 138
sativa var. Pers. VII. 138
sativa capitata Rosier VII. 138
sativa crispa L. VII. 138
sativa longifolia Lam. VII. 139
Scariola *L.* VII. 137
β maculosa *DC.* VII. 137
γ plicata - - -
segusiana *Balb.* VII. 135
sinuata Forsk. VII. 137

Lactuca
sonchifolia *W.* VII. 134
sonchoides Lapeyr. VII. 133
spinosa Lam. VII. 189
stricta *W. et Kit.* VII. 138
sylvestris Cam. VII. 137
sylvestris β Lam. VII. 137
taraxacifolia *Schum.* VII. 138
tatarica C. A. Meyer VII. 248
tenerrima *Pourr.* VII. 134
tuberosa *Jacq.* VII. 133
undulata *Ledeb.* VII. 135
β dentata *DC.* - -
verticalis Gater. VII. 137
vialea Bell. VII. 138
villosa Jacq. VII. 250
virgata *Tausch* VII. 136
virosa Habl. VII. 136
virosa Heyn. VII. 137
virosa *L.* VII. 137
β maculata *DC.* VII. 137
γ ambigua - - -
virosa Thunb VII 137
Wallrothii Spr. VII. 136
Wilhemsiana *Fisch. et Mey.* VII. 134
LACTUCEAE Adans. Cass. VII 74
LACTUCEAE *Less. DC.* VII. 75, 133
Laennecia *Cass.* V. 376
filaginoides *DC.* V. 376
gnaphalioides *Cass.* V. 376
parvifolia *DC.* V. 376
Laestadia *Kunth* V. 374 *(Lestadia)*
pinifolia *Kunth et Less.* V. 374
Lagasca Cav. V. 91 *DC.* V. 91 (Lagascea)
Lagascea *H. B. et K.* V. 91
angustifolia *DC.* V. 92
helianthifolia *H. B. et K.* V. 92
latifolia *DC.* V. 92
Mocinniana *DC.* V. 92
mollis *Cav.* V. 91
rubra *H. B. et K.* V. 92
suaveolens *H. B. et K.* V. 92
Lagenifera Cass. V. 307
Lagenophora *Cass.* V. 307 VII. 278
Billardierii *Cass.* V. 307
α pusilla *DC.* - -
β media - -
γ glabrata - -
Commersonii *Cass.* V. 307
Forsteri *DC.* V. 307
hirsuta *Poepp.* V. 307
Hügelii *Benth.* VII. 278
Lagenophora
javanica Blum. V
pilosa Blum. V.
Lagoseris Link V
crepoides MB. V
leontodontoides L
purpurea Stev. V
taurica MB. VII.
tenuifolia Reich.
versicolor Fisch.
Lagurostemon Cas
liatroides Wydl.
pygmaeus Cass.
pygmaeum β Sch
H
Lampsana *Tourn.* V 76, 77, 7
capillaris L. VII.
communis *L.* VII.
β crispa *Pers.* -
γ pubescens *Reich.*
crassifolia Vahl
crispa W. VII. 7
foetida Scop. VII
glandulifera Cas
gracilis Lam. VII
grandiflora *MB.* VI
β DC. VII. 77
intermedia *MB.* VI
Koelpinia L. fil.
leontodontoides
lyrata W. VII. 77
minima Lam. VII
pubescens Horn.
pulchra Vill. VII.
pusilla W. VII. 7
Rhagadiolus L. V
stellata L. VII. 77
taraxacoides For
virgata *Desf.* VII.
Zacintha L. VII.
LAMPSANEAE *Less. D*
Lamyra Cass. DC. V
alata Cass. VI. 65
angustifolia Cass
diacantha Cass. V
glabella Cass. VI.
lobata Cass. VI. 6
pinnatifida Cass.
stipulacea Cass. V
tricantha Cass.

a Cass. VI. 658
e Cass. VI. 617
ddans. VI. 77 *Gaertn.*
n. VI. 82 *Pers.* VI. 39
s Pers. VI. 38
rs. VI. 39
s Pers. VI. 39
a Lam. VI. 82
s. VI. 494
ss. VI. 495
. VI. 495
ess. VI. 495
a W. herb. VII. 22
oides W. herb. VII.22
Purch. VI. 37, 38 *DC.* VI. 38 (Lasiospermum)
ia Thunb. VI. 76
Thunb. VI. 77
gii Cass. VI. 77
rn. Juss. VI. 661
Lam. VI. 662
- - 661
ertn. VI. 661
. VI. 661
s All. VI. 661
sch. et Mey. VI. 662
Lam. VI. 661
id. Lampsana.
DC. V. 607
les Zucc. V. 608
Zucc. V. 607
lus Schlecht. VII. 262
Cass. VI. 246 VII. 299
Cass. VI. 246
s DC. VI. 246
ides DC. VI. 246
DC. VI. 246 VII. 299
s Spr. VI. 231
s. VII.18 *Don* VII.247
Cass. VII. 18
. VII. 19
DC. VII. 19
DC. VII. 19
es Don VII. 247
s DC. VII. 19
- - -
- - -
ifolius DC. - -
Lag. DC. VII.58 (Chabraea)
ifolia Cass. VII. 59
Less. VII. 60
Poepp. VII. 60
-nifolia Poepp. VII. 60

Lasiorhiza
purpurea Less. VII. 59
rosea Poepp. VII. 59
tomentosa Less. VII. 60
viscosa Cass. VII. 59
Lasiospermum *Lag.* VI. 37 *Fisch.* VII. 124
alpinum Reich. VI. 38
angustifolium Fisch. VII. 124
brachyglossum *DC.* VI. 38
ensifolium Fisch. VII. 124
hirtum Fisch. VII. 124
pedunculare *Lag.* VI. 38
radiatum *Trev.* VI. 38
Lasiospora Cass. Less. DC. VII. 124 (Scorzonera)
angustifolia Cass. VII. 124
cretica Cass. VII. 124
ensifolia Cass. VII. 124
hirsuta Cass. VII. 124
lanata Fisch. et Mey. VII. 124
latifolia Fisch. et Mey. VII. 125
Lasthenia *Cass.* V. 664 VII. 293
californica DC. V. 664
californica Lindl. VII. 293
glaberrima *DC.* V. 664 VII. 293
glabrata *Lindl.* V. 665
obtusifolia *Cass.* V. 664
β Bridgesii *DC.* - 665
Latreillea *DC.* V. 504
integrifolia *DC.* V. 504
serrata *DC.* V. 504
Launaea Cass. DC. VII. 181
bellidifolia Cass. VII. 181
pinnatifida Cass. VII. 181
Lavenia Sw. V. 110 *Wall.* V. 280 308
alba Wall. V. 112
alta Wall. V. 113
carnosa Wall. V. 112
decumbens Spr. V. 110
decumbens Sw. V. 110
dentata Wall. V. 114
divaricata Hamilt. V. 111
elata Spr. V. 112
erecta Blum. V. 111
erecta Gaudich. V. 111
erecta Sieb. V. 111
erecta W. V. 113
erecta β Wall. V. 111
glutinosa Gaudich. V. 111
hirsuta Blum. V. 113
latifolia Spr. V. 112
macrophylla Blum. V. 113
macrophylla Wight. V. 113
nudiflora hort. Calc. V. 112

Lavenia
rigida Wall. V. 280
sphaerantha Wall. V. 309
viscida Hamilt. V. 111
Laxmannia Forst. V. 501
arborea Forst. V. 502
Layia *(Hook. et Arn.) DC.* VII. 294
gaillardioides *DC.* VII. 294
Leachea Cass. V. 569
crassifolia Cass. V. 570
lanceolata Cass. V. 570
trifoliata Cass. V. 571
Lebetina *Cass.* V. 639
cancellata *Cass.* V. 639
Leiachaena DC. VI. 257 (Disparago)
Leiachaenium DC. V. 346 (Aplopappus)
Leibnitzia Cass. VII. 40
cryptogama Cass. VII. 40
phaenogama Cass. VII. 40
Leighia *Cass.* V. 580 *Scop.* V. 12
anchusaefolia *DC.* V. 580
angustifolia *DC.* V. 582
β breviaristata *DC.* V. 582
arillata *DC.* V. 582
bicolor Cass. V. 587
buphthalmiflora *DC.* V. 582
calendulacea *DC.* V. 582
dissitifolia *DC.* V. 581
ecliptaefolia *DC.* V. 583
elegans Cass. V. 581
immarginata *DC.* V. 581
laxa *DC.* V. 580
leptocephala *DC.* V. 582
linearis *DC.* V. 581
lomatoneura *DC.* V. 581
microphylla *Cass.* V. 581
noneaefolia *DC.* V. 581
ovatifolia *DC.* V. 583
speciosa *DC.* V. 583
sphaerocephala *DC.* V. 582
urticiformis *DC.* V. 582
Leiocarpum DC. VII. 38 (Perdicium)
Leiochrysum DC. VI. 216 (Helipterum)
Leiogonia DC. V. 127 (Kuhnia)
Lejica Hill. V. 534
Lemmatium *DC.* V. 669 VII. 294
rotundifolium *DC.* V. 669 VII. 294
Leontodon *Juss.* VII. 101 *Aduns.* VII. 145 *Koch* VII. 107, 108 *L.* VII. 99, 101, 108, 145, 159 *Reich.* VII. 199
alpestre Tausch VII. 148

Leontodon
alpinum Vill. V
alpinus Guss.
alpinus Hoppe
alpinus Jacq. V
alpinus Stev. V
annuum *Vis.* VI
apenninus Ten
arcuatum Tau
asperum Forsk
asperum *Reich.*
aureum L. VII.
autumnale fl. d
autumnale L.
Berinii *Bartl.* V
bessarabicus F
bicolor Turcz.
biscutellaefolium
boreale *DC.* VII
Boryi *Boiss.* VI
Brumati *Schiede*
bulbosum L. VI
carolinianum
caucasicum *Fisc*
caucasicus Ste
ceratophorus
chilense *DC.* VI
chondrillaefolium
cichoraceum Sc
ciliatum *Scop.* V
contortum Du
corniculatus K
coronopifolium
crepidiforme L
crispum *Vill.* VI
β glabriusculum
croceum *Haenk.*
β aurantiacum K
γ breviscapum DC
croceus Reich.
danubiale Jacq.
dentatum L. VI
dentatus Taus
dubium *Reich.* V
α β γ *DC.* VII. 1
erectum Hoffm.
eriopodon Wall
eriopodum Don
Eriopus Spr. V
glaucanthus La
glaucescens MB
glaucescens W
Gouani Schleic
Gussoni Spr. V

*) lege chilense. VII

Link VII. 146
102
arium Duby VII. 100
ferat VII. 101
C. VII. 165
ok. VII. 149
s. VII. 100
II. 99
VII. 104
Merat VII. 127
v. VII. 127
II. 102
VII. 102
ll. VII. 100
nd. VII. 210
C. *fl. fr.* VII. 102
C. *fl. fr.* VII. 104
C. *fl. fr.* VII. 103
at VII. 102
C. VII. 104
fl. fr. VII. 103
Wall. VI. 539
V. VII. 146
II. 124
Ledeb. VII. 149
Kit. VII. 148
VII. 104
b. VII. 148
VII. 102
ill. VII. 146
igant. VII. 146
am. VII. 107
A. Meyer VII. 145
Forsk. VII. 183
Forsk. VII. 106
L'Herit. VII. 132
V. et K. VII. 106
ies VII. 147
VII. 147
With. VII. 145
lan. VII. 148
VII. 148
Vall. VII. 149
Tausch VII. 148
VII. 146
eich. VII. 109
VII. 105
a b c Vill. VII. 102
Merat VII. 99
Gou. VII. 101
am. VII. 80
VII. 148

Leontodon
Rosani *DC.* VII. 104
salinus Bess. VII. 147
salinus Ledeb. VII. 149
salinus Poll. VII. 148
saxatile Lam. VII. 100
saxatile *Reich.* VII. 103
Scorzonera Roth VII. 148
serotinus W. et Kit. VII. 147
sinense Lour. VII. 150
squamosum *Lam.* VII. 101
Stevenii Spr. VII. 149
Stevenii β sinuatus Ledeb. VII. 149
sublyratum *Merat* VII. 104
Taraxaci Lois. VII. 107
taraxacoides Hoppe VII. 146
taraxacoides *Merat* VII. 104
taraxacoides Räusch. VII. 146
Taraxacum L. VII. 145
Taraxacum Siev. VII. 146
Taraxacum With. VII. 148
Taraxacum β arenarium Bluff. et Fing. VII. 146
tenuiflorum *DC.* VII. 102
tenuifolium Hoppe VII. 148
terglovense Heig. VII. 171
tomentosum L. fil. VII 42
tuberosum L. VII. 100
umbellatum Schrank VII. 128
variegatum *DC.* VII. 105
Villarsii *Lois.* VII. 103
vulgare Lam. VII. 145

LEONTODONTEAE Schultz VII. 99

Leontodontoides Mich. VII. 82
Leontonyx *Cass.* VI. 167
angustifolius *DC.* VI. 168
β diffusus - - -
bicolor *DC.* VI. 168
candidissimus *DC.* VI. 169
colorata Cass. VI. 168
coloratus var. contractus Less. VI. 168
coloratus gracilis Less. VI. 168
glomeratus *DC.* VI. 168
pusillus *Less.* VI. 168
spathulatus *Less.* VI. 168
squarrosus *DC.* VI. 167
β pallidus - - -
γ longifolius - - 168
stramineus *DC.* VI. 168
tinctus *DC.* VI. 168
tomentosa Cass. VI. 167

Leontonyx
tomentosus Less. VI. 167
Leontophthalmum W. Less. DC. V. 675 (Calea)
peruvianum H. B. et K. V. 675
Leontopodium *R. Br.* VI. 275
alpinum *Cass.* VI. 275
β nivale *Ten.* VI. 276
himalayanum *DC.* VI. 276
sibiricum *Cass.* VI. 276
umbellatum Bluff. et Fing. VI. 276
Lepachys Raf. DC. V. 558 (Obeliscaria)
pinnatifida Raf. V. 558
Lepicaune albida Lapeyr. VII. 152
balsamea Lapeyr. VII. 231
grandiflora Lapeyr. VII. 166
intybacea Lapeyr. VII. 166, 210
multicaulis Lapeyr. VII. 167
prunellaefolia Lapeyr, VII. 169
spinulosa Lapeyr. VII. 187
tomentosa Lapeyr. VI. 357
turbinata Lapeyr. VII. 167
Lepicline Less. DC. VI. 197 (Helichrysum)
Lepidaploa Cass. V. 15, 26 *DC.* V. 26 (Vernonia)
aristata Cass. V. 64
buxifolia Cass. V. 30
canescens Cass. V. 41
lanceolata Cass. V. 49
phyllostachya Cass. V. 48
scorpioides Cass. V. 42
Lepidonema Fisch. et Mey. VII. 88
chilense Fisch. et Mey. VII. 89
Lepidopappus fl. mexic. V. 655
tripteris fl. mexic. V. 655
Lepidophorum *Neck.* VI. 19
repandum *DC.* VI. 19, 12
Lepidophyllum *Cass.* V. 314 VII. 278
cupressiforme *Cass.* V. 314 VII. 278
Lepidopogon Tausch V. 458
gnaphalodes Tausch V. 458
Ponae Tausch V. 458
Lepidoseris Reich. DC. VII. 153 (Barkhausia)
Lepiscline Cass. VI. 197
cymosa Cass. VI. 202
Leptalea apiculata Don VII. 47
Lepteranthus Neck. DC. VI. 572 (Centaurea)
Lepteranthus
hygrometricus C
incoronatus Cas
Leptica E. Meyer
ciliata E. Meyer
Leptinella *Cass.* VI.
bogotensis *DC.* VI
peduncularis *DC.*
pinnata *Cass.* VI
scariosa *Cass.* VI.
Leptocarpha *DC.* V.
rivularis *DC.* V. 4
Leptocoma *Less.* V.
racemosa *Less.* V.
Leptoderis DC. V.
Leptoglossa DC. VI
Leptogyne Ell. V.
Leptomorpha DC.
Leptophyta DC. VI.
Leptophytus Cass.
leysseroides Cass
Leptopoda *Nutt.* V.
decurrens Mach
helenioides Cass.
Helenium *Nutt.* V
puberula *Machr.*
Leptorhynchos *Less.*
aureus *Benth.* VI.
citrinus *Benth.* VI
elongatus *DC.* VI.
hemisphaericus *DC*
linearis *Less.* VI.
medius *Cunningh.*
nitidulus *DC.* VI.
β leucocaulon *DC.*
Podolepis *DC.* VI.
Rhytidanthe *Benth*
squamatus *Less.* VI
suaveolens *Benth.*
Leptospermoides D
Leptostelma maxim
Leptosyne *DC.* V. 53
Douglasii *DC.* V. 5
Leptothamnus *DC.* V.
ciliaris *DC.* V. 367
Leria *DC.* VII. 42
albicans *DC.* VII. 4
caespitosa Spr. VI

Spr. VII. 41
Spr. VII. 44
Cass. VII. 42
DC. VII. 42
Cass. VII. 42
Spr. VI. 495
DC. VII. 42
integrifolia Less. VII. 42
pumila Less. VII. 43
var. sinuata Less. VII. 42
DC. VII. 42
DC. VII. 42
ta Don VII. 43
Less. DC. VII. 40
Cham. V. 351
um *Cham.* V. 351
Kunth V. 374 *(rectius* Laestadia V. 696)
Kunth et Less. V. 374
Neck. VI. 70, 71 *DC.* VI. 71 (Dimorphotheca)
Gray VI 577
moides DC. VI. 49 (Adenachaena)
um *Tourn. DC.* VI. 45 VII. 296
Lam. VI. 55
DC. VI. 49
DC. VI. 45
DC. VII. 297
DC. VI. 48
DC. VI. 48
DC. VI. 47
lium Lam. VI. 48
llum *DC.* VI. 47
ium *DC.* VI. 45 VII. 296
DC. VI. 47
m *DC.* VI. 47
DC. VI. 47
DC. VI. 46
DC. VI. 48
DC. VI. 48
Tourn. VI. 54
DC. VI. 47
Lam. VI. 46
DC. VI. 49
lium *DC.* VI. 46
DC. VI. 48

Leucanthemum
sibiricum *DC.* VI. 46
β acutilobum *DC.* VI. 46
sinuatum *DC.* VI. 46
vulgare *Lam.* VI. 46
Leuceria *Lag.* VII. 56 *(conf. Leucheria)*
acanthoides *Don* VII. 56
andryaloides *DC.* VII. 57.
candidissima Gill. et Don VII. 59
cinerea Don VII. 60
congesta *Gill. et Don* VII. 57
conyzoides Don VII. 71
divaricata Don VII. 57
echioides Gill. et Don VII. 71
floribunda *DC.* VII. 58
hieracioides *Cass.* VII. 57
Neaei *DC.* VII. 58
paniculata *Kunze* VII. 57
pulchella Don VII. 60
scrobiculata Gill. et Don VII. 59
senecioides *Hook. et Arn.* VII. 57
β purpurascens *DC.* VII. 57
senecioides var. Hook. et Arn. VII. 57
tenuis *Less.* VII. 57
Leucerioides DC. VII. 59 (Chabraea)
Leucheria (Leuchaeria) VII. 56, 58
Bridgesii Hook. et Arn. VII. 60
Cummingii Hook. et Arn. VII. 59
Gilliesii Hook. et Arn. VII. 60
hieracioides Gill. et. Don VII. 60
rosea Poepp. VII. 57
runcinata Gill. et Don VII. 59
Leucochrysum DC. VI. 215 (Helipterum)
Leucoglossa DC. VI. 53 (Pyrethrum)
Leucomeris *Don* VII. 25 *Blum.* V. 21
celebica Blum. V. 21
glabra Blum. V. 22
javanica Blum. V. 22
macrophylla *DC.* VII. 25
spectabilis *Don* VII. 25

Leucomeris
spectabilis Spr. VII. 25
Leucophyta *R. Br.* VI. 152
Brownii *Less.* VI. 152
Leucophyton Less. VII. 36
Leucopsidium *DC.* VI. 43
arkansanum *DC.* VI. 43
Leucopsis DC. V. 348 (Aplopappus)
Leucostemma Don Less. VI. 209
lingulatum Don VI. 209
vestitum Don VI. 209
Leuzea *DC.* VI. 665
altaica *Fisch.* VI. 666
australis *Gaud.* VI. 665
carthamoides *DC.* VI. 666
conifera *DC.* VI. 665
dahurica Bunge VI. 664
pinnatifida *DC.* VI. 666
pusilla *Spr.* VI. 666
β *DC.* VI. 666
salina *Spr.* VI. 666
serratuloides *Fisch. et Mey.* VI. 666
Leyssera (*Leysera*) *L.* VI. 278 VII. 299
arctotoides Thunb. VI. 497
Callicornia Thunb. VI. 278
Callicornia W. VII. 13
capillifolia *DC.* VI. 279 VII. 299
caroliniana Walt. VI. 279
ciliata Thunb. V. 218
discoidea Cass. VI. 279
ericoides Berg. VI. 286
gnaphalioides *L.* VI. 278
β glandulosa *E. Meyer* VI. 278
gnaphaloides Thunb. VII. 279
incana E. Meyer VII. 13
incana *Thunb.* VI. 278
odorata R. et P. VII. 34
ovata Thunb. VII. 279
paleacea L. VI. 286
picta Thunb. VII. 37
pilosella Thunb. V. 217, 276
polifolia Thunb. VII. 13
squarrosa Eckl. VI. 278
squarrosa Thunb. VI. 214
tenella *DC.* VI. 279
α subcanescens *DC.* VI. 279
β glabriuscula - - -
tridactyla E. Meyer V. 215
LEYSSEREAE *Less. DC.* V. 500 VI. 276
LIABEAE *Cass. DC.* V. 10, 94 VII. 265
Liabum *Adans.* V. 9
acaule *DC.* V. 97
Bonplandii Cass
Brownei *Cass.* V.
ericoides *Less.* VI
floribundum *Less.*
grandiflorum L
hieracioides *DC.*
igniarium Less.
Jussiaei *Cass.* V.
melastomoides L
nubigenum Less.
sessiliflorum Le
solidagineum Le
verbascifolium L
volubile Less. VI
Liatris *Schreb.* V.

aspera *Mx.* V. 130
baicalensis Adam
bellidifolia *Nutt.*
corymbosa *Nutt.*
cylindracea *Mx.* V.
elegans *W.* V. 129
fruticosa *Nutt.* V.
gracilis *Ell.* V. 131
gracilis Lodd. V.
gracilis Pursh V
graminifolia *Pursh*
graminifolia W.
heterophylla *Ait.* V
intermedia bot. re
lanata Spr. VI. 5
latifolia Don VII
Linaria Raf. V.
macrostachya Mx
mucronata *DC.* V.
odoratissima *W.* V.
oppositifolia *Nutt.*
paniculata *W.* V. 1
pauciflora *Pursh* V
picta Bart. V. 130
pilosa bot. reg. V.
pilosa Torr. V. 13
pilosa *W.* V. 131
β laevicaulis *DC.* V.
pumila Lodd. V. 1
punctata *Hook.* V. 1
pycnostachya *Mx.*
resinosa *Nutt.* V. 1
scariosa bot. mag.
scariosa *W.* V. 129
secunda *Ell.* V. 131
sphaeroidea *Mx.* V.
spicata Sweet V. 1

V. V. 130
stachya DC. V. 130
W. V. 129
DC. V. 129
losa Mx. V. 130
Nutt. V. 128
a Mx. V. 132
a Sweet V. 130
nks herb. V. 131
Ell. V. 132
Berg. VI. 39 *Pers.* VI. 38 *Thunb.* VI. 82
a Thunb. VI. 38
Gmel. VI. 39
unb. VI. 39
Berg. VI. 39
a Eckl. VI. 83
a E. Meyer VI. 82
loba Cass. VI. 39
a Thunb. VI. 82
Cass. VII. 43
Cass. VII. 43
Cass. VII. 43
Cass. VII. 43
ss. VI. 313 VII. 300
C. VI. 315
alis DC. VI. 314
DC. VI. 314
DC. VI. 314
DC. VII. 300
a Turcz. VI. 329
DC. VI. 314
C. VI 316
Less. VI. 327
ess. VI. 316
ess. V. 210
a DC. VI. 316
DC. VI. 315
DC. VI. 314
DC. VI. 316
DC. VI. 315
VI. 314
C. VI. 316
C. VI. 315
ma DC. VI. 315
Less. V. 210
DC. VI. 315
E Gaertn. VII. 74
RAE DC. VII. 74

Limbarda Cass. V. 463, 470 *Adans.* *DC.* V. 470 (Inula)
tricuspis Cass. V. 470
Liniphyllum Less. VII. 29
Linosyris *Lob.* V. 351 VII. 280
candicans *DC.* V. 352
divaricata *DC.* V. 352
foliosa Cass. V. 352
glabrata *DC.* V. 353
hastata *DC.* V. 352
montana *DC.* V. 352
nuperorum Lob. V. 352
punctata *Cass.* V. 352
uniflora *DC.* V. 352
villosa *DC.* V. 352
vulgaris *Cass.* V. 352
β minor *Wallr.* V. 352
γ patula *DC.* V. 352
δ verticalis *DC.* V. 352 *)
Lioydia Neck. VII. 13
Lipochaeta *DC.* V. 610 VII. 291
connata *DC.* V. 611
fasciculata *DC.* V. 610
hastulata *DC.* V. 611
lavarum *DC.* V. 611
lobata *DC.* V. 611
monocephala *DC.* V. 610
serrata *DC.* V. 611
strigosa *DC.* V. 610
succulenta *DC.* V. 611
umbellata *DC.* V. 610 VII. 291
β conferta
Lipotriche *R. Br.* V. 544 *Less.* V. 610
australis Less. V. 611
Brownei *DC.* V. 544
gymnolomoides Less. V. 609
Lockeria Neck. V. 612
Logfia Cass. VI. 248
brevifolia Cass. VI. 248
lanceolata Cass. VI. 248
subulata Cass. VI. 248
Lomatolepis *Cass.* VII. 180
glomerata *Cass.* VII. 180
nudicaulis Cass. VII. 181
Lonas *Adans.* VI. 84
inodora Cass. VI. 84
inodora *Gaertn.* VI. 84
minima Cass. VI. 84
Longchampia W. Less. VI. 278, 279 *DC.* VI. 279 (Leyssera)
capillifolia W. VI. 279
Lophiolepis Cass. DC. VI. 631 (Cirsium)

*) delenda et ad Jasoniam glutinosam referenda VII. 280.

Lophiolepis
araneosa Cass. VI. 635
calocephala Cass. VI. 635
dubia Cass. VI 636
nutans Cass. VI. 639
Lopholaena *DC.* VI. 335
Dregeana *DC.* VI. 336
Lopholoma Cass. DC. VI. 580 (Centaurea)
Lorentea *Less.* V. 101, 102 *Lag.* V. 98 *Ort.* V. 628
atropurpurea Ort. V. 628
auricularis *DC.* V. 102
β acapulcensis *DC.* V. 102
canescens *DC.* V. 102
cryptopetala *DC.* V. 101
Haenkeana *DC.* V. 102
α hirsuta - - -
β laeviuscula *DC.* V. 102
humifusa *Less.* V. 102
multifloscula *DC.* V. 102
prostrata Lag. V. 100
satureioides *Less.* V. 103
sessiliflora *Less.* V. 102
tenuifolia *DC.* V. 103
Loxodon *Cass.* VII. 44
brevipes *Cass.* VII. 44
chilensis *DC.* VII. 44
β *DC.* VII. 44
longipes Cass. VII. 44
Lucilia *Cass.* VII. 45
acutifolia *Less.* VII. 46
α nivea - - -
β microphylla *Less.* VII. 46
γ virescens *DC.* VII. 46
argentea *Hook. et Arn.* VII. 46
chilensis *Hook. et Arn.* VII. 46
gnaphalioides *Less.* VII. 46
microphylla Cass. VII. 46
nitens *Less.* VII. 46
Lucilioides Less. DC. VI. 280 (Pterothrix) *DC.* VII. 46 (Lucilia)
Lugoa *DC.* VI. 14
revoluta *DC.* VI. 14
Luthera Schultz VII 89
virginica Schultz VII. 89
Lychnocephalus *Mart. herb.* V. 83
bicolor Mart. herb. V. 81
tomentosus *Mart. herb.* V. 83
Lychnophora *Mart.* V. 78
brunioides *Mart.* V. 80
β alpicola *DC.* V. 80
ericoides *Mart.* V. 80
hakeaefolia *Mart.* V. 79
Lychnophora
phylicaefolia *DC.* V
Pinaster *Mart.* V.
proteaeformis *Mart*
rosmarinifolia L
rosmarinifolia *Mar*
salicifolia *Mart.* V
staavioides *Mart.*
villosissima *Mart.*
Lychnophoroides L
(
Lycoseris *Cass.* VII.
denticulata *Less.* V
hyssopifolia Cass
mexicana *Cass.* VI
triplinervia Less
Lycotis leucanthem
ma
Lygodesmia *Don* VI
aphylla *DC.* VII. 1
juncea *Don* VII. 1
minor *Hook.* VII.
triquetra Don V
Lyonnetia *Cass.* VI.
abrotanifolia *Less.*
muricata *DC.* VI.
pectinata *DC.* VII.
pusilla *Cass.* VI.
rigida *DC.* VI. 14
tenuiloba *DC.* VI.

M

Machaeranthera *Nees*
tanacetifolia *Nees*
Machlis *DC.* VI. 140
hemisphaerica *DC.*
Macledium Cass. L
Burmanni Cass.
Maclovia DC. VII. 5
Macrobotrys DC. V
Macrorhynchus *Less.*
aurantiacus *Fisch.*
chilensis Hook.
chilensis Less. V
laevigatus *Fisch. et*
Poeppigii *DC.* VII.
pterocarpus *Fisch.*
pumilus *DC.* VII.
Madaractis *DC.* VI.

: VI. 440
DC. VI. 439
a DC. VI. 440
DC. VI. 440
: V. 439
V. 691 VII. 294
DC. V. 692
- - -
: V. 692 VII. 294
DC. V. 692 (Hemizonia)
DC. V. 694
DC. V. 694
DC. V. 694
DC. V. 694
td. V. 301
Lend. V. 301
V. 691 VII. 294 Auct. V. 691, 692
t. mag. VII. 294
ra V. 692
Hook. VII. 294
cq. V. 691
: V. 691
V. 691
et Don V. 691
DC. V. 691
V. 691
v. V. 691
V. 691
Hook. VII. 294
V. 499, 691
. VI. 65 (Chrysanthemum)
C. V. 457
217 Nees V. 217
DC. V. 218
s V. 217
V. 217
DC. V. 218
DC. V. 218
Nees V. 217
: V. 218
lus altaicus Tausch VI. 666
s Tausch VI. 666
C. VII. 192
DC. VII. 192
Cass. VI. 562 DC. . 562 (Microlonchus)
ss. VI. 563
DC. VI. 136
a DC. VI. 136

Marasmodes
polycephalus DC. VI. 136
Marcelia Cass. VI. 4
aurea Cass. VI. 7
Margaripes DC. VI. 270 (Antennaria)
Margarita Gaud. V. 226
Bellidiastrum Gaud. V. 226
Marschallia Schreb. V. 680
aliena Spr. V. 216
angustifolia Pursh V. 680
β cyananthera Ell. V. 680
australis Spr. V. 672
bulbosa Raf. V. 680
caespitosa Nutt. V. 680
lanceolata Pursh V. 680
latifolia Pursh V. 680
Schreberi Tratt. V. 680
Martrasia Lag. Cass. VII. 55
pubescens Lag. VII. 56
Maruta Cass. VI. 13
Cotula DC. VI. 13
β lithuanica DC. VI. 13
foetida Cass. VI. 13
fuscata DC. VI. 14
vulgaris Bluff et Fing. VI. 13
Mastigophorus Cass. DC. VII. 50 (Nassauvia)
Gaudichaudii Cass. VII. 50
Mastrucium Cass. DC. VI. 667 (Serratula)
pinnatifidum Cass. VI. 667
Matamoria Lallav. et Lex. V. 87
spicata Lallav. et Lex. V. 87
Mataxa Spr. VI. 37
capensis Spr. VI. 38
Matricaria L. VI. 50 VII. 297
absinthoides Desr. VI. 52
africana Berg. VI. 51
alpina Desr. VI. 55
americana Mill. VI. 52
apetala hort. Erf. VI. 63
argentea L. VI. 56
asteroides L. V. 302
bellidis-flore Turr. VI. 55
bipinnata Spr. VI. 38
cantoniensis Lour. VI. 44
capensis L. VI. 50
β erecta DC. VI. 51
carnosa Desr. VI. 49
Chamomilla Curt. VI. 51
Chamomilla L. VI. 51
Chamomilla Wallr. VI. 51
coronaria Desr. VI. 64
corymbifera DC. VII. 297

Matricaria
corymbosa Desr. VI. 57
corymbosa Savi VI. 57
Courrantiana *DC.* VI. 52
disciformis *DC.* VI. 51
discoidea *DC.* VI. 50
glabrata *DC.* VI. 51
glastifolia Hill. V. 301
graminifolia Desr. VI. 48
grandis Desr. VI. 135
Halleri Poir. VI. 55
hirta *DC.* VI. 51
inciso-serrata Poir. VI. 57
inodora Lam. VI. 57
inodora *L.* VI. 52
β salina *Wallr.* VI. 52
leucanthema Clairv. VI. 46
Leucanthemum Desr. VI. 46
maritima L. VI. 53
minima Desr. VI. 55
minima β Lam. VI. 61
monspeliensis α Desr. VI. 48
— β *Desr.* VI. 46
montana Desr. VI. 48
nigellaefolia *DC.* VI. 50
β tenuior *DC.* VI. 50
odorata Lam. VI. 58
oleracea Hamilt. VI. 64
pallida Poir. VI. 18
parthenioides Desf. VI. 7
parthenium hort. Gall. VI. 7
Parthenium L. VI. 58
perforata Merat VI. 52
pilosa Poir. VI. 53
pinnatifida Desr. VI. 66
— β *Desr.* VI. 66
praealta Poir. VI. 58
praecox *DC.* VI. 52
β puberula *DC.* VI. 52
prostrata Sw. VI. 42
pulverulenta Poir. VI. 58
punctata Desr. VI. 54
pusilla *W.* VI. 52
pyrethrifolia Poir. VI. 67
pyrethroides *DC.* VI. 52
rigida Desr. VI. 135
suaveolens Link VI. 52
suaveolens *L.* VI. 51
tanacetifolia Desr. VI. 63
tenella *DC.* VI. 51
β multicaulis *DC.* VI. 51
virgata Desr. VI. 135
Matricarioides Less. DC. VI. 131 (Tanacetum)
Medicusia Moench VII. 128
aspera Moench VII. 129
Medicusia
lappacea Reich
Sprengeriana
Meisteria Scop.
MELAMPODIEAE *L*

MELAMPODINEAE

Melampodium *L.* V.
americanum *L.* V
angustifolium *DC*
australe Löfl.
Baranquillae S
Berterianum S
cinereum *DC.* V.
connatum fl. me
diffusum *Cass.* V
divaricatum *DC.*
Dombeyanum *DC*
gracile *Less.* V.
heterophyllum *La*
Hidalgoa *DC.* V.
hispidum *H. B. et*
humile Sw. V.
Kunthianum *DC.*
lanceolatum *DC.*
linearilobum *DC.*
longifolium *Cav.*
manillense Less.
microcephalum *La*
oblongifolium *DC.*
ovatifolium Rei
paludosum H. B.
perfoliatum *H. B.*
ramosissimum *DC.*
rhomboideum *DC.*
ruderale *Sw.* V.
sericeum H. B. a
sericeum *Lag.* V.
Melananthera Ric
glandulosa Wal
Linnaei Kunth
orientalis Spr.
Melanchrysum Cas

Pavonium Cass.
spinulosum Cass.
Melanodendron *DC.*
integrifolium *DC.*
Melanoloma Cass.

excelsior Cass. V
Fontanesii Cass.
pullata Cass. VI
Melanthera *Rohr* V

[illegible] *Spr.* V. 545
[illegible] *Rich.* V. 545
Rich. V. 545
[illegible] *Pursh* - -
[illegible] - - -
DC. V. 545
[illegible]eformis Cass. V. 545
[illegible] *Cass.* V. 545
[illegible]*olia Cass.* V. 545
[illegible]*C.* V. 532 VII. 308
[illegible]*C.* V. 533 VII. 308
[illegible]*ass.* V. 502
[illegible]*ii Cass.* V. 503
[illegible]*n Cass. DC.* VI. 592 (Centaurea)
alata Raf. V. 666
[illegible] *DC.* VI. 304
[illegible] *DC.* VI. 304
[illegible]*s DC.* VI. 93 (Stilpnophylum)
[illegible]*C.* VII. 97 VII. 307
[illegible] *DC.* VII. 307
DC. VII. 307
[illegible] - - -
[illegible]*ia* - - -
[illegible]*ides* - - -
DC. VII. 97 *)
[illegible] *Br.* VI. 249
[illegible]*ess.* VI. 253
[illegible]*C.* VI. 250
[illegible] *DC.* VI. 251
[illegible]*ma* - - -
[illegible]*ephala DC.* VI. 251
[illegible]*s* VI. 250
[illegible]*tissima DC.* VI. 250
[illegible]*ess.* VI. 253
[illegible] *Less.* V. 252
[illegible]*es β glomerata Less.* VI. 252
[illegible]*Cass.* VI. 250
[illegible]*C.* VI. 254
[illegible] *Don* VI. 252
[illegible]*aecens DC.* VI. 252
[illegible]*cula* - - -
[illegible] *DC.* VI. 251
[illegible]*a DC.* VI. 252
[illegible] *Sieb.* VI. 253
[illegible]*a DC.* VI. 254
[illegible]*a* - - -
[illegible] *Don* VI. 253
[illegible]*a Don* VI. 250

[illegible]*a ad M. crotensis var. β re-*[illegible]*VII. 307.*

Metalasia
fastigiata Sieb. VI. 250
glomerata *DC.* VI. 252
hispida Don VI. 256
intermedia *DC.* VI. 253
lanceolata *DC.* VI. 251
β lucida - - -
γ gemmulifera *DC.* - -
δ tomentosa - - -
Lichtensteinii *Less.* VI. 253
muraltiaefolia *DC.* VI. 253
muricata Don VI. 250 ,
muricata *Less.* VI. 250
β exilis *DC.* VI. 250
γ fastigiata *DC.* VI. 250
δ canescens - - -
ε subpaniculata *DC.* VI. 250
ζ conferta - - -
octoflora *DC.* VI. 250
phylicoides *Don* VI. 250
polyanthos Don VI. 250
pulcherrima *Less.* VI. 253
pungens *Don* VI. 251
quinqueflora *DC.* VI. 254
rosea *DC.* VI. 252
rosmarinifolia Sieb. VI. 166
seriphiifolia *DC.* VI. 254
seriphioides Don VI. 265
stricta *Less.* VI. 251
tenuifolia *DC.* VI. 253
umbellata Cass. VI. 253
umbellata Don VI. 255
uniflora Don VI. 255
Metalasioides DC. VI. 286 (Relhania)
Metazanthus *Meyen* VII. 259
cacalioides *Meyen* VII. 259
grandiflorus *Meyen* VII. 259
Meteorina Cass. DC. VI. 70 (Dimorphotheca)
crassipes Cass. VI. 71
gracilipes Cass. VI. 70
lyrata Cass. VI. 70
Meyera Schreb. V. 636
capitata Spr. V. 547, 549
fluctuans Spr. V. 637
guineensis Spr. V. 497
Heloncha Wall. V. 637
maritima H. B. et K. V. 637
orientalis Don V. 483
sessilis Sw. V. 637
Meyeria *DC.* V. 670
hispida *DC.* V. 671
longifolia *DC.* V. 671
myrtifolia *DC.* V. 670
parvifolia *DC.* V. 670

Micractis *DC.* V. 619
Bojeri *DC.* V. 620
Micrelium Forsk. V. 490
asteroides Forsk. V. 490
Tolak Forsk. V. 490
Microcalia A. Rich. V. 307
australis A. Rich. V. 307
Microcoma (rectius pro Steirocoma) DC. VII. 36 (Dicoma)
Microderis *DC.* VII. 127
rigens *DC.* VII. 128
Microderis DC. VI. 295 (Erechtites) *)
Microglossa *DC.* V. 320
altissima *DC.* V. 320
hispida *DC.* V. 321
petiolaris *DC.* V. 321
sessilifolia *DC.* V. 320
volubilis *DC.* V. 320
β ambigua - - -
γ madagascariensis *DC.* V. 320
Microgyne *Less.* V. 296 VII. 275
Cass. VI. 147
trifurcata *Less.* V. 297 VII. 275
Microlonchus *Cass.* VI. 562
divaricatus *DC.* VI. 562
persicus *DC.* VI. 563
salmanticus *DC.* VI. 563
Microlophus Cass. DC. VI. 567 (Centaurea)
alatus Cass. VI. 567
Micropsis *DC.* V. 459
nana *DC.* V. 460
Micropus *L.* V. 460 VII. 283
bombycinus *Lag.* V. 460
californicus *Fisch. et Mey.* VII. 283
discolor Pers. V. 460
erectus Guss. V. 460
erectus *L.* V. 460
exiguus D'Urv. V. 459
globiferus *Bert.* V. 460
mareoticus Spr. V. 459
minimus *DC.* V. 461
pygmaeus Desf. V. 458
supinus *L.* V. 460
Microrachis DC. VI. 85 (Hymenolepis)
Microrhynchus *Less.* VII. 180
asplenifolius *DC.* VII. 181
bellidifolius *DC.* VII. 181
Dregeanus *DC.* VII. 181

*) delendum et in *Petteria* mutandum VII. 298.

Microchynchus
nudicaulis Pers
nudicaulis *Less.*
β divaricatus DC.
patens *DC.* VII. 1
sarmentosus *DC.*
Microseris *Don* VII.
pygmaea *Hook.*
Microspermum *Lag.*
nummulariaefolium
Microstephium *Less*
niveum *Less.* VI.
Microtrichia *DC.* V.
Perrottetii *DC.* V
Mieria Lallav. et
virgata Lallav.
Mikania *W.* V. 187
acuminata *DC.* V
alata *DC.* V. 197
amara Bert. ha
amara *W.* V. 195
ambigua *DC.* V.
Andrachne *DC.* V
angularis *H. B.*
angulosa Raf.
angustifolia H
apiifolia *DC.* V. 2
arborea H. B.
arborea Roxb.
Argyreiae *DC.* V.
artemisioides C
asparagoides L
attenuata *DC.* V.
auriculata Spr.
auriculata W.
Badieri *DC.* V. 1
Banisteriae *DC.*
batataefolia *DC.*
Berteriana Spr
biformis *DC.* V.
brachypoda *DC.*
bracteosa *DC.* V.
buddleiaefolia *DC*
capensis *DC.* V.
carnosula *DC.* V.
chenopodifolia *W*
chenopodivides
cissampelina *DC.*
clavellata *DC.* V.
clematidea *DC.* V
clematidea Wal
congesta *DC.* V.
convolvulacea *DC*
β portoricensis -

lis Spr. V. 199
i W. V. 189
Poepp. V. 190
pr. V. 203 *)
ata Poepp. V. 201
a W. V. 198
folia DC. V. 198
DC. V. 198
- - -
i DC. V. 201
C. VII. 270
DC. V. 192
DC. V. 193
DC. V. 198
Spr. V. 197
DC. V. 199
- - -
t Bonpl. V. 193
DC. V. 196
V. 190
DC. V. 202
DC. V. 200
DC. V. 195
W. V. 190
eux V. 193
V. 194
DC. V. 194
DC. V. 201
DC. V. 189
V. 193
V. 194
200
C. V. 188
DC. V. 191
DC. V. 195
DC. V. 187
Wall. herb. V. 179
B. et K. V. 196
C. VII. 270
C. V. 191
lia W. V. 186
DC. V. 200
B. et K. V. 196
DC. V. 200
DC. V. 200
DC. V. 196
et K. VI. 201
Bojer V. 188
DC. V. 191
C. V. 198
DC. V. 188

lorum ad Caleam pin-
referenda VII. 271,

Mikania
nodosa *Spr.* V. 189
nummularia *DC.* V. 188
oblongifolia *DC.* V. 188
obovata *DC.* V. 192
obtusata *DC.* V. 192
officinalis *Mart.* V. 189
opifera *Mart.* V. 197
orinocensis *H. B. et K.* V. 196
oxyota *DC.* V. 198
paniculata *DC.* V. 194
Parkeriana *DC.* V. 199
penstemonoides *DC.* V. 189
pinnatiloba *DC.* V. 187
platyphylla *DC.* V. 195
Poeppigii *Spr.* V. 200
polystachya *DC.* V. 190
psilostachya *DC.* V. 190
psychotrioides *DC.* V. 193
pteropoda *DC.* V. 191
pubescens *Mühl.* V. 200 VII. 270
pyrifolia *DC.* V. 195
resinosa *Spr.* V. 190 *)
rubiginosa *Sm.* V. 201
salzmanniaefolia *DC.* V. 193
saturejaefolia W. V. 186
scabra *DC.* V. 190
scandens Spr. V. 197
scandens *W.* V. 199
scansoria *DC.* V. 202
Selloi *Spr.* V. 190 VII. 270
serratifolia H. B. et K. V. 181
serratifolia Sieb. V. 181
sessilifolia *DC.* V. 188
Sieberiana *DC.* V. 196
smilacina *DC.* V. 192
sophiaefolia Spr. V. 171
speciosa *DC.* V. 196
stipulacea *W.* V. 191
suaveolens *H. B. et K.* V. 201
Tafallae Spr. V. 194
Tafallana *H. B. et K.* V. 193
tamoides *DC.* V. 197
ternifolia *DC.* V. 188
testudinaria *DC.* V. 197
teucriifolia *Spr.* V. 189
thapsoides *DC.* V. 189
thunbergioides *DC.* V. 198
tomentosa W. VI. 330
trichophila *DC.* V. 200
trinitaria *DC.* V. 194
verrucosa Spr. V. 174

*) delenda; est enim Eupatorium Schlechtendahlii DC. VII. 269, 271.

Mikania
viminea *DC.* V. 187
viscosa *Spr.* V. 190
vismiaefolia *DC.* V. 189
vitifolia *DC.* V. 202
volubilis *DC.* V. 199.
volubilis W. V. 199
volubilis Wall. V. 156
Milleria *Cass.* V. 503 *Cav.* V. 635
alba Rick. V. 510
angustifolia Cav. V. 635
biflora L. V. 503
contrahierba Lam. V. 635
Contrayerba Cav. V. 635
dichotoma Cav. V. 503
glandulosa *DC.* V. 503
maculata Mill. V. 503
quinquefolia *L.* V. 503
β maculata *DC.*
MILLERIEAE Cass. V. 500
MILLERIEAE *DC.* V. 498, 502
Millina *DC. Cass.* VII. 109
hyoseroides *DC.* VII. 110
leontodontoides *Cass.* VII. 109
Millotia *Cass.* VI. 161
tenuifolia *Cass.* VI. 161
Minuria *DC.* V. 298
leptophylla *DC.* V. 298
tenuissima *DC.* V. 298
Minurothamnus *DC.* VII. 286
phagnaloides *DC.* VII. 286
Mitina Adans. DC. VI 546 (Carlina)
lanata Cass. VI. 546
Mnesitheon Raf. VII. 287
album Raf. V. 483
Mocinia DC. VII. 26
mutisioides DC. VII. 26
Moçinna Lag. V. 671
brachiata Lag. V. 674
brasiliensis Spr. V. 674
serrata Lag. V. 673
Moehnia Neck. VI. 508
Molina R. et Pav. V. 398
articulata Less. V. 424
caespitosa R. et Pav. V. 406
concava R. et Pav. V. 411
conyzoides Less. V. 403
corymbosa R. et Pav. V. 427
crispa Less. V. 424
cylindrica Less. V. 426
dependens R. et Pav. V. 428
emarginata R. et Pav. V. 428
erruginea R. et Pav. V. 426
glutinosa Alam. V. 312
lanuginosa R. et Pav. V. 426
Molina
juncea Less. V.
latifolia R. et
linearis Less.
linearis var. R
microcephala
milleflora Less
nitida R. et Pa
oblongifolia R
obovata R. et
parviflora R.
pentaptera La
phyteumoides
prostrata R.
racemosa R. et
reticulata Les
reticulata R.
sagittalis Les
salicifolia R.
scabra R. et P
scandens R. et
tomentosa R.
trimera Less.
uniflora R. et
venosa R. et P
viscosa hort.
viscosa R. et P
Molpadia Cass.
suaveolens Ca
Monactis *H. B. et*
dubia H. B. et
Flaveriae *DC.*
flaverioides H.
Monarrhenus *Cass*
pinifolius *Cass.*
rufescens *DC.*
salicifolius *Cas*
Monenteles *Labill*
globiferus *DC.*
intermedius *DC*
Pterocaulon *DC*
redolens *DC.* V
sphacelatus C
sphacelatus *La*
sphaeranthoides
spicatus Cass.
spicatus *Labill.*
Monochlaena Ca
racemosa Cas
Monodonta DC.
Monogyria DC.
Monolepis *DC.* V
major *DC.* VI.
minor *DC.* VI.

V. 77
)C. V. 77
ifolia *DC.* V. 77
)C. V. 77
DC. V. 77
C. V. 564
DC. V. 565
)C. V. 564
luiret V. 565
DC. V. 565
)C. V. 565
C. V. 565
. V. 565
)C. V. 564
DC. V. 565
- - -
ubescens Spr. VI. 281
llav. et Lex. V. 564
Cerv. V. 566
VII. 288
Arn. VII. 289
VII. 22, 306
VII 23
VII. 23
)C. VII. 23
)C. VII. 23
DC. VII. 23, 306
lia *Less.* VII. 23
lia - - -
- - -
- - -
- - -
- - -
C. VII. 23
VI. 161
l. VI. 161 *)
VI. 90
VI. 92
. VI. 91
VI. 91
Cass. VI. 91
ess. VI. 91
VI. 91
DC. VI. 92
ess. VI. 92
DC. VI. 91
)C. VI. 91
VI. 91
)C. VI. 91
. VI. 91
rs. VII. 72
et Pav. VII. 72

chynchos aureus et
bilandrum VI. 679.

Moscharia
pinnatifida Lindl. VII. 72
pinnatifida *R. et Pav.* VII. 72
Moschifera Molin. VII. 72
Mosigia Spr. VII. 72
pinnatifida Spr. VII. 72
Mulgedium *Cass.* VII. 247
acuminatum *DC.* VII. 250
albanum *DC.* VII. 249
alpinum *Less.* VII. 248
azureum *DC.* VII. 248
cacaliaefolium *DC.* VII. 250
cyaneum *DC.* VII. 249
floridanum *DC.* VII. 249
hastatum *Less.* VII. 250
hispidum *DC.* VII. 250
integrifolium Cass. VII. 140
laevigatum *DC.* VII. 249
Lessertianum *DC.* VII. 251
β dentatum *DC.* VII. 251
leucophaeum *DC.* VII. 250
lyratum Cass. VII. 249
macrophyllum *DC.* VII. 248
macrorhizon *Royle* VII. 251
multiflorum *DC.* VII. 249
Plumieri *DC.* VII. 248
prenanthoides *DC.* VII. 248
rapunculoides *DC.* VII. 249
robustum *DC.* VII. 250
runcinatum Cass. VII. 248
sagittatum *Royle* VII. 250
sibiricum *Less.* VII. 249
β indivisum *DC.* - -
tataricum *DC.* VII. 248
Munnozia *R. et Pav.* VII. 259
corymbosa *R. et Pav.* VII. 259
lanceolata *R. et Pav.* VII. 260
trinervis *R. et Pav.* VII. 260
venosissima *R. et Pav.* VII. 260
Munychia *Cass.* V. 222
brachyglossa Cass. V. 223
cymbalariae *Nees* V. 223
β microcephala *DC.* - -
cymbalarioides *DC.* V. 223
hirsuta *DC.* V. 222
Mussinia W. VI. 508
incisa W. VI. 509
linearis W. VI. 512
Othonna W. VI. 510
pinnata W. VI. 509
pusilla Licht. VI. 514
speciosa W. VI. 510
uniflora W. VI. 512
Mustelia Eupatoria Spr. V. 118
Mutisia *L. fil.* VII. 4 *Cass.* VII. 5
acerosa *Poepp.* VII. 8

Mutisia
acuminata *R. et Pav.* VII. 5
arachnoidea Don VII. 5
auriculata Kunze VII 7
Berterii *DC.* VII. 8
campanulata *Less.* VII. 6
Clematitis Don VII. 5
Clematis *L. fil.* VII. 5
coccinea *St. Hil.* VII. 6
dealbata *DC.* VII. 6
decurrens *Cav.* VII. 6
grandiflora *H. et Bonpl.* VII. 5
hastata Bert. herb. VII. 7
hastata *Cav.* VII. 7
heliantha Poepp. VII. 6
ilicifolia Cav. VII. 7
ilicifolia *Hook.* VII. 7
β Cavanillesii *DC.* VII. 7
γ truncata - - -
inflexa Cav. VII. 8
lanata *R. et Pav.* VII. 6
latifolia *Don* VII. 7
linearifolia *Cav.* VII. 8
linifolia *Hook.* VII. 8
microphylla *W. herb.* VII. 6
peduncularis *Cav.* VII. 5
retrorsa *Cav.* VII. 6
rosea *Poepp.* VII. 8
runcinata W. VII. 7
sagittata W. VII. 7
sinuata *Cav.* VII. 7
sinuata Cav. VII. 7
sinuata var. subtomentosa Cav. VII. 7
speciosa *Hook.* VII. 5
speciosa β dealbata Less. VII. 6
speciosa microphylla Less. VII. 6
spinosa Hook. et Arn. VII. 7
spinosa Less. VII. 7
spinosa *R. et Pav.* VII. 7
subspinosa *Cav.* VII. 6
subulata *R. et Pav.* VII. 8
subulata α Cavanillesii Hook. et Arn. VII. 8
subulata β rosea Hook. et Arn. VII. 8
subulata γ major Hook. et Arn. VII. 8
taraxacifolia *Less.* VII. 7
tridens *Poepp.* VII. 8
truncata Don VII. 7
ulicina Don VII. 8
ulicifolia *Cav.* VII. 5
MUTISIACEAE *Less. DC.* V. 9 VII. 1

MUTISIEAE *Less*
Myacanthes va

Mycelis Cass. D

ambigua Cas
muralis Reic
Myoseris Link
purpurea Li
Myriactis *Less.*
Gmelini *DC.*
javanica *DC.*
nepalensis *Les*
pilosa *Blum.*
Wallichii *Less*
β hispidior *DC*
Wightii *DC.*
Myriadenus Ca
Myriocephalus *B*
appendiculatus
Myriogyne *Less.*
Cunninghami
elatinoides *Les*
minuta *Less.*
β lanuginosa *D*
Myripnois *Bung*
dioica *Bunge*
Myscolus Cass.

megacephalus
microcephalu

N

Nabalus *Cass.* V
alatus *Hook.*
albus Hook.
altissimus *Hoo*
Bootii *DC.* VI
cordatus *Hook*
crepidineus *DC*
deltoideus *DC.*
Fraseri *DC.* V
glaucus *DC.* V
illinoensis *DC.*
integrifolius *Ca*
nanus *DC.* VII
racemosus *Hoo*
serpentarius *H*
β laevis *DC.*
suavis *DC.* VII
trifoliatus C
trilobatus *Cass*
virgatus *DC.*
Nablonium *Cass.*

[illegible]es *Cass.* VI. 37
[illegible]*C.* VI. 45
[illegible] *DC.* VI. 45
[illegible]m *Less.* VI. 290
[illegible]a *DC.* VII. 10
[illegible] *DC.* VII. 10
[illegible]*ass.* V. 205 VII. 271
[illegible] *Cass.* V. 206
[illegible] *Hook.* V. 206
[illegible]ula *DC.* - -
[illegible]inea - - -
[illegible]*ta Cass.* V. 205
[illegible]*teich.* V. 205
[illegible]ula *DC.* V. 205
[illegible]inea - - -
[illegible]*ok.* V. 205
[illegible]ula *DC.* V. 206
[illegible]inea - - -
[illegible]*C.* VII. 271
[illegible]*C.* V. 205
[illegible]ula *DC.* V. 205
[illegible]inea - - -
[illegible]*ook.* V. 206
[illegible]*ook.* V. 206
[illegible]*Cass.* V. 205
[illegible]*ss.* V. 633
[illegible]s *Cass.* V. 633
[illegible]*C.* VII. 49 (Nassauvia)
[illegible]*mm. Juss.* VII 48,
[illegible]*ass.* VII. 49 *Don* VII.
[illegible]0, 52 *Poepp.* VII. 53
[illegible] *Poepp.* VII. 54
[illegible] *Don* VII. 52
[illegible] *Don* VII. 51
[illegible]*nii Cass.* VII. 49
[illegible] *Don* VII. 51
[illegible]*ii Hook. et Arn.* VII. 49
[illegible]*on* VII. 51
[illegible] *Cass.* VII. 49
[illegible]dii *Cass.* VII. 50
[illegible]*sa Don* VII. 52
[illegible]a *DC.* VII. 49
[illegible]*epp.* VII. 49
[illegible]*Gill.* VII. 49
[illegible]*epp.* VII. 50
[illegible]a *DC.* VII. 49
[illegible]*ill.* VII. 49
[illegible]*Urv.* VII. 49
[illegible]*Don* VII. 51
[illegible]*des DC.* VII. 49, 306
[illegible]*s Don* VII. 49
[illegible] *W.* VII. 49

NASSAUVIACEAE *Less. DC.* V. 9, VII. 48
NASSAUVIEAE Cass. VII. 48
NASSAUVIEAE *Less. DC.* VII. 48
Nassavia Spr. VII. 48
Nassovia Pers. VII. 48
Nauemburgia W. V. 635
trinervata W. V. 636
Nauplius Cass. V. 486
aquaticus Cass. V. 486
maritimus Cass. V. 486
Needhamia Cass. V. 633
domingensis Cass. V. 633
Neja *Don* V. 325
ciliaris *DC.* V. 326
gracilis *Don* V. 325
linearifolia *DC.* V. 325
macrocephala *DC.* V. 325
nidorelloides *DC.* V. 325
subvillosa *DC.* V. 325
tenuifolia *DC.* V. 326
Nemauchenes Cass. DC. VII. 179 (Endoptera)
aculeata Cass. VII. 179
inermis Cass. VII. 179
Neoceis Cass. DC. VI. 294 (Erechtites)
carduifolia Cass. VI. 294
hieracifolia Cass. VI. 294
microcephala Cass. VI. 297
rigidula Cass. VI. 294
Nestlera *Spr.* VI. 283
biennis Less. VI. 283
biennis *Spr.* VI. 283
conferta *DC.* VI. 284
humilis *Less.* VI. 283
minuta *DC.* VI. 283
muriculata *DC.* VI. 284
oppositifolia *DC.* VI. 283
reflexa *DC.* VI. 283
rigida *DC.* VI. 284
tenuifolia *DC.* VI. 284
Neuractis *Cass.* V. 631
Leschenaultii *Cass.* V. 631
Neurochlaena Less. VI. 292
Neurolaena *R. Br.* VI. 292
lobata *R. Br.* VI. 292
NEUROLAENEAE *Less. DC.* V. 500 VI. 292
Nidorella *Cass.* V. 321
amplexicaulis *DC.* V. 324
auriculata *DC.* V. 322
chrysocoma *DC.* V. 322
exilis *DC.* V. 324

Nidorella
foetida *DC.* V. 323
foliosa Cass. V. 323
garicpina *DC.* V. 324
hirta *DC.* V. 322
hottentotica *DC.* V. 323
hyssopifolia *DC.* V. 323
β glabrata - - -
linifolia *DC.* V. 322
longifolia *DC.* V. 324
mespilifolia *DC.* V. 321
mucronata *DC.* V. 323
obovata *DC.* V. 322
pinnatilobata *DC.* V. 321
polycephala *DC.* V. 323
punctulata *DC.* V. 323
rapunculoides *DC.* V. 323
resedifolia *DC.* V. 322
senecionea *DC.* V. 322
β albanensis - - -
solidaginea *DC.* V. 322
triloba *DC.* V. 321
Niebuhria Neck. VII. 289 *Scop.* V. 509
Nocca Cav. V. 92
latifolia Lallav. et Lex. V. 92
rigida Cav. V. 92
Noccaea Cass. Jacq. V. 91 *DC.* V. 92 (Lagascea
helianthifolia Cass. V. 92
macrophylla Zucc. V. 92
mollis Jacq. V. 92
rubra Cass. V. 92
suaveolens Cass. V. 92
Nolletia *Cass.* V. 366
chrysocomoides *Cass.* V. 366
Nothites *Cass.* V. 186
angustifolia Cass. V. 186
baccharidea *DC.* V. 187
breviflora *Cass.* V. 186
latifolia Cass. V. 186
melissaefolia *DC.* V. 186
ovatifolia *DC.* V. 187
petiolata *Cass.* V. 186
saturejaefolia *DC.* V. 186
Noticastrum *DC.* V. 279
adscendens *DC.* V. 279
Notobasis *Cass.* VI. 660 VII. 305
syriaca *Cass.* VI. 660 VII. 305
β latifolia *DC.* - -
Notonia *DC.* VI. 441
corymbosa *DC.* VI. 442
crassissima *DC.* VI. 442
grandiflora *DC.* VI. 442

O

Obaejaca Cass. VI.
sylvatica Cass.
viscosa Cass. VI
Obeliscaria *Cass.* V
columnaris *DC.* V
pinnata *Cass.* V.
pulcherrima *DC.*
Tagetes *DC.* V. 5
Obeliscotheca Vai
Odontagnathia D(
Odontocarpha *DC.*
Poeppigii *DC.* V.
Odontolepis Boiss
Odontoloma *H. B.*
acuminatum *H. B*
Odontolophus Cas
cyanoides Cass.
Odontophyllum Le. 6, 306 *DC.* VI.
Odontosperma Ne
Odontospermum A
Odontotrichum *Zuc.*
cirsiifolium *Zucc.*
Oederia *DC.* VI. 1
aliena L. fil. VI.
alienata Thunb.
apiculata E. Me
hirta *Thunb.* VI.
imbricata Lam.
intermedia *DC.* V
laevis *DC.* VI. 2
lanceolata Cass.
latifolia *Less.* VI.
obtusifolia Cass
prolifera *L. fil.* VI
speciosa E. Meye
Ogcerostylus Cass.
Ogiera *Cass* V. 545
leiocarpa Cass.
triplinervia Ber
triplinervia Spr
triplinervis *Cass.*
β leiocarpa *DC.*
γ portoriccensis -
Oglifa Cass. VI. 24
DC. VI
arvensis Cass. V
Oiospermum *Less.* V

um
atum *Less.* V. 11
num *DC.* V. 11 VII. 263
ia *Less.* VII. 12, 306
a *DC.* VII. 12, 306
a *DC.* VII. 12
a *Less.* VII. 12
Moench V. 271
Moench V. 271
DC. V. 271
ppa *DC.* V. 272
a *DC.* V. 272
lia *DC.* V. 271
DC. V. 272
Cass. V. 95 *H. B. et K.*
C. V. 96 (Andromachia)
a *Cass.* V. 96
ra *Cass.* V. 96
a *Cass.* V. 96
Less. VII. 47
a *Less.* VII. 47
ides *Less.* VII. 47
a *Cass.* V. 15
Cass. V. 23
a *Cass.* V. 429
a *Cass.* V. 430
Less. VI. 455
eus *Less* VI. 455
s *DC.* VI. 455
a *DC.* VI. 671 (Serratula)
DC. VI. 282
DC. VI. 283
a *Cass.* V. 681
DC. VI. 76
E. Meyer VI. 76
DC. V. 629 VII. 291
DC. V. 629
Hook. VII. 291
nica *DC.* V. 629
DC. V. 629 VII. 291
Cass. V. 370
a *Cass.* VI. 93, 141
ess. VI. 96
etus Cass. VI. 141
rmus Decaisn. VI. 95
halus Less. VI. 99
DC. VI. 304
DC. VI. 304
DC. V. 692 (Hemizonia)
s Less. VI. 83
atus Less. VI. 84
a *Cass. Monn.* VII. 169
folia Monn. VII. 170
DC. VI. 83
a *DC.* VI. 84

Omalotheca *Cass.* VI. 245 VII. 299
supina *DC.* VI. 245
β subacaulis *Wahlenb.* VI. 245 VII. 299
Onobroma *DC.* VI. 613 *Spr.* VI. 613, 614
arborescens Spr. VI. 611
armenum *Spr.* VI. 613
coeruleum Spr. VI. 615
corymbosum Spr. VI. 528
cynaroides Spr. VI. 556
dentatum Spr. VI. 611
flavescens *Spr.* VI. 613
glaucum Spr. VI. 611
helenioides *Spr.* VI. 613
leucocaulon Spr. VI. 610
lucidum Auch. VI. 553
macrocephalum C. A. Meyer VI. 556
mitissimum Spr. VI. 615
monspeliense Spr. VI. 615
multifidum Spr. VI. 615
pectinatum Spr. VI. 615
persicum *DC.* VI. 613
pinnatum Spr. VI. 614
salicifolium Link VI. 548
Onopix *Ruf.* VII 260
intybaceus *Ruf.* VII. 260
sericeus *Raf.* VII. 260
Onopordon *L.* VI 617 VII. 304
Acanthium *L.* VI. 618
acaule DC. fl. fr. VI. 619
acaule *L.* VI. 619 VII. 304
acaulon W. VI. 619
ambiguum Fresen VI. 618
arabicum Rové VI. 618
arabicum *L.* VI. 619
caulescens *D'Urv.* VI. 619
deltoides Ait. VI. 663
elatum Sm. VI. 618
elongatum *Lam.* VI. 618
β abbreviatum *DC.* VII. 304
graecum *Gou.* VI. 619
heteracanthum *C. A. Meyer* VI. 618
horridum *Viv.* VI. 618
illyricum L. VI. 618
intermedium *Schult.* VI. 619
lanatum herb Madr. VII. 36
leptolepis *DC.* VI. 619
macracanthum *Schousb.* VI. 618
macracanthum Schult. VI. 618
macracanthum d'Urv. VI. 618
maximum *Schult.* VI. 619
orientale *Mill.* VI. 620
polyacanthum Eichw. VII. 362
pyrenaicum *DC. fl. fr.* VI. 619

Onopordon
rotundifolium All. VI. 543
tauricum W. VI 618
teres Hamilt. V. 16
uniflorum *Cav.* VI. 619
virens *DC.* VI. 618
β tauricum *DC.* VI. 618
viscosum Horn. VI. 618
Onopyxus tertius Dalech. VI 618
Onoseris *DC.* VII. 33 *Cass.* VII. 33. 34 *Don* VII. 33 *W.* VII. 21, 33 *Kunth* VII. 21 *Wall.* VII. 17
acerifolia *H. B. et K.* VII. 34
adpressa *Less.* VII. 35
annua *Less.* VII. 34
brevifolia *Don* VII. 34
brevifolia Don VII. 19
Cummingii *Hook. et Arn.* VII. 34
denticulata W. herb. VII. 22
heterophylla Spr. VI. 21
hieracioides Bert. herb. VII. 29
hieracioides *H. B. et K.* VII. 34
hyssopifolia *H. B. et K.* VII. 35
integrifolia *Less.* VII. 35
lanuginosa A. et E. Wall. VII. 17
lanuginosa β pusilla Wall. VII. 17
linifolia Bert. herb. VII. 30
macrophylla Wall. VII. 35
mexicana W. VII. 22
montevidensis Spr. V. 349
odorata *Hook. et Arn.* VII. 34
ovalifolia Wall. VII. 17
paniculata fl. mexic. VII. 33
purpurata *W.* VII. 34
purpurea Less. VII. 34
reflexa *Less.* VII. 35
salicifolia *H. B. et K.* VII. 35
speciosa *H. B. et K.* VII. 34
stricta Spr. VII. 71
turbacensis Spr. VII. 22
Onotrophe Cass. DC. VI. 644 (Cirsium)
Ooclinium *DC.* V. 133 VII. 268
capillare *DC.* V. 134
grandiflorum *DC.* V. 134
paucidentatum *DC.* V. 134
pedunculare *DC.* V. 134
rigidum *DC.* V. 134
Sideritis *DC.* V. 134 VII. 268
villosum *DC.* V. 134
Oomorphaea DC. VI. 136 (Pentzia)
Ophryosporus *Meyen* VII. 260
triangularis *Meyen* VII. 260
Oporinia *Don* VII. 108 *(Oporina Less.)*
Oporinia
autumnalis *Don* V
β simplex *Duby*
γ minima *DC.*
δ alpina *Gaud.*
hispidula *DC.* VII
microcephala *Boi*
pratensis *Less.* V
β Reuteri *DC.* -
Oreophila Don DC.
apargioides Do
picroides Don V
sessiliflora Don
taraxacoides D
tenuifolia Don
Oreoseris *DC.* VII.
lanuginosa *DC.* V
nivea *DC.* VII. 18
pusilla *DC.* VII. 1
Oresigonia Schlech
latifolia W. her
Orihasia fl. mexic.
acaulis Moç. VI.
Ormenis *Cass.* VI. 1
bicolor Cass. VI.
coronopifolia L
mixta *DC.* VI. 18
Orsina Bertol. V.
camphorata Ber
Orsinia *Bertol.* V. 1
Eupatoria *DC.* V.
Orthocentrum (O
Cass. DC. VI.
glomeratum Cas
Osmites *Cass. Less.*
angustifolia *DC.* V
anthemoides *DC.* V
asteriscoides L.
Bellidiastrum L.
Bellidiastrum *Thu*
calycina L. fil. VI
camphorata Thu
camphorina Gae
camphorina L. V
dentata *Thunb.* VI
hirsuta *Less.* VI. 2
parvifolia *DC.* VI.
pinnatifida *DC.* VI.
Osmitopsis *Cass.* VI.
asteriscoides *Cass.*
α pubescens *DC.*
β subdentata -
γ glabra -

ides *Less.* VI. 292
ina *Less.* VI. 292
MEAE *DC.* VI. 449, 459
opsis *DC.* VI. 71 (Dimorphotheca)
m *L.* VI. 459 *L. fil.* VI.
6 *Ait. L'Herit.* V. 309
b. V. 309 VI. 44, 459
Auct. VI. 136
DC. VI. 463
s *L. fil.* VI. 493
s *Thunb.* VI. 494
ess. VI. 468
unb. VI. 468
DC. VI. 461
m *Thunb.* V. 309
ceum *L. fil.* VI. 455
rg. VI. 465
e *DC.* - -
Ait. V. 309
DC. VI. 466
DC. VI. 461
n- - -
n *L.* VI. 461
lium *DC.* VI. 461
m - - 462
DC. VI. 463
Burm. VI. 456
E. Meyer VI. 462
DC. VI. 463
E. Meyer VI. 469
VI. 467
E. *Meyer* VI. 73
DC. VI. 462
Less. VI 466
DC. VI. 463
sm *Spr.* VI. 462
um *DC.* VI. 465
DC. VI. 464
es *DC.* VI. 466
L. fil. VI. 468
m *DC.* VI. 467
hunb. VI. 468
L. VI. 465
L. VI. 462
Thunb. VI. 464
Thunb. VI. 44
DC. VI. 463
m *DC.* VI. 466
446
VI. 465
m *DC.* VI. 466
DC. VI. 467
n *DC.* VI. 461

Osteospermum
microphyllum *DC.* VI. 463
moniliferum *L.* VI. 460
β lanosum *DC.* - -
γ angustifolium *DC.* VI. 460
muricatum *E. Meyer* VI. 464
nervatum *DC.* VI. 462
niveum L. fil. VI. 496
pachypteris *DC.* VI. 460
perfoliatum L. VI. 492
perfoliatum Thunb. VI. 492
picridioides *DC.* VI. 465
piliferum Thunb. VI. 460
pinnatifidum Thunb. V. 309
pinnatipartitum *DC.* VI. 467
pisiferum Burm. VI. 461
pisiferum Less. VI. 461
pisiferum *L.* VI. 460
β canescens *DC.* VI. 460
plebejum *DC.* VI. 464
polygaloides Berg. VI. 462
polygaloides Burm. VI. 462
polygaloides *L.* VI. 462
polygaloides Thunb. VI. 462
pterospermum *E. Meyer* VI. 460
* *umbelliforme DC.* VI. 460
retirugum *DC.* VI. 462
rigidum *Ait.* VI. 468
rotundatum *DC.* VI. 461
rubens Burm. VI. 465
scabridum *DC.* VI. 466
scabrum Thunb. VI. 466
scariosum *DC.* VI. 464
sonchifolium *DC.* VI. 465
spinescens *Thunb.* VI. 459
spinescens Thunb. herb. VI. 137
spinescens W. VI. 459
spinosum Jacq. VI. 459
spinosum *L.* VI. 459
α integrifolium *Berg.* VI. 459
β runcinatum - - 460
spinosum var. Spr. VI. 468
subauritum *DC.* VI. 464
subcanescens *DC.* VI. 464
β virescens - - -
subulatum *DC.* VI. 463
tenuilobum *DC.* VI. 467
teretifolium Thunb. V. 357
thymelaeoides *DC.* VI. 462
tricuspe E. Meyer VI. 467
tridens *DC.* VI. 467
β demissum *DC.* VI. 467
trigonospermum *DC.* VI. 460
trigonum Spr. V. 357
tripteroideum *DC.* VI. 463
triquetrum *L. fil.* VI. 465

Osteospermum
triquetrum Thunb. VI. 465
Zeyheri *Spr.* VI 466
Oswalda Cass. Less. DC. V. 505 (Clibadium)
baillierioides Cass. V. 506
Otanthus Link VI. 34
maritimus Link VI. 34
Oteiza Lallav. VII. 262
Othonna *Cass.* VI. 473 *L.* VI. 40, 443, 473, 483 *L. fil.* VI. 469 *Thunb.* VI. 40, 443, 469, 473
abrotanifolia Berg VI. 444
abrotanifolia L. VI. 443
adscendens *DC.* VI. 480
amplexicaulis Sims VI. 480
amplexicaulis *Thunb.* VI. 475, 476
amplexifolia *DC.* VI. 480
β *DC.* VI. 480
angustifolia *DC.* VI. 477
arborescens *L.* VI. 478
Athanasiae Jacq. VI. 444
Athanasiae L. fil. VI. 443
auriculaefolia *Licht.* VI. 481
Bergeri Spr. VI. 475
brachypoda *DC.* VI. 480
bulbosa L. VI. 480
bulbosa W. VI. 480
bulbosa var. α *L.* VI. 480
β *L.* VI. 478
γ *L.* VI. 471
bupleuroides *DC.* VI. 475
cacalioides *L. fil.* VI. 479
cakilefolia *DC.* VI. 482
β latifolia - - -
calthoides Mill. VI. 476
capillaris L. fil. VI. 469
carnosa *Less.* VI. 477
cheirifolia *L.* VI. 476
ciliata *L. fil.* VI. 474
coronopifolia *L.* VI. 475
coronopifolia Thunb. VI. 478
crassifolia L. VI. 476, 483
cuneata *DC.* VI. 481
cyanoglossa *DC.* VI. 481
cylindrica *DC.* VI. 477
dentata *L.* VI. 478
denticulata *Ait.* VI. 475
digitata L. fil. VI. 471
Dregeana *DC.* VI. 475
Eckloniana *DC.* VI. 476
elliptica *DC.* VI. 480
ericoides L. fil. VI. 41
filicaulis *Jacq.* VI. 481
filifolia Burm. VI. 278
flabellifolia Lodd. VI. 445

Othonna
frutescens *L.* VI. 4
geifolia Kniph.
grandidentata *DC.*
heterophylla L.
imbricata Thun
lactucaefolia *DC.*
lateriflora L. fil
leptophylla *DC.*
β subbarbata -
Lingua Jacq. V
linifolia Burm.
linifolia *L. fil.* VI
β adscendens *DC.*
longifolia *DC.* VI
lyrata *DC.* VI. 48
macrophylla *DC.*
macrosperma *DC.*
membranifolia *DC*
minima *DC.* VI.
multifida L. fil.
munita L. fil. V
nudata *DC.* VI. 4
oblongifolia *DC.*
osteospermoides
pallens *DC.* VI. 4
palustris L. VI.
parviflora *L.* VI.
Pavonia *E. Meye*
pectinata L. VI
pectinata E. Me
perfoliata Jacq.
perfoliata Thu
petiolaris *DC.* VI
picridioides *DC.*
pinnata *L. fil.* VI
pinnata Sims V
pinnatifida *Thun*
pluridentata *DC.*
primulina *DC.* VI
quercifolia *DC.* V
quinquedentata *T*
quinqueradiata *D*
racemosa E. Me
ramulosa *DC.* VI
reticulata *DC.* VI
retrofracta Jac
retrorsa *DC.* VI.
β linearifolia *DC.*
rigida Burm. h
rigida *DC.* VI. 47
β aurita *DC.* VI.
rotundiloba *DC.*
sedifolia *DC.* VI.
β crassulina *DC.*
senecionea *DC.* V

DC. VI. 482
Tortul. VI. 446
DC. VI. 476
- - 477
a *DC.* VI. 474
VI. 40
Haw. VI. 477
L. VI. 446
Thunb. VI. 444
VI. 445
Less. VI. 41
L. fil. VI. 444
VI. 477
DC. VI. 478
unb. VI. 479
DC. VI. 474
VI. 482
feyer VI. 477
fil. VI. 445
C. VI. 449, 468
VI 77
C. VI. 77
VII. 43, 306
DC. V. 115 (Phania)
Moç. V. 115
VII. 43
VII. 44
C. V. 661 (Hymenoxys)
rtul. VI. 157
693 VII. 294
ides *DC.* V. 693 VII. 294
576 VII. 290
es *DC.* V. 577
DC. V. 577 VII. 290
Br. VI. 164 *Cass.* VI. 164, 165
VI. 166
VI. 165
DC. VI. 166
unningh. VI. 166
C. VI. 165
C. VI. 165
VI. 166
DC. VI. 165
C. VI. 164
DC. VI. 165
VI. 165
C. VI. 165
C. VI. 164

P

Pachyderis Cass. DC. V. 360 (Pterenia)
obtusifolia Cass. V. 363
Pachylaena *Don* VII. 32
atriplicifolia *Gill. et Don* VII. 33
Pachylepis *Less.* VII. 98
Kalmii *Less.* VII. 98
Pachyrhynchus *DC.* VI. 255
xeranthemoides *DC.* VI. 255
Pacourina *Aubl.* V. 14
cirsiifolia *H. B. et K.* V. 14
edulis *Aubl.* V. 14
Pacourinopsis Cass. V. 14
dentata Cass. V. 14
integrifolia Cass. V. 14
Palafoxia *Lag.* V. 124 (V. 659)
fastigiata *Less.* V. 125
latifolia *DC.* V. 125
linearis *Lag.* V. 124
texana *DC.* V. 125
Paleolaria Cass. V. 124
carnea Cass. V. 125
Palcya Cass. DC. VII. 152 (Barkhausia)
albida Cass. VII. 152
Pallasia L'Herit. V. 566
dentata H. et Bonpl. V. 614
grandiflora W. V. 567
halimifolia L'Herit. V. 567
procumbens Spr. V. 567
serratifolia Sm. V. 627
Pallenis *Cass.* V. 487
spinosa *Cass.* V. 487
Pamphalea *(Panphalea) Lag.* VII. 73
bupleurifolia *Less.* VII. 73
cardaminefolia *Less.* VII. 73
Commersonii *Cass.* VII. 73
heterophylla *Less.* VII. 73
maxima *Less.* VII. 73
Panaetia *Cass.* VI. 162
Lessonii *Cass.* VI. 162
Panargyrum *Lag.* VII. 53, 306
glomeratum *Gill.* VII. 54
Lagascae *DC.* VII. 54
oligocephalum *DC.* VII. 54
spinosum *Don* VII. 54, 306
spinosum Hook. et Arn. VII. 54
uniflorum Don VII. 54
Paquerina *Cass.* V. 306
graminea *Cass.* V. 307
Paraphysis DC. VI. 560 (Amberboa)

Pardisium Burm. DC. VII. 38 (Perdicium)
capense Burm. VII. 38
Parthenia strum Nissol. V. 531 *DC.* V. 532 (Parthenium)
Parthenichaeta DC. V. 532 (Parthenium)
PARTHENIEAE *Less. DC.* V. 498, 530
Parthenium *L.* V. 531 VII. 288
fruticosum *Less.* V. 532
Hysterophorus *L.* V 532 VII. 288
incanum *H. B. et K.* V. 532
integrifolium *L.* V. 532
luteum Spr. V. 551
ramosissimum *DC.* V. 532
tomentosum *DC.* V. 532
Pascalia *Ort.* V. 549
baccata Spr. V. 563
glandulosa *Fisch.* V. 549
glauca *Ort.* V 549
PECTIDEAE *DC.* V. 10, 94
PECTIDEAE Less. V. 98
Pectidium *Less.* V 98
punctatum *Less.* V. 98
Pectidopsis *DC.* V 98
angustifolia *DC.* V. 98
Pectinastrum Cass. DC. VI. 600 (Centaurea)
napifolium Cass. VI. 600
Pectinellum DC. V. 109 (Ageratum)
Pectis *Less.* V. 98 *L.* V. 98, 101 *Cass.* V. 98
acicularis Gill. VII. 292
anceps *Less.* V. 100
angustifolia Torr. V. 98
Berlandieri *DC.* V. 100
Bonplandiana *H. B. et K.* V. 99
canescens H. B. et K. V. 103
canescens Less. V. 102
capillaris *DC.* V. 99
carthusianorum *Less.* V. 101
ciliaris *L.* V 100
ciliaris Sw. V. 99, 100
costata *Ser et Merc.* V. 100
discoidea Horn. VI. 279
elongata *H. B. et K.* V. 99
fasciculata Poir. V. 100
fasciculiflora *DC.* V. 100
humifusa Sw. V. 101, 102
humifusa Wydl. V. 101
linearis W. herb. V. 99
linifolia Gaertn. V. 98
linifolia *L.* V. 99
Pectis
meifolia Wall. V
minuta L. V. 30
minuta W. herb.
multifida Ort. V
patula L. fil. V.
pinnata Lam. V
prostrata *Cav.* V.
prostrata Sieb.
punctata Jacq.
punctata Sw. V.
pygmaea *H. B. et*
serpyllifolia *Less.*
Sieberi *Less.* V. 1
Swartziana *Less.*
tenella *DC.* V 99
uniaristata *DC.* V.
Pegolettia *Cass.* V.
acuminata *DC.* V.
baccharidifolia *Les*
oxyodonta *DC.* V.
polygalaefolia *Les*
senegalensis *Cass.*
tenella *DC.* V. 482
Peltidium Zollik.
apargioides Zoll
Pentacalia Cass. V
Pentachlamys DC.
Pentameranthes D
Pentanema *Cass.* V.
divaricatum *Cass.* V
Pentanthus *Hook. et*
aculeatus Less.
jungioides *Hook. et*
Pentaphorus Don H
DC. VII. 2
fasicularis Don
foliolosus Don V
glutinosus Gill. et
pyrifolius Gill. et
rosmarinifolius
Pentataxis Don VI
micrantha Don V
Penthea Don DC. V.
Pentzia *Thunb.* VI. 1
annua *DC.* VI. 138
cinerascens *DC.* VI.
cotuloides *DC.* VI.
β affinis
crenata Thunb. V
dichotoma *DC.* VI.
elegans *DC.* VI. 136

is W. VI. 137
ii DC. VI. 127
i - - -
ss. VI. 137
DC. VI. 137
k. VI. 137
a Less. VI. 137
ala DC. VI. 138
Less. VI. 137
s. VI. 137
f., V. 568
V. 569
V. 569
V. 569
E Spr. VII. 1
g. VII. 38 *L.* VII. 38,
nb. VII. 40 *Hamilt.*
Walt. VII. 40 *Vahl*
I. 60 *Kunth* VII. 67
R. Br. VII. 40
L. VII. 71
Mart. VII. 70
H. B. et K. VII. 68
Mart. VII. 67
. VII. 30
Moç. VII. 66
m Sessé et Moç. VII. 67
Sessé et Moç. VII. 68
m H. B. et K. VII. 69
Steud. VII. 39
H. B. et K. VII. 69
epp. VII. 60
H. B. et K. VII. 69
Vahl VII. 65
Berg. VII. 69
DC. VII. 39
ifolium Poepp. VII. 60
mSessé et Moç. VII. 68
cum L. fil. VII. 61
m Alam. VII. 67
m Sessé et Moç. VII. 67
Thunb. VI. 495
epp. VII. 63
R. et Pav. VII. 41
t Pav. VII. 41
um Poepp. VII. 57
ifolium Poepp. VII. 61
les Vahl VII. 43
les var. β Jacq. VII. 44
ium Sm. VII. 271
oides Poepp. VII. 63
m Vahl VII. 59

Perdicium
radicale L. VII. 69
recurvatum Poepp. VII. 65
recurvatum Vahl VII. 65
roseum Poepp. VII. 69
sarmentosum Steud. VII. 39
semiflosculare Hamilt. VII. 18
semiflosculare L. VII. 38
semiflosculare Walt. VII. 41
senecioides W. herb. VII. 67
serrulatum Sessé et Moç. VII. 27
squarrosum Vahl VII. 64
suaveolens d'Urv. VII. 59
Taraxaci *Vahl* VII. 38
tomentosum Thunb. VII. 40
triflorum Hamilt. VII. 14
viscosum Poepp. VII. 64
Pereuphora Hoffmanns. VI. 667
Perezia *DC.* VII 62 *Cass.* VII. 60 *Lallav. et Lex.* VII. 65 *Less.* VII. 60, 62, 63 *Lag.* VII. 60, 61
Beckii Hook. et Arn. VII. 65
carthamoides Hook. et Arn. VII. 62
ciliaris Hook. et Arn. VII. 61
cuhataensis Less. VII. 64
dicephala Less. VII. 62
Doniana Less. VII. 65
fruticosa Lallav. et Lex. VII. 66
Gayana *DC.* VII. 63
lactucoides Less. VII. 65
laevis Less. VII. 64
linearis Less. VII. 65
magellanica Lag. VII. 61
moschata Lallav. et Lex. VII. 66
multiflora Less. VII. 64
nutans *Less.* VII. 63
nutans Poepp. VII. 63
ochroleuca Less. VII. 71
pedicularifolia Less. VII. 61
Poeppigii Less. VII. 61
prenanthoides *Less.* VII. 62
prenanthoides Poepp. VII. 63
pungens Less. VII. 62
recurvata Less. VII. 65
spathulata Hook. et Arn. VII. 64
squarrosa Less. VII. 64
turbinata Lallav. et Lex. VII. 66
virens Hook. et Arn. VII. 61
viscosa Less. VII. 64
Pericalia Cass. VI. 327
cordifolia Cass. VI. 328
Perotriche *Cass.* VI. 264
tortilis *Cass.* V. 264

Personaria Lam. VI. 500, 501
Persoonia Mx. V. 680
angustifolia Mx. V. 680
lanceolata Mx. V. 680
latifolia Mx. V. 680
Perymenium *Schrad.* V. 608
Barclayanum *DC.* V. 609
Berlandierii *DC.* V. 608
bicolor *Schrad.* V. 608
buphthalmoides *DC.* V. 609
Cervantesii *DC.* V. 609
gymnolomoides *DC.* V. 609
Mendezii *DC.* V. 608
verbesinoides *DC.* V. 608
Petalacte *Don* VI. 267
bicolor *Don* VI. 267
canescens *DC.* VI. 267
coronata *Don* VI. 267
α minor *DC.* - -
β subrosea - - -
Petalolepis Less. VI. 267 *Cass. DC.* VI. 164 (Ozothamnus)
coronata Less. VI. 267
discolor Less. VI. 267
ferruginea Cass. VI. 165
rosmarinifolia Cass. VI. 165
PETASITEAE *DC.* V. 103, 204
Petasites *Tourn.* V. 206
albus *Gaertn.* V. 207
* submasculus *DC.* V. 207
** subfoemineus - - -
alpinus Scop. V. 205
discolor Baumg. V. 205
glabrescens Hoppe V. 207
laevigatus Reich. V. 205
niveus *Cass.* V. 207
* submasculus *DC.* V. 207
** subfoemineus - - -
officinalis Moench V. 206
spurius Reich. V. 207
tomentosus *DC.* V. 207
* submasculus *DC.* - -
** subfoemineus - - -
vulgaris *Desf.* V. 206
* submasculus *DC.* V. 206
** subfoemineus - - -
Petrobium *R. Br.* V. 501
arboreum *R. Br.* V. 502
Peyrousea *DC.* VI. 76
calycina *DC.* VI. 77
oxylepis *DC.* VI. 77
Phaecasium Cass. Reich. DC. VII. 160 (Crepis)
lampsanoides Cass. VII. 160
Phaenixopus Cass. VII. 1
acanthifolius Cass. VII.
decurrens Cass. VII.
intybaceus Less. VII.
ramosissimus Reich. VI
spinosus Cass. VII.
vimineus Reich. VII.
Phaenocoma *Don* VI.
prolifera *Don et Lem.*
α eriolaena *DC.* VI.
β oxylepis - - -
Phaenoglossa DC. VI.
Phaenogyne DC. VI.
Phaenopoda Cass. VI.
angustifolia Cass. VI.
Phaenopus *DC.* VII. 176
acanthifolius *DC.* VII.
triqueter *DC.* VII. 176
vimineus *DC.* VII. 176
β integrifolius *DC.* VII.
γ ramosissimus - -
Phaeopappus DC. VI.
Phaetusa americana Ga
australis Spr. V. 546
borealis Spr. V. 616
Phagnalon *Cass.* V. 396
Bennetti Low. V. 397
calycinum *DC.* V. 397
Lagascae Cass V.
nitidum *Fresen* V. 397
pumilum *DC.* V. 397
rupestre *DC.* V. 396
saxatile *Cass.* V. 396
β intermedium *DC.* V.
sordidum *DC.* V. 396
spathulatum Cass. V.
subdentatum Cass. V.
Tenorii Prest V. 397
tricephalon Cass. V.
umbelliforme *DC.* V.
Phalacraea *DC.* V. 165 VII.
latifolia *DC.* V. 106 VII.
β glabra - - -
Phalacrocarpum DC. VI.
Phalacroderis *DC.* VII. 97
coa *DC.* VII. 97
Phalacrodiscus Less. DC. (Leucanth.

iscus
Fisch. et Meyer VI. 54
yllioides Less. VI. 48
Less. VI. 47
'olius Less. VI. 48
us Less. VI. 47
Less. VI. 48
ssum DC. VI. 45 (Leucanthemum)
Cass. V. 297
m Cass. V. 298
a Cass. V. 298
sum Cass. V. 457
Cass. DC. VI. 568 (Centaurea)
. 114 VII. 266
DC. V. 115
DC. V. 114 VII. 266
C. V. 115
DC. VII. 92 (Achyrophorus)
V. 656
ad. V. 534
DC. V. 534
C. V. 567 VII. 289
DC. V. 567 VII. 289
Cass. DC. VI. 598 (Centaurea)
nus Cass. VI 598
Lobel. VI. 637
s. VI. 572
Blum. V. 636
Blum. V. 637
Benth. VI. 150
des Benth. VI. 150
um Blum. DC. V. 66 (Decaneurum)
Blum. V. 66
DC. V. 325 (Neja)
m Less. VI. 44
ss. VI. 44
is Juss. V. 680
Dalech. C. A. Meyer VI. 634
bel. Adans. VI. 634
s. VI 634
ook. V. 665
i Hook. V. 665
Schultz VII. 99
sf. VII. 182
DC. fl. fr. VII. 152
Hochst. et Steud. VII. 182
Duf. VII. 183
Fisch. et Meyer VII. 183

Picridium
hispanicum *Poir.* VII. 182
ligulatum *Vent.* VII. 182
ligulatum var. latifolium VII. 182
orientale *DC.* VII. 182
pinnatifidum Lag. VII. 183
tingitanum *Desf.* VII. 182
β diversifolium *DC.* - -
tingitanum var. integrifolium VII. 182
vulgare *Desf.* VII. 182
Picris *Juss.* VII. 128 *L.* VII. 128, 132
aculeata Vahl VII. 133
altissima *Delil.* VII. 130
angustifolia *DC.* VII. 130
aspera Poir. VII. 129
asplenioides L. VII 132
autumnalis All. VII. 108
Chaixi Poir. VII 128
coronopifolia *Desf.* VII. 131
crepoides Sauter VII 128
dahurica Bernh. VII. 129
dahurica *Fisch.* VII. 129
danubialis All. VII. 102
echioides α L. VII. 132
echioides β L. VII. 132
foetida Lam. VII. 158
glaucescens *DC.* VII 130
globifera Desf. VII. 179
grandiflora Ten. VII. 128
hamulosa *Wall.* VII. 129
hamulosa Wall. VII. 128
hieracioides *L.* VII. 128
β brachypoda *DC.* VII. 128
γ indica - - -
δ ruderalis - - -
ε paleacea - - -
hieracioides β sinuata Ledeb. VII. 129
hirta All. VII. 104
hispida All. VII. 131
hispidissima Koch VII. 129
humifusa W. VII. 132
humilis *DC.* VII 130
japonica *Thunb.* VII. 130
integrifolia *Desf.* VII. 129
kamtschatica Ledeb. VII. 129
laciniata *Vis.* VII. 129
laevis *C. A. Meyer* VII. 130
laxa *DC.* VII. 129
Macloviana d'Urv. VII. 59
nilotica Sieb. VII. 131
paleacea Vest VII. 128
pauciflora *W.* VII. 128
pilosa *Delil.* VII. 130

Picris
pyrenaica Gaertn. VII. 128
radicata *Less.* VII. 131
β lyrata *Delil.*
repens Lour. VII. 159
rhagadioloides Pers. VII. 129
rigida Ledeb. VII. 129
ruhra Lam. VII. 157
ruderalis Schmidt VII. 128
saxatilis All. VII. 101
scaberrima Guss. VII. 129
sonchoides Vest VII. 128
spinosa Poir. VII. 132
Sprengeriana *Lam.* VII. 128
striata Spr. VII. 218
strigosa *MB.* VII. 129
strigosa Wall. VII. 129
sulphurea *Delil.* VII. 130
Taraxaci All. VII. 107
taraxaciflora *DC* VII. 131
tuberosa All. VII. 100
umbellata Nees VII. 128
virens Desf. VII 129
Picrosia *Don* VII 251
longifolia *DC.* VII. 251
Piesis DC. VII. 144 (Pyrrhopappus)
Piloselloides Less. VII. 18
Pinardia Cass. VI. 63, 64 *Less.* VI. 63, 65 *DC.* VI. 64 (Chrysanthemum)
anisocephala Cass. VI. 64
frutescens Less. VI. 65
nodosa Less. VI 65
Roxburghii Less. VI. 64
Pinaropappus *Less.* VII. 99
roseus *Less.* VII. 99
Pingraea angustifolia Cass. V. 420
Pingrea Cass. V. 398
Pinillosia *Ossa* V. 528 VII. 288
tetranthoides *DC.* V. 528 VII. 288
Piptocarpha *R. Br.* VII. 261 *Hook. et Arn.* VII. 11
Brownii *DC.* VII. 261
diacanthoides Hook. et Arn. VII. 11
Piptoceras Cass. VI. 567
babylonicum Cass. VII. 567
Behen Cass. VI. 567
Piptocoma *Cass.* V. 74
lychnophoroides *Less.* V. 74
rufescens *Cass.* V. 74
Piptopogon Cass. VII. 95
decipiens Cass. VII. 96
Piptostemma Don DC. VII. 54 (Panargyrum)
Piqueria *Cav.* V. 104
artemisioides *H. B.*
floribunda *DC.* V. 1
galioides *DC.* V. 10
pilosa *H. B. & K.*
pubescens *Sm.* V. 1
quinqueflora *Cass.*
trinervia *Cav.* V. 1
trinervia Jacq. V.
Piquerioides DC. V. 1
Pirarda Adans. V.
Pithecoseris *Mart. he*
pacourinoides *Mart*
Pithosillum Cass. V.
lyratum Cass. VI.
Placus *Lour.* VII. 261
laevis *Lour.* VII. 2
tomentosus *Lour* VI
Plagiocheilus *Arn.* VI
solivaeformis *DC.* V
tanacetoides *Haenk*
Plagiotome DC. VI.
Plagius *L'Herit.* VI.
ageratifolius *L'Her*
Allionii L'Herit.
grandiflorus *L'Her*
virgatus *DC.* VI. 13
Planorachis DC. VI
Plateclipta DC. V.
Platycarpaea DC.
Platycarpha *Less.* V.
glomerata *DC.* V. 7
Platycheilus Cass.
ochroleucus Cass.
Platylepidea DC. VII
Platylepis Less. VII
Platylophus Cass. V
Platypteris H. B. et 617
crocata H. B. et K
Platyraphium Cass. (C
Billardieri Cass.
Jacquini Cass. VI
Plazia *R. et Pav.* VII.
brasiliensis Spr.
conferta *R. et Pav.*
parviflora Spr. VI
Plectocephalus Don

Don VI. 575
C. V. 95 (Andromachia)
VII. 72
VII. 72
Cass. VI. 262
Less. VI. 192
449 VII. 283
Less. V. 447
451
C. V. 452
V. 452
V. 452
C. V. 450
452
V. 451
. 452
V. 453
451
DC. V. 450
Cass. V. 452
C. V. 451 VII. 283
C. V. 451
452 VII. 283
450
s. V. 452
DC. V. 452 VII. 283
Less. V. 453
450
V. 453
Cass. V. 450
V. 450
DC. V. 451
ss. DC. V 213,432
V. 593
V. 501
V. 501
ag. V. 501
598
V. 260
ss. V. 260
Cass. V. 260
VI. 162
Br. VI. 162
VI. 163
VI. 162
ningh. VI. 163
ningh. VI. 151
Cass. VI. 163
VI. 163
ingh. VI. 163
ningh. VI. 163
in Cass. VI. 163
VI. 162

Pedoneja DC. V. 325 (Neja)
Podosperma Labill. VI. 159 *Less.* VII. 110
angustifolia Labill. VI. 159
pedunculare Reich. VI. 152
Podospermum *DC.* VII. 110 *DC. fl. fr.* VI. 159
calcitrapifolium *DC.* VII. 110
calcitrapifolium C. A. Meyer VII. 110
callosum *DC.* VII. 111
canum *C. A. Meyer* VII. 110
β glabratum *DC.* VII. 111
Columnae *DC.* VII. 111
Jacquinianum Koch VII. 110
intermedium *DC.* VII. 110
β eriolaenum - - -
lacinatum *DC.* VII. 111
β muricatum - - -
γ subulatum - - -
muricatum DC. fl. fr. VII. 111
octangulare *Roth* VII. 111
purpureum Koch VII. 118
resedifolium DC. fl. fr. VII. 110
scorzonereoides Turcz. VII. 120
subulatum DC. fl. fr. VII. 111
Tenorii *DC.* VII. 110
villosum *Stev.* VII. 111
Podotheca *Cass.* VI. 159
angustifolia *Less.* VI. 159
Pollalesta H. B. et K. V. 15
vernonioides H. B. et K. V. 23
Poloa DC. V. 275
Wightiana DC. V. 275
Polyacantha Gray VI. 565 *Vaill.* VI. 660
Polyacanthus Casabonae Rauh. VI. 658
Polyachrus Hook. et Arn. VII. 53
Polyachyrus *Lag.* VII. 53, 306
auritus Don VII. 53
decurrens Lag. VII. 53
echinopsoidea *DC.* VII. 53
multifidus Don VII. 53
niveus *Lag.* VII. 53, 306
Poeppigii *Kunze* VII. 53
sphaerocephalus Don VII. 53
Polyactidium *DC.* V. 281 VII. 274
delphinifolium *DC.* V. 282 VII. 274
Sprengelii *Schlecht.* VII. 274
Polyactis Less. V. 281
delphinifolia Less. V. 282
Polyarrhena Cass. V. 218
reflexa Cass. V. 222

Polycephalus Forsk. DC. V. 370 (Sphaeranthus)
suaveolens Forsk. V. 370
Polychaetia *Less.* VI. 284 *Tausch* VII. 86
acerosa *DC.* VI. 285
brevifolia *DC.* VI. 285
Garnotii *Less.* VI. 285
oppositifolia *DC.* VI. 285
passerinoides *DC.* VI. 285
pectidea *DC.* VI. 285
relhanioides *Less.* VI. 285
tricephala *DC.* VI. 285
Polyclada DC. VII. 125 (Scorzonera)
Polylepis Less. V. 218
Polymnia *L.* V. 514 VII. 288
abyssinica L. fil. V. 551
aspera *Mart.* V. 515
australis Spr. V. 542
canadensis *L.* V. 515
carnosa L. VI. 503
caroliniana *Poir.* V. 516
frondosa Bruce V. 551
glabrata *DC.* V. 515
β angustifolia *DC.* V. 515
maculata *Cav.* V. 515
perfoliata Poir. V. 521
riparia *H. B. et K.* V. 515
scabra Zucc. V. 515
Siegesbeckia *DC.* V. 516
silphioides *DC.* V. 516
spinosa L. fil. VI. 503
Tetragonotheca L. V. 552
Uvedalia *L.* V. 515 VII. 288
Uvedalia hort. Paris. V. 515
variabilis *Poir.* V. 515
Wedelia L. V. 541
Polymniastrum Lam. V. 514, 515
Polypappus *Less.* V. 398 VII. 281
discolor *DC.* VII. 281
parvifolius *DC.* V. 398
triplinervis *Less.* V. 398
Polyphyllon Less. VII. 70
Polypteris *Nutt.* V. 659 *Less.* V. 660
brasiliensis Less. V. 660
integrifolia *DC.* V. 659
integrifolia Ell. V. 659
integrifolia Nutt. V. 125, 659
Porcellites Cass. DC. VII. 91 (Hypochaeris)
brasiliensis Less. VII. 96
otensis Cass. VII. 92
dicata Cass. VII. 91
PHYLLEAE *DC.* V. 499, 647
Porophyllum *Vaill.* V
cacalioides *DC.* V
coloratum *DC.* V.
Cusimbua *DC.* V.
decumbens *DC.* V
ellipticum *DC.* V.
β intermedium *DC*
filifolium *DC.* V.
Haenkei *DC.* V. 6
hieracioides *DC.*
japonicum *DC.* V.
jorullense *Cass.* V
lanceolatum *DC.*
Linaria *DC.* V. 6
lineare *DC.* V. 64
linifolium *DC.* V.
macrocephalum *D*
nummularium *DC*
β
obscurum *DC.* V.
obtusifolium *DC.*
oppositifolium *DC*
oppositifolium
prenanthoides *DC*
ruderale *Cass.* V.
Selloi *DC.* V. 651
tagetoides *DC.* V.
viridiflorum *DC.*
Portalesia Meyen
procumbens Mey
Praxelis Cass. V.
villosa Cass. V.
Prenanthes *Vaill.* VI
176, 177, 192, 1
fr. VII. 159 7
Wall. VII. 1
acanthifolia W.
acaulis Roxb. V
alba Big. VII. 24
alba Ell. VII. 241
alba L. VII. 241
alba β nana Bi
alliariaefolia *DC.*
altissima L. VII
amplexicaulis M
aphylla Nutt. VI
arborea Brouss.
aspera Mx. VII.
aspera Schrad. V
asplenifolia W.
attica Spr. VII. 1
autumnalis Wal
Brunoniana *Wall.*
bulbosa DC. fl. f

Wall. VII. 218
lunb. VII. 194
s Ard. VII. 142
s Pall. VII. 142
VII. 242
ll. VII. 242
fx. VII. 242
b. VII. 194
. VII. 242
. VII. 139
nb. VII. 194
Houtt. VII. 194
Vall. VII. 181
Ledeb. VII. 161
. VII. 195, 140
lum. VII. 193
herb. VII. 69
f. VII. 242
e VII. 135
VII. 241
eich. VI. 393
Wall. VII. 139
sch. VII. 135
nb. VII. 194
W. VII. 160
Paris. VII. 142
VII. 139
VII. 195
VII. 195
nb. VII. 194
VII. 194
tm. VII. 195
/II. 195
ers. VII. 242
VII. 197
nb. VII. 193
h VII. 198
utt. VII. 196
um. VII. 140
all. VII. 249
Houtt. VII. 193
b. VII. 192
hunb. VII. 194
VII. 139
VII. 241
Vall. VII. 193
. VII. 156
ilt. VII. 177
Moench VII. 160
ilt. herb. VII. 193
. VII. 181
ll. VII. 189
Ledeb. VII. 156
γ flexuosa Ledeb. VII. 156

Prenanthes
polymorpha var. flaccida Ledeb. VII. 156
— *var. integrifolia Ledeb.* VII. 156
Poosia Wall. VII. 193
procumbens Roxb. VII. 193
pulchra DC. fl. fr. VII. 160
pumila Baldw. VII. 198
purpurea *L.* VII. 194
pygmaea Ledeb. VII. 156
quinqueloba *Wall.* VII. 195
racemosa Mx. VII. 242
racemosa Roxb. VII. 140
ramosissima All. VII. 176
raphanifolia *DC.* VII. 195
repens L. VII. 178
rhombifolia *W.* VII. 196
rigida Hamilt. VII. 135
rostrata *Blum.* VII. 195
rubicunda W. VII. 241
runcinata *Lag.* VII. 196
sarmentosa Wall. VI. 303
sarmentosa W. VII. 181
serpentaria Pursh VII. 240
simplex Pursh VII. 242
sonchifolia W. VII. 140
sonchoides DC. Cat. hort. Monsp. VII. 250
spinosa Forsk. VII. 189
spinosa Vahl. VII. 197
squarrosa *Thunb.* VII. 196
striata Blum. VII. 193
suavis Salish. VII. 241
subdentata *Hook.* VII. 196
taraxacoides Wall. VII. 177
tenuifolia *L.* VII. 194
triquetra Lahill. VII. 176
tuberosa Stev. VII. 139
versicolor Turcz. VII. 151
viminea L. VII. 176
viminea β fl. fr. VII. 176
virgata Mx. VII. 242
virgata Pursh VII. 242
viscosa Baumg. VII. 160
Priestleya fl. mexic. V. 564
corymbosa fl. mexic. V. 565
longifolia fl. mexic. V. 565
squarrosa fl. mexic. V. 565
Printzia *Cass.* VII. 13
aromatica *Less.* VII. 13
Bergii *Cass.* VII. 13
pyrifolia *Less.* VII. 13
Prionanthes Schrank VII. 68
antimenorrhoea Schrank VII. 69

Prionotophyllum Less. DC. VII. 31 (Elaeutantheae)
Pristocarpha E. Meyer VI. 86
capitata E. Meyer VI. 86
Protacrón *Cass.* V. 508
ramosissimum *Cass.* V. 508
Proselia Don VII. 30
serrata Don VII. 30
Protaspis argentea Mart. V. 16
Proustia *Lag.* VII. 26
baccharoides *Don* VII. 27
cuneifolia Don VII. 27
domingensis Spr. V. 26
glandulosa *DC.* VII. 27
ilicifolia Hook. et Arn. VII. 28
mexicana Don VII. 27
oblongifolia *Don* VII. 27
pungens *Poepp.* VII. 27
β integrifolia *Hook. et Arn.* VII. 28
γ ilicifolia
pyrifolia *Lag.* VII. 27
β canescens *DC.*
reticulata *Lag.* VII. 27
Psacalium *DC.* VI. 334 *Cass.* VI. 334
arboreum *DC.* VI. 335
glabratum *DC.* VI. 335
kleinioides *DC.* VI. 335
peltatum *Cass.* VI. 335
thyrsoideum *DC.* VI. 335
vaccinioides *DC.* VI. 335
Psenacetum Less. Nack. DC. VI. 130 (Tanacetum)
Psathurochaeta *DC.* V. 609
Dregei *DC.* V. 609
α latifolia *DC.* V. 609
β reticulata - - 610
Psephellus Cass. DC. VI. 575 (Centaurea)
calocephalus Cass. VI. 576
carthamoides Fisch. et Mey. VI. 561
phaeopappus Fisch. et Mey. VI. 560
spectabilis Fisch. et Mey. VI. 561
ustulatus Fisch. et Mey. VI. 576
xanthocephalus Fisch. et Mey. VI. 561
Pseudarctotis DC. VI. 489 (Arctotis)
Pseudathrixia DC. VI. 277 (Athrixia)
Idevax DC. V. 459 (Evax)
Pseudo-Chamaetilis
Pseudo-Elephantop
Psiadia *Jacq.* V. 218
balsamica *DC.* V.
dentata *DC.* V. 21
glutinosa Boiss.
glutinosa *Jacq.* V.
integerrima *DC.* V
α minor
β trinervia
γ quinquenervia *DC.*
linearifolia *DC.* V.
madagascariensis *D.*
penninervia *DC.* V.
retusa *DC.* V. 319
trinervia W. V.
PSIADIEAE *DC.* V. 2
Psilocarpaea DC.
Psiloderis *) *DC.* V
Psilophyllum Less.
Psilosteum DC. VI
Psilostrophe *DC.* VI
gnaphalodes *DC.*
Psilothamnus *DC.* V
adpressifolius *DC.*
ericaefolius *DC.* V
Psilothonna E. Me
Tagetes E. Meyer
Ptarmica *Tourn. DC*
alpina *DC.* VI. 21
atrata *DC.* VI. 20
α vulgaris *DC.* VI
β Haenkeana -
γ Clusiana -
δ intermedia -
Barrelieri *DC.* VI
β Schouwii - -
biserrata *DC.* VI.
borealis *Bong.* V.
Clavennae *DC.* VI
β denudata *Hoppe*
cristata *DC.* VI.
grandiflora *DC.* V

*) nomen pro Blumeodi

DC. VI. 22
DC. VI. 22
DC. VI. 22 VII. 295
DC. VI. 24
la DC. VI. 21
DC. VI. 22
DC. VI. 20
ata Hoppe VI. 20
Gaud. - -
la DC. VI. 20
DC. VII. 295
VI. 21 VII. 295
C. VI. 20
hala DC. VI. 20
hala - - -
VI. 22
C. VI. 23
DC. VI. 24
DC. VI. 21
DC. VI. 22 VII. 295
C. VI. 21
ri DC. VI. 21
ackw. VI. 23
DC. VI. 23
- - -
- - -
ea - - -
DC. V. 293 (Erigeron)
Ell. V. 453
eum DC. V. 454
yum - - -
m DC. V. 454
DC. V. 454
yum DC. V. 454
hyum - - -
m DC. V. 454
yum Ell. V. 453
C. V. 454
chyum DC. V. 454
um - - -
C. V. 454
sis DC. V. 454 (Pterocaulon)
DC. VII. 37 (Dicoma)
Cass. DC. VI. 571 (Centaurea)
ss Cass. VI. 572
ss Cass. VI. 582
. 356 *L. fil. Thunb.* V[illegible]
. V. 357
DC. V. 357
lora DC. V. 357
- - -

Pteronia
acuminata *DC.* V. 361
aspalatha *DC.* V. 356
aspera *Thunb.* V. 364
baccharoides *Less.* V. 357
beckeoides *DC.* V. 359
callosa *DC.* V. 362
camphorata Burm. V. 364
camphorata *L.* V. 364
canescens *L.* V. 358
caroliniana Walt. V. 129
centauroides *DC.* V. 362
cephalotes *L. fil.* V. 361
β glabra *DC.* - -
Chamaepeuce Spr. VI. 658
Chamaepeuce Ten. VI. 658
chrysocomifolia *Poir.* V. 365
ciliata *DC.* V. 359
β subtrigona *DC.* V. 360
ciliata Thunb. V. 360
cinerea *L. fil.* V. 358
connata *DC.* V. 360
crassifolia *Poir* V. 365
cylindracea *DC.* V. 363
dentata Spr. V. 482
divaricata *Less.* V. 357
echinata Thunb. V. 222
elongata *Thunb.* V. 362
empetrifolia *DC.* V. 363
erythrochaeta *DC.* V. 358
fasciculata *L. fil.* V. 360
fasciculata W. herb. VI. 91
fastigiata *Thunb.* V. 365, 359
fastigiata Zeyh. V 360
flexicaulis *L. fil.* V. 360
flexicaulis Thunb. V. 360
glabrata *L. fil.* V. 362
glauca *Thunb.* V. 365
glaucescens *DC.* V. 357
β rigidior - - -
glomerata *L. fil.* V. 359
gymnocline *DC.* V. 359
heterocarpa *DC.* V. 364
hirsuta *L.* V. 360
incana *DC.* V. 358
inflexa *L. fil.* V. 365
laricina Houtt. V. 364
latisquama *DC.* V 363
leptolepis *DC.* V. 363
leptospermoides *DC.* V. 363
leucoloma *DC.* V. 362
lucilioides *DC.* V. 358
lupulina *DC.* V. 357
β rotundifolia *DC.* V. 358
membranacea *L. fil.* V. 361

Pteronia
microphylla *DC.* V. 359
minuta L. fil. V. 93, 283
mucronata *DC.* V. 362
onobromoides *DC.* V. 364
oppositifolia *L.* V. 358
oppositifolia E. Meyer V. 363
ovalifolia *DC.* V. 361
pallens *L. fil.* V. 359
paniculata *Thunb.* V. 365
pauciflora Sims VI. 212
Porophyllum Cav. V. 639
quinqueflora *DC.* V. 363
retorta *L. fil.* V. 365
rigida Berg. V. 358
scariosa *L. fil.* V. 361
sesuviifolia *DC.* V. 360
spinosa L. fil. V. 74
staehelinoides *DC.* V. 364
stricta *Ait.* V. 364
succulenta *Thunb.* V. 360
tenuifolia *DC.* V. 363
tricephala *DC.* V. 359
turbinata *DC.* V. 362
uncinata *DC.* V. 357
undulata *DC.* V. 361
uniflora Poir. V. 361
verticillata *DC.* V. 357
villosa *L. fil.* V. 364
viscosa *Thunb.* V. 364
xantholepis *DC.* V. 358
Pteropappus Less. DC. V. 217 (Mairia)
Pterophora Neck. V. 364
Pterophorus Cass. DC. V. 364 (Pteronia)
asper Less. V. 364
camphoratus Less. V. 364
strictus Less. V. 364
Pterophyton Cass. V. 575
alatum Cass. V. 575
alternifolium Cass. V. 575
Pteropogon *DC.* VI. 245
pygmaeum *DC.* VI. 245
Pterotheca *Cass.* VII. 179
nemausensis *Cass.* VII. 179
Pterothrix *DC.* VI. 279
spinescens *DC.* VI. 280
tomentosa *DC.* VI. 280
Ptilachis margaritacea Raf. VI. 270
Ptilostemon Cass. DC. VI. 657 (Chamaepeuce)
appendiculatum Cass. VI. 658
muticum Cass. VI. 658
Ptilostephium *H. B.*
balbisioides Spr.
coronopifolium *H.*
trifidum *H. B. et*
Ptilurus *Don* VII. 5
daucifolius *Don* V
Pulicaria *DC.* V. 47
Ga
angustifolia *DC.* V
annua Gaertn.
arabica *Cass.* V. 4
calycina Presl.
capensis *DC.* V. 4
dentata *DC.* V. 48
desertorum *DC.* V
dysenterica *Gaert*
β breviradiata *DC.*
dysenterica MB.
erigeroides *DC.* V
foliolosa *DC.* V. 4
hydrabadensis *Lin*
incisa *DC.* V. 479
incisa unio itin.
inuloides *DC.* V.
odora *Reich.* V. 4
Schimperi *DC.* VI
trichocephala *DC.*
uliginosa *Stev.* V.
undulata *DC.* V.
villosa Link VI.
vulgaris *Gaertn.*
Pulicaria DC. V.
Putumba Rheed. V
Pycnocephalum *DC.*
plantaginifolium *D*
scapigerum *DC.* V
spathulaefolium *D*
Pycnosorus *Benth.*
globosus *Benth.*
Pyrarda Cass. V. 3
ceruanoides Cas
Pyrethraria DC.
Pyrethrum *Gaertn.*
W. VI. 42 *Cass.*
VI. 43 *Less.* VI.
chilleae *DC.* VI.
chilleae Wend
achilleaefolium *M*
β DC. VI. 58
γ - - 59
Acmella Medic.

ink VI. 66
rv. VI. 55
rm VI. 54
VI. 54
ady VI. 55
C. fl. fr. VI. 55
leb. VI. 54
W. VI. 66
dam. VI. 58
. VI. 54
DC. VII. 297
VI. 63
ufour VI. 55
. VI. 60
VI. 61
um H. B. et K. VI. 44
Chois. VI. 66
β Chois. VI. 66
DC. VII. 297
VI. 55
. Meyer VI. 55
Fisch. et Mey. VI. 56
MB. VI. 56
. VI. 56 VII. 297
s *Ten.* VI. 56
C. VI. 56
des W. VI. 47
des β tenuifoli-um Guss. VI. 56
Fisch. et Mey. VI. 59
ifolium hort. angl. VI. 7
n *Trev.* VI. 55
VI. 57
um W. VI. 66
W. VI. 57
β Bertol. VI. 57
m W. VI. 66
k. et Mey. VI. 59
l. VI. 60
Bess. VI. 131
deb. VI. 59
s *Grah.* VI. 304 VII. 276
VI. 54
ch. et Mey. VI. 56
m bot. Reg. VI. 66
m Chois. VI. 66
m W. VI. 66

Pyrethrum
foeniculaceum γ Chois. VI. 66
— *δ Chois.* VI. 66
frutescens W. VI. 66
fruticosum Spr. VI. 45
fruticulosum Schult. VI. 58
fuscatum *W.* VI. 54
glabratum Less. VI. 51
glabrum *Lag.* VI. 54
grandiflorum Holl. et Reich. VI. 66
grandiflorum hort. Paris. VI. 66
grandiflorum W. VI. 66
Halleri *W.* VI. 55
β Barrelieri *DC.* VI. 55
hirtum Less. VI. 51
hybridum Wender. VI. 58
indicum *Cass.* VI. 62
indicum Roxb. VI. 64
inodorum Sm. VI. 52
Kirilowii *Turcz.* VI. 61
lanatum Spr. VI. 42
latifolium W. VI. 47
leptophyllum *Stev.* VI. 60
leucanthemoides Tausch VI. 56
macrophyllum *W.* VI. 58
maritimum *Sm.* VI. 53
millefoliatum MB. VI. 60
millefoliatum Ledeb. VI. 59
millefoliatum *W.* VI. 60
minimum DC. fl. fr. VI. 54
multicaule *W.* VI. 61
multifidum *DC.* VI. 63
Myconis *Moench* VI. 61
β hybridum *DC.* VI. 61
γ albidum - - -
myriophyllum *C. A. Meyer* VI. 59
β subviridescens *DC.* VI. 59
niveum *Lag.* VI. 57, 58
oligocephalum *DC.* VII. 297
oppositifolium Spr. VI. 67
orientale W. VI. 5
palmatifidum *DC.* VI. 54
palustre *W.* VI. 54
partheniifolium *W.* VI. 58
parthenifolium α MB. VI. 58
β MB. VI. 58
Parthenium *Sm.* VI. 58
β flosculosum *DC.* - -
parviflorum W. VI. 52
pinnatifidum Chois. VI. 66
pinnatifidum W. VI. 63

Pyrethrum
praecox MB. VI. 52
praecox C. A. Meyer VI. 52
ptarmicaefolium W. VI. 23
pulchellum *Turcz.* VI. 55
pulchrum *Ledeb.* VI. 56
pulverulentum *Lag.* VI. 60
pulverulentum W. VI. 58
radicans *Cav.* VI. 60
roseum Lindl. VI. 55
roseum *MB.* VI. 56
roseum C. A. Meyer VI. 56
Roylei *DC.* VI. 56
santolinoides *DC.* VI. 59
saxatile Lodd. VI. 55
segetum Moench VI. 64
sericeum *MB.* VI. 55
serotinum *W.* VI. 57
silaifolium *Stev.* VI. 57
simplicifolium W. VI. 42
sinense *DC.* VI. 62 VII. 297
speciosum W. VI. 66
Spilanthus Medic. V. 624
tanacetoides *DC.* VI. 59
Tanacetum *DC.* VI. 63
tenuifolium Ten. VI. 57
tenuifolium W. VI. 57
tingitanum hort. Erf. VI. 54
tomentosum Clairv. VI. 55
tomentosum *DC.* VI. 54
trifurcatum *W.* VI. 61
uliginosum *W. et Kit.* VI. 57
uniflorum *Fisch. et Meyer* VI. 60
Pyrochaeta DC. V. 349 (Aplopappus)
Pyrrhopappus *DC.* VII. 144
carolinianus *DC.* VII. 144
multicaulis *DC.* VII. 144
pauciflorus *DC.* VII. 144
scaposus *DC.* VII. 144
Sessaeanus *DC.* VII 144
taraxacoides *DC.* VII. 145
Pyrrocoma *Hook.* V. 350
angustifolia *DC.* V. 351
carthamoides *Hook.* V. 350
grindelioides *DC.* V. 350
parvifolia *DC.* V. 351

Q

Quinetia *Cass.* VI. 158
Urvillei *Cass.* VI. 158

R

RADIATAE Tourn. V. 4
Railliarda *Gaudich*
ciliolata *DC.* VI.
laxiflora *DC.* VI.
linearis *Gaudich*
scabra *DC.* VI. 4
Ramtilla DC. V.
oleifera DC. V.
Rancagua Poepp
Bridgesii Poep
Fevillei Poepp.
Ranunculus alat
Ratibida Raf. V. 5
DC. V. 55
columnaris brit
sulcata Raf. V.
Razumowia Spr.
paniculata Spr.
Rea *Bert. herb. De*
Berteriana *Decai.*
leucantha Bert.
macrantha *Bert.*
marginata *Bert. h*
micrantha *Bert. h*
mollis *Bert. herb*
neriifolia *Decais*
pinnata *Gay herb*
pinnata var. Be
Reichardia Roth
integrifolia Mo.
picroides Roth
runcinata Moen
tingitana Roth
Relhania *Less.* VI.
VI. 286 *Cass*
Thunb. VI. 2
Bellidiastrum P
calycina Poir. V
cuneata L'Herit
decussata L'Her
dichotoma W. he
dumosa E. Meye
ericoides Cass. V
genistifolia L'H
lateriflora L'He
lateriflora Link
laxa *L'Herit.* VI.
linifolia W. VI.
microphylla *L'He*
multipunctata *DC.*
paleacea *L'Herit.*

ides L'Herit. VI. 285
la L'Herit. VI. 287
Thunb. V. 686
Thunb. VI. 290
L'Herit. VI. 289
Ker VI. 289
ervis Thunb. VI. 289
ss. VI. 286
Thunb. VI. 283
a Less. VI. 286
es L'Herit. VI. 286
a Thunb. VI. 290
L'Herit. VI. 286
Thunb. VI. 280
Meyer VI. 285
Thunb. VI. 289
Herit. VI. 287
Herit. VI. 287
Less. DC. V. 500 VI. 280 VII. 288
s DC. VI. 280 (Pterothrix)
s Cass. VII. 180
Idans. VI. 663, 665
DC. VI. 665 (Leuzea)
des Vaill. VII. 81
Tourn. VII. 77 *Schreb.* 78 *W.* VII. 77 *Cass.* VII. 78 *Reich.* VII. 77
ill. VII. 81
ertn. VII. 77
s All. VII. 81
Fisch et Meyer VII. 78
us Ten. VII. 77
W. VII. 78
ides Desf. VII. 77
All. VII. 80
DC. VII. 77
us DC. VII. 77
lius - - -
- - -
mus - - 78
W. VII. 77
des All. VII. 100
All. VII. 178
Desf. V. 463
Desf. V. 463
EAE Cass. VI. 662
ides lutea Vaill. VI. 567
DC. VI. 663 *Less.* VI. 665, 666, 667, 668
. VI. 664
um DC. VI. 663
. 663

Rhaponticum
canariense *DC.* VI. 664
ciliatum Lam. VI. 571
cynaroides *Less.* VI. 663
nitidum *Fisch.* VI. 664
paniculatum Scop. VI. 584
pulchrum *Fisch. et Mey.* VI. 664
pygmaeum *DC.* VI. 665
scariosum *Lam.* VI. 664
β lyratum *DC.* - -
uniflorum *DC.* VI. 664
Rhigiothamnus Less. DC. VII. 37 (Dicoma)
Rhinactina *Less.* V. 278 *W.* VII. 55
cinerarioides W. herb. VII. 55
limonifolia *Less.* V. 278
uniflora *Bunge* V. 279
Rhinocerotis Less. VI. 256
Rhodanthe *Lindl.* VI. 159
Manglesii *Lindl.* VI. 159
Rhynchocarpus Less. VI. 290
lateriflorus Less. VI. 290
Rhynchopsidium *DC.* VI. 290
pedunculatum *DC.* VI. 290
pumilum *DC.* VI. 290
sessiliflorum *DC.* VI. 290
Rhynchospermum *Reinw.* V. 296
verticillatum *Reinw.* V. 269
Rhynea *DC.* VI. 154
phylicaefolia *DC.* VI. 154
Rhytidanthe Benth. VI. 161, 679
scabra Benth. VI. 161, 679
Richea Labill. VI. 152
glauca Labill. VI. 152
Ridan Adans. V. 575
Riencourtia *Cass.* V. 503
glomerata *Cass.* V. 504
spiculifera *Cass.* V. 504
Rigiophyllum Less. DC. VI. 289 (Eclopes)
Robertia *DC.* VII. 96
pinnatifida Spr. VII. 93
taraxacoides *DC.* VII. 97
β tricholaena - - -
taraxacoides β hirta Duby VII. 97
Robinsonia *DC.* VI. 447
Gayana *Decaisn.* VI. 448
gracilis *Decaisn.* VI. 448
macrocephala *Decaisn.* VI. 448
thurifera *Decaisn.* VI. 448
Roccardia Neck. VI. 213
Rochonia *DC.* V. 345
cinerarioides *DC.* V. 345
β subreticulata - - -
cuneata *DC.* V. 345

Rodigia *Spr.* VII. 98, 96
commutata *Spr.* VII. 98
laevigata Spr. VII. 96
RODIGIEAE *DC.* VII. 74, 98
Rohria Vahl VI. 504 *Thunb.* VI. 497, 504
armata Vahl VI. 505
bisulca Thunb. VI. 498
carlinoides Thunb. VI. 505
carthamoides Thunb. VI. 505
ciliaris Thunb. VI. 499
cruciata Thunb. VI. 506
cuneata Thunb. VI. 506
cynaroides Thunb. VI. 504
decurrens Thunb. VI. 497
grandiflora Thunb. VI. 506
hispida Thunb. VI. 499
ilicifolia Vahl VI. 506
incana Thunb. VI. 506
lanceolata Thunb. VI. 506
monanthos Thunb. VI. 505
obovata Thunb. VI. 507
palmata Thunb. VI. 505
palmata var. Thunb. VI. 505
patula Thunb. VI. 498
pectinata Thunb. VI. 499
pungens Thunb. VI. 505
revoluta Vahl VI. 506
setosa Thunb. VI. 499
setosa Thunb. herb. VI. 498
spinosissima Thunb. VI. 506
squarrosa Thunb VI. 498
sulcata Thunb. VI. 498
Rolandra *Rottb.* V. 90
argentea *Rottb.* V. 90
diacantha Cass. V. 90
monacantha Cass. V. 90
reptans W. herb. V. 91
terminalis Spr. V. 506
ROLANDREAE *Cass. Less. DC.* V. 10, 88
Roldana Lallav et Lex. VI. 340,
lobata Lallav. et Lex. VI. 431
Rolfinkia Zenk. V. 696
centauroides Zenk. V. 696
Rosalesia glandulosa Lallav. et Lex. V. 183
Rosenia *Thunb.* VI. 280
glandulosa *Thunb.* VI. 280
spinescens *DC.* VI. 280
Rosilla *Less.* V. 668
lutea *Less.* V. 668
ROSILLEAE Less. V. 651
Rothia Lam. V. 658 *Schreb.* VII. 244, 245
Rothia
andryaloides R
argentea Lapey
carolinensis La
cheiranthifolia
laxiflora Salzm.
runcinata Roth
tenuifolia Tine
Ruckeria *DC.* VI. 4
Euryopsidis *DC.*
othonnoides *DC.*
tagetoides *DC.* VI
Rudbeckia *Cass.* V. 555
alata Jacq V. 6
amplexicaulis
amplexifolia Ja
angustifolia L.
aristata Pursh
aspera Desf. V.
aspera Pers. V.
bellidioides *Sm.*
chrysomela Mx.
chrysomela Spr.
cinerea Hortul.
columnaris Pur
columnifera Fra
decumbens *Sm.* V.
densifolia *Sm* V.
digitata *Mill* V. 5
digitata W. V. 5
discolor *Pursh* V
fulgida *Ait.* V. 55
fulgida Pers. V.
fulgida Spr. V.
glabra *DC.* V. 556
gracilis *Nutt.* V.
grandiflora *Gmel.*
hirsuta Isis V. 5
hirta *L.* V. 556
hispida Hoffman
laciniata *L.* V. 55
laciniata β angu
laevigata *Pursh* V
laevis Hoffmann
leucantha *Lag.* V.
mollis *Ell.* V. 556
napifolia *H. B. et*
nudicaulis Nutt.
nudicaulis *Pers.* V
odorata Hortul.
oppositifolia L.
pauciflora Steud.
perfoliata Cav. V
pinnata Vent. V.

L. V. 554
β serotina Nutt. V. 554
sh V. 556
west V. 554
lx. V. 557
ink V. 554
nder. V. 556
sa Pursh V. 555
mes V. 559
ll. V. 555
. 555
sh V. 555
tomentosa M.x. V. 555
Cass. DC. V. 498, 554
. V. 549 VII. 289
C. V. 549 VII. 289
a DC. VI. 72 (Dimorphotheca)
VI. 158
s *DC.* VI. 159

S

V. 496
. V. 496
DC. V. 497
- - -
L. V. 497
Walt. V. 497
sis Bert. V. 497
Less. V. 496
DC. V. 497
. V. 624 (Spilanthes)
. 493
Br. V. 493
C. V. 493
- - -
Cass. V. 493
V. 493
Br. V. 493
s Cass. V. 493
Cass. V. 493
C. V. 493
R. Br. V. 493
eand VII. 26
rn. VI. 35 VII. 296
Lam. Sm. VI. 34
tol. VI. 38
I. 36
s L. VI. 15
eg. VI. 36
rissus L. VI. 35
C. VI. 35

Santolina
β tomentosa *DC.* VI. 35
γ squarrosa - - -
δ villosissima - - -
Chamaecyparissus W. VI. 35
crithmifolia *Horn.* VI. 37
elegans *Boiss.* VII. 296
erecta Lam. VI. 38
erecta Pers. VI. 36
ericoides Poir. VI. 35
eriosperma Pers. VI. 38
flava Forsk. VI. 11
fragrantissima *Forsk.* VI. 36
β ptarmicoides *DC.* VI. 36
fragrantissima Vahl VI. 36
jamaicensis L. V. 672
incana Lam. VI. 35
leucantha Bertol. VI. 36
maritima Sm. VI. 34
minor Mill. VI. 36
montana Sibth. VI. 15
muricata Guss. VI. 15
oppositifolia Brown. V. 107
pectinata *Benth.* VI. 35
β heterophylla *DC.* - -
pectinata Lag. VI. 35
pinnata Don VI. 38
pinnata *Viv* VI. 35
ptarmicoides Lam. VI. 36
rigida Sibth. VI. 14, 17
rosmarinifolia *Mill.* VI. 36
rosmarinifolia α L. VI. 36
— *γ L.* VI. 35
simplicifolia L'Herit. VI. 37
sinuica Fresen VI. 59
squarrosa Moris VI. 35
squarrosa W. VI. 35
suaveolens *Pursh* VI. 37
terrestris Forsk. VI. 17
tinctoria Mol. V. 662
tomentosa Lam. VI. 34
tomentosa Pers VI. 35
tuberculosa Lam. VI. 36
vermiculata Tourn. VI. 134
villosa Mill. VI. 35
villosissima Poir. VI. 35
virens Mill. VI. 35
viridis *W.* VI. 35
viscosa *Lag.* VI. 36
SANTOLINEAE Less. VI. 1
Santolinoides Poquill Feuill. V. 662

Sanvitalia *Gualt.* V. 628
acinifolia *DC.* V. 628
helianthoides *Rich.* V. 628
helianthoides W. V. 589

Sanvitalia
ocymoides *DC.* V. 628
procumbens *Lam.* V. 628
β oblongifolia *DC.* - -
tragiaefolia *DC.* V. 628
villosa Cav. V. 628
Sarcanthemum *Cass.* V. 367
Coronopus *Cass.* V. 367
Sarreta DC. VI. 667 (Serratula)
Saussurea *DC.* VI. 531 *Don* VI. 538 *Cass.* VI. 533
acuminata *Turcz.* VI. 536
affinis Spr. VI. 540
alata *DC.* VI. 537
alpina Ledeb. VI. 535
alpina *DC.* VI. 535
β subacaulis *Ledeb.* VI. 535
γ viridis *DC.* VI. 535
alpina sibirica C. A. Meyer VI. 535
alpina viridis Turcz. VI. 535
amara *DC.* VI. 536
amurensis *Turcz.* VI. 534
angustifolia *DC.* VI. 535
caespitosa Wall. VI. 539
cana *Ledeb.* VI. 533
Candolleana Wall. VI. 541
carthamoides Hamilt. VI. 540
congesta *Turcz.* VI. 535
controversa DC. VI. 535
crassifolia *DC.* VI. 533
denticulata *Ledeb.* VI. 535
denticulata Wall. VI. 539
discolor *DC.* VI. 534
β elatior *DC.* - 535
discolor Ledeb. VI. 535
dissecta Ledeb. VI. 537
elata *Ledeb.* VI. 532
elegans *Ledeb.* VI. 533
elongata *DC.* VI. 534
β polypodifolia *DC.* VI. 534
elongata scabiosaefolia Turcz. VI. 534
eriolepis Bung. VI. 535
Eriostemon Wall. herb. VI. 539
foliosa *Ledeb.* VI. 535
β dentosa *Turcz.* VI. 536
Frolovii Ledeb. VI. 536
glomerata *Poir.* VI. 536
gossypifera Spr. VI. 542
gossypina Wall. VI. 542
gossypiphora Don VI. 541
gossypiphora B Wall. VI. 542
graminifolia *Wall.* VI. 536
hypoleuca Spr. VI. 541
japonica *DC.* VI. 536

Saussurea
integerrima Spr
intermedia *Turcz.*
laciniata *Ledeb.* V
laciniata lasioce
latifolia *Ledeb.* VI
liatroides *Fisch.* V
macrocephala *Less*
monocephala Ca
monticola *Richa*
mucronata Spr.
multiflora DC. V
nuda *Ledeb.* VI. 5
papposa *Turcz.* V
parviflora *DC.* VI.
pectinata *Bunge*
polypodifolia D
polypodifolia Tu
pulchella *Fisch.* V
pumilio Fisch. V.
pycnocephala Le
pygmaea Ledeb.
pygmaea *Spr.* VI.
β Schangini *DC.* -
rigida *Ledeb.* VI.
robusta *Ledeb.* VI
runcinata *DC.* VI.
salicifolia *DC.* VI.
α macrocephala *Tu*
β angustifolia *DC.*
γ intermedia *Ledeb.*
δ incisa *Ledeb.* VI.
salicifolia brevi
salicifolia major
salsa Ledeb. VI.
serrata *DC.* VI. 5
α β - - -
stricta Spr. VI.
subsinuata *Ledeb.*
taraxacifolia *Wall.*
taraxacifolia B
tenuis *Ledeb.* VI.
Tileaii *Ledeb.* VI.
uniflora Wall. V
Scabiosa sympaga

Scalesia *Arn.* VII. 3
atractyloides *Arn.*
Scalia Sims DC. VI.
jacoeides Sims V
Scariola DC. VII.
Scopinia Nest.

dichotoma Cass.

VI. 414
C. VI. 371
var. 1 Wallr. VI. 354
var. 3 Wallr. VI. 354
VI. 355
f. VI. 349
VI. 360
ir. VI. 432
r. V. 203
VI. 416
C. VI. 403
k. et Arn. VI. 417
C. VI. 406
Cunningh. VI. 295
fl. VI. 408
C. VI. 409
Thunb. VI. 409
C. VI. 395
Spr. VI. 344
L. 344
VI. 344
Desf. VI. 297
C. VI. 381
E. Meyer VI. 381
hunb. VI. 381
Sieb. VI. 357
C. VI. 425
C. VI. 365
k VI. 432
us Bulb. VI. 398
us Jacq. VI. 398
Boiss. VII. 301
Berg. VI. 408
Schrad. - -
- - -
s Spr. VI. 408
s Thunb. VI. 408
us DC. VI. 416
rsk. VI. 355
llus W. VI. 299
VI. 413
Bert. herb. VI. 416
L. VI. 392
lius H. B. et K. VI. 425
. VI. 383
ess. VI. 434
VI. 383
DC. VII. 301
- - -
. VI. 409
DC. VI. 380

Senecio
heterophyllus DC. VI. 414 *)
heterophyllus Thunb. VI. 379
heterotrichius DC. VI. 419
hieracifolius Forsk. VI. 342
hieracifolius Labill. VI. 296
hieracifolius L. VI. 294
hieracioides DC. VI. 384
hirsutus Clairv. V. 204
hirtellus DC. VI. 401
β subcorymbosus DC. VI. 401
hirtifolius DC. VI. 394
hispidulus Rich. VI. 296
Hualtata Bert. herb. VI. 417
Hubertia Pers. VI. 376
β conyzoides DC. VI. 376
Humboldtianus DC. VI. 421
humilis Desf. VI. 344
β pedunculosus DC. VI. 345
humilis Duby VI. 345
hypargyraeus DC. VI. 379
hypochaerideus DC. VI. 386
Jacobaea Don VI. 366
Jacobaea L. VI. 350
β floseulosus DC. VI. 350
γ grandiflorus Turcz. VI. 350
δ erucoides DC. VI. 350
Jacobaea L. ex Spr. VI. 366
Jacobaea β palustris Spenn. VI. 350
Jacobaea aquaticus Gaud. VI. 350
Jacquinianus Reich. VI. 354
jamaicensis DC. VI. 412
japonicus Thunb, V. 651
javanicus W. VI. 433
icoglossus DC. VI. 420
β araneosus - - -
ilicifolius Berg. VI. 380
ilicifolius Less. VI. 422
ilicifolius L. VI. 392
ilicifolius Thunb. VI. 391
inaequidens DC. VI. 401
inamoenus DC. VI. 382
incanus Lapeyr. VI. 356
incanus L. VI. 356
β glabratus DC. VI. 356
γ italicus Pers. VI. 356
incanus Scop. VI. 356
incanus a Gaud. VI. 356
incarnatus Lowe VI. 344
incertus DC. VI. 433
incisus Thunb. VI. 435

*) conf Praefatio.

Scorzonera
Gebleri Besc. VII. 120
glandulosa Pourr. VII. 183
glastifolia Heget. VII. 119
glastifolia *W.* VII. 121
β asphodeloides *Wallr.* VII. 121
graeca Tourn. VII. 117
graminifolia Auch. VII. 121
graminifolia Hoffm. VII. 121
graminifolia Lag. VII. 122
graminifolia Ledeb. VII. 120
graminifolia *L.* VII. 126
graminifolia α et β Ledeb. VII. 120
graminifolia lusitanica L. VII. 122
grandiflora Lapeyr. VII. 119
halophila *Fisch. et Mey.* VII. 122
hirsuta *L.* VII. 124
hispanica *L.* VII. 120
β crispatula *DC.* VII. 121
hispanica β Wallr. VII. 121
hispida *Forsk.* VII. 126, 124
hispida MB. VII. 127
hispidula Spr. VII. 109
Hoppeana Sieb. VII. 120
humilis fl. dan. VII. 120
humilis Jacq. VII. 120
humilis *L.* VII. 120
α latifolia *DC.* VII. 120
β austriaca - - -
γ linearifolia - - -
δ brevifolia - - -
humilis W. VII. 119
humilis angustifolia Turcz. VII. 120
incisa *DC.* VII. 119
intermedia Guss. VII. 110
julia Vest VII. 124
laciniata Jacq. VII. 110
laciniata L. VII. 111
laciniata MB. VII. 111
laciniata Vahlberk. VII. 123
lanata *MB.* VII. 124
lanata Schrank VII. 120
lanuginosa *Baumg.* VII. 126
latifolia *DC.* VII. 124
macrocephala *DC.* VII. 122
macrorhiza *Schleich.* VII. 120
macrosperma *Turcz.* VII. 121
mollis *MB.* VII. 122
β leptocephala *DC.* VII. 122
mollis Fisch. et Mey. VII. 117, 122
montana *Mutel* VII. 121
β bastica *Boiss.* - -

Scorzonera
muricata Bell.
nervosa Pers.
nervosa *Trev.*
nervosa a Poir
octangularis W
orientalis L.
papposa *DC.* VII
paradoxa *Fisch.*
parviflora *Jacq.*
pauciflda Lam.
petiolaris Lape
picroides L. VI
pinifolia Gou.
pinnatifida Lap
pinnatifida Mx
plantaginea *Schle*
plurifida Lam.
pubescens *DC.*
pumila Cav. VI
pumila Spr. VI
purpurea Desf.
purpurea Host
purpurea Ledeb
purpurea *L.* VII.
β Gmelini *DC.*
purpurea Poir.
pusilla MB. VI
pusilla *Pall.* VII.
pygmaea *Sibth.*
radiata *Fisch.* VI
β linearifolia *DC.*
ramosissima *DC.*
resedifolia L.
resedifolia Retz
rigida *Auch* VII.
rosea *W. et Kit.*
Roylei *DC.* VII.
sativa Gater. VI
sericana *DC.* VII
sericea *Auch.* VII
serrulata Vis.
stricta *Horn.* VII
stylosa Pers. VI
subulata Lam.
Szowitzii *DC.* VII
Taraxaci Roth
taraxacifolia Ja
taurica *MB.* VII.
Tenorii Presl V
tenuifolia *Schrad.*
tingitana Pers.
tingitana L. VI
tomentosa *L.* VII.
β lanceolata *DC.*
γ linearis

[redacted]

VII. 120
VII. 122
VII. 123
Guett. VII. 118
Guss. VII. 119
VII. 118
VII. 117
VII. 123
VII. 111, 122
VII. 124
II. 125
Less. Cass. DC.
VII. 75, 99
Moench VII. 108
Moench VII. 108
VI. 340,
VI. 422
DC. VII. 12 (Ol-
denburgia)
Meyer VII. 12
rtol. V. 630
Bertol. V. 631
Burm. VI. 260
VI. 147
V. 612 *Spr.* V.
311, 462
V. 462
V. 312
612
V. 312
B. et K. V. 612
OSAE Tourn.
V. 4 VII. 74
VI. 313
VI. 313
VI. 315
ertn. VI. 309
VII. 309 *Vaill.*
rtn. VII. 341 *L.*
VI. 325, 340, 437
VI. 423
Gou. VI. 348
VI. 349
Meyer VI. 397
VI. 434
C. VI. 396
VI. 368
VI. 402
VI. 378
VI. 416
388
ois. VI. 348
VI. 378

Senecio
adscendens *DC.* VI. 420 *)
aegyptius *L.* VI. 342
aethnensis *Jan* VI. 345
β incisus *DC.* - -
affinis *DC.* VI. 365
africanus Hortul. VI. 290
alatus *Wall.* VI. 368
albanensis *DC.* VI. 385
albidus *E. Meyer* VI. 398
β laxiflorus *DC.* - -
γ hirtifolius - - -
albifolius *DC.* VI. 389
aloides *DC.* VI. 402
alpestris *DC.* VI. 360
alpestris Gaud. VI. 353
alpinus L. fil. VI. 347
alpinus *Scop.* VI. 347
α cordifolius *Reich.* VI. 347
β auriculatus - - -
altissimus Mill. VI. 352
amabilis *DC.* VI. 406
Ambavilla *Pers.* VI. 376
β taxifolius *DC.* - -
ambiguus *DC.* VI. 356
β Schousii - - -
ambraceus *Turcz.* VI. 348
amplexicaulis *H. B et K.* VI. 424
amplexicaulis Wall. VI. 314
ampullaceus *Hook.* VI. 428
anacampserotis *DC.* VI. 374
analogus *DC.* VI. 366
anethifolius *Cunningh.* VI. 371
Andrieuxii *DC.* VI. 430
andryaloides *DC.* VI. 420
angavonensis *Bojer* VI. 377
angulatus *L. fil.* VI. 404
angulifolius *DC.* VI. 431
angulosus *Wall.* VI. 369
angustifolius *W.* VI. 399
angustifolius Forst. VI. 374
angustifolius Wall. VI. 367
anthoraefolius Reich. VI. 351
appendiculatus *DC.* VI. 376
appendiculatus Poir. VI. 349
appenninus Tausch VI. 357
aquaticus *Huds.* VI. 349 VII. 300
β barbareaefolius *Krock.* VI. 350
aquaticus Lois. VI. 349
aquifoliaceus *DC.* VI. 394
arabicus *L.* VI. 342
arachnoideus *Sieb.* VI. 357 VII 301
arachnoideus Wall. VI. 364
araneosus *DC.* VI. 364

*) conf. Praefatio.

Senecio
araneosus E. Meyer VI. 391
arbutifolius *H. B. et K.* VI. 424
arenarius MB. VI. 351
arenarius Salzm. VI. 345
arenarius *Thunb.* VI. 434, 381
argenteus *Kunze* VI. 415
argutus Endl. VI. 296
argutus *H. B. et K.* VI. 429
argutus Rich. et Less. VI. 296
arnicaeflorus *DC.* VI. 390
arnicoides Hook. et Arn. VI. 418
arnicoides Wall. VI. 314
arnicoides β Wall. VI. 314
Arnottianus *DC.* VI. 367
β subsinuatus - - -
aronicoides *DC.* VI. 426
artemisiaefolius *Pers.* VI. 348
asarifolius Bojer VI. 330
asclepiadeus *DC.* VI. 422
Aspelina *DC.* VI. 436
asper Ait. VI. 400
asperulus *DC.* VI. 386
assuayensis *DC.* VI. 422
Aucheri *DC.* VI. 361
aurantiacus *DC.* VI. 361
α glabratus *Reich.* - -
β floccuiosus *Bess.* - 362
γ tomentosus *DC.* - -
δ capitatus - - -
auratus *DC.* VI. 348
aureus *L.* VI. 432, 348
aureus Wall. VI. 369
auricomus Link VI. 354
auriculatus Desf. VI. 349
auriculatus Poepp. VI. 417
auriculatus *Vahl* VI. 349
auriculatus Wall. VI. 369
auritus *W.* VI. 349
australis Rich. et Less. VI. 374
australis *W.* VI. 374
α edentatus *DC.* VI. 374
β unidentatus - - -
baccharidifolius *DC.* VI. 414
β angustifolius - - -
γ subradiatus - - -
baccharoides H. B. et K. VI. 326
Badaroi Morett. VI. 346
baldensis Poir. VI. 347
Balbisianus *DC.* VI. 360
Balsamitae *Mühl.* VI. 432
Barba-Johannis *DC.* VI. 430
barbatus *DC.* VI. 406
barbellatus *DC.* VI. 388
Barrelieri Gou. VI. 357
Barrelieri Hoppe VI. 354

Senecio
belbeyanus Bellz.
belbeyticus Poir
bellidifolius *H. B.*
Bergianus E. M.
Berterianus *Colla*
β obtusus *DC.* VI.
betonicaefolius *D*
bicolor Balb. VI
bidentatus *W.* VI
biflorus *Vahl* VI.
bipinnatifidus
bipinnatus *Less.*
blattarioides *DC.*
bogotensis *Spr.*
Bojeri *DC.* VI. 37
Boissieri *DC.* VII
Bonplandianus *D*
borysthenicus
brachychaetus *DC.*
β diversifolius -
brachylaenus *DC.*
brachypodus *DC.*
brachyrhynchoides
brasiliensis *Less.*
breviscapus *DC.*
Bridgesii *Hook. e*
Buimalia *Hamilt.*
bulbinefolius *DC.*
bupleuroides *DC.*
β denticulatus -
Burchelli *DC.* VI.
buxifolius H. B.
byzantinus L.
Cacaliaster Gu
Cacaliaster *Lam.*
cacalioides Fisc
cacalioides Lin
caespitosus *Brot.*
cakilefolius *DC.*
calcarius *H. B. et*
Caledoniae *Schle*
californicus *DC.*
β laxior *DC.* VI.
campestris *DC.*
α humilis -
β vulgaris -
γ capitatus -
δ glabratus -
ε dentatus *Reich.*
campylodes *DC.*
canadensis *L.* VI.
canaliculatus *Hal*
canalipes *DC.* VI
cancellatus *DC.*

Bojer VI. 330
DC. VI. 358
- - -
- - -
Wall. VI. 314
DC. VI. 371
all. VI. 365
Wall. VI. 365
Wall. VI. 366
DC. VI. 346
- - -
fil. VI. 398
DC. VI. 398
T. B. et K. VI. 424
B. et K. VI. 424
DC. VI. 429
Wall. VI. 315
hunb. VI. 381
VI. 423
jer VI. 378
Less. VI. 347
C. VI. 347
DC. VI. 431
C. VI. 387
DC. VI. 387
all. VI. 315
DC. VI. 397
DC. VI. 374
VI. 476
cq. VI. 392
VI. 392
K. Meyer VI. 393
VI. 377
Wallr. VI. 353
VI. 359
DC. VI. 384
VI. 431
Bojer VI. 377
folius Jacq. VI. 400
ius L. fil. VI. 400
DC. VI. 400
- - -
- - -
- - -
folius Thunb. VI. 400
ius Lapeyr. VI. 357
DC. VI. 366
cq. VI. 298
C. VI. 413
DC. VI. 369
Less. VI. 295
W. et Kit. VI. 350
ch. et Less. VI. 372
DC. VI. 422

Senecio
Sadleri Lang. VI. 353
salicifolius *Pers.* VI. 375
salicifolius Wallr. VI. 353
salignus *DC.* VI. 430
sandwicensis *Less.* VI. 375
Sanguisorbae *DC.* VI. 427
sarcobasis Bojer VI. 300
sarracenicus Gmel. VI. 353
sarracenicus *Jacq.* VI. 353
β floseulosus *DC.* VI. 354
sarracenicus var. L. VI. 353
saxatilis *Wall.* VI. 367
scaber *W.* VI. 434
scabriusculus *DC.* VI. 396
scandens *DC.* VI. 404
scandens Hamilt. VI. 370
scandens Juss. herb VI. 326
scandens Wall. VI. 370
scapiger Sieb. VI. 304 VII. 277
scaposus *DC.* VI. 403
Schkuhrii *DC.* VI. 359
Scopolii Hoppe VI 357
Scrobicaria *DC.* VI. 422
scrobicarioides *DC.* VI. 430
scytophyllus *H. B. et K.* VI. 424
Selloi *DC.* VI. 419
seminudus Bory VI. 294
serratifolius Weinm. VI. 409
serratuloides *DC.* VI. 395
β glabratus - - -
serratus E. Meyer VI. 386
serrulatus *DC.* VI. 401
sessilis Thunb. VI. 392
sibiricus Lepech. VI. 316
siculus Jan VI. 351
Sieberianus *DC.* VI. 373
simplicissimus *Bojer* VI. 377
sinuatilobus *DC.* VI. 417
β littoralis - - -
sinuatus *H. B. et K* VI. 427
sisymbriifolius *DC.* VI. 382
sisymbriiformis *DC.* VI. 366
skirrhodon *DC.* VI. 401
Smithii *DC.* VI. 412
solidagineus *Spr.* VI. 435
solidaginoideus Berg. V. 435
sonchifolius Moench VI. 302
sonchoides *H. B. et K.* VI. 425
sophioides *DC.* VI. 382
sparsifolius *Bojer* VI. 378
spathulaefolius *DC.* VI. 362
spathulatus *Rich. et Less.* VI. 373
speciosus Ker VI. 407
speciosus *W.* VI. 407
spectabilis *Wall.* VI. 366

Senecio
dahuricus Fisch. VI. 349
daphnoides Poir. VI. 376
Decaisnii *DC.* VI. 342
decurrens *DC.* VI. 366
delphinifolius Retch. VI. 346, 351
delphinifolius *Vahl* VI. 346
β laxus *DC.* VI. 346
γ Badaroi - - -
deltoideus *Less.* VI. 404
densiflorus *Wall.* VI. 369
dentatus *Jacq.* VI. 379
dentatus Wall. VI. 364
denticulatus *DC.* VI. 416
denticulatus Mull. VI. 343
denudatus Don VI. 367
desideratus *DC.* VI. 413
desquamatus Link VI. 346
difficilis Dufour VI. 346
diffusus *L. fil.* VI. 434
digitalifolius *DC.* VI. 397
diodon *DC.* VI. 399
discolor Bojer VI. 379
discolor *DC.* VI. 412
discolor Desf. VI. 299
divaricatus L. VI. 301
diversifolius Dumort. VI. 352
diversifolius *Wall.* VI. 366
Dombeyanus *DC.* VI. 418
Doria *L.* VI. 352
doriaeformis *DC.* VI. 352
doroniciflorus *DC.* VI. 385
Doronicum *L.* VI. 357
α vulgaris *DC.* - -
β polycephalus- - -
γ rotundifolius- - -
δ tomentosus - - -
Douglasii *DC.* VI. 429
dracunculoides *DC.* VI. 400
Dregeanus *DC.* VI. 407
β discoideus- - -
dryadeus Sieb. VI. 374
dubius *Ledeb.* VI. 341
Duriaei *Gay* VI. 350 VII. 300
echinatus *DC.* VI. 411
Ecklonianus *DC.* VI. 384
elatus *H. B. et K.* VI. 425
elegans *L.* VI. 408
β microglossus *DC.* VI. 408
γ viscosissimus - - -
elegans Thunb. VI. 407
elegans β L. VI. 408
ellipticus *DC.* VI. 429
elodes *Boiss.* VII. 301
elongatus *Pursh* VI. 431
Senecio
emirnensis *DC.*
Endlicheri *DC.*
eriobasis *DC.* V
eriospermus *DC*
erodiifolius *DC.*
erosus *L. fil.* V
γ strictus *DC.* -
erraticus *Bertol*
erubescens *Ait.*
α dichotomus *DC*
β incisus -
γ crispidifolius -
erucaefolius *Hu*
β tenuifolius *D*
γ napifolius -
δ brevifigulatus -
ε discoideus -
erucaefolius va
erysimoides *DC.*
Eudorus *DC.* V
euriopoides *DC.*
exsquameus B
fasciculatus W
fastigiatus Sch
filaginoides *DC.*
filifolius Berg.
fistulosus *Poepp*
fistulosus var.
flabellatus Viv.
flaccidus Rich.
flammeus *DC.* V
flexuosus Less.
flexuosus Wall
flocciferus *DC.* V
floribundus W
foeniculaceus *Te*
foliosus *Salzm.*
formosus *H. B. e*
Forsteri *Schlecht*
fragrans Lehm
frigidus *Less.* Vl
frondosus Tau
fruticulosus *Sibt*
Fuchsii *Gmel.* Vl
β ovatus *DC.* -
γ Turczaninowii *D*
fuliginosus H.
gallicus DC. Vl
gallicus *Vill.* Vl
α laxiflorus *DC.* V
β difficilis - -
γ exsquameus - -
Gaudichaudianus

. VI. 414
)C. VI. 371
var. 1 *Wallr.* VI. 354
var. 3 *Wallr.* VI. 354
. VI. 355
sf. VI. 349
. VI. 360
ir. VI. 432
v. V. 203
VI. 416
DC. VI. 403
ok. et Arn. VI. 417
DC. VI. 406
Cunningh. VI. 295
. fil. VI. 408
DC. VI. 409
Thunb. VI. 409
DC. VI 395
Spr. VI. 344
L. 344
VI. 344
Desf. VI. 297
C. VI. 381
E. Meyer VI. 381
hunb. VI. 381
Sieb. VI. 357
DC. VI. 425
DC. VI. 365
k VI. 432
us Balb. VI. 398
us Jacq. VI. 398
Boiss. VII. 301
Berg. VI. 408
Schrad. - - - - -
s Spr. VI. 408
s Thunb. VI. 408
us DC. VI. 416
rsk. VI. 355
llus W. VI. 299
VI. 413
Bert. herb. VI. 416
L. VI. 392
lius *H. B. et K.* VI. 425
. VI. 383
ss. VI. 434
VI. 383
DC. VII. 301
- - -
. VI. 409
DC. VI. 380

Senecio
heterophyllus *DC.* VI. 414 *)
heterophyllus *Thunb.* VI. 379
heterotrichius *DC.* VI. 419
hieracifolius Forsk. VI. 342
hieracifolius Labill. VI. 296
hieracifolius L. VI. 294
hieracioides *DC.* VI. 384
hirsutus Clairv. V. 204
hirtellus *DC.* VI. 401
β subcorymbosus *DC.* VI. 401
hirtifolius *DC.* VI. 394
hispidulus Rich. VI. 296
Hualtata *Bert. herb.* VI. 417
Hubertia *Pers.* VI. 376
β conyzoides *DC.* VI. 376
Humboldtianus *DC.* VI. 421
humilis *Desf.* VI. 344
β pedunculosus *DC.* VI. 345
humilis Duby VI. 345
hypargyraeus *DC.* VI. 379
hypochaerideus *DC.* VI. 386
Jacobaea Don VI. 366
Jacobaea *L.* VI. 350
β flosculosus *DC.* VI. 350
γ grandiflorus *Turcz.* VI. 350
δ erucoides *DC.* VI. 350
Jacobaea L. ex Spr. VI. 366
Jacobaea β palustris Spenn. VI. 350
Jacobaea aquaticus Gaud. VI. 350
Jacquinianus *Reich.* VI. 351
jamaicensis *DC.* VI. 412
japonicus Thunb. V. 651
javanicus *W.* VI. 433
icoglossus *DC.* VI. 420
β araneosus - - -
ilicifolius Berg. VI. 380
ilicifolius Less. VI. 422
ilicifolius L. VI. 392
ilicifolius *Thunb.* VI. 391
inaequidens *DC.* VI. 401
inamoenus *DC.* VI. 382
incanus Lapeyr. VI. 356
incanus *L.* VI 356
β glabratus *DC.* VI. 356
γ italicus *Pers.* VI. 356
incanus Scop. VI. 356
incanus α Gaud. VI. 356
incarnatus Lowe VI. 344
incertus *DC.* VI. 433
incisus *Thunb.* VI. 435

*) conf Praefatio.

Senecio
incomptus *DC.* VI. 396
β serratus - - -
inconstans *DC.* VI. 382
inornatus *DC.* VI. 365
intactus Moench VI. 342
integerrimus *Nutt.* VI. 432
integrifolius Nutt. VI. 433
involucratus *DC.* VI. 422
isatideus *DC.* VI. 387
juniperinus *L. fil.* VI. 391
Kaempferi *DC.* VI. 363 VII. 301
Kalmii *Nutt.* VI. 435
kirghisicus *DC.* VI. 362
Kirilowii *Turcz.* VI. 361
Kunthianus *Wall.* VI. 369
laciniatus Bertol. VI. 350
laciniatus *DC.* VI. 411 *)
laciniatus *H. B. et K.* VI. 426
laciniosus Arn. VI. 365
laciniosus Wall. VI. 366
lactescens Brot. VI. 436
laevicaulis *DC.* VI. 414
laevigatus *Thunb.* VI. 382
Lagascanus *DC.* VI. 357
lampsanoides *DC.* VI. 348
lanatus Burm. VI. 389
lanatus *DC.* VI. 422
lanatus Scop. VI. 357
lanatus Thunb. VI. 308
lanceus *Ait.* VI. 394
β glaberrimus *DC.* VI. 394
γ eriocaulos - - -
δ subintegер - - -
ε coriaceus - - -
lanceus Jacq. VI. 394
laniger Bojer VI. 379
lanuginosus *Spr.* VI. 436
laricifolius *H. B. et K.* VI. 424
lasiorhizus *DC.* VI. 387
latifolius *DC.* VI. 387
laurifolius H. B. et K. VI. 325
lautus Endl. VI. 373
lautus Forst. VI. 372
lautus W. VI. 373
lavandulaefolius *Wall.* VI. 348
α Notoni *DC.* VI. 348
β Wightii - - -
laxiflorus Viv. VI. 346
laxus *DC.* VI. 380
β hispidulus *DC.* VI. 381
ledifolius *DC.* VI. 421
leiocarpus *DC.* VI. 390
β discoideus - - -

*) cont. Prodromi.

Senecio
leontodontifolius
Leontodontis *DC.*
leptocarpus *DC.*
leptolobus *DC.*
leptophyllus *DC.*
leucanthemifolius
leucopappus Be
leucophyllus *DC.*
lilacinus Schra
linariaefolius *Poe*
β subdiscoideus
γ tenuifolius
linearifolius C
linearifolius *Rich.*
linearis *DC.* VI.
lineatus *DC.* VI.
β multinervius *D*
lineolatus *DC.* VI
Lingua *Poir.* VI.
linifolius Burm
linifolius Forsk
linifolius *L.* VI. 3
β frigidus *Boiss.*
linifolius Thun
linoides *DC.* VI.
littoralis *Gaudic*
α lanatus *DC.*
β glabratus -
littoralis Poepp
littoreus *Thunb.*
littoreus Thunb
lividus *L.* VI. 343
β denticulatus *DC*
lividus Sow. VI
lobatus Pers. VI
lobatus Poir. VI
lobelioides *DC.* V
longidentatus *DC.*
longifolius Ber
longifolius Lah
longifolius *L.* VI.
β subserratus *DC.*
longiscapus *Bafe*
lucidus *DC.* VI.
lugens *Richards.*
lycopifolius Des
lyratifolius *Reich*
lyratus Forsk.
lyratus *L. fil.* VI.
lyratus Mx. VI.
lyratus Thunb.
macquariensis *DC*
macranthus *R*
macrocephalus
α β γ *DC.* VI.

: VI. 563
Turcz. VI. 670
. VI. 668
. 63
b. VI. 668
Poir. VI. 214
VI. 677
Don VI. 541
Desf. VI. 669
669
Vill. VI. 668
f. VI. 677
il VI. 677
unb. VI. 536
l. VI. 643
VI. 558
I. 564
r. VI. 667
. VI. 654
Fisch. VI. 669
. VI. 670
Poir. VI. 639
dams VI. 532
DC. VI. 675
VI. 654
VI. 627
VI. 677
llichiana Wallr. VI. 676
four VI. 678
ir. VI. 650
esf. VI. 670
. VI. 675
ur. VI. 671
vy VI. 671
VI. 568
. VI. 669
VI. 668
VI. 673
sis L. V. 63
C. VI. 669
oir. VI. 655
ir. VI. 647
DC. VI. 669
oir. VI. 639
VI. 670
- -
ita DC. VI. 670
Poir. VI. 534
Poir. VI. 649
DC. V. 16
VI. 662
herb. V. 63
Desf. VI. 668

Serratula
pinnatifida Poir. VI. 669 VII. 305
β DC. VI. 670
polyclonos DC. VI. 675
praealta L. V. 63
pulchella Fisch. et Meyer VI. 676
pulchella Sims VI. 537
pumila Thore VI. 667
pungens Poir. VI. 642
pygmaea Jacq. VI. 532
quinquefolia MB. VI. 668
radiata MB. VI. 668
Rhaponticum DC. fl. fr. VI. 664
runcinata herb. Demid. VI. 537
salicifolia wolgensis Hoffm. VI. 675
salisburgensis Poir. VI. 650
salsa MB. VI. 534
salsuginosa herb. Demid. VI. 537
scariosa L. V. 130
Scordium Lour. VI. 671
semiserrata W. herb. V. 33
setosa W. VI. 643
simplex DC. VI. 676
simplex var. β Ten. VI. 677
speciosa Ait. VI. 673
spicata L. V. 130
spinosa Poir. V. 475
squalida Steph. VI. 537
squarrosa L. V. 129
Stelleri Steph. VI. 534
stoechadifolia MB. VI. 674
subacaulis Poir. VI. 677
Tilesii Ledeb. VI. 536
tincta Cass. VI. 675
tinctoria L. VI. 667
tomentosa Hoffm. VI. 674
transylvanica Spr. VI. 676
uniflora Spr. VI. 664
xeranthemoides MB. VI. 669
SERRATULEAE DC. VI. 450, 662
Shawia Forst. V. 78
paniculata Forst. V. 78
Sideranthus integrifolius Fras. V. 327
spinulosus Fras. V. 347
Siebera Gay VI. 531
Gayana Cass. VI. 531
pungens Gay VI. 531
β nana DC. VI. 531
Siegesbeckia L. V. 495
cordifolia H. B. et K. V. 495
cordifolia Poepp. V. 496
droseroides Sweet. V 495
flosculosa L'Herit. V. 496

Senecio
oxyriaefolius *DC.* VI. 405
paarlensis *DC.* VI. 383
pallens Bojer VI. 377
pallens *Wall.* VI. 367
palmatus Lapeyr. VI. 356
palmatus *Less.* VI. 433
palmensis *DC.* VI. 411
palmensis Link VI. 411
paludosus *L.* VI. 353
β glabriusculus *DC.* VI. 353
paludosus β Lam. VI. 358
palustris *DC.* VI. 363
panduratus *Less.* VI. 383
paniculatus *Berg.* VI. 399
papposus *Less.* VI. 360
papyraceus *DC.* VI. 410
parviflorus *All.* VI 356
parvifolius *DC.* VI. 396
patens *DC.* VI. 423
patulus Burm. VI. 404
paucidentatus *DC.* VI. 414
pauciflorus H.B. et K. VI. 428
pauciflorus *Pursh* VI. 431
paucifolius *DC.* VI. 403
pauciligulatus *Rich. et Less.* VI. 373
paucilobus *DC.* VI. 352
pauperculus *Mx.* VI. 432
pectinatus *DC.* VI. 372
pedicularifolius *H.B. et K.* VI. 426
peguanus *DC.* VI. 365
pellucidus *DC.* VI. 380
peltatus *DC.* VI. 405
peltiformis *DC.* VI. 405
penninervius *DC.* VI. 395
Pentlandianus *DC.* VI. 421
Perrottetii *DC.* VI. 343
persicaefolius Ram. VI. 358
persicaefolius Rich. et Less. VI. 373
persicifolius Burm. VI. 390, 395
persicifolius *L.* VI. 389
peruvianus *Pers.* VI. 435
Petasitis *DC.* VI. 431
petiolaris *DC.* VI. 434
peucedanifolius *L. fil.* VI. 397
phagnaloides *DC.* VI. 415
phalacrolaenus *DC.* VI. 393
phylicaefolius *Poepp.* VI. 415
picridifolius *DC.* VI. 386
pimpinellaefolius *H.B. et K.* VI. 426
pinifolius *Lam.* VI. 399
β macrocephalus *DC.* VI. 399
pinifolius Pers. VI. 293

Senecio
pinnatifidus *Less.* V
pinnatifolius Ri
pinnatisectus *DC.* V
pinnatus *Poir.* VI.
pinnulatus Sieb.
pinnulatus *Thunb.*
α β γ *DC.* VI. 396
Pithosillum *DC.* VI
plantagineus *Bert.*
platylepis *DC.* VI.
platyphyllus *DC.* V
plebejus *DC.* VI. 3
polyanthemus *DC.*
α salicinus -
β epitrachys -
γ subserratus -
polyodon *DC.* VI.
polyphyllus *Kunz*
populifolius Bur
populifolius *DC.* V
β leucanthus - -
populifolius L. V
praealtus *Bertol.* V
β borysthenicus *DC.*
γ dahuricus -
praecox *DC.* VI. 4
pratensis *DC.* VI.
β discoideus *Reich.*
pratensis Richt.
prenanthoides R.
procumbens *H. B.*
Pseudo-arnica *Les*
Pseudo-china A
Pseudo-china L.
pseudo-elegans *Le*
ptarmicaefolius *Be*
pterophorus *DC.* V
pubigerus *L.* VI. 3
puberulus *DC.* VI.
pulchellus *DC* VI.
pulchellus H. B.
pumilus Poir. VI
pungens *DC.* VI. 4
purpureus *L.* VI. 4
purpureus Wille
pusillus Guss. V
pusillus *Rich. et L*
pygmaeus *DC.* VI.
pyramidatus *DC.* V
quadridentatus L
quercifolius *Thunb*
quinqueflorus *DC.*
quinquelobus *DC.*
quinqueradiatus *Be*

Telenogyne) Cass. VI. 147
s DC. V. 212, 365
DC. V. 212, 328
330 VII. 279 Wall.
Roxb. V. 279, 344
. V. 97
VI. 368
et Kit. V. 338
ese V. 333
V. 333
ill. V. 333
ir. Ell. V. 333
Ait. V. 333
abra L'Herit. V. 331
V. 336
d. V. 331
all. VI. 369
ll. V. 341
Mill. VI. 353
Forst. V. 345
orn. V. 334
. 333
orn. V. 338
V. 332
sh V. 342
ss. V. 337
sh V. 335
. 335
loret V. 333
336
it. V. 338
. V. 330
Lour. V. 341
rad. V. 337
ll. V. 335
Irn. VII. 279
pr. V. 342
l. V. 331
Schwein. V. 334
V. 331
DC. V. 339
Moench V. 233
ll. V. 335
Poir. V. 335
Roxb. VI. 443
Wall. V. 343
Moench V. 342
DC. V. 332
our. V. 342
Wall. VI. 369
Spr. V. 341
L. VI. 357
t. V. 342
. V. 331

Solidago
elata Ell. V. 337
elata Pursh V. 337
elliptica Ait. V. 334
elliptica Ell. V. 334
erecta Pursh V. 340
flabelliformis Wendl. V. 336
flexicaulis L. V. 335
β ciliata DC. - -
flexicaulis α W. V. 335
— β latifolia Torr. V. 335
foliosa Bojer VI. 377
fragrans W. V. 331
fuscata Desf. V. 340
gigantea Ait. V. 331
glabra Desf. V. 331
glabra hort. Paris. V. 331
glauca Gmel. V. 342
glomerata Mx. V. 337
gonoclada DC. V. 334
gracilis Poir. V. 336
gracilis Schrad. V. 336
graminifolia Ell. V. 341
grandiflora Desf. V. 337
graveolens Lam. V. 468
heterotricha Wall. V. 343
hieracioides Spr. V. 97
hirsuta L'Herit. V. 330
hirta W. V. 337
hispida Mühl. V. 337
humilis Desf. V. 336
humilis Mill. V. 330
humilis Pursh V. 339
integerrima Mill. V. 340
integrifolia Desf. V. 340
integrifolia Roxb. V. 280
juncea Ait. V. 334
laevigata Ait. V. 340
lanceolata Bosc V. 334
lanceolata W. V. 341
lanceolata α major Mx. V. 341
— β minor - - -
lateriflora L. V. 331
lateriflora Raf. V. 335
latifolia L. V. 335
latissimifolia Mill. V. 334
leiocarpa DC. V. 339
lepida DC. V. 339
β subserrata DC. V. 339
Leucadendron W. VI. 443
limonifolia Pers. V. 340
linearifolia DC. V. 341
γ Poeppigii - - -
lithospermifolia W. V. 339
littoralis Savi V. 338

Senecio
spinosus *DC.* VI. 420
spiraeifolius *Thunb.* VI. 434
squalidus L. VI. 345
squalidus Sm. VI. 345
squalidus W. VI. 346
squamosus *DC.* VI. 376
squamosus Thunb. VI. 393
squarrosus Rich. VI. 297
Stauntonii *DC.* VI. 363
stenophyllus Bert. herb. VI. 448
Sternbergianus *DC.* VI. 425
stipulatus *Wall.* VI. 370, 366
stoechadiformis *DC.* VI. 429
striatifolius *DC.* VI. 387
striatus Thunb. VI. 468
strictus Banks herb. VI. 432
strictus *DC.* VI. 343
strictus E. Meyer VI. 358
suaveolens Ell. VI. 327
subcordatus Bojer VI. 330
subdentatus *Ledeb.* VI. 343
β simplex *DC.* VI. 343
γ parvulus - - -
subensiformis *DC.* VI. 363
subnudus *DC.* VI. 405
subnudus *DC.* VI. 428 *)
subsinuatus *DC.* VI. 401
subverticillatus *DC.* VI. 430
succulentus *DC.* VI. 402
succulentus Forsk. V. 470
sudeticus *DC.* VI. 359
sulcatus *DC.* VI. 384
β Ecklonis *DC.* VI. 384
Swartzii *DC.* VI. 411
sylvaticus *L.* VI. 342
sylvaticus Nestl. VI. 353
tamoides *DC.* VI. 403
tampicanus *DC.* VI. 427
taraxacifolius *DC.* VI. 348
taxifolius Poir. VI. 376
telephifolius *Jacq.* VI. 380
tenellus *DC.* VI. 379
tenuiflorus Sieb. VI. 296
tenuifolius Burm. VI. 365
tenuifolius DC fl. fr. VI. 348
tenuifolius Gaud. VI. 351
tenuifolius Jacq. VI. 351
tenuifolius var. Spr. VI. 366
tenuilobus *DC.* VI. 398
tenuiscapus *Bojer* VI. 378
teretifolius *DC.* VI. 420
tetrandrus *Hamilt.* VI. 365
tetranthus *DC.* VI. 370

*) conf. Praefatio.

Senecio
thapsoides *DC.* VI
Thunbergianus *Sch*
thurifer Bert. he
thyrsoideus *DC.* V
β montícola -
tillandsiaefolius
toluccanus *DC.* VI
tomentosus Clai
tomentosus *Mx.* V
tomentosus Rho
tomentosus Sali
tortuosus *DC.* VI.
β puberulus - -
Tournefortii D
Tournefortii *Lap*
β granatensis *Boiss*
triangularis *Hook.*
tridentatus *DC.* V
triflorus *L.* VI. 34
trifurcatus *Less.*
triligulatus *Hami*
trilobus L. VI 3
tripartitus *DC.* VI
tripartitus *Rich. e*
triplinervius *DC.*
triqueter *Less.* VI
truncatus *Hamilt*
Turczaninowii *DC*
Tussilaginis *Lind*
tussilaginoides
uliginosus *DC* VI
umbellatus *L.* VI.
umbrosus *W et*
uncinellus *DC.* VI
undulatus *Thunb.*
undulatus Thu
uniflorus *All.* VI.
uniflorus Retz
ustulatus *DC.* VI.
β hispidulus *DC.*
vagans *Wall.* VI.
valerianaefolius
vallestris *DC.* VI
volparadisicus
varicosus *L. fil.* V
variifolius *DC.* VI
β subcanescens -
γ pentaglottis -
δ lacerus -
ε serratus -
vellcioides *Cunn*
venustus Ait. V
venustus Spr. V

*) conf. Praefatio.

R. et Pav. VI. 143
a *Less.* VI. 143
f. B. et K. VI. 143
oepp. VII. 288
et Pav. VI. 143
ss. VI. 142
ry V. 3
Bory V. 3
Less. V. 302
ess. V. 302
DC. VII. 247 (Dubyaea)
s. VII. 184 *Lam.* VII.
on VII. 184 *Auct.* VII. 176, 183, 184, 247
us Link VII. 188
lius Clairv. VII. 248
Tsm.-Cours VII. 188
ousb. VII. 188
us W. VII. 250
is Bojer VI. 303
Sw. VI. 294
Stev. VII. 249
. VII. 248
im. VII. 250
is Desf. VII. 186
lius Neck. VII. 187
Pourr. VII. 187
DC. VII. 189
. VII. 187
var. Bess. VII. 186
ckw. VII. 185
ega VII. 185
cks VII. 185
ulf. VII. 190
Hortul. VII. 184
ft. Altaic. VII. 249
Moench VII. 250
Jan VII. 183
DC. VII. 186
uetii hort. Paris. VII. 188
olius MB. VII. 250
us Roxb. VII. 140
is Froel. VII. 248
is hort. Paris. VII. 250
is With. VII. 248
Spr. VII. 180
is Walt. VII. 185
MB. VII. 189
oides Desf. VII. 183
us Moench VII. 248
um. VII. 185
Perr. VII. 177
Bm. VII. 248

Sonchus
congestus W. VII. 188
cordifolius Desf. VII. 248
crassifolius *Pourr.* VII. 187
crepioides *Sm.* VII. 189
crispus Poir. VII. 187
Cumhulus Hamilt. VII. 186
cuspidatus *Blume* VII. 185
cyaneus Don VII. 249
dentatus Banks. herb. VII. 189
dentatus *Ledeb.* VII. 187
dichotomus MB. VII. 183
dichotomus Savi VII. 181
divaricatus Delil. VII. 181
Dregeanus *DC.* VII. 184
Ecklonianus *DC.* VII. 184
β *DC.* VI. 184
eryngioides *DC.* VII. 185
fallax *Wallr.* VII. 185
ferox Wall. VII. 185
flexuosus *Ledeb.* VII. 189
floridanus L. VII. 249
fruticosus Jacq. VII. 188
fruticosus L. fil. VII. 187
glaber Schult. VII. 186
glaber Thunb. VII. 185
goraeensis Lam. VII. 177
gramineus Bojer VI. 303
gummifer *Link* VII. 188
hastatus Less. VII. 250
hastatus Wall. VII. 249
hispanicus Jacq. VII. 183
hispidulus Bové VII. 182
hispidus Ledeb. VII. 250
hyoseridifolius Horn. VII. 189
Jacquini *DC.* VII. 188
β congestus *DC.* - -
javanicus Spr. VII. 195
infestus Poepp. VII. 185
intermedius Jan VII. 182
italicus Spr. VII. 186
lacerus W. VII. 186
lactucoides *Bunge* VII. 189
laevigatus *W.* VII. 188
β lyratus *DC.* - -
lapponicus W. VII. 249
leptocephalus *Cass.* VII. 189
leucophaeus W. VII. 250
littoralis Reich. VII. 187
longifolius *Trev.* VII. 184
longifolius Wall. VII. 186
ludovicianus Nutt. VII. 141
lyratus W. VII. 188
macranthos Poir. VII. 188
macrophyllus W. VII. 248
maritimus *L.* VII. 187

Seriphium
ericoides Pers. VI. 257
fasciculatum Thunb. VI. 264
filagineum *DC.* VI. 263
flavescens *DC.* VI. 263
β lanatum - - -
fuscum *L.* VI. 262
gnaphaloides Pers. VI. 264
gomphrenoides Lam. VI. 253, 259
incanum Lam. VI. 260
indicum Pers. VI. 260
juniperifolium Lam. VI. 260
laricifolium Lam. VI. 265
nervigerum *DC.* VI. 263
β squarrosum - - -
niveum Pers. VI. 264
passerinoides *Lam.* VI. 261
perotrichoides *Less.* VI. 263
phleoides *DC.* VI. 262
phylicoides Pers. VI. 264
phyllostachyum *DC.* VI. 262
plumosum *L.* VI. 262
α canescens *DC.* VI. 262
β glabriusculum *DC.* VI. 262
prostratum *Lam.* VI. 263
reflexum Pers. VI. 265
Rhinocerotis Pers. VI. 264
scabrum Pers. VI. 264
squarrosum Forst. VI. 262
tomentosum Moç. VI. 264
uniflorum Moç. V. 77
vermiculatum *DC.* VI. 263
Seris *Less.* VII. 19 *W.* VII. 33
denticulata *DC.* VII. 20
discoidea *Less.* VII. 20
onoseroides W. VII. 33
polymorpha *Less.* VII. 19
Serratula *DC.* VI. 667 VII. 305 *L.* V. 128, 531, 667 *Auct.* VI. 662, 663, 667, 673 *Pers.* V. 14 *Pall. W.* V. 375 *Poir.* VI. 255 VII. 46
acaulis DC. VI. 665
acutifolia Poir. VII. 46
alata Desf. VI. 675
alata Poir. VI. 676
albescens Wall. VI. 540
albida DC. V. 15
alpina L. VI. 534
alpina W. VI. 535
alpina α et β L. VI. 535
γ *L.* VI. 535
altissima L. VI. 671
amara L. VI. 536
amara Pall. VI. 662
ambigua DC. VI. 675

Serratula
angustifolia W
anthelminthica
arguta Fisch.
arvensis L. VI.
arvensis MB.
arvensis Sobol.
aspera *Link* VI.
autaretica Poi
babylonica L.
baetica *Boiss.* V
Barrelieri Des
Behen Lam. VI
bifrons Pers.
blanda MB. VI
Bocconi Guss.
campestris *Schu*
carniolica Poi
caroliniana *Mill.*
carthamoides
caspia Pall. V.
caspica W. V.
centauroides *L.*
centauroides
chaetocarpa L
Chamaepeuce
cichoracea *DC.*
ciliata Vahl V
cinerea Roxb.
cirsioides Ten
complanata *Hag*
compta Banks
conica Lam. V
cordata Cass.
coriacea *Fisch.*
coronata fl. fr.
coronata *L.* VI.
cyanoides DC.
cyanoides Gae
cynarifolia P
cynaroides DC
decurrens Les
dentata Poir.
depressa Stev.
discolor Poir.
discolor W. V
dissecta *Ledeb.*
divaricata *Fisch.*
dubia Brot. V
echinocephala
elegans Ait. V
elegans herb.
elegans Stev.
fasciculata P
flavescens *Poir.*
frutescens Lam

Spr. VI. 563
ra Tusca. VI. 670
edeb. VI. 668
L. V. 63
Ledeb. VI. 668
oides Poir. VI. 214
Spr. VI. 677
hora Don VI. 541
lla Desf. VI. 669
VI. 669
ylla Vill. VI. 668
Desf. VI. 677
Presl VI. 677
Thunb. VI. 536
Gmel. VI. 643
Klein VI. 558
V. VI. 564
Poir. VI. 667
Poir. VI. 654
ni Fisch. VI. 669
DC. VI. 670
hala Poir. VI. 639
s Adams VI. 532
olia DC. VI. 675
Poir. VI. 654
Poir. VI. 627
av. VI. 677
Pollichiana Wallr. VI. 676
Dufour VI. 678
Poir. VI. 650
Desf. VI. 670
ra L. VI. 675
Lour. VI. 671
Lavy VI. 671
Spr. VI. 568
Less. VI. 669
sch. VI. 668
Fall. VI. 673
ucensis L. V. 63
DC. VI. 669
a Poir. VI. 655
Poir. VI. 647
ala DC. VI. 669
is Poir. VI. 639
DC. VI. 670

bipartita DC. VI. 670
ra Poir. VI. 534
ra Poir. VI. 649
data DC. V. 16
MB. VI. 662
Tosc herb. V. 63
Ida Desf. VI. 668

Serratula
pinnatifida *Poir.* VI. 669 VII. 305
β DC. VI. 670
polyclonos DC. VI. 675
praealta L. V. 63
pulchella Fisch. et Meyer VI. 676
pulchella Sims VI. 537
pumila Thore VI. 667
pungens Poir. VI. 642
pygmaea Jacq. VI. 532
quinquefolia *MB.* VI. 668
radiata *MB.* VI. 668
Rhaponticum DC. fl. fr. VI. 664
runcinata herb. Demid. VI. 537
salicifolia wolgensis Hoffm. VI. 675
salisburgensis Poir. VI. 650
salsa MB. VI. 534
salsuginosa herb. Demid. VI. 537
scariosa L. V. 130
Scordium *Lour.* VI. 671
semiserrata W. herb. V. 33
setosa W. VI. 643
simplex DC. VI. 676
simplex var. β Ten. VI. 677
speciosa Ait. VI. 673
spicata L. V. 130
spinosa Poir. V. 475
squalida Steph. VI. 537
squarrosa L. V. 129
Stelleri Steph. VI. 534
stoechadifolia MB. VI. 674
subacaulis Poir. VI. 677
Tilesii Ledeb. VI. 536
tincta Cass. VI. 675
tinctoria *L.* VI. 667
tomentosa Hoffm. VI. 674
transylvanica Spr. VI. 676
uniflora Spr. VI. 664
xeranthemoides *MB.* VI. 669
SERRATULEAE *DC.* VI. 450, 662
Shawia *Forst.* V. 78
paniculata *Forst.* V. 78
Sideranthus integrifolius Fras. V. 327
spinulosus Fras. V. 347
Siebera *Gay* VI. 531
Gayana Cass. VI. 531
pungens *Gay* VI. 531
β nana DC. VI. 531
Siegesbeckia *L.* V. 495
cordifolia *H. B. et K.* V. 495
cordifolia Poepp. V. 496
droseroides Sweet. V 495
flosculosa *L'Herit.* V. 496

Siegesbeckia
gracilis *DC.* V. 496
iberica *W.* V. 496
jorullensis *H. B. et K.* V. 495
laciniata Poir. V. 615
microcephala *DC.* V. 496
occidentalis L. V. 616
orientalis *L.* V. 495
orientalis MB. V. 496
portoriccensis Bert. herb. V. 546
serrata *DC.* V. 496
triangularis Cav. V. 495
Siloxerus Labill. VI. 149
humifusus Labill. VI. 149
SILPHIEAE *Less. DC.* V. 498, 510
Silphium *L.* V. 511 VII. 288
Asteriscus Horn. V. 514
Asteriscus *L.* V. 512
β laevicaule *DC.* V. 513
Asteriscus β Nutt. V. 513
atropurpureum Retz V. 513
compositum *Mx.* V. 512
conjunctum W. V. 513
connatum Desf. V. 514
connatum *L.* V. 514
dentatum Ell. V. 513
elatum Pursh V. 512
erythrocaulon *Bernh.* V. 514
glaucum Weinm. V. 571
gummiferum *Ell.* V. 512
helianthoides Gron. V. 550
Hornemanni *Schrad.* V. 514
integrifolium *Mx.* V. 514
laciniatum *L.* V. 512
laciniatum Walt. V. 512
laevigatum *Pursh* V. 514
perfoliatum *L.* V. 513
β conjunctum *DC.* V. 513
perfoliatum Poir. V. 514
pinnatifidum *Ell.* V. 512
pinnatifidum Nees V. 512
pseudo-laciniatum Fras. V. 512
pumilum Ell. V. 512
pumilum *Mx.* V. 512
β tomentosum *Nutt.* V. 512
quercifolium *DC.* V. 513
reniforme Raf. V. 512
reticulatum Moench V. 513
reticulatum *Pursh* V. 513
scaberrimum *Ell.* V. 514
scabrum Moench V. 514
scabrum Walt. V. 513
sinuatum Banks. herb. V. 512
solidaginoides L. V. 550
spicatum Poir. V. 512
Silphium
subacaule *Nutt.* V.
terebinthinaceum *L.* V.
ternatum Desf. V.
ternatum *Retz* V. 5
β atropurpureum *DC.*
ternifolium Mx. V
Tetragonotheca G
tetragonum Moen
tomentosum Purs
trachopus *Raf.* V. 5
trifoliatum Desf.
trifoliatum *L.* V. 51
trilobatum L. V. 5
SILYBEAE *Less. DC.*
Silybum *Vaill.* VI. 61
atriplicifolium F
cernuum Gaertn.
maculatum Moenc
marianum *Gaertn.*
β pygmaeum *DC.* VI
pygmaeum Cass. V
Simblocline *DC.* V. 2
Haenkei *DC.* V. 297
Simsia *Pers* V. 577
amplexicaulis *Pers.*
auriculata *DC.* V. 5
cordata *Cass.* V. 57
Dombeyana *DC.* V.
ficifolia *Pers.* V. 57
heterophylla *DC.* V.
heterophylla Pers.
hispida *Cass.* V. 57
Kunthiana Cass.
lagascaeformis *DC.*
Siphogyne Cass. VI.
SIPHONIPHYTUM
Siphonisma DC. VII. 2
Skirroglyphis DC. V
Skirrhophorus *DC.* VI
Cunninghami *DC.* V
Sohreyra R et Pav.
oblonga R. et Pav.
sessilifolia R. et P.
Sohrya Pers. V. 636
oblonga Pers. V. 6
sessilifolia Pers. V
Sogalgina *Cass.* V. 67
balbisioides *Cass.* V.
trilobata *Cass.* V. 67
Sogaligna Steud. V.
Soldevilla Lag. VII.
setosa Lag. VII. 2
Solenogyne *Cass.* V. 3
bellioides *Cass.* V. 3

(Selenogyne) Cass. VI. 147
...EAE *DC.* V. 212, 365
...AE *DC.* V. 212, 328
V. 330 VII. 279 *Wall.*
...43 *Roxb.* V. 279, 344
...*Spr.* V. 97
...*all.* VI. 368
W. et Kit. V. 338
Bosc V. 333
...*L.* V. 333
...*Mill.* V. 333
var. Ell. V. 333
E Ait. V. 333
glabra L'Herit. V. 331
...*lit.* V. 336
...*ühl.* V. 331
Wall. VI. 369
...*Ell.* V. 341
...*lia Mill.* VI. 353
...*ns Forst.* V. 345
Horn. V. 334
...V. 333
Horn. V. 338
...V. 332
...*ursh* V. 342
Juss. V. 337
...*ursh* V. 335
V. 335
Moret V. 333
V. 336
Ait. V. 338
L. V. 330
...s *Lour.* V. 341
...*chrad.* V. 337
...*Mill.* V. 335
Arn. VII. 279
Spr. V. 342
...*ühl.* V. 331
...s *Schwein.* V. 334
...V. 331
...a *DC.* V. 339
...s *Moench* V. 233
Ell. V. 335
...a *Poir.* V. 335
...a *Roxb.* VI. 443
...s *Wall.* V. 343
...ia *Moench* V. 342
DC. V. 332
Lour. V. 342
...s *Wall.* VI. 369
...s *Spr.* V. 341
...m *L.* VI. 357
...*dt.* V. 342
...*p.* V. 331

Solidago
elata *Ell.* V. 337
elata Pursh V. 337
elliptica *Ait.* V. 334
elliptica Ell. V. 334
erecta *Pursh* V. 340
flabelliformis *Wendl.* V. 336
flexicaulis *L.* V. 335
β ciliata *DC.* - -
flexicaulis α W. V. 335
— *β latifolia Torr.* V. 335
foliosa Bojer VI. 377
fragrans *W.* V. 331
fuscata *Desf.* V. 340
gigantea *Ait.* V. 331
glabra *Desf.* V. 331
glabra hort. Paris. V. 331
glauca Gmel. V. 342
glomerata *Mx.* V. 337
gonoclada *DC.* V. 334
gracilis *Poir.* V. 336
gracilis Schrad. V. 336
graminifolia *Ell.* V. 341
grandiflora *Desf.* V. 337
graveolens Lam. V. 468
heterotricha Wall. V. 343
hieracioides Spr. V. 97
hirsuta L'Herit. V. 330
hirta *W.* V. 337
hispida *Mühl.* V. 337
humilis *Desf.* V. 336
humilis Mill. V. 330
humilis Pursh V. 339
integerrima Mill. V. 340
integrifolia *Desf.* V. 340
integrifolia Roxb. V. 280
juncea *Ait.* V. 334
laevigata *Ait.* V. 340
lanceolata Bosc V. 334
lanceolata W. V. 341
lanceolata α major Mx. V. 341
— *β minor* - - -
lateriflora *L.* V. 331
lateriflora Raf. V. 335
latifolia *L.* V. 335
latissimifolia Mill. V. 334
leiocarpa *DC.* V. 339
lepida *DC.* V. 339
β subserrata *DC.* V. 339
Leucadendron W. VI. 443
limonifolia *Pers.* V. 340
linearifolia *DC.* V. 341
γ Poeppigii - - -
lithospermifolia *W.* V. 339
littoralis Savi V. 338

Solidago
livida *W.* V. 336
longifolia *Schrad.* V. 330
macrophylla *Pursh* V. 337
marginella *DC.* V. 332
β sublanceolata *DC.* V. 332
mexicana Berl. V. 332
mexicana H. B. et K. V. 340
mexicana L. V. 340
microglossa *DC.* V. 332
β megapotamica *DC.* V. 332
minuta L. V. 338
minuta Mill. V. 338
minuta Thor. V. 338
mollis *Bartl.* VII. 279
multiflora *Desf.* V. 336
multiradiata *Ait.* V. 339
nemoralis *Ait.* V. 333
nepalensis Don V. 344
noveboracensis *L.* V. 342
noveboracensis Mill. V. 335
nudiflora Viv. V. 339
nutans *Desf.* V. 330
obliqua Moench V. 340
odora *Ait.* V. 334
odora Mx. V. 334
palmata Pall. VI. 349
paniculata *DC.* V. 340
patula *Mühl.* V. 333
pauciflosculosa Mx. V. 330
petiolaris *Ait.* V. 335
pilosa Mill. V. 333
plantaginea Desf. V. 334
polyglossa *DC.* V. 332
procera *Ait.* V. 330
procera Desf. V. 330
puberula *Nutt.* V. 333
pubescens *Ell.* V. 340
pubescens Wall. V. 343
pulverulenta *Nutt.* V. 336
puncticulata *DC.* V. 332
pyramidata *Pursh* V. 334
recurvata Mill. V. 333
recurvata *W.* V. 334
reflexa *Ait.* V. 331
retrorsa Mx. V. 334
retusa Burm. V. 333
rigida *L.* V. 337
β microcephala *DC.* V. 337
rigidula Bosc V. 333
rosmarinifolia Cass. V. 268
rotundifolia *DC.* V. 339
rotundifolia Roxb. V. 344
rubricaulis Wall. V. 343
rugosa *Mill.* V. 333
salicifolia Wall. V. 343

Solidago
salicina *Ell.* V. 33
Sarothrae Pursh
scabra *Mühl.* V. 3
scabrida *DC.* V. 3
Schraderi *DC.* V.
scrophulariaefo
sempervirens *L.* V
sempervirens M.
serotina Ait. V.
simplex *H. K. et*
spathulata *DC.* V.
speciosa Nutt. V
sphacelata Raf.
spuria Roxb. V.
squarrosa *Nutt.* V
stricta *Ait.* V. 34
tardiflora Moen
tenuifolia *Pursh*
thyrsoidea *E. Mey*
tortifolia *Ell.* V. 3
ulmifolia *Mühl.* V
urticaefolia Mü
velutina *DC.* V. 3
verrucosa *Schrad*
villosa *Pursh* V.
viminea *Ait.* V. 3
viminea Bosc h
Virga-aurea Fl
Virga-aurea *L.* V.
α vulgaris *DC.* -
β ericetorum - -
γ alpestris - -
δ cambrica - -
ε minuta - -
ζ minor *Pers.* -
η littoralis *DC.* -
θ reticulata - -
ι arenaria - -
λ nudiflora - -
μ arctica - -
Virga-aurea β

virgata *Mx.* V. 3
virginiana Mill
viscosa Lam. V.
viscosa Schrad.
vulgaris Lam. V
Soliva *R. et Pav.* V
alata *DC.* VI. 143
anthemidifolia *R.*
Barklayana *DC.* V
lusitanica *Less.* V
mexicana *DC.* VI
Mutisii *H. B. et K*
nasturtiifolia *DC*

Less. VI. 515
E. Meyer VI. 515
Thunb. VI. 515
Less. VI. 515
Sprengelii) Spr. VII. 37
VI. 516
DC. VI. 517
DC. VI. 517
DC. VI. 514
DC. VI. 516
E Meyer VI. 516
Thunb. VI. 515
VI. 519
I. 517
Thunb. VI. 497
VI. 520
DC. VI. 521
C. VI. 515
VI. 516
DC. VI. 519
VI. 522
nb. VI. 516
VI 516
r. Alam. V. 660
DC. VI. 519
VI. 516
Spr. V. 71
C. VI. 517
DC. VI. 520
Thunb. VI. 516
VI. 517
nb. VI. 516
DC. VI. 521
DC VI. 520
VI. 521
DC. VI. 516
DC. VI. 521
DC. VI. 517
VI. 520
unb. VI. 505
Thunb. VI. 515
DC. VI. 519
VI. 518
DC. VI. 519
b. VI. 517
DC. VI. 515
DC. VI. 520
C. VI. 518
VI. 518
DC. VI. 519
DC. VI. 518
VI. 517
VI. 515
I. 259 *Auct.* VI. 256, 257, 261, 264

Stoebe
aethiopica *L.* VI. 260
aethiopica Sieb. VI. 260
alopecuroides *Less.* VI. 260
β cana *DC.* VI. 260
alopecuroides Reich. VI. 262
artemisioides E. Meyer VI. 263
aspera Thunb. VI. 172
capitata Berg. VI. 263
cernua Thunb. VI. 257
cinerea Sieb. VI. 256
cinerea Thunb. VI. 260, 262
cinerea Zeyh. VI. 266
colorata E. Meyer VI. 263
cupressina Reich. VI. 257
disticha L. fil. VI. 265
ericoides Berg. VI. 257
ericoides W. herb. VI. 262
fasciculata Cass. VI. 262
fasciculata Thunb. VI. 265
fusca Thunb. VI. 262
gnaphalioides Houtt. VI. 259
gnaphalinides Thunb. VI. 253
gomphrenoides *Berg.* VI. 259
incana *Thunb.* VI. 260
β macrostachya *DC.* VI. 260
laricifolia E. Meyer VI. 265
leucocephala *DC.* VI. 259
microphylla *DC.* VI. 259
mucida E. Meyer VI. 256
muricata *Spr.* VI. 260
nivea Thunb. VI. 172
paniculata Cass. VI. 261
passerinoides W. VI. 261
phylicoides *Thunb.* VI. 260
plumosa Thunb. VI. 262
prostrata L. VI. 263
reflexa L. fil. VI. 265
Rhinocerotis L. fil. VI. 257
rigida *Spr.* VI. 260
scabra L. fil. VI. 256
spiralis *Less.* VI. 260
subulata Sm. VI. 256
torta Spr. VI. 257
tortilis *DC.* VI. 260
virgata Thunb VI. 262
Stokesia *L'Herit.* V. 71
cyanea *L'Herit.* V. 71
Strabonia *DC.* V. 481
gnaphalodes *DC.* V. 481
Streckera Schultz DC. VII. 100 (Thrincia)
Strigia DC. V. 126 (Kuhnia)
Strobocalyx Blume DC. V. 21 (Vernonia)

Sonchus
montanus Lam. VII. 248
multiflorus Desf. VII. 249
nigricans *Tausch* VII. 190
nitidus Vill. VII. 187
occidentalis Spr. VI. 294
oleraceus Wallr. VII. 185
oleraceus α DC. fl. fr. VII. 185
— *β asper DC. fl. fr.* VII. 185
oleraceus α et β L. VII. 185
oleraceus γ et δ L. VII. 185
oleraceus A. Wall. VII. 186
— *A. B. C. D. E. Wall.* VII. 185
— *F. G. Wall.* VII. 185
orixensis *Roxb.* VII. 190
pallidus W. VII. 140
palustris *L.* VII. 187
paniculatus Sessé et Moç. VII. 191
parviflorus *Lejeune* VII. 190
pectinatus *DC.* VII. 186
picroides Lam. VII. 182
pinnatifidus Cav. VII. 188
pinnatifidus Lag. VII. 182
pinnatus *Ait.* VII. 188
Plumieri L. VII. 248
prenanthoides MB. VII. 248
pulchellus Pursh VII. 134
quercifolius *Desf.* VII. 188
racemosus Lam. VII. 249
radicatus *Ait.* VII. 188
β glaucus *Brouss.* VII 188
reflexus Lag. VII. 196
reversus *E. Meyer* VII. 186
β glabratus *DC.* VII. 186
robustus Wall. VII. 250
roseus *Bess.* VII. 190
Royleanus *DC.* VII. 184
scorzoneraeformis Lag. VII. 183
scorzoneraeformis Spr. VII. 183
serratus Perrot. VII. 138
sibiricus L. VII. 249
sibiricus var. MB. VII. 249
simplicissimus *Lag.* VII. 190
spicatus Lam. VII. 250
spinosus *DC.* VII. 189
spinosus Lam. VII. 185
spinulosus *Big.* VII. 185
squamosus Lam. VII. 182
squarrosus *DC.* VII. 187
sundaicus Blume VII. 185
taraxacifolius Spr. VII. 177

Sonchus
taraxacifolius V
tataricus L. VII.
tataricus β d'Ur
tenerrimus *L.* VII.
tenerrimus Auct
tingitanus Lam.
tuberosus L. fil.
uliginosus *MB.* VI
uliginosus Turc
umbellatus E. M
umbellifer Thun
ustulatus *Lowe* V.
α latifolius
β angustifolius *Lo*
virgatus Desf. V
volubilis Rumph
Wallichianus *DC.*
Wightianus *DC.* V
zacinthoides *DC.* V
α β DC. VII. 18
Soyeria Monn. VII
blattarioides Mo
lampsanoides M
montana Monn.
sibirica Monn. V
Spadactis Cass. D
flava Cass. VI. 8
radicifera Cass.
Spadonia Less. VI
cinerea Hook. et
paniculata Less.
polymorpha Less
racemosa Less. V
Spadonisma DC. VII
Spanioptilon *Less.* V
lineare *Less.* VI. 6
Spanotrichum E. M
pinnatifidum E.
Sparganophorus *Vai*
263
africanus *Steud.* V
ageratoides Lag.
obtusifolius Lag.
sonchifolius Spr.
Struchium Pers.
Vaillantii *Gaertn.*
Vaillantii Pers.
verticillatus Mx.
Spermophylla Nock
Spermoptera DC. V

SPHAERANTHEAE *DC*
Sphaeranthoides C

ill. V. 369
V. 372
V. 369
ill. V. 369
paniculatus Cass. V. 370
Cass. V. 370
C. V. 370
371
Less. V. 371
V. 370
370
l. V. 369
V. 369
69
a V. 369
V. 370
369
s. V. 369
ill. V. 369
ill. V. 369
W. V. 369
V. 369
C. V. 370
V. 370
V. 371
yne V. 370
Lag. VII. 52
VII. 52
DC. VI. 50 (Matricaria)
DC. VI. 140
VI. 140
VI. 140
VI. 140
r. V. 681
Br. V. 683
V. 682
V. 684
V. 685
DC. V. 685
E. Meyer V. 689
Br. V. 681
V. 685
DC. V. 682
DC. V. 685
DC. V. 684
Less. V. 682
687
ess. V. 683
Br. V. 685
V. 686
V. 694

Sphenogyne
discolor Less. V. 685
Dregeana DC. V. 683
filipes E. Meyer V. 687
foeniculacea Less. V. 682
gracilis DC. V. 685
grandiflora DC. V. 685
heterodonta DC. V. 687
hispida DC. V. 683
incisa DC. V. 688
leptoglossa DC. V. 687
macropoda DC. V. 683
β ambigua
microcephala DC. V. 682
nudicaulis Less. V. 684
odorata R. Br. V. 688
paleacea Less. V. 685
pallida DC. V. 682
β immarginata DC. V. 682
pauciloba DC. V. 686
peduncularis E. Meyer V. 683
pilifera Ker V. 688
β erithmoides DC V. 688
γ subcanescens
pinnata Less. V. 686
punctata Less. V. 686
pusilla DC. V. 682
quinquepartita DC. V. 686
rigidula DC. V. 685
scapiformis DC. V. 684
scariosa R. Br. V. 688
β brevipes DC.
sericea Less. V. 683
serrata DC. V. 688
setigera DC. V. 684
Somneratii Cass. V. 688
subflosculosa E. Meyer V. 686
subhirsuta DC. V. 683
tenuifolia DC. V. 687
trifida Less. V. 687
triloba DC. V. 687
tripartita DC. V. 686
versicolor DC. V. 681
SPHENOGYNEAE DC. V. 499, 681
Spilacron Cass. DC. VI. 581 (Centaurea)
crupinoides Cass VI. 581
SPILANTHEAE Cass. V. 607
Spilanthes Jacq. V. 620 Less. V. 619 Cass. V. 624
Acmella Blume V. 625
Acmella L. V. 623
Acmella Wall. VI. 625
africana DC. V. 623
alba W. V. 625
arnicoides DC. V. 620

Spilanthes
atriplicifolia L. V. 106
Beccabunga *DC.* V. 622
blepharicarpa *DC.* V. 621
brasiliensis *Spr.* V. 626
calva *DC.* V. 625
caulirhiza *DC.* V. 623
β madagascariensis *DC.* V. 623
caespitosa *DC.* V. 622
ciliata *H. B. et K.* V. 621
crocata Sims V. 617
debilis *H. B. et K.* V. 624
doronicoides *DC.* V. 620
exasperata *Jacq.* V. 626
β cayennensis *DC.* -
fimbriata *H. B. et K.* V. 621
fusca hort. Paris. V. 624
grandis *DC.* V. 622
insipida *Jacq.* V. 626
intermedia *DC.* V. 624
Karwinskiana *DC.* V. 623
leiocarpa *DC.* V. 626
leptophylla *DC.* V. 621
leucantha *H. B. et K.* V. 625
longifolia *DC.* V. 621
Lundii *DC.* V. 622
macropoda *DC.* V. 621
Mariannae *DC.* V. 623
mauritiana *DC.* V. 625
Mutisii *H. B. et K.* V. 622
nitida *Lallav. et Lex.* V. 626
oleracea *Jacq.* V. 624
γ fusca *DC.* V. 624
paniculata *Wall.* V. 625
Poeppigii *DC.* V. 622
portoriccensis Spr. V. 625
Pseudo-Acmella *L.* V. 625
radicans Jacq. V. 626
radicans *Schrad.* V. 624
repens *Mx.* V. 623
repens Spr. V. 625
rugosa *Blume* V. 625
Salivaria Murr. V. 625
Salzmanni *DC.* V. 623
sphaerocephala *DC.* V. 621
stolonifera *DC.* V. 621
subhirsuta *DC.* V. 622
tenella *H. B. et K.* V. 624
tetrandra Roxb. V. 502
uliginosa *Sw.* V. 624
urens *Jacq.* V. 625
β hispidula *DC.* V. 625
urens Spr. V. 625
urens W. V. 625
Spilanthus Forst. V. 502 *L.* V. 620 *Pers.* V. 624

Spilanthus
albus l'Herit. V.
arboreus Forst. V.
atriplicifolius L.
pseudo-gummifer
tinctorius Lour.
Spiracantha *H. B. et K.*
cornifolia *H. B. et K.*
Spiralepis Don VI.
glomerata Don VI.
rotundifolia Don
squarrosa Don V.
Spitzelia Schultz L.
aegyptiaca Schult.
coronopifolia Schr.
lyrata Schultz VI.
Sieberi Schultz V.
Spixia Schrank V.
violacea Schrank
Spongotrichum Neck.
DC. V. 2
Stachyanthus *DC.* V.
Martii *DC.* V. 84
Staehelina *DC.* VI. 5
L. VI. 543 *Pers.* T.
alpina Schrank
apiculata *Labill.* V.
arborescens *L.* VI.
baetica *DC.* VI. 54
centauroides Bus.
Chamaepeuce L.
corymbosa Thunb.
corymbosa Wight
cretica Zucc. VI.
dubia *L.* VI. 544
elegans Walt. V.
fasciculata Thun.
fimbriata Forst.
fruticosa *L.* VI. 54
gnaphaloides L.
hastata Vahl V.
ilicifolia L. fil. V.
imbricata Berg.
Lobelii DC. VI. 5
pinnata Lag. VI.
rosmarinifolia C.
solidaginoides W.
spinosa Pers. V.
spinosa Vahl V.
syriaca Spr. VI.
tenuifolia Presl
unifloscularea *Sibth.*
Stachelina Cass.

VI. 536
ss. VI. 537
V. 283
DC. V. 283
DC. V. 283
375 VII. 281
. V. 375 VII. 281
. 375
VI. 551
I. 551
nt. V. 318
VII. 99
ich. VII. 100
ot. VII. 100
99
DC. VII. 99
VII. 100
sa Richt. VII. 100
VII. 100
VII. 99, 100
llr. VII. 100
rs. VII. 100
Spr. VII. 100
ag. VII. 99
we VII. 100
Leich. VII. 99
rs. VII. 101
α Gaud. VII. 100
β - - -
VII. 100
- -
g. V. 647
V. 647
. 549
V. 549
V. 584
. 585
Hortul. V. 585
DC. V. 585
f. V. 584
ss. V. 584
85 *Less.* VII. 85
Adans. VII. 89
VII. 86
. VII. 86
iv. VII. 87
II. 86
VII. 87
VII. 87
nk VII. 87
or. VII. 86
VII. 87
VII. 87

Tolpis
pectinata *DC.* VII. 87
quadriaristata Biv. VII. 86
sexaristata Biv. VII. 86
umbellata *Bert.* VII. 86
Tomanthea *DC.* VI. 564
Aucheri *DC.* VI. 564
Townsendia *Hook.* VII. 272
sericea *Hook.* VII. 273
Trachodes *Don* VII. 191
paniculata *Don* VII. 191
Trachycarpus DC. VI. 438 (Brachyrhynchos)
Traganthes Wallr. V. 176
Tragoceras *Less.* V. 533
flavicomum *DC.* V. 533
microglossum *DC.* V. 533
peucedanifolium Spr. V. 634
Schiedeanum *Less.* V. 533
zinnioides *H. B. et K.* V. 533
Tragoceros H. B. et K. V. 533
Tragopogon *Tourn.* VII. 112 *L.* VII. 89, 116 *Less.* VII. 111
aculeatum Moench VII. 116
angustifolium *Bell.* VII. 115
asperum L. VII. 116
bicolor Moench VII. 116
brevirostre *DC.* VII. 114
. *β* intermedium *DC.* - -
γ podolicum - - -
δ lithuanicum - - -
campestre *Bess.* VII. 114
canus W. VII. 114
capensis Jacq. VII. 116
caucasicum Bess. VII. 114
caucasicum Fisch. et Meyer VII. 114
collinum *DC.* VII. 115
coloratum *C. A. Meyer* VII. 112
crocifolium *L.* VII. 114
β flocculosum *DC.* VII. 114
Cupani *Guss.* VII. 113
cuspidatum Steud. VII. 115
Dalechampii L. VII. 116
Dandelium L. VII. 89
dubius Horn. VII. 112
dubius Scop. VII. 112
eriospermum *Ten.* VII. 113
floccosum *W. et Kit.* VII. 114
fritillarioides Less. VII. 115
glaucum Steud. VII. 115
gracile Don VII. 115
graminifolium *DC.* VII. 114
heterospermum Scheig. VII. 114
hirsutum *Gou.* VII. 113

Stevia
hispidula *DC.* V. 122
hymenopappa Moç. V. 117
hyssopifolia Cav. V. 118
hyssopifolia H.B.et K. V. 122
hyssopifolia Sims V. 120
incanescens Lag. V. 119
incanescens β et γ Lag. V. 120
jorullensis *H. B. et K.* V. 116
ivaefolia H. B. et K. V. 118
ivaefolia *W.* V. 118
β bogotensis *DC.* V. 118
lanceolata *Lag.* V. 119
α et β - - -
lanceolata Moç. V. 116
lavandulaefolia W. V. 125
laxiflora *DC.* V. 122
leuconeura *DC.* V. 121
linariaefolia *DC.* V. 123
linearis Cav. V. 125
linearis W. V. 125
longifolia Moç. V. 118
longiseta Moç. V. 121
lucida *Lag.* V. 117
Lundiana *DC.* V. 122
megapotamica *DC.* V. 123
micrantha *Lag.* V. 121
microcephala *DC.* V. 118
microphylla *H. B. et K.* V. 118
mollis *Schrad.* V. 120
monardaefolia *H.B.et K.* V. 115
multiaristata *Spr.* V. 124
multifida *ft. mexic.* V. 121
β trifida - - -
nepetaefolia *H. B. et K.* V. 119
nervosa *DC.* V. 117
oligocephala *DC.* V. 117
origanoides *H. B. et K.* V. 118
ovata *Lag.* V. 120
oxylaena *DC.* V. 123
paniculata *Lag.* V. 120
pedata Cav. V. 655
pilosa Lag. V. 116
podocephala *DC.* V. 121
polyphylla *DC.* V. 123
puberula *Hook.* V. 123
pubescens H. B. et K. V. 119
pubescens *Lag.* V. 119
pubescens Moç. V. 119
punctata Pers. V. 118
purpurea Lag. V. 122
purpurea *Pers.* V. 118
quitensis *H. B. et K.* V. 121
rapunculoides *DC.* V. 124
rhombifolia *H. B. et K.* V. 119
salicifolia *Cav.* V. 117

Stevia
semperflorens V
serrata *Cav.* V. 1
stricta Horn. V
suaveolens Lag.
suboctnaristata *L*
subpubescens *La*
tenella Moç. V.
ternifolia *H. B. e*
tomentosa *H. B.*
trachelioides *DC.*
trifida Lag. V.
triflora *DC.* V. 1
umbellata Alam
uniaristata *DC.* V
urticaefolia *Thun*
Veronicae *DC.* V
β erythrochaeta *D*
γ glabrata
vigintiseta *DC.* V
villosa Moç. V.
viminea *Schrad.*
virgata H. B. et
viscida *H. B. et*
Stictophylla DC.

Stiftia *Mikan* VII.
chrysantha *Mik*
parviflora *Don* V
Stilpnogyne *DC.* VI
bellioides *DC.* VI
Stilpnoides DC. V
Stilpnopappus *Mart.*

bicolor Mart. h
pratensis *Mart. h*

β crotonifolius *M*
scaposus *DC.* V.
tomentosus *Mart.*
trichospiroides *M*
Stilpnophytum *Les*
axillare *Less.* VI.
linifolium *Less.* V
longifolium *Less.*
oocephalum *DC.*
Stixolophus Cass.

balsamitaefolius
coronopifolius
Stobaea *Thunb.* VI.

acanthopoda *DC.*
acarnoides *DC.* V
adenocarpa *DC.* V
aristosa *DC.* VI.

oides Hook. et Arn. VII. 294
s L. V. 679
s DC. - -
um Less. V. 508
ides Less. V. 508
oides DC. V. 509
s. V. 128, 131 *DC.* V. 131 (Liatris)
ma Cass. V. 131
es Cass. DC. V. 496 (Siegesbeckia)
Cass. V. 496
ç. VII. 262
oç. VII. 262
a Cass. DC. V. 290 (Erigeron)
Cass. V. 290
aertn. VII. 55
ea DC. VI. 73 (Dimorphotheca)
on Cass. VI. 592
ass VI. 593
Cass. VI. 593
es V. 253 VII. 272
Lindl. V. 253
d. V. 254
Lindl. V. 254 VII. 272
Nees V. 254
Nees V. 264
Nees V. 254
Nees V. 254
- - -
- - -
- - -
- - -
- - -
- - -
es V. 253 VII. 272
Nees V. 253
- - -
- - -
- - -
Nees V. 253
. VI. 456
C. VI. 457
Less. VI. 457
DC. VI. 457
Less. VI. 456
DC. - -
Less. VI. 456
Meyer VI. 456

Tripteris
hyoseroides *DC.* VI. 458
β echinocarpa - - -
limonifolia *DC.* VI. 458
macroptera *DC.* VI. 456
oppositifolia E. Meyer VI. 456
pallescens *DC.* VI. 456
petiolata *DC.* VI. 457
polycephala *DC.* VI. 458
scariosa *DC.* VI. 458
β dentata - - -
γ stricta - - -
setifera *DC.* VI. 457
sinuata *DC.* VI. 456
spathulata *DC.* VI. 457
tomentosa *Less.* VI. 457
Vaillantii *Decaisn.* VI. 457
Triptilion *R. et Pav.* VII. 50 *Lag.* VII. 52
Achilleae *DC.* VII. 51
axillare Lag. VII. 52
capillatum *DC.* VII. 51
chilense Bert. VII. 51
cordifolium *Lag.* VII. 51
diffusum *Don* VII. 51
euphrasioides *Bert.* VII. 51
glomerulosum Lag. VII. 52
laciniatum W. VII. 51
maritimum Poepp. VII. 51
spinosum Poepp. VII. 51
spinosum *R. et Pav.* VII. 51
β eriochlaenum *DC.* VII. 51
Triptilium DC. VII. 50
TRIXIDEAE *Cass DC.* VII. 54
Trixidium DC. V. 506 (Clibadium)
Trixis *P. Browne* VII. 67, 306 *Don* VII. 68 *Sw.* V. 505
alata *Don* VII. 68
angustifolia *DC.* VII. 69
aspera Pers. V. 506
auriculata Hook. VII. 69
bracteata *DC.* VII. 68
brasiliensis *DC.* VII. 71
brasiliensis Less. VII. 70
cacalioides *Don* VII. 68
calycina *Don* VII. 67
corymbosa *Don* VII. 67
corymbosa Moç. VII. 66
crenata Bojer V. 198
decurrens *fl. mexic.* VII. 68
dioscoreaefolia Bojer V. 198
discolor *Gill. et Don* VII. 70
divaricata Don VII. 69
divaricata *Spr.* VII. 69, 306
α auriculata *DC.* - -
β exauriculata - - -

Strongylolepis DC. VI. 283 (Nestlera)
Strongyloma *DC.* VII. 52
axillare *DC.* VII. 52
glomerulosum *DC.* VII. 52
Strongylosperma *Less.* VI. 82
australe *Less.* VI. 82
reptans *Benth.* VI. 82
Strophopappus *DC.* V. 75
bicolor *DC.* V. 75
Struchium P. Browne V. 11
africanum Beauv. V. 12
americanum Poir. V. 12
Stylimnus Ruf. DC. V. 450 (Pluchea)
maritimus Raf. V. 452
Stylolepis Lehm. DC. VI. 163 (Podolepis)
gracilis Lehm. VI. 163
Styloncerus *Spr.* VI. 149
humifusus *Spr.* VI. 149
Suprago Gaertn. Cass. V. 128, 129 *DC.* V. 129 (Listris)
glauca Gaertn. V. 63
sphaerocephala Cass V. 130
spicata Gaertn. V. 130
Swammerdamia *DC.* VI. 164
antennaria *DC.* VI. 164
Swertia Ludw. All. VII. 86
barbata All. VII. 86
Symphyochaeta DC. VI. 448 (Robinsonia)
Symphyotrichum unctuosum Nees V. 238
SYNANTHERAE Rich. V. 4
Synarthrum Cass. VI. 340
appendiculatum Cass. VI. 376
Syncarpha DC. VI. 213 (Helipterum)
gnaphaloides DC. VI. 214
Syncephalantha *Bartl.* VII. 262
decipiens *Bartl* VII. 262
Syncephalum *DC.* VI. 282
Bojeri *DC.* VI. 282
Synchodendron *Bojer* V. 92
ramiflorum *Bojer* V. 93
Synedrella *Gaertn.* V. 629
nodiflora *Gaertn.* V. 629
SYNGENESIA POLYGAMIA L. V. 4

T

TAGETEAE *DC.* V. 499, 638
Tagetes *L.* V. 642 VII. 293 *Less.* V. 638
angustifolia *H. B. et K.* V. 646
Tagetes
benariensis Pers
caracasana *Humb.*
chilensis Feuill.
clandestina Lag.
coronopifolia *W.*
corymbosa *Sweet*
daucoides *Schrad.*
dianthifolia *H. B.*
elliptica *Sw.* V. 64
elongata W. V. 6
erecta *L.* V. 643
Feuillei Bert. V.
filifolia Lag. V.
florida *Sweet* V. 6
flosculosa *Spr.* V.
foeniculacea *Poepp*
foetidissima *Hortu*
glandulifera *Schra*
glandulosa Link
gracilis *DC.* V. 645
graveolens *L'Herit*
lucida *Cav.* V. 643
lunulata *Ort.* V. 64
major Gaertn. V.
micrantha *Cav.* V.
minuta L. V. 644
montana hort. Lu
multifida *DC.* V. 64
multiflora *H. B. et*
multiseta *DC.* V. 64
oligocephala *DC.* V.
oxolis Spr. V. 647
papposa Vent. V.
patula *L.* V. 643
pauciloba *DC.* V. 6
pedunculatis *Lag.*
pumila Hortul. V.
punctata fl. mexic
pusilla *H. B. et K.*
signata *Bartl.* VII.
subulata Lallav. et
subvillosa *Lag.* V.
tennifolia *Cav.* V. 6
tenuifolia H. B. et
tenuifolia Pers. V
terniflora *H. B. et K*
verticillata Lag. et
zypaquirensis *H. et B*
TAGETINEAE *Cass. DC*
TANACETEAE Cass.
Tanacetum *Less.* VI.
L. VI. 62, 85, 144
92 *Gaertn.* VI.
VI. 84
achilleoides *DC.* VI.

: VII. 41
/. 205
II. 42
40
Vall. VII. 18
207
42
/. 208
. 206
: V. 207
ie V. 206
. 206
naphrodita
Poir. V. 206
I. 43
sch V. 205
V. 207
I. 410
l. V. 208
h V. 206
rs. VII. 45
z. V. 205
VII. 43
lloides Pers.
VII. 43
207
07
f. V. 205
. V. 204
4. V. 207
st. VI. 435
V. 208
32
II. 32
II. 32
II. 32
. 617
s. VI. 617

92
629
Kunth VI. 75
ss. VI. 75
. VI. 75
f. B. et K. VI. 75
Hert. VII. 288
rt. herb. V. 508
V. 507
L. 75
07
et K. VI. 75
563 (Micro-
lonchus)

Urolepis DC. V. 136 (Hebeclinium)
UROSPERMEAE Schultz VII. 99
Urospermum *Scop.* VII. 116
asperum DC. fl. fr. VII. 116
capense Spr. VII. 116
Dalechampii *Desf.* VII. 116
β *DC.* VII. 116
picroides *Desf.* VII. 116
β asperum *DC.* - -
γ capense - - -
δ Parolinii - - -
Ursinia *Gaertn.* V. 688 *Auct.* V. 681, 688
abrotanifolia Spr. V. 683
albicaulis *DC.* V. 689
annua Less. V. 690
anthemoides Poir. V. 681
piculata *DC.* V. 689
cakilefolia *DC.* V. 690
β crocea - - -
crithmoides Poir. V. 688
dentata Poir. V 684
filicaulis *DC.* V. 689
filiformis Griesel. V. 686
foeniculacea Eckl. V. 689
foeniculacea Poir. V. 682
indecora *DC.* V. 690
leucanthemoides Poir. VI. 490
montana *DC.* V. 688
nana *DC.* V. 690
paradoxa *Gaertn.* V. 689
pedunculosa *DC.* V. 689
pilifera Poir. V. 684
pygmaea *DC.* V. 690
radicans *DC.* V. 689
scariosa Poir. V. 688
serrata Poir. V. 688
speciosa *DC.* V. 690
α croceo-flava *DC.* V. 690
β albida - - -
tenuifolia Poir. V. 687
tenuiloba *DC.* V. 689
Uvedalia DC. V. 515 (Polymnia)

V

Vanillosma Less. DC. V. 18 (Vernonia)
acuminatum Mart. herb. V. 19, 20
argyrophyllum Mart. herb. V. 18
Candollei Mart. herb. V. 21
firmum Mart. herb. V. 19

Taraxacum
glaucanthum *DC.* VII. 147
glaucescens *Reich.* VII. 148
gymnanthum *DC.* VII. 145
hirsutum *DC.* VII. 149
laevigatum *DC.* VII. 146
β arcuatum - - -
lanceolatum Poir. VII. 148
latilobum *DC.* VII. 146
Leontodon Dumort. VII. 145
leptocephalum Reich. VII. 148
libanoticum *DC.* VII. 149
lyratum *DC.* VII. 148
mexicanum *DC.* VII. 146
montanum *DC.* VII. 145
nigricans Reich. VII. 148
obovatum *DC.* VII. 147
officinale Vill. VII. 145
officinale var. γ Sadl. VII. 146
palustre *DC.* VII. 148
β intermedium *DC.* VII. 148
γ tenuifolium - - -
δ lanceolatum - - -
parvulum *DC.* VII. 149
pumilum Gaudich. VII. 152
saxatile Bocc. VII. 80
Scorzonera Reich. VII. 148
serotinum *Sadl.* VII. 147
sinense *DC.* VII. 150
Stevenii *DC.* VII. 149
β sinuatum - - -
Wallichii *DC.* VII. 147
TARCHONANTHEAE *Less. DC.* V. 213, 429
Tarchonanthus *L.* V. 431 *Auct.* V. 429
angustissimus *DC.* V. 431
camphoratus Houtt. V. 430
camphoratus *L.* V. 431
dentatus Eckl. V. 430
dentatus Thunb. V. 430
ellipticus Thunb. V. 430
ericoides L. fil. VI. 148
glaber L. fil. V. 432
lanceolatus W. V. 430
litakunensis *DC.* V. 431
minor Less. V. 431
obovatus *DC.* V. 431
racemosus Thunb. V. 430
trilobus *DC.* V. 432
Taxostiche DC. VI. 196 (Helichrysum)
Tecmarsis *DC.* V. 93
Bojeri *DC.* V. 94
Telekia *Baumg.* V. 485 VII. 287
cordifolia *Kit.* V. 485 VII. 287
speciosa Baumg. V. 485
Telekia
speciosa Hook. VI
speciosissima *DC.* V
Tenorea Bert. VII.
Berterii Colla VI
calyculata Bert.
Tephrodes DC. V. 2
Tephroseris Reich.
Terranea Fernand.
Tessaria *R. et Pav.* V
absinthoides *DC.* V
ambigua *DC.* V. 45
dentata R. et Pav
integrifolia R. et
legitima *DC.* V. 45
mucronata *DC.* V.
redolens Less. V.
Tetracarpum Moen
pinnatum Moench
Tetradymia *DC.* VI.
canescens *DC.* VI.
Tetragonotheca *Dill.*
abyssinica Ledeb.
helianthoides *L.* V.
Tetramolopium *Nees*
ochraceum *DC.* V.
phylicoides *DC.* V.
rupestre *Nees* V. 2
tenerrimum *Nees* V
Tetramorphaea *DC.* V
Belangeriana *DC.* V
Bruguieriana *DC.* V
Tetrantha Poit. V.
suaveolens Poit.
Tetranthus *Sw.* V. 52
Berterii Spr. V.
hirsutus *Spr.* V. 52
littoralis Spr. V.
littoralis *Sw.* V. 52
Tetraotis Reinw. V
paludosa Reinw.
Tetrodus Cass. DC.
Thamnacantha DC.
Thelecarpaea DC. V
Thelesperma *Less.* V
scabiosoides *Less.*
Thelythamnos Less
V. 681
filiformis Spr. fil.
Theodorea Cass.

: V. 616
t. et Arn. VII. 291
V. 490
lla L. V. 625
exic. V. 616
V. 491
VI. 19
. et K. V. 614
V. 551
Vall. V. 540
. 613
lx. V. 616
615
. V. 613
V. 618
udich. V. 548
. V. 614
ook. et Arn. V. 611
V. 614
V. 618
B. et K. V. 615
Blume V. 540
Tight herb. V. 540
. 616
DC. V. 616
616
DC. V. 612 (Verbesina)
ess. DC. V. 498, 607
t Pav. V. 635
et Pav. V. 635
V. 15 VII. 263
14, 69, 74, 79, 83
V. 25
ss. V. 64
V. 32 *)
V. 47, 49
herb. V. 41
V. 47
rt. herb. V. 17
s. V. 40
K. V. 64
61
. 448
26
. V. 49
V. 65
herb. V. 17

Vernonia
alpicola var. Mart. herb. V. 80
altissima Ell. V. 63
altissima Less. V. 63
altissima Raf. V. 64
amygdalina Delil. V. 68
Andrieuxii DC. V. 16
andromachioides Less. V. 64
angulifolia DC. V. 29
angustifolia Ell. V. 63
angustifolia Mx. V. 63
anthelminthica W. V. 61
apiculata Mart. herb. V. 51
appendiculata Less. V. 27
arborea Hamilt. V. 22
arborescens Sw. V. 48
β ovatifolia DC. - -
Arbuscula Less. V. 48
arctioides Less. V. 58
arenaria Mart. herb. V. 54
argentea Gill. VII. 28
argentea Less. V. 58
argyrophylla Less. V. 18
ariaefolia Mart. herb. V. 30
aristata Less. V. 64
arkansana DC. VII. 264
aspera Hamilt. V. 31
aspera Less. V. 32
aspera β Hamilt. herb. V. 31
assans Mart. herb. V. 38
asteriflora Mart. herb. V. 29
attenuata DC. V. 33
aurea Mart. herb. V. 58
aurifodinarum Mart. herb. V. 48
axillaris Less. V. 19
axilliflora Mart. herb. V. 47
baccharoides H. B. et K. V. 64
Baldwini James V. 63
barbata Less. V. 57
bardanoides Less. V. 51
Berteriana DC. V. 52
Beyrichii Less. V. 36
bifrons Vahl herb. VII. 26
Blanchetiana DC. V. 20
blanda DC. V. 32
Blumeana DC. V. 22
Bojeri Less. V. 61
bracteata Wall. V. 67
bracteolata DC. V. 62
brasiliensis Less. V. 80
brasiliensis Mart. herb. V. 39
brevifolia Less. V. 44 VII. 264
buddlejaefolia Mart. herb. V. 45
brunioides Less. V. 80
buxifolia Less. V. 30
buxoides Less. V. 16

Tragopogon
intermedius Bess. VII. 114
junceum *Wall.* VII. 115
lanatus W. VII. 124
lithuanicum Bess. VII. 114
livescens *Bess.* VII. 112
majus *Jacq.* VII. 112
minus *Fries* VII. 113
mutabile *Jacq.* VII. 114
orientale L. VII. 113
orientalis Stev. VII. 115
parviflorum Horn. VII. 115
picroides L. VII. 116
podolicus Bess. VII. 114
porrifolium *L.* VII. 113
porrifolius var. c. Fries VII. 112
— *α et β Fries* VII. 113
pratense *L.* VII. 113
β eriophorum *DC.* VII. 113
pratensis var. minor Fries VII. 113
pratensis β C. A. Meyer VII. 113
— *γ Gaud.* VII. 113
pterocarpum *DC.* VII. 112
pusillum *MB.* VII. 115
revolutus Schwaeg. VII. 113
roseus C. A. Meyer VII. 115
roseus Trev. VII. 115
rubrum *Gmel.* VII. 114
sativum Gat. VII. 113
sinuatus Avé VII. 113
undulatum *Jacq.* VII. 113
β orientale *DC.* - -
verticillatum Lam. VII. 116
villosum *L.* VII. 115
villosus Habl. VII. 113
virginicum L. VII. 89
TRAGOPOGONEAE Schultz VII. 99
Tragoponoides Vaill. VII. 116
Trattenickia Pers. V. 680
angustifolia Pers. V. 680
lanceolata Pers. V. 680
latifolia Pers. V. 680
Triachne *Cass.* VII. 50
pygmaea *Cass.* VII. 50
Trianthaea DC. V. 23 (Vernonia)
Tricephalum DC. VI. 218 (Stenocline)
Trichocline *Cass.* VII. 20
cineraria *Hook. et Arn.* VII. 21
heterophylla *Less.* VII. 21
Trichocline
humilis *Less.* VII. 21
β Tweedii *DC.* - -
humilis Hook. et A.
incana *Cass.* VII. 20
macrocephala *Less.*
maxima *Less.* VII. 2
nervosa *Less.* VII. 2
plicata *Hook. et Arn*
speciosa *Less.* VII. 2
Trichocoma DC. VI.
Trichocrepis Vis. VI
bifida Vis. VII. 179
Trichodes DC. VI.
Trichogonia DC. V. 1
Trichogyne *Less.* VI. 2
cauliflora *DC.* VI. 26
decumbens *Less.* VI
laricifolia *Less.* VI.
paronychioides *DC.*
radicans *DC.* VI. 26
reflexa *Less.* VI. 26
seriphioides *Less.* V
α disticha *DC.* VI. 26
β fasciculata *Less.* VI
verticillata *Less.* VI.
Tricholepis *DC.* VI. 56
angustifolia *DC.* VI.
elongata *DC.* VI. 56
β DC. VI. 564
furcata *DC.* VI. 563
glaberrima *DC.* VI.
radicans *DC.* VI. 56
Trichophyllum Nutt.
angustifolium Les
integrifolium Hoo
lanatum Nutt. V.
oppositifolium Nu
Trichospermum Bea
Trichospira *H. B. et K.*
biaristata *Less.* V. 9
menthoides *H. B. et*
Prieurei *DC.* V. 91
Pulegium *Mart. her.*
Trichostemma Cass.
hispida Cass. V. 54
Trichostephium Cass
Trichostephus Cass.
Tridactylina DC. VI
Tridax *L.* V. 679 *Hook.*

B. et K. V. 49
ss. V. 50
ess. V. 44
DC. V. 39
ojer V. 68
DC. V. 37
Less. V. 80
Mart. herb. V. 150
from Mart. herb. V. 85
DC. V. 37
C. V. 36
DC. V. 53
rt. herb. V. 50
C. V. 42
Mart. herb. V. 43
from VII. 265
DC. V. 45
C. V. 27
V. 22
C. V. 22
C. V. 49
s. V. 43
Mart. herb. V. 46
V. 36
s. V. 82
Mart. herb. V. 82
C. V. 27
- - 28
V. 62
ess. V. 16
V. 18
DC. V. 62
t. herb. V. 56
t. herb. V. 56
DC. V. 56
C. V. 37
V. 30
V. 25
V. 34
V. 19
C. V. 25
s Mart. herb. V. 17
Mart. herb. V. 60
V. 34
art. herb. V. 45
herb. V. 48
DC. V. 28
s. V. 57
V. 56
e V. 65
Wall. VII. 14
ses Mart. herb. V. 42
C. V. 33

Vernonia
longifolia *Pers.* V. 49
lucida *Less.* V. 28
Lundiana *Less.* V. 20
macrocephala *Less.* V. 60
macrophylla Bojer V. 27
macrophylla *Less.* V. 50
macropoda *DC.* V. 19
madagascariensis *Less.* V. 33
megapotamica *Spr.* V. 51
β brevifolia *DC.* V. 51
γ melanotrichia *DC.* V. 51
menthaefolia *Less.* V. 38
mespilifolia *Less.* V. 29
β subcanescens *DC.* - -
mexicana *Less.* V. 61
micradenia *DC.* V. 38
micrantha H. B. et K. V. 41
microcephala *DC.* V. 39
missurica Raf. V. 65
mollis *H. B. et K.* V. 41
mollis Less. V. 41
monticola *Mart. herb.* V. 18
mucronifolia *DC.* V. 55
mucronulata *Less.* V. 34
multiflora *Less.* V. 31
β latifolia *DC.* - -
multiflosculosa *Mart. herb.* V. 50
muricata *DC.* V. 55
myriocephala *DC.* V. 40
nilgherryensis *DC.* V. 32
nitidula *Less.* V. 29
notata *Less.* V. 19
novaeboracensis *W.* V. 63
nudicaulis *Less.* V. 27
nudiflora *Less.* V. 27
obovata *Less.* V. 42
obscura *Less.* V. 47
obtusata *Less.* V, 46
obtusifolia *Less.* V. 49
odoratissima *H. B. et K.* V. 38 VII. 264
Oleaster *DC.* V. 17
oligactoides *Less.* V. 34
oligophylla *Mx.* V. 62
α verna - - 63
β autumnalis - - -
oppositifolia *Less.* V. 35
ovata *Less.* V. 45
oxyphylla *DC.* V. 19
pandurata Jacq. V. 27
pandurata *Link* V. 27
paniculata *DC.* V. 23
patens *H. B. et K.* V. 39
patens Less. V. 39
patula Mart. herb. V. 55

Trixis
erosa Sw. V. 506
flexuosa Less. VII. 69
flexuosa Spr. VII. 69
floribunda Bojer V. 198
frutescens *P. Browne* VII. 68
β angustifolia *DC.* VII. 69
γ obtusifolia - - -
frutescens var. denticulata Less. VII. 68
glaberrima *Less.* VII. 70
glabra Don VII. 69
glutinosa *Don* VII. 69
havanensis Spr. VII. 69
hieracioides *Don* VII. 71
involucrata *Don* VII. 68
laevigata Lag. VII. 69
Lessingii *DC.* VII. 70
α aquatica - - -
longifolia *Don* VII. 68
Lundii *DC.* VII. 71
megapotamica *Hook. et Arn.* VII. 70
mexicana *Lallav. et Lex.* VII. 70
mexicana Hoç. VII. 69
michuacana *Lallav. et Lex.* VII. 68
mollissima *Don* VII. 69
Neeana *DC.* VII. 67
neriifolia Humb. V. 507
ochroleuca *Hook. et Arn.* VII. 71
othonnoides Less. VII. 71
pallida *Less.* VII. 70
papillosa *Gill. et Don* VII. 70
paradoxa *Cass.* VII. 67
pedunculosa Rich V. 507
pinnatifida *Less.* VII. 71
pyrifolia Bojer V. 195
rosea Poepp. VII. 57
salicifolia Don VII. 69
scabra Sw. V. 506
Sellowii Less. VII. 71
senecioides Hook. VII. 57
stricta *Less.* VII. 71
terebinthinacea Sw. V. 506
thunbergioides Bojer V. 198
Vauthieri *DC.* VII. 69
verbasciformis *Less.* VII. 70
Tropidolepis Tausch V. 216
diffusa Tausch V. 216
Troximon *Gaertn. Nutt.* VII. 251
apargioides *Less.* VII. 252
aurantiacum *Hook.* VII. 252
bulbosum Raf. VII. 252
cuspidatum Pursh VII. 252
Dandelion Pers. VII. 89
Troximon
fritillarioides Le
glaucum *Nutt.* VII
glaucum var. a B β
glaucum Sims VI
lanatus Pers. VI
marginatum *Nutt.*
odoratum Raf. V
pallidum Raf. VI
virginicum Purs
Tsinoma Hern. V.
Tubifera DC. V. 3
Tubilium Cass. V. V. 4
angustifolium Ca
siculum Choisy V
TUBULIFLORAE *D*
Tulodiscus DC. VI.
Turczaninovia *DC.* V.
fastigiata *DC.* V. 2
Turpinia H. B. et
laurifolia H. B.
tomentosa Lallav.
Tursenia Cass. V.
TUSSILAGINEAE *Les*
Tussilago *Tourn. Ca* V. 204, 206, 208
Pers. VII. 44 *W.* VII. 18
alba L. V. 207
alba β Vill. V. 20
albicans Sw. VII.
alpina L. V. 205
alpina Scop. V.
Anandria L. VII.
Bellidiastrum L.
bicolor W. herb.
bifolia Lavy V.
bohemica Hoppe
Cacalia Scop. V.
corymbosa R. Br.
dentata L. VII. 4
discolor Jacq. V.
exscapa Pers. VI
Farfara *L.* V. 208
fragrans Vill. V.
frigida Oeder V.
frigida Sut. V. 2
frigida Vill. V.
Gmelini Tausch.
hybrida L. V. 20
japonica L. VI.

a. VII. 263
is. V. 43
Less. V. 72
ia *Bojer* V. 30
V. 40
olia *Mart. herb.* V. 83
ss. V. 57
art. herb. V. 53
ess. V. 18
ess. V. 27, 15
ia *Less.* V. 27
a - - -
a *Less.* V. 79
hus *Mart. herb.* V. 84
llav. et Lex. V. 65
Less. V. 50
H. B. et K. V. 31
a *Pers.* V. 42
DC. V. 62
a *DC.* V. 41
. V. 15
DC. V. 15
- - 16
DC. V. 20
ess. V. 23
C. V. 30
Mart. herb. V. 59
Vees V. 51
Ell. V. 63
ides *H. B. et K.* V. 41
ioides *Less.* V. 41, 42
DC. V. 60
ha *Spr.* V. 74
DC. V. 54
H. B. et K. V. 23
a *Spr.* V. 398
ess. V. 20
V. 32
ss. V. 49
a *DC.* V. 56
DC. V. 21
ia - - -
Mart. herb. V. 59
V. 59
Less. V. 52
DC. V. 35
- - -
V. 25
a *Less.* V. 79
rt. herb. V. 160
art. herb. V. 42

Vernonia
viscidula *Less.* V. 57
volkameriaefolia *DC.* V. 32
Westiniana *Less.* V. 35
α angustifolia *DC.* - 36
β cuneata - - -
Wightiana *Arn.* VII. 263
Wightiana Wall. V. 448
xanthophylla *Mart. herb.* V. 58
zanzibarensis *Less.* V. 30
zeylanica *Less.* V. 26
Zuccariniana *Mart. herb.* V. 55
VERNONIACEAE *Less. DC.* V. 8, 9
VERNONIEAE *DC.* V. 10
VERNONIEAE Cass. V. 9
Vernonioides DC. VII. 24 (Gochnatia)
Verutina Cass. DC. VI. 592 (Centaurea)
Viborgia urticaefolia H. B. et K. V. 497
Vicoa *Cass.* V. 474
appendiculata *DC.* V. 474
auriculata *Cass.* V. 474
aurita *DC.* V. 474
indica *DC.* V. 474
α serrata *DC.* V. 474
β subintegra - - -
γ attenuata - - -
δ aspera - - -
Viguiera *H. B. et K.* V. 578
brevipes *DC.* V. 579
canescens *DC.* V. 579
dentata *Spr.* V. 579
foliacea *Spr.* V. 580
grammatoglossa *DC.* V. 580
helianthoides *H. B. et K.* V. 578
laxa *DC.* V. 580
microcline *DC.* V. 579
oppositipes *DC.* V. 580
prostrata *DC.* V. 579
Sagraeana *DC.* V. 579
sessilifolia *DC.* V. 579
triquetra *DC.* V. 579
Viguiera Less. V. 578
Villanova *Lag.* VI. 75 *Ort.* V. 531
achillaeoides *Less.* VI. 75
alternifolia *Lag.* VI. 75
anemonefolia Less. VI. 75
bipinnatifida Ort. V. 532
dissecta *DC.* VI. 75
oppositifolia *Lag.* V. 75
pinnatifida *Lag.* V. 75

Vanillosma
obtusum Mart. herb. V. 19
pyrifolium Mart. herb. V. 19
Vargasia *DC.* V. 676 VII. 308
caracasana *DC.* V. 676 VII. 308
Varthemia *DC.* V. 473
persica *DC.* V. 473
Venegasia *DC.* VI. 43
carpesioides *DC.* VI. 43
Venidium *Less.* VI. 491
angustifolium *DC.* VI. 492
β *DC.* VI. 492
arctotoides *Less.* VI. 493
aureum *DC.* VI. 494
calendulaceum *Less.* V. 493
canescens *DC.* VI. 493
cinerarium *DC.* VI. 493
decurrens *Less.* VI. 492
discolor *Less.* VI. 492
hispidulum *Less.* VI. 493
macrocephalum *DC.* VI. 494
macrospermum *DC.* VI. 492
microcephalum *DC.* VI. 493
perfoliatum *Less.* VI. 492
plantagineum *Less* VI. 492
β angustius *DC.* VI. 492
puberulum *DC.* VI. 493
scabrum Less. VI. 492
Schraderi *DC.* VI. 494
semipapposum *DC.* VI. 491
spathuligerum *DC.* VI. 493
subacaule *DC.* VI. 493
subcalvum *DC.* VI. 492
β ambiguum - - -
Verbesina *Less.* V. 612 VII. 291 *L.* V. 110. 629, 630 *L. fil.* V. 631 *Cass.* V. 612 *Gaudich.* V. 610 *Blume* V. 546 *Auct.* V. 492, 563
Acmella L. V. 623
acuminata *DC.* V. 614
aestuans *Lam.* V. 618
alata *L.* V. 617
alba L. V. 490
arborea *H. B. et K.* V. 617
asteroides L. V. 214
atriplicifolia *Juss.* V. 613
aurea *DC.* V. 613
auriculata *DC.* V. 617
biflora Blume V. 547
biflora L. V. 114, 547
biflora var. Wall. V. 540
Bosvallea L. fil. V. 631
Boswallia W. V. 631
brasiliana Pers. V. 113
buphthalmoides *Link et Otto* V. 613
Verbesina
calendulacea L. V
canescens Gaudic
ceanothifolia *W.* V.
chinensis *L.* V. 618
connata Gaudich
conyzoides fl. mex
Coreopsis Mx. V.
crocata *Less.* V. 61
dentata *H B. et K.*
dichotoma Hegn.
dichotoma Murr.
dichotoma A. R. D.
dichotoma C. E. K
diversifolia *DC.* V.
elegans *H. B. et K.*
foliacea *Spr.* V. 61
frutescens Pium.
fruticosa hort. P
fruticosa L. V. 6
fruticosa W. V.
gigantea *Jacq.* V. 6
hastulata Hook. et
helianthoides *H. B.*
helianthoides Mx.
Humboldtii Spr.
ilicifolia *Poir.* V. 6
laciniata Nutt. V
lanceolata Poir.
lavarum Gaudich
Lavenia L. V. 11
Lavenia Roxb. V.
lobata Gaud. V. 6
megapotamica *Spr.*
membranifolia P
mexicana Cerv.
microptera *DC.* V.
minima Dill. V. 5
mollis Alam. V. 5
mollis *H. B. et K.*
moluccana Blume
montana Blume
montevidensis *Spr.*
mutica L. V. 630
mutica Sw. V. 63
nediflora L. V. 6
oaxacana *DC.* V. 61
occidentalis Wal
oppositiflora Poi
ovata hort. Paris
paniculata Poir.
persicifolia *DC.* V.
Phaetusa *Cass.* V.
pinnata *Clark.* V.
pinnatifida *Cav.* V.
β undulata *DC.* -

: V. 616
. et Arn. VII. 291
V. 490
la L. V. 625
exic. V. 616
V. 491
VI. 19
et K. V. 614
V. 551
all. V. 540
613
r. V. 616
615
V. 613
. 618
udich. V. 548
V. 614
ok. et Arn. V. 611
V. 614
V. 618
B. et K. V. 615
Blume V. 540
ght herb. V. 540
616
C. V. 616
616
C. V. 612 (Verbesina)
ess. DC. V. 498, 607
Pav. V. 635
et Pav. V. 635
. V. 15 VII. 263
14, 69, 74, 79, 83
V. 25
ss. V. 64
V. 32 *)
. V. 47, 49
herb. V. 41
. V. 47
rt. herb. V. 17
ss. V. 40
K. V. 64
. 61
V. 448
. 26
s. V. 49
V. 65
herb. V. 17

Vernonia
alpicola var. Mart. herb. V. 80
altissima Ell. V. 63
altissima Less. V. 63
altissima Raf. V. 64
amygdalina Delil. V. 68
Andrieuxii *DC.* V. 16
andromachioides *Less.* V. 64
angulifolia *DC.* V. 29
angustifolia Ell. V. 63
angustifolia *Mx.* V. 63
anthelminthica *W.* V. 61
apiculata *Mart. herb.* V. 51
appendiculata *Less.* V. 27
arborea *Hamilt.* V. 22
arborescens *Sw.* V. 48
β ovatifolia *DC.* - -
Arbuscula *Less.* V. 48
arctioides *Less.* V. 58
arenaria *Mart. herb.* V. 54
argentea Gill. VII. 28
argentea *Less.* V. 58
argyrophylla *Less.* V. 18
ariaefolia *Mart. herb.* V. 30
aristata *Less.* V. 64
arkansana *DC.* VII. 264
aspera *Hamilt.* V. 31
aspera Less. V. 32
aspera β Hamilt. herb. V. 31
assans *Mart. herb.* V. 38
asteriflora *Mart. herb.* V. 29
attenuata *DC.* V. 33
aurea *Mart. herb.* V. 58
aurifodinarum *Mart. herb.* V. 48
axillaris *Less.* V. 19
axilliflora *Mart. herb.* V. 47
baccharoides *H. B. et K.* V. 64
Baldwini James V. 63
barbata *Less.* V. 57
bardanoides *Less.* V. 51
Berteriana *DC.* V. 52
Beyrichii *Less.* V. 36
bifrons Vahl herb. VII. 26
Blanchetiana *DC.* V. 20
blanda *DC.* V. 32
Blumeana *DC.* V. 22
Bojeri *Less.* V. 61
bracteata Wall. V. 67
bracteolata *DC.* V. 62
brasiliensis Less. V. 80
brasiliensis Mart. herb. V. 39
brevifolia *Less.* V. 44 VII. 264
buddlejaefolia *Mart. herb.* V. 45
brunioides Less. V. 80
buxifolia Less. V. 30
buxoides *Less.* V. 16

Vernonia
calycina *Wall.* V. 60
campestris *DC.* V. 43
campestris Mart. herb. V. 45
Candollei *DC.* V. 21
Candolleana Wight VII. 263
Candolliana Mart. herb. V. 51
canescens Cass. V. 41
canescens *H. B. et K.* V. 40
β micrantha *Less.* V. 41
canescens Spr. V. 41
capitellata *DC.* V. 20
celebica *DC.* V. 21
centriflora Link et Otto V. 42
cephalotes *DC.* V. 57
cernua Bojer VII. 24.
chalybaea *Mart. herb.* V. 54
Chamissonis *Less.* V. 51
Chamaedrys *Less.* V. 48
chinensis Less. V. 69
cinerea *Less.* V. 24 VII. 263
β rotundifolia *DC.* V. 24
γ scabrida - - -
δ glabriuscula - - -
ε undulata - - -
ζ parvifolia *Reinw.* - -
coelestina Schrad. V. 62
cognata *Less.* V. 52
conyzoides *DC.* V. 25
β Leschenaultii *DC.* V. 25
cordata *H. B. et K.* V. 34
cordiaefolia *H. B. et K.* V. 64
cordifolia W. herb. V. 34
cordigera *Mart. herb.* V. 58
coriacea *Less.* V. 46
corymbiformis *DC.* V. 52
corymbosa *Less.* V. 29
β mespiloides *DC.* V. 29
Cotoneaster *Less.* V. 47
cuneata Less. V. 67
cymosa *Blume* V. 26
debilis *Mart. herb.* V. 54
decussata Mart. herb. V. 58
dendigulensis *DC.* VII. 263
dense-villosa *Mart. herb.* V. 43
β angustior *DC.* V. 43
denticulata *DC.* V. 36
Deppeana *Less.* V. 40
desertorum *Mart. herb.* V. 43
dichocarpha *Less.* V. 23
diffusa Decaisn. V. 25
diffusa *Less.* V. 35
discolor *Less.* V. 35
divaricata Less. V. 49
divaricata *Sw.* V. 48
divaricata Spr. V. 49

Vernonia
diversifolia *Bojer*
domingensis *DC.*
Doniana *DC.* V.
dura *Mart. herb.*
Echinops Mart.
echioides *Less.*
echitifolia *Mart.*
elaeagnifolia *DC.*
elaeagnoides *H.*
elliptica *DC.* V.
elongata W. he
emarginata *Wick*
ensifolia *Mart. h*
eremophila *Mart*
ericaefolia Hoo
ericoides *Less.*
erigeroides *DC.*
erigerontis Ma
erioclada *DC.* V.
erythrophila *DC.*
eupatorifolia *DC.*
β pauciflora -
eupatorioides *Bla*
exsucca Mart.
extensa *DC.* V. 3
extraxillaris *DC.*
fasciculata Blu
fasciculata *Mx.*
ferruginea *Less.*
filifolia Mart. h
fimbrillifera *Less.*
fimbrillifera Le
firmula *Mart. he*
flavescens *Less.*
flexuosa *Sims* V.
floribunda *H. B.*
fragrans *Lallav.*
frangulaefolia *H.*
fruticosa L. V.
fruticosa *Sw.* V.
fruticulosa *Mart.*
β penniservis *DC.*
galamensis Less
Gaudichaudiana *D*
geminata Kunth
geminata *Less.* V.
β aprica *DC.* V. 5
glabrata *Less.* V.
glandulosa *DC.* V
glauca W. V. 6
glutinosa *DC.* V.
gochnatioides *Hoo*

B. et K. V. 49
ss. V. 50
Less. V. 44
DC. V. 39
ojer V. 68
DC. V. 37
Less. V. 80
Mart. herb. V. 150
dron Mart. herb. V. 85
DC. V. 37
C. V. 36
DC. V. 53
art. herb. V. 50
C. V. 42
Mart. herb. V. 43
Arn VII. 265
DC. V. 45
DC. V. 27
V. 22
DC. V. 22
C. V. 49
ss. V. 43
Mart. herb. V. 46
V. 36
ss. V. 82
s Mart. herb. V. 82
DC. V. 27
- - 28
C. V. 62
Less. V. 16
C. V. 18
DC. V. 62
art. herb. V. 56
art. herb. V. 56
olia DC. V. 56
DC. V. 37
C. V. 30
ss. V. 25
C. V. 34
s. V. 19
DC. V. 25
ides Mart. herb. V. 17
Mart. herb. V. 60
DC. V. 34
Mart. herb. V. 45
rt herb. V. 48
DC. V. 28
ess. V. 57
V. 56
sme V. 65
α Wall. VII. 14
mosa Mart. herb. V. 42
DC. V. 33

Vernonia
longifolia *Pers.* V. 49
lucida *Less.* V. 28
Lundiana *Less.* V. 20
macrocephala *Less.* V. 60
macrophylla Bojer V. 27
macrophylla *Less.* V. 50
macropoda *DC.* V. 19
madagascariensis *Less.* V. 33
megapotamica *Spr.* V. 51
β brevifolia *DC.* V. 51
γ melanotrichia *DC.* V. 51
menthaefolia *Less.* V. 38
mespilifolia *Less.* V. 29
β subcanescens *DC.* - -
mexicana *Less.* V. 61
micradenia *DC.* V. 38
micrantha H. B. et K. V. 41
microcephala *DC.* V. 39
missurica Raf. V. 65
mollis *H. B. et K.* V. 41
mollis Less. V. 41
monticola *Mart. herb.* V. 18
mucronifolia *DC.* V. 55
mucronulata *Less.* V. 34
multiflora *Less.* V. 31
β latifolia *DC.* - -
multiflosculosa *Mart. herb.* V. 50
muricata *DC.* V. 55
myriocephala *DC.* V. 40
nilgherryensis *DC.* V. 32
nitidula *Less.* V. 29
notata *Less.* V. 19
novaeboracensis *W.* V. 63
nudicaulis *Less.* V. 27
nudiflora *Less.* V. 27
obovata *Less.* V. 42
obscura *Less.* V. 47
obtusata *Less.* V, 46
obtusifolia *Less.* V. 49
odoratissima *H. B. et K.* V. 38 VII. 264
Oleaster *DC.* V. 17
oligactoides *Less.* V. 34
oligophylla *Mx.* V. 62
α verna - - 63
β autumnalis - - -
oppositifolia *Less.* V. 35
ovata *Less.* V. 45
oxyphylla *DC.* V. 19
pandurata Jacq. V. 27
pandurata *Link* V. 27
paniculata *DC.* V. 23
patens *H. B. et K.* V. 39
patens Less. V. 39
patula Mart. herb. V. 55

Vernonia

pauciflora Bojer V. 18
pauciflora *Less.* V. 61
β angustifolia - - 62
pectinata *DC.* V. 31
pectiniformis *DC.* V. 31
pectiniformis var. Arn. VII. 264
pedunculata *DC.* V. 16
pellita *H. B. et K.* V. 42
pentacantha (rectius pentaconta) *DC.* V. 30, 696
persicifolia *Desf.* V. 46
petiolaris *DC.* V. 37
β pauciflora - - -
physalifolia *DC.* V. 24
β glabrescens - - -
Pinaster Less. V. 79
pinifolia Less. V. 73
plantaginifolia Less. V. 83
plantaginoides Less. V. 27
platensis *Less.* V. 52
Poeppigiana *DC.* V. 20
Poeppigiana *DC.* V. 55 *)
polyanthes *Less.* V. 39
polycephala *DC.* V. 39
polygalaefolia *Less.* V. 17
polygalaefolia Licht. V. 481
populifolia Less. V. 74
praealta *DC.* V. 63
β bebecarpa *DC.* v. 64
praealta Ell. V. 63
praealta W. V. 63
procumbens Bojer V. 18
prolifera *Decaisn.* V. 65
proteaeformis Less. V. 60
Proteopsis *DC.* V. 16
Pseudo-myrtus *St. Hil.* V. 17
psilophylla *DC.* V. 28
β paulina *Mart. herb.* V. 28
γ leiolepis *DC.* - -
psilostachya *DC.* V. 43
psittacorum *DC.* V. 36
puberula *Less.* V. 35
punctata Sw. V. 49
puncticulata *DC.* VII. 264
punduana *DC.* V. 32
pycnocephala Mart herb. V. 85
pycnostachya *DC.* V. 58
pyrifolia *DC.* V. 19
quinqueflora *Less.* V. 40
Radula *Mart. herb.* V. 52
β latifolia *DC.* - 53

*) conf. Praefatio.

Vernonia

ramiflora *Less.* V. 19
remotiflora *Rich.* V.
reticulata W. herb.
revoluta *Hamilt.* V.
rigida *Sw.* V. 49
rigida Wall. V. 15
rigiophylla *DC.* V. 1
rosea *Mart. herb.* V.
rosmarinifolia *Less.*
rotundifolia *Less.* V.
Roxburghi Less. V
ruboides *Less.* V. 57
rubricaulis *H. et Bo*
rubricaulis Less.
rubricaulis Benpl
rubricaulis latifol
rubriramea *Mart. he*
rufo-grisea *St. Hil.*
rugosa *Blume* V. 2
Sagraeana *DC.* V. 55
salicifolia Less. V
saligna *DC.* V. 33
Salzmanni *DC.* V. 5
scaberrima Ell. V.
scaberrima *Nutt.* V.
scabra *Pers.* V. 39
scandens Bojer V.
scandens *DC.* V. 32
scandens Wight V
scapigera Less. V.
scariosa Poir. V. 1
Schiedeana *Less.* V.
Schimperi *DC.* VII.
schwenkiaefolia *Mart*
scorpioides Less.
scorpioides *Pers.* V.
α centriflora *DC.* -
β subrepanda - -
γ subtomentosa- -
δ longifolia - -
ε longe-racemosa *DC.*
secundifolia *Bojer* V
Sellowii *Less.* V. 45
senecionea *Mart. he*
β adenocarpa *DC.* -
senegalensis Desf.
senegalensis Less.
senescens *Mart her*
sericea *Rich.* V. 46
serrata *Less.* V. 35
serratuloides *H. B.*
sessiliflora W. her
sessilifolia *DC.* V. 4

ENERA, SPECIES ET SYNONYMA

CANDOLLEANA

ALPHABETICO ORDINE DISPOSITA,

SEU

I GENERALIS ET SPECIALIS

AD

DECANDOLLE ET ALPH. DECANDOLLE

PRODROMUM SYSTEMATIS NATURALIS
REGNI VEGETABILIS.

PARS III.

IOS OPERIS CANDOLLEANI SEPTIMUM (PARTEM POSTERIOREM), OCTAVUM, NUM, DECIMUM, UNDECIMUM, DUODECIMUM ET TREDECIMUM.)

AUCTORE

M. W. BURK, M. D.

HAMBURGI,

SUMPTIBUS PERTHES-BESSER & MAUKE.

1858.

VIRO

MO, CLARISSIMO, EXPERIENTISSIMO,

HONSO DECANDOLLE,

LEBERRIMI FILIO HAUD MINUS CELEBRI,

SCIENTIA BOTANICA MERITISSIMO

HOCCE OPUSCULUM

D. D. D.

AUCTOR.

Xenismia *DC.* V. 509
acanthosperma *DC.* V. 509
Xenocarpus Cass. VI. 305
geifolius Cass. VI. 307
XERANTHEMEAE *Less. DC.* VI. 450, 528
Xeranthemum *Tourn.* VI. 528 *Neck.* VI. 214 *L.* VI. 266, 530 *Lam.* VI. 254, 531 *Cass.* VI. 528 *Pet. Thuars* VII. 44
angustifolium Lam. VI. 179
annuum Jacq. VI. 528
annuum Scop. VI. 529
annuum β L. VI. 529
annuum γ L. VI. 530
bellidioides Forst. VI. 210
bracteatum Vent. VI. 189
canescens Curt. VI. 213
canescens L. VI. 212
caespitosum Pet. Thuars VII. 45
chinense *Lour.* VI. 529
cylindraceum *Sibth. et Sm.* VI. 529
cylindricum Spr. VI. 529
erectum *Presl* VI. 529
β Meyeri *DC.* - -
ericoides Lam. VI. 172
erucifolium L. VI. 669
fasciculatum Andr. VI. 214
fasciculatum var. Andr. VI. 214
ferrugineum Lam. VI. 212
frigidum Labill. VI. 177
fulgidum L fil. VI. 187
herbaceum Andr. VI. 185
heterophyllum α Lam. VI. 214
heterophyllum β Lam. VI. 214
humile Andr. VI. 214
imbricatum Burm. VI. 285
inapertum DC. fl. fr. VI. 529
inapertum Gay VI. 529
inapertum C. A. Meyer VI. 529
incomptum Cass. VI. 529
inodorum Moench VI. 528
leucanthemifolium Burm. V. 387
longe-papposum *Fisch. et Meyer* VI. 529
moniliforme Houtt. VI. 172
orientale W. VI. 530
ornatum Cass. VI. 528
paniculatum Lam. VI. 178
paniculatum L. VI. 179
pinifolium α Lam. VI. 214
Xeranthemum
pinifolium β Lam
proliferum L. VI.
pungens Lam. VI.
radiatum *Lam.* VI.
radicans Thunb
recurvatum L. fil.
retortum L. VI. 1
retortum Lour. V
retortum Thunb.
rigidum Andr. VI
serpyllifolium La
sesamoides Curt.
sesamoides Gay
sesamoides α L.
sesamoides var. L
speciosissimum L.
speciosum L'Heri
squamosum Thun
squarrosum Lam.
Stoechelina Don
stoloniferum L. fi
tenuifolium Burm
variegatum Andr
variegatum Berg.
vermiculatum La
vestitum L. VI. 2
virgatum Berg.
Xerobius Cass. VI. 4
lanatus Cass. VI.
Xerolepis Less. DC.
Xeroloma Cass. DC.
Xeropappus Wall.
lanuginosus Wal
Xerothamnus *DC.* V.
Ecklonianus *DC.* V
Xerotium Bluff et F
montanum Bluff
Ximenesia *Cav.* V.
Less. V. 276.
australis Hook. e
Cavanillesii Spr.
cordata W. B. et K
encelioides *Cav.* V.
α hortensis *DC.* -
β pachyptera - -
γ oblongifolia - -
δ cana - -
foetida Spr.
heterophylla

PRAEFATIO.

ıerbariae studiosis tertiam Indicis Candolleani par-
ıi Volumina VII (sectionem posteriorem) VIII—XIII
ɔriorem et posteriorem) complectentem, traditurus,
peris meí moram non tam excusandam quam pro-
ɔribus putavi. Illud tamen haud probandum videatur,
ante 18 annos coeptum persecutus sum; nam hoc
m, quum multi alii harum rerum periti judices, tum
rrimus *Alph. De Candolle,* qui Prodromum a patre
ɔontinuandum suscepit, itemque Clarissimus *Pritzel*
o literaturae botanicae (pag. 41) benigne atque
me exhortati sunt. At contra opus esse videtur
ɔcusatione, quod Index Voluminum VII—X Pro-
ɔ jam annis 1839—1846 in lucem prodiissent, anno

Berolini, formis Nauckianis.

[redacted]

AD

DECANDOLLE ET ALPH. DECANDOLLE

PRODROMUM SYSTEMATIS NATURALIS REGNI VEGETABILIS.

PARS III.

TOMOS OPERIS CANDOLLEANI SEPTIMUM (PARTEM POSTERIOREM), OCTAVUM, NONUM, DECIMUM, UNDECIMUM, DUODECIMUM ET TREDECIMUM.)

AUCTORE

H. W. BUEK, M. D.

GENERA, SPECIES ET SYNONYMA
CYNDOLLEANA

DE

GENERIBUS ET SPECIEBUS

AD

DECANDOLLE ET ALPH. DECANDOLLE

PRODROMI SYSTEMATIS NATURALIS

REGNI VEGETABILIS

PARS III.

H. W. REICHENBACH, M. D.

HAMBURGI

PHONSO DECANDOLLE,

ELEBERRIMI FILIO HAUD MINUS CELEBRI,

SCIENTIA BOTANICA MERITISSIMO

HOCCE OPUSCULUM

D. D. D.

AUCTOR.

ALFONSO DELLA VALLE.

PRAEFATIO.

herbariae studiosis tertiam Indicis Candolleani par-
mi Volumina VII (sectionem posteriorem) VIII—XIII
priorem et posteriorem) complectentem, traditurus,
operis mei moram non tam excusandam quam pro-
toribus putavi. Illud tamen haud probandum videatur,
ante 18 annos coeptum persecutus sum; nam hoc
em, quum multi alii harum rerum periti judices, tum
errimus *Alph. De Candolle,* qui Prodromum a patre
continuandum suscepit, itemque Clarissimus *Pritzel*
ro literaturae botanicae (pag. 41) benigne atque
me exhortati sunt. At contra opus esse videtur
xcusatione, quod Index Voluminum VII—X Pro-
e jam annis 1839—1846 in lucem prodiissent, anno

versatus, ut ***Massonum*** adirem suasit, bibliopolam siensem, cujus impensis Prodromus ipse typis Quamvis haec opportunitas gratissima esse vider re diligentius considerata, facile apparebat, nec hanc accipi posse. Nam Parisiis si manuscriptum Indic scribendum fuisset, vix data erat potestas prima spe graphica meis oculis perlustrandi meaque manu quod negotium aliis relinquere res erat plena peric minis. — Non deterritus ac perturbatus irrito, que conatu, novum circumspicere et quaerere coepi libr sumptibus Index in lucem emitti posset, in qu mihi adjumento fuit vir honestissimus mihique ***Mauke,*** de omni genere bonorum librorum non meritus, magister librariae apud Hamburgenses nom ***Besser et Mauke*** celeberrimae. Nihil enim quum ac prope de libro meo edendo desperassem, ille dixi librarius, qua est erga me voluntate ac de o

descriptione *Corolliflorarum*, novam majorem sub-
Monochlamydearum, incipientem, in hac Indicis parte
ptam esse, melius aptiusque certe fuisset, si illam
quartae Indicis parti postea edendae reservassem,
Clarissimum *De Candolle* ita judicasse non ignoro;
anuscriptum hujus sectionis numeris partibusque suis
non amplius retinendum censui, quum quartam In-
m non brevi tempore ad finem perduci posse, cer-
nihi esset, atque vita incerta praevideri non posset,
perficiendi mihi data foret facultas.

uod attinet ad typographicum Indicis ordinem, ad illa
ceat lectores, quae in praefatione partis II, anno 1840
editae, (Pag. IV & V) dicta sunt. — Occurrunt etiam
Prodromi Voluminibus, quae comprehenduntur hac
cis parte, et quidem haud raro, nomina specialia bis
nominata); reperiuntur tamen majore ex parte, ubi aut
cies ejusdem nominis aut ambae species dubiae sunt

mutandum. Nomina substituenda, nisi in ipso Prodr reperiuntur, assentiente Clarissimo *De Candolle*, propo dubitavi.

Volum. VIII.

Ardisia floribunda *Wall.* p. 127 & A. floribunda *R. & Schult.* p.

*) Ardisia paniculata *Roxb.* p. 126 & A. paniculata *Dc. fl.* p. 13

Posterior = Ardisia? Samara *Dc. fl.* in literis.

Ceropegia Candelabrum *L.* p. 643 & C. Candelabrum *Lour.* p. 6

*) Chrysophyllum lanceolatum *Dc. fl.* p. 162 & Ch. lanceolatum *Ca*

Prius = Chrys. javanicum Steud.

Echites coriacea *Bth.* p. 467 & E. coriacea *Blum.* p. 478

Echites erecta *Vell.* p. 469 & E. erecta Thbg p. 479

Echites myrtifolia *R. & Schult.* p. 473 & E. myrtifolia *Poir.* p.

Echites parviflora *Roxb.* p. 478 & E. parviflora *Afs.* p. 479

Echites repens *Jacq.* p. 449 & E. repens *Blanco* p. 478

Echites tomentosa *Vahl* p. 463 & E. tomentosa *Raf.* p. 479

Echites trifida *Jacq.* p. 454 & E. trifida *Blanco* p. 478

*) Oxypetalum capitatum *Hook. & Arn.* p. 584 & O. capitatu

Z

Prius = Oxypetalum Arnottianum *Buch.*

Sideroxylon pauciflorum *Jacq.* p. 180 & S. pauciflorum *Lam.* p.

urba *Don* p. 373 & I. superba *A. Dietpat.* p. 390

Volumen X.

ria salicifolia *R. & Pav.* p. 218 et C. salicifolia *Colla* p. 223
Posterior = Calceolaria Morisii *Walp.*
ntosa *L. fil.* p. 365 & M. tomentosa *G. Don* p. 367
perfoliatus *A. Brogn.* p. 326 & P. perfoliatus *Lem.* p. 331
stoloniferus *Lehm.* p. 477 & 490
Altera delenda.

Volumen XI.

ida *Jacq.* p. 243 & B. nitida *Nees* p. 224
num macrophyllum *Wall.* p. 446 & E. macrophyllum *Nees* p. 452
Posterius = Eranthemum grandifolium *Buch.*
num tetragonum *Wall.* p. 447 & E. tetragonum *W.* p. 454
Prius = Eranthemum quadrangulare *Buch.*
vifolia *Desf.* p. 607 & L. parvifolia *Raf.* p. 607
ia oblonga *Nees* p. 343 & R. oblonga *Nees & Mart.* p. 348
Prior = Rhytiglossa Neesiana *Buch.*
gona *L.* p. 152 & R. tetragona *Blum.* p. 154
paria *Gill. & Hook.* p. 544 & V. scoparia *Tausch* p. 555

Volumen XII.

H. W. Buck,

ADDENDA & CORRIGENDA.

6 post Adenocalymna subsessilifolium adde *Adenois Moq.* XII. 2. 72 81
12 post Alectra Vogelii adde *Alepis Dc. fil.* VIII. 414 (Holarrhena)
16 post *Amarantoides perennis* adde *Amarantotypus Dumort.* XIII. 2. 255
23 post *Ancistrocarpus Schrankii* adde *Ancyclocladus Wall.* VIII. 321
27 post Anisochilus sericeus adde *Anisodus Dun.* XIII. 1. 555 (Scopolia)
28 post Anredera *vesiculosa* adde *ANREDEREAE Endl.* XIII. 2. 220 226
31 post *Apocynum cumanense W.* XIII. 441 adde 531
32 post *Arachnida &c* adde Arsgoa *H. B. & Kth.* X. 457 491
abietina *H. B. & Kth.* X. 491
cupressina *H. B. & Kth.* X. 491
33 post *Arcturus Bth.* X. adde 246
35 post *Aretia Vitaliana* adde *Argan Dryand.* VIII. 186
51 post *Bartsia viscosa* adde BARTSIEAE *Bth.* X. 527
53 post *Berlasia* adde *Bernonia Endl.* VII. 341
57 post *Dulcamara* adde *Moench* XIII. 1. 27
62 post *australis L.* adde *autumnalis hortul.* VII. 659
post *baculiflora Salisb.* adde *Bandonia Andr.* VII. 645
63 post *clavata Andr.* adde *Cliffortiana Lodd.* VII. 646
64 post *crossota Spr.* adde *cruciformis Andr.* VII. 648
67 post *intermedia Klotzsch* adde *intertexta Lodd.* VII. 663
68 post *nemorosa Klotzsch* adde *nidiflora Salisb.* VII. 648
72 post *stylosa Salisb.* adde *suaveolens Andr.* VII. 661
73 post *trivialis Klotzsch* adde *trossula Lodd.* VII. 648
74 post *Westphalingia hortul.* adde *Wilmoreana Knowl.* VII. 661
75 post *Exacum alatum* adde *albens L.* IX. 53
81 post *Geniosporum Wall.* XII. adde 30 44 *Bth.* XII. 46
87 post *Martynia - - Auct.* IX. 254 adde *Moon* XI. 177
88 post *Martynia integrifolia* adde *lanceolata Macrae* XI. 174 182
post *M* 114 *Macrae* adde *Spec. Macrae* XI. 186
95 Premna cordata *Blanco lege cordata Blanco.*

A

XI. 561 *Schauer* XI. 561 (Stachytarpha)
·k. XII. 611
13
·. XIII. 2. 435 *H. B. & Kth.* XIII. 2. 439
lens. XIII. 435
: *Raeusch.* XIII. 435
ns. XIII. 2. 435
th. XIII. 2. 435
schh. XIII. 2. 436
Dougl. XIII. 2. 435
Dougl. XIII. 2. 435
Chois. XIII. 2. 436
H. B. & Kth. XIII. 2. 436 439
·a *Gaertn.* XIII. 2. 435
Bth. XIII. 2. 435
Lam. XIII. 2. 435
Dougl. XIII. 2. 435
'EAE *R. Br.* XI. 46
E *CYRTANDREAE Bartl.* IX. 258
E *Nees* XI. 48. 264
·s. XI. 46
1 *Delil.* XI. 265 273
Nees XI. 273
·ees XI. 276
– –
·ephum – –
m – –
um subacaule XI. 277
·lium – –
– –
um *Nees* XI. 278
Juss. XI. 274
1 *E. Mey.* XI. 278
·um *Nees* XI. 275
– –
Nees XI. 276
·olium – –
·imum – –
Nees XI. 278
Nees XI. 274
im *Nees* XI. 277
·ebst. XI. 274
– –
ggianum *Nees* XI. 277
lees XI. 276
m *Nees* XI. 275

Acanthodium
plumulosum E. Mey. XI. 278
procumbens *Nees* XI. 273
serrulatum *Nees* XI. 275
sinuatum *Nees* XII. 274
β canum – –
spathulare *Nees* XI. 277
spicatum Acerb. XI. 67
spicatum *Delil.* XI. 274
β Echinus – –
squarrosum *Nees* XI. 275
Acantholimon *Boiss.* XII. 620 622
acerosum Boiss. XII. 631
androsaceum *Boiss.* XII. 626
α majus – 627
β olympicum – –
γ creticum – –
δ latifolium – –
assyriacum *Boiss.* XII. 632
brachyphyllum *Boiss.* XII. 628
bracteatum *Boiss.* XII. 622
cabulicum *Boiss.* XII. 623
caryophyllaceum *Boiss.* XII. 630
caryophyllaceum var. brachystachyum Boiss. XII. 630
Cephalotes *Boiss.* XII. 622
diapensioides *Boiss.* XII. 624
distachyum *Boiss.* XII. 623
fasciculare *Boiss.* XII. 626
ferox *Boiss.* XII. 625
festucaceum *Boiss.* XII. 629
genistoides *Boiss.* XII. 629
glumaceum *Boiss.* XII. 629
Griffithianum *Boiss.* XII. 623
Hohenackeri *Boiss.* XII. 628
β subsessile – –
Kotschyi *Boiss.* XII. 628
β leucolcum – –
γ libanoticum – –
lepturoides *Boiss.* XII. 630
leucacanthum *Boiss.* XII. 626
libanoticum *Boiss.* XII. 630
Listoniae *Boiss.* XII. 631
lycaonicum *Boiss. & Heldr.* XII. 627
β tenuifolium XII. –
lycopodioides *Boiss.* XII. 632
melananthum *Boiss.* XII. 628
oliganthum *Boiss.* XII. 629
Olivieri *Boiss.* XII. 631

Acantholimon
phrygium *Boiss.* XII. 631
Pinardi *Boiss.* XII. 631
polystachyum *Boiss.* XII. 624
roseum *Boiss.* XII. 624
α pungens – –
β erinaceum – –
schirazianum *Boiss.* XII. 625
Scorpius *Boiss.* XII. 626
subulatum *Boiss.* XII. 629
talagonicum *Boiss.* XII. 625
tataricum *Boiss.* XII. 623
tenuiflorum *Boiss.* XII. 630
tomentellum *Boiss.* XII. 625
Tournefortii *Boiss.* XII. 627
tragacanthinum *Boiss.* XII. 626
ulicinum *Boiss.* XII. 627
venustum *Boiss.* XII. 631
viscidulum *Boiss.* XII. 625
Acanthoprasium Bth. XII. 520 (Ballota)
Acanthopsis *Harv.* XI. 265 278
disperma *Harv.* XI. 278
horrida *Nees* XI. 278
Acanthus *L.* XI. 264. 269 *L. auct.* 265. 268. 273 *Auct.* XI. 272
arboreus Forsk. XI. 271 272
capensis L. XI. 271. 276
capensis E. Mey. XI. 277
capensis h. Vahl XI. 276
carduifolius L. XI. 278
carduifolius Thbg. XI. 271
carduifolius h. W. XI. 277
ciliaris Burm. XI. 271.
ciliaris Garcin. XI. 267
cristatus Klein XI. 256
cristatus Rottl. XII. 256
Delilii Spr. XI. 271. 274
Dioscoridis *L.* XI. 270
Dolvaria Blanco XI. 268
ebracteatus Blum. XI. 269
ebracteatus Vahl XI. 269. 271
edulis Vahl XI. 271. 274
furcatus h. Dc. XI. 276
furcatus h. Hook. XI. 278
furcatus L. XI. 272
furcatus Thbg. XI. 276
furcatus h. Vahl XI. 276
furcatus h. W. XI. 275
furcatus b. E. Mey. XI. 276
glaber E. Mey. XI. 278
glaucus E. Mey. XI. 277
glomeratus Lam. XI. 272. 273
hirsutus Boiss. XI. 271
humilis h. Vahl XI. 272. 274
ilicifolius Blum. XI. 268

Acanthus
ilicifolius L. XI. 27
ilicifolius Lour. XI.
integrifolius L. XI.
integrifolius E. Mey
integrifolius Thbg.
leucostachyus *Wall.*
longifolius *Host* XI.
macer E. Mey. XI.
maderaspatanus h.
maderaspatensis L.
maderaspatensis W.
malabaricus &c. Fe
mollis Graf XI. 270
mollis *L.* XI. 270
β niger *W.* – –
mollis Ried. XI. 27
pectinatus h. W. XI
polystachyus Caill.
procumbens h. Madr
procumbens L. XI.
procumbens h. W.
pungens h. Madr. X
repens Vahl XI. 266
rubens *Raf.* XI. 271
sativus Virgilii h. Sc
spathularis E. Mey.
spinosissimus *Desf.*
β mollior
spinosus Birol. XI.
spinosus *L.* XI. 271
α – –
β minor – –
spinosus Spr. XI. 27
spinosus h. W. XI.
spinulosus Host XI.
tetragonus *R. Br.* X
verus *Wender.* XI.
volubilis Wall. XI.
Acephale Dc. fil. VIII.
Acerates *Ell.* VIII. 52
angustifolia *Decne*
asperula *Dene* VIII.
circinalis *Dene* VIII.
connivens *Dene* VIII
decumbens *Dene* VII
gomphocarpoides Bt
gomphocarpoides *De*
incarnata *Dene* VIII.
lanuginosa *Dene* VII
longifolia *Ell.* VIII.
paniculata *Dene* VII
viridiflora *Ell.* VIII.
Achetaria Cham. & Sc
Sprengelii Cham. &

X. 378 (Beyrichia)
Brown. VII. 535 Vahl X. 408
r. VII. 536
r. VII. 535
VII. 536
VII. 536
r. VII. 536
Dc. VII. 536
II. 536
VII. 536
ton. VII. 536
tr. X. 387
ahl X. 408
II. 536
IX. 475
XIII. 2. 251 (Chamissoa)
VIII. 174 (Sapota)
165 R. & Pav. VIII.
. Brown. VIII. 173
Br. VIII. 175
VIII. 207
Pav. VIII. 167
VIII. 175
ir. VIII. 181
t. VIII. 204
sar. VIII. 671
. W. VIII. 170
ar. VIII. 671
sar. VIII. 671
co VIII. 169
b. VIII. 172
Pav. VIII. 172
pl. VIII. 170
VIII. 169
b. Trin. VIII. 204
. VIII. 193
'III. 193
VIII. 181
ir. VIII. 185
VIII. 193
Poir. VIII. 193
VIII. 188
II. 174.
t VIII. 174
. VIII. 176
oir. VIII. 179
VIII. 174
Jacq. VIII. 169
pens Dill. XIII. 2. 358
E Moq. XIII. 2. 232
Endl. XIII. 2. 247
XIII. 2. 234 309 L.
Gaertn. XIII. 2. 331

Achyranthes
Rets. Lam. XIII. 2. 323 Lam. XIII. 2 362 W. XIII. 2. 299
alba Eckl. & Zeyh. XIII. 2. 311
alopecuroides Lam. XIII. 2. 318 299
alopecuroides β Lam. XIII. 2. 318 300
alternifolia L. XIII. 2. 318 324
alternifolia L. β. XIII. 2. 318 330
alternifolia Russ. XIII. 2. 324
altissima Jacq. XIII. 2. 318 250
amarantheides Lam. XIII. 2. 318 348
aquatica R. Br. XIII. 2. 318 321
arborescens R. Br. XIII. 2. 310
argentea Lam. XIII. 2. 315
β viridescens – – –
γ villosior – – –
δ virgata – – –
ε obovata – – –
argentea Lam. XIII. 2. 315
aspera Aust. XIII. 2. 316
aspera L. XIII. 2. 314
β indica – – –
γ crispa – – –
δ Guillemii – – –
aspera Zolling. XIII. 2. 312
aspera α sicula L. XIII. 2. 315
atra Pav. XIII. 2. 318 372
atropurpurea Lam. XIII. 2. 318 331
australis R. Br. XIII. 2. 313
avicularis E. Mey. XIII. 2. 311
axillaris W. XIII. 2. 318 359
baccata Pav. XIII. 2. 318 250
bengalense Lam. XIII. 2. 317
bengalensis Moq. XIII. 2. 317
bidentata Blum. XIII. 2. 312
β elongata Blum. – – –
borbonica W. XIII. 2. 317
brachiata L. XIII. 318 304
brasiliana Thouin. XIII. 2. 318 360
calceolata Russ. XIII. 2. 319 280
canescens R. Br. XIII. 2. 312
capitata Forsk. XIII. 2. 317
capitata Moq. XIII. 2. 310
capituliflora Berter. XIII. 2. 319 361
carnosa Wall. XIII. 2. 319 280
ciliata Lam. XIII. 2. 319 324
conferta Pav. XIII. 2. 319 338
cordata Hochst. & Steud. XIII. 2. 319 280
corymbosa Heyne XIII. 2. 319 238

Achyranthes
corymbosa L. XIII. 2. 319
crispa hort. Paris. XIII. 2. 315
cylindrica Bojer XIII. 2. 319 328
debilis Poir. XIII. 2. 319. 326
decumbens Forsk. XIII. 2. 319 241
diandra Roxb. XIII. 2. 319 322
dichotoma L. XIII. 2. 319
Digera Poir. XIII. 2. 319 324
dioica Pav. XIII. 2. 319 350
echinata Retz. XIII. 2. 319 332
echinata W. XIII. 2. 332
excelsa Pet. Thouar. XIII. 2. 315
ferruginea Roxb. XIII. 2. 319 279
ficoidea Lam. XIII. 2. 319 363
ficoidea α. Lam. XIII. 2. 319 357
ficoideum Pers. XIII. 2. 319 363
filifolia *W.* XIII. 2. 317
frutescens hort. XIII. 2. 319 235
fruticosa *hort. Paris.* XIII. 2. 314
β pubescens – – –
geminata Schum. XIII. 2. 319 330
geniculata Pav. XIII. 2. 319 381
globosa Pers. XIII. 2. 319 330
globulifera Bojer XIII. 2. 319 329
grandifolia *Moq.* XIII. 2. 313
halimifolia Lam. XIII. 2. 319 365
Heudelotii *Moq.* XIII. 2. 310
hispida Moq. XIII. 2. 312
β Wallichii *Moq.* – – –
javanica *Moq.* XIII. 2. 312
javanica Pers. XIII. 2. 319 299
javanica β persica Pers. XIII. 2. 319 300
incana *Fisch.* XIII. 2. 317
incana Pav. XIII. 2. 319 365
incana Roxb. XIII. 2. 319 299
involucrata *Moq.* XIII. 2. 310
lactea Pav. XIII. 2. 319 374
lanata L. XIII. 2. 319 303
lanceolata *Klein* XIII. 2. 318
lanceolata Zolling. & *Moritzi* XIII. 2. 312
lappacea L. edit. 1ma XIII. 2. 319 332
lappacea L. edit. 2da XIII. 2. 319 331
lappacea W. XIII. 2. 332
leptostachya E. Mey. XIII. 2. 311
leptostachys Meisn. XIII. 2. 311
linearifolia Sw. XIII. 2. 319 339
Linkiana *R.* & *Schult.* XIII. 2. 317
lupulina W. XIII. 2. 319 374
mauritiana *Moq.* XIII. 2. 313

Achyranthes
mollis Leprieur XIII. 2
mollis Schum. XIII. 2.
Monsoniae Pers. XIII.
montana Klein XIII.
mucronata herb. XIII.
mucronata Lam. XIII.
muricata L. XIII. 2.
muricata β W. XIII.
natans Hamilt. XIII.
nervosa Roth XIII. 2.
nivea Ait. XIII. 2. 32
nivea Link XIII. 2. 3
nodiflora Roxb. XIII.
nodosa Berter. XIII.
nodosa *Vahl* XIII. 2.
nodosa Vahl XIII. 2.
nova-brasiliana Thou
nuda Heyne XIII. 2.
oblonga *hort.* XIII. 2.
obovata Pav. XIII. 2.
obtusifolia Lam. XIII.
orbiculata Heyne XIII
paludosa *Bunb.* XIII.
paniculata Forsk. X
papposa Forsk. XIII.
papposa Forsk. ms.
parviflora Pav. XIII.
patula L. fil. XIII. 2
patula W. XIII. 2. 3
pilosa Pav. XIII. 2.
piloselloides Poir. X
polygonata Wall. X
polygonoides Heyne
polygonoides Lam. X
polygonoides Retz. X
polygonoides var. He
polystachya *Forsk.* X
porphyristachya *Wa*
porrigens Jacq. XIII.
prostrata L. XIII. 2.
prostrata W. XIII.
prostrata β Lam. 2.
pubescens Roth XIII.
pulverulenta hort. X

XIII. 2. 320 305
XIII. 2. 320 377
XIII. 2. 320 359
. XIII. 2. 320 302
III. 2. 320
II. 2. 320 363
XIII. 2. 320 330
. 2. 320 356
esf. XIII. 2. 320 240
2. 320
lein XIII. 2. 320 330
L. XIII. 2. 320 300
nk XIII. 2. 317
w. XIII. 2. 320
hl XIII. 2. 318
a XIII. 2. 320 348
. XIII. 2. 320 302
n. XIII. 2. 320 331
XIII. 2. 320 327
XIII. 2. 318
oir. XIII. 2. 320 341
XIII. 2. 320 305
III. 2. 315
XIII. 2. 318
m. XIII. 2. 320 359
t. XIII. 2. 316
III. 2. 321
m. XIII. 2. 321 332
XIII. 2. 321 341
XIII. 2. 321
hum. XIII. 2. 321 333
Vall. XIII. 2. 321 278
ppel XIII. 2. 318
th XIII. 2. 321 327
b. XIII. 2. 321 357
errot. XIII. 2. 321 322
hrad. XIII. 2. 321 329
t. & Arn. XIII. 2. 316
t. XIII. 2. 321
lendens Moq. XIII. 2. 316
oq. XIII. 2. 311
hq. XIII. 2. 318
. XIII. 2. 321 303
XIII. 2. 321
XIII. 2. 321 240
Paris. XIII. 2. 316

Achyranthes
virgata Klein XIII. 2. 321 278
Wightiana Wall. XIII. 2. 318
Achyropsis Moq. XIII. 2. 310 (Achyranthes)
Achyrospermum Blum. XII. 408 457
densiflorum Blum. XII. 458
fruticosum Bth. XII. 458
philippinense Bth. XII. 458
phlomoides Blum. XII. 458
Acinos Bth. XII. 230 (Calamintha)
Acinos Moench XII. 226 230 Spenn. XII 226 230
acuminatus Friv. XII. 231
alpinus Moench XII. 232
canus Reichenb. XII. 231
diffusus Boeningh. XII. 232
erectus Friv. XII. 231
graveolens Link XII. 231
incanus Griseb. XII. 231
Patavina Pers. XII. 231
purpurascens Pers. XII. 231
rotundifolius Friv. XII. 232
rotundifolius Pers. XII. 232
thymoides Moench XII. 230
villosus Pers. XII. 230
vulgaris Pers. XII. 230
Acnida Mitchell XIII. 2. 233 296 L. XIII. 2. 219
altissima Mx. XIII. 2. 277
altissima Ridd. XIII. 2. 278
cannabina L. XIII. 2. 277
α lanceolata – – –
β cuspidata – – –
γ salicifolia – – 278
δ conantenata – – –
cuspidata Bert. XIII. 2. 277
oderata Dietr. XIII. 2. 278
rhyssocarpa Stend. XIII. 2. 277
ruscocarpa W. XIII. 2. 277
rusocarpa Mx. XIII. 2. 277
salicifolia Raf. XIII. 278
tuberculata Moq. XIII. 277
Acnidastrum Moq. XIII. 2. 277 (Acnida)
Acnistus Schott XIII. 1. 496
aggregatus Miers XIII. 1. 498
arborescens Schott XIII. 1. 497
Benthami Miers XIII. 1. 498
breviflorus Sendt. XIII. 1. 499
β glabrata – – –
γ spinescens – – –
cauliflorus Miers XIII. 1. 497
cauliflorus Schott XIII. 1. 497
cestroides Miers XIII. 1. 500
confertiflorus Miers XIII. 1. 688

Acnistus
ellipticus *Hook. fil.* XIII. 1. 501
floribundus *G. Don* XIII. 1. 499
grandiflorus *Miers* XIII. 1. 501
guayaquilensis *G. Don* XIII. 1. 499
Miersii *Dun.* XIII. 2. 497
Plumieri *Miers* XIII. 1. 498
ramiflorus *Miers* XIII. 1. 499
sideroxyloides *G. Don* XIII. 1. 501
spathulatus *G. Don* XIII. 1. 500
umbellatus *Miers* XIII. 1. 500
Spec. Schlecht. XIII. 1. 499
Acocanthera lycioides G. Don XIII. 1. 516
Acosta Lour. VII. 553
spicata Lour. VII. 556
ACRAMPHIBRYA Endl. VIII. 1.
Acrocephalus *Bth.* XII. 30 47
axillaris *Bth.* XII. 48
Blumei *Bth.* XII. 47
capitatus *Bth.* XII. 47
capitatus Hook. XII, 47
villosus *Bth.* XII. 47
Acroglochin *Schrad.* XIII. 2. 233 253 *W. Gerard* XIII. 2. 219 253 *Schrad.* XIII. 2. 219
chenopodioides Gerard XIII. 2. 254
chenopodioides Schrad. XIII, 2. 254
persicarioides *Moq.* XIII. 2. 254
Schraderianum Schult. XIII. 2. 254
Acroglossum Dcne VIII. 562 (Gomphocarpus)
Acrostemon *Bth.* VII. 702 *Klotzsch* VII. 702
equisetoides *Klotzsch* VII. 702
hirsutus *Klotzsch* VII. 702
incanus *Klotzsch* VII. 702
incurvus *Klotzsch* VII. 702
Acrotome *Bth.* XII. 407 435
hispida *Bth.* XII. 436
β elongata – –
γ obliqua – –
inflata *Bth.* XII. 436
pallescens *Bth.* XII. 436
Acrotriche *R. Br.* VII. 756
affinis *Dc.* VII. 757
aggregata *R. Br.* VII. 757
aristata *Bth.* VII. 757
cordata R. Br. VII. 757
depressa *R. Br.* VII. 757
γ Loddigesii *Dc.* – –
divaricata *R. Br.* VII. 756
Acrotriche
latifolia *A. Cunn.* VII.
ovalifolia R. Br. VII.
ovalifolia Hook. VII.
patula *R. Br.* VII. 75
ramiflora *R. Br.* VII.
serrulata *R. Br.* VIII.
subcordata *Dc.* VII.
Aculeosa Pluk. VII. 445
Acunna R. & Pav. VII.
lanceolata Cav. VII.
lanceolata R. & Pav.
oblonga R. & Pav. V
Adamboe Rheed. IX. 36
Adel-Adagam Rheed. X
Adenacanthus *Nees* XI.
acuminatus *Nees* XI.
latifolius *Nees* XI. 19
Adenesma Don IX. 65
hyssopifolium Don IX.
Adenium *R. & Schult.*
Honghel *Dc. fil.* VIII.
obesum *R. & Schult.*
Adenocalymna *Mart.* I
brachybotrys *Dc.* IX.
bracteatum *Dc.* IX. 2
bracteolatum *Dc.* IX.
comosum *Dc.* IX. 201
coriaceum Dc. IX. 2
flavum *Mart.* IX. 202
floribundum *Dc.* IX. 2
grandifolium *Mart.* IX
Guillemini *Dc.* IX. 20
japurense Mart. IX. 2
inundatum *Mart.* IX.
laevigatum Mart. IX.
longeracemosum *Mart*
β trichocladum *Dc.*
macranthum Mart. IX
macrophyllum *Dc.* IX.
magnificum *Mart.* IX.
β crassifolium *Dc.* –
marginatum *Dc.* IX. 2
γ polystachyum –
nitidum *Mart.* IX. 20
pliciflorum *Mart.* IX.
Salzmanni *Dc.* IX. 20
scabriusculum *Mart.* I
sepiarium Mart. IX. 2
subsessilifolium *Dc.* I
Adenophora *Fisch.* VII.
coronata *Dc. fil.* VII.
coronopifolia *Fisch.* V
β latifolia –
γ angustifolia –

...sch. VII. 492
... VII. 493
...fil. – –
...ch. VII. 492
...De. fil. – –
...ustifolia Fisch. VII. 493
... VII. 492
... VII. 492
...is Dc. fil. VII. 493
– – – –
...Fisch. VII. 494
...Dc. fil. VII. 493
...l. VII. 492
– – –
... VII. 493
...isch. VII. 492
...fil. VII. 494
...sch. VII. 492
... X. 381 (Stemodia)
... XI. 62 67 R. Br. X.
...0 381 Nees. X. 380
... XI. 68
– –
... XI. 68
... Spr. XI. 70 153
...r. X. 381
... XI. 70
...th. X. 377
...m. XI. 79
... XI. 70
...um. XI. 76
... Bth. X. 380
...pr. XI. 80
...Blum. XI. 75
... XI. 69
...I 68
...Br. XI. 69
– 70
...es XI. 69
...I. 68
... X. 380
...b. X. 526 537 *)
... 537 **)
... XI. 307 384 Herrm.
... 384 Endl. XI. 384
...s XI. 400
...a Burm. XI. 238
... Nees XI. 408
... Nees XI. 400
...Nees XI. 403

...s Cordylanthus
...s Cordylanthus fili-
...d. X. 507

Adhatoda
Anselliana Nees XI. 403
arenaria Nees XI. 387
argyrostachya Nees XI. 385
aspera Nees XI. 397
auriculata Nees XI. 407
bahiensis Nees XI. 389
Betonica Nees XI. 385
β – –
boerhaavinefolia Nees XI. 409
Bojeriana Nees XI. 386
candicans Nees XI. 396
capensis Nees XI. 391
α – –
α* glabrescens – –
β obovata – –
γ arenosa – –
carthagenensis Nees XI. 403
α β β* β** – –
ceylanica Nees XI. 400
cheiranthifolia Nees XI. 387
chrysotrichoma Nees XI. 408
ciliata Nees XI. 391
congrua Nees XI. 386
cuneata Nees XI. 392
β hirtula – 393
cuneifolia Nees XI. 405 730
cydoniaefolia Nees XI. 389 730
α β – –
decussata Nees XI. 408
diosmophylla Nees XI. 394
dipteracantha Nees XI. 396
divaricata Nees XI. 391
divergens Nees XI. 406
diversiformis Nees XI. 399
α spicigera – –
β axillaris – –
Eustachyana Nees XI. 404
fasciata Nees XI. 402
felisbertiana Nees XI. 406
flava Nees XI. 401
flexuosa Nees XI. 389
flore solitario &c. Burm. XI. 428
furcata Nees XI. 398
α terminalis – –
β γ – –
genistiformis Nees XI. 394
Gilliesii Nees XI. 395
glandulosa Nees XI. 405
holosericea Nees XI. 388
Hookeriana Nees XI. 403
hyssopifolia Nees XI. 392
α – –
β longibracteata – –
γ undulata – –
incana Nees XI. 393

Adhatoda
Kotschyi *Nees* XI. 397
α simplex – –
β ramosa – –
leptantha *Nees* XI. 390
leptostachya *Nees* XI. 403
Lindeniana *Nees* XI. 405
lithospermifolia *Nees* XI. 398
longifolia *Nees* XI. 404
lupulina *Nees* XI. 385
maderaspatana &c. Petiv. XI. 106 267
madurensis &c. Petiv. XI. 106
major *Nees* XI. 397
malabarica &c. Petiv. XI. 238
Martiana *Nees* XI. 405
minor *Nees* XI. 400
minor zeylanensium &c. Schmied. XI. 392
mollissima *Nees* XI. 391
Moritziana *Nees* XI. 388
natalensis *Nees* XI. 391
Neesiana *Nees* XI. 397
nilgherrensis Nees XI. 386
nilgherrica *Nees* XI. 386
nuda *Nees* XI. 402
odora *Nees* XI. 399
Orbigniana *Nees* XI. 404
origanoides *Nees* XI. 407
orixensis *Nees* XI. 400
β glauca – –
γ axillaris – –
palustris *Nees* XI. 402
patula *Nees* XI 393
periplocifolia *Nees* XI. 395
petiolaris *Nees* XI. 402
β – –
pilosa *Nees* XI. 405
plicata *Nees* XI. 401
β extensa – –
protracta *Nees* XI. 390
β microphylla – –
γ laxior – –
δ strictior – –
ε convexa – –
pygmaea *Nees* XI. 394
β Serpyllum – –
quadrifaria *Nees* XI. 396
β culta – 397
ramosissima *Nees* XI. 385 730
reflexiflora *Nees* XI. 398
Rostellaria *Nees* XI. 397
β humilis – –
rotundifolia *Nees* XI. 391
scabra *Nees* XI. 407
Schimperiana *Hochst.* XI. 388

Adhatoda
sphaerosperma *Nees* XI.
spica longissima &c.

spicata &c. Burm. XI.
spicata *Nees* XI. 408
suaveolens *Nees* XI. 401
subserrata *Nees* XI. 409
sulcata *Nees* XI. 401
thymifolia *Nees* XI. 392
tranquebariensis *Nees* XI.
trinervia *Nees* XI. 386
α – –
β – 387
tristis *Nees* XI. 404
tubulosa *Nees* XI. 392
Twediana *Nees* XI. 395
γ angustifolia – –
umbrosa *Nees* XI. 406
variegata *Nees* XI. 385
β pallidior – –
vasculosa *Nees* XI. 407
Vasica *Nees* XI. 387
Velasquezii *Nees* XI.
ventricosa *Nees* XI. 407
α β β* β** – –
wynaadensis *Nees* XI.
zeylanensium Herrm. XI.
zeylanica &c. Garcia. XI
Zollingeriana *Nees* XI.
Adhatodae similis planta

Admirabilis Clus. XIII. 2
Adodendron Neck. VII.
Aechmanthera *Nees* XI.
tomentosa Nees XI. 171
Wallichii *Nees* XI. 170
α tomentosa – 171
β gossypina – –
β* leuconeura – –
β** fomentaria – –
Aechmolepis *Dene* VIII.
rosmarinifolia *Dene* VI
Aegialinites Presl XII.
undulata Presl XII.
Aegialitis *R. Br.* XII.
annulata *R. Br.* XII.
β rotundifolia –
rotundifolia Wall. XII
AEGICERACEAE *De.*
Aegiceras *Gaertn.* VIII.
corniculata h. madr.
ferreum Blum. VIII.
floridum *R. & Schult.*
fragrans Koen. VIII.
majus *Gaertn.* VIII.

[redacted]

INDEX

De. fl. VIII. 143
s. VIII. 142
De. fl. VIII. 143
Rich. VIII. 143
um. VIII. 142
Blum. VIII. 141
I. 3. 43
amil. XI. 43
. XI. 43
ch. XI. 44
s. XI. 44.
. & Zucc. XI. 720
XI. 43
w. XI. 44
zv. XI. 44
Wall. XI. 43
. XI. 627 647
Vahl XI. 649
– –
– –
chaser XI. 654
am. & Schl. XI. 654
ell. XI. 651
is Schauer XI. 651
Gardn. XI. 651
pp. XI. 650
th. XI. 653
art. XI. 653
teud. XI. 655
I. 653
& Schauer XI. 652
Vell. XI. 650
XI. 651
XI. 653
Hook. XI. 655 659
Mart. & Schauer XI. 651
. XI. 651
Schauer XI. 652
XI. 655
Cham. XI. 648
& Kth. XI. 652
es. XI. 655
I. 652
Gardn. XI. 655
h. XI. 652
Schauer XI. 651
XI. 652
Desf. XI. 655
H. B. & Kth. XI. 653
Sieb. XI. 655
Steud. XI. 655
. XI. 652
L. XI. 652
Vell. XI. 651

Aegiphila
mollis *H. B. & Kth.* XI. 654
multiflora *R. & Pav.* XI. 650
Mutisii *H. B. & Kth.* XI. 654
Nuxia W. X. 434 XI. 655
obducta *Vell.* XI. 655
oleifera Casar. XI. 650
racemosa Vell. XI. 653
Riedeliana *Schauer* XI. 649
salutaris *H. B. & Kth.* XI. 654
Sellowiana *Cham.* XI. 648
serrata Vell. XI. 651
splendens *Schauer* XI. 648
stipulata Vell. XI. 655
tomentosa *Cham.* XI. 648
triantha *Schauer* XI. 650
trifida *Sw.* XI. 648
umbellata Vell. XI. 655
verrucosa *Schauer* XI. 650
verticillata Vell. XI. 648
viburnifolia *Juss.* XI. 655
villosa *Vahl* XI. 649
vitelliniflora Klotzsch XI. 653
Aegochloa Bth. IX. 309
atractyloides Bth. IX. 310
cotulaefolia Bth. IX. 309
eryngioides Bth. IX. 309
intertexta Bth. IX. 310
pubescens Bth. IX. 309
pungens Bth. IX. 310
Torreyi G. Don IX. 316
Aegonychon Gray X. 73
arvense Gray X. 74
repens Gray X. 82
Aembilla Herm. VIII. 83 85
Aeolanthus *Mart.* XII. 31 80
abyssinicus *Hochst.* XII. 80
parvifolius *Bth.* XII. 80
pinnatifidus *Hochst.* XII. 80
pubescens *Bth.* XII. 80
suavis Bth. XII. 81
suavis *Mart.* XII. 80
Aerua Juss. XIII. 2. 299
Aerva *Forsk.* XIII. 2. 299 234
aegyptiaca Gmel. XIII. 2. 299
ambigua *Moq.* XIII. 2. 302
brachiata *Mart.* XIII. 2. 304
β chenopodiifolia – – –
γ microstachya – – –
δ digitata – – –
ε multiflora – – –
Burchellii Moq. XIII. 2. 302
Burchellii var. Moq. XIII. 2. 302
caudata *Bojer* XIII. 2. 306
chenopodiifolia Bojer XIII. 2. 304
elegans *Moq.* XIII. 2. 303

Aerva
javanica *Juss.* XIII. 2. 299
β Forskali *Wall.* – – 300
γ obcordata – – –
δ Bovei *Webb* – – –
javanica Wight XIII. 2. 299
incana Mart. XIII. 2. 299
lanata *Juss.* XIII. 2. 303
β viridis – – 304
γ rotundifolia – – –
δ microstachya – – –
ε floribunda – – –
leucura *Moq.* XIII. 2. 302
microphylla *Moq.* XIII. 2. 301
Monsonia *Moq.* XIII. 2. 305
Monsoniae Mart. XIII. 2. 305
nervosa *Mart.* XIII. 2. 306
pubescens *Mart.* XIII. 2. 306
radicans *Mart.* XIII. 2. 302
sanguinea kort. XIII. 2. 300
sanguinolenta *Blum.* XIII. 2. 300
β lanceolata – – 301
scandens *Wall.* XIII. 2. 302
β rhomboidalis – – –
sericea *Moq.* XIII. 2. 304
setacea Mart. XIII. 2. 305
setacea *Moq.* XIII. 2. 305
timorensis *Moq.* XIII. 2. 301
tomentosa Forsk. XIII. 2. 299
Tondalo Hamilt. XIII. 2. 303
velutina *Moq.* XIII. 2. 301
villosa *Moq.* XIII. 2. 304
viridis E. Mey. XIII. 2. 304
Wallichii *Moq.* XIII. 2. 300
Aervastrum Moq. XIII. 2. 299 (Aerva)
AERVEAE *Endl.* XIII. 2. 233 269
AESCHYNANTHEAE *Dc.* IX. 260
Aeschynanthus *Jack* IX. 260 *G. Don* IX. 260 *Wall.* IX. 260
acuminata *Wall.* IX. 263
albida *Dc.* IX. 262
angustifolia *Steud.* IX. 262
bracteata *Wall.* IX. 261
fulgens *Wall.* IX. 261
grandiflora *G. Don* IX. 261
Griffithii *R. Br.* IX. 261
Horsfieldii *R. Br.* IX. 263
longicaulis *Wall.* IX. 262
longiflora *Blum.* IX. 262
longiflora *Wall.* IX. 263
maculata *Lindl.* IX. 261
β dubia *Dc. fil.* – –
oblongifolius G. Don IX. 260 263
parasitica Wall. IX. 261
parviflora *G. Don* IX. 261
parvifolia *R. Br.* IX. 262

Aeschynanthus
Perrottetii *Dc. fil.* IX.
pulchra *Steud.* IX. 262
radicans *Jack* IX. 262
radicans Wall. IX. 263
ramosissima *Wall.* IX.
volubilis *Jack* IX. 262
Wallichii *R. Br.* IX. 2
Aetheilema *R. Br.* XI. 22
726 *Moritz*
anisophyllum E. Mey.
glutinosum Steud. XI.
Haenkei Nees XI. 263
imbricatum *R. Br.* XI.
β minus –
β* verticillare –
parviflorum Spr. XI. 2
reniforme *Nees* XI. 261
β – –
reniforme Wall. XI. 1
rigidum Bartl. XI. 243
rupestre *Nees* XI. 262
α gracile – 726
β – –
Aetheonoma Dc. IX. 34 (
Aethiopis Auct. XII. 278
283 *Tourn.*
Aethiopis Bth. XII. 278
Afzelia Gmel. X. 511
cassioides Gmel. X. 511
Agalmyla *Blum.* IX. 263
asperifolia *Blum.* IX. 2
staminea *Blum.* IX. 263
Aganosma *G. Don* VIII.
acuminata *G. Don* VIII
affinis *G. Don* VIII. 43
Blumii *Dc. fil.* VIII. 43
calycina *Dc. fil.* VIII.
caryophyllata *G. Don*
cymosa *G. Don* VIII.
β glabra *Dc. fil.* –
elegans *G. Don* VIII.
macrocarpa *Dc. fil.* VIII.
marginata *G. Don* VIII.
Roxburghii *G. Don* VII
velutina *Dc. fil.* VIII.
Wallichii G. Don VIII.
Agapetes *D. Don* VII. 553
Acosta *Dc.* VII. 556
acuminata *D. Don* VII.
arborea *Dc.* VII. 555
coriacea *G. Don* VII 5
cuneifolia *G. Don* VII.
elliptica *G. Don* VII. 5
floribunda *G. Don* VII.

Agol XIII. 1 94
Agricolaea Schrank XI. 658.
fragrans Schrank XI. 666
Agriophyllum *MB.* XIII. 2. 46. 139
arenarium MB. XIII. 2. 139
lateriflorum *Moq.* XIII. 2. 139
mongolicum b. Asch. XIII. 2. 139
squarrosum *Moq.* XIII. 2. 139
Tournefortii Fisch. XIII. 2. 139
Ahovai Plum. VIII. 343 *Thev.* VIII. 345
Nerii folio Plum. VIII. 344
Aidelus Spr. X. 458
Aikinia Salisb. VII. 426 *R. Br.* IX. 278
Brunonis Wall. IX. 279
hederacea Salisb. VII. 426
Horsfieldii R. Br. IX. 279
Aikinia Dc. fil. VII. 426 (Wahlenbergia)
Ajuga *Bth.* XII. 572 595 *L.* XII. 595 *Spenn.* XII. 595
acaulis *Brocchi* XII. 598
africana Pers. XII. 577 602
alpestris Dumort. XII. 597
australis *R. Br.* XII. 597
Barrelieri Ten. XII. 595
bracteosa *Wall.* XII. 598
capensis Pers. XII. 577 602
Chamaecistus *Ging.* XII. 600
β – –
Chamaepitys Guss. XII. 601
Chamaepitys *Schreb.* XII. 601
chia *Schreb.* XII. 601
ciliata *Bunge* XII. 596
crenata Hochst. XII. 597
decumbens Ten. XII. 598
decumbens *Thbg.* XII. 598
densiflora *Wall.* XII. 598
diemenica *Bth.* XII. 597
distichа Roxb. XII. 456 602
euphrasioides *Boiss.* XII. 600
foliosa Tratt. XII. 596
fruticosa Roxb. XII. 456 602
furcata Link XII. 455 602
genevensis *L.* XII. 596
glabra *Presl* XII. 601
integrifolia Hamilt. XII. 598
Iva *Schreb.* XII. 600
β Pseudo-Iva – –
Iva Sibth. & Sm. XII. 600
Laxmanni *Bth.* XII. 599
lobata *Don* XII. 595
macrosperma *Wall.* XII. 599
mesogitana *Boiss.* XII. 601

Ajuga
moschata Schreb. XII. 600
multiflora Bunge XII. 596
oblongata *MB.* XII. 599
Ophrydis *Burch.* XII. 597
orientalis *L.* XII. 596
ovata *Wall.* XII. 602
parviflora *Bth.* XII. 598
Pseudo-Iva Dc. XII. 600
pyramidalis MB. XII. 597
pyramidalis *L.* XII. 596
remota *Bth.* XII. 597
β canescens – –
repens *Roxb.* XII. 602
reptans Hook. XII. 595
reptans *L.* XII. 595
rugosa Host XII. 596
salicifolia *Schreb.* XII. 599
salicifolia Stev. XII. 599
scoparia *Boiss.* XII. 600
sinuata *R. Br.* XII. 598
Tenorii Presl XII. 598
tridactylites *Ging.* XII. 600
β lanata – –
tridentata *Bth.* XII. 602
vestita Boiss. XII. 600
virgata *Bth.* XII. 601
AJUGEAE *Bth.* XII. 571
AJUGOIDEAE *Bth.* XII. 30 571
Alafia *Pet. Thouar.* VIII. 415
madagascariensis h. Paris. XII. 415
Thouarsii *R. & Schult.* VIII. 415
Albersia Kth. XIII. 2. 272
Blitum Kth. XIII. 2. 274
gracilis Webb. & Berth. XIII. 2. 274
livida Kth. XIII. 2. 273
oleracea Kth. XIII. 2. 273
polygonoides Kth. XIII. 2. 270
polystachya Kth. XIII. 2. 265
prostrata Kth. XIII. 2. 275
Alcanna tinctoria Nees X. 100
Aldea R. & Pav. IX. 297
circinnata W. IX. 298
peruviana R. & Pav. IX. 298
Alectorolophus MB. X. 557
alpinus Walp. X. 558
angustifolius Walp. X. 558
grandiflorus Wallr. X. 557
hirsutus All. X. 557
hirsutus Reich. X. 558
major Reich. X. 557
parviflorus Wallr. X. 557
Trixago MB. X. 543
Alectra *Thbg.* X. 336 338
asperrima *Bth.* X. 340
Alectra
brasiliensis *Bth.* X. 3
capensis *Thbg.* X. 339
cordata *Bth.* X. 339
indica *Bth.* X. 339
lurida *Hare.* X. 339
major E. Mey. X. 339
melampyroides *Bth.* X
minor E. Mey. X. 339
orobanchoides *Bth.* X.
pumila *Bth.* X. 340
senegalensis *Bth.* X.
stricta *Bth.* X. 338
Vogelii *Bth.* X. 339
Aleuritia Duby VIII. 4
Alexandra *Bunge* XIII.
Lehmanni *Bunge* XIII.
Algue Laguen Feuill. XI
Alibrexia *Miers* XIII. 1.
revoluta *Miers* XIII.
rupicola *Miers* XIII.
tomentosa *Miers* XIII
Alkanna *Tausch* X. 97 *D*
amplexicaulis *Dc.* X.
areolata *Boiss.* X. 10
Aucheriana *Dc.* X. 10
baeotica *Dc.* X. 98
controversa *Dc.* X. 10
filaginoides *Dc.* X. 98
graeca *Boiss.* X. 99
hirsutissima *Dc. fil.* X
incana *Boiss.* X. 102
Kotschyana *Dc.* X. 98
Lehmanni *Dc. fil.* X.
lutea *Dc.* X. 102
Mathioli Tausch X. 1
megacarpa *Dc. fil.* X.
nonneiformis *Griseb.*
orientalis *Boiss.* X. 9
Pinardi *Boiss.* X. 98
primuliflora *Griseb.* X
Pulmonaria *Griseb.* X
scardica *Griseb.* X. 1
Sieberi *Dc. fil.* X. 99
strigosa *Boiss. & Hel*
tinctoria Dc. X. 99
tinctoria Spenn. X. 1
tinctoria *Tausch* X. 9
tomentosa *Griseb.* X.
tubulosa *Boiss.* X. 9
Alkekengi Feuill. XIII. 1.
XIII. 1. 434 453 *B*
amplo flore Feuill. XI
barbadense &c. Dill.

&c. *Dill.* XIII. 1. 435
oo &c. *Tourn.* XIII. 1. 454
c. *Dill.* XIII. 1. 449
labrum &c. *Dill.* XIII. 1. 449
&c. *Moris.* XIII. 1. 454
Moench XIII. 1. 440
n &c. *Feuill.* XIII. 1. 440
n &c. *Rand.* XIII. 1. 435
Mart. XIII. 2. 354
Mart. XIII. 2. 357
Moq. XIII. 2. 354 (Alternanthera)
. VIII. 318
a *Pohl* VIII. 319
ohl VIII. 318
Dc. fil. VIII. 319
L. VIII. 318
a *L.* VIII. 318
ohl VIII. 318
efolia *Pohl* VIII. 319
Dc. fil. VIII. 319
- - -
ohl VIII. 319
Desf. VIII. 319
AR *Dc. fil.* VIII. 318
is. XIII. 2. 434 *L. Auct.* 434 *L. Loefl.* XIII. 2 430
Spr. XIII. 2. 433 435
alt. XIII. 2. 434 435
ii Steud. XIII. 2. 432 435
Fisch. & Mey. XIII, 2. 434 435
Spr. XIII. 2. 435
ursh XIII. 2. 433 435
L. XIII. 2. 434
- - -
ursh XIII. 2. 433 435
s Bth. XIII. 2. 434
a *Mx.* XIII. 2. 434 435
rsh XIII. 2. 433 435
L. XIII. 2. 432 435
EAE Horan. XIII. 2. 425
Chois. XIII. 2. 432 (Oxybaphus)
Moq. XIII. 2. 248 (Chamissoa)
. *Br.* XIII. 2. 248
Br. XIII. 2. 249
R. Br. XIII. 2. 250
R. Br. XIII. 2. 249
Wall. XIII. 2. 249

Allochlamys *Moq.* XIII. 2. 463
Darwinii *Moq.* XIII. 2. 463
Alloplectus *Mart.* VII. 545
angustifolius *Dc.* VII. 546
circinnatus *Mart.* VII, 545
coccineus *Mart.* VII. 545
cristatus *Mart.* VII. 545
diebrous *Dc.* VII. 546
glaber *Dc.* VII. 546
hispidus *Mart.* VII. 546
Patrisii *Dc.* VII. 545
sanguineus *Mart.* VII. 546
Schottii G. Don VII. 546
sparsiflorus *Mart.* VII. 545
Almisquena XIII. 1. 22
Alona Lindl. XIII. 1. 13
baccata Lindl. XIII. 1. 14
carnosa Lindl. XIII. 1. 14
coelestis Lindl. XIII. 1. 13
ericifolia Miers XIII. 1. 14
longifolia Lindl. XIII. 1. 12
microphylla Miers XIII. 1. 15 677 686
obtusa Lindl. XIII. 1. 14
revoluta Lindl. XIII. 1. 17
rostrata Lindl. XIII. 1. 14
tomentosa Lindl. 1. XIII. 17
Alona Miers XIII. 1. 13 (Nolana)
Alonsoa *R. & Pav.* X. 249
acutifolia *R. & Pav.* X. 250
caulialata *R. & Pav.* X. 250
hirsuta Steud. X. 251 591
incisaefolia *R. & Pav.* X. 250 591
β latifolia *Bth.* - - -
intermedia Lodd. X. 250
linearifolia Steud. X. 250
linearis *R. & Pav.* X. 250
α intermedia *Lodd.* - -
Mathewsii *Bth.* X. 250
Mutisii Steud. X. 250 591
parviflora Steud. X. 250 591
procumbens *R. & Pav.* X. 250
unilabiata R. & Pav. X. 251
urticaefolia Steud. X. 250
Alopecuros Bth. XII. 459 (Betonica)
Aloysia Orteg. & Palav. XI. 572
attennata Walp. XI. 589
citriodora Ort. & Palav. XI. 574
floribunda Mart. & Gal. XI. 574
polygalaefolia Cham. XI. 574
scorodonioides Cham. XI. 573
urticoides Cham. XI. 573
virgata Juss. XI. 573
Aloysia Schauer XI. 572 (Lippia)
Alphapha IX. 456
Alsinebe Griseb. X. 479 485

Alsinoides Koch X. 485
Alsocydia Mart. IX. 143
acutiflora Mart. IX. 181
angustidens Mart. IX. 179
cordata Mart. IX. 163
craterophora Mart. IX. 147
dichotoma Mart. IX. 150
erubescens Mart. IX. 157
firmula Mart. IX. 146
glandulosa α Mart. IX. 149
glandulosa β Mart. IX. 164
glutinosa Mart. IX. 162
hebantha Mart. IX. 181
hirsuta Mart. IX. 158
lasianthera Mart. IX. 180
longidens Mart. IX. 190
nitidula Mart. IX. 181
noterophila Mart. IX. 148
tetragonocaulos Mart. IX. 169
triplinervia Mart. IX. 153
variabilis Mart. IX. 149
villosa Mart. IX. 162
virginalis Mart. IX. 181
Alstonia *R. Br.* VIII. 408 *Auct.* VIII. 410 *L. fil.* VIII. 246 247 *G. Don* VIII. 247
angustifolia *Wall.* VIII. 409
costata *R. Br.* VIII. 409
costata Wall. VIII. 410
cuneata *Wall.* VIII. 410
lucida D. Don VIII. 410 411
macrophylla *Wall.* VIII. 409
β glabra *Dc. fil.* – 410
neriifolia D. Don VIII. 410 411
plumosa *Labill.* VIII. 410
scholaris *R. Br.* VIII. 408
β Blumii *Dc. fil.* – 409
γ Avae – – – –
scholaris Wall. VIII. 409
sericea Blum. VIII. 410 411
spathulata *Blum.* VIII. 410
spectabilis *R. Br.* VIII. 409
theaeformis L. fil. VIII. 247
venenata R. Br. VIII. 410 411
villosa *Blum.* VIII. 410
Alstonia Dc. fil. VIII. 247 (Symplocos)
ALSTONIEAE *G. Don* VIII. 408
Alternanthera *Moq.* XIII. 2. 234 350 *Forsk.* XIII. 2. 354 *Mart.* XIII. 2. 350 *H. B. & Kth.* XIII. 2. 383
Achyrantha *R. Br.* XIII. 2. 358
β parvifolia – – 359
Achyrantha var. angustifolia Mart. XIII. 2. 358
Alternanthera
angustifolia *R. Br.* XI
argentata *Moq.* XIII.
armata *Moq.* XIII. 2.
aurata *Moq.* XIII. 2.
Baueri *Moq.* XIII. 2.
brachiata hort. XIII.
canescens H. B. & K
canescens *Moq.* XIII.
canescens R. & Sch
caracasana H. B. &
caribaea *Moq.* XIII. 2
celosioides *Moq.* XIII
ciliata Poepp. XIII.
denticulata Blum. XI
denticulata *R. Br.* XI
β major
γ parvula
δ bifaria
dubia *h. Paris.* XIII.
dubia H. B. & Kth.
echinata hort. XIII.
echinata *Sm.* XIII. 2.
erecta Reich. XIII. 2
ficoidea R. & Schult.
ficoides P. B. XIII. 2
ficoides Reich. XIII.
filiformis *Schrad.* XII
flavescens H. B. & K
flavescens *Moq.* XIII.
glabra *Moq.* XIII. 2.
gomphrenoides H. B. &
gomphrenoides R. & S
iresinoides H. B. & K
lanuginosa *Moq.* XIII.
lappulacea Schlecht.
latifolia *Moq.* XIII. 2.
leucantha *Moq.* XIII.
littoralis P. B. XIII.
lupulina H. B. & K
maritima St. Hil. XIII
α communis –
β concatenata –
γ parvifolia –
mexicana *Moq.* XIII.
nana F. Bauer XIII.

XIII. 2. 360
rescens) Hook. XIII. 2. 361 372
t. XIII. 2. 361 372
Br. XIII. 2. 356
– – –
– – –
B. & Kth. XIII. 2. 361 377
s St. Hil. XIII. 2. 358
r. XIII. 2 360
III. 2. 357
R. Br. XIII. 2. 361 363
Hil. XIII. 2. 361 369
t. & Schult. XIII. 2. 360
XIII. 2. 360
. XIII. 2. 361 373
Prag. XIII. 2. 303 361
. & Kth. XIII. 2. 355
Schult. XIII. 2. 355
Moq. XIII. 2. 351
t. & Kth. XIII. 2. 361 371
. XIII. 2. 353
III. 2. 361 375
& Kth. XIII. 2. 361 385
. XIII. 2. 357
– – –
– – –
– – –
XIII. 2. 360
chult. XIII. 2. 359
t. XIII. 2. 361 370
ook. fil. XIII. 2. 353
XIII. 2. 361 364
.III. 2. 355
XIII. 2. 357
B. & Kth. XIII. 2. 361 367
XIII. 2. 361 375
t Kth. XIII. 2. 361 379
chult. XIII. 2. 379
II. 2. 361
III. 2. 361 364
opriae R. Br. XIII. 2. 354
uriae R. Br. XIII. 2. 362
Alsine XIII. 1. 478
Alvarezia Pav. XI. 465
disticha Pav. XI. 246
parviflora Pav. XI. 466
Spec. Pav. XI. 466
ALYPINAE Link XII. 609
Alypum Nissol. XII. 611
monspeliacum J. Bauh. XII. 613
Alyxia *R. Br.* VIII. 345 *Wall.* VIII. 326
actinophylla *A. Cunn.* VIII. 346
aromatica Reinw. VIII. 346
buxifolia *R. Br.* VIII. 348 676
calophylla Wall. VIII. 348 326
cuspidata Wall. VIII. 348 351
daphnoides *A. Cunn.* VIII. 347
Forsteri Cunn. VIII. 347
glaucescens G. Don VIII. 326
glaucescens Wall. VIII. 348
Gynopogon *R. & Schult.* VIII. 347
laurina *Gaudich.* VIII. 347
lucida Wall. VIII. 347
madagascariensis *Dc. fil.* VIII. 345
obtusifolia *R. Br.* VIII. 346
odorata *Wall.* VIII. 347
oliveaeformis *Gaudich.* VIII. 347
Reinwardtii Blum. VIII. 346
Richardsoni Sw. VIII. 347
ruscifolia *R. Br.* VIII. 347
β pugioniformis *A. Cunn.* VIII. 347
scandens *R. & Schult.* VIII. 348
spicata *R. Br.* VIII. 346
stellata *R. & Schult.* VIII. 346
sulcata *Hook. & Arn.* VIII. 347
tetragona *R. Br.* VIII. 346
Torresiana *Gaudich.* VIII. 346
ALYXIEAE *Dc. fil.* VIII. 345
Alsoyati XIII. 2. 428
Amadea Adans. VIII. 53
Amangemel IX. 534
Amaracus Bth. XII. 191 (Origanum)
Amaracus Gled. XII. 191
cordifolius Montbr. & Auch. XII. 191
Dictamnus Bth. XII. 191
tomentosus Moench XII. 191
Tournefortii Bth. XII. 191
AMARANTACEAE R. Br. XIII. 2. 231
AMARANTACEAE *Moq.* XIII. 2. 231
AMARANTEAE *Endl.* XIII. 2. 233 248
AMARANTI Sect. 1 & 2 *Juss.* XIII. 2. 231

AMARANTOIDEAE Vent. XIII. 2. 231
Amarantoides Tourn. XIII. 2. 383
lychnidis folio &c. Tourn. XIII. 2. 410
marina Plum. XIII. 2. 364
perennis &c. Dill. XIII. 2. 401
Amarantus *Kth.* XIII. 2. 235 255
L. W. Mart. XIII. 2. 272 *Bth.* XIII. 2. 268 *Lam.* XIII. 2. 255 262 462
Acroglochin Spr. XIII. 2. 254 267
aeneus *Bess.* XIII. 2. 266
aervoides Hochst. & Steud. XIII. 2. 267 303
affinis Breyn. XIII. 2. 267 382
albiflorus *Moq.* XIII. 2. 263
albus *L.* XIII. 2. 264
β parviflorus – –
albus Rob. XIII. 2. 265
albus Thbg XIII. 2. 262
altissimus Mx. XIII. 2. 267 277
amboinicus *Hamilt.* XIII. 2. 266
Anardana *Hamilt.* XIII. 2. 256
angustifolius MB. XIII. 2. 263
angustifolius h. Madr. XIII. 2. 261
angustifolius Lam. XIII. 2. 263
angustifolius Roxb. XIII. 2. 261 267 271
arardhanus *Sweet* XIII. 2. 266
arctioideus Perott. XIII. 2. 267 332
ascendens *Hornem.* XIII. 2. 264
ascendens Lois. XIII. 2. 267 274
atropurpureus *Roxb.* XIII. 2. 264
atrosanguineus *hort.* XIII. 2. 266
aureus *Bess.* XIII. 2. 266
aureus hort. XIII. 2. 259
bahiensis Schrad. XIII. 2. 267 274
Bellardi h. Lugd. XIII. 2. 259
Berchtholdi hort. XIII. 2. 257
Berchtholdi Seidl. XIII. 2. 267 274
Berchtholdi h. Tolos. XIII. 2. 259
Bernhardi h. Taur. XIII. 2. 258
bicolor Nocc. XIII. 2. 262
Blitum Auct. XIII. 2. 267 274
Blitum L. XIII. 2. 263
Blitum *Moq.* XIII. 2. 263
α sylvestris – – –
β polygonoides – – –
γ nanus – – –
δ graecizans – – –
ε angustifolius – – –

Amarantus
Blitum β Dc. XII
brasiliensis *Moq.*
bullatus Bess. XI
caesius *Dietr.* XI
campestris *W.* X
canariensis *Bess.*
capitatus *h. Turic*
Caracam *Bess.* X
caracasanus *H.*

Cararia *Bess.* XI
Cararu hort. Par

Cararu *Zucc.* XI
carneus hort. XI
Cathecu h. Monsp
Caturus *h. Madr.*
caudatus *L.* XIII.
β albifrons –
γ maximus –
δ alopecurus –
caudatus W. XI
caudatus β Steud.
cauliflorus Link
celosioides *H. B.*

cernuus *Bess.* XI
chlorostachys *W.*
circinnatus *h. Pa*
clavatus *Bess.* XI
coracanus *Mart.*
crassipes Schlecht
cristatus Noronh.
crocatus *Bess.* XI
cruentus L. XIII.
curvifolius Schüt
cuspidatus Vis.
deflexus W. XIII.
diacanthus *Raf.*
diandrus Spr. XI
dioicus Mx. XIII.
dubius Mart. XI
edulis *Mx.* XIII.
emarginatus Salz

esculentus *Bess.*
esculentus hort.
farinaceus *Roxb.*
fasciatus *Roxb.*
Fatine *Mart.* XII
flavescens hort.
flavus *L.* XIII. 2.
β Bernhardi – –
γ ovalifolius – –
δ bracteatus – –

III. 2. 259
Paris. XIII. 2. 260
. XIII. 2. 267 269
Buchen. XIII. 2. 265
. *Paris.* XIII. 2. 267 348
. XIII. 2. 261
– – –
– – –
– – –
– – –
– – –
Madr. XIII. 2. 261
W. XIII. 2. 261
var. inamoenus Spr. XIII. 2. 266
ietr. XIII. 2. 266
Herit. XIII. 2. 267 277
h. Amstel. XIII. 2. 266
f. XIII. 2. 267 274
. XIII. 2. 263
s hort. XIII. 2. 257
XIII. 2. 260
XIII. 2. 259
– – –
– – –
– – –
– – –
– – 260
– – –
ll. XIII. 2. 266
. XIII. 2. 259
acus *L.* XIII. 2. 256
– – –
– – –
– – –
– – –
– – –
W. XIII. 2. 261
hort. XIII. 2. 257
W. XIII. 2. 266
Gren. & Godr. XIII. 2. 259
latus Rumph XIII. 2. 242
osus Tourn. XIII. 2. 261
Guss. XIII. 2. 259
R. Br. XIII. 2. 267 275
ustal. XIII. 2. 266
III. 2. 260

Amarantus
lanatus Dum. Cours. XIII. 2. 267 303
lanceolatus Roxb. XIII. 2. 261
lanceolatus Wall. XIII. 2. 261
lancifolius Delil. XIII. 2. 267 276
laxifolius *Otto* XIII. 2. 266
leucanthus *Raf.* XIII. 2. 265
lineatus R. Br. XIII. 2. 267 276
littoralis Bernh. XIII. 2. 267 274
littoralis Hornem. XIII. 2. 264
littoralis *Otto* XIII. 2. 266
lividus L. XIII. 2. 267 273
lucidus *Bess.* XIII. 2. 266
lusitanicus *Bess.* XIII. 2. 266
luteus *Mart.* XIII. 2. 266
luteus Weinm. XIII. 2. 262
macrocaulos Poir. XIII. 2. 267 277
macrostachys *h. Argent.* XIII. 2. 266
macrostachyus Merat XIII. 2. 256
maculatus *Lag.* XIII. 2. 266
major Salzm. XIII. 2. 267 274
mangostanus *L.* XIII. 2. 261
β major – – 262
γ parvifolius – – –
mangostanus W. XIII. 2. 261
maximus Bauh. XIII. 2. 256
maximus *Mart.* XIII. 2. 266
maximus Mill. XIII. 2. 267 275
melancholicus L. XIII. 2. 262
melancholicus *Moq.* XIII. 2. 262 462
β tricolor *Lam.* XIII. 2. 262 462
γ ebovatus – – –
δ parvifolius – – –
miamensis Riddel XIII. 2. 267 277
minutus Leschen. XIII. 2. 267 304
monstrosus *h. Div.* XIII. 2. 266
monstrosus h. Tonnell. XIII. 2. 256
montevidensis hort. XIII. 2. 257
morosus Reich. XIII. 2. 259
mucronatus Poir. XIII. 2. 263
muricatus Gill. XIII. 2. 268 276
neglectus hort. XIII. 2. 259
nepalensis hort. XIII. 2. 259
nepalensis *h. Lugd.* XIII. 2. 266
nodosus Pluk. XIII. 2. 462
obstipans *Bess.* XIII. 2. 266
oleraceus Lam. XIII. 2. 268 274
oleraceus L. XIII. 2. 268 273
olitorius *Bess.* XIII. 2. 266

Amarantus
pachystachys Reich. XIII. 2. 265
pallidus MB. XIII. 2. 263
pilosula flavicante Sloan. XIII. 2. 462
paniculatus L. XIII. 2. 257
paniculatus *Moq.* XIII. 2. 257
α purpurascens – – –
β cruentus – – –
γ sanguineus – – –
δ strictus – – –
ε laxiflexicatus – – –
ζ monstrosus – – –
parisiensis *Schk.* XIII. 2. 265
patulus Bertol. XIII. 2. 259
pendulinus hort. XIII. 2. 255
pendulus hort. XIII. 2. 255
persicarioides h. Paris. XIII. 2. 254 268
persicarioides Spr. XIII. 2. 254
Polychroa Racusch. XIII. 2. 268
polyflagellus *Spr.* XIII. 2. 266
polygamus L. XIII. 2. 268 272
polygamus Wall. XIII. 2. 261
polygonoides L. XIII. 2. 269 270
polygonoides h. Madr. XIII. 2. 263
polygonoides Wight XIII. 2. 270
polygonoides Zolling. XIII. 2. 268 274
polystachyus *W.* XIII. 2. 265
prostratus Balb. XIII. 2. 268 275
prostratus Bast. XIII. 2. 263
prostratus W. XIII. 2. 275
pumilus *Raf.* XIII. 2. 265
purgans hort. XIII. 2. 257
purpurascens *Otto* XIII. 2. 266
pyramidalis Noronh. XIII. 2. 243 268
quitensis *H. B. & Kth.* XIII. 2. 265
recurvatus Desf. XIII. 2. 259
retroflexus *L.* XIII. 2. 258
β major – – –
γ pusillus – – –
δ curvifolius – – –
ε bulbatus – – 259
retroflexus W. XIII. 2. 258
rhombeus R. Br. XIII. 2. 268 275
rigidus *Bernh.* XIII. 2. 266
rigidus Schult. XIII. 2. 259
rotundatus *Bess.* XIII. 2. 267
rotundifolius h. Paris. XIII. 2. 261
ruber Weinm. XIII. 2. 262
rubestens hort. XIII. 2. 267

Amarantus
rubriculis *Pape* [illegible]
ruderalis Kock [illegible]
sanguineus L. XII
sanguineus *Vell.* [illegible]
sanguineus var. [illegible]
sanguinolentus *Se*
scandens L. fil. X
scariosus Bth. XI
siculus Bocc. XII
spathulatus Desf.
speciosus *Sims* XI
spicatus Bast. XI
spicatus Lam. XII
spicatus Pluk. XII
spicatus Reich. XI
spinosus *L.* XIII.
β purpurascens –
γ viridiculis *Hassl*
δ rubriculis –
ε pygmaeus –
spinosus W. XIII.
spinosus var. β La
strictus Ten. XIII.
strictus W. XIII.
sylvestris Desf. XI
tenuiflorus *Fisch.*
tenuifolius Roxb.
tenuifolius W. XII
Thunbergii *Moq.* X
Timeroyi Jord. XI
tortuosus *Hornem.*
tricolor L. XIII.
tristis *L.* XIII. 2.
β xanthostachys –
γ flexuosus –
δ leptostachys –
ε Wightii –
tristis Wight XIII
tristis W. XIII. 2.
undulatus R. Br.
urceolatus Bth. XI
vernus *Opiz* XIII.
verticillatus Pav.
violaceus hort. XI
viridis All. XIII.
viridis L. XIII. 2.
viridis Poll. XIII.
viridis Vill. XIII.
viridis Weinm. XI
zanonis Hornem.

sect. *Blitopsis Dumort.* XIII. 2. 272
sect. *Blitum Pers.* XIII. 2. 272
laud. IX. 95 *Griseb.* IX. 95 (Gentiana)
fil. XI. 628 677
lia *Mart. & Schauer* XI. 678
H. B. & Kth. XI. 677
fil. XI. 677
. XI. 678
ua Spr. XI. 678
ra Mart. & Schauer XI. 678
Vahl XI. 677
Schauer XI. 677
va Medic. XIII. 1. 26
pr. IX. 239
ta Spr. IX. 240
Aubl. VIII. 328
l. VIII. 328
staricum Fisch. XI. 12
. XII. 490 (Stachys)
Raf. XIII. 2. 233 269
ides *Raf.* XIII. 2. 270 462
Mart. XIII. 2. 269 270
Moq. XIII. 2 269 270
s Dc. fil. VIII. 91
us Dc. fil. VIII. 91
s Nees XI. 387 (Adhatoda)
Dum. XIII. 1. 521 (Lycium)
Dc. fil. X. 128 (Eritrichium)
oq. XIII. 2. 61 73 *Spach* XIII. 2. 72 80
des Spach XIII. 2. 72
tica Spach XIII. 2. 74
oq. XIII. 2. 75
Moq. XIII. 2. 82
Spach XIII. 2. 74
Moq. XIII. 2. 76
oq. XIII. 2. 76
Moq. XIII. 2. 74
q. XIII. 2. 76
oq. XIII. 2. 73
ta Spach XIII. 2. 80
oq. XIII. 2. 82
q. XIII. 2. 73
q. XIII. 2. 81
Moq. XIII. 2. 74
t. Adenois Moq. XIII. 2. 72 81
Ambrina sect. Botrys Moq. XIII. 2. 72
Ambulia Lam. X. 386
aromatica Lam. X. 388
Amechania *Dc.* VII. 578
hispidula *Dc.* VII. 579
subcanescens *Dc.* VII. 579
Amerina *Dc.* IX. 512
ternifolia *Dc.* IX. 513
tomentosa *Dc.* IX. 513
triphylla *Dc. fil.* IX. 513
Amethystea *L.* XII. 572
coerulea *L.* XII. 572
corymbosa Pers. XII. 572
Amethystoides Bth. XII. 61 (Plectranthus)
Ammyrsina Pursh VII. 729
buxifolia Pursh VII. 730
Lyoni Sweet VII. 730
prostrata Sweet VII. 730
Amorea Delil. XIII. 2. 60
platyphylla Delil. XIII. 2. 60
Amoreuxia Moq. XIII. 2. 60
platyphylla Moq. XIII. 2. 60
Ampelanus Raf. VIII. 518
Amphianthus *Torr.* X. 424 425
pusillus *Torr.* X. 425
Amphichila Dc. VII. 516 (Goodenia)
Amphichilus Dc. fil. XI. 714 (Stenochilus)
Amphicome *Lindl.* IX. 237 *R. Br.* IX. 237 *Royl.* X. 586
arguta *Royl.* IX. 237
Emodi *Royl.* IX. 237
AMPHICOMEAE Dc. IX. 236 260 263
Amphilophium *Kth.* IX. 192
glandulifernm Mart. IX. 193
macrophyllum *H. B. & Kth.* IX. 193
molle *Cham. & Schl.* IX. 193
Mutisii *H. B. & Kth.* IX. 193
paniculatum *H. B. & Kth.* IX. 193
pubescens Spr. IX. 170 193
Vauthieri *Dc.* IX. 193
Amphinemion Dc. fil. VIII. 433 (Aganosma)
Amphiscopia *Nees* XI. 306 355
aequilabris *Nees* XI. 358
Beyrichii *Nees* XI. 356 730
β *pruelliaefolia* – –
γ *tenuifla* – –
ciliata Moric. XI. 357
ciliata *Nees* XI. 359
comosa *Nees* XI. 360
cuneifolia Nees XI. 405

Amphiscopia
inficiens *Nees* XI. 357
lancifolia *Nees* XI. 357
β minor – –
Martiana Nees XI. 406
Middletoni *Nees* XI. 356
montana *Nees* XI. 359
Moricandiana *Nees* XI. 357
Pohliana *Nees* XI. 359
β angustifolia – –
polystachya *Nees* XI. 356
retusa *Nees* XI. 357
rosea *Nees* XI. 358
serpens *Nees* XI. 357
strobilacea *Nees* XI. 358
venosa *Nees* XI. 358 730
Amphistilbe Dc. fl. XII. 606 (Stilbe)
Amphoden Salisb. Bth. VII. 618 (Erica)
Amsinckia *Lehm.* X. 117 *Endl.* X. 117
angustifolia *Lehm.* X. 118
Douglasiana *Dc. fl.* X. 118
humifusa Walp. X. 119 133
intermedia *Fisch. & Mey.* X. 118
lycopsoides *Lehm.* X. 117
mexicana *Mart. & Gal.* X. 118
parviflora Bernh. X. 118
spectabilis *Fisch. & Mey.* X. 118
vernicosa *Hook. & Arn.* X. 119
Amsonia *Walt.* VIII. 394
angustifolia Mx. VIII. 385
ciliata *Walt.* VIII. 385
elliptica *R. & Schult.* VIII. 385
latifolia h. Paris. VIII. 385
latifolia Mx. VIII 385
orientalis Dcne VIII. 386
salicifolia *Pursh* VIII. 385
β ciliolata *Dc. fl.* – –
Tabernaemontana *Walt.* VIII. 385
tristis *Dc. fl.* VIII. 385
Amuxis Dc. fl. VIII. 237 (Diospyros)
ANABASEAE *Moq.* XIII. 2. 48 191
ANABASEAE & HALIMOCNEMIDES *Endl.* XIII. 2. 194
ANABASEAE & SALSOLEAE *C. A. Mey.* XIII. 2. 194
Anabasis *L.* XIII. 2. 48 210 *L. fil.* *MB.* XIII. 2. 207 *W.* XIII. 2. 200 *MB.* XIII. 2. 203 204
affinis *Fisch. & Mey.* XIII. 2. 215
alopecuroides *Moq.* XIII. 2. 210
ammodendron Ledeb. XIII. 2. 212
Ammodendron *C. A. Mey.* XIII. 2. 212

Anabasis
aphylla *L.* XIII. 2. 1
arbuscula *Thlg.* XIII
articulata *Moq.* XIII
brachiata *Fisch. & I*

Brachylepis Dietr.

brevifolia *C. A. Mey.*
γ longiseta
caespitosa Steph. XI
cinerea *Moq.* XIII.
conjugata Moq. XI
crassa Moq. XIII. 2
cretacea *Pall.* XIII.
cretica Vhm. XIII.
Echinus MB. XIII.
florida *MB.* XIII. 2
foliosa L. XIII. 2. 1
glomerata MB. XIII
heteroptera Jaub. &

intermedia *Moq.* XII
juncea MB. XIII. 2.
lutea *Moq.* XIII. 2.
macroptera *Moq.* XI
monandra MB. XII
multiflora *Moq.* XIII
oppositiflora MB. XI
oppositifolia MB.

phyllophora *Kar. &*

ramosa *Sievers* XIII
setifera *Moq.* XIII.
Sieversii W XIII. 2
spinosissima L. fil.

subulifolia *Schrenk*
tamariscifolia L. XI
tamariscifolia Webb

tatarica Pall. XIII.
Tournefortii Jaub. &

triandra MB. XIII.
Anabota *W.* IX. 37
odorata *W.* IX. 37
Anabi IX. 36
Anablia Moq. XIII. 2.
Anaclasis Bth. VII. 6
Anacoluppa Rhend. XI.
Anacolus Griseb. IX.
Gardneri Griseb. IX
ANAGALLIDEAE *End*
ANAGALLIDES *Adans.* VI

Griseb. IX. 123
Griseb. IX. 123
Griseb. IX. 123
VIII. 69 *Schm. Nees*
VIII. 69 *Sw.* VIII. 71
VIII. 71
Cav. VIII. 71
St. Hil. - -
Salisb. VIII. 70
VIII. 69
VIII. 69
VIII. 70
VIII. 70
VIII. 66
VIII. 71
VIII. 70
VIII. 71
Andr. VIII. 70
Duby VIII. 69
VIII. 70
VIII. 70
VIII. 70
Tourn. VIII. 70
VIII. 70
VIII. 70
VIII. 70
Hillmoreana Hook. VIII. 70
cina Sweet VIII. 70
Pav. VIII. 72
Link & Hoffm. VIII. 69
Duby - -
Salsm. VIII. 72
ortul. VIII. 70
Auct. VIII. 70
VIII. 71 72
VIII. 70
Bojer VIII. 72
chst. VIII. 668
Cloet. VIII. 71
lsm. VIII. 72
VIII. 71
St. Hil. VIII. 71
All. VIII. 71
Penny VIII. 71
ss. XI. 621
Nutt. VIII. 521
Nutt. VIII. 522
Nutt. VIII. 521
st. VIII. 521
tt. VIII. 522
ers VII. 778
Desf. X. 285 288
Desf. X. 289
W. 287 290

Anarrhinum
Duriminium *Chav.* X. 289
fruticosum *Desf.* X. 289
fruticosum Schimp. X. 289
hirsutum Link & Hoffm. X. 289
laxiflorum *Boiss.* X. 289
orientale *Bth.* X. 289
pedatum *Desf.* X. 289
pubescens *Fresen* X. 289
tenellum W. X. 286 290
Ana-schunda XIII. 1. 252
Anasser Juss. IX. 26 *Gaudich.* IX. 27 *Rumph Lam.* IX. 28
borbonious Gmel. IX. 27
Anassera Pers. IX. 26
borbonica Lam. IX. 27
moluccana Lam. IX. 28
Anastrabe *E. Mey.* X. 299 334
integerrima *E. Mey.* X. 334
serrulata *E. Mey.* X. 334
Anatolicon Bth. XII. 192 (Origanum)
Anatropa Ehrenb. XIII. 2. 219
Anblatum Dod. XI. 40 41 *Endl.* XI. 42
orientale Tourn. XI. 41
Tournefortii G. Don XI. 43
Anchusa *L.* X. 41 *Lehm.* X. 41 54 *Tausch* X. 41 42 *Auct.* X. 32 97 116 121 *Cham.* X. 56
Adami Jon. X. 41 52
aegyptiaca *Dc.* X. 48
affinis R. Br. X. 44
affinis *Hochst.* X. 44
africana *Burm.* X. 51
Agardhii *Lehm.* X. 46
aggregata *Lehm.* X. 47
alpestris Stev. X. 28 52
altissima Desf. X. 43
amoena Gaertn. X. 47
amplexicaulis *Sibth. & Sm.* X. 51
angustifolia Balb. X. 44
angustifolia Dc. fl. fr. X. 43
angustifolia Koch X. 43
angustifolia Lehm. X. 43
angustifolia L. X. 43
angustifolia Reich. X. 43
angustifolia Sibth. X. 46
angustifolia Stev. X. 44
angustifolia d'Urv. X. 44
angustifolia etc. Pluk. XI. 247
annua Pall. X. 48
arvalis Reich. X. 43
arvensis MB. X. 54
arvensis Moris. X. 45
arvensis Tausch X. 43
asperrima Delil. X. 52 94
asperrima Kotschy X. 94

Anchusa
Aucheri *Dc. fil.* X. 49
azurea Reich. X. 47
Barrelieri *Dc.* X. 48
biceps *Vest* X. 51
bracteolata *Viv.* X. 50
bulbosa *fl. Corcyr.* X. 52
caespitosa *Lam.* X. 48
calcarea *Boiss.* X. 42
β scaberrima *Boiss.* X. 42
canescens Mühl. X. 52 79
Capellii *Moris* X. 45
capensis *Thbg.* X. 45
cesatiana *Fenzl & Fried.* X. 43
ciliata Cham. X. 53 56
clavata *Viv.* X. 52
cretica Mill. X. 53 55
crispa Moris X. 45
crispa *Viv.* X. 45
crispata Presl X. 45
cruciata Cham. X. 53 121
dasyantha *Cham.* X. 52
deflexa *Lehm.* X. 52
Dregei *Dc. fil.* X. 44
dubia Noce. X. 28 53
echinata Lam. X. 47
echioides MB. X. 53 96
flava Forsk. X. 49
foliosa Lehm. X. 53
Gmelini *Ledeb.* X. 52
granatensis *Boiss.* X. 42
hirta Mx. X. 53
hirta Mühl. X. 78
hispida *Forsk.* X. 50
hispidissima Sieb. X. 53 94
hybrida Boiss. X. 42
hybrida *Ten.* X. 45
italica Reich. X. 47
italica *Retz* X. 47
Kunthii Walp. X. 122
lanata L. X. 53 165
latifolia Lehm. X. 29 53
laxiflora Dc. fl. fr. X. 34 53
leptophylla Koch X. 43 46
leptophylla R. & Schult. X. 46
leucantha W. X. 53 122
leucojifolia *Lehm.* X. 45
linearifolia Hochst. X. 52
linearifolia *d'Urv.* X. 44
linifolia Lehm. X. 53 121
linifolia W. h. X. 122
longifolia *Lam.* X. 52
Lorenti *Dc. fil.* X. 52
lucida Vitm. X. 47
lutea Bertol. X. 53 103
lutea MB. X. 28 53
Anchusa
lutea Cav. X. 53 75 109
lutea β MB. X. 28
lutea β Vis. X. 33
lycopsidis Retz X. 53
macrocarpa *Boiss.* X. 46
macrophylla *Lam.* X. 46
micrantha R. & Schult. X.
microcalyx *Vis.* X. 43
Milleri Bias. X. 55
Milleri *hortul.* X. 49
minor Lob. X. 53 100
moltkioides *Royl.* X. 51
monspeliaca J. Bauh. X. 53
myosotidiflora *Lehm.* X. 50
β grandiflora *Dc.* – –
neglecta *Dc. fil.* X. 49
β brevicalyx – – 50
γ longicalyx – – –
nigricans Brot. X. 44
obliqua *Vis.* X. 42
ochroleuca *MB.* X. 45
β coerulescens *Dc.* – 46
γ leptophylla – –
δ subcanescens – –
officinalis Bess. X. 43
officinalis Gouan X. 47
officinalis *L.* X. 42
β angustifolia *Dc.* X. 43
γ altissima – – –
δ stricta – – –
officinalis Thbg X. 44
officinalis var. Bess. X. 43
officinalis var. angustifolia
oppositifolia H. & Bonpl.
orientalis L. X. 53 98
ovata Lehm. X. 53 54
paniculata Ait. X. 47
paniculata Reich. X. 47
parviflora Sibth. X. 47
parviflora *W.* X. 52
pauciflora R. & Schult.
perlata Lam. X. 53 55
petiolata Hook. X. 149
picta MB. X. 30 53
Pinardi Boiss. X. 45
procera Bess. X. 46
pubescens *Kit.* X. 52
pulla MB. X. 32 53
pygmaea *H. B. & Kth.* X.
racemosa *Dc.* X. 50
rhisochroa Vis. X. 53 109
riparia *Dc.* X. 43

B. X. 29 53
R. & Schult. X. 53 126
Pall. X. 53 103
na Cham. X. 51
rens L. X. 41 53
R. & Schult. X. 53 113
'a R. & Schult. X. 53 112
vos Forsk. X. 53 142
ifolia Cham. X. 53 121
Labill. X. 47
WB. X. 48
Dc. - -
iprunn. X. 48
ornem. X. 53 116
ra Cham. X. 53 122
Desf. X. 100
L. X. 53
L. herb. X. 103
Pall. X. 32 53
Woodv. X. 43
ta Forsk. X. 53 100
H. B. & Kth. X. 51
L. X. 44
issima Dc. X. 44
Pall. X. 46
d'Urv. X. 44
h. Vahl X. 42
Lehm. X. 53 55
a Sibth. & Sm. X. 33 53
a Viv. X. 31 33 53
Lam. X. 49
a Lejeun. X. 53 54
Stev. X. 29 53
. & Sch. X. 53 126
pr. X. 52
L. X. 54 79
Jacq. X. 54 116
Vahl X. 54
Dc. IX. 467 X. 27
pus H. B. & Kth. XIII. 2. 16 424
Gay XIII. 2. 17
isis H. B. & Kth. XIII. 2. 17
isis Spr. XIII. 2. 19
Ledeb. XIII. 2. 17
Nees XI. 102 221
Nees XI. 222
mis Nees XI. 222
ses XI. 221 725
Nees XI. 222

Andersonia R. Br. VII. 766 Rosb. VII. 766 Rosb. herb. XII. 766 Koen. VII. 335 766 Schlecht. VII. 766 IX. 32 D. Don VII. 335
coerulea R. Br. VII. 767
β glabriuscula Dc. - -
depressa R. Br. VII. 767
depressa Cunn. VII. 767
gracilis Dc. VII. 767
lanuginosa A. Cunn. VII. 767
micrantha R. Br. VII. 767
parvifolia R. Br. VII. 767
sprengelioides R. Br. VII. 766
squarrosa R. Br. VII. 767
vaginata W. IX. 34
Andicola Griseb. IX. 87 (Gentiana)
Andi-Malleri Rheed. XIII. 2. 427
Andrachne frutescens Ehr. VII. 582
Theophrasti Chs. VII. 582
Andraspis Duby VIII. 48 (Androsace)
Andreaea Dun. VII. 560 (delendum cfr. VII. 794)
guadalupensis Dun. VII. 560
Andreaea Vent. XI. 706
debilis Vent. XI. 711
glabra Vent. XI. 707
scabra Dum. Cours XI. 710
Andreaeia Spr. IX. 121
autumnalis Spr. IX. 121
paniculata Bart. IX. 121
verna Spr. IX. 121
Androcentrum Lemair. XI. 725
multiflorum Lemair. XI. 725
Androcera Nutt. XIII. 1. 27
lobata Nutt. XIII. 1. 329
ANDROGRAPHIDEAE Nees XI. 49 512
Andrographis Wall. XI. 512 515 Rottl. Wall. XI. 514
affinis Nees XI. 517
alata Nees XI. 516
ceylanica Nees XI. 518
echioides Nees XI. 518
α β - 519
γ augusta - -
glandulosa Wight XI. 518
gracilis Nees XI. 516
humifusa Wall. XI. 514
humifusa Wight XI. 519
lineata Nees XI. 516
macrobotrys Nees XI. 516
orbiculata Wall. XI. 514
paniculata Nees XI. 515
viscosula Nees XI. 517
Wightiana Arn. XI. 517

Andromeda *L.* VII. 606 597 601 610 712 713 *Thbg* VII. 598 *Lam.* VII. 586 *Mx.* VII. 597 *Gaertn.* VII. 610 *Pall.* VII. 610 *Pursh* VII. 712 *Nutt.* VII. 601 *D. Don* VII. 598 *Wall.* VII. 598 *Auct.* VII. 599 601
acuminata W. VII. 607 602
alata h. Domb. VII. 562
americana hortul. VII. 607
anastomosans L. fil. VII. 607 593
angustifolia Pursh VII. 607 610
arborea L. VII. 607 601
axillaris Mx. VII. 607 602
axillaris Soland. VII. 601
axillaris β Lam. VII. 601
baccata Wangenh. VII. 607 566
bracamorensis H. B. & Kth. VII. 607 603
bracteata Cav. VII. 607 595
bracteosa *Dc.* VII. 607
α trichoclada – –
β hebeclada – –
bryantha L. VII. 607 712
buxifolia Comm. h. VII. 607 603
calyculata L. VII. 607 610
calyculata angustifolia Wahlenb. VII. 610
calyculata β angustifolia Ait. VII. 610
calyculata anomala Vent. VII. 610
canadensis hortul. VII. 607
candida Arrab. VII. 608 597
capricida Ham. VII. 608 599
cassinefolia Vent. VII. 608
cassinefolia nuda Vent. VII. 598
cassinefolia β pulverulenta Vent. VII. 598
Catesbaei Walt. VII. 608 602
cerea L. fil. VII. 608 575
chlorantha Cham. VII. 608 604
ciliata Neuw. VII. 608 605
ciliosa Bojer VII. 608 603
coccinea Neuw. VII. 608 605
coccinea Schrad. VII. 557
coerulea L. VII. 608 713
coerulea β viridifolia Pall. VII. 608 713
coriacea Ait. VII. 608 602
coriifolia Thbg VII. 608 606
crassifolia Neuw. VII. 605
crassifolia Pohl VII. 608 605
crispa Poir. VII. 608
crispa Desf. VII. 610
cupressiformis Wall. VII. 608 611

Andromeda
Daboecia L. VII. 60
dealbata Lindl. VII.
droseroides L. VII.
empetrifolia W. VII
ericoides Pall. VII.
eriophylla Vell. VII.
eucalyptoides Cham.
fasciculata Sw. VII.
fastigiata Wall. VII
ferruginea Walt. VI
ferruginea W. VII.
ferruginea α arborea
ferruginea β frutico
floribunda Pursh VI
formosa Wall. VII.
formosissima Bart.
frondosa Pursh VII.
glaucifolia Wender.
glaucophylla Link V
globulifera hort. VII
glomerata Cav. VII.
grandiflora h. Paris
Halmiana *Meerb.* VI
hirsuta Arrab. VII.
hirta W. VII. 608 6
hypnoides W. VII. 6
jamaicensis Sw. VII.
japonica Thbg VII.
ilicifolia Pers. VII.
lanceolata Arrab. VI
lanceolata Desf. VII
lanceolata Wall. VII
laurina Mx. VII. 60
ledifolia H. B. & K
ligustrina Mühl. VII
lucida Jacq. VII. 60
lucida Lam. VII. 60
luridifolia Gawl. VII
lycopodioides Pall.
marginata Duham.
Mariana Jacq. VII.
Mariana L. VII. 60
membranacea *h. Cel*
Mertensiana Bong.
montana Salisb. VII.
multiflora Pohl VII.
myrsinites Lam. VII.
myrtifolia Salisb. VI
myrtifolia W. VII.
neriifolia Cham. & S

rab. VII. 609 605
ict. VII. 598
r. VII. 609 602
ia Cham. & Schl. VII. 603
Sw. VII. 609 714
Cham. VII. 609 605
Wall. VII. 609 599
and. VII. 609 598
a L. VII. 609 598
a W. VII. 609 599
a α nudiflora Mx. VII. 600
a foliosiflora Mx. VII. 600
a Duham. VII. 599
a Veill. VII. 609
efolia Hook. VII. 599
Fisch. VII. 607
hortul. VII. 599
hit. VII. 607
Cham. VII. 609 604
L. VII. 606
a Ait. VII. 607
– – –
rinifolia Dc. VII. 607
phylla – – –
ia Lam. VII. 609 602
i Cav. VII. 609 587
i Poir. VII. 609 601
Cham. VII. 609
Salisb. VII. 602
Arrab. VII. 609 597
Cham. & Schl. VII. 609 604
nta Bartr. VII. 609 598
nta Duham. VII. 598
h. Domb. VII. 564
Pers. VII. 609 603
i Lam. VII. 609 600
i L. VII. 609 598
i Walt. VII. 609 600
ii Cham. VII. 609 611
s Walt. VII. 609 602
Bout. VII. 603
Spr. VII. 609 604
alis Veill. VII. 609 602
mb. VII. 609 596
rsh VII. 609 600
ifolia Pursh VII. 607
a Pers. VII. 609 601
Comm. VII. 795
Forst. VII. 609 594
s h. Comm. VII. 609 603
Moench VII. 609 606
Arrab. VII. 609 606

Andromeda
serrata Sm. VII. 609
serrata hortul. VII. 602
serratifolia hortul. VII. 609 602
serrulata Cham. VII. 609 604
speciosa Lodd. VII. 598
speciosa Mx. VII. 609 598
speciosa glauca Watt. VII. 598
speciosa nitida Pursh VII. 598
spicata Watt. VII. 609 598
spinulosa Pursh VII. 602
squamulosa D. Don VII. 609 599
Stelleriana Pall. VII. 609 611
subrotunda Pohl VII. 609 603
symplocifolia Wall. VII. 555
taxifolia Pall. VII. 610 713
tetragona L. VII. 610 611
trinervis h. Domb. VII. 563
venulosa *Dc.* VII. 607
Walteri W. VII. 610 602
ANDROMEDEAE *Dc.* VII. 588
ANDROMEDEAE Don Lindl. VII. 580 588
Androphysa Moq. XIII. 2. 201
Androsace *Tourn.* VIII. 47 *L.* VIII. 47 48
acaulis hortul. VIII. 52
acaulis *Otto* VIII. 55
acutifolia Turtsch. VIII. 51
Aizoon *Duby* VIII. 50
alba *Raf.* VIII. 55
albana *Stev.* VIII. 50
alismoides Hornem. VIII. 52
alpina *Lam.* VIII. 47
alpina adultior Lapeyr. VIII. 48
alpina junior Lapeyr. VIII. 48
arctica *Cham.* VIII. 48
Aretia α & β Vill. VIII. 48
aretioides Heer VIII. 51
argentea Gaertn. VIII. 47
armeniaca *Duby* VIII. 52
Bocconi hortul. VIII. 53
brevifolia Vill. VIII. 51
bryoides *Dc.* VIII. 47
caespitosa *Lehm.* VIII. 48
capitata W. VIII. 50
carinata *Torr.* VIII. 50
carnea *L.* VIII. 51
carnosula *Duby* VIII. 54
Chamaejasme *W.* VIII. 51
Chamaejasme β & γ Dc. VIII. 51
ciliata *Dc.* VIII. 48
cordifolia *Wall.* VIII. 54
coronopifolia Ait. VIII. 52
cylindrica Dc. VIII. 47
dasyphylla Bung. VIII. 50

Androsace
diapensioides Lapeyr. VIII. 47
elegans *Duby* VIII. 55
elongata *L.* VIII. 53
β nana *Duby* - -
fasciculata h. W. VIII. 52
filiformis *Retz* VIII. 53
foliosa *Duby* VIII. 49
frutescens Lapeyr. VIII. 47
glacialis Steud. VIII. 48
globifera *Duby* VIII. 48
Gmelini *Gaertn.* VIII. 53
Halleri Gmel. VIII. 51
helvetica Gaud. VIII. 47
Jacquemontii *Duby* VIII. 50
imbricata *Lam.* VIII. 47
β tomentosa *Duby* - -
incana Lam. VIII. 50
incisa *Wall.* VIII. 54
Lachenalii Gmel. VIII. 51
lactea *L.* VIII. 51
lactiflora *Fisch.* VIII. 52
lanuginosa bot. mag. VIII. 668
lanuginosa Wall. VIII. 49
Lehmanni *Wall.* VIII. 48
Lehmanniana Spr. VIII. 51
linearis *Grah.* VIII. 49
longifolia *Turcz.* VIII. 49
macrocarpa *Ledeb.* VIII. 55
maxima *L.* VIII. 53
multiscapa *Duby* VIII. 51
muscoidea *Duby* VIII. 48
nana Hornem. VIII. 53
obovata h. Wall. VIII. 35
obtusifolia *All.* VIII. 51
occidentalis *Pursh* VIII. 53
ochotensis *h. W.* VIII. 55
odoratissima *Schreb.* VIII. 49
orbicularis Lehm. VIII. 54
parviflora *Jacquem.* VIII. 54
pauciflora Vill. VIII. 51
pennina Gaud. VIII. 48
primulina Spr. VIII. 42
primuloides Don VIII. 55 42
primuloides *Duby* VIII. 51
pubescens *Dc.* VIII. 48
pyrenaica *Lam.* VIII. 47
radiata *Lehm.* VIII. 52
rotundifolia *Hardw.* VIII. 54
sarmentosa *Wall.* VIII. 49 668
saxifragaefolia *Bung.* VIII. 53
sempervivoides *Jacquem.* VIII. 50
septemtrionalis *L.* VIII. 52
spathulata Pav. VIII. 55 74
stricta Hartm. VIII. 44
tomentosa Schl. VIII. 47

Androsace
triflora *Adams* VIII
valerianoides *Lehm.*
villosa Jacq. VIII.
villosa *L.* VIII. 50
β incana *Duby* VII
γ uniflora - - -
Wulfeniana Sieb. V
ANECHMATACANTHE

Anemopaegma *Mart.*
acutifolium *Dc.* IX.
album *Mart.* IX. 18
citrinum *Mart.* IX.
floridum *Mart.* IX.
glaucum *Mart.* IX.
β *Dc.* -
laeve *Dc.* IX. 189
lanceaefolium *Dc.*
β puberum -
longidens *Dc.* IX.
mirandum *Dc.* IX.
α angustifolium *Mar*
β glabrum *Dc.*
γ latifolium -
δ pubescens -
orbiculatam *Dc.* IX.
Poeppigii *Dc.* IX.
prostratum *Dc.* IX.
quinquedentatum *M*
racemosum *Mart.*
β brachybotrys *Dc.*
scabriusculum *Mart*
sessilifolium Mart.
sessilifolium α Mar
triplinervium *Mart.*
Vargasianum *Dc.*
velutinum *Mart.* IX.
β grandiflorum *Dc.*
Angelonia *H.* & *Bonp*
angustifolia *Bth.* X.
arguta *Bth.* X. 252
biflora *Bth.* X. 254
bisaccata *Bth.* X.
Blanchetii *Bth.* X.
campestris *Nees* &
ciliolata *Bth.* X.
Coffreana Moric. X.
cornigera *Hook.* X.
crassifolia *Bth.* X.
eriostachys *Bth.* X.
Gardneri *Hook.* X.
goyazensis *Bth.* X.
hirta *Cham.* X. 255
Hookeriana *Gardn.*
integerrima *Spr.* X.

ı *Bth.* X. 252
sch. & *Mey.* X. 254
Garda. X. 253
ens *Nees* & *Mart.* X. 252
s *Bth.* X. 253
folia *H.* & *Bonpl.* X. 254
Ith. X. 253
a *Moric.* X. 254
Gaertn. VIII. 105 120
Lam. VIII. 107
is *Gaertn.* VIII. 106
ı *Lam.* VIII. 109
ylla *Lam.* VIII. 121
ı *Poir.* VIII. 121
Lam. VIII. 110
lis *Cav.* VIII. 133
Cav. VIII. 133
Lam. VIII. 124
Gaertn. VIII. 129
Bartl. XII. 568
artl. XII. 569
ı *Raf.* X. 166
af. X. 167
ı *R. Br.* XIII. 2. 45 122
ı *Nees* XIII. 2. 123 138
ı *R. Br.* XIII. 2. 122
Moq. XIII. 2. 122
unn. XIII. 2. 122
Moq. XIII. 2. 122
ıs *Nees* XI. 425 444
Nees XI. 445
Nees XI. 445 732
ris. IX. 429
on IX. 432
les *Chois.* IX. 432
bois. IX. 431
Chois. IX. 429
ides *Chois.* IX. 431
oric. IX. 431
Chois. – –
Walp. IX. 432
ia *Walp.* IX. 432 441
Chois. IX. 430
– – –
ı *Hochst.* IX. 431
ı *Chois.* IX. 430
ı *Chois.* IX. 430
– – –
sis *Chois.* IX. 430
hois. IX. 429
ois. IX. 431
Chois. IX. 430
hois. IX. 431
ı *Chois.* IX. 430

Anisochilus Bth. XII. 81 (Anisochilus)
Anisochilus *Wall.* XII. 31 80
carnosus *Wall.* XII. 81
β purpurascens – –
γ glabrior – –
δ villosior – –
ε viridis – –
crassus *Bth.* XII. 81
dysophylloides *Bth.* XII. 82
eriocephalus *Bth.* XII. 81
glabra Schrad. XII. 81
pallidus *Wall.* XII. 82
paniculatus *Bth.* XII. 82
polystachyus *Bth.* XII. 82
scaber *Bth.* XII. 81
sericeus *Bth.* XII. 82
Anisodus Link XIII. 1. 552 555
luridus Link & *Otto* XIII. 1. 555
stramonifolius G. Don XIII. 1. 555
Anisolobus *Dc. fil.* VIII. 395
Perrottetii *Dc. fil.* VIII. 395
Salzmanni *Dc. fil.* VIII. 395
Perrottet no. 270 VIII. 395
Anisomeles *R. Br.* XII. 408 455
australis Spr. XII. 457 577
candicans *Bth.* XII. 456
disticha Heyne XII. 456
glabrata Bth. XII. 456
Heyneana *Bth.* XII. 455
inodora *R. Br.* XII. 455
intermedia *Wight* XII. 456
malabarica *R. Br.* XII. 456
β nigrescens – 457
mollissima Wall. XII. 456
moschata *R. Br.* XII. 455
nepalensis Spr. XII. 457 455
ovata *R. Br.* XII. 455
β mollissima – –
salviaefolia *R. Br.* XII. 455
Anisomeria *Don* XIII. 2. 4 25
coriacea *Don* XIII. 2. 26
drastica *Moq.* XIII. 2. 25
littoralis *Moq.* XIII. 2. 25
Anisomitia Endl. IX. 11
Anisostachya *Nees* XI. 306 368
Bojeri *Nees* XI. 368 730
velutina *Nees* XI. 730
Anisotes *Nees* XI. 307 424
trisulcus *Nees* XI. 424
Annebe XIII. 1. 58
Annularia Hochst. VIII. 676
Anodendron *Dc. fil.* VIII. 443
paniculatum *Dc. fil.* VIII. 444
Anodon Bung. X. 573

Anomalanthus Klotzsch VII. 707
discolor Klotzsch VII. 708
scoparius Klotzsch VII. 708
Anomorhegmia Meisn. IX. 278
Anona Sloan. VIII. 156 157 173
Anonymos Walt. IX. 451
caroliniensis Walt. X. 78 XI. 63 554
petiolata Walt. IX. 9
repens Walt. IX. 451
sempervirens Walt. IX. 24
sessilifolia Walt. IX. 9
No. 250 *Bosc.* XI. 122
Anoplanthus *Endl.* XI. 3 41
Biebersteinii *Reut.* XI. 42
β Boissieri – – –
comosus *Walp.* XI. 41
fasciculatus *Walp.* XI. 42
Tournefortii *Walp.* XI. 42
uniflorus *Endl.* XI. 41
Anoplon Wallr. G. Don XI. 41
Biebersteinii C. A. Mey. XI. 42
biflorum G. Don XI. 41
fasciculatum G. Don XI. 42
Anatocalyx Dc. fil. VII. 494 (Symphyandra)
Anredera *Juss.* XIII. 2. 222 229 219
scandens *Moq.* XIII. 2. 230
spicata Pers. XIII. 2. 230
vesicaria Gaertn. XIII. 2. 230
vesiculosa Poir. XIII. 2. 230
ANREDEREAE *Moq.* XIII. 2. 222 226
Anserina Dumort. XIII. 2. 84
ANSERINEAE Moq. XIII. 2. 48
Antafara Poivre VIII. 378
Antanisophyllum Vaill. XIII. 2. 449 453
Antarctophila Griseb. IX. 98 (Gentiana)
Anthacanthus *Nees* XI. 425 460
acicularis *Nees* XI. 460
armatus *Nees* XI. 460
cuneatus *Nees* XI. 461
emarginatus *Nees* XI. 461
lycioides *Nees* XI. 461
microphyllus *Nees* XI. 461
β serpyllifolius – – –
repandus *Nees* XI. 462
sinuatus *Nees* XI. 462
spinosus *Nees* XI. 460
β horridus – – –
Sprengelii *Nees* XI. 461
vincoides *Nees* XI. 461
Anthelminthia quadrifolia P. Browne IX. 7
Anthocercis *Labill.* X.
albicans *Cunn.* X. 1
β tomentosa *Bth.* X.
anisantha *Endl.* X.
gracilis *Bth.* X. 192
ilicifolia *Hook.* X. 1
littorea Endl. X. 19
littorea *Labill.* X. 1
scabrella *Bth.* X. 19
viscosa *R. Br.* X. 1
β Baueriana *Bth.* X.
Anthochlamys *Fenzl* XI
polygaloides *Moq.* X
Anthocleista *Afz.* IX.
macrophylla *G. Do*
nobilis *G. Don* IX.
Anthocoma Zolling. X
flavescens Zolling.
Anthocometes *Nees* X
aristatus *Nees* XI. 3
Anthodendron Reich.
ponticum Reich. VI
Antholucuma Dc. fil.
Anthopleuris Dun.
Anthopogon Neck. IX.
Anthopterus *Hook.* VI
racemosus *Hook.* V
Anthoresis Dun. XIII.
Anthotium *R. Br.* VII
humile *R. Br.* VII
Anthotroche *Endl.* XI
pannosa *Endl.* XIII.
Anthyllis Alp. IX. 439
Anticharis *Endl.* X. 3
arabica *Endl.* X. 34
arabica Hochst. X.
Antidesma Ribes Raus
Antiphytum *Dc.* X. 12
cruciatum *Dc.* X. 1
fruticosum Moç. X.
heliotropioides *Dc.*
linifolium *Dc.* X. 12
mexicanum *Dc.* X.
stoechadifolium *Dc.*
tetraquetrum *Dc.* X.
Walpersii *Dc. fil.* X
Antirrhinastrum Chav
ANTIRRHINEAE Auc
ANTIRRHINEAE *Cha*
ANTIRRHINEAE Koc
ANTIRRHINIDEAE *B*

. 290 [illegible] 293
298
a. X. 292 267
X. 292 269
ve. X. 292 267
um X. 292 281
& Sm. X. 292
280
292 278
292 282
io. X. 292
ma. X. 292 283
oir. X. 291
Lois. X. 292 272
X. 292 276
. VIII. 20 X. 292
. X. 292
X. 292 284
L. X. 293 280
L. X. 293 280
92
n. X. 293 268
bg X. 293 261
X. 293 272
X. 293 269
X. 293 262
. X. 293 277
o. X. 293 283
X. 293 284
ir. X. 293 592
. 293 281
X. 290
. 293 278
. 293 263
X. 291
ns. X. 293 284
. 293 278
. 293 269
nco X. 293
X. 293 273
lth. X. 592
X. 293 278
X. 293 268
th. X. 592
o. X. 293 267
. X. 290
K. 293 266
h. X. 293 267
K. 293 275
X. 293 264
K. 293 267
293 282
ve. X. 293 269
93 268
ahlenb. X. 293 268
K. 293 269

Antirrhinum
elatinoides W. X. 293 269
elegans Pers. X. 293 283
elegans Ten. X. 290
filiforme Poir. X. 293 287
flavum Poir. X. 293 285
flexuosum W. X. 293 287
fruticans Thbg X. 293 263
fruticosum W. X. 293 269
galioides Lam. X. 293 278
genistaefolium Vill. X. 293 272
genistifolium L. X. 293 275
gibbosum Wall. X. 290
glandulosum Lejeun. X. 293 273
glandulosum *Lindl.* X. 291
glaucum L. X. 293 284
glaucum Thore X. 293 281
gracile Pers. X. 293 279
graecum Bory & Chaub. X. 293
269
Haelava Forsk. X. 293 286
hederaceum Lam. X. 294 266
hederaefolium Poir. X. 267
hepaticaefolium Poir. X. 294 266
heterophyllum W. X. 294 271
hexandrum Forst. X. 294 413
hirtum L. X. 294 274
hispanicum *Chav.* X. 291
incarnatum Lam. X. 277
incarnatum Vent. X. 294
junceum Lam. X. 294
junceum L. herb. X. 294 277
junceum Pall. X. 294 274
laevigatum h. Banks X. 258
lagopodioides L. fil. X. 294 284
lanigerum Desf. X. 294
lanigerum W. X. 268
latifolium *Dc.* X. 291
β purpurascens *Bth.* – –
latifolium Mill. X. 291
latifolium W. X. 294 271
laxiflorum W. X. 294 285
Linaria MB. X. 294 273
Linaria L. X. 294 273
linarioides L. X. 294 273
linifolium L. X. 294 275!
linifolium Pall. X. 294 273
littorale Bernh. X. 294
longicorne Thbg X. 294 258
lusitanicum Lam. X. 294 280
macrocarpum Ait. X. 294
macrocarpum Soland. X. 264
macrorrum MB X. 294 273
maculatum Moç. & Sess. VII. 534
majus *L.* X. 291
marginatum Lam. X. 294 281

Antirrhinum
maritimum Poir. X. 294 282
meonanthum Hoffm. & Link X. 292
micranthum Cav. X. 294 280
minus L. X. 294 287
molle Boiss. X. 292
molle *L.* X. 292
monspessulanum L. X. 294 278
montevidense Mart. X. 291
multicaule L. X. 294 283
multicaule Ten. X. 294 276
multipunctatum Brot. X. 294 283
neglectum Clark. X. 294
neglectum Spr. X. 274
Nuttallianum *Bth.* X. 592
ocymifolium Pourr. X. 294 288
odorum MB. X. 294 274
oppositiflorum Poir. X. 294 286
origanifolium L. X. 294 286
Orontium *L.* X. 290
β grandiflorum *Chav.* X. 290
Orontium abyssinicum Hochst. X. 592
Osyris Cyrill. X. 294 278
papilionaceum Burm. X. 294
parviflorum Jacq. X. 294 280
parviflorum W. X. 294 280
patens Thbg X. 294 264
pedunculatum L. X. 294 285
Pelisserianum L. X. 294 279
pilosum L. X. 294 267
pinifolium Poir. X. 294 276
pinnatum L. fil. X. 294 262
polygalaefolium Poir. X. 295 272
polygonifolium Poir. X. 295 283
porcinum Lour. X. 295
pubescens Pers. X. 295 284
pubescens Ten. X. 295 266
purpureum L. X. 295 278
pyramidale Vent. X. 295
pyramidatum Lam. X. 272
pyrenaicum Ram. X. 295 282
reflexum L. X. 295 284
repens L. X. 295 278
reticulatum Sm. X. 295 276
rhodium Boiss. X. 291
rytidospermum Fisch. & Mey. X. 295 287
sagittatum Poir. X. 295 271
saphirinum β Pers. X. 295 277
saxatile L. X. 295 284
scabrum Thbg X. 295 264
scariosum Lam. X. 295 267
sempervirens *Lapeyr.* X. 292
siculum *Ucria* X. 291

Antirrhinum
simplex W. X. 295
sparteum L. X. 295
speciosum Donn. X.
spinescens Viv. X.
spurium L. X. 295
striatum Lam. X.
strictum Sibth. & Sm
strumosum h. Banks
subalpinum Brot. X.
supinum L. X. 295
supinum Sibth. & Sm
tenellum Cav. X.
tenellum Pursh X.
tenue Viv. X. 295
Thuilleri Merat X.
thymifolium Vahl X.
tortuosum *Bosc.* X.
Tournefortii Poir. X
triornithophorum L.
triphyllum Cav. X.
triphyllum L. X.
triste L. X. 295 281
uniflorum Moç. & S
unilabiatum L. fil. X
versicolor Jacq. X.
versicolor L. X. 276
villosum L. X. 295
virgatulum Brot. X.
virgatum Poir. X.
viscosum L. X. 295
viscosum bot. mag.
Antistrophe *De. fil.* VI
oxyantha *De. fil.* VI
Antonia *Pohl* IX. 20
ovata *Pohl* IX. 21
pilosa *Hook.* IX. 21
pubescens Bong. IX.
ANTONIEAE *Endl.* IX
Antura Forst. VIII. 33
hadiensis Gmel. VIII
Anychia Mx. XIII. 2.
Aparinaria Schauer XI
Apenula Neck. VII. 48
APETALAE R. Br. X
Aphananthe Link XIII
celosioides Link XII
Aphanisma *Nutt.* XIII.
blitoides *Nutt.* XIII.
Aphanochilus Bth. XI

Aphanochilus Bth. XII
blandus Bth. XII. 1
eriostachyus Bth. XI
flavus Bth. XII. 160

. 161
XII. 161
. 162
i. XII. 160
XI. 280 295
i. XI. 301
[I. 302
[I. 299
. XI. 298
i. XI. 302
fees XI. 299
. XI. 728
k Kth. XI. 298
XI. 728
:ht. XI. 298
97
I. 301
302
KI. 296
XI. 298
:s XI. 296
I. 417
XI. 729
)00
302
–
303
–
ees XI. 296
& Mart. XI. 300
is XI. 297
XI. 364
XI. 301
XI. 299 728
Mart. XI. 297
)01
XI. 297
– 298
Perol. XI. 296
W. XI. 295
t. & Kth. XI. 295
– – 296
XI. 302
L. 728
ch XI. 302
echt. XI. 297
XI. 299
s XI. 296
XI. 300 728
– –
– –
fees XI. 300
KI. 295 728
– –
XI. 281

APHELANDREAE *Nees* XI. 48 279
Aphragmia Nees XI. 140
rotundifolia Nees XI. 141
Aphyllanthes Dalech. VII. 415
Apicum IX. 512
Aplocarya *Lindl.* XIII. 1. 4 18
divaricata *Lindl.* XIII. 1. 18
Apiolephium Cham. IX. 192
Apobassia De. fl. VIII. 198 (Bassia)
Apochlaena De. fl. VII. 423 (Codonopsis)
Apochoris *Duby* VIII. 67 668
pentapetala *Duby* VIII. 67
APOCYNACEAE *Lindl.* VIII. 317
Apocynea Bth. VIII. 446
viminea Wall. VIII. 626
APOCYNEAE Juss. VIII. 317 490
R. Br. VIII. 317
APOCYNEAE G. Don IX. 23
APOCYNEAE VINCEAE De. & Duby VIII. 317
Apocyno-Nerium L. VIII. 369
Apocynum *Tourn.* VIII. 439 564
Bauh. VIII. 616 *Burm.* VIII. 434 *Clus.* VIII. 547 *Col.* VIII. 525 *Pluk.* VIII. 394 *Thbg* VIII. 545
Acouci Aubl. VIII. 441 439
africanum Lour. VIII. 440
africanum &c. Commel. VIII. 519
africanum &c. Tourn. VIII. 498
agglomeratum *Poir.* VIII. 441 614
alternifolium *Lour.* VIII. 440
americanum &c. Comm. VIII. 392
americanum &c. Tourn. VIII. 566
androsaemifolium *L.* VIII. 439
β incanum *De. fl.* – –
arborescens &c. Burm. VIII. 407 557
canariense *Lam.* VIII. 441
cannabinum R. Br. VIII. 439
cannabinum *L.* VIII. 439
α glaberrimum *De. fl.* VIII. 439
β pubescens – – 440
cannabinum Mx. VIII. 440
cannabinum α Hook. VIII. 439
– – – *β Hook.* VIII. 440
citrifolium Descourt. VIII. 474
cordatum *Mill.* VIII. 440
cordatum Thbg VIII. 441 508
cordifolium *Ten.* VIII. 441
cotinifolium *Lam.* VIII. 441
cumanense W. VIII. 441
curassavicum &c. Prod. Parad. bat. VIII. 566
erectum Arrab. VIII. 441 512

Apocynum
erectum Pluk. VIII. 439
filiforme Thbg VIII. 441
foetidum Burm. VIII. 441
flor. fasciculatis Burm. VIII. 435
fol. oblongo Bauh. VIII. 498
frutescens Afz. VIII. 441 435
frutescens L. VIII. 441 435
fruticosum &c. Sloan. VIII. 453
hastatum Thbg VIII. 441 545
hirsutum &c. Pluk. VIII. 595
hypericifolium *Ait.* VIII. 440
indicum *Lam.* VIII. 441
Juventas Lour. VIII. 441
lanceolatum Thbg VIII. 441 508
latifolium Clus. VIII. 616
lineare L. VIII. 508
lineare Thbg VIII. 441 521
maculatum Descourt. VIII. 474
majus syriacum Cornut. VIII. 564
marianum &c. Pluk. VIII. 569
marylandicum &c. Ray. VIII. 567
minus indicum &c. Breyn. VIII. 530
minutum L. VIII. 441
minutum L. fil. VIII. 545
mucronatum Blanco VIII. 441
nervosum *Mill.* VIII. 441
obliquum Mill. VIII. 441 447
paniculatum Lam. VIII. 441 439
piscatorium Dougl. VIII. 439
platyanthum Salzm. VIII. 594
pubescens R. Br. VIII. 440
rectinerve Salzm. VIII. 603
repens Camer. VIII. 498
reticulatum h. Madr. VIII. 495
reticulatum *L.* VIII. 441
reticulatum Lour. VIII. 441
salicifolium Medik. VIII. 441 557
salicifolium *R. & Schult.* VIII. 441
scandens *Mill.* VIII. 441
scandens &c. Catesb. VIII. 450
scandens &c. Pluk. VIII. 530
scandens &c. Plum. VIII. 449
scandens africanum Par. batav. VIII. 530
scandens siliquis tomentosis Plum. VIII. 474
secundum &c. Clus. VIII. 498
sibiricum Pall. VIII. 440
speciosissimum Mill. VIII. 441
syriacum Clus. VIII. 536
syriacum hierosolymitanum Clus. VIII. 564
tiliaefolium Lam. VIII. 441
triflorum L. VIII. 441 508

Apocynum
umbellatum Aubl. VI
umbellatum Salzm. V
venetum Jacq. VIII.
venetum *L.* VIII. 44
villosum *Mill.* VIII.
viminale Bass. VIII.
viminale L. VIII. 44
vincaefolium *Burm.*
virginianum &c. Plu
virginianum &c. Ra
volubile fl. flum. VI
Apodotes Bth. XII. 88
Apolepsis *Hassk.* XI.
dispar *Hassk.* XI. 2
repanda *Nees* XI. 26
Aponosma Dc. fil. X.
Apophragma *Griseb.* I
tenuifolium *Griseb.*
Aposecos Bth. X. 204
Apoxyanthera Hochst.
Apteranthes *Mikan* VI
Gussoniana *bot. reg.*
APTOSIMEAE *Bth.* X.
Aptosimum *Burch.* X.
abietinum *Burch.* X.
depressum *Burch.* X
eriocephalum *E. Me*
indivisum *Burch.* X.
pumilum *Bth.* X. 34
tragacanthoides *E.*
viscosum *Bth.* X. 34
Aquaraquira Piso XII
Aquartia Dun. XIII. 1

Aquartia Jacq. XIII. 1
aculeata Jacq. XIII.
microphylla Lam. XI
tomentosa Lam. XIII
Aquifolii facie arbor &

Aquifolium indicum Ru
indicum fem.
Arachnida Theophrast

ARAGOACEAE G. D
Arapabaca Plum. IX.

Arauja *Brot.* VIII. 533
albens *G. Don* VIII.
angustifolia *Hook.*

calycina *Done* VIII.
megapotamica Don
sericifera *Brot.* VIII
undulata *Vis.* VIII.

m. VIII. 221
ntia. VIII. 224
II. 580
II. 581 *L.* VII.
I. 566 *Lam.* VII. 577
II. 583
84
II. 582
ink VII. 581
VII. 584
ea. VII. 581
. VII. 581
VII. 555
. VII. 581
& *Kth.* VII. 582
II. 585
d. VII. 586
. VII. 583
VII. 577
I. 583
. 581
. VII. 582
VII. 581
VII. 583
t. VII. 593
VII. 582
p. VII. 586
VII. 581
VII. 585
VII. 582
rt. VII. 587
Kth. VII. 582
t. VII. 587
pp. VII. 593
VII. 582
& *Kth.* VII. 582
ers. VII. 587
I. 587
VII. 582
VII. 581
ab. VII. 584
II. 585
VII. 583
a *Arn.* VII. 584
. 593
ens. VII. 581
a. VII. 587
I. VII. 581
ab. VII. 581
VII. 583
VII. 585
VII. 581
81

Arbutus
Unedo rubra Lodd. VII. 581
Unedo schizopetala Don VII. 581
Uva-ursi L. VII. 584
vernalis Poepp. VII. 594
xalapensis Andr. VII. 585
xalapensis *H. B. & Kth.* VII. 583
Arctophila Griseb. IX. 99 (Gentianæ)
Arctostaphylos *Gal.* VII. 584
alpina *Spr.* VII. 584
arguta *Zucc.* VII. 585
cordifolia *Lindl.* VII. 586
discolor *Dc.* VII. 585
glauca *Lindl.* VII. 586
glaucescens *H. B. & Kth.* VII. 584
Hookeri *G. Don.* VII. 584
mucronifera *Dc.* VII. 585
oaxana *Dc.* VII. 585
polifolia *H. B. & Kth.* VII. 585
pungens *H. B. & Kth.* VII. 584
tomentosa *Dougl.* VII. 585
β arguta *Dc.*
Uva-ursi *Spr.* VII. 584
Arcturus Blk. X. 244 (Celsiæ)
Ardisia *Sw.* VIII. 120, *Wall.* VIII. 91 *Ait.* VIII. 105 *Gaertn.* VII. 740 *Kth.* VIII. 119 *Torr. & Gr.* VIII. 123
acerosa Gaertn. VIII. 140 VII. 741
acuminata Spr. VIII. 121
acuminata W. VIII. 119
affinis Blum. VIII. 140 96
alternata Steud. VIII. 131
ambigua *Mart.* VIII. 122
Amherstiana *Dc. fil.* VIII. 131
anceps Blum. VIII. 128
anceps *Wall.* VIII. 126
angustifolia *Dc. fil.* VIII. 134
arborescens *Wall.* VIII. 131
arguta *Kth.* VIII 139
attenuata *Wall.* VIII. 131
avenis Blum. VIII. 96
bahamensis Dc. fil. VIII. 140 106
Barthesia Steud. VIII. 140 109
Basaal R. & Schult. VIII. 140 87
Blumii *Dc. fil.* VIII. 128
Boissieri *Dc. fil.* VIII. 129
bracteosa *Dc. fil.* VIII. 123
brasiliensis *Spr.* VIII. 137
breviflora *Dc. fil.* VIII. 122
canaliculata *Lodd.* VIII. 139
Capollina *Dc. fil.* VIII. 124
Cavanillesii R. & Schult. VIII. 133

Ardisia
cestrifolia *Kth.* VIII. 138
complanata *Wall.* VIII. 126
compressa *Kth.* VIII. 125
coriacea h. Bert. VIII. 122
coriacea *Sw.* VIII. 122
β Bertolina *De. fil.* VIII. 122
crenata bot. mag. VIII. 134
crenata Roxb. VIII. 135
crenulata Lodd. VIII. 134
crenulata *Vent.* VIII. 120
β *De. fil.* – 121
crispa *De. fil.* VIII. 134 670
β elegans – – – –
cubana *De. fil.* VIII. 120
Cumingiana *De. fil.* VIII. 136
cymosa Blum. VIII. 127
decipiens *De. fil.* VIII. 125
denticulata *Blum.* VIII. 134
distichа *De. fil.* VIII. 129
divaricata *R. & Schult.* VIII. 138
divergens *Roxb.* VIII. 130
Doca Hamilt. VIII. 126
Doma Wall. VIII. 129
domingensis W. h. VIII. 122
durifolia *Kth.* VIII. 138
elegans Andr. VIII. 135
elliptica *Thbg* VIII. 138
erythroxyloides *R. & Schult.* VIII. 140
escallonioides *Cham. & Schl.* VIII. 124
esculenta *Pav.* VIII. 123
eugeniaefolia *Wall.* VIII. 130
excelsa Ait. VIII. 140 106
excelsa De. fil. VIII. 106
ferruginea *Kth.* VIII. 133
floribunda *R. & Schult.* VIII. 139
floribunda *Wall.* VIII. 127
foetida *R. & Schult.* VIII. 123
fuliginosa *Blum.* VIII. 132
glabra *De. fil.* VIII. 135
glabrata *Blum.* VIII. 136
glandulosa Blum. VIII. 134
glandulosa Roxb. VIII. 140 91
grandiflora Wall. VIII. 129
grandifolia *De. fil.* VIII. 132
Hamiltonii *De. fil.* VIII. 122
humilis Blum. VIII. 130
humilis *Vahl* VIII. 129 670
α β γ *De. fil.* – –
hymenandra Wall. VIII. 140 91
japonica *Blum.* VIII. 135
β Belgorum *De. fil.* – –
japonica Morr. & Dcne VIII. 135
javanica *De. fil.* VIII. 130

Ardisia
Icara *Wall.* VIII.
laevigata *Blum.* VI
lanceolata Gaertn.
lanceolata *Roxb.* V
lateriflora *Sw.* VIII
latifolia R. & Schu
latifolia Sieb. VIII
latipes Mart. VIII
laurifolia h. Juss.
lentiginosa bot. reg.
lepidota *Kth.* VIII
Leschenaultii *De.*
Lhotskya De. fil. V
Lindleyana Dietr.
lineata *R. & Schult*
littoralis Andr. VI
lurida *Blum.* VIII.
luzonensis *Prest* V
macrocarpa *Wall.*
macrophylla *Blum.*
macrophylla Wall.
maculata *Poir.* VIII
marginata *Blum.* V
membranacea *Wall*
micrantha *Kth.* VI
microphylla *R. & Sc*
Missionis *Wall.* VI
β verticillata *De. fil.*
Missionis β Wall.
mollis Blum. VIII.
montana Gaertn. V
mucronata *Blum.* V
multiflora W. h. V
nana Hamilt. VIII.
neriifolia *Wall.* VI
β montana *De. fil.*
neriifolia β Wall.
nutans *De. fil.* VIII
oblonga *De. fil.* VI
obovata *Blum.* VIII
obovata Hamilt. VI
odontophylla Lindl.
odontophylla *Wall.*
oleracea Wall. VIII
orinocensis *Kth.* VI
ovata *Thbg* VIII. 1
oxyantha Wall. VI
oxyphylla *Wall.* VI
paniculata *De. fil.*
paniculata *Roxb.* V
parasitica *Sw.* VIII
parvifolia *R. & Sch*
pauciflora *Heyne* VI
β Wightiana *De. fil.*
γ cymosa –

...ll. VIII. 127
...ilt. VIII. 136
...Wall. VIII. 128
... fil. VIII. 135
...Blum. VIII. 140 85
...Dc. fil. VIII. 128
... Dc. fil. VIII. 128
...orr. & Gr. VIII. 124
...ill. VIII. 126
...Wall. VIII. 131
... fil. VIII. 138
...aertn. VIII. 140
...h. VIII. 125
...dd. VIII. 138
... VIII. 137
...n. VIII. 132
... VIII. 130
...l. VIII. 135
...etr. VIII. 126
...n. VIII. 129
...l. VIII. 137
...ers. VIII. 133
...loth VIII. 126
... Schult. VIII. 126
... Schult. VIII. 140
...is Dc. fil. VIII. 127
...Blum. VIII. 135
... VIII. 137
... VIII. 132 131
... VIII. 125
... VIII. 126
... Dietr. VIII. 140 91
...ertn. VIII. 140
... fil. VIII. 129
... Blum. VIII. 126
... Wall. VIII. 137
...n. VIII. 140 84
...Mart. VIII. 140 119
... VIII. 133
... Dc. fil. VIII. 133
... VIII. 121
... R. & Schult. VIII. 121
...s. VIII. 121
...ph. VIII. 129
...ll. VIII. 129
...r. VIII. 138
... VIII. 137
...rael VIII. 128
...ll. VIII. 136
...n. VIII. 140 85
...n. VIII. 127
...r. & Gr. VIII. 140
... VIII. 140 119
...s VIII. 138

Ardisia
tinifolia *Sw.* VIII. 124
tomentosa *Presl* VIII. 132
Tzjeriam-Cottam R. & Schult. VIII. 140 87
tuberculata *Wall.* VIII. 130
turbacensis *Kth.* VIII. 125
umbellata Roxb. VIII. 129
verrucosa *Presl* VIII. 128
vestita *Wall.* VIII. 136
villosa *Roxb.* VIII. 136
β mollis *Dc. fil.* – –
villosa Wall. VIII. 136
viridiflora Blum. VIII. 140 88
Wallichii *Dc. fil.* VIII. 137
Wightiana Wall. VIII. 129
Zollingeri *Dc. fil.* VIII. 670
ARDISIACEAE Juss. VIII. 75
ARDISIACEAE THEOPHRASTEAE Bartl. VIII. 144
ARDISIACEAE THEOPHRASTEAE Reich. VIII. 144
ARDISIEAE *Dc. fil.* VIII. 89
ARDISIEAE Dc. fil. VIII. 82
Arduinia (Arduina) *L.* VIII. 331 334
Dc. fil. VIII. 334 675 (Carissa)
acuminata E. Mey. VIII. 335
bispinosa L. VIII. 334
bispinosa Lodd. VIII. 335
erythrocarpa Eckl. VIII. 335
ferox E. Mey. VIII. 335
grandiflora E. Mey. VIII. 335
haematocarpa Eckl. VIII. 336
macrocarpa Eckl. VIII. 336
Aretia Gaud. W. Nees VIII. 45 *L.* VIII. 47 *Duby* VIII. 47 (Androsace)
Hallgri L. VIII. 51
longiflora Roch. VIII. 668
Vitaliana W. VIII. 46
Argania *R. & Schult.* VIII. 186
Sideroxylon *R. & Schult.* VIII. 187

Argel VIII. 533
Argelia Dcne VIII. 533
Argophyllum *Forst.* VII. 578
ellipticum *Labill.* VII. 578
nitidum *Forst.* VII. 578
Argusia Amm. IX. 514
Arguzia Dc. IX. 514 (Tournefortia)
Argylia *D. Don* IX. 234
adscendens *Dc.* IX. 235
canescens *D. Don* IX. 235
Feuillei *Dc.* IX. 235
geranioides *Dc.* IX. 235
potentillaefolia *Dc.* IX. 235

Argylia
puberula *Dc.* IX. 235
radiata Don IX. 235
radiata Endl. IX. 235
trifoliata *Dc.* IX. 236
uspallatensis *Dc.* IX. 235
ARGYLIEAE Endl. IX. 203
Argyreia *Lour.* IX. 328
abyssinica *Chois.* IX. 332
acuta *Lour.* IX. 333
aggregata *Chois.* IX. 333
ampla *Chois.* IX. 331
arborea *Lour.* IX. 333
argentea *Chois.* IX. 330
barbigera *Chois.* IX. 332
bona nox Sweet IX. 334 326
bracteata *Chois.* IX. 328
capitata *Chois.* IX. 332
β conferta – – –
courtallensis Wight IX. 329
cuneata *bot. reg.* IX. 330
cymosa *Sweet* IX. 333
elliptica *Chois.* IX. 330
festiva Wall. IX. 333
fulgens *Chois.* IX. 329
Guichenotii *Chois.* IX. 331
hirsuta *Wight & Arn.* IX. 330
lanceolata *Chois.* IX. 331
Leschenaultii *Chois.* IX. 329
malabarica *Chois.* IX. 331
mollis *Chois.* IX. 331
nellygherya *Chois.* IX. 329
nitida *Chois.* IX. 331
obtusifolia *Lour.* IX. 333
ornata Sweet IX. 334 326
osyrensis *Chois.* IX. 331
pallida *Chois.* IX. 330
pilosa *Wight & Arn.* IX. 330
pomacea *Chois.* IX. 329
populifolia *Chois.* IX. 329
Roxburghii *Chois.* IX. 330
rubicunda *Chois.* IX. 333
setosa *Chois.* IX. 332
speciosa *Sweet* IX. 328
splendens *Sweet* IX. 329
tomentosa *Chois.* IX. 333
β cordata – – –
uniflora Sweet IX. 334 326
venusta *Chois.* IX. 330
Wallichii *Chois.* IX. 331
ARGYREIEAE *Chois.* IX. 325
Armeria *W.* XII. 620 674
alliacea Ebel XII. 683
alliacea Griseb. XII. 677
alliacea Lois. XII. 683
alliacea Schousb. XII. 676

Armeria
alliacea vel denticula
alliacea Farenaria
alliacea β hirta Ebe
allioides *Boiss.* XII.
β flaccida –
alpina Ebel XII. 67
alpina Guss. XII. 6
alpina Ten. XII. 68
alpina Turcz. XII.
alpina *W.* XII. 680
alpina vel leucocepha
andicola Gay XII.
andina *Poepp.* XII.
β californica –
androsacea *Boiss.*
arctica *Wallr.* XII.
argyrocephala Wall
australis β splendens
baetica *Boiss.* XII.
β hirta –
γ stenophylla –
δ africana –
brachyphylla *Boiss.*
brevifolia Kze XII.
caespitosa *Boiss.* XI
campestris Wallr.
campestris var. Koch
campestris var. Link
canescens *Boiss.* XI
cariensis *Boiss.* XII
cephalotes bot. mag.
cephalotes Hoffm.
cephalotus Link XII
chilensis *Boiss.* XII
α curvifolia –
β brevifolia –
γ magellanica –
curvifolia Bert. XII.
denticulata *Bertol.*
denticulata Portens
dianthoides Horn.
Duriaei *Boiss.* XII.
elongata *Hoffm.* XII
β purpurea –
elongata littoralis
elongata var. pubes
expansa Wallr. XII

a *W.* XII. 675
a α pungens Ebel XII. 675
a β Mutel. XII. 687
Boiss. XII. 678
- 679
- -
Boiss. XII. 675
allr. XII. 676
ns Desf. XII. 689
ink XII. 684
en. XII. 689
a h. Schweiz. XII. 684
Boiss. XII. 687
allr. XII. 681
lla Wallr. XII. 685
XII. 676
ink XII. 679
Link XII. 681
rard XII. 679
allr. XII. 684
lia Ebel XII. 678
lia Gay XII. 684
lia Koch XII. 686
ia W. XII. 679
iss. XII. 686
a *Wallr.* XII. 679
loris XII. 687
V. XII. 684
ila Koch XII. 686
- 687
- -
- -
Boiss. XII. 676
Hoffm. & Link XII. 688
h. W. XII. 681
Desf. XII. 689
Link XII. 675
Cham. XII. 682
Boiss. XII. 688
Poepp. XII. 682
Lowe XII. 688
Boiss. XII. 685
Girard XII. 680
W. XII. 677
a *Wallr.* 676 677
- 677
- -
is Poepp. XII. 682
Vallr. XII. 683
ss. XII. 687
Wallr. XII. 686
Guss. XII. 685
irard XII. 688

Armeria
pinifolia *R. & Schult.* XII. 675
β glabra - -
plantaginea Boiss. XII. 676
plantaginea engl. bot. XII. 683
plantaginea *W.* XII. 683
β brachylepis - -
γ longibracteata - -
δ brachyphylla - -
ε leucantha - -
ζ scorzonerifolia - -
pubescens *Link* XII. 680
pubigera *Boiss.* XII. 678
β scotica - -
pubinervis *Boiss.* XII. 688
pungens *R. & Schult.* XII. 674
purpurea Koch XII. 681
rigida Wallr. XII. 683
rumelica *Boiss.* XII. 677
rusciconensis *Girard* XII. 680
sanguinolenta *Wallr.* XII. 683
sardoa *Spr.* XII. 684
scabra Kze XII. 682
scabra *h. W.* XII. 681
scabriuscula Kze XII. 682
scorzoneraefolia Ten. XII. 688
scorzonerifolia Balb. & Nocc. XII. 683
scorzonerifolia Link XII. 684
scorzonerifolia W. XII. 683
seticeps Reich. XII. 683
sibirica *Turcz.* XII. 678
sicula Heldr. XII. 685
Soleirolii Duby XII. 687
spinulosa *Boiss.* XII. 675
splendens *Boiss.* XII. 680
stenophylla Girard XII. 683
tenuis Balb. XII. 685
tenuis Wallr. XII. 678
trigonoides h. Berol. XII. 683
undulata *Boiss.* XII. 685
villosa *Girard* XII. 687
vulgaris W. XII. 681
vulgaris arctica Cham. XII. 680
vulgaris var. E. Mey. XII. 678
vulgaris c curvifolia Ebel XII. 682
vulgaris a elongata Ebel XII. 682
vulgaris elongata var. scabra Ebel XII. 681
vulgaris d. maritima Ebel XII. 678
Welwitschii *Boiss.* XII. 676
Armeriastrum Jaub. & Spach XII. 622
Armeriopsis Boiss. XII. 622 (Acantholimon)

Arnebia *Forsk.* X. 94
cephalotes *Dc. fil.* X. 96
cornuta *Fisch. & Mey.* X. 95
β tubiflora *Dc.* – –
γ decumbens – – –
echioides *Dc. fil.* X. 96
guttata *Bung.* X. 94
hispidissima *Dc.* X. 94
linearifolia *Dc.* X. 95
perennis *Dc. fil.* X. 95
tinctoria *Forsk.* X. 95
tingens *Dc. fil.* X. 96
Arnoglossum Dcne XIII. 1. 714 (Plantago)
Aromaria Bth. XII. 72 (Coleus)
Aroy Kakawatan VIII. 503
Aroy Katuk VIII. 609
Aroy Kikandal lalakkie VIII. 638
Aroy Krawatan VIII. 497
Aroy putjithayam VIII. 609
Aroy tjaputuhar VIII. 516
Arrabidaea *Dc.* IX. 183
acutifolia *Dc.* IX. 185
Agnus-castus *Dc.* IX. 183
Blanchetii *Dc.* IX. 186
candicans *Dc.* IX. 185
β latifolia – – 186
Clausseni *Dc. fil.* IX. 186
conjugata *Mart.* IX. 186
corchoroides *Dc.* IX. 183
desertorum *Dc.* IX. 185
fasciculata *Dc.* IX. 185
florida *Dc.* IX. 184
obovata *Dc.* IX. 185
Orbignyana *Dc.* IX. 184
platyphylla *Dc.* IX. 186
Pleei *Dc.* IX. 184
rosea *Dc.* IX. 185
Salzmanni *Dc.* IX. 183
β latifolia – – 184
Sego *Dc.* IX. 183
Sieberi *Dc.* IX. 186
subincana *Dc.* IX. 184
tuberculata *Dc.* IX. 184
virescens *Dc.* IX. 184
β farinosa – – 185
Arrayanmacho XI. 610
Arrhostoxylum *Mart.* XI. 102 209
acutangulum *Mart.* XI. 210
α glabrescens – –
β hirsutum – –
affine *Mart* XI. 212
β anomalum – –
album *Mart.* XI. 213
amplexicaule *Mart.* XI. 211
coccineum *Nees* XI. 217

Arrhostoxylum
costatum *Mart.* XI.
α latifolium –
α* –
β salicifolium –
curviflorum *Mart.*
α β
γ grandiflorum
formosum *Nees* XI.
fulgidum *Mart.* XI.
β γ –
glabrum *Mart.* XI.
Haenkeanum *Nees*
Hartwegianum *Nees*
inflatum *Nees* XI. 2
jussieuoides *Nees*
laxum *Nees* XI. 210
longiflorum *Mart.*
longifolium *Nees* X
microphyllum *Mart*
nitidum *Mart.* XI.
pedunculosum *Nees*
repens *Mart.* XI. 2
roseum *Mart.* XI.
rubrum *Nees* XI. 2
silvaccola *Mart.* X
α β –
splendidulum *Mart.*
subsessile *Mart.* X
α β –
terminale *Nees* XI.
violaceum *Nees* XI.
Willdenovianum *N*
Arsace Salisb. Bth. V
Artanema *Don* X. 34
angustifolium *Bth.*
fimbriatum *Don* X.
sesamoides *Bth.* X
Arthritica Duby VII
Arthrocnemum *Moq.*
ambiguum *Moq.* X
arbuscula *Moq.* X
Belangerianum M
bidens *Nees* XIII
caspicum *Moq.* X
fruticosum *Moq.*
β radicans
γ macrostachyum
δ glaucum
ε californicum
halocnemoides
indicum *Moq.* X
Arthrophyllum Bl.
comorense Bojer
madagascariense

292 (Antirrhinum)
ch X. 292
Mill. X. 292
EAE Lindl. VIII. 190
Dene VIII. 553
E R. Br. VIII. 190
E VERAE R. Br. VIII. 507
I. 561 523 556 634
Jacq. VIII. 556
Gmel. VIII. 571
III. 538
sh VIII. 567
eb. VIII. 571 622
Bradl. VIII. 659
. 571
. 524
. VIII. 571
VIII. 571 584
III. 567
Mx. VIII. 565
. VIII. 569
& Schult. VIII. 570
huegg. VIII. 569
e VIII. 572
VIII. 572 532
VIII. 546
VIII. 572
III. 538
III. 572 538
VIII. 572 557
II. 572
VIII. 572
. VIII. 572 611
VIII. 570
VIII. 572
. VIII. 586
VIII. 566
VIII. 566
II. 572 523
572 636
I. 572
II. 569
III. 565
VIII. 572 581
VIII. 572 522
III. 572
ae VIII. 572
ss. VIII. 544
VIII. 572 544
II. 572 517
II. 572 618
II. 565

Asclepias
Cornuti Dene VIII. 564
crassifolia h. Paris. VIII. 572
crassifolia L. VIII. 572
cretica Clus. VIII. 523
crispa L. VIII. 572 560
curassavica bot. reg. VIII. 568
curassavica L. VIII. 566
curassavica Lour. VIII. 572
cynanchoides W. h. VIII. 540
Daemia Forsk. VIII. 572 544
davurica W. VIII. 572
debilis Mx. VIII. 568
decumbens L. VIII. 567
Douglasii Hook. VIII. 564
echinata Roxb. VIII. 572 544
echinata Thonn. VIII. 544
elegans Arrab. VIII. 572
exaltata Muehl. VIII. 565
fascicularis Dene VIII. 569
filiformis L. VIII. 572
flore nigro C. Bauh. VIII. 525
floridana Lam. VIII. 572
foetida Cav. VIII. 572 518
fragrans Dene VIII. 571
fruticosa L. VIII. 572 557
fuscata W. VIII. 572 524
galioides Kth. VIII. 569
geminata Roxb. VIII. 572 621
gigantea L. VIII. 572 536
gigantea W. VIII. 535
glaucescens Kth. VIII. 565
gonocarpus Walt. VIII. 572
graminea Lam. VIII. 571
grandiflora L. fil. VIII. 519
hastata Bung. VIII. 572 549
herbacea Roxb. VIII. 536
hispida Arrab. VIII. 572 574
humistrata Walt. VIII. 565
hybrida Mx. VIII. 565
javanica &c. Burm. VIII. 611
javanica h. Burm. VIII. 628
iberica &c. Vaill. VIII. 524
incarnata bot. reg. VIII. 567
incarnata L. VIII. 567
α β Dene
incarnata L. h. Cliff. VIII. 567
incarnata Mx. VIII. 567
incarnata Walt. VIII. 523 568
lactifera L. VIII. 572 622 623
lanceolata Ives VIII. 572 522
lanceolata Walt. VIII. 568
laniflora Delil. VIII. 537
laniflora Forsk. VIII. 572 537
lanuginosa Kth. VIII. 564
lanuginosa Nutt. VIII. 523

Asclepias
laurifolia Mx. VIII. 567
laurifolia Pursh VIII. 568.
laurifolia Roxb. VIII. 572 506.
laxiflora *Dcne* VIII. 571
Linaria *Cav.* VIII. 570
Linaria W. VIII. 570
linearifolia Pav. VIII. 539
linifolia Kth. VIII. 570
longicornu *Bth.* VIII. 570
longifolia Mx. VIII. 572 522 569
longistigma Roxb. VIII. 572 505
lutea Mill. VIII. 572
macrantha Hochst. VIII. 558
marginata *Dcne* VIII. 566
maritima Raf. VIII. 567
melantha *Dcne* VIII. 570
mellodora *St. Hil.* VIII. 568
β minor – –
mexicana Cav. VIII. 570
microphylla Roxb. VIII. 572 536
Michauxii *Dcne* VIII. 569
monanthe Arrab. VIII. 572 584
montana Roxb. VIII. 573 623
multicaulis Arrab. VIII. 573 586
nervosa *Dcne* VIII. 568
nigra L. VIII. 573 525
nitida Arrab. VIII. 573 546
nivea Forsk. VIII. 573
nivea *L.* VIII. 566 565
nuda Schuh. & Thonn. VIII. 573 629
Nuttalliana Torr. VIII. 573 523
obovata *Ell.* VIII. 570
obtusifolia *Mx.* VIII. 565
obtusifolia β Torr. VIII. 570
odoratissima Roxb. VIII. 573 618
ovalifolia *Dcne* VIII. 567
pallida Roxb. VIII. 573 619
paniculata Bung. VIII. 512
parasitica Roxb. VIII. 637
parviflora Lecont. VIII. 570
parviflora R. & Schult. VIII. 573 526
parvifolia *Pursh* VIII. 568
patula Auch. VIII. 536
paupercula *Mx.* VIII. 568
paupercula Pursh VIII. 568 569
pedicellata Walt. VIII. 573 521
pendula Roxb. VIII. 636
perennis Walt. VIII. 568
periplocaefolia Pursh VIII. 567
phytolaccoides *Pursh* VIII. 565
pilosa Arrab. VIII. 573
polystachya *Walt.* VIII. 571
pratensis *Bth.* VIII. 568

Asclepias
procera Ait. VIII.
Pseudosarsa Roxb.
pubescens L. VIII
pulchella Roxb. V
pulchra Arrab. VI
pulchra Ehrh. VI
purpurascens *L.* V
purpurascens Wa
purpurascens W.
purpurea Pall. V
quadrifolia *Pursh*
β lanceolata *Dcne*
quinqueflora Arra
racemosa Roxb. V
radians Forsk. VI
rosea *Kth.* VIII.
rosea Roxb. VIII.
rubra *L.* VIII. 56
rubra Sievers VIII
rubricaulis *H. B.*
scandens P. B. V
setosa *Bth.* VIII.
setosa Forsk. VII
sibirica L. VIII.
sibirica Mart. VI
singularis Arrab.
speciosa *Torr.* VI
spinosa Arrab. V
spiralis Forsk. V
stellata Burm. VI
stipitacea Forsk.
suaveolens Lecont
suberosa Roxb. V
subulata *Dcne* VI
subulata Forsk. V
Sussuela Roxb. V
syriaca L. VIII.
tenacissima Roxb.
tenuiflora Roxb. V
tenuissima Roxb.
tetrapetala Denn.
tinctoria Roxb. V
tingens Hamilt. V
tomentosa Thonn.
truncata Roxb. VI
tuberosa *L.* VIII.
α Dcne –
tuberosa Mx. VIII
tunicata Roxb. VI
umbellata *Arrab.*
undulata L. VIII.
Vanilla *Raf.* VIII.
variegata *L.* VIII.
α Dcne –
variegata Walt. V

look. VIII. 567
VIII. 569
cne VIII. 569
– – 570
Lx. VIII. 569
VIII. 566
VIII. 573 602
VIII. 573
VIII. 573
fl. dan. VIII. 524
VIII. 570
ursh VIII. 573 522
xb. VIII. 573
obovata Torr. VIII. 570
. VIII. 573 521
eruc. VIII. 539
VIII. 573 639
xb. Koen. VIII. 573 611
rm. h. VIII. 628
iea &c. Ray XI. 518
CEAE Reich. IX. 466
E L. IX. 466
n. X. 145
. X. 146 49
furr. X. 146 28
L. X. 146
n–Cours X. 146
E. Mey. VIII. 555
Mey. VIII. 555.
E. Mey. VIII. 555
m E. Mey. VIII. 555
Mart. & Zucc. VIII. 396
t. VIII. 397
Dc. fil. VIII. 396
fil. VIII. 398
. fil. VIII. 398
Dc. fil. VIII. 397
c. fil. VIII. 676
Mart. VIII. 397
o VIII. 397
VIII. 396
Dc. fil. VIII. 397
c. fil. VIII. 399
Dc. fil. VIII. 397
Mart. VIII. 397
Mart. VIII. 397
Mart. VIII. 397
Mart. VIII. 396
Dc. fil. – –
fil. VIII. 399
ke & Sol. IX. 26
Banks & Sol. IX. 27.
Dene VIII. 507

Astephanus *R. Br.* VIII. 507
arenarius *Dene* VIII. 507
badius *E. Mey.* VIII. 508
Berterii *Spr.* VIII. 508
cernuus *Dene* VIII. 507.
cordatus *R. Br.* VIII. 508
cubensis *H. B. & Kth.* VIII. 508
fruticosus E. Mey. VIII. 508
geminiflorus *Dene* VIII. 508
lanceolatus *R. Br.* VIII. 508
linearis *R. Br.* VIII. 508
marginatus *Dene* VIII. 508
Massoni R. Br. VIII. 509
mucronatus Schlecht. VIII. 509 604
ovatus *Dene* VIII. 507
pauciflorus *E. Mey.* VIII. 508
triflorus *R. Br.* VIII. 508
Asteracantha *Nees* XI. 222 247 726
auriculata *Nees* XI. 248
β glabrata – – –
longifolia *Nees* XI. 247 726
longifolia Hochst. XI. 248
macracantha Hochst. XI. 248
ASTERANTHEAE Reich. VII. 550
Asteranthos *Desf.* VII. 551
brasiliensis *Desf.* VII. 551
Asterias Borkh. IX. 86 *Ren. Griseb.* IX. 86 (Gentiana)
hybrida Don. IX. 87
lutea Borkh. IX. 86
Asterolinum *Link. & Hoffm.* VIII. 68
Linum-stellatum *Link. & Hoffm.* VIII. 68
Asterostemma *Dene* VIII. 613
repandum *Dene* VIII. 613
Asterotrichetum Dun. XIII. 1. 282 (Solanum)
Astianthus *D. Don* IX. 177
longifolius *Don* IX. 177
Astragalus setifer Dc. XIII. 2. 218
Astrephia chinensis Dufr. XIII. 2. 455
Astrodon Bth. XII. 528 (Leucas)
Astroloma *R. Br.* VII. 739
Baxteri *A. Cunn.* VII. 739
compactum *R. Br.* VII. 739
denticulatum *R. Br.* VII. 739
humifusum *R. Br.* VII. 738
pallidum *R. Br.* VII. 739
prostratum *R. Br.* VII. 738
tectum *R. Br.* VII. 739
Astrophe Dc. fil. VIII. 111 (Bulsia)
Asystasia *Blum.* XI. 100 163 724 *Nees* XI. 103
Blumei *Nees* XI. 167
Bojeriana *Nees* XI. 166
β decipiens

Asystasia
calycina Nees XI. 167 168
capensis *Nees* XI. 167
chelonoides *Nees* XI. 164
β γ δ – –
comorensis *Boj.* XI. 166
β humilis – 167
coromandeliana *Nees* XI. 165
α α* β β* γ – –
γ* variabilis – –
δ tomentosa – –
denticulata *Nees* XI. 164
intrusa Blum. XI. 167
intrusa *Nees* XI. 166
Kunthiana *Nees* XI. 163
macrocarpa *Nees* XI. 163
β alba – 164
Neesiana *Wall.* XI. 164
β minor – –
nemorum *Nees* XI. 167
Panichanga *Nees* XI. 167
pauciflora Nees XI. 103
plumbaginea *Nees* XI. 164
quaterna *Nees* XI. 166 724
Spec. Boj. XI. 167
Atelandra Bth. XII. 566 (Hemigenia)
Atelandra Lindl. XII. 565 566
incana Lindl. XII. 566
polystachya Lindl. XII. 566
Atelianthus veronicoides Nutt. X. 455
Atequedo Leschen. XI. 386
Athenaea Sendtn. XIII. 1. 458 686 (Withania)
anonacea Sendt. XIII. 1. 463
hirsuta Sendt. XIII. 1. 463
Martiana Sendt. XIII 1. 462
micrantha Sendt. XIII. 1. 460
picta Sendt. XIII. 1. 458
pogogena Sendt. XIII. 1. 459
Pöhliana Sendt. XIII. 1. 461
Schottiana Sendt. XIII. 1. 462
Atherandra *Dene* VIII. 497
acuminata *Dene* VIII. 497
acutifolia *Dene* VIII. 497
Atherocephala *Dc.* VII. 755
Drummondi *Dc.* VII. 755
Athlianthus Endl. XI. 384 402
Athruphyllum Lour. VIII. 92
lineare Lour. VIII. 94
Atriplex *Gaertn.* XIII. 2. 44 90
Tourn. XIII. 2. 90 106
Nees XIII. 2. 92
acuminata W. & Kit. XIII. 2. 90
alba Crantz XIII. 2. 105 71
alba Balb. h. XIII. 2. 91

Atriplex
alba Scop. XIII. 2.
albicans Ait. XIII.
albicans Bess. XIII.
albicans W. XIII. 2
amarantoides Gmel.
ambrosioides Crantz
angustifolia Sm. XI
angustifolia b. angust
anthelmintica Crantz
arenaria Nutt. XIII.
arenaria Tineo XIII.
argentea Nutt. XIII.
argentea Schrad. XI
aristata Crantz XII
astracanica Balb. X
astracanica *Lag.* XI
Aucheri *Moq* XIII.
australasica *Moq.* XI
axillaris Ten. XIII.
bengalensis Lam. XI
Berlandieri Moq.
Besserianum R. &
Bocconi *Guss.* XIII.
bonus Henricus Cr
Botrys Crantz XIII.
californica *Moq.* XII
calotheca *Rafn. &*
β macrotheca XIII. 2
γ microthera – –
campestris Koch & Z
campestris Merat XI
cana *Moq.* XIII. 2.
canescens Nutt XII
canum C. A. Mey.
capensis *Moq.* XIII.
chilensis *Colla* XIII.
cinerea *Poir.* XIII.
β elasagnoides – –
coriacea Delil. XIII
coriacea Forsk. XIII
coriaceum Raddi XII
crassifolia *Moq.* XII
crassifolium C. A.
cristata Heyne XIII.
cristata H. & Bonpl.

:III. 2. 105 109
M. XIII. 2. 105 116
Schult. XIII. 2. 99
s. XIII. 2. 95
. XIII. 2. 97
:III. 2. 105
. 2. 93
Moq. XIII. 2. 100
Kar. & Kir. XIII. 2. 100
. 2. 93
q XIII. 2. 102
q. XIII. 2. 101
XIII. 2. 103
II. 2. 95
. XIII. 2. 103
III. 2. 98
rt. XIII. 2. 103
rt. XIII. 2. 103
III. 2. 97
III. 2. 92
XIII. 2. 105 112
XIII. 2. 94
:III. 2. 105 72
2. 105 108
. XIII. 2. 103
es XIII. 2. 103
ley. XIII. 2. 96 – 97
III. 2. 95
. 2. 105 108
II. 2. 105
III. 2. 102
. XIII. 2. 100
XIII. 2. 94
. XIII. 2. 105
XIII. 2. 100
. 2. 100 461
III. 2. 101
III. 2. 98
XIII. 2. 105 110
ata Nees XIII. 2. 101
III. 2. 94
2. 94 460
– –
– –
– –
– –
– –
Moq. XIII. 2. 94
Schum. XIII. 2. 94

Atriplex
Hermanni Willem. XIII. 2. 90
heterophylla Nutt. XIII. 2. 105 112
hortensa R. & Schult. XIII. 2. 91
hortensis *L.* XIII. 2. 91
β bengalensis – – –
γ rubra *L.* – – –
δ obtusifolia – – –
ε microsperma *Moq.* – – –
hortensis-rubra Lasch XIII. 2. 91
hybrida Crantz XIII. 2. 105 66
hymenotheca *Moq.* XIII. 2. 101
hypoleucum Nees XIII. 2. 100
incana *Dietr.* XIII. 2. 103
incisa MB. XIII. 2. 93
isatidea Moq. XIII. 2. 101
β brachytheca – – –
Koenigii Wall. XIII. 2. 105 109
lacera Desf. XIII. 2. 94
laciniata *L.* XIII. 2. 93
α incisa *Moq.* – – –
β recurva – – –
γ pinnata – – –
δ dilatata – – –
ε turcomanica – – –
ζ integra – – –
laciniata Pursh XIII. 2. 93
laciniata americana Torr. XIII. 2. 93
laciniatum R. & Schult. XIII. 2. 93
laeve C. A. Mey. XIII. 2. 98
laevis *Moq.* XIII. 2. 98
Lampa Gillies XIII. 2. 105 110
latifolia Wahlenb. XIII. 2. 94
latifolia β microcarpa Koch XIII. 2. 95
latifolia var. salina Koch XIII. 2. 95
lenticulare C. A. Mey. XIII. 2. 105 107
lenticularis *Tausch* XIII. 2. 103
Lindleyi *Moq.* XIII. 2. 100
linifolia M. & Bonpl. XIII. 2. 106 114
littoralis *L.* XIII. 2. 96 460
β serrata *Moq.* – – –
γ angustissima *Moq.* – –
littoralis β inappendiculata Moq. XIII. 2. 95 96
littoralis δ mixta Moq. XIII. 2. 95
lucida hort. XIII. 2. 90
lucida Moench XIII. 2. 106 107
lunulata Delil. XIII. 2. 99

Atriplex
macrantha *Schrad.* VIII. 2. 105
macrodira *Guss.* XIII. 2. 103
macrothecum h. Erf. XIII. 2. 94
marina Pers. XIII. 2. 96
maritima Crantz XIII. 2. 106 161
micrantha *Moq.* XIII. 2. 94
micranthum Kar. & Kir. XIII. 2. 90
micranthum C. A. Mey. XIII. 2. 94
microphylla *W.* XIII. 2. 104
microsperma hort. XIII. 2. 91
microsperma W. & Kit. XIII. 2. 95
microtheca *Moq.* XIII. 2. 91
mollis *Desf.* XIII. 2. 99
montevidense Spr. XIII. 2. 106 113
montevidensis Moq. XIII. 2. 106 113
Moquiniana *Webb* XIII. 2. 97
mucronata Raf. XIII. 2. 106 107
multifida Crantz XIII. 2. 106 80
multifida Desf. XIII. 2. 94
muralis Crantz XIII. 2. 106 69
muricata H. & Bonpl. XIII. 2. 106 109
nitens *Rebent.* XIII. 2. 90 460
nitens Schk. XIII. 2. 90
nummularia *Lindl.* XIII. 2. 460
oahuensis Meyen XIII. 2. 106 71
oblonga *h. Erf.* XIII. 2. 105
oblongifolia Host XIII. 2. 95
oblongifolia W. & Kit. XIII. 2. 96
obovata *Moq.* XIII. 2. 99
obtusa *W.* XIII. 2. 104
ocymifolium Viv. XIII. 2. 106 111
odorata Pers. XIII. 2. 106 89
Olivieri *Moq.* XIII. 2. 91
β dentata *Moq.* – – 92
oppositifolia Dc. XIII. 2. 95
paludosa *R. Br.* XIII. 2. 102
β obovata – – –
γ Baudini – – –
parvifolia H. B. & Kth. XIII. 2. 106 110
parvifolia *Lowe* XIII. 2. 99
patula *L.* XIII. 2. 95
β microcarpa *Koch* XIII. 2. 95
γ mixta – – –
δ obtusa *Cham.* – – –
ula α genuina Godron XIII. 2. 94 95

Atriplex
patula β heterosperm
patula β inappendicu
patula γ farinosa
patula γ microsperm
patula δ oppositifol
patula ε parvifolia
patula var. salina
pedunculata L. XIII
pedunculatum R. &
peruviana *Moq.* XIII
Pharaonis h. Avign.
philippica *Weinm.* X
Piqueres Lag. XIII.
platysepala *Guss.* X
plebeja *Carmich.* XI
polygama Sessé XIII
polymorpha Coss. X
polymorpha var. las
polysperma Crantz
polysperma Ten. XII
portulacoides L. XII
portulacoides var. an
lasi
procumbens *Less.* X
prostrata Bouch. XI
prostrata *R. Br.* XII
pruinosa Sieb. XIII.
Pumilio *R. Br.* XIII.
Purshiana *Moq.* XIII
ramosissima Nutt.
recurva Durv. XIII.
reniformis *R. Br.* X
repens *Roth* XIII. 2
rosea *L.* XIII. 2. 92
β alba *Dc.* – – –
γ crassifolia *Moq.* X
δ parvifolia *Moq.*
rotundifolia Domb.
ruberrima hort. XII
rubra hort. XIII. 2
rubra Crantz XIII.
ruderalis Wallr. XI
Sackii Rosth. & Sch

-kh. XIII. 2. 90
-g. XIII. 2. 106 114
XIII. 2. 104
XIII. 2. 96
-ats XIII. 2. 106 130
R. Br. XIII. 2. 97
h. Vindob. XIII. 2. 97
-ats XIII. 2. 106 66
-. XIII. 2. 96
-III. 2. 106 107
& Schult. XIII. 2. 106 107
XIII. 2. 104
- Schult. XIII. 2. 104
-. XIII. 2. 105
-rh. XIII. 2. 91
-. XIII. 2. 106 115
-h. XIII. 2. 96
-XIII. 2. 96
- - -
-orr. XIII. 2. 93
-um R. & Schult. XIII. 2. 93
-inco XIII. 2. 104
W. XIII. 2. 95
-a Turcz. XIII. 2. 93
-ats XIII. 2. 106 69
XIII. 2. 91
XIII. 2. 105
Moq. XIII. 2. 98
MB. XIII. 2. 106 112
-n R. & Schult. XIII. 2. 106 112
-in. XIII. 2. 95
-h XIII. 2. 97
-p. XIII. 2. 94
-ats XIII. 2. 106 71
. XIII. 2. 90
Cranis XIII. 2. 106 64
Halimus C. A. Mey. XIII. 2. 114
Obione C. A. Mey. XIII. 2. 107
Obione & Halimus A. Mey. XIII. 2. 106
Thelesphyton Hook. fil. XIII. 2. 115
- Juss. XIII. 2. 2 41
-E C. A. Mey. XIII. 2. 88.
Moq. XIII. 2. 89
-oq. XIII. 2. 107 (Obione)

Atropa L. XIII. 1. 5 464 453 465
L. W. XIII. 1. 496 L. Poir. XIII. 1. 453 455 Auct. XIII. 1. 468 Georgi XIII. 1. 552 555 Cav. XIII. 1. 429 Gouan XIII. 1. 9.
acuminata Royl. XIII. 1. 490
arborea h. W. XIII. 1. 497
arborescens h. XIII. 1. 497
arborescens R. & Schult. XIII. 1. 498
arenaria W. XIII. 1. 465 480
aristata Poir. XIII. 1. 456
aspera R. & Pav. XIII. 1. 465 470
Belladonna L. XIII. 1. 464
β minor - - -
γ bohemica - - 465
bicolor R. & Pav. XIII. 1. 465 470
biflora R. & Pav. XIII. 1. 465 470
biflora Spr. XIII. 1. 465
caule fruticoso &c. Plum. XIII. 1. 498
caule &c. Scop. XIII. 1. 556
dentata Spr. XIII. 1. 465 432
dependens Hook. XIII. 1. 465 472
erecta Zucc. XIII. 1. 465 430
flexuosa W. XIII. 1. 465
frutescens L. XIII. 1. 457
glandulosa Hook. XIII. 1. 465 472
herbacea Mill. XIII. 1. 465
hirsuta Meyen XIII. 1. 465 473
hirtella Spr. XIII. 1 471
humifusa Gouan XIII. 1. 10
Mandragora L. XIII. 1. 466
Mandragora Sartor. XIII. 1. 467
Mandragora fem. Balb. XIII. 1. 466
Mandragora mas Balb. XIII. 1. 466
Mandragora α. W. XIII. 1. 466
Mandragora β W. XIII. 1. 466
origanifolia Desf. XIII. 1. 475
physaloides L. XIII. 1. 465 434
plicata Roth XIII. 1. 465 431
procumbens Cav. XIII. 1. 465 431
punctata Spr. XIII. 1. 495
ramosissima Mathews XIII. 1. 465 473
reposita Dietr. XIII. 1. 469
rhomboidea Hook. XIII. 1. 475
Rothii Poir. XIII. 1. 465 431
sideroxyloides W. XIII. 1. 501
solanacea L. XIII. 1. 160

Atropa
spinosa Meyen XIII. 1. 465 494
umbellata R. & Pav. XIII. 1. 465 469
umbellata Roth XIII. 1. 465 431
villosa Zucc. XIII. 1. 465 430
viridiflora H. B. & Kth. XIII. 1. 465 469
No. 456 *Pav.* XIII. 1. 474
ATROPINEAE *Dun.* XIII. 1. 5 464
Atropo XIII. 1. 354
Audibertia *Bth.* XII. 260 358 175
grandiflora *Bth.* XII. 359
humilis *Bth.* XII. 359
incana *Bth.* XII. 359
nivea *Bth.* XII. 359
polystachya *Bth.* XII. 360
spinulosa Nutt. XII. 359
stachyoides *Bth.* XII. 359
Aulaya *Harv.* X. 507 523
capensis *Harv.* X. 524
grandiflora *Bth.* X. 523
obtusifolia *Bth.* X. 523
pauciflora *Bth.* X. 524
purpurea *Bth.* X. 523
scarlatina *Bth.* X. 524
squamosa *Harv.* X. 524
Aureliana Sendtn. XIII. 1. 404
fasciculata Sendt. XIII. 1. 408
glomuliflora Sendt. XIII. 1. 405
lucida Sendt. XIII. 1. 406
α tomentella *Sendt.* XIII. 1. 407
tomentosa Sendt. XIII. 1. 409
velutina Sendt. XIII. 1. 410
Auricula Tourn. Duby VIII. 37 (Primula)
Auzuba Ovied. VIII. 184
Avicennia *L.* XI. 698
africana *P. B.* XI. 699
alba Blum. XI. 700
elliptica Thbg XI. 700
intermedia Griff. XI. 700
Meyeri Miq. XI. 699
nitida *Jacq.* XI. 699
officinalis *L.* XI. 700
resinifera Forst. XI. 700
tomentosa R. Br. XI. 700
tomentosa *Jacq.* XI. 699
tomentosa F. W. Mey. XI. 699
AVICENNIEAE *Meisn.* XI. 525 698
Avicularia Gessn. VII. 489
Axyris *L.* XIII. 2. 44 116 120
amarantoides *L.* XIII. 2. 116
β humifusa *Moq.* – – –
ceratoides L. XIII. 2. 117 120

Axyris
hybrida *L.* XIII. 2. 11
Moorcroftiana *R. Br.* X
pentandra *Jacq.* XIII.
prostrata *L.* XIII. 2. 1
sphaerosperma *Fisch.* &
α humilis *Fisch.* & *Me*
β elatior –
triflora Moench XIII.
villosa *Moq.* XIII. 2.
Aylmeria Mart. XIII. 2.
Azalea *Desv.* VII. 715 *G*
714 *L.* VII. 714 *Auc*
Adam
alba Blum. VII. 719 7
arborea L. VII. 718
arborescens *Pursh* VII
bicolor *Pursh* VII. 71
calendulacea *Mx.* VII.
α croces *Sims* –
β flammea *Ker* –
γ cuprea *Lodd.* –
δ subcuprea *Lindl.* –
ε fulgida *Hook.* –
ζ lepida *Lindl.* –
η Stapletoniana *Lindl.* –
ι Morterii *De.* –
canescens *Mx.* VII. 71
celebica Blum. VII. 71
coccinea major Lodd.
decumbens *De.* VII. 7
fimbriata *Dum. Cours*
flava Hoffmans. VII. 7
fragrans Adams VII. 7
fragrans Raf. VII. 71
glauca *Lam.* VII. 716
hispida *Pursh* VII. 71
hybrida enneandra Lin
javanica Blum. VII. 7
indica L. VII. 719 72
indica alba Lindl. VII.
indica lateritia Lindl.
indica plena Sims VII
indica variegata Lindl
lapponica L. VII. 724
ledifolia Hook. VII. 71
ledifolia β phoenicea
lugens *Dum. Cours* VI
macrantha *Bunge* VII.
mollis *Blum.* VII. 718
mucronata Blum. VII.

...ea. VII. 719 715
... VII. 716
... VII. 718
VII. 716
...rt. VII. 716
...s. – –
...t. – –
...ld – –
– –
...a Dc. – –
– –
...t. – –
...Pursh – –
...Lindl. – –
...cinea Ait. VII. 717
...a. VII. 719 715
...Pers. VII. 716
...des Mx. VII. 716
VII. 714
VII. 718
...Dc. VII. 718
– – –
– – –
...landulacea Pers. VII. 717
...scens Gowen VII. 716
...L. VII. 719 715
...r. VII. 718
...m. Cours VII. 718
... VII. 719
...ia Burm. VII. 719 727
...ndl. VII. 719 728
...d. VII. 718
... VII. 717
...Dc. – –
– – –
...ranthia Ledd. VII. 717
...harot VII. 715
...m. VII. 719 725
VII. 715
...a. VII. 716
...glauca Ait. VII. 716
...ca Mx. VII. 716
... Cours VII. 718
VIII. 196
...a VIII. 196
...2

B.

IX. 260
...Dc. IX. 260
...343 401
...X. 401
...X. 401

Bactridium Salisb. Bth. VII. 637 795 (Erica)
Badula *Juss.* VIII. 107 *Pet. Thouars* VIII. 112
angustifolia Dc. fil. VIII. 112 84
arborea Pet. Thouars VIII. 84
Barthesia Bojer VIII. 109
Barthesia *Dc. fil.* VIII. 109
borbonica *Dc. fil.* VIII. 109
caribaea *Dc. fil.* VIII. 110
crassa *Dc. fil.* VIII. 109
cybianthoides *Dc. fil.* VIII. 107
divaricata Pet. Thouars VIII. 112 89
excelsa Pet. Thouars VIII. 113
insularis *Dc. fil.* VIII. 109
Lamarckiana *Dc. fil.* VIII 110
lanceolata Bojer VIII. 90
laurifolia *Bojer* VIII. 108
Lhotskyana *Dc. fil.* VIII. 111
micrantha Dc. fil. VIII. 112 84
multiflora *Dc. fil.* VIII. 109
myrtifolia Pet. Thouars VIII. 90
nemorosa Pet. Thouars VIII. 90
nigricans *Dc. fil.* VIII. 111
ovalifolia *Dc. fil.* VIII. 110
paludosa Bojer VIII. 113
pauciflora Bojer VIII. 90
peruviana *Dc. fil.* VIII. 111
philippinensis *Dc. fil.* VIII. 108
reticulata *Dc. fil.* VIII. 108
β macrophylla – – –
γ platyphylla – – –
scandens Bojer VIII. 84
Schomburgkiana *Dc. fil.* VIII. 110
β brasiliensis – – –
Sieberi *Dc fil.* VIII. 108
β coriacea – 109
Baea *Commers.* IX. 271 X. 586 *Pers.* X. 204
alata Pers. IX. 272 X. 211
Commersonii *R. Br.* IX. 271
hygrometrica *R. Br.* IX. 271
magellanica Lam. IX. 271
multiflora *R. Br.* IX. 272
plantaginea Pers. IX. 272 X 208
punctata Pers. IX. 272 X. 206
triandra Pers. IX. 272 X. 206
violacea Pers. IX. 272 X. 206
Wallichii *R. Br.* IX. 271
Baeolepis *Dene* XIII. 2. 216
nervosa *Dene* XIII. 2. 216
Baeobetrys Forst. VIII. 77. 79
acuminata Spr. VIII. 77
acuminata Wall. VIII. 82
Bogota Hamilt. h. VIII. 81

Baeobotrys
dubia Wall. VIII. 81
fragrans Wall. VIII. 77
fulvinervis Kollm. VIII. 82
glabra Roxb. VIII. 82
indica Hook. VIII. 79
indica Roxb. VIII. 80
indica Wall. VIII. 79 80
indica Wight. h. VIII. 80
lanceolata Blum. VIII. 78
lanceolata Vahl VIII. 78
lanceolata Wall. VIII. 81
latifolia Blum. VIII. 79
lucida Wall. VIII. 77
lutea Roxb. VIII. 82
macrophylla Wall. VIII. 81
Missionis Wall. VIII. 78
mollis Blum. VIII, 82
mollissima Blum. VIII. 81
Morsha Hamilt. h. VIII. 80
muscosa Blum. VIII. 78
nemoralis Kollm. VIII. 80
nemoralis Roxb. VIII. 79
nemoralis Vahl VIII. 79
nemoralis Wall. VIII. 79.
ovata Wall. VIII. 77
paniculata Wall. VIII. 78
pubescens Lodd. VIII. 82
ramentacea Roxb. VIII. 77
rufescens E. Mey. VIII. 81
tetrandra Roxb. VIII. 82
virgata Blum. VIII. 78
Baguetas IX. 253
Baissea *Dc. fil.* VIII. 424
multiflora *Dc. fil.* VIII. 424
Balangue *Gaertn.* VIII. 316
Gaertneri *Dc.* VIII. 316
Balata Aubl. VIII. 205
Balfouria *R. Br.* VIII. 403
saligna *R. Br.* VIII. 403
Ballel Rheed. IX. 349
Balloc wanasse XI. 519
Ballota Bth. XII. 520 (Ballota)
Ballota *Bth.* XII. 408 516 *L. Auct.* XII. 85 516 *L.* XII. 520 *Don* XII. 516
acetabulosa *Bth.* XII. 517
africana *Bth.* XII. 517
arabica Steud. XII. 522 524
Aucheri *Boiss.* XII. 518
borealis Schweig. XII. 520
cinerea Don XII. 522 516
discolor *Desf.* XII. 521
disticha L. XII. 522 456
disticha Rodsch. XII. 522 127
foetida Lam. XII. 520

Ballota
foliis cordatis Plum.
Forskalei *Bth.* XII.
hirsuta *Bth.* XII. 51
β hispida – –
hispanica Bth. XII.
integrifolia *Bth.* XII
italica *Bth.* XII. 519
lanata L. XII. 522
larendana *Boiss.* & *H*
limbata *Bth.* XII. 52
mauritiana Pers. XI
microphylla *Bth.* XI
mollissima *Bth.* XII.
nigra *L.* XII. 520
obliqua *Bth.* XII. 51
orientalis *Presl* XII.
parvifolia *Desf.* XII.
persica *Bth.* XII. 52
pilosa *Lour.* XII. 52
Pseudodictamnus *Bt*
royleoides *Bth.* XII.
rubra Schrad. XII.
ruderalis Spr. XII.
rugosa *Bth.* XII. 51
Russeliana *Bth.* XII.
saxatilis Guss. XII.
saxatilis *Sieb.* XII.
Schimperi *Bth.* XII.
sepium Paulet XII.
spinosa *Link* XII. 5
stachydiformis Hoc
suaveolens L. XII.
suaveolens Rodsch.
undulata *Bth.* XII.
urticaefolia *Ortm.*
vulgaris Link XII.
Bammatophyton Dc.

Banalia *Moq.* XIII. 2
brasiliana *Moq.* XI
occidentalis *Moq.*
thyrsiflora *Moq.* X
Baphorhiza Link Ba
Dc. fil. X
Bapilla XI. 533
Barberina Velloz VI
Dc. fil. VIII. 2
hirsuta Vell. VIII
lanceolata Mart.
phaeoclados Mart
revoluta Mart. V
Barbula Lour. XI.
Bargemontia *Gaud.*
peruviana *Gaud.*

512
VIII. 512
. 512
II. 512
223 247
XI. 240
XI. 726
XI. 234
9
243 IX. 240
I. 725
XI. 232
XI. 234
. XI. 248
XI. 243
XI. 231
XI. 239
. XI. 242
I. 241 (*bis*)
242
. XI. 243
s XI. 235
st. XI. 234
241
. 240
. XI. 229
XI. 230
. 228
229
243
. XI. 228
XI. 226
XI. 225 232
XI. 226
XI. 248
XI. 226
. XI. 229
. XI. 229
I. 240
229
XI. 229
r. XI. 229
. XI. 229
XI. 228
. XI. 225 228
Madr. XI. 227
XI. 241
XI. 228
225

Berleria

cuspidata *h. Madr.* XI. 239
Decaisniana *Nees* XI. 230
diacantha *Hochst.* XI. 238
diandra Heyne h. XI. 232
diandra Hochst. XI. 231
diandra Schlecht. XI. 231
dianthera h. Madr. XI. 494
dichotoma Hamilt. h. XI. 229
dichotoma *Roxb.* XI. 227
β – –
dichotoma Wall. XI. 228 229
discolor *Nees* XI. 224
eranthemoides *R. Br.* XI. 243
fasciculata Russel h. XI. 225
lissiflora *Bojer* XI. 238
flava *Jacq.* XI. 224
fol. integerrimis &c. L. XI. 237
gentianoides Desf. XI. 224
glabrata Vahl XI. 248
glandulosa Hochst. XI. 243
grandiflora R. Br. XI. 233
grandis *Hochst.* XI. 233
halimoides *Nees* XI. 231
hexacantha Moris XI. 247
hirsuta Jacq. XI. 243
hirsuta h. Madr. XI. 233
hirsuta *Nees* XI. 225
Hochstetteri *Nees* XI. 231
Hystrix h. Berol. XI. 237
Hystrix *L.* XI. 239
α rotundifolia – –
β oblongifolia – –
Hystrix Lam. XI. 242
inaequalis Hochst. XI. 262
involucrata *Nees* XI. 232
irritans *Nees* XI. 236
β – – –
laciniata *Nees* XI. 227
α β – – 228
Lichtensteiniana *Nees* XI. 235
longiflora *L.* XI. 235
longifolia L. XI. 247
lupulina *Lindl.* XI. 237 243 726
macracantha R. Br. XI. 248
Macraei Hook. h. XI. 232
macrostachya Bojer XI. 237
macrostegia *Nees* XI. 235
Meyeriana *Nees* XI. 230
micans *Nees* XI. 223
mitis Ker XI. 224
mollis *R. Br.* XI. 243
monostachya *Bojer* XI. 243
montana *h. Madr.* XI. 232 494
multiflora *Hassk.* XI. 243
myosurensis Roth XI. 240

Barleria
napalensis *Nees* XI. 228
β microphylla – – –
nitida *Jacq.* XI. 243
nitida *Nees* XI. 224
noctiflora Heyne h. XI. 239
noctiflora Hochst. XI. 240
noctiflora *L.* XI. 239
nuda *Nees* XI. 229
obovata Hamilt. XI. 241
obtusa *Nees* XI. 231
α β β* – –
oenotheroides Dum. Cours XI. 224
opaca *Nees* XI. 230
ovata *E. Mey.* XI. 230
ovata var. b. E. Mey. XI. 230
paniculata *h. Madr.* XI. 233
parviflora *R. Br.* XI. 243
pentandra *Arn.* XI. 232
β – 233
pilosa *h. Madr.* XI. 234
pilosa Wall. XI. 228
polystachya *Hook. h.* XI. 226
polytricha Bojer XI. 286
polytricha *Wall.* XI. 225
prinoides h. Monsp. XI. 229
Prionitis *L.* XI. 237 726
Prionitis Russel. h. XI. 239
procumbens *Lour.* XI. 243
pumila Hochst. XI. 372
pungens h. Berol. XI. 236
pungens Heyne h. XI. 225
pungens *L.* XI. 236
β macrophylla *L.* XI. 237
pungens Thbg XI. 236
pungens Wall. XI. 243 258
purpurea Lodd. XI. 232
pyramidalis Lam. XI. 243
racemosa h. Madr. XI. 234
racemosa Wall. XI. 253
ramosa Hamilt. XI. 240
repens *Nees* XI. 230
Richardiana *Nees* XI. 225
rigida Spr. VIII. 424
rigida *W. h.* XI. 242
rubra *Hamilt.* XI. 243
ruellioides Rottl. XI. 240
senegalensis *Nees* XI. 224
solanifolia *L.* XI. 242 726
α – –
β – 243
γ – 726
Solani foho &c. Plum. XI. 217 243
spicata *Roxb.* XI. 243

Barleria
spica-ceylanica *Nees*
spinicyma *Nees* XI. 24
spinosa Hook. h. XI.
spinosa Wall. XI. 24
stimulans *E. Mey.* XI
α micracantha –
β macracantha –
strigosa W. XI. 226
terminalis *Nees* XI. 2
tomentosa h. Madr. X
tomentosa *Roth* XI. 2
triacantha *Hochst.* XI.
trinervis Hamilt. h. X
trinervis Wall. XI. 2
trispinosa *Vahl* XI. 23
β microphylla – –
γ hirsuta – 23
uitenhagensis Hochst.
unilateralis Hamilt. h.
ventricosa *Hochst.* XI
venulosa Wall. XI. 22
No. 38 Perrot. XI. 82
BARLERIEAE *Nees* XI.
Barreliera cristata Bla
monostachya Bojer IX
Prionites Blanco XI.
Barrowia *Dene* VIII. 6
jasminiflora *Dene* VII
Barthesia Comm. VIII.
Bartonia Muehl. IX. 12
tenella Muehl. IX. 12
Bartsia *L.* X. 527 544 24 *Auct.*
abyssinica *Hochst.* X.
acuminata Pursh X.
alpina *L.* X. 544
bicolor Dc X. 548 5
breviflora *Bth.* X. 54
capensis Spr. X. 548
chilensis *Bth.* X. 547
coccinea L. X. 548 5
decurva *Hochst.* X. 5
densiflora *Bth.* X. 54
diffusa *Bth.* X. 546
Fagonii Lapeyr. X. 5
glauca Poir. X. 548
gracilis *Bth.* X. 548
gymnandra L. fil. X.
gymnandra Pursh XI
hispida *Bth.* X. 547
humilis Lapeyr. X. 5
imbricata Lapeyr. X.
inaequalis *Bth.* X. 54
laniflora *Bth.* X. 546
laticrenata *Bth.* X. 5

Sibth. & *Sm.* X. 548 542
Bth. X. 547
Hochst. X. 545
Pers. X. 548 543
ndes Bth. X. 548
a Bth. X. 546
lk. X. 548
Huds. X. 548 551
iflora Bth. X. 545
L. X. 548 551
Ux. X. 548
Pursh X. 532
a Charpent. X. 544
Bth. X. 545
th. X. 546
oides Bth. X. 546
a Walp. X. 547
lth. X. 546
Duby X. 548 542
oides Hochst. X. 548 543
efolia Bth. X. 546
pr. X. 549 [illegible]
a Stend. X. 549 550
Lam. X. 544
th. X. 547
a Bth. X. 547
Pursh X. 536
pr. X. 549 557
L. X. 549 543
Pers. X. 549 543
L. X. 549 543
eed. VIII. 83 87
eed. XIII. 2. 221 222
XIII. 2. 224 *L.* XIII. 2. 219 *Lam.* XIII. 2. 229
XIII. 2. 223
Hassk. XIII. 2. 223
Blum. – – –
a Lam. XIII. 2. 223
ia Wight XIII. 2. 223
t. & *Pac.* XIII. 2. 224 226
R. & *Pav.* XIII. 2. 224 227
na Moq. XIII. 2. 224 225
Burm. XIII. 2. 224
lanco XIII. 2. 224
XIII. 2. 224
a H. B. & *Kth.* XIII. 2 224 226
ur. XIII. 2. 223
H. B. & *Kth.* XIII. 2. 224 227
a W. XIII. 2. 224 227
lacq. fil. XIII. 2. 223
m. XIII. 2. 223

Basella
rubra *L.* XIII. 2. 222
β virescens – – –
trifida W. XIII. 2. 224 227
tuberosa H. B. & *Kth.* XIII. 2. 224
vesicaria Lam. XIII. 2. 224 230
BASELLACEAE *Moq.* XIII. 2. 220 462
BASELLACEAE SECT. ANREDERAE Moq. XIII. 2. 226
BASELLEAE *Moq.* XIII. 2. 221 222
BASELLEAE A. Brogn. XIII. 2. 220
Basilicum agreste Rumph XII. 38
citratum Rumph XII. 33
indicum Rumph XII. 33
Basseporte XIII. 1. 626 662
Bassia *Koen.* VIII. 197 *All.* XIII. 2. 134
Blancoi *De. fil.* VIII. 199
butyracea *Roxb.* VIII. 198
cuneata *Blum.* VIII. 199
dubia *Gaertn.* VIII. 199
lanceolata *De. fil.* VIII. 199
latifolia *Roxb.* VIII. 198
longifolia *L.* VIII. 197
muricata All. XIII. 2. 134
obovata *Forst.* VIII. 199
oleifera *De. fil.* VIII. 199
Parkii *G. Don* VIII. 199
parvifolia *Hook.* VIII. 198
polyantha *Wall.* VIII. 198
sericea *Blum.* VIII. 199
villosa *Wall.* VIII. 198
Bassowia *Aubl.* XIII. 1. 5 404
brachypoda *Dun.* XIII. 1. 411
crassiflora *Dun.* XIII. 1. 409
fasciculata *Dun.* XIII. 1. 408
Gardneri *Dun.* XIII. 1. 409
glomuliflora *Dun.* XIII. 1. 405
β longifolia XIII. 1. 405
hebepoda *Dun.* XIII. 1. 407
laevis *Dun.* XIII. 1. 408
leptopoda *Dun.* XIII. 1. 411
lucida *Dun.* XIII. 1. 406
β pilosula XIII. 1. 407
γ celastroides XIII. 1. 407
δ rufescens – – –
ε pallida – – –
Pyraster *Dun.* XIII. 1. 408
β glabriuscula – – –
Richardi *Dun.* XIII. 1. 406
β Martii – – –
sylvatica *Aubl.* XIII. 1. 405
tomentosa *Dun.* XIII. 1. 409
velutina *Dun.* XIII. 1. 410
β obtusifolia – – –
Wallichii *Dun.* XIII. 1. 409

Batata mammosa Rumph IX. 389
Batatas *Rumph* IX. 337
acetosaefolia *Chois.* IX. 338
auriculata Hochst. IX. 340 350
betacea *Lindl.* IX. 340
bignonioides Don IX. 340 381
bombycina *Chois.* IX. 340
bonariensis *Lindl.* IX. 340
Cavanillesii Don IX. 340 385
Choisyana Wight IX. 340 366
cissoides *Chois.* IX. 339
β maxima – –
γ integrifolia – –
edulis *Chois.* IX. 338
β xanthorhiza – –
γ platanifolia – 339
glaucifolia Don IX. 340 412
heterophylla Don IX. 340 344
Jalapa *Chois.* IX. 338 379
insignis Don IX. 339
littoralis *Chois.* IX. 337 390
Loureirii Don IX. 340 386
macrorhizos Don IX. 340 388
maritima Bojer IX. 340 349
multiflora Bojer IX. 340 371
paniculata *Chois.* IX. 339
Papirin Don IX. 340 344
pareiraefolia *Chois.* IX. 337
pentaphylla *Chois.* IX. 339
pulchella Bojer IX. 340 386
quinquefolia *Chois.* IX. 339
β breviflora IX. 340
senegalensis Don IX. 340 386
subtriloba Don IX. 340 344
ternata Don IX. 340 361
tomentosa *Chois.* IX. 337
β elongata IX. 337
triloba *Chois.* IX. 340
tuberosa Bojer IX. 340 362
venosa Bojer IX. 341 384
villosa *Chois.* IX. 337
Willdenowii Don IX. 341 344
xanthorhiza Bojer IX. 338
Batis *R. Br.* XIII. 2. 219
Batocydia Mart. IX. 143
capreolata Mart. IX. 146
cuneifolia Mart. IX. 157
exoleta Mart. IX. 148
unguis Mart. IX. 146
unguis var. suberosa Mart. IX. 146
Batschia Gmel. X. 73
canescens Mx. X. 79
caroliniensis Gmel. X. 78
carolinïana R. & Schult. X. 78
conspicua Rich. X. 79
decumbens Nutt. X. 87

Batschia
Gmelini Mx. X. 78
longiflora Nutt. X. 87
pilosa G. Don X. 79
sericea R. & Schult. X.
Torreyi G. Don X. 79
Baudinia humilis Leschen
Baumannia Dc. VII. 610
Bauphula Dene XIII. 1.

Baxtera *Reich.* VIII. 665
loniceroides *Reich.* VII
Beaumontia *Wall.* VIII.
grandiflora *Wall.* VIII.
longifolia *Lodd.* VIII.
Beccabunga Griseb. X. 4

Becium bicolor Lindl. XI
Bejaria *(Befaria) Mutis*
aestuans *Mutis* VII. 73
caxamarcensis *H. B. &*

coarctata *H. & Bonpl.*
glauca *H. & Bonpl.* VI
grandiflora *H. & Bonp*
hispida *Poepp. & Endl.*
lanceolata G. Don VII.
ledifolia *H. & Bonpl.*
mexicana *Bth.* VII. 73
oblonga Pers. VII. 731
paniculata Mx. VII. 7
racemosa *Vent.* VII. 7
resinosa G. Don VII.
resinosa *Mutis* VII. 7
Beladamboe Rheed. IX. 3
Belantheria *Nees* XI. 80
Belvisiana *Nees* XI. 97
Belenia Dene XIII. 1. 55
praealta Dene XIII. 1.
Belladonna Plum. XIII.
Tourn. X
baccifera Lam. XIII. 1
frutescens &c. Plum. X
frutescens &c. Tourn.

peruviana h. Paris. X
trichotoma Scop. XIII.
Bellardia All. X. 543
Trixago All. X. 543
Bella sombra XIII. 1. 63
Bellinia R. & Schult. X
biflora R. & Schult. X
contorta R. & Schult. X
dentata R. & Schult.
procumbens R. & Schult.
pubescens R. & Schult.

. & *Schult.* XIII. 1. 495
t. & *Schult.* XIII. 1. 431
Mey. IX. 54 55
Mey. IX. 54
Chum. & Schl. IX. 54
– – –
Mey. IX. 55
Griseb. IX. 54
E. Mey. IX. 55
Mey. VIII. 423
E. Mey. VIII. 424
E. Mey. VIII. 424
ees XI. 307 413
Nees XI. 419
– – –
– – –
– – 420
– – –
– – –
ta Nees XI. 423
a Nees XI. 419
Nees XI. 407
s XI. 417
Bth. XI. 729
es XI. 423
XI. 422 359
s XI. 416 731
rt. XI. 361
rt. XI. 419
ees XI. 423
es Nees XI. 414
ees XI. 416
s XI. 421
ssk. XI. 511
Nees XI. 414
Nees XI. 418
s XI. 416 428
– –
Nees XI. 424
ta – –
a Nees XI. 415
Mart. XI. 421
– –
ata Nees XI. 418 731
a Nees XI. 731
Nees XI. 341
a Nees XI. 417
XI. 421
– 422
Nees XI. 416
– –
– –
Nees XI. 415
– –
Nees XI. 420

Beloperone
oblongata Nees XI. 420
obtusifolia Nees XI. 339
plumbaginifolia *Nees* XI. 420 731
β angustifolia – – –
γ macrophylla – – –
portoricensis *Nees* XI. 414
Rohrii *Nees* XI. 415
α – –
β latifolia – –
Schomburgkiana *Nees* XI. 422
scorpioides *Nees* XI. 422
Sellowiana *Nees* XI. 417
spathulata *Nees* XI. 414
strobilacea Mart. XI. 358
trifoliata *Nees* XI. 421
villosa Mart. XI. 417
Belowia *Moq.* XIII. 2. 47 168
baccifera *Moq.* XIII. 2. 168
Belutta-Areli Rheed. VIII. 420
Belutta-kaka-Kodi Rheed. VIII. 430
Belvedera Gron. VII. 776
BELVISEAE R. Br. VII. 550
Belvisia Desv. VII. 550
coerulea Desv. VII. 550
BELVISIACEAE Lindl. VII. 550
Bembosi Rheed. XI. 685
Bem-Curini Rheed. XI. 385
Benjui Clus. VIII. 261
Benthamia Lindl. X. 117
lycopsoides Lindl. X. 118
Bentheka Neck. VIII. 321
Ben-Titu-tali Rheed. IX. 431
Benzoin Hayne VIII. 259
officinale Hayne VIII. 261
Benzuin Rademach. VIII. 261
Beringeria Bth. XII. 517 (Ballota)
Beringeria Neck. XII. 516 517
acetabulosa Neck. XII. 518
frutescens Reich. XII. 521
Pseudo-dictamnus Neck. XII. 517
Berlasia Moq. XIII. 2. 272 (Euxolus)
Bertolonia Spin. XI. 706 *Raf.* XI. 572 580
glandulosa Spin. XI. 710
scabra Raf. XI. 584
Berselia Mart. XIII. 2. 246
glauca Mart XIII. 2. 247
Besleria *Mart.* VII. 537 *Plum. L. Sw.* VII. 537 546 *L.* VII. 545 *Auct.* VII. 543 *Lindl. Reich.* VII. 537 *Vell.* X. 198
Berteriana *Dc.* VII. 538
bicolor *H. B. & Kth.* VII. 539
bicolor Schott VII. 540 546

Besleria
biflora Forst. VII. 540 IX. 281
bivalvis *L. fil.* VII. 540
bonodora Vell. X. 199
calcarata *H. B. & Kth.* VII. 539
coccinea Aubl. VII. 540 545
coerulea *Aubl.* VII. 539
crassifolia *Schott* VII. 539
cristata fl. mex. VII. 540 546
cristata L. VII. 540 545
cymosa Forst. VII. 540 IX. 282
dichrus Spr. VII. 546
elegans *H. B. & Kth.* VII. 538
flavo-virens *Nees & Mart.* VII. 538
grandiflora *H. B. & Kth.* VII. 539
grandifolia *Schott* VII. 539
guadalupensis *Dc.* VII. 538
hirtella Schott VII. 540 545
hispida H. B. & Kth. VII. 540 546
incarnata *Aubl.* VII. 539
inodora Vell. X. 199
lutea *L.* VII. 538
lutea Spr. VII. 538
luteo-virens Mart. VII. 538
melittaefolia L. VII. 547
mollissima *Spr.* VII. 540
Patrisii *Dc.* VII. 538
pulchella *Donn* VII. 539
pulchella Reich. VII. 539
sanguinea Pers. VII. 540 546
serrulata Jacq. VII. 540 543
solanoides *H. B. & Kth.* VII. 538
spectabilis H. B. & Kth. VII. 540 543
umbellata Banks h. VII. 539
umbrosa *Mart.* VII. 538
β latifolia *Dc.* – –
violacea *Aubl.* VII. 539
BESLERIEAE *Bartl.* VII. 537
Bessera Schult. X. 92 *Vell.* XIII. 2. 440
azurea Schult. X. 93
calycantha Vell. XIII. 2. 444
Beta *Tourn.* XIII. 2. 43 54
alba Dc. XIII. 2. 56
benghalensis Roxb. XIII. 2. 56
candida Dod. XIII. 2. 56
cicla Auct. XIII. 2. 56
crispa Tratt. XIII. 2. 56
decumbens Moench XIII. 2. 56
hastata Desf. XIII. 2. 57
hortensis Mill. XIII. 2. 56
incarnata Auct. XIII. 2. 56
longespicata *Moq.* XIII. 2. 55
lomatogona *Fisch. & Mey.* XIII. 2. 56

Beta
lutea major Bauh. XIII
macrocarpa Guss. XIII
macrorhiza *Ster.* XIII
marina var. villosa Pou
maritima L. XIII. 2. 5
nana *Boiss. & Heldr.* X
orientalis Roth XIII. 2.
pallide-virens major Bo
patellaris *Moq.* XIII. 2.
patula *Ait.* XIII. 2. 58
procumbens Moq. XIII.
procumbens *Ch. Smith*
pumila Link XIII. 2. 5
Rapa Dumort. XIII. 2.
rosea hort. XIII. 2. 56
rubra Dod. XIII. 2. 56
rubra major Bauh. XIII
rubra romana Dod. XII
rubra vulgaris Bauh. X
sulcata Gaspar. XIII. 2
sylvestris h. Panorm. X
trigyna *W. & Kit.* XIII
β glabriuscula XIII. 2. 5
vulgaris Dc. XIII. 2. 5
vulgaris L. XIII. 2. 55
vulgaris *Moq.* XIII. 2.
A. Bette
α pilosa *Delil.* XIII.
β maritima –
γ orientalis –
δ macrocarpa –
B. Poirée
ε Cicla –
ζ flavescens *Dc.* –
η incarnata –
ϑ purpurascens –
C. Bette-rave
ι rubra *Dc.* –
κ rosea –
λ lutea *Dc.* –
μ alba – –
vulgaris γ rapacea Ko
Webbiana *Moq.* XIII. 2.
BETRAR *Moq.* XIII. 2. 43
Betonica Bth. XII. 460
Betonica *Tourn.* XII. 459
affinis Wender. XII. 45
Alopecuros *L.* XII. 459
alpina Mill. XII. 460
annua Jacq. XII. 461
annua L. XII. 481
danica Mill. XII. 460

Moench XII. 461 484
XII. 460
XII. 460
Lour. XII. 385
s. & Sprun. XII. 460
W. XII. 461
XII. 461 492
II. 460
XII. 461 484
XII. 460
tivi coma &c. Burm. XII. 385
XII. 460
on XII. 461 372
k XII. 460
XII 459
s Wender. XII. 460 461
rum. XII. 460
XII. 461
. XII. 460
XII. 461.
hamill. XII. 461
Vender. XII. 460
iseb. XII. 461
st XII. 460
XII. 460
eq. IX. 502 504
Don IX. 507
per. IX. 511
G. Don IX. 506
eq. IX. 508
Bertol. IX. 507
on IX. 505
s IX. 505
m. IX. 506
B. & Kth. IX. 507
on IX. 509
Macq. IX. 506
V. Don IX. 508
Don IX. 509
Don IX. 506
alisb. VII. 726
m. & Schl. X. 342 378
th. X. 378
tth. X. 379
Cham. & Schl. X. 378
ia Bth. X. 378
X. 378
Koch. VIII. 209 244
Z. VIII. 330
Dc. Bl. VIII. 330

Bicuspidatae Steo. X. 567 (Pedicularis)
Bidaria *Endl.* VIII. 623
elegans *Dene* VIII. 623
inodora *Dene* VIII. 624
syringaefolia *Dene* VIII. 623
tingens *Dene* VIII. 623
trinervis *Dene* VIII. 624
Bignonia *Tourn.* IX. 143 215 *Don* IX. 143 *Auct.* IX. 198 210 243 *L.* IX. 234 226 228 218 *Bert.* IX. 239 *Aiset.* IX. 177 192 199 240 *Dc.* IX. 175 *Gouan.* XI. 392 *Roxb.* IX. 210 *Rosh. Koenig* IX. 182
acutiflora Mart. IX. 181
acutissima *Cham.* IX. 153
adenophylla Wall. IX. 171 206
aequinoctialis *L.* IX. 155
β spectabilis *Dc.* – –
aequinoctialis Sieb. IX. 146
aesculifolia H. B. & Kth. IX. 171 221
Aesculus Desf. IX. 171 222
affinis *G. Don* IX. 161
africana *Lam.* IX. 166
Agnus castus Cham. IX. 171 183
alata h. Par. IX. 171 224
alba Aubl. IX. 171 208
albida Blum. IX. 262
albida Lam. IX. 171
albiflora *Salsm.* IX. 167
alliacea *Lam.* IX. 148
amara Loud. IX. 171 206
amoena Wall. IX. 171 269
anastomosans *De.* IX. 144
Andrieuxii *Dc.* IX. 156
angrensis *Vell.* IX. 165
angustifolia Blum. IX. 171 262
antisyphilitica Mart. IX. 171 199
apurensis *H. B. & Kth.* IX. 163
aquatilis Dc. IX. 215
aquatilis E. Mey. IX. 171 215
araliacea Cham. IX. 171 221
arborea fol. pinnat. Plum. IX. 166
Arrabidae *Steud.* IX. 161
Arthrerion Mart. IX. 191
articulata Desf. IX. 171 243
arvensis Vell. IX. 171 187
atrovirens Dc. IX. 171
atrovirens Roth IX. 171 206
aurea Silva Manso IX. 171 222
auriculigera Mart. IX. 171 194
australis Alt. IX. 171
Azedarachta Koen. IX. 171 189

Bignonia
Baclei Dc. IX. 171
Balbisiana *Dc.* IX. 153
α hirsuta – –
β glabra – –
barbata E. Mey. IX. 171 221
Bellas *Sellow* IX. 170
bibracteata Bert. IX. 171 240
bijuga *Vahl* IX. 167
binata Thbg IX. 171
bipinnata Salzm. IX. 171 230
Blanchetii *Dc.* IX. 164
Bojeri *Dc.* IX. 165
botryoides Cham. IX. 171 196
brachypoda *Dc.* IX. 145
α cuneata – –
β elliptica – –
γ acutifolia – –
δ firmula – 146
ε platyphylla – –
ζ heterophylla –
bracteata Cham. IX. 171 200
bracteolata *Dc.* IX. 157
bracteosa *Dc.* IX. 165
brasiliana Lam. IX. 171 228
buccinatoria Maire IX. 171 195
callistegioides Cham. IX. 171 178
calycina *Dc.* IX. 160
campanulata Cham. IX. 171 179
candicans Rich. IX. 171 186
capensis Thbg IX. 171 223
capreolata *L.* IX. 146
carichanensis *H. B. & Kth.* IX. 161
Caroba Vell. IX. 171 232
Carolinae *Lindl.* IX. 156
cassinoides Lam. IX. 172 213
castaneaefolia *Dc.* IX. 145
Catalpa L. IX. 172 226
Catalpa Thbg IX. 226
Catharinae Dc. IX. 172
caudata *Dc.* IX. 166
cauliflora Sieb. IX. 172 241
Chamberlaynii *Sims* IX. 155
chelonoides L. fil. IX. 172 210
Cherere Lindl. IX. 154
Chica *H. B. & Kth.* IX. 151
chinensis Lam. IX. 172 223
chrysantha Jacq. IX. 172 222
chrysoleuca *H. B. & Kth.* IX. 151
cicutaria Koen. IX. 172 182
cinerea Dc. IX. 172
cinnamomea *Dc.* IX. 164
Clematis *H. B. & Kth.* IX. 169
coccinea *Vell.* IX. 165
coerulea L. IX. 172 229

Bignonia
cognata *Cham.* IX. 15
Coito Vell. IX. 172 2
Colei Bojer IX. 241
colorata Poir. IX. 17
comosa Cham. IX. 17
comosa *Roxb.* IX. 1
compressa Lam. IX. 1
conjugata Vell. IX. 1
conspicua Rich. IX. 1
convoluta Vell. IX. 1
Copaja Aubl. IX. 172
corchoroides Cham. 1
cordata Vell. IX. 172
cordifolia *Dc.* IX. 16
corymbifera *Vahl* IX.
craterophora *Dc.* IX.
β acutifolia *Mart.* –
crenata *Lodd.* IX. 17
crispa Buch IX. 172
crucifera Bert. IX. 1
crucigera *L.* IX. 152
crucigera Walt. IX. 1
cujabana *Dc.* IX. 164
cuneifolia *Dc.* IX. 15
cuprea *Cham.* IX. 15
α grandiflora – –
β parviflora – –
cupulata *Splitg.* IX. 1
curialis Vell. IX. 172
cuspidata Bojer IX. 1
Cymbalum *Cham.* IX.
cymosa *Vell.* IX. 150
dasyantha Dc. IX. 17
decipiens *Lodd.* IX. 1
densiflora Mart. IX. 1
dentata *Dc.* IX. 162
dichotoma *Rausch.* IX
dichotoma *Vell.* IX. 1
difficilis *Cham.* IX. 1
digitalis Vell. IX. 172
digitata E. Mey. IX.
discolor Bojer IX. 16
discolor *R. Br.* IX. 16
discolor Hochst. IX. 1
discolor Rich. IX. 14
diversifolia *H. B. & K*
dolichoides *Cham.* IX
Dombeyana Dc. IX. 1
Doniana *Dc.* IX. 145
echinata Aubl. IX. 17
echinata Jacq. IX. 17
ehretioides *Cham.* IX.
elegans *Cham.* IX. 15
elegans Vell. IX. 158
elliptica Cham. IX. 1

hbg IX. 144
ell. IX. 172 232
Vahl IX. 156
Dc. IX. 157
ata IX. 157
– 158
es Bojer IX. 211
rab. IX. 147
. IX. 147
. IX. 158
Cham. IX. 144
oen. IX. 206
ll. IX. 170
sm. IX. 170
IX. 170
Valsm. IX. 172 185
Vell. IX. 172 185
Anders. IX. 172 229
Cunn. IX. 172 209
Wall. IX. 172 211
IX. 168
Vell. IX. 216
IX. 168
G. Don IX. 145
H. B. & Kth. IX. 150
Vell. IX. 169
Aubl. IX. 172 215 221
H. B. & Kth. IX. 172 221
Mey. esseq. IX. 172 221
Desf. IX. 167
Spr. IX. 207
Mill. IX. 172 224
IX. 172 224
Dc. IX. 172
IX. 169
milt. IX. 169
Cham. IX. 168
H. B. & Kth. IX. 161
Mart. IX. 149
Schum. IX. 207
IX. 172 223
all. IX. 171
Dc. IX. 162
Mart. IX. 162
odd. IX. 148
Spr. IX. 159
Thbg IX. 172 223
Jacq. IX. 159
Vell. IX. 172 199 200
Koen. IX. 173 211
Domb. IX. 173 225
Dc. IX. 155
Bert. IX. 173 214
Mart. IX. 173 181

Bignonia
heptaphylla Vell. IX. 173 218
heterophylla W. IX. 154
heteropoda Dc. IX. 173
heterotricha Dc. IX. 173
hexagona Dc. IX. 173
hibiscifolia *Cham.* IX. 159
hirsuta Lam. IX. 173 222
hirta *Vell.* IX. 161
hispida *Dc.* IX. 152
hondensis *H. B. & Kth.* IX. 161
Hostmanni *E. Mey.* IX. 153
hymenaea *Dc.* IX. 158
jasminifolia *H. B. & Kth.* IX. 169
jasminoides Cunn. IX. 173 225
jasminoides *Thbg* IX. 167
ignea Vell. IX. 158
ilicifolia Pers. IX. 173 213
inaequalis *Dc.* IX. 170
incarnata *Aubl.* IX. 154
β carinea *Dc.* – –
incisa hortul. IX. 224
incisa Lodd. IX. 173
incisa Sweet IX. 173
indica Blum. IX. 173
indica L. IX. 173 177
indica Lour. IX. 173 227
indica W. IX. 173 177
indica β L. IX. 173 227
Kerere *Aubl.* IX. 154 195
labiata *Cham.* IX. 153
lactiflora Vahl IX. 173 191
laeta *Wall.* IX. 171
lanata *R. Br.* IX. 167
lanceolata *Dc.* IX. 163
laserpitiifolia *Mart.* IX. 168
latifolia Rich. IX. 173 198 213
laurifolia *Vahl* IX. 155
laxiflora Dc. IX. 173
lenta *Mart.* IX. 159
lepidota H. B. & Kth. IX. 173 220
leucantha Vell. IX. 173 203
Leucopogon *Cham.* IX. 149
leucoxyla Vell. IX. 173 212
leucoxylon Dc. IX. 173 219
leucoxylon L. IX. 219
leucoxylon Miq. IX. 219
Lindleyi *Dc.* IX. 147
linearis Cav. IX. 173 227
littoralis *H. B. & Kth.* IX. 164
longa Vell. IX. 173 181
longiflora *Cav.* IX. 159
longiflora Vell. IX. 173 218
longiflora W. IX. 206

Bignonia
longifolia W. IX. 173 227
longisiliqua *Bert.* IX. 147
longisiliqua Vell. IX. 161
longissima Jacq. IX 173 226
longissima Lour. IX. 173 209
lucida *Lodd.* IX. 171
Lundii Dc. IX. 173
macrophylla Cham. IX. 173 199
macrostachya *Wall.* IX. 166
magnoliaefolia *H. B.* & *Kth.* IX. 155
Mansoana *Dc.* IX. 157
maranhamensis *Dc.* IX. 165
marginata Cham. IX. 173 200
Martini *Dc.* IX. 152
Martiusiana *Dc.* IX. 156
megapotamica *Spr.* IX. 167
meonantha Link IX. 173 225
Meyeniana *Schauer* IX. 563
microcalyx *Mey. esseq.* IX. 150
β acuminata *Miq.* - -
microphylla *Lam.* IX. 166
miranda Cham. IX. 173 187
mollis *Vahl* IX. 162
mollissima *H. B.* & *Kth.* IX. 151
moluccana *Dc.* IX. 144
moringaefolia *Dc.* IX. 170
multifida *Lodd.* IX. 171
multiflora *Salzm.* IX. 160
multijuga Wall. IX. 173 227
muricata Dc. IX. 173
myriantha Cham. IX. 173
nematocarpa Bojer IX. 173 211
nervosa Domb. IX. 173 198
nitidissima *Dc.* IX. 160
nitidula Mart. IX. 173 181
noctiflora Hamilt. IX. 173 211
nodosa *Silva Mans.* IX. 170
noterophila *Dc.* IX. 148
obliqua *H. B.* & *Kth.* IX. 150
obovata *Hook.* & *Arn.* IX. 145
obovata Spr. IX. 173 205
oborata Vell. IX. 173 230
obtusifolia Lam. IX. 173 209 212
occidentalis *Salzm.* IX. 160
ophthalmica *Chish.* IX. 171
orbiculata Jacq. IX. 174 190
oxyphylla *Dc.* IX. 169
pachyptera Dc. IX. 174
Pajanella Hamilt. IX. 174 227
pallida *Lindl.* IX. 145
Pandorae Sims IX. 225
Pandorana Andr. IX. 174 225
Pandorea Vent. IX. 225
Pandorea minor hortul. IX. 225

Bignonia
paniculata L. IX. 17
pannosa *Dc.* IX. 148
Parkeri *Dc.* IX. 157
parviflora Salzm. IX.
patellifera *Schlecht.* I
Patrisiana Dc. IX. 17
pedunculata *Vell.* IX.
pentandra Lour. IX.
pentaphylla L. IX. 1
pentaphylla Salzm. I
perforata *Cham.* IX.
perianthomega *Vell.*
peruviana *L.* IX. 170
petiolaris Dc. IX. 17
phaseoloides *Cham.*
physaloides *Cham.* I
picta *H. B.* & *Kth.*
picta Lindl. IX. 147
pilosa Dietr. IX. 161
pilulifera *Rich.* IX. 1
platyphylla Cham. I
Poeppigii Dc. IX. 17
populifolia *Dc.* IX. 1
Porteriana *Wall.* IX.
Prieurii *Dc.* IX. 154
procera W. IX. 174 2
pseudo-unguis *Desf.*
pterocarpa Cham. IX
pubescens *L.* IX. 161
pubescens h. Pavon.
pulchella *Cham.* IX.
pulchra *Cham.* IX. 1
punctata Dc. IX. 16
punicea *Mart.* IX. 14
purpurea *Lodd.* IX.
pyramidata Rich. IX.
quadrangularis *Lockh*
quadrilocularis Rozh

quadripinnata Blanc

Quercus Lam. IX. 17
quinquefolia Vell. IX.
racemosa *L.* IX. 166
β *Dc.* - -
radiata L. IX. 174 2
radicans L. IX. 174
radicans coccinea Pe
ramiflora Desv. IX. 1
reticulata *h. Madr.* D
rigescens Jacq. IX. 1
riparia *H. B.* & *Kth.*
rivularis Ait. IX. 17
rosea Dc. IX. 174
rosea Pav. IX. 174 1

p. IX. 163
t. IX. 174
ffmans. IX. 174 213
rdn. IX. 156
e. IX. 148
B. & Kth. IX. 151
le. IX. 174
Cham. IX. 149
Bertol. IX. 155
ll. IX. 174 189
am. IX. 163
t. 174 183
X. 161
L. IX. 174 24
IX. 145
Vahl IX. 174 218
all. IX. 174 206
X. 174
Pav. IX. 174 198
fil. IX. 174 206
k. IX. 147
Vahl IX. 155
b. IX. 171
ree Mart. IX. 154
IX. 174 194
t Dc. IX. 174
n. IX. 161
174 224
eb. IX. 174 206
X. 174
oxb. IX. 174 211
eb. IX. 174 182
De. IX. 174 220
t. IX. 174 212
Dc. IX. 166
jer IX. 175 242
IX. 166
Vahl IX. 144
on IX. 165
IX. 152
ell. IX. 175 211
os Dc. IX. 169
Cham. IX. 168
e. IX. 158
B. & Kth. IX. 159
id. IX. 171
o. IX. 175 219
eb. IX. 162
bq X. 300
IX. 148
e. IX. 158
t. h. IX. 148 175
IX. 148
ell. IX. 175 201
X. 175 214

Bignonia
triphylla Vell. IX. 170
triphylla W. h. IX. 151
triplinervia Dc. IX. 153
triternata Steud. IX. 170
Tropaeolum Jacquem. IX. 223
tuberculata Roxb. IX. 175 177
tuberculosa Vell. IX. 175 212
tulipifera Schum. IX. 175 207
Tweediana Lindl. IX. 146
uliginosa Gomes IX. 175 212
umbellulata Dc. IX. 148
umbrosa H. B. & Kth. IX. 164
uncata Sims Andr. IX. 175 205
uncinata Mey. esseq. IX. 175 180
undulata Roxb. IX. 175 222
undulata Sm. IX. 175
unguiculata Vell. IX. 162 200
Unguis L. IX. 146
β gracilis – –
γ radicans – –
Unguis var. Cham. IX. 147
Vargasiana Dc. IX. 175
variabilis Jacq. IX. 168
variabilis Mart. IX. 149
variabilis Sieb. IX. 153
varians Dc. IX. 149
velutina Dc. IX. 162
venusta Ker IX. 158
verrucosa H. B. & Kth. IX. 163
villosa Bert. IX. 153
villosa Vahl IX. 161
viminalis H. B. & Kth. IX. 144
violacea Dc. IX. 156
virginalis Mart. IX. 175 181
viridiflora Lodd. IX. 175 199
Vitalba Cham. IX. 175 196
xylocarpa Roxb. IX. 169
xylocarpa var. Wall. IX. 167
BIGNONIACEAE R. Br. IX. 142
BIGNONIACEAE Dc. IX. 23 Reich. IX. 258
BIGNONIACEAE CYRTANDREAE Blum. IX. 258
BIGNONIACEAE DIDYMOCARPEAE Lindl. IX. 258
BIGNONIACEAE SESAMEAE Endl. IX. 249 Kth. IX. 249
BIGNONIACEAE TRICHOSPOREAE Blum. IX. 258
BIGNONIACEAE VERAE Kth. IX. 142
Bignoniae calycotomae Dc. IX. 198
Bignoniae macradenae Dc. IX. 199
BIGNONIEAE Bojer IX. 143

BIGNONIEAE Fenzl IX. 142 *Reich.* IX. 142
BIGNONIEAE SECT. 2. Juss. IX. 142
Bilbilta XIII. 2. 241
Billardiera Moench XI. 535 550
explanata Moench XI. 554
Bimbuleta Forsk. X. 288
Binectaria Forsk. VIII. 199 201
Binia Noronh. VIII. 298
Blaberopus *Dc. fil.* VIII. 410
lucidus *Dc. fil.* VIII. 411
neriifolius *Dc. fil.* VIII. 411
sericeus *Dc. fil.* VIII. 411
venenatus *Dc. fil.* VIII. 411
Blackstonia Huds. IX. 69
Bladhia Thbg VIII. 120
crispa Thbg VIII. 134
japonica Hornst. VIII. 135
villosa Thbg VIII. 137
Blaeria *L.* VII. 697 *D. & G. Don* VII. 613
articulata L. VII. 698 706
barbigera G. Don VII. 698
bicolor Klotzsch VII. 698 703
bracteata Wendl. VII. 698 706
bruniaefolia G. Don VII. 698 616
campanulata *Bth.* VII. 698
carnea Klotzsch VII. 698
ciliaris L. fil. VII. 698 701
ciliciiflora G. Don VII. 699 702
coccinea *Klotzsch* VII. 697
depressa Drege VII. 699 705
depressa Lichtenst. VII. 699 704
dumosa Wendl. VII. 698
equisetifolia G. Don VII. 698
ericoides Drege VII. 705
ericoides *L.* VII. 698
fasciculata Drege VII. 704
fasciculata Sieb. VII. 698
fasciculata W. VII. 699 707
fastigiata *Bth.* VII. 697
flexuosa *Bth.* VII. 698
flosculosa G. Don VII. 699 707
glabella Drege VII. 698
glabella Wendl. VII. 699 704
glabella W. VII. 704
glabella α Thunbergiana Klotzsch VII. 704
glabella β Bartlingiana Klotzsch VII. 704
incana Bartl. VII. 699 701
jucunda Reich. VII. 698
multiflora Klotzsch VII. 699
muscosa Ait. VII. 699 709
nodiflora G. Don VII. 699 701
parviflora Klotzsch VII. 699 708
Blaeria
pauciflora G. Don V
paucifolia Wendl. VI
ptilota E. Mey. VII.
puberula Klotzsch VI
purpurea Berg. VII.
purpurea *L. fil.* VII.
pusilla *Klotzsch* VII.
pusilla L. VII. 699 7
revoluta *Bartl.* VII.
rufescens *Klotzsch.*
scabra Drege VII. 6
scabra Wendl. VII.
scabra W. VII. 699
Thunbergii G. Don
turmalis G. Don VII
xeranthemifolia G. D
No. 7798 *Drege* VII.
Blairia Gaertn. XI. 53
cordifolia Moench X
javanica Gaertn. XI
mexicana Gaertn. X
nodiflora Gaertn. XI.
Blandfordia Andr. VII
cordata Andr. VII.
Blattaria orientalis
Blechum *Browne* XI.
angustifolium *R. Br*
angustius *Nees* XI.
anisophyllum Juss.
brasiliense Mart. h.
Brownei *Juss.* XI.
β laxum –
Brownei Kth. XI. 4
erectum Dc. XI. 46
Haenkei *Nees* XI. 4
laxiflorum *Juss.* XI.
Linnaei *Nees* XI. 46
β laxum – 46
γ nanum – –
δ parviflorum – –
luzonium Nees XI.
Montin Vahl h. XI.
Sternbergii Nees XI.
trinitense *Nees* XI.
β – –
Tweedii *Nees* XI. 4
Blepharacanthus Nees
Blepharis *Juss.* XI. 2
ablephara *Nees* XI.
abyssinica Hochst.
arborea Spr. XI. 2
asperrima *Nees* XI.
boerhaaviaefolia Ha

lia *Jusa.* XI. 3[illegible]
[illegible]
[illegible]
[illegible]
ia
ia *Weil.* XI. [illegible]
ia *Pers.* XI. [illegible]
XI. 265
I. 266
XI. [illegible]
XI. [illegible]
XI. [illegible]
. XI. 365
E. *Mey.* XI. [illegible]
. *Mey.* XI. [illegible]
ers. XI. [illegible]
is c. *Ruf.* XI. [illegible]
is 3 *Ruf.* XI. [illegible]
Jusa XI. [illegible]
rs. XI. [illegible]
me XI. [illegible]
ne XI. [illegible]
. 266
ulen XI. [illegible]
Pers, XI. 265
[illegible]
. 265
ne *h.* XI. 6[illegible]
Klotzsch VII. 7[illegible]
VIII. 603
me VIII. 604
III. 604
VIII. 603
e VIII. 603
II. 603
ne VIII. 603
VIII. 604
III. 603
[illegible]
VIII. 604
XIII. 2. 424
lotzsch Bth. VII.
10 (Scyphogyne)
tzsch VII. 710
260 363
364
. 364
. IX. 334
X. 334
I. 2. 41
XIII. 2. 219 253
XIII. 2. 254
III. 2. 80 *Endl.*
XIII. 2. 80
I. 2. 43 80

Blitum
rubrum γ pedunculatum Koch XIII. 2. 84
spinosum Rumph XIII. 2. 261
tataricum *Bess.* XIII. 2. 85
tenue *Moq.* XIII. 2. 81
virgatum *L.* XIII. 2. 83 460
β tenuifolium *Moq.* XIII. 2. 83
γ minus *Vahl* – – –
virgatum β capitatum Coss. XIII. 2. 83
virgatum δ macrocephalum Moq. XIII. 2. 84
Blitum sect. Orthospermum C. A. Mey. XIII. 2. 84
Blyttia arabica Arn. VIII. 525
Boaria *Dc.* VIII. 299
Molinae *Dc.* VIII. 299
Bobu Adans. VIII. 246 254
Bobua Dc. VIII. 246 253 *Guillem.* VIII. 253
laurina Dc. VIII. 254
Boerhaavia *L.* XIII. 2. 449
africana *Lour.* XIII. 2. 456
aggregata Pav. XIII. 2. 429
angustifolia *L.* XIII. 2. 456
arborea Lag. XIII. 2. 457 445
arborescens Pers. XIII. 2. 457 445
ascendens Schum. XIII. 2. 451
ascendens *W.* XIII. 2. 451
β pubescens – – –
bastica Hamilt. h. XIII. 2. 455
Burchellii *Chois.* XIII. 2. 455
caribaea Jacq. XIII. 2. 451
chaerophylloides Sm. XIII. 2. 457
coccinea Mill. XIII. 2. 451
crispa *Wall.* XIII. 2. 456
decumbens Vahl XIII. 2. 451
depressa *Sm.* XIII. 2. 457
diandra Aubl. XIII. 2. 451
diandra Burm. XIII. 2. 452
dichotoma *Vahl* XIII. 2. 454
diffusa Browne XIII. 2. 453
diffusa Engelm. & Gr. XIII. 2. 452 453
diffusa Forsk. XIII. 2. 453
diffusa *L.* XIII. 2. 452
α obtusifolia – – –
β acutifolia – – –
γ pubescens – – –
diffusa Schuhm. XIII. 2. 453
diffusa Sw. XIII. 2. 451 453
diffusa Vahl XIII. 2. 451
diffusa W. XIII. 2. 451 453
discolor *H. B. & Kth.* XIII. 2. 452
elegans *Chois.* XIII. 2. 453

Boerhaavia
erecta Brunn. XIII. 2
erecta Burm. XIII. 2
erecta Gaertn. XIII.
erecta *L.* XIII. 2. 45
excelsa *W.* XIII. 2.
fol. ovatis L. h. Cliff.
gibbosa Pavon. XIII.
glabrata Blum. XIII.
glutinosa Miers XIII
glutinosa Vahl XIII.
Helenae R. & Schult.
hirsuta Guill. XIII. 2
hirsuta *W.* XIII. 2. 4
hirsuta Kotschy XII
insularis Bojer XIII.
littoralis *H. B. & Kth.*
microphylla Bory XI
minima Vaill. XIII.
minor Vaill. XIII. 2.
minutiflora Spanh. X
mutabilis *R. Br.* XII
β pubescens –
nantocana Walp. & S
obtusifolia Lam. XII
paniculata Lam. XII
paniculata *Rich.* XII
β subscuta –
patula *Domb.* XIII.
pentandra Burch. X
pentandra Harv. XII
periplocaefolia *Comm*
periplocifolia Sieb.
plicata *Bojer* XIII. 2
plumbaginea Cav. X
polymorpha Rich. X
procumbens Bojer X
procumbens Roxb. X
procumbens Schimp.
pubescens. R. Br. X
pubescens Dene XIII
pulverulenta Dup. X
repanda Kotschy XII
repanda *W.* XIII. 2.
repens *L.* XIII. 2.
β glabra – –
γ viscosa – –
rhomboidea Humb. X
rhomboidea Link XII
Rottleri *Steud.* XIII.
rubicunda Steud. XII
rugosa Rottl. XIII. 2
sarmentosa Browne
scabrida Steud. XIII
scandens Drege XIII

orsk. XIII. 2. 455
XIII. 2. 454 455
Stend. XIII. 2. 453
is. XIII. 2. 456
er XIII. 2. 457
ht XIII. 2. 454
s Miq. XIII. 2. 451
orst. XIII. 2. 456
m. XIII. 2. 454
Wight XIII. 2. 455
Poir. XIII. 2. 454
Rottl. XIII. 2. 457
B. & Kth. XIII. 2. 450
sen XIII. 2. 453
. XIII. 2. 452
ia Poir. XIII. 2. 453
XIII. 2. 452
& Sessé XIII. 2. 457
EAE Choix. XIII. 2. 427 438
KI. 611
me XI. 695
II. 650
. XII. 398 (Dracocephalum)
XIII. 2. 438
Lag. XIII. 2. 438
Lag. XIII. 2. 438
Mart. & Gal. XIII. 2. 439
ns Cav. XIII. 2. 439
. XIII. 2. 439
m. & Schl. VIII. 300 315
Gill. VIII. 315
Cham. & Schl. VIII. 315
Dc. fil. VIII. 315
n. & Schl. VIII. 315
CEAE Griseb. VIII. 300
mum Presl IX. 337 340
c. fil. VIII. 359
c. fil. VIII. 359
Thouars IX. 439
iensis Choix. IX. 439
: IX. 345
maedrifolia Scop. X. 457
r. VIII. 149
Coll. VIII. 150 670
& Otto X. 344 420
IX. 268 Auct. X. 418
X. 422 444

Bonnaya
bifolia Spr. X. 422 IX. 269
brachiata Link & Otto X. 420 595
brachycarpa Cham. & Schl. X. 422 419
ciliata Spr. X. 421
cordifolia Spr. X. 422 417
grandiflora Spr. X. 421
hispidula G. Don X. 422
hyssopioides Bth. X. 422 419
marginata Spr. X. 421
minima G. Don X. 422
minima Wight X. 422 420
oeymifolia G. Don X. 422
origanifolia Spr. X. 422 416
parviflora Bth. X. 422 420
pedunculariis Bth. X. 421
procumbens Bth. X. 421
pulegifolia Spr. X. 421
pumila Spr. X. 422 IX. 269
punctata G. Don X. 422 387
pustilla Bth. X. 420
reptans Spr. X. 420 595
rigida Bth. X. 421
Rothii Link X. 421
rotundifolia Bth. X. 422 420
Roxburghiana Link X. 421
ruelloides Spr. X. 421
tenuifolia Spr. X. 422
Vahlii G. Don X. 422
verbenaefolia Spr. X. 421
veronicaefolia Spr. X. 421
Wightii Bth. X. 421
Bonplandia Cav. IX. 320
geminiflora Cav. IX. 320
Bontia Plum. XI. 703 716 P. Browne XI. 699
arborescens &c. Plum. XI. 716
daphnoides L. XI. 716
β minor
daphnoides Sieb. XI. 716 711
germinans L. XI. 716
laureolae facie Dill. XI. 716
minor Gaertn. XI. 716
Booram G. Don VII. 720
Boorans Hardw. VII. 720
BORAGINACEAE Lindl. X. 1
BORAGINEAE Mart. X. 1
Borago Rupp. Vant. X. 166 L. Gaertn. X. 171
Borellia Neck. IX. 471 484
Boretta Neck. VII. 713
Borkhausenia Roth X. 334
lucida Roth X. 334
BORRAGEAE Dc. IX. 467 X. 1
BORRAGINEAE G. Don X. 1

Borraginastrum Dc. X. 35 (Borrago)
Borraginea humifusa Salzm. IX. 544
BORRAGINEAE G. Don IX. 466 *Vent.* IX. 466 X. 1
BORRAGINEAE *Juss.* IX. 466
BORRAGINEAE Juss. IX. 287
BORRAGINES Adans. IX. 466
Borraginoides Boerh. X. 171
aculeata Moench X. 173
sagittata Moench X. 172
Borrago (*Borago*) *Tourn.* X. 34 *Auct.* X. 34 35
africana L. X. 35 173
constantinopolitana &c. Tourn. X. 36
cordifolia Moench X. 35 36
crassifolia Vent. X. 35 167
cretica W. X. 35 36
gruina *C. Smith* X. 35
indica L. X. 172
laxiflora *Dc.* X. 34 587
longifolia *Poir.* X. 35
macranthera Russ. X. 35 167
officinalis *L.* X. 35
orientalis L. X. 35 36
spinulosa *Roxb.* X. 35
verrucosa Forsk. X. 35 173
zeilancia L X. 35 172
Boschniakia *C. A. Mey.* XI. 3 39
glabra *C. A. Mey.* XI. 39
Hookeri *Walp.* XI. 39
Bosea L. XIII. 2. 87
Yervamora L. XIII. 2. 87
BOSEINEAE Webb. XIII. 2. 87
Bosia *L.* XIII. 2. 44 87 40
cannabina *Lour.* XIII. 2. 87
Yervamora *L.* XIII. 2. 87
Bothriospermum *Bunge* X. 116
bicarinatum Bung. X. 117
bicarunculatum Fisch. & Mey. X. 117
chinense *Bung.* X. 117
chinense Fisch. & Mey. X. 117
Kusnetzowii *Bung.* X. 116
marifolium *Dc.* X. 116
tenellum *Fisch. & Mey.* X. 116
Botrydium Spach XIII. 2. 7
aromaticum Spach XIII. 2. 75
Schraderi Spach XIII. 2. 76
Botryoides C. A. Mey. XIII. 2. 72
Botryois Moq. XIII. 2. 72 (Chenopodium)
Botrys Koch XIII. 2. 72
Boucerosia *Wight & Arn.* VIII. 648
acutangula *Dene* VIII. 648
Boucerosia
Aucheriana *Dene* VII
crenulata *Wight & A*
Decaisniana *Lemair.*
Forskalii *Dene* VIII.
Hutchinia *Dene* VIII.
pauciflora *Wight* VII
sinaica *Dene* VIII. 6
umbellata *Wight & A*
Bouchea *Cham.* XI. 53
adenostachya *Schauer*
agrestis *Schauer* XI.
cernua *Schauer* XI.
cuneifolia *Schauer* X
Ehrenbergii *Cham.* X
garipensis *Schauer* X
hyderobadensis *Walp*
laetevirens *Schauer*
marrubiifolia *Schauer*
pinnatifida *Schauer* X
Pseudo-gervao *Cham*
pterygocarpa *Schauer*
pubescens *Schauer* X
pumila *Schauer* XI.
Bouchetia *Dc.* XIII. 1.
erecta *Dc.* XIII. 1.
procumbens *Dc.* XIII
Bougainvillaea *Chois.* X
bracteata Pers. XIII
brasiliensis Lund XI
brasiliensis Neuw. XI
glabra *Chois.* XIII. 2
peruviana *H. & Bonp.*
peruviana Nees XIII.
pomacea *Chois.* XIII
racemosa *Blanco* XII
speciosa Schnizl. XII
spectabilis *W.* XIII.
virescens *Chois.* XIII
BOUGAINVILLEAE *Ch*
Bonguerla *Dene* XIII.
nubicola *Dene* XIII.
Bourreria P. Browne
Boussingaultia *H. B.* 2.
baselloides *H. B.*
baselloides bot. mag.
floribunda *Moq.* XIII.
leptostachys *Moq.* XI
Boutonia Dc. IX. 242
pomifera h. Erf. VI
Bovea Dene X. 376
sinaica Dene X. 377

ers XIII. 1. 682 683
rs XIII. 1. 682
Miers XIII. 1. 683
Miers XIII. 1. 682
Miers XIII. 1. 683
Miers XIII. 1. 689
Miers XIII. 1. 689
Miers XIII. 1. 683
s Miers XIII. 1. 682
s XIII. 1. 682
Miers XIII. 1. 683
s Miers XIII. 1. 683
s Miers XIII. 1. 682
ers XIII. 1. 682
ius Miers XIII. 1. 682
nierembergiensis h. Berol. XIII. 1. 575
Sweet VII. 721
Schrad. X. 376
Schrad. X. 379
Bth. X. 512 (Seymeria)
Bth. X. 195 (Schwenkia)
A. Mey. XIII. 2. 48 216
A. Mey. XIII. 2. 216
Schrenk XIII. 2. 217
is. XIII. 2. 217
Kar. & Kir. XIII. 2. 217 214
h. XIII. 2. 217
Mey. XIII. 2. 217
is Moq. - - -
Kar. & Kir. XIII. 2. 217
Moq. - - -
Schrenk XIII. 2. 217
Hook. & Arn. VIII. 588
a Hook. & Arn. VIII. 589 XIII. 2. 217
Wight & Arn. VIII. 495*)
Wight & Arn. VIII. 595
e Nees XI. 286 (Geissomeria)
R. Br. VIII. 646
E. Mey. VIII. 647
Mey. VIII. 647
ist. mag. VIII. 647
rab. VIII. 647
E. Mey. VIII. 647
m E. Mey. VIII. 647
n E. Mey. VIII. 647
n Lindl. VIII. 646
bot. reg. VIII. 646
R. Br. VIII. 646
m, est Bacolepis Dene XIII. 2. 216
Dene XIII. 2. 216

Brachystemum (Brachystemon) Mx. XII. 186
lanceolatum W. XII. 189
linifolium W. XII. 189
muticum Mx. XII. 186
verticillatum Mx. XII. 190
virginicum Mx. XII. 189
Brachystephanus *Nees* XI. 464 511
Lyallii *Nees* XI. 511
Brägantia Vandell. XIII. 2. 391 407
Brassia Lam. X. 392 399 *Mart.* X. 399 *Bth.* X. 399 (Herpestes)
indica Lam. X. 400
lanigera G. Don X. 398
semiserrata Mart. X. 395
Brandesia Mart. XIII. 2. 371 *Endl.* XIII. 2. 371 (Telanthera)
alba Mart. XIII. 2. 371
echinocephala Hook. fil. XIII. 2. 373
elongata Mart. XIII. 2. 372
lanceolata Bth. XIII. 2. 371
Martiana Gillies XIII. 2. 363
mexicana Cham. & Schl. XIII. 2. 372
porrigens Mart. XIII. 2. 377
pubérula Mart. XIII. 2. 372
pubiflora Bth. XIII. 2. 376
pycnantha Bth. XIII. 2. 376
rufa Mart. XIII. 2. 375
serpyllifolia Mart. XIII. 2. 373
villosa Mart. XIII. 2. 375
spec. Hook. & Arn. XIII. 2. 376
Brandonia Reich. VIII. 26 32 *Dc. fl.* VIII. 32 (Pinguicula)
Bravaisia *Dc.* IX. 239 XI. 524
floribunda *Dc.* IX. 240 XI. 678
Brazoria *Engelm. & Gr.* XII. 407 434
scutellarioides *Engelm. & Gr.* XII. 434
truncata *Engelm. & Gr.* XII. 434
Brehmia *Harv.* IX. 18
spinosa *Harv.* IX. 18 561
Breweria *R. Br.* IX. 438
abscissa *Choisy.* IX. 438
Burchellii *Choisy.* IX. 439
cordata *Blum.* IX. 438
elegans *Choisy.* IX. 439
evolvuloides *Choisy.* IX. 439
linearis *R. Br.* IX. 439
linifolia *Spr.* IX. 439 VII. 440
madagascariensis *Choisy.* IX. 438
media *R. Br.* IX. 436
pannosa *R. Br.* IX. 438
Roxburghii *Choisy.* IX. 439

Breweria
scoparia Lindl. IX. 439 404
spectabilis *Choix* IX. 439
Brezia *Moq.* XIII. 2. 47 167
heterophylla *Moq.* XIII. 2. 167
Bridgesia Hook. & Arn. XIII. 2. 34
spicata Hook. & Arn. XIII. 2. 35
Brochosiphon *Nees* XI. 464 492
australis *Nees* XI. 492
Brossaea Plum. L. VII. 591 *De.* VII. 491 (Epigaea)
coccinea L. VII. 592
Brotera Spr. XII. 85
persica Spr. XII. 127
Browallia *L.* X. 190 196
abbreviata *Bth.* X. 197
alienata L. X. 198
cordata G. Don X. 197
demissa *L.* X. 197 590
elata L. X. 197
elongata H. B. & Kth. X. 197
grandiflora *Grah.* X. 197
humifusa Forsk. X. 198 501
Jamesoni *Bth.* X. 197
Linnaeana Spr. X. 197
peduncularis *Bth.* X. 197
viscosa *H. B. & Kth.* X. 197
Bruckenthalia *Reich.* VII. 694
spiculiflora *Reich.* VII. 694
Brugmansia Bernh. XIII. 1. 544 (Datura)
Brugmansia Pers. XIII. 1. 538 544
hort. XIII. 1. 528
aurantiaca hort. XIII. 1. 529
bicolor Pers. XIII. 1. 545
candida Pers. XIII. 1. 545
Knightii hort. XIII. 1. 690
floribunda hort. XIII. 1. 529
parviflora hort. XIII. 1. 529
sanguinea D. Don XIII. 1. 545
suaveolens G. Don XIII. 1. 545
Wagmanni Paxt. XIII. 1. 543
Brunella *Tourn.* XII. 409 *Barr.* XII. 411 *(alias Prunella)*
aequinoctialis H. B. & Kth. XII. 411
alba Pall. XII. 411
angustifolia Wender. XII. 411
australasica Moric. XII. 411
caroliniana Mill. XII. 411
dissecta Wender. XII. 412
elongata Dougl. XII. 411
Fischeriana Hamilt. XII. 411
grandiflora *Moench* XII. 409
hastaefolia Brot. XII. 410
hirsuta Wender. XII. 410
hirta Bernh. XII. 410
Brunella
hispida Bth. XII. 4
hyssopifolia *Lam.* X
incisa Link XII. 41
indica Burm. XII.
intermedia Brot. XI
intermedia Reich. X
laciniata L. XII. 41
latifolia Donn. XII.
longifolia Pers XII
officinalis Crantz X
ovata Pers. XII. 41
parviflora Poir. XII
pensylvanica W. X
pinnatifida Pers. X
reptans Dumort. XI
speciosa Wender. X
sulphurea Mill. XII
surrecta Dumort. X
verbenae foliis Vaill
vulgaris *L.* XII. 410
α hispida – –
β vulgaris – –
γ elongata – 411
δ parviflora – –
ε pinnatifida – –
ζ laciniata – –
vulgaris α L. XII.
vulgaris pinnatifida
Brunfelsia *Sw.* X. 190
acuminata *Bth.* X.
americana *Sw.* X. 2
australis *Bth.* X. 20
bahiensis *De. fl.* X.
calycina *Bth.* X. 19
capitata *Bth.* X. 19
β angustifolia – –
confertiflora *Bth.* X.
grandiflora *D. Don*
guianensis *Bth.* X.
Hopeana *Bth.* X. 20
β pubescens – –
hydrangeaeformis *B*
latifolia *Bth.* X. 199
macrophylla *Bth.* X.
maritima *Bth.* X. 20
montana Lodd. X. 3
nitida *Bth.* X. 201
β jamaicensis – –
obovata *Bth.* X. 199
pauciflora *Bth.* X.
ramosissima *Bth.* X.
undulata *Sw.* X. 200
violacea *Lodd.* X. 2
Brunnichia Banks XII.

. XII. 616
. *Cunn.* XII. 616
n. XII. 616
XII. 616
EAE *Do. fil.* XII. 615
'EAE *R. Br.* XII. 615
Zav. & *Ort.* XIII. 2. 430
mel. VII. 712 *D. Don* VII. 712
& *G. Don* VII. 712
el. VII. 712
X. 432 433
Bth X. 433
a *fruticosa Sloan.* VIII. 118
ra *E. Mey.* VII. 774
Girard XII. 696
rard XII. 696
. & *Kth.* XI. 524
X. 494 495 *Anct.* VII.
uct. X. 500 *Ait.* X.353
L. X. 499 356
X. 499 543
L. X 498
a *Cham.* & *Schl.* X. 498
a *Don* X. 499 503
ae X. 496
X. 499 502 503
hl X. 502
lum. X. 500 501
. *Br.* X. 496
a *Burch.* X. 500 361
vill. X. 500 503
Thbg X. 500 502
L X. 500
- X. 500 351
th. X. 495
ult. XI. 559
X. 500 XI. 559
th. X. 500 503
cop. X. 500 VII. 536
L. X. 500
amilt. X. 495
Thbg X. 500 XI. 559
Bth. X. 500 501
Bth. X. 500 502
Hook. & *Arn.* X. 495
. *B.* & *Kth.* X. 499
X. 496
w. X. 498
pilosa *Schlecht* X. 498
les *Vahl* X. 500 503
dr. X. 500
eq. X. 500 357
a *W.* X. 500 501

Buchnera
glabrata *Bth.* X. 495
gracilis *R Br.* X. 497
β *glabrior Bth.* - -
grandiflora *L. fil.* X. 500 337
hermonthica *Delil* X. 500 502
hirsuta *Wall.* X. 500
hispida *Hamilt.* X. 496
humifusa *Vahl* X. 500 501
hyderabadensis *Roth* X. 500 501
juncea *Cham.* & *Schl.* X. 499
lavandulacea *Cham.* & *Schl.* X. 499
leptostachya *Bth.* X. 497
linearifolia *Schum* X 499
linearis *R. Br.* X. 497
lithospermifolia *H. B.* & *Kth.* X. 497
lobelioides *Cham.* & *Schl.* X. 498
longiflora *Arn.* X 500 501
longifolia *H.* & *Bonpl.* X. 498
macrantha *Bth.* X. 500 503
macrocarpa *H. B.* & *Kth.* X. 499
masuria *Hamilt.* X. 500 503
obliqua *Bth.* X 499
orobanchoides *R. Br.* X. 500 501
palustris *Spr.* X. 497
parviflora *R. Br.* X. 500 501
pedunculata *Andr.* X. 500 360
phoenicea *Wall.* X. 500 503
pilosa *Bth.* X. 498
pinnatifida *L. fil.* X. 500
pinnatifida *Thbg* XI. 560
pubescens *Bth.* X. 496
pusilla *H. B.* & *Kth.* X. 499
ramosissima *R. Br.* X. 496
rosea *H. B.* & *Kth.* X. 498
rupestris *Sw* X. 500
Schimperiana *Hochst.* X. 496
stricta *Bth.* X. 495
tenella *R. Br.* X. 497
β *Bth.* - -
ternifolia *H. B.* & *Kth.* X. 499
tetragona *R. Br.* X. 495
tetrasticha *Wall.* X. 495
tinctoria *Bertol.* X. 499
tomentosa *Blum.* X. 496
urticaefolia *R. Br.* X. 496
virgata *H. B.* & *Kth.* X. 499
viscosa *Ait.* X. 500 353
Wallichii Bth. X. 500 503
BUCHNEREAE *Bth.* X. 189 494
Bucholtsia Hook. fil. XIII. 2. 362
filifolia Hook. fil. XIII. 2. 368
glaucescens Hook. fil. XIII. 2. 369
nudicaulis Hook. fil. XIII. 2. 369

Bucholzia Mart. XIII. 2. 362
brachiata Schrad. XIII. 2. 364
ficoidea Mart. XIII. 2. 363
lupulina Mart. XIII. 2. 374
maritima Mart. XIII. 2. 365
obovata Mart. & Gal. XIII. 2. 370
philoxeroides Mart. XIII. 2. 362
polygonoides Mart. XIII. 2. 363
spinescens Gillies XIII. 2. 359
Bucholzia Moq. XIII. 2. 362 (Telanthera)
Buddleja *L.* X. 433 436 *L. fil.* X. 434
abbreviata *H. B. & Kth.* X. 437
acuminata R. Br. X. 446
acuminata H. B. & Kth. X. 438
acuminata *Poir.* X. 444
acuminatissima Blum. X. 446
americana H. B. & Kth. X. 439
americana *L.* X. 438
angustata *Bth.* X. 443
arborea Meyen X. 440
asiatica *Lour.* X. 446
auriculata *Bth.* X. 445
australis Vell. X. 442
axillaris *W.* X. 445
betonicaefolia *Lam.* X. 439
brachiata *Cham. & Schl.* X. 439
brasiliensis *Jacq.* X. 442
brevifolia W. X. 437
bullata *H. B. & Kth.* X. 437
callicarpoides H. B. & Kth. X. 439
calycina *Bth.* X. 440
capitata Jacq. X. 440
cestriflora *Cham.* X. 444
connata *R. & Pav.* X. 440
cordata *H. B. & Kth.* X. 438
crispa *Bth.* X. 444
cuneata *Cham.* X. 442
curviflora *Hook. & Arn.* X. 445
decurrens Cham. & Schl. X. 439
densiflora *Blum.* X. 447
dentata *H. B. & Kth.* X. 437
diffusa *R. & Pav.* X. 439
discolor Roth X. 446
diversifolia *Vahl* X. 445
elegans *Cham. & Schl.* X. 443
floccosa *Kth.* X. 596
floribunda *H. B. & Kth.* X. 439
foliata R. Br. X. 446
Gayana *Bth.* X. 442
glaberrima h. amat. X. 333
glabrata Spr. X. 447
globosa *Lam.* X. 440
glomerata *Wendl.* X. 447
Buddleja
gracilis *Kth.* X. 595
grandiflora *Cham. & S*
heterophylla Lindl. X.
Humboldtiana *R. &*
Jamesoni *Bth.* X. 441
incana *R. & Pav.* X.
incompta *L. fil.* X. 44
indica Lam. X. 445
intermedia *H. B. &*
interrupta *H. B. & K*
lanata *Bth.* X. 441
lanceolata *Bth.* X. 43
Lindenii *Bth.* X. 439
Lindleyana *Fortun.* X.
longifolia *H. B. & K*
macrophylla *Kth.* X.
macrostachya *Bth.* X.
madagascariensis *Lam*
marrubiifolia *Bth.* X.
mendozensis *Gill.* X.
microphylla *H. B. &*
Missionis *Wall.* X. 44
mollis *H. B. & Kth.*
β angustifolia *Bth.*
Neemda *Hamilt.* X. 4
Neemda Link X. 442
nepalensis *Colla* X. 4
nitida *Bth.* X. 437
oblonga *Bth.* X. 442
occidentalis R. & Pa
ovalifolia *Kth.* X. 59
paniculata *Wall.* X.
parviflora *H. B. & K*
perfoliata *H. B. & K*
pichinchensis *H. B.*
Poiretii Spr. X. 444
polycephala *H. B. &*
polystachya *Fresen.* X
propinqua *Kth.* X. 59
rondeletiaeflora *Bth.*
rufa Fresen X. 446
rufescens W. X. 439
rugosa H. B. & Kth.
salicifolia Jacq. X.
salicifolia Vahl X. 4
salicina Lam. X. 446
saligna W. X. 447 4
salviaefolia *Lam.* X.
scordioides *H. B. &*
serrulata Roth X. 44
sessiliflora *H. B. &*
sinuata W. X. 447
sphaerantha Cham. &

[redacted]

Pub. X. 439
ham. & Schl. X. 442
X. 446
X. 446
X. 447
sf. X. 442
X. 445
X. 443
X. 596
H. B. & Kth. X. 439
B. & Kth. X. 441
X. 443
X. 446
X. 434 447
X. 447
Bth. X. 189 432
XII. 132 (Hyptis)
XIII. 2. 437
ls. X. 587
X. 73 *Reich.*
X. 48 (Anchusa)
X. 75
Gaertn. X. 41 *Tourn.*
Gaertn. Tausch
X. 46 (Anchusa)
&c. Mich. X. 52
X. 47
All. X. 44
Tausch X. 47
X. 48
&c. *Brign.* XI. 518
X. 47
X. 47
VII. 505 506
Cup. X. 47
X. 47
Tourn. X. 48
Tausch X. 47
Lob. X. 41
Tourn. X. 47
X. 47
X. 100
X. 47
X. 42
XII. 595 *Bth.* XII. 595 (Ajuga)
X. 597
Scop. XII. 601
XII. 597
XII. 595
XII. 597
XII. 596
XII. 595

Bulu hanjet-nini-dukul VIII. 188
Bumelia *Sw.* VIII. 189 178 190 VIII. 99 *Endl.* VIII. 908
ambigua Ten. VIII. 189
argentea R. & Schult. VIII. 194
Assuba Spr. VIII. 194 185
borbonica *Lodd.* VIII. 193
buxifolia *R. & Schult.* VIII. 191
celastrina *Kth.* VIII. 192
chrysophylloides Pursh VIII. 190
crenulata *Spr.* VIII. 191
cuneata Sw. VIII. 194 181
cuneifolia Rudg. VIII. 194 160
dulcifica Schum. VIII. 194 183
Dumantii *Dc. fil.* VIII. 191
egensis Poepp. VIII. 194 182
excelsa *Dc. fil.* VIII. 192
ferox *Cham. & Schl.* VIII. 189
foetidissima W. VIII. 194 180
lanuginosa *Pers.* VIII. 190
lucida R. & Schult. VIII. 194 185
lycioides *Gaertn.* VIII. 189
Manglillo W. VIII. 194 99
Mastichodendron R. & Schult. VIII. 194 181
micrantha R. & Schult. VIII. 194
micrantha W. h. VIII. 188
montana Sw. VIII. 193
multiflora R. & Schult. VIII. 194
myrsinifolia *Dc. fil.* VIII. 192
nervosa Vahl VIII. 194 179
nigra Berter. h. VIII. 193
nigra *Sw.* VIII. 193
oblongifolia Desvs. h. VIII. 190
oblongifolia *Nutt.* VIII. 190
obovata *Dc. fil.* VIII. 191
obtusifolia *R. & Schult.* VIII. 193
pallida Sw. VIII. 194 181
parvifolia *Dc. fil.* VIII. 190
pauciflora R. & Schult. VIII. 194 180
pentagona Sw. VIII. 185
pubescens Ten. VIII. 189
punctata R. & Schult. XIII. 194 98
reclinata *Vent.* VIII. 190
retusa Balb. VIII. 194
retusa *Sw.* VIII. 192
rhamnoides *Caesar.* VIII. 672
rotundifolia Kth. VIII. 193
rotundifolia *Sw.* VIII. 193 191
salicifolia Berter. VIII. 194 99
salicifolia Sw. VIII. 194 188
sartorum *Mart.* VIII. 192
serrata Pursh VIII. 194

Bucholzia Mart. XIII. 2. 362
brachiata Schrad. XIII. 2. 364
ficoidea Mart. XIII. 2. 363
lupulina Mart. XIII. 2. 374
maritima Mart. XIII. 2. 365
obovata Mart. & Gal. XIII. 2. 370
philoxeroides Mart. XIII. 2. 362
polygonoides Mart. XIII. 2. 363
spinescens Gillies XIII. 2. 359
Bucholzia Moq. XIII. 2. 362 (Telanthera)
Buddleja *L.* X. 433 436 *L. fil.* X. 434
abbreviata *H. B. & Kth.* X. 437
acuminata R. Br. X. 446
acuminata H. B. & Kth. X. 438
acuminata *Poir.* X. 444
acuminatissima Blum. X. 446
americana H. B. & Kth. X. 439
americana *L.* X. 438
angustata *Bth.* X. 443
arborea Meyen X. 440
asiatica *Lour.* X. 446
auriculata *Bth.* X. 445
australis Vell. X. 442
axillaris *W.* X. 445
betonicaefolia *Lam.* X. 439
brachiata *Cham. & Schl.* X. 439
brasiliensis *Jacq.* X. 442
brevifolia W. X. 437
bullata *H. B. & Kth.* X. 437
callicarpoides H. B. & Kth. X. 439
calycina *Bth.* X. 440
capitata Jacq. X. 440
cestriflora *Cham.* X. 444
connata *R. & Pav.* X. 440
cordata *H. B. & Kth.* X. 438
crispa *Bth.* X. 444
cuneata *Cham.* X. 442
curviflora *Hook. & Arn.* X. 445
decurrens Cham. & Schl. X. 439
densiflora *Blum.* X. 447
dentata *H. B. & Kth.* X. 437
diffusa *R. & Pav.* X. 439
discolor Roth X. 446
diversifolia *Vahl* X. 445
elegans *Cham. & Schl.* X. 443
floccosa *Kth.* X. 596
floribunda *H. B. & Kth.* X. 439
foliata R. Br. X. 446
Guyana *Bth.* X. 442
glaberrima h. amat. X. 333
glabrata Spr. X. 447
globosa *Lam.* X. 440
glomerata *Wendl.* X. 447
Buddleja
gracilis *Kth.* X. 595
grandiflora *Cham. &*
heterophylla Lindl. X
Humboldtiana *R. &*
Jamesoni *Bth.* X. 44
incana *R. & Pav.* X.
incompta *L. fil.* X.
indica Lam. X. 445
intermedia *H. B. &*
interrupta *H. B. &*
lanata *Bth.* X. 441
lanceolata *Bth.* X.
Lindenii *Bth.* X. 43
Lindleyana *Fortun.*
longifolia *H. B. &*
macrophylla *Kth.* X.
macrostachya *Bth.*
madagascariensis *La*
marrubiifolia *Bth.* X
mendozensis *Gill.* X.
microphylla *H. B.*
Missionis *Wall.* X.
mollis *H. B. & Kth.*
β angustifolia *Bth.*
Neemda *Hamilt.* X.
Neemda Link X. 44
nepalensis *Colla* X.
nitida *Bth.* X. 437
oblonga *Bth.* X. 442
occidentalis R. & P
ovalifolia *Kth.* X. 5
paniculata *Wall.* X.
parviflora *H. B. &*
perfoliata *H. B. &*
pichinchensis *H. B*
Poiretii Spr. X. 44
polycephala *H. B.*
polystachya *Fresen*
propinqua *Kth.* X.
rondeletiaeflora *Bth*
rufa Fresen X. 446
rufescens W. X. 4
rugosa H. B. & Kt
salicifolia Jacq. X.
salicifolia Vahl X.
salicina Lam. X. 4
saligna W. X. 447
salviaefolia *Lam.* X.
scordioides *H. B.*
serrulata Roth X.
sessiliflora *H. B.*
sinuata W. X. 447
sphaeranthe Cham.

m. XII. 234 235
host XII. 234 224
. XII. 233
chrad. XII. 228
h. XII. 230
Bth. XII. 227
n Boiss. & Heldr. XII. 234
h. XII. 232
Mœnch XII. 228
Pursh XII. 229
Bth. XII. 231
Scop. XII 234 391
ss. XII. 226
Bth. XII. 234
Bth. XII. 229
Bth. XII. 231
la Host XII. 228
Fm. & Link XII. 227 - 228
h. XII. 230
st XII. 228
Mœnch XII. 228
Host XII. 234 224
Boiss. & Heldr. XII. 227
Lam. XII. 228
ost XII. 234
Griseb. XII. 231
ns Bth. XII. 231
. XII. 233
Bth. XII. 232
Host XII. 228
Host XII. 235 225
th. XII. 230
ost XII 235 224
Fremf. XII. 228
Host XII. 227
Mœnch XII. 228
th. XII. 232
Bth. XII. 226 (Calamintha)
Don IX. 238 Dc. IX. 239 (Eeremocarpus)
IX. 239
IX. 335
ro. IX. 336
X. 204
Lindl. X. 219
Bth. X. 219
Pav X. 219
Cav. X. 221
lia H. B. & Kth. X. 220

Calceolaria
andina Bth. X. 219
angustiflora Hook. X. 216
angustiflora R. & Pav. X. 217
anomala Pers X. 210
arachnoidea Grah. X. 209
β viridis Bth.
argentea H. B. & Kth. X. 223
Athiocaniana Sweet X 224
bellidifolia Gill. X. 207
Berterii Colla X. 223
bicolor R. & Pav. X. 216
birrenata R. & Pav. X. 213
biflora Lam. X. 208
biflora R & Pav. X. 213
calycina Bth. X. 211
cana Cav X. 209
canescens W. X. 221
cerasifolia Bth. X. 218
chelidonioides H. B. & Kth. X. 204
β parviflora Bth.
γ flaccida
chilensis Lindl. X. 219
concinna Benpl. X. 204
connata Hook. X. 211
corymbosa R. & Pav. X. 210
crenata bot. reg. X. 219
crenata Lam. X. 221
β floribunda Bth. X. 221
crenatiflora Cav. X. 210
cuneiformis R. & Pav. X. 214
Darwinii Bth. X. 217
deflexa R. & Pav. X. 217
dentata R. & Pav. X. 219
β obtusa
dichotoma Lam. X. 213
diffusa Lindl. X. 216
dilatata Bth. X. 211
divaricata H B. & Kth. X. 216
ericoides Vahl X. 221
erioclada Bth. X. 215
excelsa Grah. X. 591
extensa Bth X. 214
fasciculata W. X. 218
ferruginea Cav. X. 223
ferruginea Colla X. 220
flexuosa R. & Pav. X. 216
floribunda Hook. X. 221
floribunda H. B. & Kth. X. 221
floribunda Lindl. X. 211
Fothergilli Sal. X. 218
gemelliflora Cav. X. 216
glandulosa Poepp. X. 210
glauca R. & Pav. X. 217
gossypina Bth X. 223
gracilis H. B. & Kth X. 205

Calceolaria
graminifolia *H. B. & Kth.* X. 222
Hartwegi *Bth.* X. 222
helianthemoides *H. B. & Kth.* X. 223 591
Herbertiana Lindl. X. 210
Herbertiana var. parviflora Lindl. X. 220
heterophylla *R. & Pav.* X. 212
heterophylla W. X. 205
hispida *Bth.* X. 212
hypericina *Poepp.* X. 222
hypoleuca *Bth.* X. 222
hyssopifolia *H. B. & Kth.* X. 222
inflexa *R. & Pav.* X. 215
integrifolia L. fil X. 213
integrifolia *Murr.* X. 220
integrifolia var. viscosissima Hook. X. 220
involuta *R. & Pav.* X. 217
lamiifolia *H. B. & Kth.* X 216
lanata *H. B. & Kth.* X. 212
lanceolata *Cav.* X. 208
latifolia *Bth.* X. 212
lavandulaefolia *H. B. & Kth.* X. 222
laxa *Bth.* X. 223
linearis *R. & Pav.* X. 221
lobata *Cav.* X. 206
Martineaux Sweet X. 224
Mathewsii *Bth.* X. 207
melissaefolia *Bth.* X. 214
mexicana *Bth.* X. 205
β pichinchensis
mollissima *Walp.* X. 224
Monanthos Poir. X. 216
montana *Cav.* X. 209
Morisii Walp. X. 220 223
multiflora Cav. X. 217
nana *Sw.* X. 208
Neeana Spr. X. 208
nitida *Colla* X. 223
nivalis herb. un. itin. X. 219
nivalis *H. B. & Kth.* X. 218
nudicaulis *Bth.* X. 208
oblonga *R. & Pav.* X. 213
obtusifolia Kze X. 208
ovata *Sm.* X. 213
pudifolia *H. B. & Kth.* X. 218
Palpe Steud. & Hochst. X. 219
paralia *Cav.* X. 209
paralia Hook. X. 210
parviflora *Gill.* X. 207
Pavonii *Bth.* X. 214
pendula Sw. X. 210
perfoliata *L. fil.* X. 214

Calceolaria
perfoliata R. & Pav.
petiolaris *Cav.* X. 210
pinifolia *Cav.* X. 221
pinnata *L.* X. 205
pinnata R. & Pav. X.
pisacomensis *Meyen* X.
plantaginea *Sw.* X. 2
plectranthifolia *Walp.*
polifolia *Hook.* X. 215
polyrhiza *Cav.* X. 207
pulverulenta *R. & Pa*
punctata *Vahl* X. 206
punicea *R. & Pav.* X.
purpurea *Grah.* X. 20
racemosa *Cav.* X. 210
robusta A. Dietr. X. 2
rosmarinifolia *Lam.* X
rotundifolia *H. B. & K*
rugosa Hook. X. 219
rugosa Lodd. X. 220
rugosa R. & Pav. X.
salicifolia *Colla* X. 22
salicifolia *R. & Pav.*
salviaefolia Colla X.
salviaefolia Pers. X.
saxatilis *H. B. & Kth*
scabiosaefolia R. & Sc
scabiosaefolia *Sims* X.
scabra *R. & Pav.* X.
scapiflora *Bth.* X. 206
serrata *Lam.* X. 215
sessilis *R. & Pav.* X.
sibthorpioides *H. B.*
Sinclairi *Hook.* X. 206
spectabilis Kze X. 219
Standishi Paxt. X. 22
stricta *H. B. & Kth.*
tenella *Porpp. & End*
tenuis *Bth.* X. 205
terniflora *Cav.* X. 217
tetragona *Bth.* X. 218
thyrsiflora *Grah.* X. 2
tomentosa *R. & Pav.*
triandra *Vahl* X. 206
trifida *R. & Pav.* X. 2
tripartita *R. & Pav.* X
undulata *Bth.* X. 212
uniflora Dum. X. 208
uniflora *R. & Pav.* X.
utricularioides *Hook.* X
verticillata *R. & Pav.*
β multiflora *Bth.* X. 2
violacea *Cav.* X. 206
virgata *R. & Pav.* X.

. & Pav. X. 208
na Lindl. X. 220
Sweet X. 224
et. reg. X. 224
RIEAE Bth. X. 188 204
th. XII. 71 (Celsia)
'c. fl. X. 591 (Calceolaria)
. IX. 320
lla W. IX. 320
a Pohl XI. 281
hl XI. 283
Liav. & Lex. IX. 462 X. 586
a Liav. & Lex. IX. 462
'librachoa) XIII. 1. 575
Webb X. 448
Salisb. Bth. VII. 624 (Erica)
procumbens Liav. & Lex. XIII. 1. 575
. XI. 627 640 R. & Pav. XI. 647
Schauer XI. 642
H. B. & Kth. XI. 644
Roxb. XI. 645
Schauer XI. 645
a R. Br. XI. 645
m. XI. 645
L. XI. 643
auer XI. 642
hauer XI. 642
ach. XI. 641
Wall. XI. 645
s. XI. 642
I. 643
R. & Pav. XI. 647 654
a Schauer XI. 644
Roxb. XI. 644
th XI. 644
. XI. 647 649
Schauer XI. 643
Sw. XI. 646
R. & Pav. XI. 647 649
h XI. 643
hbg XI. 645
eb. XI. 640
Jacq. XI. 647 649
l XI. 644 647
ll. XI. 641
Roxb. XI. 645
am. XI. 645

Callicarpa
longifolia Roxb. XI. 645
macrophylla Vahl XI. 644 647
magna Schauer XI. 641
mollis W. h. XI. 644
nudiflora Hook. & Arn. XI. 641
oblongifolia Hassk. XI. 645
paniculata Lam. X. 435
parvifolia Hook. & Arn. XI. 646
pedunculata R. Br. XI. 644
pentandra Roxb. XI. 646
purpurea Juss. XI. 645
Reevesii Wall. XI. 641
reticulata Poepp. XI. 647 639
reticulata Sw. XI. 642
Roxburghiana R. & Schult. XI. 645
Roxburghii Wall. XI. 640
rubella Lindl. XI. 645
sessilifolia Wall. XI. 645
subintegerrima H. B. & Kth. XI. 644
subpubescens Hook. & Arn. XI. 646
tomentosa Lam. XI. 643
tomentosa W. XI. 647
triloba Lour. XI. 647
umbellata Lour. XI. 647
velutina Presl XI. 647
villosa Vahl XI. 646
Wallichiana Walp. XI. 641
Zollingeriana Schauer XI. 640
Callichroma Bth. X. 531 (Castilleja)
Callicodon Bth. VII. 614 (Erica)
Calligonum canescens Pursh XIII. 2. 112
Callioreas Cham. XI. 601 (Lantana)
Callista Don Bth. VII. 645 (Erica)
Callista D. & G. Don VII. 613 640 795
acuminata G. Don VII. 639
armata G. Don VII. 637
Bandonia G. Don VII. 645
Bedfordiana G. Don VII. 648
blanda G. Don VII. 636
Broadleyana G. Don VII. 637
buccinaeflora G. Don VII. 639
calostoma G. Don VII. 639
Celsiana G. Don VII. 649
Cliffortiana G. Don VII. 646
comosa D. & G. Don VII. 650
Comptoniana G. Don VII. 642
Coventryana G. Don VII. 645
daphniflora G. Don VII. 646
daphnoides G. Don VII. 647

Callista
denticulata G. Don VII. 648
fastigiata G. Don VII. 646
ferruginea G. Don VII. 643
Humeana G. Don VII. 646
hyacinthoides G. Don VII. 647
inflata G. Don VII. 641
infundibuliformis G. Don VII. 645
juliana G. Don VII. 647
Lawsoniana G. Don VII. 646
magnifica G. Don VII. 638
metulaeflora G. Don VII. 640
moschata G. Don VII. 648
Muscari G. Don VII. 648
nidiflora G. Don VII. 648
Parmentieri G. Don VII. 647
pavettaeflora G. Don VII. 645
pellucida G. Don VII. 647
praegnans G. Don VII. 642
primuloides G. Don VII. 646
quadrangularis G. Don VII. 640
rigida G. Don VII. 639
Sainsburyana G. Don VII. 641
stellifera G. Don VII. 639
Swainsonii G. Don VII. 638
Templeana G. Don VII. 640
tenuiflora G. Don VII. 646
tetragona G. Don VII. 649
trossula G. Don VII. 648
undulata G. Don VII. 639
varia G. Don VII. 685
ventricosa G. Don VII. 642
venusta G. Don VII. 647
verecunda G. Don VII. 636
Walkeriana G. Don VII. 647
Callistachya Raf. X. 458 463
Collococcus No. 1. *P. Browne* IX. 499
Callopisma Mart. IX. 48
amplexifolium Mart. IX. 49
cordifolium Lhotsk. IX. 48
perfoliatum Mart. IX. 48
perfoliatum β Mart. IX. 49
Calluna *Salisb.* VII. 612
vulgaris *Salisb.* VII. 613
Erica Dc. fl. fr. VII. 613
Calochlamys Presl XI. 623
capitata Presl XI. 623
Calodracon Bth. XII. 398
Calogyne *R. Br.* VII. 517
pilosa *R. Br.* VII. 517
Calolisianthus Griseb. IX. 72 (Lisianthus)
Calomelissa Bth. XII. 229 (Calamintha)
Calonyction *Chois.* IX.
acanthocarpum *Chois*
asperum *Chois.* IX. 3
clavatum *Don* IX. 34
comorensis Boj. IX.
comosperma *Boj.* IX.
diversifolium Hassk.
grandiflorum *Chois.*
Jacquinii Don IX. 34
macrantholeucum Col
muricatum Don IX.
muticum *Dene* IX. 3
pseudo-muricatum D
pterodes *Don* IX. 34
Rheedi Coll. IX. 345
Roxburghii Don IX.
speciosum *Chois.* IX
α vulgare
β muricatum
γ pubescens
δ laeve
ε macrantholeucum
trichospermum *Chois*
β diversifolium
Tuba Colla IX. 346
Calophanes *Don* XI. 99
adscendens *Hochst.*
amoenus *Nees* XI. 11
biflora Schuttl. XI. 1
ciliatus *Nees* XI. 110
crinitus *Nees* XI. 107
gracilis *Nees* XI. 111
Heudelotianus *Nees*
hirsutissimus *Nees* XI
humistratus *Shuttl.* X
hygrophiloides *Nees*
hyssopifolius *Nees* XI
Jasminum mexicanum
β macranthes
lavandulaceus *Nees*
linearis Torr. & Gr.
madagascariensis *Nee*
Maranhonis *Nees* XI.
microphyllus *Nees* XI
Nagchana *Nees* XI.
oblongifolius *Don.* XI
β acutiusculus
γ texensis
ovatus *Bth.* XI. 108
Perrottetii *Nees* XI.
Pulegium *Nees* XI.
quitensis *Nees* XI.
repens *Nees* XI. 109
Schiedeanus *Nees* XI.
Serpyllum *Nees* XI.
setosus *Nees* XI. 112

...hus *Nees* XI. 112
...us *Nees* XI. 108
...s *Bth.* XI. 448 456
...na *Bth.* X. 456
... *Wall.* IX. 263 268
...a *Wall.* IX. 270
...s *Wall.* IX. 269
... *Wall.* IX. 270
...ll. IX. 269
...a *Wall.* IX. 269
...lla *Wall.* IX. 269
... *Wall.* IX. 264
Blum. IX. 177
...um. IX. 177
Bth. XII. 296 (Salvia)
... *Bth.* XII. 467 (Stachys)
Dcne VIII. 580
...ianum *Dcne* VIII. 581
Dcne VIII. 581
...cne VIII. 580
...R. *Br.* VIII. 535
R. Br. VIII. 535
...i *Wight* VIII. 535
Wall. VIII. 536
Wight VIII. 536
...lla *Wall.* VIII. 535
...t. *Br.* VIII. 535
...W. VIII. 535
... *Wight* VIII. 535
...n *G. Don* VIII. 351
...i *G. Don* VIII. 354
...ii *G. Don* VIII. 352
...t. *Thouar.* XIII. 2. 440
...Poj. XIII. 2. 446
...s *Pet. Thouar.* XIII. 2. 442
...lla *Boj.* XIII. 2. 446
Boj. XIII. 2. 441
...g. XIII. 2. 47 167
Moq. XIII. 2. 168
W. IX. 437
...tus *W.* IX. 438
... *W.* IX. 437
R. & Pav. XIII. 1. 433
& Pav. XIII. 1. 434
Pers. XIII. 2. 430
...ia *Nutt.* XIII. 2. 433
... *Pers.* XIII. 2. 431
... *Nutt.* XIII. 2. 433
...utt. XIII. 2. 433
...tt. XIII. 2. 433
...ers. XIII. 2. 430
africana Lam. IX. 469
...rsum *Dietr.* VIII. 315

Calystegia *R. Br.* IX. 433 *Auct.* IX. 434. 435
affinis *Endl.* IX. 434
Catesbeiana *Pursh* IX. 434
dahurica *Choix.* IX. 433
β pellita – –
γ elongata – –
grandiflora *Don* IX. 434
hederacea *Wall.* IX. 434
Keriana Sw. IX. 435
lucana Don IX. 433
marginata *R. Br.* IX. 434
mucronata Spr. IX. 435 430
mutabilis *Raf.* IX. 434
ochroleuca *Boj.* IX. 434
paradoxa *Pursh* IX. 434
pellita Don IX. 433
reniformis R. Br. IX. 433
rugosa Ledeb. IX. 435 388
sepium *R. Br.* IX. 433
β roseo *Choix.* – –
γ bilora – – –
δ maritima – – –
ε tubata – – –
Soldanella *R. Br.* IX. 433
spithamea *Pursh* IX. 434
subacaulis Hook. IX. 435 405
subvolubilis Don IX. 433
sylvatica *Choix.* IX. 433
tomentosa Pursh IX. 434
villosa Raf. IX. 434
Spec. Boj. IX. 431
Calytriplex R. & Pav. X. 392 399
obovata R. & Pav. X. 400
Calyxhymenia Ort. XIII. 2. 430
aggregata Ort. XIII. 2. 433
expansa R. & Pav. XIII. 2. 431
glabrifolia Ort. XIII. 2. 431
ovata R. & Pav. XIII. 2. 431
paniculata Desf. XIII. 2. 431
pilosa Engelm. & Gr. XIII. 2. 433
prostrata R. & Pav. XIII. 2. 434
viscosa Ort. XIII. 2. 430
Camara Plum. XI. 594 *Cham.* XI. 596 (Lantana)
lamii folio &c. Dill. XI. 600
melissae folio &c. Dill. XI. 599
trifolia &c. Plum. XI. 607
Cameliera IX. 592
Camellia longiflora Forsk. XI. 117
Cameraria *Plum.* VIII. 386 *Auct.* VIII. 378
angustifolia *L.* VIII. 389
dubia Sims VIII. 389 407
guianensis Aubl. VIII. 389 379
latifolia Andr. VIII. 389

Callista
denticulata G. Don VII. 648
fastigiata G. Don VII. 646
ferruginea G. Don VII. 643
Humeana G. Don VII. 646
hyacinthoides G. Don VII. 647
inflata G. Don VII. 641
infundibuliformis G. Don VII. 645
juliana G. Don VII. 647
Lawsoniana G. Don VII. 646
magnifica G. Don VII. 638
metulaeflora G. Don VII. 640
moschata G. Don VII. 648
Muscari G. Don VII. 648
nidiflora G. Don VII. 648
Parmentieri G. Don VII. 647
pavettaeflora G. Don VII. 645
pellucida G. Don VII. 647
praegnans G. Don VII. 642
primuloides G. Don VII. 646
quadrangularis G. Don VII. 640
rigida G. Don VII. 639
Sainsburyana G. Don VII. 641
stellifera G. Don VII. 639
Swainsonii G. Don VII. 638
Templeana G. Don VII. 640
tenuiflora G. Don VII. 646
tetragona G. Don VII. 649
trossula G. Don VII. 648
undulata G. Don VII. 639
varia G. Don VII. 685
ventricosa G. Don VII. 642
venusta G. Don VII. 647
verecunda G. Don VII. 636
Walkeriana G. Don VII. 647
Callistachya Raf. X. 458 463
Callococcus No. 1. *P. Browne* IX. 499
Callopisma Mart. IX. 48
amplexifolium Mart. IX. 49
cordifolium Lhotsk. IX. 48
perfoliatum Mart. IX. 48
perfoliatum β Mart. IX. 49
Calluna *Salisb.* VII. 612
vulgaris *Salisb.* VII. 613
Erica Dc. fl. fr. VII. 613
Calochlamys Presl XI. 623
capitata Presl XI. 623
Calodracon Bth. XII. 398
Calogyne *R. Br.* VII. 517
pilosa *R. Br.* VII. 517
Calolisianthus Griseb. IX. 72 (Lisianthus)
Calomelissa Bth. XII. 229 (Calamintha)
Calonyction *Chois.* I
acanthocarpum *Ch*
asperum *Chois.* IX.
clavatum *Don* IX.
comorensis Boj. IX
comosperma *Boj.*
diversifolium Hass
grandiflorum *Chois*
Jacquinii Don IX.
macrantholeucum
muricatum Don IX
muticum *Dene* IX.
pseudo-muricatum
pterodes *Don* IX.
Rheedi Coll. IX.
Roxburghii Don IX
speciosum *Chois.*
α vulgare
β muricatum
γ subsericeum
δ laeve
ε macrantholeucum
trichospermum *Ch*
β diversifolium
Tuba Colla IX. 34
Calophanes *Don* XI.
adscendens *Hochst*
amoenus *Nees* XI.
biflora Schuttl. XI.
ciliatus *Nees* XI.
crinitus *Nees* XI.
gracilis *Nees* XI.
Heudelotianus *Nees*
hirsutissimus *Nees*
humistratus *Schuttl.*
hygrophiloides *Nee*
hyssopifolius *Nees*
Jasminum mexicanu
β macranthes
lavandulaceus *Nees*
linearis Torr. & *G*
madagascariensis
Maranhonis *Nees*
microphyllus *Nees*
Nagchana *Nees* XI.
oblongifolius *Don.*
β scutiusculus
γ texensis
ovatus *Bth.* XI.
Perrottetii *Nees* XI
Pulegium *Nees* XI.
quitensis *Nees* XI.
repens *Nees* XI.
Schiedeanus *Nees*
Serpyllum *Nees* XI.
setosus *Nees* XI.

Thbg VII. 486 446
stidua R. & Sch. VII. 482
a Scop. VII. 471
ma Dc. fil. VII. 471
ita – – – –
ifolia Lam. VII. 462
Boeb. VII. 480
ica R. & Schult. VII. 484
ll. VII. 472
is L. VII. 486 422
Dc. fil. VII. 462
Wall. VII. 473
L. VII. 486 426
Thbg VII. 486 434
Lodd. VII. 486 433
bot. mag. VII. 466
ion. spec &c. Pet. VII. 446
Dc. fil. VII. 459
chied. VII. 470
Vall. VII. 474
Jacq. VII. 479
na Royl. VII. 473
MB. VII. 465
a Ten. VII. 476
a Ten. VII. 476
. fil. VII. 458
VII. 482
folia Schrank VII. 492
bg VII. 486 435
L. VII. 468
ear. Reich. VII. 468
ides R. & Schult. VII. 468
Molin. VII. 441
Presl VII. 486 440
a Sibth. VII. 466
strin. h. VII. 479
ro. VII. 461
bg VII. 446
. VII. 446
bbg VII. 486
anks h. VII. 486 439
xb. h. VII. 486 438
Sieb. VII. 486
olia Vahl VII. 476
t. mag. VII. 470
B. VII. 470
il. VII. 470
Wall. VII. 473
ntiana Dc. fil. VII. 473
Fisch. VII. 493
a R. & Schult. VII. 464
Dc. fil. VII. 468
– – – –
ia. VII. 486 490

Campanula
coronopifolia R. & Schult. VII. 486 493
coronata Ker VII. 486 494
corymbosa *Desf.* VII. 459
corymbosa Ten. VII. 477
crassifolia Nees VII. 476
crenata Link VII. 469
crispa Banks h. VII. 486 444
crispa *Lam.* VII. 458
Cymbalaria Sibth. & Sm. VII. 474
cymbalariae folio Bauh. VII. 428
damascena *Labill.* VII. 475
dasyantha *MB.* VII. 461
dasycarpa Kit. VII. 479
decipiens R. & Schult. VII. 462
declinata Moench VII. 478
Decloetiana *Ortm.* VII. 486
decumbens *Dc. fil.* VII. 481
decurrens L. VII. 479 480
decurrens *Zucc.* VII. 485
dehiscens Roxb. VII. 486 434
denticulata Burch. VII. 486 432
denticulata Spr. VII. 486 492
dichotoma *L.* VII. 462
β brachiata *Dc. fil.* VII. 462
diffusa Banks h. VII. 436
diffusa Vahl VII. 476
divaricata *Mx.* VII. 472
divergens *W.* VII. 465
drabifolia *Sibth.* VII. 474
dubia *Dc. fil.* VII. 472
dulcis *Done* VII. 463
edulis *Forsk.* VII. 463
Elatines *L.* VII. 475
β glaberrima *Dc. fil.* VII. 475
Elatines Poll. VII. 475
elatinoides *Morett.* VII. 475
elatior Hoffmanns. & Link VII. 480
elegans *R. & Schult.* VII. 484
elliptica Kit. VII. 467
elongata Banks h. VII. 436
elongata Portensch. VII. 470
elongata W. VII. 486 426
ensifolia Lam. VII. 486 442
ericoides Lam. VII. 486 443
erinoides *L.* VII. 480
erinoides Mühl. VII. 472
Erinus *L.* VII. 473
eriocarpa MB. VII. 469
erysimoides R. & Schult. VII. 486 493
evolvulacea *Royl.* VII. 473
excisa *Schleich.* VII. 472

Campanula
exotica Ald. VII. 487 IX. 405
falcata R. & Schult. VII. 487 490
fasciculata L. VII. 487 418
fastigiata *Dufour* VII. 483
fastigiata Gmel. VII. 480
filiformis Morett. VII. 476
filiformis R. & Pav. VII. 487 441
Firmiana Vandell. VII. 466
Fischeri R. & Schult. VII. 487 493
Fischeriana Spr. VII. 487 493
flaccida Banks h. VII. 487
flaccida Mass. VII. 428
flagellaris H. B. & Kth. VII. 487 491
flexuosa *Mx.* VII. 472
flexuosa W. & Kit. VII. 472
floribunda Vis. VII. 476
foliis lanceolatis &c. Gmel. VII. 422
foliosa *Ten.* VII. 467
fragilis *Cyrill.* VII. 476
β hirsuta *Dc. fil.* – –
fragilis hirsuta Dc. fil. VII. 476
frigida Pall. VII. 461
fruticosa Banks h. VII. 487 444
fruticosa Hill VII. 487 443
fruticosa L. VII. 487 417
Fuchsii &c. Theatr. flor. VII. 469
fulgens *Wall.* VII. 477
garganica *Ten.* VII. 475
gentianoides Lam. VII. 487 422
ghilanensis R. & Schult. VII. 487 490
Gieseckiana Vest VII. 483
glabra C. Bauh. VII. 457
glabrata Banks h. VII. 435
glauca *Thbg* VII. 485
glomerata *L.* VII. 467
β speciosa *Dc. fil.* VII. 467
γ nicaeensis – – –
δ elliptica – – –
ε sparsiflora – – –
ζ cervicarioides – – 468
η farinosa – – –
ϑ pusilla – – –
ι flore pleno – – –
glomerata Reich. VII. 467
glomerata var. All. VII. 467
glomerata δ R. & Schult. VII. 468
Gmelini R. & Schult. VII. 487 494
Gmelini Spr. VII. 487 494
gracilis Bert. h. VII. 487 438
Campanula
gracilis Forst. VII
gracilis Sm. VII.
gracilis β stricta
gracilis var. Colla
gracilis var. R. Br
gracilis var. Spr.
graminifolia Host
graminifolia L. VI
graminifolia W. &
graminifolia β Sch
grandiflora Jacq.
grandiflora Lam.
Grosseckii *Heuf.*
gummifera W. VI
hederacea L. VII.
hederaefolia Salisb
Herminii *Hoffm.*
heterodoxa Bong.
heterophylla Baum
heterophylla Gray
heterophylla *L.* VI
Hilsenbergii Boj.
hirta R. & Schult.
hispida Eckl. VII.
hispida Lejeun. VI
hispidula Thbg VI
homallanthina Led
Hostii *Baumg.* VII.
humillima *Dc. fil.*
hybrida L. VII. 48
Jacquini *Dc. fil.* V
jasionifolia *Dc. fil.*
illinoensis *Fresen.*
imbricata Hayne
inconspicua Banks
incurva *Auch.* VII.
infundibuliformis
infundibulum Reich
infundibulum Vest
integerrima Don V
intermedia R. & S
interrupta Pers. V
involucrata *Auch.*
isophylla *Morett.*
juncea hortul. VII.
juncifolia hortul.
Kitaibeliana *R. &*
Kotschyana *Dc. fil.*

Andr. VII. 459
L. VII. 459
MB. VII. 477
Dc. fil. VII. 480
Cham. VII. 464
MB. VII. 464
Dc. fil. VII. 464
Lapeyr. VII. 470
Roxb. VII. 485
Fisch. VII. 471
Lam. VII. 478
Bart. VII. 487 438
Cham. VII. 482
VII. 469
Dc. fil. VII. 469
– – –
acrantha bot. mag. VII. 469
c. fil. VII. 478
folia Blum. VII. 433
Dc. fil. VII. 463
am. VII. 461
m. VII. 487 492
VII. 487 493
& Kit. VII. 487 493
a L. VII. 487 454
Lam. VII. 487 440
VII. 487 426 788
Reich. VII. 467
W. & Kit. VII. 466
Cank. VII. 471
m. VII. 471
Dc. fil. VII. 471
neri – – –
rifiora – – –
cop. VII. 470
V. VII. 471
Pall. VII. 487 494
resl VII. 487 441
Labill. VII. 487 433
L. VII. 487 440
Spr. VII. 487 435
Brot. VII. 482
Lapeyr. VII. 466
β Lapeyr. VII. 466
s Banks h. VII. 487 444
M. VII. 481
m. VII. 484
Sa Reich. VII. 469 485
J. Bauh. IX. 401
Lorn. VII. 470
Salisb. VII. 487 457
h. VII. 458
bot. mag. VII. 469

Campanula
macrophylla Sieb. VII. 464
macrorhiza *Gay h.* VII. 475
β pubescens *Dc. fil.* – –
marginata Thbg VII. 487 433
marsupiiflora R. & Schult. VII. 488 494
matritensis *Dc. fil.* VII. 481
β urvedlensis – – –
Medium *L.* VII. 460
microphylla Cav. VII. 463
microphylla Kit. VII. 484
minor Lam. VII. 471
minuta Agardh VII. 488 456
minuta Savi VII. 471
mollis Curt. VII. 463
mollis *L.* VII. 463
β microphylla *Dc. fil.* VII. 463
mollis β W. VII. 462
monadelpha Pall. VII. 488 494
montana *Delarb.* VII. 485
montevidensis Spr. VII. 488 491
Moorcroftiana Wall. VII. 473
Morettiana *Reich.* VII. 476
multiflora *W. & Kit.* VII. 468
multiflora W. VII. 484
nana Lam. VII. 461
neglecta Bess. VII. 469
neglecta R. & Schult. VII. 480
nemorosa *Dc. fil.* VII. 470
nicaeensis Risso VII. 476
nitida Kit. VII. 478
nutabunda Guss. VII. 488 435
nutans Sieb. VII. 488 494
nutans Wahl & Horn. VII. 465
obliqua Jacq. VII. 478
obliquifolia Ten. VII. 470
Olivieri *Dc. fil.* VII. 462
ossetica MB. VII. 488 495
Ottoniana R. & Schult. VII. 488 419
Pallasiana *R. & Schult.* VII. 461
pallida *Wall.* VII. 473
paniculata Banks h. VII. 488 431
paniculata L. fil. VII. 488 431
paniculata Wall. VII. 488 421
parviflora *Lam.* VII. 465
parviflora Salisb. VII. 488 440
patula *L.* VII. 480
β calyce strigoso-piloso *Dc. fil.* VII. 480
γ latifolia *Dc. fil.* VII. 480
δ grandiflora – – –
ε pauciflora – – –
ζ neglecta – – –
pauciflora *Desf.* VII. 470

Campanula
pedunculariis *Wall.* VII. 483
pedunculata Gmel. VII. 444
pelviformis *Lam.* VII. 459
β micrantha *Dc. fil.* VII. 459
pelviformis Sieb. VII. 459
pendula MB. VII. 488 495
pentagonia L. VII. 488 489
pentagonia perfoliata Mor. VII. 491
peregrina Hoffm. & Link VII. 478
peregrina *L.* VII. 478
Pereskia Fisch. VII. 488 492
pereskiaefolia R. & Schult. VII. 488 492
perfoliata L. VII. 488 491
periplocifolia Lam. VII. 488 493
perpusilla *Dc. fil.* VII. 474
persica *Dc. fil.* VII. 483
persicaefolia *L.* VII. 479
β angustifolia *Dc. fil.* VII. 479
γ macrantha – – –
δ calyce piloso – – –
ε dasycarpa – – –
ζ hispida – – –
η pumila – – –
ϑ calycina – – –
persicifolia calycina Reich. VII. 479
petiolata *Dc. fil* VII. 470
petraea All. VII. 468
petraea Kotschy VII. 467
petraea *L.* VII. 466
petraea Poll. VII. 467
phyteumoides *Zucc.* VII. 485
pilosa Ledeb. VII. 461
pilosa *Pall.* VII. 460
planiflora *Lam.* VII. 477
planiflora W. h. VII. 477
plicata Pers. VII. 488 444
plicatula Dumort. VII. 469
polyantha *R. & Schult.* VII. 484
polymorpha diffusa Soland. VII. 488 433
pomponiifolia Fisch. VII. 488 494
porosa Thbg VII. 488 VIII. 73
Portenschlagiana *R. & Schult.* VII. 476
β pubescens *Dc. fil.* VII. 476
pratensis *Dc. fil.* VII. 472
primulaefolia *Brot.* VII. 478
Prismatocarpus Ait. VII. 488 445
procumbens Thbg VII. 488 429
propinqua *Fisch. & Mey.* VII. 462
ptarmicaefolia *Lam.* VII. 467
pubescens Schm. VII. 471
pulla *L.* VII. 472
β ramosa *Dc. fil.* VII. 472

Campanula
pulla Parol. VII. 4
pulla var. Scop. V
pulla β L. VII. 472
pumila hot. mag. V
pumila Schm. VII.
Pumilio Portenschl
punctata *Lam.* VII.
purpurea Spr. VII.
pusilla Haenk. VII.
pusilla β Dc. fil.
pygmaea Lam. VII
pyramidalis *L.* VII
pyramidalis minor
pyramidalis minor
pyrenaica *Dc. fil.*
quadrifida R. Br.
Rabelaisiana R. &

ramosissima Host
ramosissima *Sibth.*
ramulosa *Wall.* VII
rapunculoides *L.* V
β calyce glaberrimo
γ macrophylla
δ benipontana
ε trachelioides
ζ nana
Rapunculus *L.* VII
β calyce strigoso *Dc*
γ calycina
Rapunculus MB. V
Rapunculus var. d.

Redowskiana Cham

Reinerii *Perpout.* V
repens Lour. VII.
retrorsa *Labill.* VII
rhodensis *Dc. fil.* V
rhomboidalis *L.* VI
β lanceolata *Dc. fil*
γ reflexa –
rhomboidea β W. V
rigescens *Pall.* VII.
riparia Boj. VII.
riparia Lepr. & P

roelloides Juss. h.
Rohdii Lois. VII.
Rosani Ten. VII.
rotundifolia Bert.
rotundifolia *L.* VII.
β velutina *Dc. fil.*
γ major –
δ tenuifolia –

Pall. h. VII. 484
var. Horn. VII. 471
β Lam. VII. 471
aks h. VII. 488 426
d. jardin. VII. 470
. VII. 460
st VII. 472
so VII. 476
th. VII. 458
, & Schult. VII. 463
B. VII. 470
all. VII. 488 494
ch. VII. 461
er VII. 464
c. fil. VII. 484
ims VII. 464
VII. 461
Br. VII. 488 433
B. VII. 460
& Schult. VII. 485
bot. cab. VII. 471
Vill. VII. 471
ok. VII. 477
c. fil. – –
& Schult. VII. 479
C. Bauh. VII. 488
Vis. VII. 488 449
L. VII. 488 417
VII. 465
Dc. fil. VII. 465
– – –
tsch. VII. 479
ust VII. 488 429
e VII. 470
, VII. 479
ibth. & Sm. VII. 481
V. & Kit. VII. 465
a. VII. 467
v. VII. 466
fil. – –
VII. 484
VII. 488 490
M. & Orc. VII. 488 490
il. 488
A. VII. 488
– – –
– – –
All. VII. 488
ho N. VII. 488 429
Schult. VII. 488 493
VII. 488 490
VII. 488
488. VII. 488 494

Campanula
Steveni MB. VII. 479
β sibirica Dc. fil. VII. 479
stricta Labill. VII. 463
stricta L. VII. 463
stricta Wall. VII. 471
strigosa Russ. VII. 462
stylosa Bess. VII. 489 493
stylosa Lam. VII. 489 493
stylosa Reich. VII. 493
suaveolens W. VII. 489 493
subulata P.B. VII. 478
subulata Spr. VII. 489 417
subulata Thbg VII. 489 444
sylvatica Wall. VII. 471
syngenesiflora Pall. VII. 489 494
syriaca R. & Schult. VII. 475
tenella L. VII. 489 418
Tenorii Moretl. VII. 477
tenuifolia W. & Kit. VII. 489 449
tetraphylla Thbg VII. 489 492
Thaliana Waltr. VII. 470
thalictrifolia Spr. VII. 489 495
Thunbergii R. & Schult. VII. 489 446
thyrsoides L. VII. 468
tomentosa Lam. VII. 458
tomentosa Vent. VII. 458
trachelioides MB. VII. 469
Trachelium Bull. VII. 469
Trachelium L. VII. 469
β γ – –
trichocalycina Ten. VII. 470
tridentata Schreb. VII. 460
triphylla Thbg VII. 489 494
tubulosa Lam. VII. 459
uralica Bess. VII. 469
umbrosa Dietr. VII. 489 493
undulata L. fil. VII. 435
unidentata Thbg VII. 489 417
uniflora Gieseck. VII. 482
uniflora Huds. VII. 471
uniflora L. VII. 482
β Gieseckiana Dc. fil. VII. 482
uniflora Vill. VII. 471
urticifolia Schm. VII. 469
valdensis All. VII. 471
variifolia Salisb. VII. 471
velutina Desf. VII. 463
verruculosa Hoffm. & Link VII. 480
versicolor Andr. VII. 477
versicolor Guss. VII. 477
versicolor Sibth. & Sm. VII. 476
β multifida Dc. fil. – 477

Campanula
verticillata Pall. VII. 489 492
vesula *All.* VII. 484
vincaeflora Vent. VII. 489 433
violaefolia *Lam.* VII. 464
virgata *Labill.* VII. 483
virgata Lodd. VII. 454
viridis Spr. VII. 489 425
Vittinghoffiana R. & Schult. VII. 479
Waldsteiniana *R. & Schult.* VII. 472
Wanneri *Rochel* VII. 484
Willdenowiana R. & Schult. VII. 477
Zoysii *Wulf.* VII. 482
No. 361 & 508 *Burch.* VII. 430
No. 577 *Sieb. Nov. Holl.* VII. 434
Campanulacea No. 189 *Burch.* VII. 421
No. 1720 *Burch.* VII. 418
No. 2675 *Burch.* VII. 419

CAMPANULACEAE *Dc.* VII. 414
CAMPANULACEAE Juss. R. Br. VII. 414 339
CAMPANULAE Adans. VII. 414
CAMPANULEAE *Dc. fil.* VII. 414
G. Don VII. 449
Campanumoea *Blum.* VII. 423 *Endl.* VII. 423
celebica *Blum,* VII. 423
javanica *Blum.* VII. 423
Campelepis Falc. VIII. 665
Camphorata Tourn. XIII. 2. 125
hirsuta Buxb. XIII. 2. 126
hirsuta Moench XIII. 2. 125
monspeliensium Crantz XIII. 2. 125
Camphoropsis Moq. XIII. 2. 200
Camphorosma *L.* XIII. 2. 45 125
acuta *L.* XIII. 2. 126
acuta Poll. XIII. 2. 127 133
annua *Pall.* XIII. 2. 126
glabra Auct. XIII. 2. 127
glabra L. XIII. 2. 126
monspeliaca *L.* XIII. 2. 125
β canescens *Moq.* – – –
γ glabrescens – – – –
δ sicula *Jan.* – – –
ε monstrosa – – –
monspeliaca Pall. XIII. 2. 126
monspeliaca Poll. XIII. 2. 127 133
ovata Biasol. XIII. 2. 126

Camphorosma
ovata *W. & Kit.* XIII.
β nana –
paleacea L. fil. XIII.
perennis Pall. XIII. 2.
Pteranthus L. XIII. 2.
ruthenica *MB.* XIII. 2
ruthenicum R. & Schult.
sabulosa *Kit.* XIII. 2.
vigintimilleis Tineo XI
CAMPHOROSMEAE Endl. X
CAMPHOROSMEAE *Moq.*

Campsis Lour. IX. 215
adrepens Lour. IX. 22
Camptocarpus *Dcne* VII
Bojerianus *Dcne* VIII.
crassifolius *Dcne* VIII.
linearis *Dcne* VIII. 49
mauritianus *Dcne* VIII
orientalis C. Koch X.
Camptoloma *Bth.* X. 42
rotundifolia *Bth.* X. 4
Campuleja Pet. Thouar.
coccinea Hook. X. 503
coerulea Boj. X. 501
rosea Boj. X. 501
Campylanthus *Roth* X. 5
glaber *Bth.* X. 508
salsoloides *Roth* X. 5
Campylocaryum Dc. X.
fil. X. 102
smyrnaeum Boiss. X.
syriacum Boiss. & Ho
verrucosum Boiss. X.
Campylodes E. Mey. VI
Campylostachys *Kth.* XI
abbreviata E. Mey. X
cernua *Kth.* XII. 605
cernua Zeyh. XII. 606
phylicoides Sonder XI
Campylostemon E. Mey.
paniculatus E. Mey.
Canala Pohl IX. 3
heliotropoides Mart.
macrophylla Pohl IX.
rubiaefolia Pohl IX. 8
Canaria L. VII. 422
Canarina *Juss.* VII. 422
Campanula *Lam.* VII.
Zanguebar *Lour.* VII.
Candollea Labill. VII. 3

Armeria Labill. VII. 3
asaleoides Baum. VII.

Labill. VII. 334
Labill. VII. 333
Labill. VII. 333
Rheed. IX. 15
Pontac. Pet. Thouar. IX. 18
us campanulatus G. Don VII. 401
Lam. IX. 64 *R. & Schult.* IX. 63
all. IX. 65
R. & Schult. IX. 64
R. Br. IX. 64
Wall. IX. 64
G. Don IX. 64
Lam. IX. 65
R. & Schult. IX. 65 63
Wall. IX. 65
R. & Schult. IX. 64
Wall. IX. 64
s. IX. 320 310 318 XIII. 1. 579
Pursh IX. 321 314
Juss. IX. 321 312
Lam. IX. 321
Poir. IX. 321 319
Poir. IX. 321 319
Juss. IX. 321
folia W. IX. 321 313
Pers. IX. 321
Poir. IX. 321 313
Ita W. IX. 321
Nutt. IX. 321 314
Cav. XIII. 1. 579
Pers. IX. 321
Poir. IX. 321 319
Juss. IX. 321
W. IX. 321 319
Poir. IX. 321 312
Juss. IX. 322 XIII. 1. 579
Torr. IX. 321 314
W. IX. 321
Spr. IX. 321
IX. 321
Pursh IX. 321 312
Gmel. IX. 320
Lam. IX. 322 313
Torr. IX. 322 316
Juss. IX. 320
Juss. IX. 320
D. Don IX. 321
Juss. IX. 322 313
Cav. IX. 321
R. & Schult. IX. 322 353
Pers. IX. 321

Canudo IX. 349
Capo Molago Rheed. XIII. 1. 413
Capparis Carandas Gmel. VIII. 332
Capraria *L.* X. 425 429 *Ait.* X. 334 *Cham. & Schl.* X. 430

aegyptiaca Endl. X. 430
arabica Steud. & Hochst. X. 430 347
biflora *L.* X. 429
crustacea L. X. 430 413
cuneata R. Br. X. 430
diffusa Roxb. X. 430 387
dissecta Dekl. X. 430 362
durantifolia L. X. 430 383
gratioloides L. X. 430 419
gratissima Roxb. X. 430 389
hirsuta H. B. & Kth. X. 429
humilis Ait. X. 430 383
lanceolata L. fil. X. 430 333
lucida Ait. X. 430 334
mexicana *Moric.* X. 429
multifida Mx. X. 430 391
peruviana *Feuill.* X. 430
pusilla Torr. X. 430 372
rigida Thbg X. 430 333
salicifolia hortul. X. 333
salicifolia Link & Otto X. 430 333
saxifragaefolia Cham. & Schl. X. 430
semiserrata *Vahl* X. 429
β Berterii *Dc. fil.* – –
undulata L. fil. X. 430 333
uniflora Burm. X. 430
CAPRIFOLIACEAE Reich. VII. 552
Capsicum *Tourn.* XIII. 1. 5 411
aggregatum *W. h.* XIII. 1. 428
americanum &c. Mill. XIII. 1. 428
angulosum Fingerh. XIII. 1. 426
angulosum *Mill.* XIII. 1. 426
α macrocarpum – – –
β conicum – – –
γ ovale – – –
angustifolium *Dun.* XIII. 1. 420
annuum *L.* XIII. 1. 412
a. oblongum *Fingerh.* XIII. 1. 412
b. rugosum – – – –
c. acuminatum – – – –
d. subangulatum – – – –
e. ovoideum – – – –
f. abbreviatum – – – –
g. olivaeforme – – – –

Capsicum
annuum W. XIII. 1. 424
Axi *Vell.* XIII. 1. 428
baccatum h. Genev. XIII. 1. 420
baccatum H. B. & Kth. XIII. 1. 417
baccatum *L.* XIII. 1. 420
baccatum Rodsch. XIII. 1. 421
Bauhini *Dun.* XIII. 1. 428
bicolor *Jacq.* XIII. 1. 413 429
β purpureum – – 414
brasilianum Clus. XIII. 1. 420
campylopodium *Sendt.* XIII. 1. 416
cerasiflorum Link XIII. 1. 422
cerasiforme hort. XIII. 1. 420
cerasiforme Mill. XIII. 1. 422
cerasiforme Poir. XIII. 1. 429
cerasiforme *W.* XIII. 1. 422
α macrocarpum – – –
β minus – – –
γ cerasiflorum – – –
ceratocarpum *Fingerh.* XIII. 1. 423
cereolum *Bertol.* XIII. 1. 428
chamaecirasus *Nees* XIII. 1. 429
chlorocladum *Dun.* XIII. 1. 415
coerulescens *Bess.* XIII. 1. 428
ciliare W. XIII. 1. 421
Comarim Vell. XIII. 1. 420
conicum Horn. XIII. 1. 429
conicum Kotschy XIII. 1. 415
conicum Lam. XIII. 1. 414
conicum *Mey. esseq.* XIII. 1. 415
β orientale – – –
conoides Fingerh. XIII. 1. 415
conoides *Mill.* XIII. 1. 414
α oblongoconicum – – –
β sulcatum *Fingerh.* XIII. 1. 415
γ chordale – – –
cordiforme *Mill.* XIII. 1. 427
α subsulcatum – – –
β subangulosum – – –
γ majus – – –
δ minus – – –
ε olivaeforme – – –
ζ globosum – – –
η cerasicarpum – – –
crispum *Dun.* XIII. 1. 415
β piper rubiosum – – 416
cumanense *Fingerh.* XIII. 1. 417
curvipes *Dun.* XIII. 1. 423
cydoniaeforme hort. XIII. 1. 428
dulce *hort.* XIII. 1. 428
fastigiatum *Blum.* XIII. 1. 416

Capsicum
flexuosum *Sendt.* XIII.
β Peruticii –
frutescens *L.* XIII. 1.
β minus – –
γ multilobatum – –
frutescens Rodsch. XI
frutescens Sendt. XII
frutescens Wall. XIII
glandulosum *Dun.* XI
globiferum *Mey. esseq.*
globosum Bess. XIII.
gracilipes *Dun.* XIII.
grossum Bess. XIII.
grossum *W.* XIII. 1.
α pomiforme – –
β ovatum – –
γ cordatum – –
δ angulosum – –
grossum β luteum Be
Hamiltonii *G. Don* XI
haranense H. B. & K
hispidum *Dun.* XIII.
β glabriusculum – –
Hornemanni *Dun.* XI
inaequale *Vell.* XIII.
laurifolium *Dun.* XIII.
leucocarpon *Mill.* XI
longum Bout. XIII. 1.
longum *Dc.* XIII. 1.
α ceratoides recurvum
β incrassatum longipes
γ incrassatum brevipes
δ luteum
ε violaceum
ζ rectum
η rectum hybridum
longum h. Monsp. XI
luteum *Lam.* XIII. 1.
majus rubrum Rump
micranthum *Link* XII
microcarpum *Dc.* XI
β herbaceum *Sendt.* –
microphyllum *Dun.* X
Milleri *R. & Schult.*
minimis siliquis Des
minimum *Blanco* XII
minimum Roxb. XIII.
minus flavum Rumph
minus rubrum Rumph
mirabile *Mart.* XIII.
β grandiflorum –

h. Matrit. XIII. 1. 414
W. XIII. 1. 414
ibus siliquis Dod. XIII. 1. 424
m Vell. XIII. 1. 426
Dc. XIII. 1. 426
m Dun. XIII. 1. 426
im Sendt. XIII. 1. 419
– – –
h. Genev. XIII. 1. 424
W. XIII. 1. 425
– – –
– – –
– – –
Dun. XIII. 1. 415
R. & Pav. XIII. 1. 421
m Horn. XIII. 1. 414
n Wall. XIII. 1. 429
le Mill. XIII. 1. 414
m Fingerh. XIII. 1. 414
– – – –
Sendt. XIII. 1. 419
inimum Rumph XIII. 1. 420
inus Rumph XIII. 1. 425
m Dun. XIII. 1. 418
um Sendt. XIII. 1. 416
– – –
itiore &c. Tourn. XIII. 1. 427
acq. XIII. 1. 425
m W. XIII. 1. 427
Fingerh. XIII. 1. 422
Vell. XIII. 1. 429
um Vis. XIII. 1. 424
m Mill. XIII. 1. 428
me viatorum Fingerh. XIII. 1. 428
hort. XIII. 1. 414
h. Matr. XIII. 1. 429
Vell. XIII. 1. 429
tii Bess. XIII. 1. 426
Poepp. XIII. 1. 429
um Vell. XIII. 1. 428
Sendt. XIII. 1. 418
– – 419
– – –
Desf. XIII. 1. 429
h. Matrit. XIII. 1. 414
H. B. & Kth. XIII. 1. 423
Wall. XIII. 1. 414
, 1, 440
m Rheed. XI. 515

Caratba IX. 218
Carafuru IX. 185
Caralluma R. Br. VIII. 647
adscendens R. Br. VIII. 647
crenulata Wall. VIII. 648
fimbriata Wall. VIII. 647
subulata Dene VIII. 648
umbellata Haw. VIII. 648
Carapoti Rheed. XI. 683
Carasctulli Rheed. XI. 241
Caraxeron Vaill. XIII. 2. 383
Carbon IX. 478
Carcaquito colorado XI. 599
Cardanthera Hamilt. h. XI. 67
glutinosa Hamilt. h. XI. 68
longifolia Hamilt. h. XI. 90
triflora Hamilt. h. XI. 68
uliginosa Hamilt. h. XI. 69
Cardiaca Moench XII. 499 Bth. XII. 499 (Leonurus)
arvensis Lam. XII. 478
crispa Moench XII. 500
Marrubiastrum Schreb. XII. 501
sylvatica Lam. XII. 512
trilobata Lam. XII. 500
vulgaris Moench XII. 500
Cardiacanthus Nees & Schauer XI. 305 331
Neesianus Schauer XI. 331
Cardiolophus Griff. X. 586
Cardiomeria Bth. X. 196 (Schwenkia)
Cardiosepalum Bth. X. 380 (Pterostigma)
Cardnus aquaticus &c. Kamel. XI. 268
Cargillia R. Br. VIII. 243
australis R. Br. VIII. 243
laxa R. Br. VIII. 243
Carissa L. VIII. 331 332 675 Vahl VIII. 413
abyssinica R. Br. VIII. 335
acuminata Dc. fl. VIII. 335
africana Dc. fl. VIII. 332
Arduina Lam. VIII. 334
axillaris Roxb. VIII. 335
bispinosa Desf. VIII. 335
Carandas L. VIII. 332
Carandas Lodd. VIII. 333
Carandas Lour. VIII. 332
coriacea Wall. VIII. 333
diffusa Roxb. VIII. 332
dulcis Schum. VIII. 333
edulis Vahl VIII. 334
erythrocarpa Dc. fl. VIII. 335
ferox E. Mey. VIII. 335

Carissa
grandiflora *Dc. fil.* VIII. 335
grandis *Berter.* VIII. 336
haematocarpa *Dc. fil.* VIII. 336
hirsuta *Roth* VIII. 333
inermis *Vahl* VIII. 335
lanceolata *R. Br.* VIII. 334
β – –
macrocarpa *Dc. fil.* VIII. 336
madagascariensis *Pet. Thouar.* VIII. 333
mitis Heyne h. VIII. 332
mitis Vahl VIII. 336 413
myrtoides *Desf.* VIII. 335
ovata *R. Br.* VIII. 334
paucinervia *Dc. fil.* VIII. 333
pubescens *Dc. fil.* VIII. 334
salicina *Lam.* VIII. 332
scabra *R. Br.* VIII. 334
Schimperi *Dc. fil.* VIII. 675
spinarum *L.* VIII. 332
spinarum Lodd. VIII. 336
villosa Roxb, VIII. 333
xylopicron *Pet. Thouar.* VIII. 333
CARISSEAE *Dc. fil.* VIII. 323
Carmona Cav. IX. 509 *Dc.* IX. 509 (Ehretia)
heterophylla Cav. IX. 509
Caroba IX. 231
Caroxylon *Thbg* XIII. 2. 47 172
acutifolium *Moq.* XIII. 2. 173
articulatum *Moq.* XIII. 2. 175
Auricula *Moq.* XIII. 2. 172
Bottae *Moq.* XIII. 2. 178
divaricatum *Moq.* XIII. 2. 177
foetidum *Moq.* XIII. 2. 178
glaucum *Moq.* XIII. 2. 173
β cinerascens – – –
Griffithii *Moq.* XIII. 2. 175
imbricatum *Moq.* XIII. 2. 177
nodulosum *Moq.* XIII. 2. 177
recurvum *Moq.* XIII. 2. 175
salicornicum *Moq.* XIII. 2. 174
Salsola *Thbg* XIII. 2. 176
subaphyllum *Moq.* XIII. 2. 173
tamariscifolium *Moq.* XIII. 2. 174
tamariscinum *Moq.* XIII. 2. 174
tetragonum *Moq.* XIII. 2. 176 461
tuberculatum *Moq.* XIII. 2. 178
γ flavo-virens – – –
verrucosum Moq. XIII. 2. 178
Zeyheri *Moq.* XIII. 2. 176
Carpoceras A. Rich. IX. 257
Carpodinus *R. Br.* VIII. 328
acida *Don* VIII. 329
dulcis *Don* VIII. 329

Carradoria *Dc. fil.* XII
incanescens *Dc. fil.*
Caruncularia Haw. VI
VIII. 65
pedunculata Haw. VI
serrata Haw. VIII. 6
Caryolopha *Fisch. & T*
sempervirens *Fisch.*

CARYOPTERIDEAE *Sch*

Caryopteris *Bunge* XI.
Mastacanthus *Schaue*
mongolica *Bunge* XI
Wallichiana *Bunge* X
Casarettoa Walp. XI.
diversifolia Walp. X
mollissima Walp. XI
Cassandra *D. Don* VII
angustifolia *D. & G*

β anomala *Dc.* VII.
angustifolia Loud. V
calyculata *D. & G.*
Casselia *Nees & Mart.*

chamaedryfolia *Cham*
dahurica Dumort. X
gracilis Dumort. X.
integrifolia *Nees &*

lanceolata Dumort.
Mansoi *Schauer* XI.
maritima Dumort. X
paniculata Dumort.
parviflora Dumort.
serrata *Nees & Mart*
simplicissima Dumor
veronicaefolia *Cham.*
villosula Dumort. X.
virginica Dumort. X.
CASSELIEAE *Schauer*
Cassida Tourn. Moen
Amm
galericulata Moench
hastifolia Scop. XII
lateriflora Moench X
racemosa Moench X
Cassioides Bth. X. 51
Cassiope *D. & G. Don*
ericoides *D. & G. D*
fastigiata *D. & G. D*
hypnoides *D. & G*

lycopodioides *D. &*

). & G. Don VII. 611
Don VII. 611
. VII. 611
k G. Don VII. 611
I. 532
Cav. XI. 533
X. 526 528
r. X. 531
t Arn. X. 532
. & Arn. X. 534
Bth. X. 528
. & Schl. X. 529
. X. 534
. X. 533
l. X. 532
X. 529
. X. 529
Vent. X. 533
. X. 534
. X. 530
l. X. 533
Bth. - -
- - 534
. & Arn. X. 530
K. 528
rr. X. 531
C. 532
m. X. 530
. B. & Kth. X. 533
fil. X. 533
t. & Arn. X. 537
. & Arn. X. 529
Bth. X. 532
s H. B. & Kth. X. 530
h. - -
X. 533
Bth. X. 529
l. X. 532
. B. & Kth. X. 530
B. & Kth. X. 534
. X. 534
X. 526
Torr. X. 532
. X. 533
K. 531
alaschkensis Cham. & Schl. X. 532
g. X. 531
Don X. 531
lia H. B. & Kth. X. 529
Bth. X. 529
Lindl. X. 531
rch X. 531

Castilleja
sibirica Lindl. X. 531
stricta Bth. X. 534
tenuiflora Bth. X. 533
toluccensis H. B. & Kth. X. 530
CASTILLEJEAE Bth. X. 526
Castorea Plum. XI. 615
racemosa Plum. XI. 615
Catalpa Scop. IX. 226 Spr. IX. 226
bignonioides Walt. IX. 226
β Kaempferi De. - -
Bungei C. A. Mey. IX. 226
α De. IX. 226
β heterophylla - -
cassinoides Spr. IX. 227 213
cordifolia Jaum. IX. 226
hirsuta Spr. IX. 227
longisiliqua Cham. IX. 226
longissima Sims IX. 226
microphylla Spr. IX. 227 166
ovata G. Don IX. 226
syringaefolia Bung. IX. 226
syringaefolia Sims IX. 226
CATALPEAE De. IX. 203
Catalpeae monostictides De. IX. 203
Catalpeae plesiostictides De. IX. 203
Catananche Dioscoridis Raun. XIII. 1. 716
Cataria Bth. XII. 380 (Nepeta)
Cataria Moench XII. 370
canescens Moench XII. 378
Nepetella Moench XII. 383
nuda Moench XII. 387
paniculata Moench XII. 387
violacea Moench XII. 387
vulgaris Moench XII. 383
Catharanthus G. Don VIII. 381 382
pusillus G. Don VIII. 382
roseus G. Don VIII. 382
Catimas De. fil. IX. 532 (Heliotropium)
Catoferia Bth. XII. 53 (Orthosiphon)
Catonia Vahl IX. 464
glauca Vahl IX. 464
Catophractes Don IX. 233
Alexandri Don IX. 233
Catta Tirtava Rheed. XII. 34
Cavanillea Lam. VIII. 222
Mabolo Lam. VIII. 235
philippinensis Desr. VIII. 235
Cavendishia Lindl. VII. 565
nobilis Lindl. VII. 565
Cavinium Pet. Thouars VII. 553 556
madagascariense Poir. VII. 556
Cayn-Arang Rumph VIII. 242

Cedronella *Moench* XII. 368 405
canariensis &c. Comm. XII. 406
cordata *Bth.* XII. 405
mexicana *Bth.* XII. 405
pallida *Bth.* XII. 406
triphylla *Moench* XII. 406
Celosia *L.* XIII. 2. 232 237 299
Jacq. XIII. 2. 419
adoensis Hochst. & Steud. XIII. 2. 241
albida W. XIII. 2. 245 248
allmanoides *Moq.* XIII. 2. 243
altissima Salzm. XIII. 2. 245 381
amarantoides Medik. XIII. 2. 241
amphibia Salzm. XIII. 2. 245 363
arborescens *Spr.* XIII. 2. 243
argentea L. XIII. 2. 243
argentea *Moq.* XIII. 2. 242
α vera – 2. 243
β linearis *Sweet* – – –
γ margaritacea – – –
δ subpaniculata – – –
argentea Wall. XIII. 2. 243
argentea angustifolia Moq. XIII. 2. 243
argentea α Poir. XIII. 2. 243
aspera *Roth* XIII. 2. 244
axillaris Mart. XIII. 2. 245 359
baccata Retz XIII. 2. 245 236
brasiliensis *Moq.* XIII. 2. 239
castrensis L. XIII. 2. 242
caudata *Vahl* XIII. 2. 244
cernua Mairet XIII. 2. 245 351
cernua Roxb. XIII. 2. 242
coccinea L. XIII. 2. 242
comosa Retz XIII. 2. 242
corymbosa Roxb. XIII. 2. 245
corymbosa W. XIII. 2. 245
cristata L. XIII. 2. 242
cristata *Moq.* XIII. 2. 242
α castrensis – – –
β coccinea – – –
γ splendens – – –
δ elegans – – –
ε comosa – – –
cristata Wall. XIII. 2. 242
cristata α elata Sweet XIII. 2. 242
decumbens hort. XIII. 2. 245 410
dichotoma Heyne XIII. 2. 245 249
dichotoma β pilosa Roth XIII. 2. 245 249
diffusa Hoffmans. XIII. 2. 245 382
echinata *H. B. & Kth.* XIII. 2. 244
elongata Spr. XIII. 2. 245 377
eriantha Vahl XIII. 2. 245 386

Celosia
exstipulata *Horn.* X
glauca Rottl. & W.
glauca Wendl. XII
gnaphaloides L. fil.
grandifolia *Moq.* X
humifusa W. h. XI
japonica *Mart.* XII
lactea hort. XIII. 2
lanata L. XIII. 2.
lanata β Vahl XII
lappacea Medik. XI
latifolia *Steud.* XII
laxa *Schum.* XIII.
longifolia *Mart.* XI
madagascariensis
margaritacea L. XI
marilandica Retz X
maritima Salzm. XI
melanocarpos Poir.
Missionis Wall. XI
Monsonia Retz XII
Moquini *Guillem.* X
mucronata herb. XI
muricata Spr. XIII.
nana Blanco XIII.
nitida Vahl XIII. 2
nitida W. XIII. 2.
nodiflora L. XIII. 2
nodiflora Salzm.
nudiflora Pav. XII
odorata *Burch.* XII
pallida h. Vindob.
paniculata *L.* XIII.
paniculata W. XIII
parviflora Vahl XII
patula *W.* XIII. 2.
peruviana Van Spa
peruviana Zucc. XI
philippica *Steud.* XI
phytolaccaefolia Ju
piloselloides Poir.
polygonoides *Retz*
polygonoides Wall.
polysperma Roxb.
populifolia *Moq.* XI
procumbens hort.

us *Jacq.* XIII. 2. 246 421
hort. XIII. 2. 246 410
Moq. XIII. 2. 238
hort. XIII. 2. 242
lis Burm. XIII. 2. 246 248
Burch. XIII. 2. 246 247
Hoffmanns. XIII. 2. 244
lart. XIII. 2. 245
reyth XIII. 2. 246 250
Boj. XIII. 2. 245
St. Elm. XIII. 2. 246 253
ndré XIII. 2. 246 143
pr. XIII. 2. 238
Koen. XIII. 2. 246 322
Schum. XIII. 2. 244
Leprieur XIII. 2. 246 365
sch. XIII. 2. 239
rm. XIII. 2. 245
Roxb. XIII. 2. 246 237
Wall. XIII. 2. 246 278
W. XIII. 2. 246 250
cq. XIII. 2. 241
XIII. 2. 240
- - 241
flora - - -
flora Fenzl XIII. 2. 241
- - - -
ism. XIII. 2. 241
Hal. XIII. 2. 245
eq. XIII. 2. 240
Moq. XIII. 2. 242 (Celosia)
Endl. XIII. 2. 232 235
g. XIII. 2. 239 (Celosia)
224 244 *Griseb.* X. 244 246
ry & Chaub. X. 248 591
ot. mag. X. 245
scq. X. 245
arr. X. 245 591
Bth. - -
ia Fisch. & Mey. X. 245
ertul. X. 244
G. Don X. 244
la Dusf. X. 245
Fisch. & Trautv. X. 248

Celsia
collina *Bth.* XI. 247
coromandeliana *Vahl* X. 246
cretica *L. fil.* X. 244
Daenzeri *Bouché & Chaub.* X. 245
Doniana Walp. X. 248 240
floccosa *Bth.* X. 245
glandulosa Bouché X. 245
heterophylla *Desf.* X. 246
incana *Bth.* X. 247
interrupta *Fresen* X. 246
intricata *Bth.* X. 247
β macrocarpa - -
laciniata *Poir.* X. 244
lanata Spr. X. 591
lanceolata *Vent.* X. 247
linearis Jacq. X. 248 250
Luciliae *Boiss.* X. 246
lyrata G. Don X. 244
orientalis *L.* X. 247
parviflora *Dene* X. 247
parviflora G. Don X. 248 240
pedunculosa *Steud. & Hochst.* X. 245
persica *C. A. Mey.* X. 247
pinnatifida Boiss. & Reut. X. 244
armosissima *Bth.* X. 244
speciosa *Fenzl & Friedr.* X. 245
sublanata Jacq. X. 245 891
Suwarowiana *C. Koch* X. 248
tomentosa Hochst. X. 245
tomentosa *Zucc.* X. 247
urticaefolia Curt. Sims X. 248 250
viscosa Roth X. 248 246
vistosa Wight X. 229
Celsia sect. Pseudo-thapsus Bth. X. 244

Centaurella *Mx.* IX. 121
aestivalis Pursh IX. 121
autumnalis *Pursh* IX. 121
β brachycarpa *Griseb.* IX. 121
Moseri *Steud. & Hochst.* IX. 121
paniculata Mx. IX. 121
verna *Mx.* IX. 121
Centaurium Pers. IX. 121 *Borckh.* IX. 64 *Tourn.* IX. 39
autumnale Pers. IX. 121
ciliare minus Flak. XIII. 2. 326
malabaricum Borkh. IX. 64
vernum Pers. IX. 121
Centrantheca *R. Br.* X. 508 525 *Dcf.* X. 509
Brunoniana *Wall.* X. 525

Campanula
pedunculariis *Wall.* VII. 483
pedunculata Gmel. VII. 444
pelviformis *Lam.* VII. 459
β micrantha *Dc. fil.* VII. 459
pelviformis Sieb. VII. 459
pendula MB. VII. 488 495
pentagonia L. VII. 488 489
pentagonia perfoliata Mor. VII. 491
peregrina Hoffm. & Link VII. 478
peregrina *L.* VII. 478
Pereskia Fisch. VII. 488 492
pereskiaefolia R. & Schult. VII. 488 492
perfoliata L. VII. 488 491
periplocifolia Lam. VII. 488 493
perpusilla *Dc. fil.* VII. 474
persica *Dc. fil.* VII. 483
persicaefolia *L.* VII. 479
β angustifolia *Dc. fil.* VII. 479
γ macrantha – – –
δ calyce piloso – – –
ε dasycarpa – – –
ζ hispida – – –
η pumila – – –
ϑ calycina – – –
persicifolia calycina Reich. VII. 479
petiolata *Dc. fil* VII. 470
petraea All. VII. 468
petraea Kotschy VII. 467
petraea *L.* VII. 466
petraea Poll. VII. 467
phyteumoides *Zucc.* VII. 485
pilosa Ledeb. VII. 461
pilosa *Pall.* VII. 460
planiflora *Lam.* VII. 477
planiflora W. h. VII. 477
plicata Pers. VII. 488 444
plicatula Dumort. VII. 469
polyantha *R. & Schult.* VII. 484
polymorpha diffusa Soland. VII. 488 433
pomponifolia Fisch. VII. 488 494
porosa Thbg VII. 488 VIII. 73
Portenschlagiana *R. & Schult.* VII. 476
β pubescens *Dc. fil.* VII. 476
pratensis *Dc. fil.* VII. 472
primulaefolia *Brot.* VII. 478
Prismatocarpus Ait. VII. 488 445
procumbens Thbg VII. 488 429
propinqua *Fisch. & Mey.* VII. 462
ptarmicaefolia *Lam.* VII. 467
pubescens Schm. VII. 471
pulla *L.* VII. 472
β ramosa *Dc. fil.* VII. 472

Campanula
pulla Parol. VII. 47
pulla var. Scop. VI
pulla β L. VII. 472
pumila bot. mag. V
pumila Schm. VII.
Pumilio Portenschl.
punctata *Lam.* VII.
purpurea Spr. VII.
pusilla Haenk. VII.
pusilla β Dc. fl. fr.
pygmaea Lam. VII.
pyramidalis *L.* VII.
pyramidalis minor
pyramidalis minor
pyrenaica *Dc. fil.*
quadrifida R. Br.
Rabelaisiana R. & S.
ramosissima Host
ramosissima *Sibth.*
ramulosa *Wall.* VII
rapunculoides *L.* V
β calyce glaberrimo
γ macrophylla
δ ocnipontana
ε trachelioides
ζ nana
Rapunculus *L.* VII.
β calyce strigoso *Dc.*
γ calycina
Rapunculus MB. V
Rapunculus var. d.
Redowskiana Cham.
Reinerii *Perpouz.*
repens Lour. VII.
retrorsa *Labill.* VII
rhodensis *Dc. fil.*
rhomboidalis *L.* VI
β lanceolata *Dc. fil.*
γ reflexa –
rhomboidea β W.
rigescens *Pall.* VII.
riparia Boj. VII.
riparia Lepr. & Pe.
roelloides Juss. h.
Rohdii Lois. VII.
Rosani Ten. VII.
rotundifolia Bert.
rotundifolia *L.* VII.
β velutina *Dc. fil.*
γ major –
δ tenuifolia –

d Pall. h. VII. 484
a var. Horn. VII. 471
a β Lam. VII. 471
Banks h. VII. 488 426
n d. jardin. VII. 470
MB. VII. 460
Host VII. 472
Risso VII. 476
Sibth. VII. 458
R. & Schult. VII. 463
MB. VII. 470
Pall. VII. 488 494
Lach. VII. 461
Ker VII. 464
De. fil. VII. 484
Sims VII. 464
VII. 461
Br. VII. 488 433
MB. VII. 460
R. & Schult. VII. 485
bot. cab. VII. 471
Vill. VII. 471
ook. VII. 477
De. fil. – –
& Schult. VII. 479
C. Bauh. VII. 488
Vis. VII. 485 489
L. VII. 485 417
VII. 465
De. fil. VII. 465
– –
Lach. VII. 479
Host VII. 486 489
VII. 470
VII. 479
Sibth. & Sm. VII. 481
V. & Kit. VII. 465
VII. 467
Pr. VII. 466
fil. – –
VII. 484
VII. 488 490
& Urv. VII. 488 490
488
VII. 485
– –
VII. 488
& K. VII. 488 429
Schult. VII. 488 493
II. 488 490
VII. 489
488. VII. 489 494

Campanula
Steveni MB. VII. 479
β sibirica De. fil. VII. 479
stricta Labill. VII. 463
stricta L. VII. 463
stricta Wall. VII. 471
strigosa Russ. VII. 462
stylosa Bess. VII. 489 493
stylosa Lam. VII. 489 493
stylosa Reich. VII. 493
suaveolens W. VII. 489 493
subulata P.B. VII. 478
subulata Spr. VII. 489 417
subulata Thbg VII. 489 444
sylvatica Wall. VII. 471
syngenesiflora Pall. VII. 489 494
syriaca R. & Schult. VII. 475
tenella L. VII. 489 418
Tenorii Morett. VII. 477
tenuifolia W. & Kit. VII. 489 449
tetraphylla Thbg VII. 489 492
Thalsana Wallr. VII. 470
thalictrifolia Spr. VII. 489 495
Thunbergii R. & Schult. VII. 489 446
thyrsoides L. VII. 468
tomentosa Lam. VII. 458
tomentosa Vent. VII. 458
trachelioides MB. VII. 469
Trachelium Bull. VII. 469
Trachelium L. VII. 469
β γ – –
trichocalycina Ten. VII. 470
tridentata Schreb. VII. 460
triphylla Thbg VII. 489 494
tubulosa Lam. VII. 459
ucranica Bess. VII. 469
umbrosa Dietr. VII. 489 493
undulata L. fil. VII. 435
unidentata Thbg VII. 489 417
uniflora Gieseck. VII. 482
uniflora Huds. VII. 471
uniflora L. VII. 482
β Gieseckiana De. fil. VII. 482
uniflora Vill. VII. 471
urticifolia Schm. VII. 469
valdensis All. VII. 471
variifolia Salisb. VII. 471
velutina Desf. VII. 463
verruculosa Hoffm. & Link VII. 480
versicolor Andr. VII. 477
versicolor Guss. VII. 477
versicolor Sibth. & Sm. VII. 476
β multiflora De. fil. – 477

Cestrum
lycioides Lichtenst. XIII. 1. 673 516
lycioides *Sendt.* XIII. 1. 633
macrophyllum h. Paris. XIII. 1. 626
macrophyllum Salzm. XIII. 1. 626
macrophyllum *Vent.* XIII. 1. 627
mariquitense *H. B. & Kth.* XIII. 1. 653
Martii *Sendt.* XIII. 1. 618
Mathewsii *Dun.* XIII. 1. 637
megalophyllum *Dun.* XIII. 1. 638
melanochloranthum *Dun.* XIII. 1. 622
microphyllum *Linden* XIII. 1. 623
Miersii *Dun.* XIII. 1. 671
montanum *Miers* XIII. 1 669
Moquinianum *Dun.* XIII. 1. 646
Moritzi *Dun.* XIII. 1 619
mucronatum *Miers* XIII. 1. 671
multiflorum *R. & Schult.* XIII. 1. 642
multiflorum Schlecht. XIII. 1. 641
multinervium *Dun.* XIII. 1. 611
Mutisii *W.* XIII. 1. 672
nemanthum *Dun.* XIII. 1. 637
nervosum Mill. XIII. 1. 673 VIII. 367
nitidum *Mart. & Gal.* XIII. 1. 612
nocturnum Lam. XIII. 1. 630
nocturnum *Murr.* XIII. 1. 631
β pubescens – – –
oblongifolium *Schlecht.* XIII. 1. 628
obovatum *Sendt.* XIII. 1. 650
β brevicalyx – – 651
odontospermum *Jacq.* XIII. 1. 605
oliganthum *Dun.* XIII. 1. 634
β latifolium – – –
oppositifolium Lam. XIII. 1. 673
organense Miers XIII. 1. 644
pallidum *Lam.* XIII. 1. 624
paniculatum *H. B. & Kth.* XIII. 1. 665
paniculatum Schlecht. XIII. 1. 603
Parqui *L'Herit.* XIII. 1. 616
β spurium – – –
γ Poeppigii – – –
parviflorum *Dun.* XIII. 1. 624
parvifolium *W.* XIII. 1. 672
pauciflorum *Nees* XIII. 1. 654
pauciflorum W. XIII. 1. 672

Cestrum
pedicellatum *Sendt.* X
pedunculare *Pav.* XII
pendulinum h. Monsp

pendulinum *Jacq.* XII
persicaefolium *Dun.*
peruvianum h. Rothe

peruvianum W. XIII.
petiolare *H. B. & K*

Plukenetii *Tausch* XI
Poeppigii *Sendt.* XIII
polyanthum *Sendt.* XI
polyanthum Steud. X
potaliaefolium *Dun.*
Prieurei *Dun.* XIII. 1
propinquum *Mart. &*

Pseudo-quina *Mart.*
psychotriaefolium *Sch*

pubescens Lichtenst.
racemosum *R. & Pav.*
racemosum Tausch X
ramosissimum *Nocc.*
reflexum *Sendt.* XIII.
Requieni *Dun.* XIII.
reticulatum W. XIII.
roseum hort. XIII. 1.
roseum *H. B. & Kth.*
salicifolium h. Monsp.
salicifolium h. Requ

salicifolium *Jacq.* XII
β angustifolium –
Salzmanni *Dun.* XIII.
scandens Thib. XIII.
scandens *Vahl* XIII.
β termiosle –
Schlechtendalii *Don* X
Schottii Pohl XIII. 1.
Schottii *Sendt.* XIII.
Sellowianum *Sendt.*
semivestitum *Dun.* XI
Sendtnerianum *Mart.*
servatum *Dun.* XIII.
sessiliflorum *Schott* X
spermacocifolium XII
spicatum *Mill.* XIII. 1
spurium h. Genev. XI
stipulatum *Vell.* XIII.
strictum *Schott* XIII.
strigillatum *R. & P*

[illegible]acq. XIII. 1. 612
[illegible]ntum *Mart.* XIII. 1. 633
[illegible]ell. XIII. 1. 673 640
Dun. XIII. 1. 623
Dun. XIII. 1. 654
– – –
[illegible]un. XIII. 1. 603
H. B. & Kth. XIII. 1. 663
[illegible]se. XIII. 1. 608
– – 609
H. B. & Kth. XIII. 1. 612
[illegible]acq. XIII. 1. 636
XIII. 1. 614
L. XIII. 1. 614
Moç. & Sess. XIII. 1. 601
[illegible]endt. XIII. 1. 656
E. Mey. XIII. 1. 673
[illegible]. & *Pav.* XIII. 1. 629
– – 630
[illegible]m *Dun.* XIII. 1. 656
[illegible]bys – – 657
[illegible]am. XIII. 1. 626
Hill. XIII. 1. 624
[illegible]bg XIII. 1. 673 VIII. 336
a Drege XIII. 1. 673
b Drege XIII. 1. 673
bb. Drege XIII. 1. 673
Bert. XIII. 1. 660
h. Val. XIII. 1. 579
L. XIII. 1. 661
Poepp. XIII. 1. 663
[illegible]chlecht. XIII. 1. 652
Hook. XIII. 1. 620 673 597
[illegible]ndt. XIII. 1. 671
[illegible]epp. XIII. 1. 617
[illegible] & *Pav.* XIII. 1. 616
[illegible]. XIII. 1. 606
Hook. XIII. 1. 663
[illegible] *Steud.* XIII. 1. 672
[illegible]cht. XIII. 1. 651
[illegible]*iers* XIII. 1. 6. 486
[illegible]*iers* XIII. 1. 488
Miers XIII. 1 487
[illegible] *Miers* XIII. 1. 488
[illegible] – – –
[illegible]*iers* XIII. 1. 489 687
–
[illegible] *est Sassea vestita* *Miers* XIII. 1. 597

Chaenesthes
longipes *Dun.* XIII. 1. 489
loxensis *Miers* XIII. 1. 488
umbrosa *Miers* XIII. 1. 487
Chaenorrhinum Do. X. 286 (Linaria)
Chaenostoma *Bth.* X. 341 353
aethiopicum *Bth.* X. 355
affine *Bernh.* X. 355
calycinum *Bth.* X. 354
β laxiflorum X. 354
campanulatum *Bth.* X. 354
cordatum *Bth.* X. 357
β hirsutius – – –
cuneatum *Bth.* X. 356
denudatum *Bth.* X. 355
fastigiatum *Bth.* X. 356
β glabratum – – –
floribundum *Bth.* X. 356
foetidum *Bth.* X. 357
glabratum *Bth.* X. 355
halimifolium *Bth.* X. 354
hispidum *Bth.* X. 356
β breviflorum – –
integrifolium *Bth.* X. 356
Krausstanum Bernh. X 357 360
laxiflorum *Bth.* X. 354
linifolium *Bth.* X. 355
marifolium *Bth.* X. 356
natalense *Bernh.* X. 357
pauciflorum *Bth.* X. 354
pedunculosum *Bth.* X. 357
polyanthum *Bth.* X. 354
procumbens *Bth.* X. 354
pumilum *Bth.* X. 355
racemosum *Bth.* X. 357
revolutum *Bth.* X. 355
β pubescens – –
rotundifolium *Bth.* X. 354
subspicatum *Bth.* X. 356
Chaetacanthus *Nees* XI. 426 462
Burchelli *Nees* XI. 462
costatus *Nees* XI. 462
glandulosus *Nees* XI. 462
Persoonii *Nees* XI. 462
α – –
β aristatus – –
γ grossus – –
Chaetocarpus L. VIII. 164
Chaetochilus Vahl X. 192 193 *Bth.* X. 193 (Schwenkia)
lateriflorus Vahl X. 193
Chaetodiscus Bth. X. 398 (Herpestes)
Chaetostachys Bth. XII. 143 147
multifida Bth. XII. 147
Chaetostachys Bth. XII. 147 (Lavandula)

Chaetosus *Bth.* VIII. 675
volubilis *Dc. fl.* VIII. 676
Chaetothylax *Nees* XI. 304 313
phyllostachyus *Nees* XI. 313
tocantinus *Nees* XI. 313 729
umbrosus *Nees* XI. 313
Chaiturus Bth. XII. 500 (Leonurus)
Chaiturus Moench XII. 499 500
Spenn. XII. 499
leonuroides W. XII. 501
Marrubiastrum Ehrh. XII. 501
Chaixia Lapeyr. IX. 272
Myconi Lapeyr. IX. 273
Chamaecistus Dc. VII. 725 (Rhododendron)
Chamaecistus G. Don VII. 725
Gray VII. 714
serpyllifolius Gray VII. 715
VII. *Clus.* VII. 715
Chamaeclema Boerh. XII. 391
hederacea Moench XII. 391
vulgare Vaill. XII. 391
Chamaedaphne Buxb. VII. 610
calyculata Moench VII. 610
Chamaedrys Bth. XII. 587 (Teucrium)
Chamaedrys Griseb. X. 469 (Veronica)
Chamaedrys Koch X. 469 *Tourn.*
Moench XII. 574
Botrys Moench XII. 587
flava Moench XII. 588
lucida Moench XII. 587
Marum Moench XII. 589
officinalis Moench XII. 587
Scordium Moench XII. 586
Chamaeledon Link VII. 714
procumbens Link VII. 715
Chamaepitys Bth. XII. 599 (Ajuga)
Chamaepitys Tourn. XII. 595 *Spenn.*
XII. 595
trifida Dumort. XII. 601
vulgaris Link XII. 601
Chamaesideritis Reich. XII. 483
(Stachys)
Chamaesphacos *Schrenk* XII. 408
458
ilicifolius *Schrenk* XII. 459
Chamaetropium Griseb. IX. 533
Chamaranthemum *Nees* XI. 425 459
Beyrichii *Nees* XI. 459
β γ - -
Gaudichaudi *Nees* XI. 460
Chamissoa *H. B. & Kth.* XIII 2.
233 248 *Endl.* XIII. 2. 322
acuminata *Mart.* XIII. 2. 251

Chamissoa
albida Mart. XIII.
albida *Moq.* XIII. 2
β rotundifolia -
altissima *H. B. &*
β laxiflora
γ densiflora
altissima Nees &
arabica Spr. XIII.
Blanchetii *Moq.* XII
Browned Steud. XII
ciliata Spr. XIII. 2
commutata Spr. XI
dichotoma *Moq.* XI
β pilosa -
esculenta *Moq.* XII
flava Link XIII. 2.
javanica *Hassk.* XI
macrocarpa *H. B.*
macrocarpa Mart.
Martii *Moq.* XIII. 2
Maximiliani *Mart.*
muricata Spr. XIII
nodiflora *Mart.* XII
β pubescens -
ovata Endl. XIII. 2
paniculata Moq.
populifolia Hochst.
pyramidalis *Moq.*
Charachera Forsk. X
viburnoides Forsk.
Charpentiera *Gaudich.*
obovata *Gaudich.*
ovata *Gaudich.* XIII
Chasalia capitata Dc.
clusiaefolia β. Dc.
psychotrioides Dc.
Chascanum E. Mey.
cernuum E. Mey.
cuneifolium E. Mey.
garipense E. Mey.
laetum Fenzl XI. 55
marrubiifolium Fenz
pinnatifidum E. Me
pumilum E. Mey.
Chascanum Schauer
Chasmia Schott IX. 2
Chasmonia Presl XII.
incisa Presl XII. 51

De. fil. VIII. 444
De. fil. VIII. 444
. fil. VIII. 444
pitata IX. 32
ia β IX. 32
oides IX. 32
Moq. XI. 264 272
Nees XI. 272
Nees XI. 272
ya Moq. XI. 273
Raf. XII. 360 362 *Bth.* XII. 362 (Monarda)
us Griseb. IX. 75 (Lisianthus)
X. 319 320
or. X. 319 325
pr. X. 319 324
lia H. B. & Kth. X. 319 326
urea Sweet X. 319 326
Cav. X. 319 329
lata Cav. X. 319 326
loides Andr. X. 319 326
ifolia Bth. X. 320 323
Spr. X. 320 325
Spr. X. 320 326
Spr. X. 320 327
Sweet X. 327
H. B. & Kth. X. 320 326
a Spr. X. 320 324
Wendl. X. 320 329
ides H. B. & Kth. X. 320 323
. X. 319
Spr. X. 320 328
ra Spr. 320 322
L. X. 320 327
H. B. & Kth. X. 320 324
Muehl. X. 319
ursh X. 319
ins X. 319
a Dougl. X. 319
L. X. 319
ion L. X. 320 327
s Mill. X. 319
is Andr. X. 320 329
s L. fil. X. 320 492
ra. X. 320 326
AE Bth. X. 188 298
EAE G. Don X. 186
Thbg XIII. 2. 45 129
sis Moq. XIII. 2. 129
Thbg XIII. 2. 129 137
lacq. fil. XIII. 2. 129 132
Moq. XIII. 2. 129
DEAE Juss. Kth. XIII. 2. 220

CHENOPODEAE Vent. XIII. 2. 41
R. Br. XIII. 2. 41
CHENOPODEAE ANREDEREAE Endl. XIII. 2, 226
CHENOPODEAE ANREDEREAE & BASELLEAE Endl. XIII. 2. 220
Chenopodia C. A. Mey. XIII. 2. 61
CHENOPODIACEAE Lindl. XIII. 2. 41
Chenopodiastrum Moq. XIII. 2. 61 (Chenopodium)
CHENOPODIEAE Bartl. XIII. 2. 41
CHENOPODIEAE *C. A. Mey* XIII. 2. 43 48
CHENOPODIEAE C. A. Mey. XIII. 2. 122
Chenopodina *Moq.* XIII. 2. 47 159
acuminata *Moq.* XIII. 2. 161
altissima *Moq.* XIII. 2. 162
anonyma *Moq.* XIII. 2. 164
australis *Moq.* XIII. 2. 163
baccifera *Moq.* XIII. 2. 160
Biebersteiniana *Moq.* XIII. 2. 163
dendroides *Moq.* XIII. 2. 164
depressa *Moq.* XIII. 2. 164
filiformis *Moq.* XIII. 2. 164
fruticulosa *Moq.* XIII. 2. 165
glauca *Moq.* XIII. 2. 162
Hostii *Moq.* XIII. 2. 165
leiosperma *Moq.* XIII. 2. 162
linearis *Moq.* XIII. 2. 164
maritima *Moq.* XIII. 2. 161 461
α vulgaris – – –
β erecta – – –
γ scabra – – –
δ macrocarpa – – –
microphylla *Moq.* XIII. 2. 163
microsperma *Moq.* XIII. 2. 165
minima *Moq.* XIII. 2. 162
parviflora *Moq.* XIII. 2. 165
physophora *Moq.* XIII. 2. 164
prostrata *Moq.* XIII. 2. 162
pygmaea *Moq.* XIII. 2. 161
salsa *Moq.* XIII. 2. 160
sativa *Moq.* XIII. 2. 165
setigera *Moq.* XIII. 2. 160
β mutica – – –
γ microphylla – – –
spicata *Moq.* XIII. 2. 165
tortuosa *Moq.* XIII. 2. 162
vera *Moq.* XIII. 2. 163
β Balansae XIII. 2. 461
Chenopodium *Moq.* XIII. 2. 61 *L.* XIII. 2. 59 80 130 134 155 159 *Tourn.* XIII. 2. 81 *Lam.* XIII. 2. 84 *Labill.* XIII. 2. 49

Chenopodium
Schrad. XIII. 2. 60 *Endl.* XIII. 2. 61 *Hook.* XIII. 2. 119
acuminatum *W.* XIII. 2. 62 101
β virgatum – – 63
γ Vachellii – – –
acutifolium Hook. & Arn. XIII. 2. 63
acutifolium Sm. XIII. 2. 62
aegyptiacum Hasselq. XIII. 2. 78 154
album Bosc XIII. 2. 61
album L. XIII. 2. 71
album *Moq.* XIII. 2. 70 460
α commune XIII. 2. 71
β bicolor – – –
γ viridescens *St. Am.* XIII. 2. 71
δ candicans – – – –
ε viride – – – –
ζ pedunculare – – – –
η microphyllum – – – –
ϑ leptophyllum – – – –
album β incanum Moq. XIII. 2. 71
album δ concatenatum Moq. XIII. 2. 71
alexandrinum Desf. XIII. 2. 78 155
altissimum MB. XIII. 2. 78 162
altissimum L. XIII. 2. 78 157
ambiguum *R. Br.* XIII. 2. 67
β majus – – –
γ minus – –
ambrosioides Berter. XIII. 2. 77
ambrosioides *L.* XIII. 2. 72 460
β angustifolium – – 73
americanum Spr. XIII. 2. 78 164
angulosum Lam. XIII. 2. 68
angustifolium Pav. XIII. 2. 78 114
anthelminticum *L.* XIII. 2. 73
β hastatum – – – 74
arcticum hort. XIII. 2. 78 86
arenarium Gaertn. XIII. 2. 781 33
aristatum L. XIII. 2. 78 59
aristatum β L. XIII. 2. 78 60
arrectum Desmaz. XIII. 2. 62
astracanicum Ledeb. XIII. 2. 78 83
Atriplicis L. fil. XIII. 2. 67
augustanum All. XIII. 2. 78 132
augustanum h. Paris. XIII. 2. 78 135
auricomum *Lindl.* XIII. 2. 460
australasicum Moq. XIII. 2. 78 49
australe R. Br. XIII. 2. 78 163
baccatum Labill. XIII. 2. 78 50

Chenopodium
Baryosmon R. & Schult.
Berlandieri *Moq.* XIII.
bicolor Boj. XIII. 2. 71
Biebersteinianum R. & XIII.
biforme Nees XIII. 2.
bipinnatifidum *Moric.*
blitoides Lejeun. XIII.
bonariense h. Paris. XI
bonariense *Ten.* XIII.
bonus Henricus L. XIII.
bonus Henricus β alpin XIII.
Boscianum *Moq.* XIII.
botryoides Engl. bot.
botryoides Raf. XIII. 2.
botryoides var. gracile
Botrys *L.* XIII. 2. 75
β gracile – – –
γ alpinum – – –
Browneanum R. & Schu
calceoliforme Hook. XI
camphorataefolium Pou
camphorosmoides hort.
candicans Lam. XIII.
cantabricum *Lag.* XIII.
carinatum R. Br. XIII.
carnosulum *Moq.* XIII.
carthagenense Zucc. XI
caudatum Jacq. XIII.
chamricum Hamilt. XIII
Chaudana *Hamilt.* XIII.
chilense *Schrad.* XIII.
β angustifolium –
chrysomelanospermum
cinereum Moq. XIII. 2.
citriodorum *Steud.* XIII.
Clemente Spr. XIII. 2.
concatenatum Thuill. X
congestum Hook. fil. X
corispermifolium *h. Am*
Coronopus *Moq.* XIII.
crassifolium MB. XIII.
crassifolium Horn. XIII.
cuneifolium *Vahl* XIII.

[illegible]
[illegible] *Vest.* XIII. 2. 73
racemosum Koch XIII. 2. 62
[illegible] *Lam.* XIII. 2. 69
[illegible] *Fisch.* XIII. 2. 77
Mert. & Gal. XIII. 2. 76
Hostii. XIII. 2. 71
R. Br. XIII. 2. 68
[illegible] *Sm.* XIII. 2. 65
[illegible]phyllum - - 66
Dumort. XIII. 2. 78 164
Moench XIII. 2. 78 158
[illegible] *Cav.* XIII. 2. 78
[illegible] *R. & Schult.* XIII. 2. 181
Lam. XIII 2. 64
Schrad. XIII. 2. 76
[illegible]*rmibus Wulf.* XIII. 2. 141
[illegible] *C. A. Mey.* XIII. 2. 63
[illegible] *MB.* XIII. 2. 78 164
[illegible] *Moench* XIII. 2. 78 157
[illegible]um *Moq.* XIII. 2. 64
[illegible] *Hamilt.* XIII. 2. 69
[illegible] *β chamricum Wall.* XIII. 2. 69
[illegible]um *hort.* XIII. 2. 77
[illegible] *Don* XIII. 2. 70
L. XIII. 2. 72 460
[illegible]tum *Moq.* XIII. 2. 72
[illegible]hyllum *Hook.* - - -
[illegible]um *Gilies* XIII. 2. 61
[illegible]um *Reich.* XIII. 2. 71
[illegible] *Lag. & Rodr.* XIII. 2. 76
[illegible] *W.* XIII. 2. 74
Thbg XIII. 2. 78 100
Schrad. XIII. 2. 66
L. XIII. 2. 78 137
[illegible]um *Moq.* XIII. 2. 68
Raddi XIII. 2. 78 161
R. & Schult. XIII. 2. 78 154
[illegible] *Zucc.* XIII. 2. 77
[illegible]ok. XIII. 2. 78 84
β. dan. XIII. 2. 68
L. XIII. 2. 68
[illegible]um *Moq.* XIII. 2. 68
Lour. XIII. 2. 68
[illegible]*ens.* XIII. 2. 78 161
[illegible]*ir.* XIII. 2. 75
[illegible] *Mert. & Koch* XIII. 2. 70
Roxb. XIII. 2. 77
Thbg XIII. 2. 78 93
[illegible] *R. Br.* XIII. 2. 62
[illegible] *Hostii.* XIII. 2. 71

Chenopodium
lanuginosum Moench XIII. 2. 78 135
laterale Ait. XIII. 2. 69
leiospermum Dc. XIII. 2. 70
leptophyllum Nutt. XIII. 2. 71
leucospermum Schrad. XIII. 2. 67
linearе hort. XIII. 2. 79 132
linifolium R. & Schult. XIII. 2. 79 153
littorale h. Paris. XIII. 2. 65
littorale Moq. XIII. 2. 65
littorale Thbg XIII. 2. 79 96
Loureirei *Steud.* XIII. 2. 68
lycopi folio Dill. XIII. 2. 74
macrocarpum Desv. XIII. 2. 79 161
macrospermum h. Ant. XIII. 2. 79 84
macrospermum *Hook. fil.* XIII. 2. 71
marginatum Spr. XIII. 2. 62
maritimum L. XIII. 2. 79 161
maritimum β MB. XIII. 2. 79 160
maritimum β Gouan XIII. 2. 79 160
Mathioli Bertol. XIII. 2. 79 84
melanospermum Wallr. XIII. 2. 69
mexicanum *Moq.* XIII. 2. 70
microphyllum MB. XIII. 2. 79 164
microphyllum Thbg XIII. 2. 79 104
microspermum Wallr. XIII. 2. 70
mucronatum *Thbg* XIII. 2. 64
multifidum L. XIII. 2. 79 80
multiflorum *Moq.* XIII. 2. 75
murale *L.* XIII. 2. 68 460
β albescens *Moq.* XIII. 2. 69
γ gandhium - - -
δ biforme - - -
ε carthagenense - - -
ζ laterale - - -
nepalense h. Monsp. XIII. 2. 70 74
nepalense Jan XIII. 2. 74
nitidum Spr. XIII. 2. 79 190
obovatum *Moq.* XIII. 2. 73
olidum Curt. XIII. 2. 64
oppositifolium L. fil. XIII. 2. 79 205
opulifolium *Schrad.* XIII. 2. 67
opulifolium Vahl. XIII. 2. 68
paganum Reich. XIII. 2. 71
Pallasianum R. & Schult. XIII. 2. 79 137

Chenopodium
pallidum *Moq.* XIII. 2. 71
paniculatum *Hook.* XIII. 2. 65
paniculatum Salsm. XIII. 2. 79 18
papulosum *Moq.* XIII. 2. 61
parvifolium R. & Schult. XIII. 2. 79 164
patulum Mer. XIII. 2. 79 84
patulum *Roth* XIII. 2. 62
pauciflorum h. Vind. XIII. 2. 79 89
pauciflorum *Mart.* XIII. 2. 77
Payeo R. & Schult. XIII. 2. 79 80
pedunculare Bertol. XIII. 2. 71
petiolare *H. B. & Kth.* XIII. 2. 63
petiolare Mart. & Gal. XIII. 2. 79 88
pinnatum hort. XIII. 2. 79 93
polyspermum Koch XIII. 2. 62
polyspermum *L.* XIII. 2. 62 460
α spicatum *Moq.* - - -
β cymosum *Chev.* - - -
polyspermum β cymoso-spicatum Koch XIII. 2. 62
populifolium hort. XIII. 2. 66
portulacoides Thbg XIII. 2. 79 112
procerum Hochst. XIII. 2. 75
prostratum hort. XIII. 2. 79 132
prostratum Jacquem. XIII. 2. 72
prostratum R. & Schult. XIII. 2. 79 162
Pumilio R. Br. XIII. 2. 79 82
punctulatum Scop. XIII. 2. 67
purpurascens *Hamilt.* XIII. 2. 77
purpurascens *Jacq.* XIII. 2. 66
β lanceolatum - - 67
γ punctulatum - - -
pusillum *Bertol.* XIII. 2. 77
quercifolium h. Monsp. XIII. 2. 74
Quinoa *W.* XIII. 2. 66
α viridescens - - -
β rubescens - - -
γ laciniata - - -
radiatum Schrad. XIII. 2. 79 60
retusum *Juss.* XIII. 2. 73
rhombifolium Muehl. XIII. 2. 70
ripartum Boeningh. XIII. 2. 71
rubricaule Schrad. XIII. 2. 67
rubrum L. XIII. 2. 79 83
rubrum Sm. XIII. 2. 79 84
rubrum α vulgare Wallr. XIII. 2. 79 83
rubrum β blitoides Wallr. XIII. 2. 79 84

Chenopodium
rubrum γ foliolosum
rubrum δ glomeratum
ruderale *Kit.* XIII. 2
sagittatum Lam. XH
salsum L. XIII. 2. 7
salsum Auct. XIII.
Sancta Maria *Vell.* X
sandwicheum *Moq.*
Schraderianum R. &
Scoparia L. XIII. 2.
scoparium Gouan X
secundiflorum Vis. X
semperviram Dill. X
septum *Meyer* XIII.
sericeum Spr. XIII.
sericeum Vitm. XIII
serotinum *L.* XIII.
serotinum Moq. XII
setigerum Dc. XIII.
setigerum microphyll
sexpartitum *hort.* XI
sinense hort. XIII.
sinense Willam. XI
sinuatum Thbg XII
spathulatum *Sieb.* X
β platyphyllum
γ angustifolium
spicatum *Lavy* XIII
spicatum R. & Schult.
spinosum Hook. XII
stramonii folio Vai
stramonifolium Ch
strictum *Roth* XIII
subspicatum Nutt.
suffruticosum W. X
tenue Colla XIII. 2.
tomentosum *Pet.* T
Tournefortianum h
Tournefortii hort. X
triandrum *Forst.* XI
triangulare R. Br.
triangulare Forsk X
trifidum Trev. XIII.
trigonon *R. & Sch*
trigynum R. & Sc
trilobatum hort. XI
trilobum hort. XIII.
trilobum Schult. XI

nort. XIII. 2. 80 133
. XIII. 2. 77
. XIII. 2. 63
XIII. 2. 69 460
n *Moq.* XIII. 2. 70
- - - - -
- - - - -
undidentatum Dietr. XIII. 2. 70
ook. & *Arn.* XIII. 2. 63
forum XIII. 2. 72
g XIII. 2. 80 108
. XIII. 2. 80 132
. XIII. 2. 80 135
. XIII. 2. 80 163
er. XIII. 2. 77
g XIII. 2. 77
. XIII. 2. 80 60
XIII. 2. 71
XIII. 2. 66
II. 2. 71
XIII. 2. 68
mith. XIII. 2. 77
XIII. 2. 64 460
n *Moq.* XIII. 2. 64
rot. XIII. 2. 80 24
n *Hook.* XIII. 2. 80 97
ect. Orthosporum R. Br. XIII. 2. 81
h. XII. 368 (Lophanthus)
ch. X. 433 435 595 XI. 524 *Bth.* X. 434
. X. 435
- 436
Bth. X. 436
Bth. X. 436
h. X. 436
ch. X. 435
hum. VIII. 320
hum. VIII. 320
Thum. VIII. 320
uf. X. 27
. XII. 558
es R. Br. XII. 558
on IX. 227
IX. 227
IX. 226
Bth. XII. 482 (Stachys)
ehst. X. 344
ehst. X. 345
1. 412

Chimaphila *Pursh* VII. 775 776
Sm. VII. 775
corymbosa Pursh VII. 775
maculata *Pursh* VII. 775
Menziesii *Spr.* VII. 775
umbellata *Nutt.* VII. 775
β mexicana *Do.* - -
Chimaxia R. Br. VII. 775
Chimophila Rad. VII. 775
Chiococca nocturna Jacq. XIII. 1. 631
CHIONANTHEAE *Do.* VIII. 294
Chionanthus *L.* VIII. 295 *Wall.* VIII. 301 *Lam.* VIII. 295 *L. Jacq.* VIII. 296 *Vahl* VIII. 299
acuminata Wall. VIII. 298
axillaris *R. Br.* VIII. 295
caribaea Jacq. VIII. 295 296
compacta Sw. VIII. 295 296
cotinifolia W. VIII. 295 297
dichotoma Roxb. VIII. 295 297
domingensis Lam. VIII. 295 296
fragrans Edw. VIII. 295
Ghaeri *Gaertn.* VIII. 295
guianensis Pers. VIII. 296 299
incrassata *Sw.* VIII. 295
incrassata W. VIII. 296 299
ligustrina Pers. VIII. 296
malabarica Heyne VIII. 296 297
maritima Lodd. VIII. 295
Mayepea Vahl VIII. 296 299
montana Blum. VIII. 296 297
pubescens *H. B. & Kth.* VIII. 295
purpurea Lam. VIII. 296 297
ramiflora Roxb. VIII. 296 297
smilacifolia Spr. VIII. 296
smilacifolius Wall. VIII. 301
tenuiflorus Wall. VIII. 296
tetrandra Vahl VIII. 296 299
trifida Moench VIII. 295
virginica *L.* VIII. 295
α montana *Pursh* VIII. 295
β maritima - - -
zeylanica Heyne VIII. 296 297
zeylanica Lam. VIII. 296 297
zeylanica L. VIII. 296 297
Chionanthe Gaud. IX. 95
Chionophila *Bth.* X. 299 331
Jamesii *Bth.* X. 331
Chirata G. Don IX. 268
Chirita *Hamilt.* IX. 268 263
acuminata *R. Br.* IX. 269 260
amplectens Steud. IX. 269

Chirita
bifolia *Don* IX. 269
bifolia Royl. IX. 269
coerulea *R. Br.* IX. 269
dimidiata *R. Br.* IX. 270
Edgeworthii *Do. fil.* IX. 269
flava R. Br. IX. 269
grandiflora Wall. IX. 269
Horsfieldii *R. Br.* IX. 269 259 265
macrophylla *Wall.* IX. 269
polycarpa Steud. IX. 264 270
pumila *Don* IX. 269
scaberrima *R. Br.* IX. 269
ternifolia Hamilt. IX. 264 270
urticaefolia *Hamilt.* IX. 268
Chironia *L.* IX. 39 *L. Auct.* IX. 49
amoena Raf. IX. 42 50
angularis L. IX. 42 50
angustifolia Sims IX. 42 43
arenaria *E. Mey.* IX. 40
baccifera *L.* IX. 41
β grandiflora *Griseb.* IX. 41
α dilatata *E. Mey.* – –
baccifera Zeyh. IX. 41
baccifera α & β E. Mey. IX. 41
Barkleyana hort. IX. 39
brachiata W. h. IX. 42 59
calycosa Mx. IX. 42 50
campanulata L. IX. 42 49
capsularis Blanco IX. 42
caryophylloides L. IX. 42 43
Centaurium L. IX. 42
Centaurium W. IX. 58
centauroides Roxb. IX. 42 59
chilensis W. IX. 42 58
chloroides Mx. IX. 42 50
conferta hort. IX. 42
cymosa Lam. IX. 42 49
decandra Walt. IX. 42 50
decussata Vent. IX. 42 43
dichotoma Walt. IX. 42 50
dodecandra L. IX. 42 50
dubia W. h. IX. 42 60
frutescens L. IX. 42 43
frutescens β glabra Cham. & Schl. IX. 43
Gerardi Sm. IX. 42 57
gracilis Mx. IX. 42 49
jasminoides Edw. IX. 40
jasminoides Lam. IX. 39
jasminoides *L.* IX. 40
β lychnoides IX. 40
jasminoides E. Mey. IX. 40
inaperta W. IX. 42 57
intermedia Merat IX. 42 57
Krebsii Griseb. IX. 42 43

Chironia
lanceolata Walt. IX. 42
latifolia E. Mey. IX. 3
linarifolia De. IX. 39
linoides *L.* IX. 41
β longifolia *Griseb.* IX.
γ Zeyheri – –
litteralis Sm. IX. 42
lutea Bert. IX. 42 61
lychnoides E. Mey. IX.
lychnoides W. IX. 41
maritima Ait. IX. 42
maritima *Eckl.* IX. 39
β frutescens *Griseb.* IX.
maritima W. IX. 42 6
maritima α De. IX. 4
melampyrifolia E. Me
minima Thuill. IX. 42
nana Bartl. IX. 42 57
nudicaulis *L.* IX. 39
β elongata *Eckl.* IX.
γ viminea *Griseb.* IX.
nummularifolia W. h.
occidentalis De. IX. 4
orthostylis Reich. IX.
ovata Spr. IX. 41
palustris Burch. IX.
paniculata Mx. IX. 4
parvifolia E. Mey. IX
pedunculatis *Lindl.* IX
perfoliata *Eckl.* IX. 4
pulchella De. IX. 42
pulchella Sm. IX. 42 5
ramosissima Ehrh. IX
scabrida *Griseb.* IX. 4
scabriuscula W. h. IX
serpyllifolia Eckl. IX.
serpyllifolia *Lehm.* IX
β laxa *Griseb.* –
γ microphylla –
speciosa E. Mey. IX.
spicata W. IX. 42 6
suffruticosa Salzm. IX
tabularis hort. IX. 42
tetragona *L.* IX. 40
β brevifolia *Griseb.* IX
γ linarifolia *E. Mey.*
trinervia Ann. de Flo
trinervis L. IX. 43 4
uliginosa Lapeyr. IX.
uniflora Eckl. IX. 41
uniflora Lam. IX. 40
Vaillantii Schm. IX.
viscosa Zeyh. IX. 40
vulgaris Cham. IX. 4
CHIRONIHAE *Griseb.* IX

[redacted]

XI. 690 694
. XI. 531
. XI. 531
Br. XI. 531
Steb. XI. 532
. XI. 532
Br. XI. 532
99 *L. Auct*. IX. 49
IX. 69
IX. 69
IX. 70 50
. 69
IX. 70 51
fil. IX. 69
ch IX. 70
IX. 69
IX. 69
ch. IX. 69
isch. - -
iv. - -
mascariensis Desf. IX. 69
IX. 70
IX. 69
IX. 69
. 70
IX. 49
. VII. 692 (Erica)
Don VII. 613 635
. VII. 635 (Erica)
& *G. Don* VII. 635
ng. Griseb. IX. 104 (Gentiana)
Wall. VIII. 301
ll. VIII. 301
Wall. VIII. 301
Don VIII. 430
G. Don VIII. 431 413
Roxb. VIII. 413
Don VIII. 431 478
G. Don VIII. 430
. VIII. 431 478
. VIII. 431 478
Don VIII. 431 478
Don VIII. 431 477
Don VIII. 431 477
VIII. 431 478
Don VIII. 430
fil. - -
Don VIII. 430
Don VIII. 431 477
Don VIII. 431 477
VIII. 431 477
Griseb. IX. 77 (Limnanthemum)

Choripetalum *Dc. fil*. VIII. 89
aurantiacum *Dc. fil*. VIII. 88
undulatum *Dc. fil*. VIII. 89
viridiflorum *Dc. fil*. VIII. 88
Spec. Harv. VIII. 89
Chorizanthera G. Don VII. 596
Chotekia Opiz & Corda XII. 156
sericea Opiz & Corda XII. 157
Christya *Ward. & Harv*. VIII. 416
speciosa *Ward. & Harv*. VIII. 416
Chromostegia Bth. VII. 616 (Erica)
Chrysomallum Pet. Thouar. XI. 692 694
integrifolium Boj. XI. 694
lanuginosum Boj. XI. 695
madagascariense Pet. Thouar. XI. 694
Chrysomallum Schauer XI. 694 (Vitex)
Chrysophyllum *L*. VIII. 156 177 670 *Loefl*. VIII. 149 *Lam*. VIII. 92
acuminatum Boj. VIII. 178
acuminatum *Lam*. VIII. 159
acuminatum Ledru VIII. 159
acuminatum Poir. VIII. 163 182
acuminatum Roxb. VIII. 162
acuminatum W. A. VIII. 163
africanum *Dc. fil*. VIII. 163
albidum *G. Don* VIII. 163
amplifolium *Dc. fil*. VIII. 159
angustifolium *Lam*. VIII. 162
aquaticum *H. B. & Kth*. VIII. 160
argenteum *Jacq*. VIII. 159
β *Lamarckii Dc. fil*. - -
argenteum Lam. VIII. 159
Barbasco Loefl. VIII. 149
bicolor *Poir*. VIII. 159
brasiliense *Dc. fil*. VIII. 156
bumelioides *Mart*. VIII. 156
Cainito Aubl. VIII. 170
Cainito *L*. VIII. 157
β *jamaicense Jacq*. VIII. 157
γ *coeruleum* - - -
δ *portoricense Dc. fil*. - -
Cainito ? Pers. VIII. 159
Cainito β L. VIII. 159 160
Cainito microphyllum Jacq. VIII. 158
carolinense Jacq. VIII. 160
carolinianum Jacq. VIII. 163
cayennense *Dc. fil*. VIII. 160
cuneifolium *Dc. fil*. VIII. 160
dubium *Steud*. VIII. 163
ebenaceum *Mart*. VIII. 164

Chrysophyllum
ferrugineum Gaertn. VIII. 159
ferrugineum *Steud.* VIII. 159 160 671
flexuosum *Mart.* VIII. 162
fuscum *Fisch. Page* VIII. 163
glabrum *Jacq.* VIII. 158
glabrum Juss. VIII. 163 190
glabrum Rob. VIII. 163
glycyphlaeum *Casar.* VIII. 671
granatense *Spr.* VIII. 157
grandifolium *Steud.* VIII. 163
Guillemenianum *Dc. fil.* VIII. 161
Humboldtianum *R. & Schult.* VIII. 163
javanicum Steud. VIII. 162 671
inornatum *Mart.* VIII. 159
lanceolatum *Casar.* VIII. 671
lanceolatum *Dc. fil.* VIII. 162 671
ludovicianum *Raf.* VIII. 163
Macoucou *Aubl.* VIII. 160
macrophyllum Desf. VIII. 163
macrophyllum Gaertn. VIII. 163
macrophyllum Lam. VIII. 163 170
macrophyllum Mart. VIII. 157
macrophyllum Sabin. & Don VIII. 163
Manglillo Lam. VIII. 163 99
Martianum *Dc. fil.* VIII. 161
maytenoides *Mart.* VIII. 161
melanophloeos Lam. VIII. 163 97
Michino *H. B. & Kth.* VIII. 163
microcarpum *Sw.* VIII. 160
microphyllum *Dc. fil.* VIII. 158
Millerianum Lam. VIII. 164
molle *Wall.* VIII. 163
monopyrenum Sieb. VIII. 157
monopyrenum Spr. VIII. 160
monopyrenum Sw. VIII. 159
myrtifolium *Mart.* VIII. 161
nitidum *Mey. esseq.* VIII. 161
obovatum *Sabin. & Don* VIII. 163
obovatum Wall. VIII. 178
obtusatum R. & Schult. VIII. 160
oliviforme *Lam.* VIII. 158
oliviforme β Lam. VIII. 159
parviflorum *Casar.* VIII. 671
pauciflorum *Lam.* VIII. 158
pomiforme Bert. VIII. 164 182
Pricurei *Dc. fil.* VIII. 161
psilophyllum *Dc. fil.* VIII. 160
pyriforme W. VIII. 160
ramiflorum *Mart.* VIII. 158
Roxburghii *G. Don* VIII. 162
rufum *Mart.* VIII. 156
β acutifolium

Chrysophyllum
rugosum Sw. VIII. 181
Schomburgkianum *Dc.*
sericeum *Dc. fil.* VIII.
sessiliflorum *Poir.* VIII.
splendens *Spr.* VIII.
Chthamalia *Dene* VIII.
biflora *Dene* VIII.
nummularia *Dene* VIII.
pedunculata *Dene* VIII.
pubiflora *Dene* VIII.
purpurea *Dene* VIII.
Chuchu XIII. 1. 384
Chupalon Adans. VII.
Chupalones Nieremb. VII.
Chytra anomala Gaertn.
Cicendia *Griseb.* IX. 61
Candollei *Griseb.* IX.
exaltata *Griseb.* IX. 62
fastigiata *Griseb.* IX.
filiformis Reich. IX.
Poeppigii *Griseb.* IX.
pulchella *Griseb.* IX.
pusilla *Griseb.* IX. 61
quadrangularis Griseb.
Roxburghii Griseb. IX.
Ciminalis Borkh. IX. 86
acaulis Borkh. IX. 116
Pneumonanthe Borkh.
Ciponima Aubl. VIII. 246
guianensis Aubl. VIII.
Ciponima Dc. fil. VIII.

Circinaria Boiss. XII.
Cissus arborea W. h.
dendroides Schult.
ferruginea W. h.
Cistanche Link & Hoffm.
lutea Link & Hoffm. XI.
Citharexylum *L.* XI.
affine *D. Don* XI. 611
affine Mart. & Gal. XI.
alpinum Poepp. XI.
barbinerve *Cham.* XI.
Berterii *Spr.* XI. 614
caudatum *L.* XI. 612
caudatum Sw. XI. 611
Chamissonis Walp. XI.
cinereum *L.* XI. 611.
cinereum β Lam. XII.
coriaceum Desf. XI. 611
cyanocarpum *Hook. &*
dentatum *D. Don* XI.

[redacted]

... & *Sessé* XI. 614
XI. 612
Don XI. 610
B. & *Kth.* XI. 609
& *Sessé* XI. 614
XI. 612
Don XI. 614
Sw. XI. 614 639
XI. 614
Kth. XI. 611
I. 613
ham. XI. 612
Gaertn. XI. 639
Poir XI. 614
ent. XI. 613
rst. XI. 709
lp. XI. 612
Pers. XI. 613
Jacq. XI. 611
Moç. & *Sessé* XI. 614
XI. 611
B. & *Kth.* XI. 613
on XI. 610
am. XI. 612
& *Sessé* XI. 614
XI. 612
ç. & *Sessé* XI. 613
XI. 614
ham. XI. 613
B. & *Kth.* XI. 610
av. XI. 614
rst. XI. 711
I. 611
H. *B.* & *Kth.* XI. 613
oir. XI. 613
XI. 610
XIII. 2. 208
XIII. 2. 232 235
XIII, 2. 233 324
Mtr. XIII. 2. 235
XIII. 2. 235
XIII. 2. 235
B. & *Kth.* IX. 441
IX. 442
B. & *Kth.* IX. 449
culata *R.* & *Schult.* IX. 449
Pong. VII. 732 795
gard. VII. 732
XIII. 2. 359 (Al-teraantherea)

Cladothrix *Nutt.* XIII. 2. 359
lanuginosa *Nutt.* XIII. 2. 360
Clandestina *Tourn.* XI. 40 *Lam.* XI. 40
pendulaeflora *Lam.* XI. 41
rectiflora *Lam.* XI. 40
Clarisia *Abat.* XIII. 2. 229
volubilis *Abat.* XIII. 2. 230
Clavija *R.* & *Pav.* VIII. 147 670
Hookeri *Dc. fil.* VIII. 148
lancifolia *Desf.* VIII. 148
longifolia *R.* & *Pav.* VIII. 148
macrocarpa *R.* & *Pav.* VIII. 148
ornata *D. Don* VIII. 147 670
β subintegra *Dc. fil.* VIII. 148
γ coriacea - - -
pendula *R.* & *Pav.* VIII. 148
spathulata *Hook.* VIII. 148
spathulata *R.* & *Pav.* VIII. 148
undulata *D. Don* VIII. 147
spec. *R.* & *Pav.* VIII. 147
CLAVIJEAE *Dc. fil.* VIII. 145
Claytonia *W.* IX. 71
nemorosa *W. h.* IX. 72
Cleiosantha *Dcne* XIII. 1. 721 (Plantago)
Cleochroma *Miers* XIII. 1. 489
calycina *Miers* XIII. 1. 491
grandiflora *Miers* XIII. 1. 491
macrocalyx *Miers* XIII. 1. 491
Cleonia *L.* XII. 407 411
lusitanica *L.* XII. 411
Clermontia *Gaudich.* VII. 341
grandiflora *Gaudich.* VII. 342
Kakeana *Meyen* VII. 342
oblongifolia *Gaudich.* VII. 342
persicaefolia *Gaudich.* VII. 342
Clerodendron *L.* XI. 627 658
acuminatum *Wall.* XI. 662
angustifolium *Spr.* XI. 660
attenuatum *R. Br.* XI. 671
aurantium *G. Don* XI. 673
Blumeanum *Schauer* XI. 669
brachyanthum *Schauer* XI. 668
bracteatum *Wall.* XI. 665
Buchananii *Walp.* XI. 672
Bungei *Steud.* XI. 672
buxifolium *Spr.* XI. 660
calamitosum *L.* XI. 663
canescens *Wall.* XI. 665
capense *Eckl.* & *Zeyh.* XI. 661
capitatum *Schum.* & *Thonn.* XI. 673
capsulare *Blanco* XI. 674
castaneifolium *Hook.* & *Arn.* XI. 672

Clerodendron
cernuum *Wall.* XI. 675
coccineum D. Dietr. XI. 669
Colebrookianum *Walp.* XI. 672
Commersonii *Spr.* XI. 673
cordatum *D. Don* XI. 674
coriaceum *R. Br.* XI. 671
coriaceum Poir. XI. 673
coromandelianum *Spr.* XI. 673
costatum *R. Br.* XI. 671
cubense *Schauer* XI. 658
Cumingianum *Schauer* XI. 666
deflexum *Wall.* XI. 665
dentatum *Wall.* XI. 674
disparifolium *Blum.* XI. 672
divaricatum *Jack.* XI. 674
diversifolium *Vahl* XI. 668
emirnense *Boj.* XI. 661
eriosiphon *Schauer* XI. 662
fallax *Lindl.* XI. 666
farinosum Wall. XI. 664
floribundum *R. Br.* XI. 671
floribundum hort. angl. XI. 661
floribundum Lindl. XI. 661
foetidum *Bunge* XI. 672
foetidum D. Don XI. 672
fortunatum *L.* XI. 671
fragrans *Vent* XI. 666
β pleniflora – –
glabrum *E. Mey.* XI. 661
glandulosum Colebr. XI. 673
glandulosum *Lindl.* XI. 672
glaucum *Wall.* XI. 675
grandiflorum *Schauer* XI. 659
gratum *Wall.* XI. 674
hastatum *Wall.* XI. 671
helianthemifolium *Wall.* XI. 675
herbaceum *Wall.* XI. 675
heterophyllum *R. Br.* XI. 660
hircinum *Schauer* XI. 661
hirsutum *D. Don* XI. 673
Jackianum *Wall.* XI. 664
javanicum *Spr.* XI. 673
javanicum Walp. XI. 664
inerme *R. Br.* XI. 660
infortunatum *L.* XI. 667
intermedium *Cham.* XI. 669
laevifolium *Blum.* XI. 674
lanuginosum *Blum.* XI. 672
Leucosceptrum Don XI. 675 XII. 574
ligustrinum *R. Br.* XI. 660
lividum *Lindl.* XI. 673
longicolle *Mey. esseq.* XI. 670
longiflorum *Done* XI. 670
macrophyllum hort. XI. 664

Clerodendron
macrophyllum Blum.
macrophyllum *Sims*
macrostegium *Schau*
medium *R. Br.* XI.
molle *H. B. & Kth.*
molle Jack XI. 667
multiflorum *G. Don*
myricoides R. Br.
neriifolium *Wall.*
nutans Jack XI. 66
nutans *Wall.* XI. 6
obovatum *Walp.* XI
odoratum D. Don
ornatum *Wall.* XI.
ovatum *R. Br.* XI.
α β –
ovatum Poir. XI. 6
paniculatum *L.* XI.
penduliflorum *Wall.*
philippinum *Schauer*
phlomoides *L.* XI.
phyllomega *Steud.*
pubescens *Lindl.* X
pumilum *Spr.* XI. 6
putre *Schauer* XI.
pyramidale Andr.
sagittatum Wall.
Sagraei *Schauer* XI
scandens *P. B.* XI.
semiserratum *Wall.*
sericeum Wall. XI.
serratum *Spr.* XI. 6
serratum Wall. XI.
simplex *G. Don* XI.
sinuatum *Hook.* XI.
Siphonanthus *R. Br.*
speciosissimum hort.
speciosissimum Pax
spinosum *Spr.* XI. 6
splendens *G. Don*
splendidum Wall.
squamatum *Vahl* XI
tenuifolium *H. B. &*
ternifolium G. Don
tomentosum *R. Br.*
trichotomum *Thbg.*
triflorum *Vis.* XI. 6
umbellatum Poir. XI
urticifolium *Wall.*
velutinum Wall. XI.
venosum *Wall.* XI.
verticillatum *D. Don*
villosum *Blum.* XI.
viscosum Vent. XI.
volubile *P. B.* XI.

[redacted]

VII. 588 & VII. 588
. VII. 588
VII. 588
I. 588
VII. 588
rubescens Ait. VII. 588
tomentosa Ait. VII. 588
r. VII. 588
II. 589
& *Kth.* VII. 589
Humb. & Schlecht. VII. 590
II. 588
. VII. 590
& Kth. VII. 589
& Pav. VII. 589
& Kth. VII. 590
VII. 588
VII. 588
c. VII. 590
Lois. VII. 589
VII. 590
VII. 589
. VII. 589
VII. 590
Pav. VII. 589
VII. 589
. VII. 589
VII. 589
Pav. VII. 589
VII. 589
VII. 588
II. 589
. VII. 588
s XI. 484 541
XI. 541
XI. 541
. XII. 232 (Calamintha)
Auct. XII. 233 232
Spenn. XII. 226
. XII. 232
XII. 234 98
. XII. 234
hortul. XII. 233
XII. 234 467
XII. 234
XII. 234 85
XII. 234 522
II. 234
II. 234 187
. XII. 234
XII. 234 523
Labill. XII. 234 214

Clinopodium
phlomoides Bth. XII. 233
repens Vell. XII. 234 64
repens α Wall. XII. 233
repens β Bth. XII. 233
rugosum L. XII. 235 107 110
variegatum hortul. XII. 233
vulgare L. XII. 233
vulgare Thbg XII. 233
Clintonia *Dougl.* VII. 347 *Cham.* VII. 349 *G. Don* VII. 348
Bergiana G. Don VII. 347 348
corymbosa *Dc.* fil. VII. 347
elegans *Lindl.* VII. 347
pulchella *Lindl.* VII. 347
pusilla *G. Don* VII. 347
CLINTONIEAE *Presl* VII. 347
CLINTONIEAE Presl VII. 349
Cliocarpus *Miers* XIII. 1. 673
Gardneri *Miers* XIII. 1. 674
Clistax *Mart.* XI. 49 61
brasiliensis *Mart.* XI. 63
speciosus *Nees* XI. 63 721
Cobaea *Cav.* IX. 322
lutea D. Don IX. 322
macrostoma Pav. IX. 322
scandens *Cav.* IX. 322
stipularis *Bth.* IX. 322
COBAEACEAE Don IX. 322
Cobamba Blanco X. 590
Coccosperma Bth. VII. 741 (Gelibia)
Coccosperma Klotzsch VII. 710 711
Forbesianum Klotzsch VII. 741
rugosum Klotzsch VII. 741
Cochlidiospermum Reich. X. 495
Cochlidiospermum Lag. XIII. 2. 155 159
Cavanillesii XIII. 2. 163
Clemente Lag. XIII. 2. 160
fruticosum Lag. XIII. 2. 157
hispanicum Lag. XIII. 2. 158
suaveolens Lag. XIII. 2. 161
Codaga-Pala Rheed. VIII. 444
Codochonia *Dun.* XIII. 1. 6 482
soluneoides *Dun.* XIII. 1. 482
Codon *Royen.* X. 568 179
aculeatum Gaertn. X. 569
Royeni *L.* X. 569
Codonacanthus *Nees* XI. 99 103
acuminatus *Nees* XI. 103
pauciflorus *Nees* XI. 103
Codonanthe Mart. Dc. VII. 540 (Hypocyrta)
Codonanthemum *Bth.* VII. 365 *Klotzsch* VII. 707
discolor *Bth.* VII. 365

Codonanthemum
parviflorum *Klotzsch* VII. 708
puberulum *Klotzsch* VII. 707
tenue *Bth.* VII. 708
Codonanthus *G. Don* IX. 37
africana *G. Don* IX. 37
Codonia Spr. VII. 422 424
Codonocarpus *A. Cunn.* XIII. 2. 5 39
australis *A. Cunn.* XIII. 2. 39
Codonophora Lindl. VII. 524
lanceolata Lindl. VII. 524
Codonopsis *Wall.* VII. 423 424 *Dc. fil.* VII. 424 *G. Don* VII. 424
ovata Bth. VII. 424 425
parviflora *Wall.* VII. 423
purpurea Wall. VII. 424 425
rotundifolia Bth. VII. 424 425
thalictrifolia Wall. VII. 424 425
truncata *Wall.* VII. 423
viridis Wall. VII. 425
Codonostigma *Klotzsch* VII. 709
Erinus *Klotzsch* VII. 709
Codylis Raf. XIII. 1. 556
Coelanthe (*Coilanthe*) *Borkh.* IX. 86
Ren. Griseb. IX. 116 (Gentiana)
asclepiadea Don. IX. 112
biloba Don IX. 87
Burseri Don IX. 116
glauca Don IX. 111
Moçini Don IX. 112
pannonica Don IX. 117.
punctata Don IX. 117
purpurea Borkh. IX. 116
Sessaei Don IX. 112
Coeloma Dc. IX. 556 (Heliophytum)
COELOSTYLEAE *Endl.* IX. 2
Coelostylis Torr. & Gr. IX. 3
loganioides Torr. & Gr. IX. 4
texana Torr. & Gr. IX. 5
Coelotheca Dc. fil. VII. 421 (Microcodon)
Coilosperma Raf. XIII. 2. 236
Coilostigma *Bth.* VII. 708 *Klotzsch* VII. 708
Dregeanum *Klotzsch* VII. 708
glabrum *Bth.* VII. 708
puberulum *Bth.* VII. 708
tenuifolium *Klotzsch* VII. 708
Zeyherianum *Klotzsch* VII. 708
Coldenia *L.* IX. 558 *Pers.* IX. 558
canescens *Dc.* IX. 559
dichotoma *Lehm.* IX. 559
Dombeyana Juss. IX. 559
procumbens *L.* IX. 558
Colea *Boj.* IX. 240
cauliflora *Dc.* IX. 2
Chapelieri *Dc.* IX.
Commersonii *Dc.* I
decora *Boj.* IX. 24
floribunda *Boj.* IX.
involucrata *Boj.* IX
mauritiana *Boj.* IX.
nitida *Dc.* IX. 242
obtusifolia *Dc.* IX.
ramiflora *Dc.* IX. 2
Sieberi Dc. fil. IX.
Telfairiae *Boj.* IX.
tetragona *Dc.* IX.
COLEAE *Boj.* IX. 240
Colebrookia *Sm.* XI
(*rectius* Colebroo
oppositifolia *Sm.* X
ternifolia Roxb. XI
Coleoides Bth. XII. 63
Coletta Veedla Rheed
Coleus *Lam.* XII. 31
acuminatus *Bth.* X
africanus *Bth.* XII.
amboinicus Lour.
arabicus *Bth.* XII.
aromaticus *Bth.* X
aromaticus bot. re
atropurpureus *Bth.*
β densiflorus
γ javanicus
barbatus *Bth.* XII.
Benthamianus *Arn.*
bicolor *Bth.* XII.
Blancoi *Bth.* XII.
Blumei *Bth.* XII.
Bojeri *Bth.* XII.
carnosus *Hassk.* X
crassifolius Bth. X
fruticosus *Wight*
galeatus *Bth.* XII.
glabratus *Bth.* XII
grandifolius *Bth.* X
grandifolius Blanc
Heynii *Bth.* XII.
inflatus *Bth.* XII.
ingratus *Bth.* XII.
laciniatus *Bth.* XII
lanuginosus *Hochs*
latifolius *Hochst.*
leptostachys *Bth.*
Macraei *Bth.* XII.
β macrophyllus –
γ hispidus –
macrophyllus *Bth.*
β concolor

Bth. XII. 26
Bth. XII. 76
II. 77
h. XII. 75
III. 76
th. XII. 79
h. XII. 72
. XII 74
XII. 78
XII. 80 65
Bth. XII. 73
Bth. XII. 75
XII. 71
Zoll. & Mor. XII. 79
co XII. 71
. XII. 79
th. XII. 78
XII. 77
XII. 78
A. XII. 71
L XIII. 2. 439
is. XIII. 2. 439
XIII. 2. 439
VII. 512
X. 299 317
Bth. X. 318
K. 318
ugl. X. 318
Trah. X. 318
X. 318
gl. X. 318
th. X. 319
sch. & Mey. X. 319
. 593
. 318
. X. 318
III. 151 252
mag. XII. 254
XII. 252
– 254
XII. 252
der. XII. 253
mah XII. 253
XII. 253
. XII. 253
XII. 253
XII. 253
Bth. XII. 253
I. 253
. XII. 253
XII. 253
dm. XII. 253
IX. 307
Gl. Don IX. 308 314

Collomia
Cavanillesii Hook. & Arn. IX. 308
coccinea Lehm. IX. 308
β parviflora Bth. – –
gilioides Bth. IX. 308
glutinosa Bth. IX. 308
gracilis Dougl. IX. 308
β multicaulis Bth. IX. 308
grandiflora Dougl. IX. 308
β tenuiflora Bth. – –
heterophylla Dougl. IX. 309
laxiflora Don IX. 308
linearis Nutt. IX. 308
Navarretia G. Don IX. 309
nudicaulis Hook. & Arn. IX. 307
Collomioides Endl. IX. 310 (Gilia)
Collophora Mart. VIII. 322
utilis Mart. VIII. 322
Colobandra Bartl. XII. 565 566
amissens Bartl. XII. 566
lanata Bartl. XII. 566
mollis Bartl. XII. 566
platyphylla Bartl. XII. 566
robusta Bartl. XII. 566
subvillosa Bartl. XII. 566
Coloboma De. X. 126 (Eritrichium)
Colpias E. Mey. X. 249 259
mollis E. Mey. X. 260
Colquhounia Wall. XII. 408 457
coccinea Wall. XII. 457
β parviflora – –
elegans Wall. XII. 457
vestita Wall. XII. 457
Colsmannia Lehm. X. 67
flava Lehm. X. 67
Columella Vahl VII. 549 Vell. XIII. 2. 449
rustica Vell. XIII. 2. 445
Columellia R. & Pav. VII. 549 Lour. VII. 549 Jacq. VII. 549 Arrab. VII. 549
arborescens Pers. VII. 549
frutescens Pers. VII. 549
oblonga R. & Pav. VII. 549
obovata R. & Pav. VII. 549
sericea H. B. & Kth. VII. 549
COLUMELLIACEAE Lindl. VII. 549
COLUMELLIEAE D. Don VII. 549
Columnea Plum. VII. 541 Auct. VII. 535 Roxb. VII. 541
anisophylla De. VII. 542
balsamica Roxb. VII. 543 X. 389
cochinchinensis Lour. VII. 543
erecta Lam. VII. 542 536

Columnea
heterophylla Roxb. VII. 543 X. 390
hirsuta *Sw.* VII. 542
hispida *Sw.* VII. 542
longifolia Lam. VII. 563 X. 408
minuta Roxb. VII. 543 X. 414
ovata *Cav.* VII. 542
rotundifolia Salisb. VII. 542
rutilans *Sw.* VII. 542
scabrosa Soland. IX. 277
scandens *L.* VII. 542
Schiedeana *Schlecht.* VII. 542
stellata *Lour.* VII. 543
tomentosa Roxb. VII. 543 X. 375
trifoliata *Link* VII. 542 X. 382
villosa W. VII. 542
violacea Jacq. fil. X. 382
Colus Jovis Besl. XII. 276
Comacephalus Klotzsch VII. 702
incurvus Klotzsch VII. 702
Comarostaphylis Zucc. VII. 584
arguta Zucc. VII. 585
Cometes L. IX. 365 *Burm.* XIII. 2. 424
Commarin XIII. 1. 420
Conandron *Sieb. & Zucc.* IX. 273 X. 586
ramondioides *Sieb. & Zucc.* IX. 273
Conanthus Dc. fil. IX. 295 (Eutoca)
Conchophyllum *Blum.* VIII. 630
imbricatum *Blum.* VIII. 631 633
Condalia Höll VIII. 105
coriacea Höll VIII. 106
Condylocarpon *Desf.* VIII. 380
guyanense *Desf.* VIII. 384
isthmicum *Dc. fil.* VIII. 384
Conessi Cortex VIII. 413
Congea *Roxb.* XI. 621 623
azurea Wall. XI. 624
barbata Wall. XI. 624 623
ferruginea Wall. XI. 624 623
Jackiana Wall. XI. 624 622
paniculata Wall. XI. 624 623
pentandra Wall. XI. 624 622
tomentosa *Roxb.* XI. 623 624
α latifolia – – 624
β oblongifolia – – –
unguiculata Wall. XI. 624 623
Connarus santaloides Vahl VIII. 143
Conobea *Aubl.* X. 342 390
alata Grah. X. 391 335
auatica Aubl. X. 390
Conobea
borealis Spr. X. 391 403
indica Spr. X. 391 390
multifida *Bth.* X. 391
ovata hortul. X. 391 383
pumila Spr. X. 391 383
punctata *Nees & Mart.* X. 3[illegible]
scoparioides *Bth.* X. 391
vandellioides *Bth.* X. 391 [illegible]
verticillaris Spr. X. 391 [illegible]
viscosa Schrank X. 391 [illegible]
Conocalpis umbellata Boj. [illegible]
Conomitra Fenzl VIII. 554
linearis Fenzl VIII. 555
Conomorpha *Dc. fil.* VIII. 113
guyanensis *Dc. fil.* VIII. 113
laxiflora *Dc.* VIII. 114
macrophylla *Mart.* VIII. 10[illegible]
oblongifolia *Dc. fil.* VIII. [illegible]
peruviana *Dc. fil.* VIII. 113
Conopharyngia *G. Don* VIII. [illegible]
longifolia *G. Don* VIII. 3[illegible]
retusa *G. Don* VIII. 378
Conopholis *Wallr.* XI. 3 14
americana *Wallr.* XI. 15
Conostephium *Bth.* VII. 739
pendulum *Bth.* VII. 739
Conostylus Pohl VIII. 113
Conradia *Mart.* VII. 525 [illegible]
calycina *Mart* VII. 525
cassioides Pers. X. 541
Craniolaria *Mart.* VII. 525
cuneifolia *Dc.* VII. 526
exserta *Mart.* VII. 526
fuchsioides Nutt. X. 543
humilis *Mart.* VII. 526
pedunculosa *Dc.* VII. 525
pumila *Mart.* VII. 526
scabra *Mart.* VII. 526
Sloanei *Dc.* VII. 526
ventricosa *Mart.* VII. 525
β angustior *Dc.* – –
CONRADIEAE G. Don VII. [illegible]
CONTORTAE Spr. VIII. 141
Contracolevra XI. 654
CONVOLVULACEAE Juss.
CONVOLVULACEAE *Vent.* IX.
CONVOLVULAE Bartl. [illegible] Wall. IX.
CONVOLVULEAE *Choisy* IX.
CONVOLVULI Juss. IX. 393
Convolvuloides Moench IX. 34[illegible]

ch IX. 377
Mennth IX. 344
ch IX. 363
IX. 344
nch IX. 341
h IX. 343
IX. 399 *Roxb.* IX.
X. 325 328 335 337
6 347 396 399 429
425 *Thbg* IX. 451
IX. 417 379
B. & Kth. IX. 417 375
nus. *Parie.* IX. 406
Thrsn. IX. 413
Vahl IX. 417 338
s Desr. IX. 417 383
r. IX. 417 345
ahl IX. 417 342
pr. IX. 417 335
m. IX. 417 349
IX. 418 324
l. IX. 410
ph. IX. 416 449
. 416
IX. 418 342
ur. IX. 418 363
IX. 405
ell. IX. 418 420
IX. 446 360
. 418 369
IX. 416
reg. IX. 416 379
Klein. IX. 416
ge IX. 410
m. IX. 410
ph. IX. 418 447
d. mag. IX. 409
IX. 409
b. - -
- -
- - -
- - -
- - -
- - -
Thg IX. 410
Austriaca Murr. IX. 412
. IX. 418 347
Brand. IX. 412
s. Pluk. IX. 377
Aegyptia Pluk. IX. 377
r. IX. 402
Schlechtd. IX. 418 340

Convolvulus
ampliatus h. brit. mss. IX. 418 361
amplus Wall. IX. 418 391
ampullaceus Vahl IX. 418 348
anceps L. IX. 418 360
angularis L. IX. 418 364
angulatus Salisb. IX. 418 379
angulatus Spr. IR. 418 338
angustifolius Desr. IX. 418 354
angustissimo folio Pluk. IX. 407
angustissimus R. B. IX. 418
aphyllus Vis. IX. 418 339
apocynoides Schlecht. IX. 418 397
aquaticus Wals. IX. 418 400
arbuscentus W. IX. 418 396
arenarius Vahl IX. 418 339
argyrotus Desr. IX. 401
argyreus Dc. IX. 409
argyrophyllus Hoffmans. IX. 409
argyrophyllus Wall. IX. 418 391
aristolochiaefolius H. B. & Kth. IX. 418 378
aristolochiaefolius Mill. IX. 418 377
arvensis Dalib IX. 409
arvensis L. IX. 406
β *pusillus Choisy* IX. 406
γ *obtusifolius* - - -
δ *mauritiensis* - - -
ε *hirtus* - - -
ζ *mauritianus* - - 407
η *lanceifolius* - - -
θ *parviflorus* - - -
ι *tenuifolius* - - -
κ *villosus* - - -
arvensis &c. Bunb. IX. 406
asarifolius Desr. IX. 418 350
asarifolius Ball IX. 418 338
ascendens Steud. IX. 400
asper Wall. IX. 418 346
astiplicifolius Pers. IX. 407
atropurpureus Wall. IX. 418 366
aturensis H. B. & Kth. IX. 418 367
Aucheri *Choisy.* IX. 403
aureus Dietr. IX. 418 397
aureus Thbg IX. 416
auriculatus Desr. IX. 407
auritus W. IX. 413
auratus Rich. IX. 418 397
babylonicus *Ten.* IX. 416
barbatus Wall. IX. 418 365
barbigus Wall. IX. 418 393
Batatas L. IX. 418 396
Batatilla H. B. & Kth. IX. 418 359

Convolvulus
bauhiniaefolius Sal. IX. 418 349
Beladamba Spr. IX. 418 350
bellus Spr. IX. 418 386
Benthamii Wall. IX. 418 435
Besseri Spr. IX. 403
betonicifolius Mill. IX. 408
bicolor Desr. IX. 418 364
bicolor Vahl IX. 418 435
bicuspidatus *Fisch.* IX. 415
bifidus Vahl IX. 418 371
bifidus Vell. IX. 430
biflorus *Forsk.* IX. 415
biflorus L. IX. 418 431
bignonioides Spr. IX. 418 381
bilobatus Roxb. IX. 419 349
binectariferus Roxb. 419 348
Blanchetii Steud. IX. 419 398
blandus Roxb. IX. 419 371
Blumei Dietr. IX. 419 354
Boerhaavii *h. Napol.* IX. 416
bogotensis W. IX. 419 341
Boissieri Steud. IX. 403
bona nox Spr. IX. 419 345
bonariensis *Cav.* IX. 411
Bonplandianus R. & Schult. IX. 419
bracteatus Bert. IX. 419 359
bracteatus Vahl IX. 419 435
brasilianus L. IX. 419 349
breviacuminatus *Mart.* IX. 409
breviflorus Spr. IX. 419 359
Brownei Spr. p. 590 IX. 419 385
Brownei Spr. p. 612 IX. 419 354
bryoniaefolius Sal. IX. 419 363
bryoniaefolius W. IX. 409
bufalinus Lour. IX. 419 360
Burmanni *Chois.* IX. 405
caespitosus Roxb. IX. 420 435
cairicus L. IX. 419 386
californicus *Chois.* IX. 405
caliginosus Koen. IX. 419 371
calycinus *Drege* IX. 408
calycinus H. B. & Kth. IX. 419 339
calycinus Roxb. IX. 419 429
calystegioides *Chois.* IX. 413
campanulatus Spr. IX. 419 360
campestris Vell. IX. 419 352
canariensis *L.* IX. 413
candicans R. & Schult. IX. 419 326
candicans Roth IX. 419 326
candicans Soland. IX. 419 381
canescens H. B. & Kth. IX. 419 397

Convolvulus
canescens β. cerasi
canescens Roth IX.
Cantabrica Jacq. I
Cantabrica *L.* IX. 4
β subsericea *Chois.*
capensis *Burm.* IX.
capensis W. IX. 4
capillaceus H. B. &
capitatus Cav. IX.
capitatus Desr. IX.
capitatus Raf. IX.
capitatus Vahl IX.
capitellatus Hamilt.
capitiformis Poir.
caracasanus W. IX
carneus Spr. IX. 4
carnosus Spr. IX.
carolinus L. IX. 41
Catesbaei Spr. IX.
catharticus Blanco
cephalanthus Wall.
chenopodioides *Des*
Cherleri *Agardh* IX
chilensis Pers. IX.
chinensis Ker IX. 4
Choisyanus Wall.
cholulensis Spr. IX.
chryseides Spr. IX.
chrysorhizus Soland
ciliatus Roth IX.
ciliatus Vahl IX. 4
ciliolatus Mx. IX.
cinerascens Spr. IX
circinnatus W. IX.
cirrhosus *R. Br.* IX
cissoides Vahl IX.
Clappertonii Spr. I
clavatus Pav, IX. 3
Cneorum Habl. IX.
Cneorum Forsk. IX.
Cneorum *L.* IX. 401
Cneorum β Gouan.
coccineus Spr. IX.
coccineus &c. Burm
coelestis Forst. IX.
coeruleus Pall. IX. 3
coeruleus Schum. IX
coeruleus Spr. IX. 4
commutophyllus Ste
compactus *Boiss.* I
congestus *R. Br.* I
congestus Spr. IX.
contortus Vell. IX.

X. 420 384
Vell. IX. 420 338
acle IX. 381
uss. h. IX. 412
alum. IX. 380
hbg IX. 413
brit. mus. IX. 420 385
eud. IX. 416
k Schult. IX. 406
Forst. IX. 413
. IX. 420 350
en IX. 416 420
e IX. 420 433
R. & Pav. IX. 408
g. IX. 409
am. IX. 409
. IX. 420 365
Wall. IX. 360
IX. 410
H. B. & Kth. IX. 420 373
IX. 420 330
V. IX. 416
r. IX. 420 371
& Pav. IX. 420 377
: Schult. IX. 420 351
esr. IX. 371
s W. IX. 420 342
ot. mag. IX. 420 433
Pall. IX. 401
Spr. IX. 420 386
rt. IX. 406
ois. IX. 404
look. IX. 420 375
aco IX. 420 389
hl IX. 420 382
Desr. IX. 420 379
Spr. IX. 420 354
W. IX. 415
st. & Steud. IX. 402
Kar. & Kir. IX. 402
el. IX. 415
& Schult. IX. 421 364
xb. IX. 420 386
r. IX. 420 389
ll. IX. 420 339
r. IX. 420 343
B. & Kth. IX. 420 374
v. IX. 411
IX. 420 362
Blanco IX. 416

Convolvulus
diversifolius Kze IX. 411
diversifolius Schum. Vahl IX. 420 372
diversifolius Spr. IX. 420 363
divisus Vell. IX. 420 398
domingensis Desr. IX. 420 372
domingensis Spr. IX. 420 385
Dorychnium *L.* IX. 403
Dregeanus *Chois.* IX. 411
Dryandri Spr. IX. 414
dumetorum H. B. & Kth. IX. 420 378
ebracteatus Desr. IX. 421 377
echioides Hochst. IX. 421 332
edulis Thbg IX. 421 338
elegans Wall. IX. 421 439
elegantissimus Mill. IX. 410
ellipticus Spr. IX. 421 330
elongatus Sal. IX. 412
elongatus W. IX. 407
emarginatus *Link* IX. 415
emarginatus Vahl IX. 421 431
equitans Bth. IX. 409
erectus Spr. IX. 421 355
erianthus *W.* IX. 415
erinaceus *Eichw.* IX. 404
eriocarpus Spr. IX. 421 389
eriocaulos W. IX. 421 341
eriospermus Desr. IX. 421 347
erosus Desr. IX. 409
erubescens *bot. mag.* IX. 412
β angustissimus *Chois.* – –
β dilatatus – – –
erythrocarpus Wall. IX. 421 331
esculentus Sal. Spr. IX. 421 338
essequebensis Spr. IX. 421 380
evolvuloides Desf. IX. 406
excisus Zp. IX. 421 351
Falkia *Jacq.* IX. 410
Falkia Thbg IX. 421 451
farinosus *L.* IX. 412
fastigiatus Roxb. IX. 421 380
fatmensis *Kze* IX. 411
ferrugineus Steud. IX. 421 396
ferrugineus Vahl IX. 421 373
filicaulis Vahl IX. 421 354
filifolius Hook. & Arn. IX. 421
filiformis Desr. IX. 421 347
filiformis Thbg IX. 421 354
firmus Spr. IX. 421 355
flagelliformis Roxb. IX. 421 350
flavus Sal. IX. 421 377
flavus *W.* IX. 415
flexuosus Buch IX. 409
flexuosus Spr. IX. 421 367

Convolvulus
floribundus *H. B. & Kth.* IX. 404
floridus *L.* IX. 404
formosus Gmel. IX. 421 372
Forskahlei Spr. IX. 421 351
Forskahlii *Delil.* IX. 400
Frankeanus Schlecht. IX. 421 398
frondosus W. IX. 414
frutescens Mill. IX. 421 362
fruticosus Pall IX. 400
fruticulosus *Desr.* IX. 414
fugacissimus Hochst. IX. 421 449
fulgens Wall. IX. 421 329
galaticus *Rostan* IX. 408
gangeticus L. IX. 421 351
gangeticus Roxb. IX. 421 325
gemellus Burm. IX. 421 380
gemellus Vahl IX. 421 370
geniculatus Lehm. IX. 412
Gerardi R. & Schult. IX. 403
giganteus Silv. Mans. IX. 421 362
glaber Aubl. IX. 421 362
glaber h. mus. paris. IX. 421 362
glaber Mill. IX. 421
glandulifer Spr. IX. 421 341
glaucescens H. B. & Kth. IX. 421 378
glaucifolius *Spr.* IX. 412
glomeratus *Chois.* IX. 401
glomeratus *Thbg* IX. 416
gonatodes Steud. IX. 421 370
Gortschakovii *Schrenk* IX. 401
gossypifolius H. B. & Kth. IX. 421 362
gracilis Sal. IX. 421 331
gracilis Spr. IX. 421 370
gramineus Spr. IX. 422 367
grandiflorus Desr. IX. 422 346
grandiflorus L. IX. 422 345
grandiflorus R. & Pav. IX. 434
guadalupensis Steud. IX. 422 339
guineensis Schum. IX. 422 365
guineensis Dietr. IX. 422 365
guyanensis Aubl. IX. 422 366
Hamiltonii Spr. IX. 422 388
Hardwickii Spr. IX. 422 429
hastatus Desr. IX. 422 354
hastatus Forsk. IX. 406
hastatus Sieb. IX. 412
hastatus *Thbg* IX. 407
β multifidus *Chois.* IX. 407
hastifolius Poir. IX. 406

Convolvulus
hastigerus Spr. IX.
havanensis Jacq. IX.
hederaceus L. IX.
hederaceus Mill. IX.
hederaefolius Sal. IX
hederaefolius Spr. IX
hepaticaefolius W. I
hepaticifolius Spr. I
heptaphyllus Rottl.
Hermanniae *L'Herit*
β elongatus *Chois.*
heterophyllus Spr. I
Heynii Spr. IX. 422
hircinus *cat. Parm.*
hirsutissimus Wall.
hirsutus Roem. IX.
hirsutus Roxb. IX.
hirsutus *Stev.* IX.
hirsutus Ten. IX.
hirtus h. Madras. I
hirtus Mill. IX. 412
Hispaniolae Spr. IX.
hispidus Vahl IX.
holosericeus Belang.
holosericeus *MB.* IX
Hookerianus Dietr. I
humilis Jacq. IX.
humilis Sal. IX. 403
humistratus Walt. I
hypocrateriformis D
hypoleucus R. & Schul
Hytrix *Vahl* IX.
jacobaeus *Sm.* IX.
Jalapa L. IX. 422
jamaicensis *Jacq.* IX
jamaicensis &c. Plu
jamaicensis Spr. IX.
japonicus Thbg IX.
Jatiauca Pis. IX.
javanensis Garc. IX.
javanicus Garc. IX.
igneus Schrad. IX.
imbricatus Spr. IX.
Imperati Vahl IX.
incanus *Vahl* IX.
incarnatus Vahl IX.
incisus *h. mus Paris*
incisus Spr. IX.
incurvus Schum. IX.
indicus Mill. IX.
indicus &c. Moris
indicisus Vell. IX.
inflatus Desr. IX.
in plantis obscuris Th

IX. 423 [illegible]
r. IX. 423 370
Lois. IX. 403
bot. reg. IX. 423 435
Spr. IX. 423 365
W. IX. 423 373
. IX. 423 393
Schult. IX. 409
Steud. IX. 423 362
X. 423 371
r. IX. 423 369
s Hochst. IX. 423 356
ur. IX. 411
Desr. IX. 411
on. IX. 423 433
. IX. 423 378
. 423 433
. IX. 423 372
Rumph IX. 359
umph IX. 371
Rumph IX. 371
IX. 400
. 415
esr. IX. 401
Thois. - -
- - -
Vahl IX. 413
Spr. IX. 423 393
. IX. 411
Vis. IX. 423 351
. IX. 423 345
sb. IX. 423 330
sr. IX. 423 392
V. IX. 423 374
h. IX. 423 355
. IX. 423 369
. IX. 423 343
Sill. IX. 406
IX. 401
. 401
. 406
rosoma IX. 423 449
. IX. 423 369
. & Arn. IX. 389
. 423 338
. IX. 423 345
IX. 413
. 423 433
os Plum. IX. 377
IX. 423 334
W. IX. 423 387
B. & Kth. IX. 423 358

Convolvulus
macrocalyx R. & Pav. IX. 423 362
macrocarpus L. IX. 423 361
macrocarpus Spr. IX. 423 362
macrorhizos L. IX. 423 366
macrorhizos Ell. IX. 423 369
macrorhizos Gray IX. 423 381
macrostelen Spr. IX. 423 345
macrospermus W. IX. 423 462
major polyanthos Sloan. IX. 372
major &c. Sloan. IX. 362
malabaricus L. IX. 423 331
malabaricus Roxb. IX. 423 371
Malcolmi Roxb. IX. 406
mammosus Lour. IX. 423 369
marginatus Desr. IX. 423 370
marginatus Spr. IX. 423 434
marinus Rumph IX. 423 349
marinus &c. Imper. IX. 338
marinus &c. Plum. IX. 338
maritimus Desr. IX. 423 349
maritimus Lam. IX. 423 433
maritimus β Gouan IX. 424 433
Martii Spr. IX. 424 430
martinicensis Jacq. IX. 424 430
Massoni Dietr. IX. 413
metaxocarpus Spr. IX. 415
metutimus Vest IX. 416
maximus Sloan. IX. 424 345
maximus Vahl IX. 424 370
mechoacan Vand. IX. 424 338
medium L. IX. 424 429
medium Lour. IX. 424 354
megalorhizos &c. Dill. IX. 381
melanostictes Schlecht. IX. 424 325
meonanthus Hoffm. & Link IX. 405
meslatanus Thbg IX. 416
Meyeri Spr. IX. 416
micranthus R. & Schult. IX. 414
micranthus W. IX. 416
microcalyx Pellet IX. 416
microphyllus Sieb. IX. 402
Millerianus R. & Schult. IX. 424 377
minimus Aubl. IX. 415
minimus Vitm. IX. 424 444
minor &c. Catesb. IX. 386
mollis Burm. IX. 424 331
mollis H. B. & Kth. IX. 424 342
mollissimus Pall. IX. 403
monospermus L. Perm. IX. 416
montevidensis Spr. IX. 415
mucronatus Fyrst. IX. 424 397

Convolvulus
mucronifer *Chois.* IX. 414
β multiflorus – – –
multibracteatus Wall. IX. 424 333
multifidus *Thbg* IX. 410
multiflorus H. B. & Kth. IX. 424 372
multiflorus Bess. IX. 407
multiflorus Poir. IX. 424 367
multivalvis R. Br. IX. 413
munitus Wight IX. 424 339
muricatus L. IX. 424 345
mutabilis Sal. IX. 424 341
muticus Steud. IX. 424 346
Neci Spr. IX. 424 336
nemorosus R. & Schult. IX. 424 339
nervosus Burm. IX. 424 328
nervosus *Raf.* IX. 416
nevisiensis Hamilt IX. 424 397
Nil L. IX. 424 343
nitidus *Boiss.* IX. 403
nitidus Desr. IX. 424 331
niveus &c. Plum. IX. 350
nodiflorus *Desr.* IX. 414
β deglabratus *Chois.* IX. 414
nolanaeflorus Zp. IX. 424 357
nummularius Sloan. IX. 424 445
nummularius Vahl IX. 424 397
obdentatus Steud. IX. 415
obscurus L. IX. 424 370
obtectus Wall. IX. 424 326
obtusilobus Mx. IX. 424 338
obvallatus Spr. IX. 424 347
ocellatus *Hook.* IX. 404
ochraceus bot. reg. IX. 424 372
ochraceus Vahl IX. 424 380
oenotheroides L. IX. 358
officinalis Pellet. IX. 424 374
oleaefolius *Desr.* IX. 401
oleaefolius β Desr. IX. 401
operculatus Gomes IX. 424 361
orinocensis W. IX. 424 339
orisabensis Pellet. IX. 424 389
orixensis Rottl. IX. 424 333
Otites *W.* IX. 416
ovalifolius Vahl IX. 424 357
ovalifolius Vest IX. 424 367
ovatus Moench IX. 407
ovatus Reinw. IX. 424 332
pallidus Sal. IX. 413
pallidus Wall. IX. 424 330
palmatus Mill. IX. 424 340
palustris *Car.* IX. 404

Convolvulus
panduratus L. IX. 4
panduratus Lour. IX
paniculatus Blanco
paniculatus L. IX. 4
pannifolius Ait. IX.
pannosus Spr. IX. 4
Papiria Spr. IX. 42
paradoxus Spr. IX.
parasiticus H. B.

pareiraefolius Bert.
parviflorus Arn. IX.
parviflorus Desr. IX
parviflorus Sal. IX.
parviflorus *Vahl* IX.
parvifolius Spr. IX.
patens Desr. IX. 42
pauciflorus W. IX.
paulistanus Silv.

pedatus Forsk. IX.
pedatus Roxb. IX. 4
pellitus Ledeb. IX.
peltatus L. IX. 425
penangianus Wall.
pendulus Gaspar. I
pendulus Silv. Man

pendulus Spr. IX. 4
pennatifolius Sal. I
pennatus Desr. IX.
pentadactylis Wall.
pentagonus Roxb. I
pentanthos Jacq. IX
pentapetaloides *L.* I
pentaphyllus L. IX.
pentaphyllus Plum.
pentaphyllus β L. I
perfoliatus Schum.
persicus *L.* IX. 399
peruvianus Spr. IX.
pes caprae L. IX. 4
pes tigridis Spr. IX
petiolaris H. B. &

petraeus *Lee* IX. 41
phillomega Vell. IX.
phoeniceus Spr. IX.
Pickeringii Curt. IX
pileatus Spr. IX. 4
piliferus *Steud.* IX.
pilosellaefolius *Des*
pilosus *R. Br.* IX.
pilosus Roxb. IX. 4
pilosus Wickstr. IX

. B. & Kth. IX. 425 367
X. 415
Chois. IX. 405
Vahl IX. 425 380
. IX. 425 387
av. IX. 425
. IX. 425 360
IX. 412
. IX. 410
IX. 414
ois. IX. 408
ham. & Schl. IX. 425 397
. B. & Kth. IX. 414
. Mans. IX. 425 356
Spr. IX. 425 342
H. IX. 426 435
end IX. 426 352
all. IX. 413
hl IX. 401
. IX. 426 372
rsk. IX. 406
hm. IX. 406
ud. IX. 426 398
rica Schrenk IX. 402
s Cav. IX. 407
Chois. - -
nella Mer. IX. 426 433
lert. IX. 426 430
Steud. IX. 426 381
sel IX. 408
IX. 426 344
st reg. IX. 426 342
IX. 416
B. & Kth. IX. 426 380
Vell. IX. 426 345
& Kir. IX. 401
. Mans. IX. 426 355
IX. 426 341
ochst. IX. 426 365
IX. 426 336
. IX. 426 385
Vahl IX. 415
L. IX. 426 340
Vahl IX. 426 386
us Vahl IX. 426 367
th IX. 371
r. IX. 426 347
IX. 415
Poir. IX. 426 377
us Dietr. IX. 426 332

Convolvulus
remotus R. Br. IX. 412
reniformis h. Carl. IX. 416
reniformis Roxb. IX. 426 351
reniformis Spr. IX. 426 433
repandus Desr. IX. 426 347
repens L. IX. 426 433
repens Sw. IX. 426 338
repens W. IX. 426 349
reptans L. IX. 426 349
reticulatus Chois. IX. 399
retusus Colla IX. 426 349
Retzia Steud. IX. 416
Rheedii Wall. IX. 426 431
rhyniospermus Hochst. IX. 405
riparius H. B. & Kth. IX. 426 339
Robertianus Spr. IX. 426 354
roseus H. B. & Kth. IX. 426 339
roseus Mill. IX. 426 380
rostratus Zp. IX. 426 349
Rothii Spr. IX. 426 371
Rottleri Spr. IX. 426 329
Rottlerianus Chois. IX. 403
rotundifolius Schum. IX. 426 349
Roxburghii Wall. IX. 426 330
rubens Wall. IX. 426 371
ruber Vahl IX. 426 359
rubescens Poir. IX. 412
rubicundus Wall. IX. 426 333
rubro-coeruleus Dietr. IX. 426
ruderarius H. B. & Kth. IX. 414
rufescens Chois. IX. 408
rugosus Rottl. IX. 426 350
Rutilii Spr. IX. 426 344
rupestris Buch IX. 414
rupestris Pall. IX. 427 377
subalbus Vis. IX. 407
sagittaefolius Sal. IX. 406
sagittatus &c. Dill. IX. 378
sagittatus Thbg IX. 407
sagittifer H. B. & Kth. IX. 427 377
sagittifolius Fisch. IX. 407
sagittifolius Mx. IX. 427 372
sagittifolius Sibth. IX. 408
salicifolius Desr. IX. 427 431
Saltii Steud. IX. 416
salviaefolius Sieb. IX. 400
sanguineus Spr. IX. 427 336
sanguineus W. IX. 427 374
sarcocarpus Silv. Mans. IX. 361
saxatilis Sal. IX. 414
saxatilis Vahl IX. 401
Scammonia L. IX. 412
Scammonia Lour. IX. 413
Schiedeanus Dietr. IX. 427 375

Convolvulus
Schottianus Denk. IX. 427 345
scoparius *L.* IX. 404
β virgatus *Chois.* IX. 404
scrobiculatus bot. reg. IX. 427 384
secundus *Desr.* IX. 400
secundus R. & Pav. IX. 427 397
semidigynus Roxb. IX. 427 438
senegalensis Ten. IX. 427 384
Senegambiae Spr. IX. 427 351
sepium L. IX. 427 433
sepium var. Poir. IX. 427 434
septangularis Steud. IX. 427 338
septenatus Spr. IX. 427 389
Ser Spr. IX. 427 370
sericeus *Burm.* IX. 400
sericeus L. IX. 427 331
serotinus Do. IX. 427 341
serpillifolius H. B. & Kth. IX. 427 351
sessiliflorus Spr. IX. 427 366
setifer Spr. IX. 427 359
setosus Spr. IX. 427 381
Sherardi Pursh IX. 427 449
sibiricus L. IX. 427 377
Sibthorpii R. & Schult. IX. 408
siculus *L.* IX. 407
β major *Chois.* IX. 407
sidaefolius H. B. & Kth. 427 372
simplex Pers. IX. 427 354
simplex Spr. IX. 427 357
simplex Thbg IX. 405
sinensis Desr. IX. 427 370
sinuatus Nees IX. 427 390
sinuatus Petiv. IX. 427 338
Sloanei Spr. IX. 427 383
smilacifolius Sal. IX. 427 345
solanifolius Lowe IX. 413
solanifolius Spr. IX. 427 335
Soldanella Despr. IX. 345
Soldanella L. IX. 427 433
speciosus L. IX. 427 328
speciosus Wall. IX. 427 372
sphaerocephalus Roxb. IX. 427 366
sphaerostigma Cav. IX. 427 398
spicaefolius Desr. IX. 403
spinosus Burm. IX. 400
spinosus *Desr.* IX. 400
spinosus Eichw. IX. 400
spinosus Forsk. IX. 400
spiralis W. h. IX. 414
spithameus L. IX. 427 434
splendens Horn. IX. 427 329
Sprengelii *Chois.* IX. 416
stachydifolius *Chois.* IX. 408

Convolvulus
stans H. B. & Kth. I
stans Mx. IX. 427 43
stellaris Sal. IX. 409
stellatus &c. Dill. IX
stipulaceus Roxb. IX.
stipulatus Desr. IX.
stoloniferus Cyr. IX.
striatus Vahl IX. 42
strictus Lehm. IX.
strigosus Spr. IX. 4
suberosus W. IX. 4
sublobatus L. IX. 42
subpubescens Meyen
subsericeus Schrenk
subsessilis Steud. IX
subvisciduS *Steud.* I
subvolubilis Ledeb. I
suffruticosus Ait. IX
suffruticosus *Desf.* I
suffultus H. B. & Kth
sulphureus Llav. &

superbus H. B. & K

sylvaticus W. & Kit.
sylvestris W. IX. 42
tamnifolius Klein IX
tamnifolius Mey. essex
tenellus Lam. IX. 42
tenuiflorus Steud. IX
tenuifolius Vahl IX.
tenuirostris Steud. I
tenuissimus Sibth. IX
terminalis Sal. IX.
ternatus Spr. IX. 42
ternifolius Spr. IX.
terrestris L. IX. 402
thalassicus Steud. IX
Thonningii Schum. I
Thunbergii Drege IX.
Thunbergii *R. & Sch*
tiliaceus W. IX. 428
tiliaefolius Desr. IX.
timorensis Dietr. IX.
tomentosus *Chois.* IX
tomentosus L. IX. 42
Tournefortii Sieb. IX.
tragacanthoides *Turr*
trichocalyx Schum.
trichocarpus Spr. IX
trichophorus Wall.
trichosanthes Mx. IX
trichotosus Dietr. IX
tricolor *L.* IX. 405
β monanthos *Chois.*

'rot. IX. 405
L. IX. 428 353
B. & Kth. IX. 428 393
v. IX. 428 340
hl IX. 428 370
r. IX. 428 393
g IX. 415
bg IX. 428
hl IX. 428 360
ll. IX. 428 376
ell. IX. 411
ht. IX. 428 346
Desr. IX. 428 396
ud. IX. 428 336
rr. IX. 428 362
ell. IX 428 338
Steud. IX. 416
Forst. IX. 428 433
. IX. 428 360
.. IX. 429 377
uch. IX. 400
rv. IX. 405
sr. IX. 429 431
R. & Schult. IX. 429 397
n. IX. 429 350
pr. IX. 429 369
Schult. IX. 409
IX. 415
rv. IX. 402
Blanco IX. 429 447
Flecht. IX. 429 363
sium. IX. 411
'eud. IX. 343
IX. 429 338
IX. 429 369
st X. 416
IX. 429 384
ert. IX. 429 360
Slv. Mans. IX. 429 374
IX 429 359
s. IX. 429 377
etr. IX. 429 369
. IX. 405
. IX. 429 397
IX. 429 333
r. IX. 416
IX. 429 366
IX. 429 344
IX. 429 397
IX. 429 368
L. 429 361
L. 429 366

Convolvulus
volubilis Brouss. IX. 414
Wallichianus Spr. IX. 429 434
Wheleri Vahl IX. 429 372
Wightii Wall. IX. 429 364
Capaia Endl. IX. 228
Cordia Plum. IX. 471 L. IX. 471 Vahl Bruc. X. 468 Neck. IX. 471 R. & Pav. IX. 471 R. & Schult. IX. 498
abyssinica Salt IX. 501 469
acuminata Wall. IX. 499
adnata Dc. IX. 493
africana Lam. IX. 501 469
alba R. & Schult. IX. 501 469
alliodora Cham. IX. 472
alnifolia Horn. IX. 499
alnifolia R. & Schult. IX. 495
ambigua Cham. IX. 497 483
amplifolia Dc. fil. X. 481
anabaptista Cham. IX. 483
angustifolia R. & Schult. IX. 493
angustifolia Roxb. IX. 480
aspera Forst. IX. 499
asperrima Dc. IX. 498
asperrima Spr. IX. 501
Aubletii Dc. X. 490
bahiensis Dc. IX. 489
Banalo Blanco IX. 501
bantamensis Blum. IX. 481
Beureiria L. IX. 501
bicolor Dc. fil. IX. 485
bifurcata R. & Schult. IX. 484
Blanchetii Dc. IX. 477
Boissieri Dc. fil. IX. 478
Bonplandiana H. B. & Kth. IX. 497
Bonplandii R. & Schult. IX. 497
Bourreria L. IX. 506
brachypoda Dc. IX. 487
bracteata Dc. IX. 472
Brownei Dc. IX. 499
bullata L. IX. 496
β angustata Dc. IX. 496
buxifolia Juss. IX. 485
callococca Aubl. IX. 475
callococca G. Don IX. 499
callococca L. IX. 499
callococca β Poir. IX. 500
calocephala Cham. IX. 497
calophylla Vahl IX. 486
calyptrata Bert. IX. 469
calyptrata Spr. IX. 501 469
campanulata Roxb. IX. 477
candida Vell. IX. 501
canescens H. B. & Kth. IX. 490
canescens W. IX. 491

Cordia
caracasana *Dc.* IX. 489
Cerdana R. & Schult. IX. 472
chamaedrifolia Rees IX. 499
chamaedryoides *R. & Schult.* IX. 499
Chamissoniana *Steud.* IX. 473
cinerascens *Dc.* IX. 492
copulata *Steud.* IX. 501
corchorifolia *Dc. fil.* IX. 496
cordata *Steud.* IX. 501
cordifolia *H. B. & Kth.* IX. 483
cordifolia Wall. IX. 501
coromandeliana Retz IX. 501 509
corylifolia *W.* IX. 493
crenata *Delil.* IX. 479
crenata R. & Schult. IX. 494
crenulata *Dc. fil.* IX. 492
crispiflora *Dc.* IX. 476
cujubensis *Mans. & Lhotsk.* IX. 473
cuneata Heyn. h. IX. 480
cuneiformis *Dc.* IX. 492
curassavica Gardn. IX. 490
curassavica *R. & Schult.* IX. 493
cylindristachya *R. & Schult.* IX. 490
dasycephala *H. B. & Kth.* IX. 497
decandra *Hook. & Arn.* IX. 478
dentata Spr. IX. 469
dentata Vahl IX. 501 469
dentata var. Bth. IX. 469
dichotoma *Blanco* IX. 501
dichotoma Forst. IX. 474 499
digynia *Vell.* IX. 501
Dillenii Spr. IX. 476
dioica *Boj.* IX. 481
dioica Thonn. IX. 480
discolor *Cham.* IX. 494
diospyrifolia *Cham.* IX. 488
divaricata *H. B. & Kth.* IX. 491
diversifolia *Pav.* IX. 474
dodecandra *Dc.* IX. 478
domestica Bout. IX. 481
domestica Roth IX. 479
domingensis *Lam.* IX. 500
dubiosa *Blum.* IX. 473
ecalyculata *Vell.* IX. 501
ehretioides *Lam.* IX. 500
elaeagnoides *Dc.* IX. 474
elliptica *Sw.* IX. 483
exaltata *Lam.* IX. 484
exaltata Spr. IX. 484
excelsa *Dc. fil.* IX. 473
ferruginea *R. & Schult.* IX. 488
Finlaysoniana *Wall.* IX. 501

Cordia
flavescens *Aubl.* IX.
floribunda *Spr.* IX.
formicarum Hoffma
frondosa *Schott* IX.
gerascanthoides *H.*

Gerascanthus H. B

Gerascanthus *Jacq.*
β subcanescens *Dc.*
Gerascanthus domi

glabra *Cham.* IX.
glabra L. IX. 499
glabra Mart. IX.
glabrata *Dc. fil.* IX.
globosa Andr. IX.
globosa *H. B. & K*
grandiflora *H. B. &*
grandifolia *Dc.* IX.
grandis Cham. IX.
grandis *Roxb.* IX.
graveolens *H. B. &*
guayaquilensis *Dc.*
guazumaefolia R. &
guianensis R. & Sc
guineensis *Thonn.*
hebecarpa *Dc.* IX.
hermanniaefolia *Ch*
β calycina IX. 494
heterophylla *R. & S*
hexandra R. & Sch
hexandra W. &. IX
hirsuta W. IX. 475
hispidissima *Dc.* IX
Humboldtii R. & S
hypoleuca *Dc.* IX.
incana *Royl.* IX. 50
indica *Lam.* IX. 50
insignis *Cham.* IX.
integrifolia *R. & S*
interrupta *Dc.* IX.
juglandifolia Jacq.
laevigata *Lam.* IX.
laevis *Jacq.* IX. 476
lanata *H. B. & Kt*
lanceolata *H. B. &*
lantanoides *Spr.* IX
latifolia Cham. IX.
latifolia *Roxb.* IX.
Latora *Hamilt.* IX.
laxiflora *H. B. &*
Leschenaultii *Dc.*
lima R. & Schult.
linearis *Dc. fil.* IX.

Cordia
orientalis R. Br. IX. 477
orientalis R. & Schult. IX. 477
ovalis *R. Br.* IX. 479
oxyphylla *Dc.* IX. 492
paniculata *Roth* IX. 482
paniculata Rudg. IX. 484
parviflora Ort. IX. 495
parvifolia *Dc. fil.* IX. 498
Patagonula Ait. IX. 501
patens *H. B. & Kth.* IX. 495
β polycephala *Cham.*
Pelida Perrot. IX. 480
pellita W. IX. 501 517
Perrottetii *Dc.* IX. 482
peruviana *R. & Schult.* IX. 491
β mexicana *Dc.* IX. 491
petiolata h. Paris. IX. 501 505
Pettapelioporet Heyne IX. 482
pilulifera W. h. IX. 497
platyphylla *Steud.* IX. 486
Poeppigii *Dc.* IX. 492
polygama *Roxb.* IX. 480
polystachya *H. B. & Kth.* IX. 491
portoricensis *Spr.* IX. 491
pubescens *W. h.* IX. 484
pyrifolia W. h. IX. 480
Radula *Spr.* IX. 498
reflexa R. & Schult. IX. 499
reflexa *W.* IX. 500
reticulata Roth IX. 480
reticulata *Vahl* IX. 482
retusa Vahl IX. 501 509
riparia *H. B. & Kth.* IX. 488
Rothii *R. & Schult.* IX. 480
rotata *Moç.* IX. 483
rotundifolia Poir. IX. 469
rotundifolia R. & Pav. IX. 501 469 500
rufescens *Dc. fil.* IX. 476
rugosa IX. 480
Rumphii Blum. IX. 477
salicifolia *Cham.* IX. 486
salicina *Dc.* IX. 482
salviaefolia H. B. & Kth. IX. 490
salvifolia *Juss.* IX. 483
Salzmanni *Dc.* IX. 494
sarmentosa Lam. IX. 486
scaberrima *H. B. & Kth.* IX. 483
scabra Desf. IX. 476
scabrifolia *Dc. fil.* IX. 485
scandens *Martin. Poir.* IX. 501
Schomburgkii *Dc.* IX. 490
Sebestena Forsk. IX. 479

Cordia
Sebestena Forst. IX. 477
Sebestena L. IX. 476
Sebestena Spr. IX. 476
Sebestena Vell. IX. 477
Sebestena β Poir. IX. 501 469
Sellowiana *Cham.* IX. 487
senegalensis *Juss.* IX. 480
β Pelida *Dc. fil.* IX. 480
sericicalyx *Dc. fil.* IX. 485
serrata *Juss.* IX. 500
serrata Roxb. IX. 478
serratifolia *H. B. & Kth.* IX. 495
sessilifolia *Cham.* IX. 498
sinensis *Lam.* IX. 500
speciosa *W.* IX. 476
spectabilis Steud. IX. 481
sphaerocephala W. IX. 497
spicata W. IX. 491
spinescens *L.* IX. 500
Sprengelii *Dc.* IX. 473
strigosa Spr. IX. 499
suaveolens *Blum.* IX. 481
subcordata *Lam.* IX. 477
subcordata R. & Schult. IX. 477
subopposita *Dc.* IX. 480
subopposita var. Dc. IX. 480
subpubescens *Dene* IX. 482
sulcata *Dc.* IX. 488
superba *Cham.* IX. 476
α cuneata – 477
β elliptica – –
taquahyensis *Vell.* IX. 501
tetrandra Aubl. IX. 484
tetraphylla *Aubl.* IX. 485
Thibaudiana *Dc.* IX. 489
tinifolia Cham. IX. 472
tinifolia *W.* IX. 472
tomentosa Cham. IX. 473
tomentosa *R. & Schult.* IX. 489
tomentosa Wall. IX. 479
Toqueve *Aubl.* IX. 488
Toqueve ex Hispaniola Spr. IX. 488
trachyphylla *Mart.* IX. 475
trichoclada *Dc.* IX. 474
trichostemon *Dc.* IX. 482
trichotoma *Arrab.* IX. 501
ulmifolia *Juss.* IX. 494
α ovata *Dc.* IX. 495
β ovalis – – –
γ lineata – – –
umbraculifera *Dc.* IX. 484
urticifolia *Cham.* IX. 494
velutina *Mart.* IX. 473
verbenacea *Dc.* IX. 491

Cordia
villosa *Spr.* IX. 500
Wallichii *G. Don* IX
Wickströmii Steud.
M 201 *Andr.* IX.
„ 415 *Edgew.* IX.
„ 414 *Edgew.* IX.
„ 74 *Vauthier*
Spec. Pav. IX. 484
CORDIACEAE R. Br
CORDIACEAE Chois.
CORDIACEAE G. Do
CORDIACEAE CORD

CORDIACEAE EHRE

Cordiae macranthae
Cordiae micranthae
CORDIEAE *Dc.* IX.
CORDIEAE Dumort.
Cordiopsis Dc. fil. IX

Cordiopsis Desv. IX.
mirabiloides Desv.
mirabiliflora Dc. IX
Cordylanthus *Nutt.* X
capitatus *Nutt.* X.
filifolius *Nutt.* X.
maritimus *Nutt.* X.
ramosus *Nutt.* X.
Cordylogyne *E. Mey.*
globosa *E. Mey.* VI
Coris *L.* VIII. 59
monspeliensis *L.* VI
CORISPERMEAE *Me*

Corispermum *A. Juss*
140 *L. Pall. Vah*
apetalum *h. Erf.* X
bracteatum Vis. X
canescens *Kit.* XIII
elatum Host XIII.
glabrum majus Ama
glomeratum Lag. X
hybridum Bess. XII
hyssopifolium *L.* X
hyssopifolium Pall.
intermedium *Schwe*
latifolium *Link* XII
marginatum *Cav.* X
marginatum Steph.
Marschallii *Stev.* X
microspermum Host
nitidum *Kit.* XIII.
β purpurascens – 2
orientale *Lam.* XII

rv. XIII. 2. 142
t Schult. XIII. 2. 141
W. h. XIII. 2. 142
e. XIII. 2. 142
Fisch. & Mey. XIII. 2. 142 143
hl XIII. 2. 142 139
ns Host XIII. 2. 141
Fisch. XIII. 2. 142
h. Monsp. XIII. 2. 142
Ledeb. XIII. 2. 142
h. Paris. XIII. 2. 142
V. XIII. 2. 142
MB. XIII. 2. 140
L. XIII. 2. 142 139
Moq. XIII. 2. 140
rum Pall. XIII. 2. 142
rris. XIII 2. 335
XIII. 2. 141
Savi XI. 658
um J. Bauh. XIII. 1. 732
lil. XIII. 2. 48 218
oq. XIII. 2. 218
Delil. XIII. 2. 218 462
Delil. XIII. 2. 219 134
ieb. XIII. 2. 219 135
q. XIII. 2. 218
oides Moq. XIII. 2. 218
ifinea Forsk. IX. 489
m. XI. 628 680 681
Burm. XI. 630
Schauer XI. 681
Burm. XI. 682 632
Lam. XI. 682 634
Schauer XI. 682
Spr. XI. 682
epp. XI. 681
V. XI. 682
Alt. XI. 682
L. XI. 681
ur. XI. 686
LORAE Dc. VIII. 1
dnes lutea Rumph VIII. 635
mph VIII. 635
cnos XIII. 1. 729 (Plantago)
ourn. XIII. 1. 694 Math. XIII. 1. 732
platyphyllus Boec. XIII. 1. 732
&c. J. Bauh. XIII. 1. 730

Coronopus
maritima major C. Bauh. XIII. 1. 730
minor Tabern. XIII. 1. 730
serpentaria J. Bauh. XIII. 1. 730
serpentaria minima J. Bauh. XIII. 1. 730
Cortesia *Cav.* IX. 512
cuneifolia *Cav.* IX. 512
Cortusa *L.* VIII. 55
Gmelini L. VIII. 55 54
Mathioli *L.* VIII. 55
Coryanthus Nutt. XII. 362
Corynocarpus Forst. VIII 145
Corysanthera Wall. IX. 285
elliptica Wall. IX. 285
Corythacanthus Nees XI. 61
Cosmanthus *Nolte* IX. 296 297
fimbriatus *Nolte* IX. 297
grandiflorus *Dc. fil.* IX. 297
mexicanus *Dc. fil.* IX. 297
parviflorus *Dc. fil.* IX. 297
viscidus *Dc. fil.* IX. 296
Cosmelia *R. Br.* VII. 766
angustifolia *Dc.* VII. 766
rubra *R. Br.* VII. 766
Cosmostigma *Wight* VIII. 613
racemosum *Wight* VIII. 613
Cottam Rheed. XII. 153
Cotylanthera *Blum.* XIII. 1. 674
tenuis *Blum.* XIII. 1. 674
Couma *Aubl.* VIII. 322
guyanensis *Aubl.* VIII. 322
Couralia Splitg. IX. 212 215
fluviatilis Splitg. IX. 215
Courtoisia Reich. IX. 309
bipinnatifida Reich. IX. 309
Coutoubea *Aubl.* IX. 66
alba Lam. IX. 66
arenaria W. h. IX. 67
densiflora *Mart.* IX. 66
lutea *Steud.* IX. 562
minor *Kth.* IX. 66
purpurea Lam. IX. 67
ramosa *Aubl.* IX. 67
racemosa *Mey. esseq.* IX. 67
reflexa *Bth.* IX. 66
spicata *Aubl.* IX. 66
spicata Kth. IX. 66
ternifolia Cav. IX. 66
volubilis *Mart.* IX. 67
Coxia Endl. VIII. 60 61
Costomatl Hern. XIII. 1. 450
Crabbea *Harv.* XI. 100 162 *Harv.* (1838) XI. 237
angustifolia *Nees* XI. 169

[illegible]
[illegible] *Nees* [illegible]
[illegible] *Br.* [illegible]
[illegible] *Lour.* [illegible]
grandiflora Burm. XI. 236
[illegible] X. 254
[illegible] X. 254
[illegible] IX. 254
[illegible] IX. 255 VII. 526
[illegible] *Gaertn.* IX. 255
[illegible] *Nees & Mart.* IX. 251
[illegible] *De* IX. 467
[illegible] *Lam.* X. 174
[illegible] *De* X. 175
[illegible] *De* X. 175
[illegible] *Jacq.* X. 175
[illegible] *Petrop.* X. 175
[illegible] *Lam.* X. 175
[illegible] *Reich* XII. 108. 454
[illegible] *Reich.* XII. 455
[illegible] *Sieb.* VII. 545
[illegible] *De. fl.* VIII. 323
[illegible] *Bl.* VIII. 323
[illegible] *Bl.* VIII. 323
[illegible] *De. fl.* VIII. 324
Crepidea Geraniana Vell. XIII. 2. 5
[illegible] *Bth* X. 411 (Torenia)
[illegible] *Horbst.* X. 409. 411 IX. 259
plantaginea Hochst. X. 411
pumila Hochst. X. 412
Crateroteconia *Mart.* IX. 215
parviflora *De.* IX. 215
Crawfurdia *Wall.* IX. 120
Blumei Don IX. 120. 121
fasciculata *Wall.* IX. 120
Loureiri Don IX. 120
paniculata Griseb. IX. 120
speciosa *Wall.* IX. 120
Crescentia *L.* IX. 246 *P. Browne* IX. 245
[illegible]uleata *H. B. & Kth.* IX. 247
[illegible]ominata *H. B. & Kth.* IX. 246
[illegible]ata *H. B. & Kth.* IX. 247
[illegible]arbifolia *L.* IX. 246
[illegible]ata *L.* IX. 246
[illegible]neifolia *Gardn.* IX. 246
[illegible]ata *Desv.* IX. 246
[illegible]ata *Mey.* IX. 247. 244
[illegible]oides *Lam.* IX. 247
[illegible] *Lam.* IX. 246
[illegible]ata *Burm.* IX. 247
grandifolia Jacq. IX. 247. 248
trifolia *Blanco* IX. 247
CRESCENTIACEAE *Gardn.* IX. 245
CRESCENTIACEAE *Baj.* IX. [illegible]
CRESCENTIEAE. *De.* IX. [illegible]
CRESCENTINEAE De. [illegible]
Cressa *L.* IX. 439
arabica Forsk. IX. 440
arenaria W. IX. 440
australis R. Br. IX. [illegible]
cretica *L.* IX. 440
β indica *Choisy.* IX. [illegible]
γ australis – –
δ trazillensis –
ε villosa –
humifusa Lam. IX. [illegible]
indica Retz IX. 440
multiflora W. IX. 440
sericea W. IX. 440 [illegible]
trazillensis H. B. [illegible]

villosa Hoffm. & Link
Croc de chien XIII. 1.
Crossandra *Salisb.* XI. [illegible]
axillaris *Nees* XI. 284
diffusa Hamilt. h. XI
fascicularis Bth. XI.
guineensis *Nees* XI. 2
Haenkeana *Nees* XI. [illegible]
infundibuliformis *Nees*

α β Nees XI. 280 [illegible]
infundibuliformis W.
nutans Wight XI. 28
oppositifolia *Wight* [illegible]
radicans Hamilt. h. [illegible]
spicata Hamilt. h. XI
undulaefolia Ait. XI.
undulaefolia Hamilt.
undulaefolia Salisb. [illegible]
Crossopetalum Froel. Gr

Crossopetalum Roth IX
gentianoides Roth IX.
Crossotoma G. Don D

Cruciata Gaud. IX. 417
Crucita L. XIII. 2. 219
hispanica L. XIII. 2.
hispano-americana H

Cruzeta *Loefl.* XIII. 2. [illegible]
americana *Moq* XIII
hispanica Loefl XIII.
Crusita Schreb. Lam
americana Lam. XII
Cryphia *R. Br.* XII. 55
microphylla *R. Br.* [illegible]
serpyllifolia *R. Br*

Nees XI. 104 197
XI. 199
Nees XI. 199
XI. 198 725
Nees XI. 197
XI. 198
ees XI. 198
s Nees XI. 199
XI. 198
es XI. 198
Nees XI. 198
XI. 199
. 199
nn. X. 129 *Dc. fil.*
. 129 (Eritrichium)
m. X. 129
isch. & *Mey.* X. 130
fil. X. 29 (Nonnea)
lltoides Nutt. XIII. 2. 51
k. XI. 572 580
Bth. XI. 584
B. & *Kth.* XIII. 2. 40 44 88
orîç. XIII. 2. 88
& Kth. XIII. 2. 88
B. & *Kth.* XIII. 2. 88
XIII. 2. 88
Moq. XIII. 2. 88
Bth. XII. 398 400
formis Wall. VIII. 497
m *Nees* XI. 80 94
XI. 96
s XI. 95 722
ees XI. 96
es XI. 95
n *Nees* XI. 96
es XI. 95
s XI. 94 722
Br. VIII. 491
Br. VIII. 492
mis Boj. VIII. 492
ius. XII. 639 (Statice)
ean. IX. 245
II. 589 (Clethra)
Pav. VII. 588 589
& Pav. VII. 589
Pav. VII. 590
Pav. VII. 590
. 246
XI. 680
II. 251 258
XII. 258
XII. 258

Cuminia
Fernandezia *Colla* XII. 258
Cunalon Blanco VIII. 238
Cunila *L.* XII. 149 180 244
angustifolia *Bth.* XII. 180
Buchanani Spr. XII. 183 244
capitata L. XII. 183 365
coccinea Nutt. Hook. XII. 183 229
fasciculata *Bth.* XII. 182
fruticosa W. XII. 183 570
galioides *Bth.* XII. 182
glabella Mx. XII. 183 230
hispida Spr. XII. 183 245
incana *Bth.* XII. 181
incisa *Bth.* XII. 180
leucantha *Bth.* XII. 181
lyrata Schrank XII. 183 353
lythrifolia *Bth.* XII. 181
Mariana *L.* XII. 180
Mariana Sm. XII. 180
menthoides *Bth.* XII. 182
microcephala *Bth.* XII. 182
nepalensis Don XII. 183 244
piperita Moç. & Sess. XII. 183 245
polyantha *Bth.* XII. 181
pulegioides L. XII. 183 244
spicata *Bth.* XII. 181
stachyoides *Mart. & Gal.* XII. 181
stricta *Bth.* XII. 181
thymoides Gouan XII. 183 220
thymoides L. XII. 183 201
verticillata *Moench* XII. 183
Cupa Veela Rheed. VIII. 382 *Dc. fil.* VIII. 382 (Vinca)
Curanga *Juss.* X. 343 408
amara *Juss.* X. 408
lorenioides Steud. X. 409
Curare Humb. Kth. IX. 17
Curutu-Pala Rheed. VIII. 371
Curtia Cham. & Schl. IX. 55
gentianoides Cham. & Schl. IX. 56
Cuscuta *Tourn.* IX. 452 565
acaulis *Raf* IX. 461
africana *Thbg* IX. 454
alba Presl IX. 452
alpina Kotschy IX. 453
americana Auct. IX. 458
americana *L.* IX. 459
americana Poepp. IX. 453
americana Thbg IX. 454
aphylla *Raf.* IX. 461
arabica *Presen* IX. 453
arvensis Beyr. IX. 459

Cuscuta
australis *R. Br.* IX. 458
babylonica *Auch.* IX. 453
Burmanni *Choisy* IX. 454
californica *Choisy.* IX. 457
capensis *Choisy.* IX. 454
capillaris Wall. IX. 457
capitata Bunb. IX. 452
capitata Sm. IX. 452
carinata *R. Br.* IX. 460
caule aphyllo Gron. IX. 459
Cephalanthi Engelm. IX. 456
chilensis Bert. IX. 456
chilensis *bot. reg.* IX. 455
chinensis *Lam.* IX. 457
β minor *Choisy.* IX. 457
γ trigyna – – –.
chlorocarpa *Engelm.* IX. 461
ciliaris Kotschy IX. 453
compacta *Juss.* IX. 456
β cernuata *Choisy.* IX. 459
coronata Beyr. IX. 456
Coryli Engelm. IX. 459
corymbosa *R. & Pav.* IX. 456
β pauciflora *Choisy.* IX. 456
crenulata Engelm. IX. 459
cretica Tourn. IX. 453
cymosa *W.* IX. 460
densiflora Soy. IX. 452
elatior Choisy. IX. 455
Epilinum *Weih.* IX. 452
Epithymum Bové IX. 453
Epithymum Sm. IX. 453
Epithymum Thuill. IX. 452
europaea angl. bot. IX. 453
europaea α L. IX. 452
europaea β L. IX. 453
filiformis α Lam. IX. 452
filiformis β Lam. IX. 453
flava Sieb. IX. 455
floribunda *H. B. & Kth.* IX. 459
foetida *H. B. & Kth.* IX. 460
fusiformis W. IX. 454
glomerata *Choisy.* IX. 458
β stricta *Choisy.* IX. 486
grandiflora *H. B. & Kth.* IX. 457
grandiflora Wall. IX. 455
graveolens H. B. & Kth. IX. 459
Gronovii *W.* IX. 459
halophyta Fries IX. 453
hassiaca Hensl. IX. 565
hispidula *Engelm.* IX. 461
hyalina *Roth* IX. 460
inclusa *Choisy.* IX. 455
indecora *Choisy.* IX. 457
intermedia *Choisy.* IX. 455

Cuscuta
lupuliformis Krock
macrantha *Don* IX.
major *C. Bauh.* IX.
major Magn. IX.
micrantha *Choisy.*
Millettii *Hook. &*
miniacea Mart. &
minor *Bauh.* IX.
β tilleti *Choisy.*
monogyna *Vahl* IX.
neuropetala *Engel*
nitida *E. Mey.* IX.
obtusiflora H. B.
odorata Poepp IX.
odorata *R. & Pav*
paradoxa *Raf.* IX.
partita *Choisy.* IX.
pedicellata *Ledeb.*
pedunculoris Kotz
pentagona *Engelm*
planiflora Ten. IX.
polygonorum *Eng*
popayanensis *H.*
prismatica *Pav.* IX.
racemosa *Choisy.* IX.
β minor –
racemosa Mart. &
ramosa reptans P.
reflexa *Roxb.* IX.
sandwichiana *Cho*
Sauveri Engelm.
scandens Brot. IX.
spectabilis *Choisy.*
styloso *Choisy.* IX.
sulcata Roxb. IX.
surinamensis Schl
tenuiflora Engelm.
tetrandra Moench
trifolii Babingt. IX.
Trifolii Hensl. IX.
umbellata *H. B. &*
umbrosa *Beyr.* IX.
verrucosa *Engelm.*
verrucosa Sweet IX.
vulgaris Pers. IX.
vulgivaga *Engelm.*
Spec. Griffith. IX.
Spec. Riedl IX. 45
CUSCUTEAE *Choisy.*
Cuspidaria *Dc.* IX.
angustiloba *Dc.* IX.
callistegioides *Dc.*
campanulata *Dc.* IX.

Br. IX. 179
Dc. IX. 179
Dc. IX. 179
Mart. IX. 179
Dc. IX. 178
Mart. IX. 178
Mart. IX. 179
a Dc. IX. 178
Dc. IX. 178
a Spenn. XII. 225
IX. 86
Raf. IX. 114
Raf. IX. 113
Friseb. IX. 109
Kch. VII. 343
Gaudich. VII. 344
a Bth. XII. 90
anda Dene VIII. 530
Br. VII. 740 Labill. 758 Rudg. VII. 758
Br. VII. 741
Br. VII. 741
adich. VII. 742
Cunn. VII. 741
Br. VII. 741
abill. VII. 742 786
ill. VII. 740
Dc. VII. 741
Br. VII. 742 758
Dc. VII. 742
R. Br. VII. 741
R. Br. VII. 741
R. Br. VII. 741
a Cham. VII. 741
Bth. VII. 648 (Erica)
Dc. X. 34 (Borrago)
um Wall. IX. 19
Schott XIII. 1. 387
r. XIII. 2. 234 325
ides Moq. XIII. 2. 326
- - - 327
- - - -
Moq. XIII. 2. 328
oq. XIII. 2. 329
Moq. XIII. 2. 326
Moq. XIII. 2. 330
Laur. XIII. 2. 326
oq. XIII. 2. 330
Moq. XIII. 2. 329
- - - -
Moq. XIII. 2. 330
Blum. XIII. 2. 326
- - -
q. XIII. 2. 330
Moq. XIII. 2. 330

Cyathula
Schimperiana Moq. XIII. 2. 328
sequax Moq. XIII. 2. 327
tomentosa Moq. XIII. 2. 327
triuncinata Moq. XIII. 2. 327
Cybianthera Hamilt. X. 396
connata Hamilt. X. 396
Cybianthus Mart. VIII. 115 670 Dc. fl. VIII. 119
angustifolius Dc. fl. VIII. 116
Boissieri Dc. fl. VIII. 116
coriaceus Mart. VIII. 116
cuneifolius Mart. VIII. 116
densicomus Mart. VIII. 117
detergens Mart. VIII. 115 118
fuscus Mart. VIII. 117
glaber Dc. fl. VIII. 117
Humboldtii Dc. fl. VIII. 118 119
Lessertii Dc. fl. VIII. 116
microbotrys Dc. fl. VIII. 117
multipunctatus Dc. fl. VIII. 117
pendiflorus Mart. VIII. 116
Prieurii Dc. fl. VIII. 117
Principis Dc. fl. VIII. 120
Cybistax Mart. IX. 198
antisyphilitica Mart. IX. 199
Cyclamen L. VIII. 56
aestivum Reich. VIII. 56
aleppicum Fisch. VIII. 58
coum Mill. VIII. 56
europaeum L. VIII. 56
europaeum Sm. VIII. 57
ficariifolium Reich. VIII. 57
graecum Link VIII. 57
hederaefolium bot. mag. VIII. 58
hederaefolium W. VIII. 57
ibericum Goldie. VIII. 58
indicum L. VIII. 58
intermedium Wender. VIII. 56
latifolium Sibth. VIII. 57
linearifolium Dc. VIII. 58
littorale Sadler VIII. 56
neapolitanum Ten. suppl. VIII. 57
neapolitanum Ten. VIII. 57
officinale Wender. VIII. 56
orbiculatum Mill. VIII. 56
persicum Mill. VIII. 57
Pòli delle Chiaje VIII. 57
purpurascens Mill. VIII. 58
pyrolaefolium Salisb. VIII. 57
repandum Sibth. VIII. 56
reflexum Moench VIII. 56
utopicum Hoffmanns. VIII. 57
vernum Lob. VIII. 57
vernum Sweet VIII. 57

Cyclolepis Moq. XIII. 2. 60
platyphylla Moq. XIII. 2. 60
CYCLOLOBEAE *C. A. Mey.* XIII. 2. 43 48
Cycloloma *Moq.* XIII. 2. 43 60
platyphyllum *Moq.* XIII. 2. 60
β latifolium – – – –
γ angustifolium – – – –
Cyclonema *Hochst.* XI. 627 675
hirsutum *Hochst.* XI. 676
myricoides *Hochst.* XI. 675
β sylvaticum XI. 676
serratum Hochst. XI. 676
sylvaticum Hochst. XI. 676
Cyclophyllum Bunge X. 560
Cyclophyllum Griseb. IX. 64 (Canscora)
Cyclostegia Bth. XII. 159 162 (Elsholtzia)
strobilifera Bth. XII. 162
Cyclostigma Griseb. IX. 103 (Gentiana)
Cyclostigma Hochst. VIII. 676
Cyclotheca *Moq.* XIII. 2. 5 37
australasica *Moq.* XIII. 2. 38
Cycnium *E. Mey.* X. 494 504
adonense *E. Mey.* X. 505
Kraussianum *Bth.* X. 505
racemosum *Bth.* X. 505
tubatum *Bth.* X. 505
Cymaria *Bth.* XII. 572 602
acuminata *Dene* XII. 602
dichotoma *Bth.* XII. 603
elongata *Bth.* XII. 603
Cymbalaria Chav. X. 266 (Linaria)
Cymbalaria Gray X. 266
Elatine Baumg. X. 268
hederacea Gray X. 267
muralis Baumg. X. 266
spuria Baumg. X. 268
CYMBALARIAE *Bth.* X. 488
Cymbaria *L.* X. 527 556
borysthenica *Pall.* X. 556
dahurica *L.* X. 556
Cymburus Salisb. XI. 561
mutabilis Salisb. XI. 565
urticifolius Salisb. XI. 561
Cynanchum *L.* VIII. 547 527 *R. Br.* VIII. 523 527 *Wight & Arn.* VIII. 546
abyssinicum *Dene* VIII. 548
acuminatum Hamilt. VIII. 622
acuminatum *Thbg.* VIII. 548
acutum *L.* VIII. 547
α monspeliacum *Dene* VIII. 547
acutum R. Br. VIII. 547

Cynanchum
alatum Wight & A
album Pers. VIII. 5
altissimum Jacq. V
androsaemifolium V
angustifolium Mx. V
angustifolium Wigh
annulare Roth VIII.
aphyllum Arrab. VI
Argel Delil. VIII. 5
Arnottianum Wight
Asterion Arrab. VI
atratum Bunge VIII
auriculatum Wight
barbatum *L. fil.* VI
bicolor Andr. VIII.
birostratum Hook.
boerhaviifolium Hook
Bonplandianum R. &
bracteatum *Thbg* VI
Brunonis Gill. VIII.
Bungei *Dene* VIII.
Callialata Hamilt.
capense R. Br. VIII
capense Sieb. VIII.
capillare *Thbg* VIII.
carnosum hortul. V
carolinense Jacq. V
caudatum Arrab. V
cheiranthoides Dem
chinense *R. Br.* VI
ciliatum Arrab. VII.
clausum Jacq. VIII.
congestum Arrab. V
connivens Hook. VI
cordifolium Retz VI
corymbosum Pav. V
corymbosum Wight
crassifolium R. Br.
crispiflorum Salisb.
crispiflorum Sw. VI
crispum Thbg VIII.
cuspidatum Hook. &
cuspidatum *Thbg* VI
dahuricum W. VIII.
Dalhousiae *Wight &*
denticulatum Vahl
discolor Sims VIII.
echinatum *Thbg.* VI

VIII. 550 616
R. Br. VIII. 550 529
Desf. VIII. 548
Kit. VIII. 550 544
Lacq. VIII. 550 542
Thbg VIII. 549
Kth. VIII. 550 531
Lg VIII. 549
R. Br. VIII. 550 529
olatis Burm. VIII. 511
Arrab. VIII. 550
L'Herit. VIII. 550 602
Kth. VIII. 550 518
ilius &c. Burm. VIII. 510
Dene VIII. 525
r. VIII. 549
ink VIII. 524
& Schult. VIII. 550
Arrab. VIII. 550 597
Vall. VIII. 551 523
Cav. VIII. 551
W. VIII. 594
Lam. VIII. 549
Pers. VIII. 551 628
DeNl. VIII. 551 628
Dene VIII. 549
R. & Schult. VIII. 549
Arrab. VIII. 551
Pers. VIII. 551
Vahl VIII. 551
Lco VIII. 549
Arab. VIII. 551 593
Lanum Dene VIII. 551 547
Lum. h. VIII. 628
Lm. VIII. 551 612
Lour. VIII. 551
L. VIII. 606
a W. VIII. 551 611
Wight VIII. 551
VIII. 551
Vahl VIII. 551 612
Kth. VIII. 551 527
Poir. VIII. 551 621 628
Hook. VIII. 551
Bellum. & Thonn. VIII. 628
Schum. & Thonn. VIII. 628
Jacq. VIII. 551 542
Jacq. VIII. 551 535
Martens VIII. 547
M VIII. 609

Cynanchum
luteum Spr. VIII. 551
lycioides Steud. VIII. 551
Macraei Hook. & Arn. VIII. 551 508
macrophyllum Pers. VIII. 551
macrophyllum *Thbg* VIII. 549
maritimum L. VIII. 551 599
mauritianum Boj. VIII. 612
mauritianum Lam. VIII. 551 494
melanophleum *W.* VIII. 549
melanthos Poir. VIII. 551
micranthum *Thbg* VIII. 548
microphyllum Kth. VIII. 551 526
molle Steud. VIII. 551
monspeliacum Auch. VIII. 616
montevidense *Spr.* VIII. 549
mucronatum Andr. VIII. 551
mucronatum H. B. & Kth. VIII. 551 514
multiflorum Spr. VIII. 551
myrtifolium Hook. & Arn. VIII. 531
myrtifolium H. B. & Kth. VIII. 551
myrtifolium Poepp. VIII. 580
nigricans Vahl VIII. 590
nigrum R. Br. VIII. 551 525
nigrum Cav. VIII. 551 597
nitidum Arrab. VIII. 551 603
nummulariaefolium Hook. & Arn. VIII. 551 531
obliquum Jacq. VIII. 551 596
obtusifolium Lam. VIII. 551
obtusifolium L. fil. VIII. 590
odoratissimum Lour. VIII. 551 618
odoratum Hook. VIII. 551
oleaefolium Nectoux VIII. 551 533
orientale W. h. VIII. 548
ovalifolium Wight VIII. 529
ovatum *Thbg* VIII. 548
parviflorum hortul. VIII. 611
parviflorum Sw. VIII. 551
parviflorum Sieb. VIII. 551
pauciflorum R. Br. VIII. 552 528
pedunculare Lam. VIII. 552
pedunculatum R. Br. VIII. 552 529
pedunculatum *Thbg* VIII. 548
pendulum Poir. VIII. 552
phylladen Arrab. VIII. 552
pictum Vahl VIII. 552 615
pilosum R. Br. VIII. 552 530
planiflorum L. VIII. 562 593
planifolium Gmel. VIII. 593

Cynanchum
prostratum Cav. VIII. 552 602
prostratum W. VIII. 602
pubescens *Bunge* VIII. 548
pyrotechnicum Forsk. VIII. 552 629
racemosum Jacq. VIII. 552 548
radians Forsk. VIII. 552
rectum Forsk. VIII. 616
reflexum Vahl VIII. 552 581
reticulatum Retz VIII. 552 628
roseum R. Br. VIII. 552 532
rostratum Vahl VIII. 552 595
rotatum Arrab. VIII. 552 593
rotundifolium Thbg VIII. 552
Roylei Wight VIII. 552
Schimperi Hochst. VIII. 617
scoparium *Ware* VIII. 549
senegalense Sieb. VIII. 621
serpyllifolium Kth. VIII. 552 527
sibiricum R. Br. VIII. 552 525
stellatum Arrab. VIII. 552
suberosum Kth. VIII. 552 527
suberosum L. VIII. 552 597
subulatum Arrab. VIII. 552
subvolubile Thonn. VIII. 621
tamifolium Hook. & Arn. VIII. 552 517
tenellum *Blanco* VIII. 549
tenellum L. fil. VIII. 552
tetragonum Arrab. VIII. 552 594
tomentosum Lam. VIII. 552
triflorum Arrab. VIII. 552 594
umbellatum Arrab. VIII. 552
undatum *Andr.* VIII. 552
undulatum L. VIII. 552 598
versicolor Bunge VIII. 552 521
verticillare Lam. VIII. 549
villosum R. & Schult. VIII. 552 602
viminale *Blanco* VIII. 549
viminale L. VIII. 538
virens Steud. VIII. 552
virginicum Banks VIII. 552
viride Arrab. VIII. 552 594
viridiflorum Ker VIII. 552
viridiflorum Mey. esseq. VIII. 552 594
viridiflorum Sims VIII. 611
vomitorium Lam. VIII. 552 611
Wallichii Wight & Arn. VIII. 552 528
CYNOCTONAE *Dene* VIII. 526
Cynoctonum *E. Mey.* VIII. 527 *Gmel.* IX. 8
alatum *Dene* VIII. 529
angustifolium *Dene* VIII. 529

Cynoctonum
Blumei *Dene* VIII. 528
boerhavifolium *Dene* VIII.
Bojerianum *Dene* VIII.
Callialata *Dene* VIII.
capense *E. Mey.* VIII.
chiloense *Dene* VIII.
corymbosum *Dene* VIII.
crassifolium *E. Mey.* VIII.
α *Dene* VIII. 530
crassifolium d E. Mey.
Dombeyanum *Dene* VIII.
Dregeanum *Dene* VIII.
erubescens *Dene* VIII.
eurychiton *Dene* VIII.
fimbriatum *Dene* VIII.
floribundum *Dene* VIII.
lycioides E. Mey. VIII.
Meyeri *Dene* VIII. 531
molle *E. Mey.* VIII.
mucronatum *Dene* VIII.
muricatum *Dene* VIII.
myrtifolium *Dene* VIII.
nummularicefolium *Dene*
obovatum *Dene* VIII.
ovalifolium *Dene* VIII.
pachyphyllum *Dene* VIII.
pauciflorum *Dene* VIII.
pedunculatum *Dene* VIII.
petiolatum Gmel. IX.
pilosum E. Mey. VIII.
repandum *Dene* VIII.
roseum *Dene* VIII.
sessilifolium Gmel. IX.
undulatum *Dene* VIII.
virens E. Mey. VIII.
Wallichii *Dene* VIII.
CYNOGLOSSEAE *Dc.* IX.
Cynoglosseides Jss. X.

Cynoglossum *Tourn.* X.
158 *C. A. Mey.* X.
X. 166 *Berter. Dc.* X.
X. 116 120 163 167
amplexicaule Lam. X.
amplexicaule Mx. X.
amplifolium *Hochst.* X.
anchusoides *Lindl.* X.
angustifolium Auch. X.
angustifolium hortul. X.
angustifolium W. X.
apenninum L. X. 156
apenninum Roth X. 147
argenteum Lam. X. 154
australe *R. Br.* X. 154
balcalense Pall. X. 160

W. A. X. 166
la X. 153
X. 147
Bory X. 151
X. 151
lium X. 151
Dc. fil. X. 152
lium Lag. X. 156 160
C. A. Mey. X. 156 163
Wall. X. 150
Walt. X. 150
W. X. 149
um W. X. 156 162
Jacq. X. 148
L. X. 154
Dc. X. 154
α Lehm. X. 154
β Lehm. X. 157 165
ugl. X. 155
m Desf. X. 148
ic. X. 154
Lindl. X 151
Hamilt. X. 149
Hochst. X. 148
Biv. X. 148
Poepp. X. 157 132
ill. X. 148
auch. X. 157 160
Lam. X. 157 170
Lam. X. 148
R. & Pav. X. 153
Dc. X. 153
Dc. fil. X. 150
Dc. fil. X. 150
axb. X. 157 116
R. & Schult. X. 147
Vill. X. 147
Steph. X. 154
Thbg X 157 138
Dc. fil. X. 150
Horn. X. 147
R. & Schult. X. 147
Lam. X. 157 169
cs. X. 154
hrank X. 156
l. X. 148
Vall. X. 149
Jacq. X. 147
W. A. X. 157 166
Auch. X. 157 169
W. X. 157 169
Wall. X. 150
Patrsk X. 157 131
gl. X. 153

Cynoglossum
grandiflorum Bth. X. 156
Haenkei R. & Schult. X. 147
Heynei G. Don X. 150
hirsutissimum Lehm. X. 152
hirsutum Jacq. X. 149
hirsutum Thbg X. 151 155
hispidum Thbg X. 155
holosericeum Stev. X. 147
humifusum Poepp. X. 157 133
hybridum Thuill. X. 147
japonicum Thbg X. 155
javanicum Thbg X. 568 157 143
intermedium Fresen X. 157 159
laevigatum Auch. X. 167
laevigatum L. fil. X. 157 170
lanatum Auch. X. 157 169
lanatum Lam. X. 157 168
lanceolatum Forsk. X. 155
β hirsutum Dc. X. 155
lanceolatum Heyne X. 150
lanceolatum Hochst. X. 149
lanceolatum Lehm. X. 155
lanuginosum Lehm. X. 147
Lappula Scop. X. 157 136
lateriflorum Aubr. X. 161
lateriflorum Bert. X. 157 120
lateriflorum Lam. X. 157 120
latifolium R. Br. X. 156
laxum Don X. 157 136
leptostachyum Dc. X. 152
limense W. X. 153
lineare R. & Pav. X. 157 120
linifolium Bové X. 157 159
linifolium L. X. 157 161
linifolium coerulescens Req. X. 161
linifolium β Dc. X. 157 161
lithospermifolium Lam. X. 157 159
littorale Spr. X. 157 161
longiflorum Bth. X. 157 158
longiflorum Lehm. X. 157 167
lusitanicum Brot. X. 157
lusitanicum Fortis X. 157 162
lusitanicum Lam. X. 161
lusitanicum L. X. 157 162
lusitanicum Mill. X. 157
lusitanicum Vahl X. 160
lusitanicum W. h. X. 161
macrophyllum Royl. X. 157 136
magellense Ten. X. 154
marifolium Roxb. X. 157 116
membranaceum Dc. fil. X. 150
mexicanum Cham. & Schlecht. X. 156

Cynoglossum
micranthum *Desf.* X. 149
microglochin *Bth.* X. 151
mollissimum Lehm. X. 157 166
montanum *Lehm.* X. 147
Morisoni *Dc.* X. 155
muricatum Thbg X. 74
myosotoides Auch. X. 157 159
myosotoides Labill. X. 157 159
myosotoides Schimp. X. 157 160
nebrodense *Guss.* X. 148
nebrodense var. Boiss. X. 148
nitidum W. X. 157 161
Nuttallii Spr. X. 157 121
officinale Brot. X. 148
officinale Desf. X. 148
officinale Hook. & Arn. X. 153
officinale *L.* X. 146
β bicolor *Lehm.* X. 147
officinale Sibth. & Sm. X. 147
officinale β W. X. 147
Omphalodes L. X. 157 162
Omphalodes β Lam. X. 158 162
paniculatum *Poepp.* X. 153
pauciflorum Bert. X. 158 119
pauciflorum *R. & Pav.* X. 156 119
pellucidum Lapeyr. X. 147
penicillatum Hook. & Arn. X. 158 121
petiolatum *Dc. fil.* X. 149
pictum *Ait.* X. 147
pilosum Nutt. X. 158 121
pilosum R. & Pav. X. 158 120
prostratum Don X. 158 116
pustulatum Boiss. X. 148
racemosum Roxb. X. 149
racemosum Schreb. X. 158 169
remotum Moench X. 147
revolutum *R. & Pav.* X. 155
Rindera Pall. X. 170
Rochelia *Dc. fil.* X. 152
Roylei *Wall.* X. 155
rugosum W. h. X. 83
scorpioides Haenk. X. 161
scorpioides Schmidt X. 158
sessiliflorum Poepp. X. 158 133
siculum Guss. X. 147
stamineum Desf. X. 158 164
stamineum MB. X. 158 165
stellulatum *Wall.* X. 156
styloxum Kar. & Kir. X. 158 165
suaveolens *R. Br.* X. 156
sylvaticum Haenk. X. 147
tomentosum *Lehm.* X. 147
umbellatum Auch. X. 158 168
umbellatum W. & Kit. X. 158 168

Cynoglossum
uncinatum Bth. X. 1
uncinatum Royl. X. 1
valentinum Lag. X. 1
vesiculosum Wall. X
virens Schreb. X. 14
virginicum *L.* X. 15
virginicum W. X. 1
viridiflorum *W. h.* X
Wallichii *G. Don* X.
zeylanicum Vahl X.
zeylanicum Wight 1
Cynoglossum sect. Omp

Cynoglossum sect. Tet

Cyphia *Berg.* VII. 49
angustifolia *Presl* V
angustifolia Presl (*rectius* angustilo
anomala *Presl* VII.
atriplicifolia *Presl*
Botrys *W.* VII. 50
bulbosa *Berg.* VII.
β angustiloba *Dc.* β
bulbosa Burm. VII.
bulbosa Eckl. VII.
campestris *Presl* VI
Cardamines *W.* VII
crenata *Presl* VII.
dentarinefolia *Presl*
digitata Drege VII.
digitata *W.* VII. 50
Dregeana *Presl* VII
Eckloniana *Presl* V
heterophylla *Presl*
incisa *W.* VII. 499
latipetala *Presl* VII.
linarioides *Presl* VI
β microstha VII. 49
β major *Dc. fil.* V
longipetala *Presl* V
persicifolia *Presl* V
Phyteuma *W.* VII.
polydactyla *Presl* V
salicifolia *Presl* VII
serrata Spr. VII. 4
simplex Spr. VII.
sylvatica *Presl* VII.
tenuifolia *Dc. fil.* V
tomentosa *Presl* VI
β minor VII. 499
γ glabra *Dc. fil.* V
undulata *Eckl.* VII.
volubilis *W.* VII. 5

Griessel. VII. 498
Presl VII. 501 792
Drege VII. 498
– VII. 498
– VII. 499
– VII. 500
E *Dc. fil.* VII. 497 791
esl VII. 501
el. VII. 498
nel. VII. 499
Mart. Sendt. XIII. 1. 4 387
Sendt. XIII. 1. 400
ndt. XIII. 1. 393
XIII. 1. 394
Sendt. XIII. 1. 393
is Dun. XIII. 1. 401
endt. XIII. 1. 387
XIII. 1. 389
Dun. XIII. 1. 396
Sendt. XIII. 1. 388
. XIII. 1. 401
un. XIII. 1. 401
Dun. XIII. 1. 401
Dun. XIII. 1. 400
n Sendt. XIII. 1. 395
Miers XIII. 1. 402
Sendt. XIII. 1. 399
Sendt. XIII. 1. 390
XIII. 1. 390
Sendt. XIII. 1. 397
XIII. 1. 398
XIII. 1. 398
ndt. XIII. 1. 398
liers XIII. 1. 402
Dun. XIII. 1 390
endt. XIII. 1. 391
Sendt. XIII. 1. 399
Dun. XIII. 1. 401
Dun. XIII. 1. 400
un. XIII. 1. 397
dt. XIII. 1. 389
liers XIII. 1. 402
ndt. XIII. 1. 393
illae Dun. XIII. 1. 394
Dun. XIII. 1. 396
ndt. XIII. 1. 395
s Dun. XIII. 1. 388
Dun. XIII. 1. 390
lia Dun. XIII. 1. 392
s Sendt. XIII. 1. 391
nerolata XIII. 1. 392
Dun. XIII. 1. 395
Sendt. XIII. 1. 389
rs XIII. 1. 402

Cyphomandra
trachyphylla Miers XIII. 1. 402
Vellosiana Sendt. XIII. 1. 394
velutina *Sendt.* XIII. 1. 398
viridiflora *Sendt.* XIII. 1. 400
Cyphorima Raf. X. 73
latifolia Raf. X. 76
Cyrilla L'Herit. VII. 535 *Nutt.* VIII 123
aquatica Roxb. X. 390
paniculata Nutt. VII. 733 VIII. 124
pulchella L'Herit. VII. 536
Cyrta Bth. XII. 90 (Hyptis)
Cyrta *Lour.* VIII. 245
Cyrta agrestis Hamilt. b. VIII. 267
Cyrtacanthus cordifolius Mart. XI. 204
corymbosus Mart. XI. 203
Cyrtandra *Forst.* IX. 280
acuminata *Wall.* IX. 285 282
arborescens *Blum.* IX. 293
aristata *Blanco* IX. 285
aurea *Jack* IX. 281
bicolor *Jack* IX. 281
biflora *Forst.* IX. 281
calycina *Bth.* IX. 282
capsularis Blanco IX. 285
carnosa Jack IX. 285
celebica *Blum.* IX. 283
coccinea *Blum.* IX. 283
cordifolia *Gaudich.* IX. 284
cuneata *Blum.* IX. 283
cymosa *Forst.* IX. 282
disper *Dc.* IX. 282
Endlicheriana *Nees* IX. 284
flavescens *Blum.* IX. 283
frutescens *Jack* IX. 282
frutescens Wall. IX. 282
Garnotiana *Gaudich.* IX. 284
glabra Gaertn. IX. 281
glabra *Jack* IX. 281
grandiflora *Gaudich.* IX. 284
grandis *Blum.* IX. 283
hirsuta *Jack* IX. 281
humilis *Blum.* IX. 281
incompta *Jack* IX. 281
lanuginosa *R. Br.* IX. 285
latifolia *Bth.* IX. 283
Lessoniana *Gaudich.* IX. 284
macrophylla *Jack* IX. 280
maculata *Jack* IX. 280
Menziesii *Hook. & Arn.* IX. 284
nemorosa *Blum.* IX. 282
paludosa *Gaudich.* IX. 284
peltata *Jack* IX. 281
pendula *Blum.* IX. 281
personata *Blanco* IX. 285

Cyrtandra
picta *Blum.* IX. 280
pilosa *Blum.* IX. 282
pubescens *Jack* IX. 285
rostrata *Blum.* IX. 283
rubiginosa *Jack* IX. 282
Ruckiana *Meyen* IX. 284
serrata *Blanco* IX. 285
staminea Vahl IX. 285 263
sulcata *Blum.* IX. 282
β *villosa* IX. 282
triflora *Gaudich.* IX. 284
CYRTANDRACEAE *Jack* IX. 258
CYRTANDREAE *Blum.* IX. 280
Cyrtanthera *Nees* XI. 305 328
aurea *Nees* XI. 329
β *glaberrima* XI. 329
Chamissoniana *Nees* XI. 329
longiflora *Nees* XI. 729
macrantha *Nees* XI. 330
magnifica *Nees* XI. 328 729
α *Nees* XI 329
β *minor Nees* XI. 329
Pohliana *Nees* XI. 330 729
β *obtusior Nees* XI. 330
γ *velutina* – – –
Selloviana *Nees* XI. 329
umbrosa *Nees* XI. 329
α β *Nees* XI. 329
Cyrtocaryum Dc. fil. X. 32 (Nonnea)
Cyrtoceras Bennet VIII. 634
reflexum Bennet VIII. 634
Cyrtocodon Bth. X. 541 (Seymeria)
Cyrtophyllum *Reinw.* IX. 31
fragrans *Dc.* IX. 31
lanceolatum *Dc.* IX. 31
peregrinum *Reinw.* IX. 31
speciosum *Blum.* IX. 31
Cystanthe *R. Br.* VII. 768
sprengelioides *R. Br.* VII. 769
α β *Dc.* VII. 769

D.

Daboecia *D. Don* VII. 713
polifolia *D. & G. Don* VII. 713
Dactylophyllum Bth. IX. 315 (Gilia)
Dactylostegium portoricense Nees XI. 404
sparsiflorum Nees XI. 488
Daemia *R. Br.* VIII. 543
aethiopica *Dcne* VIII. 544
mongolensis *Dcne* VIII. 544
rdata *R. Br.* VIII. 544
data R. & Schult. VIII. 544
nsa *R. Br.* VIII. 544
Daemia
garipensis *E. Mey.* VIII.
incana Dcne VIII. 544
Dalbergaria Tuss. VII. 54
phoenicea Tuss. VII. 54
Dalea Gaertn. XII. 22
Lippiastrum Gaertn. XI
Dampiera *R. Br.* VII. 502
adpressa *A. Cunn.* VII.
cauloptera *Dc.* VII. 504
cuneata *R. Br.* VII. 50
fasciculata *R. Br.* VII.
β *latifolia Dc.* VII. 504
ferruginea *R. Br.* VII.
ferruginea Sieb. VII. 50
hederacea *R. Br.* VII. 5
incana *R. Br.* VII. 503
lanceolata *A. Cunn.* VII.
linearis *R. Br.* VII. 504
oblongata *R. Br.* VII. 5
ovalifolia *R. Br.* VII. 5
parvifolia *R. Br.* VII. 5
purpurea *R. Br.* VII. 5
repens *Dc.* VII. 503
rotundifolia *R. Br.* VII.
stricta *R. Br.* VII. 504
stricta Sieb. VII. 504
tomentosa R. Br. VII. 5
undulata *R. Br.* VII. 50
M 227 *Sieb. Nov. Hell.*
Dantia Lipp. XIII. 2. 445
nubica Lipp. XIII. 2. 4
Danzleria axillaris Bert.
Daphne L. VII. 606
Dargeria Dcne X. 540
Schlech
linifolia Dcne X. 540
pinnatifida Dcne X. 540
Dartus *Lour.* XIII. 1. 674
perlarius *Lour.* XIII. 1.
Dasanthera Raf. X. 320
Dassiera Moq. XIII. 2. 35
Dasyanthes D. & G. Don 636 *Benth.* VII. 61
Sparmanni D. & G. Don
Dasymalla *Endl.* XI. 702
axillaris *Endl.* X. 704
terminalis *Endl.* X. 704
Dasystephana Borkh. IX.
adscendens Borkh. IX.
algida Borkh. IX. 111
asclepiadea Borkh. IX.
auriculata Borkh. IX. 9
glauca Borkh. IX. 111

ma
Borkh. IX. 117
Borkh. IX. 111
ma Griseb. IX. 117 (Gentiana)
Raf. X. 507 520
af. X. 520
adi Bth. X. 520
Bth. X. 521
Bth. X. 521
ria Bth. X. 521
is Bth. X. 520
ia Bth. X. 520
folia Bth. X. 520
adia Bth. X. 520
II. 1. 553
s. XIII. 1. 552 (Scopolia)
XIII. 1. 7 538 *Pers.* XIII. 1. 538
Pav. XIII. 1. 481
ca Vesl. XIII. 1. 543
ca β. pleno Moris XIII. 1. 543
s XIII. 1. 544
hort. XIII. 1. 545
L. XIII. 1. 544
Mart. XIII. 1. 545
ii Parlat. XIII. 1. 539
elii XIII. 1. 540
ala Ort. XIII. 1. 544
a Alp. XIII. 1. 543
a Hook. XIII. 1. 689
o spinosissima Zan. XIII. 1. 539
Bernh. XIII. 1. 511
Vell. XIII. 1. 546
L. XIII. 1. 542
XIII. 1. 543
bora XIII. 1. 543
β. albo Schkuhr XIII. 1. 542
δ capsulis muticis Poir. XIII. 1. 542
XIII. 1. 539
phylla XIII. 1. 539
a Paxt. XIII. 1. 546
Horn. XIII. 1. 543
Hook. XIII. 1. 690
ilensis H. B. & Kth. XIII. 1. 543
Desf. XIII. 1. 543 542
ub. & c. Bernh. XIII. 1. 542
a dubia Bernh. XIII. 1. 542
a muricata Bernh. XIII. 1. 542

Datura
Hummatu e rubra Bernh. XIII. 1. 543
hybrida *Ten.* XIII. 1. 543 542
hyoscyami folio &c. Herm. XIII. 1. 541
inermis *Jacq.* XIII. 1. 538
innoxia Mill. XIII. 1. 542
laevis Bertol. XIII. 1. 539
laevis L. XIII. 1. 539
laevis Schkuhr XIII. 1. 542
loricata Sieb. XIII. 1. 540
macrocaulis Roth XIII. 1. 544
maxima Moç. & Sess. XIII. 1. 536
Metel Horn. XIII. 1. 543
Metel *L.* XIII. 1. 543
Metel Mill. XIII. 1. 542
Metel Moç. & Sess. XIII. 1. 544
Metel Roxb. XIII. 1. 542
meteloides *Dc.* XIII. 1. 544
muricata Bernh. XIII. 1. 542
muricata *Link* XIII. 1. 540
Nilhummatu *Dun.* XIII. 1. 542
β fl. simplici XIII. 1. 542
γ fl. duplicato & triplicato XIII. 1. 542
pseudo-stramonium Sieb. XIII. 1. 540
quercifolia *H. B. & Kth.* XIII. 1. 541
rubra Rumph XIII. 1. 543
sanguinea *R. & Pav.* XIII. 1. 545
β flava XIII. 1. 545
sarmentosa Lam. XIII. 1. 546 536
sarmentosa β Lam. XIII. 1. 535
scandens *Vell.* XIII. 1. 546
Stramonium Bout. XIII. 1. 540
Stramonium *L.* XIII. 1. 540
β Tatula XIII. 1. 540
Stramonium Wall. XIII. 1. 540
Stramonium β canescens Wall. XIII. 1. 539
Stramonium β chalybaea Koch XIII. 1. 540
Stramonium capsulis inermibus Auct. XIII. 1. 539
suaveolens *H. & Bonpl.* XIII. 1. 545 690
β macrocalyx Sendt. XIII. 1. 545
Tatula L. XIII. 1. 540
Tatula β Poir. XIII. 1. 542
Tatula dubia Pers. XIII. 1. 542
trapezia *Nees* XIII. 1. 540

Datura
Turcarum Bess. XIII. 1. 540
Wrightiana Steud. XIII. 1. 543
Wallichii Dun. XIII. 1. 539
DATUREAE *G. Don* XIII. 1. 7 533
Dracaena Dennst. VIII. 83
acuta Dennst. VIII. 87
rubra Dennst. VIII. 87
Dracaena Lour. VIII. 246 247
[illegible] Dennst. VIII. 255
[illegible] Dennst. VIII. 254
Draconena Wight & Arn. VIII. 495
humilis Wight & Arn. VIII. 495
Dracaena Desf. VIII. 546
Jacquiniana Desf. VIII. 546
Drapetes R. Br. VII. 738
Cunninghamii De. VII. 758
muscosa R. Br. VII. 738
sphaerocoides A. Cunn. VII. 758
tamariscina R. Br. VII. 738
Drapetum Raf. IX. 226
Drosera R. Br. XIII. 2. 232 236 *Raf.* XIII. 2. 236 *Wall.* VIII. 2. 323
Amherstiana Wall. XIII. 2. 237 323
baccata Moq. XIII. 2. 236
β leptostachys XIII. 2. 236
celosioides R. Br. XIII. 2. 236
celosioides Spr. XIII. 2. 236
indica Blum. XIII. 2. 236
indica Spr. XIII. 2. 236
indica *Zolling.* XIII. 2. 236
polysperma *Moq.* XIII. 2. 236
tetragyna *Roxb.* XIII. 2. 237
Dejanira *Cham. & Schlecht.* IX. 48
erubescens *Cham. & Schlecht.* IX. 48
β pallescens Griseb. IX. 49
nervosa *Cham. & Schlecht.* IX. 49
β foliosa Griseb. IX. 49
pallescens Cham. & Schlecht. IX. 49
Deinospermum G. Don X. 73
Dekinia *Mart. & Gal.* XII. 154 258
coccinea *Mart. & Gal.* XII. 258
Delastrea *De. fil.* VIII. 195*)
Bojeri *De. fil.* VIII. 196
Delissea *Gaudich.* VII. 342 *Presl* VII. 356
acuminata *Gaudich.* VII. 342

*) cf. etiam Labillardi *De. fil. conf.* VIII. 670 673

Delissea
ambigua *Presl* VII.
angustifolia *Presl* V
arborea Presl VII.
calycina *Presl* VII.
macrostachys Presl
pinnatifida *Presl* V
subcordata *Gaudich*
undulata *Gaudich.*
DELISSEACEAE *Pre*
Delostoma *D. Don* I
dentatum *Don* IX.
integrifolium *Don*
latifolium *Spltg.* I
nervosum *De.* IX.
stenolobium Steud.
Demidofia Gmel. IX.
repens Gmel. IX.
Denckea crinita Raf.
Dendriopsyllium Des
Dendrium Desv. VII.
buxifolium Desv. V
Dendrophlomis Bth. X
Dentaria aphyllos Ro
Dentella erecta Roth
perotifolia W. VII.
DENTELLARIEAE *Reich*
Dentidia Lour. XII.
nankinensis Lour.
Dentidia Lour. XII.
Desfontainea H. B. &
DESFONTAINEAE *Endl.*
Desfontainia *R. &*
acutangula *Dun.* XI
Hookeri *Dun.* XIII.
spinosa *R. & Pav.*
splendens *H. B. &*
DESFONTAINIEAE *G.*
Desmia Bth. VII. 645
Desmia D. & G.
aequalis D. & G.
conferta D. & G.
polifolia D. & G.
Desmidorchis Ehrenb.
acutangula Decne VI
Desmochaeta De. Mar
2. 331 *De.* XIII
H. B. & Kth.

ides H. B. & Kth. XIII. 2. 326
Dc. XIII. 2. 324
rea Dc. XIII. 2. 331
& Schult. XIII. 2. 324
H. B. & Kth. XIII. 2. 327
De. XIII. 2. 332
& Schult. XIII. 2. 330
Dc. XIII. 2. 326
Dc. XIII. 2. 235
Wight XIII. 2. 324
Wall. XIII. 2. 330
& Schult. XIII. 2. 332
Dc. XIII. 2. 326
& Schult. XIII. 2. 330
ta Link XIII. 2. 330
mb. XIII. 2. 333
R. & Schult. XIII. 2. 327
W. XIII. 2. 327
'all. XIII. 2. 301 332
Moq. XIII. 2. 331 (Pupalia)
RIAN Endl. XIII. 2. 234
Vees IX. 437 323
. XIII. 2. 101 (Atriplex)
m. & Schlecht. X. 362 (Stemodia)
land. XI. 473 *R. & Pav.* XI. 473
R. & Pav. XI. 487
XI. 516
Blanco XI. 374
Fraser XI. 340
L. XI. 339
α flava Forsk. XI. 401
β alba Forsk. XI. 355
ata R. & Pav. XI. 423
'ell. XI. 429
a Retz XI. 497
Vell. XI. 430 730
Fraser XI. 340
rsk. XI. 475
rst. XI. 490
orst. XI. 475
ll. XI. 432 730
sh. XI. 411
Sw. XI. 382
Walt. XI. 339
a Hook. h. XI. 466
XI. 401
& Pav. XI. 357
Ray XI. 485 493
Sw. XI. 415
Tafalla XI. 357
Tafalla XI. 346

Dianthera
malabarica Gouan XI. 474
malabarica L. XI. 497
mucronata Math. XI. 480
mucronata R. & Pav. XI. 479
multiflora R. & Pav. XI. 486
obcordata Vahl XI. 399
odora Forsk. XI. 399
ovata Walt. XI. 340
paniculata Forsk. XI. 497
paniculata Lour. XI. 443
parviflora Roxb. h. XI. 470
pilosa Ruiz XI. 405
punctata Vahl XI. 355
repens R. & Pav. XI. 481
rugosa Perrott. XI. 497
serrata Vell. XI. 440
spicata Vell. XI. 440 729
subserrata Blanco XI. 409
sulcata Vahl XI. 401
trisulca Forsk. XI. 424
Spec. Dc. h. XI. 398
№ 2 *Vandell.* XI. 421 428
Dianthoides Endl. IX. 314 (Gilia)
Diapasia Poir. VII. 504
Diapensia *L.* XIII. 1. 691 *Nutt. Salisb.* XIII. 1. 692
barbulata Ell. XIII. 1. 692
barbulata Nutt. XIII. 1. 692
cuneifolia Pursh Salisb. XIII. 1. 692
helvetica L. VIII. 47
lapponica *L.* XIII. 1. 691
obtusifolia Sol. XIII. 1. 692
DIAPENSIACEAE Link XIII. 1. 691 *Endl.* XIII. 1. 691
DIAPENSIEAE *De. fil.* XIII. 1. 691
Diascia *Link & Otto* X. 249 256
alonsoides *Bth.* X. 259
Bergiana Bth. X. 256
Bergiana Eckl. X. 257
Bergiana *Link & Otto* X. 256
Burchellii *Bth.* X. 258
capsularis *Bth.* X. 259
cuneata *E. Mey.* X. 257
denticulata *Bth.* X. 259
diffusa *Bth.* X. 257
elongata *Bth.* X. 257
heterandra *Bth.* X. 256
integerrima *E. Mey.* X. 259
macrophylla *Bth.* X. 258
montana Spr. X. 259 255
nemophiloides *Bth.* X. 257
pachyceras *E. Mey.* X. 257
parviflora *Bth.* X. 258
β tenera X. 258
racemulosa *Bth.* X. 259

Diascia
rigescens *E. Mey.* X. 259
β angustifolia *Bth.* X. 259
runcinata *E. Mey.* X. 257
sacculata *Bth.* X. 258
tanyceras *E. Mey.* X. 258
Thunbergiana *Spr.* X. 258
unilabiata *Bth.* X. 257
Diaspasis *R. Br.* VII. 504
filifolia *R. Br.* VII. 505
Diatje XI. 629
Dicalyx Lour. VIII. 247
Dicarpaea Moq. XIII. 2. 24 (Limeum)
Dicarpaea Presl XIII. 2. 24
linifolia Presl XIII. 2. 24
Dicerandra *Bth.* XII. 150 242
densiflora *Bth.* XII. 243
linearifolia *Bth.* XII. 243
linearis Bth. XII. 243
Dicerocaryum Boj. IX. 255 *Lindl.* IX. 255
sinuatum Boj. IX. 256
Diceros *Lour.* X. 584 *Pers.* X. 408 *Blum.* X. 412 413
angustifolius Bth. X. 408
caespitosus Blum. X. 415
cochinchinensis *Lour.* X. 584
glanduliferus Blum. X. 415
latifolius Blum. X. 415
longifolius Pers. X. 408
montanus Blum. X. 415
Dichelocalyx G. Don IX. 11 (Mitrasacme)
Dichondra *Forst.* IX. 451
argentea *W.* IX. 451
carolinensis Mx. IX. 451
caroliniana W. IX. 451
cymbalariaefolia W. IX. 451 X. 428
repanda W. IX. 451
repens *Forst.* IX. 451
β sericea *Chois* IX. 451
δ carolinensis IX. 451
repens R. & Pav. IX. 451
repens peruviana Poir. IX. 451
rotundifolia Link IX. 451
sericea Sw. IX. 451
DICHONDREAE *Chois.* IX. 325 451
Dichospermum Dumort. XIII. 2. 90 (Atriplex)
Dichroma Cav. X. 491 *Endl. & Poepp.* X. 492 (Ourisia)
coccinea Cav. X. 492
Diclidanthera *Mart.* VIII. 210 245
Dicliptera *Juss.* XI. 463 473 469 491
acuminata *Juss.* XI. 487
α β XI. 487
γ splenta XI. 487

Dicliptera
assurgens *Juss.* XI.
β conferta XI. 489
assurgens W. h. XI.
baphica *Nees* XI. 49
bivalvis Blum. XI. 47
bivalvis *Juss.* XI. 47
brachiata Salzm. XI.
brachiata *Spr.* XI.
brasiliensis Nees &
brasiliensis *Spr.* XI.
bupleuroides *Nees* XI.
β sessilis XI. 485
bupleuroides var. β
Burmanni *Nees* XI.
β laxior XI. 483
Burmanni var. Hensl.
canescens *Nees* XI.
capensis *Nees* XI. 48
caracasana *Nees* XI.
cardiocarpa *Nees* XI.
chinensis *Nees* XI. 47
chinensis R. & Schu
ciliaris *Juss.* XI. 473
β XI. 475
ciliaris W. h. XI. 49
ciliata Dene XI. 483
ciliata R. & Pav. XI
ciliata Schauer XI.
clavata *Juss.* XI. 490
clinopodia *Nees* XI.
coerulea Blum. XI. 4
coerulea var. b Blum
confinis *Nees* XI. 478
congesta *H. B. & K*
crinita *Nees* XI. 485
cuneata *Nees* XI. 481
eriantha *Dene* XI. 47
Forsteriana *Nees* XI.
frondosa *Juss.* XI. 47
furcifera Nees XI. 38
glabra *Dene* XI. 476
Haenkeana *Nees* XI.
heterostegia *Nees* XI.
hirtula *Nees* XI. 485
α latifolia XI. 486
β angustifolia XI. 486
Hookeriana *Nees* XI.
hyalina *Nees* XI. 484
javanica *Nees* XI. 47
interrupta *Blum.* XI.
laevigata *Juss.* XI. 47
maculata *Nees* XI. 48
β paniculata XI. 485
γ emarginata

aricensis *Nees* XI. 476
nsis *Juss.* XI. 478
lica *Mart.* XI. 367
s *Nees* XI. 484
XI. 484
es XI. 490
a *Schauer* XI. 479
XI. 479
lia *Nees* XI. 478
Juss. XI. 486
ea XI. 487
Nees XI. 487
Juss. XI. 484
eata *Nees* XI. 488
Juss. XI. 491 470
Vahl. XI. 470
ria *Nees* XI. 488
488
Juss. XI. 478
B. & Kth. XI. 478
Nees XI. 482
nsis *Spr.* XI. 489
s *Humb.* XI. 482
Nees XI. 477
Juss. XI. 475
a *Spr.* XI. 64
Spr. XI. 491 343
s. XI. 491
& *Schult.* XI. 472
h. XI. 470
es XI. 483
Juss. XI. 474
Nutt. XI. 480
s. XI. 491 357 472
es XI. 480
ana *Nees* XI. 483
Nees XI. 486
es XI. 480
s *Juss.* XI. 491
s *L.* XI. 491
s *W. h.* XI. 491 334
es XI. 481
ia *Juss.* XI. 479
Nees XI. 488
Nees & Mart. XI. 491 424
Lyall XII. 491 507
ajer XI. 491 366
ne XI. 479
rt. angl. XI. 237 726
odd. XI. 491 237
Hochst. XI. 484
Nees XI. 487
XI. 487
Nees XI. 491 366
s *Nees* XI. 474

Dicliptera
tomentosa *Nees* XI. 481
trinervia Juss. XI. 491 366
Tweediana *Nees* XI. 482
β microphylla XI. 482
γ XI. 482
umbellata *Juss.* XI. 484
β ocymoides XI. 484
unguiculata *Nees* XI. 477
Vahliana *Nees* XI. 489
verticillaris R. & Schult. XI. 491
villosa Mart. XI. 200
xipotensis R. & Schult. XI. 491 343
zeylanica *Nees* XI. 474
DICLIPTEREAE *Nees* XI. 49 463
Diclis *Bth.* X. 249 264
ovata *Bth.* X. 265
petiolaris *Bth.* X. 265
reptans *Bth.* X. 265
DICOTYLEDONES APETALAE *Juss.* XIII. 2. 1
DICOTYLEDONES INCOMPLETAE Dc. XIII. 2. 1
Dictyanthus *Dcne* VIII. 604
Pavonii *Dcne* VIII. 605
Dictyocalyx *Hook. fil.* XIII. 1. 7 537 (*delendum; conf.* XIII. 1. 689)
Miersii *Hook. fil.* XIII. 1. 538
Diderota Comm. VIII. 356
amphicarpa Comm. VIII. 356
Didiclia Dun. XIII. 1. 557 (Nicotiana)
Didymanthera Bth. VII. 622 (Erica)
Didymanthus *Endl.* XIII. 2. 45 124
Roei *Endl.* XIII. 2. 124
DIDYMOCARPEAE *Don* IX. 259
DIDYMOCARPEAE Don IX. 258
Didymocarpus *Wall.* IX. 264 *Hook.* IX. 270
acuminata *Wall.* IX. 267 264
angovensis Boj. IX. 268 271
aromatica *Wall.* IX. 267 264
barbata *Jack* IX. 265 264 269
bifolius Jack IX. 268
cinerea Don IX. 267
corchorifolia *Wall.* IX. 265 264
cordata *Wall.* IX. 265 264
corniculata *Jack* IX. 265 264
crinita *Jack* IX. 265 264
elongata *Jack* IX. 266 264
frutescens *Jack* IX. 265 264
hamosus Wall. IX. 268
helicteroides Wall. IX. 268 271
Hilsenbergii Boj. IX. 268 270
lanuginosa *Wall.* IX. 268 264

Didymocarpus
macrophylla Royl. IX. 267
macrophylla *Wall.* IX. 267 264
Missionis *Wall.* IX. 266 264
mollis *Wall.* IX. 266 264
multiflorus Wall. IX. 268 272
oblonga *Wall.* IX. 266 264
obtusa *Wall.* IX. 267 264
pedicellata *R. Br.* IX. 267 264
plicata Don IX. 267
primulaefolia Don IX. 267
punduana *Wall.* IX. 267 264
racemosa *Jack* IX. 266 264
reptans *Jack* IX. 266 264
Rexii Hook. IX. 268 270
Rottleriana *Wall.* IX. 268 264
serrata *R. Br.* IX. 265 264
speciosus Wall. IX. 268 269
subalternans *Wall.* IX. 266 264
verticillata Wall. IX. 267
villosa *Wall.* IX. 266 264
zeylanica *R. Br.* IX. 266 264
Didymotheca *Hook. fil.* XIII. 2. 5 36
Drummondii *Moq.* XIII. 2. 37
thesioides *Hook. fil.* XIII. 2. 37
Dierbachia Spr. XIII. 1. 483
solanacea Spr. XIII. 1. 483
Digera *Forsk.* XIII. 2. 234 323
arvensis *Forsk.* XIII. 2. 324
α perennans XIII. 2. 324
β annua XIII. 2. 324
ciliata *Mart.* XIII. 2. 324
Forskali *Blum.* XIII. 2. 324
β latifolia XIII. 2. 324
frutescens Juss. XIII. 2 325 235
muricata Mart. XIII. 2 325 235
DIGITALEAE *Bth.* X. 189 448
Digitalis *L.* X. 448 449 *Auct.* X. 448 IX. 275
ambigua Murr. X. 451
aurea hort. X. 450
aurea Lindl. X. 450
canariensis L. X. 453 449
cariensis Boiss. X. 450
cochinchinensis Lour. X. 453
dasyantha Pall. X. 453 321
denticulata Tausch X. 452
dracocephaloides Vell. X. 453
erubescens Ait. X. 451
ferruginea *L.* X. 450
fucata Ehrh. X. 452
fulva Lindl. X. 451
fuscescens W. & Kit. X. 451
fusco-punctata Tausch X. 452
glutinosa Gaertn. X. 453 IX. 275
grandiflora *All.* X. 450
Digitalis
laciniata *Lindl.* XI. 449
laevigata C. A. Mey. X.
laevigata *W. & Kit.* X.
lanata *Ehrh.* X. 450
leucophaea *Sm.* X. 449
Lindleyana Tausch X.
longiflora Lejeun. X. 45
lutea *L.* X. 452
lutea Poll. X. 451
lutea γ & δ Lindl. X.
lutea var. bot. mag. X.
lutescens Lindl. X. 452
Mariana *Boiss.* X. 451
media Roth X. 452
micrantha Roth X. 452
Milleri G. Don X. 451
minor *L.* X. 451
nervosa *Steud. & Hochs*
obscura *L.* X. 449
ochroleuca Jacq. X. 45
orientalis *Lam.* X. 450
parviflora All. X. 452
parviflora *Jacq.* X. 452
pilosa Vell. X. 453
purpurascens Lindl. X.
purpurascens *Roth* X.
purpurea *L.* X. 451
rigida Lindl. X. 452
Roxburghii Roth X. 453
Sceptrum L. X. 453 44
sibirica *Lindl.* X. 450
sinensis Lour. X. 453
stricta Roxb. X. 453 5
Thapsi *L.* X. 451
tomentosa Hoffm. & Li
tubiflora Lindl. X. 452
tubulosa Tausch X. 45
Urmangi Noe X. 450
viridiflora *Lindl.* X. 452
Winterli Roth X. 450
Dilivaria *Juss.* XI. 264 26
ebracteata *Juss.* XI. 26
horrida Nees XI. 269
ilicifolia *Juss.* XI. 268
β heterophylla XI. 269
γ subintegra XI. 269
δ micrantha – –
polystachya Dietr. XI.
scandens *Nees* XI. 269
Dilobos Endl. Dc. IX. 2
Dilopha Moq. XIII. 2.
Dimeianthus Raf. XIII.

...m *Bert.* VII. 778
VII. 778
IX. 436
Sweet IX. 436
weet IX. 436
.. 94
Spr. X. 94
a Sieb. XIII. 2. 230
XIII. 2. 229
'ech. VIII. 222 *Auct.* VIII. 224
Kth. VIII. 239 221
Wall. VIII. 239
H. B. & Kth. VIII. 239
'l. VIII. 231 221
r. VIII. 226
hortul. VIII. 229
Dc. fil. VIII. 227
Raddi VIII. 239
fil. VIII. 234
o VIII. 237
fil. VIII. 237
Dc. fil. VIII. 236
xb. VIII. 239
tul. VIII. 229
fil. VIII. 237
fil. VIII. 226
um. VIII. 238
Dc. fil. VIII. 224
Don VIII. 238
'all. VIII. 232
rm. VIII. 229
Roxb. VIII. 230
Poir. VIII. 225
d. VIII. 229
all. VIII. 235
Gaertn. VIII. 236
ench VIII. 229
H. B. & Kth. VIII. 239 221
xb. VIII. 230
fil. VIII. 237
ston VIII. 227
er. VIII. 238
'all. VIII. 233
. VIII. 238
VIII. 235
Lour. VIII. 238
VIII. 223
eta VIII. 235
xb. VIII. 235
m. VIII. 225
d. VIII. 235
s VIII. 234
VIII. 239
Wall. VIII. 231
Boj. VIII. 235

Diospyros
Embryopteris *Pers.* VIII. 235
exsculpta *Hamilt.* VIII. 223
feminina Hamilt. VIII. 238
foliis discoloribus Mill. VIII. 226
foliolosa *Wall.* VIII. 234
frondosa Wall. VIII. 240
frutescens *Blum.* VIII. 230
β Tallak *Dc. fil.* VIII. 230
frutescens var. Blum. VIII. 230
glaberrima Rottl. VIII. 235
glauca *Rottl.* VIII. 238
glutinosa Koen. VIII. 235
grata *Wall.* VIII. 232
heterophylla *Wall.* VIII. 230
hirsuta Desf. VIII. 240 212
hirsuta *L. fil.* VIII. 223
hispida *Dc. fil.* VIII. 236
incisa Hamilt. h. VIII. 237
inconstans Jacq. VIII. 240 221
insculpta *Hamilt.* VIII. 223
Kaki Blanco VIII. 237
Kaki *L. fil.* VIII. 229
β cordata *Dc. fil.* VIII. 229
γ glabra *Dc. fil.* VIII. 229
Kaki Roxb. VIII. 229
Kaki β Thbg VIII. 229
laevis *Boj.* VIII. 232
lanceaefolia *Roxb.* VIII. 232
lanceolata *Poir.* VIII. 236
leucomelas *Poir.* VIII. 236
lobata *Lour.* VIII. 233
Lotus *L.* VIII. 228
Lotus Lour. VIII. 239
Loureiriana *G. Don* VIII. 239
lucida hortul. VIII. 229
lucida *Wall.* VIII. 233
lycioides Desf. VIII. 240 215
Mabolo Roxb. VIII. 235
macrocalyx *Dc. fil.* VIII. 226
macrophylla *Blum.* VIII. 228
macrophylla Wall. VIII. 233
Malacapai *Blanco* VIII. 237
maritima *Blum.* VIII. 234
mauritiana *Dc. fil.* VIII. 226
Melanida Neraud VIII. 236
Melanida *Poir.* VIII. 227
melanoxylon *Roxb.* VIII. 224
membranacea *Dc. fil.* VIII. 227
mespiliformis *Hochst.* VIII. 672
montana Heyn. VIII. 239
montana *Roxb.* VIII. 230
multiflora Blanco VIII. 237
multiflora *Wall.* VIII. 231
Neraudii *Dc. fil.* VIII. 227
nigricans *Wall.* VIII. 239
nodosa *Poir.* VIII. 226

Diospyros
oblonga G. Don VIII. 233
oblonga *Wall.* VIII. 228
obovata Jacq. VIII. 223
obtusifolia Bert. h. VIII. 234
obtusifolia *W.* VIII. 227
oleifolia *Wall.* VIII. 239
orixensis *W.* VIII. 230
Paralea *Steud.* VIII. 224
philippinensis *Dc.* VIII. 231
phyllomegas Steud. VIII. 228
pilosanthera *Blanco* VIII. 237
pilosula Wall. VIII. 240 219
Poeppigiana *Dc. fil.* VIII. 225
psidioides Kth. VIII. 240 221
pterocalyx *Boj.* VIII. 225
pubescens Pers. VIII. 240 212
pubescens Pursh VIII. 229
punctata *Dcne* VIII. 230
racemosa *Roxb.* VIII. 239
ramiflora *Roxb.* VIII. 233
reticulata Dcne VIII. 225
reticulata Sieb. VIII. 236
reticulata *W.* VIII. 225
β timoriana *Dc. fil.* VIII. 225
revoluta *Poir.* VIII. 234
Roylei *Wall.* VIII. 239
rubiginosa *Roth* VIII. 239
rubra *Gaertn.* VIII. 239
rugulosa *R. Br.* VIII. 229
salicifolia W. VIII. 240 221
Sapota *Roxb.* VIII. 228
β nigra *Dc. fil.* VIII. 228
Schi-Tse Bunge VIII. 229
senegalensis *Perrott.* VIII. 234 672
sericea *Dc. fil.* VIII. 236
serrata *Hamilt.* VIII. 238
squamosa *Boj.* VIII. 232
stricta *Roxb.* VIII. 232
sylvatica *Roxb.* VIII. 231
β velutina *Dc. fil.* VIII. 231
tessellaria *Poir.* VIII. 225
tetrasperma *Sw.* VIII. 222
tomentosa *Poir.* VIII. 229
tomentosa Roxb. VIII. 223
Toposia *Hamilt.* VIII. 237
Tupru Hamilt. VIII. 223
undulata *Wall.* VIII. 233
β macrophylla *Dc. fil.* VIII. 233
vaccinioides Lindl. VIII. 240 220
venosa *Wall.* VIII. 233
virginiana *L.* VIII. 228
β microcarpa *Raf.* VIII. 228
virginiana var. Mx. VIII. 229
virginica dulcis VIII. 329
Wightiana *Wall.* VIII. 223

Diotis Schreb. XIII. 2.
atriplicina Spr. XIII.
atriplicoides MB. XI
ceratoides W. XIII.
ferruginea Nees XIII.
lanata Pursh XIII. 2
revoluta Nutt. XIII.
Diphilus Salisb. VII. 6
Dipholis *Dc. fil.* VIII.
salicifolia *Dc. fil.* VI
Diplacus *Nutt.* X. 341
glutinosus *Nutt.* X. 3
β puniceus *Bth.* X. 3
latifolius Nutt. X. 3
leptanthus *Nutt.* X. 3
longiflorus *Nutt.* X.
puniceus Nutt. X. 3
rugosus *Bth.* X. 368
Dipladenia *Dc. fil.* VII
alexicaca *Dc. fil.* VI
androsaemifolia *Dc.*
atropurpurea *Dc. fil.*
atroviolacea *Dc. fil.*
crassinoda *Dc. fil.* V
fragrans *Dc. fil.* VII
Gardneriana *Dc. fil.*
β grandiflora VIII. 4
gentianoides *Dc. fil.*
illustris *Dc. fil.* VIII
linariaefolia *Dc. fil.*
longiloba *Dc. fil.* VI
Martiana *Dc. fil.* VII
Moricandiana *Dc. fil.*
pastorum *Dc. fil.* VI
pedunculariis *Dc. fil.*
pulchella *Dc. fil.* VI
sancta *Dc. fil.* VIII.
Saponariae *Dc. fil.* V
splendens *Dc. fil.* VI
tenuifolia *Dc. fil.* VI
β puberula VIII. 482
γ volubilis – –
velutina *Dc. fil.* VIII
Diplanthera *Banks & So*
tetraphylla *Banks &*
Diplaria Raf. VII. 610
Diplecosia G. Don VII.
Diplocalymna *Spr.* IX.
volubile *Spr.* IX. 46
Diploglossum Meisn. V
Diplolepis R. Br. VIII.
Menziesii R. & Schu
Menziesii Poepp. VI
M 6 *Poepp.* VIII. 5
Diploloma *Schrenk* X.
echioides *Schrenk* X.

Don VIII. 216
Don VIII. 214
Don VIII. 216
Lehm. X. 458 485
Kar. & Kir. X. 485
Lehm. X. 487
VII. 591
Blum. VII. 591
– – –
VII. 591
VII. 591
Guett. XII. 609
Nees XI. 100 115 113
XI. 119
Nees XI. 135 724
Nees XI. 129
XI. 130
XI. 107
Moric. XI. 135 724
Nees XI. 131
Nees XI. 143 724
Nees XI. 131
Nees XI. 128
Nees XI. 116
Nees XI. 135
XI. 133
Nees XI. 138
Nees XI. 127
XI. 120
XI. 122
– – 123
– – –
– – –
XI. 120
– – –
Nees XI. 114
XI. 121
Lgew. XI. 124
XI. 125
– –
XI. 124
Nees XI. 129
– –
– –
Nees XI. 135
– 136
Nees XI. 123
Torr. & Gr. XI. 123
XI. 126
Nees XI. 140
XI. 127
Nees XI. 141
XI. 131
XI. 116

Dipteracanthus
geminiflorus *Nees* XI. 136
α procumbens – – –
β hirsutior – – –
γ erectus – – –
δ subacaulis – – 137
ε angustifolius – – –
glandulosо-punctatus *Nees* XI. 130
grandiflorus *Nees* XI. 134 724
β clandestinus – –
guttatus *Nees* XI. 140
Haenkei *Nees* XI. 141 724
α β – – –
γ – – –
Helianthemum *Nees* XI. 132
Hookerianus *Nees* XI. 130
humilis *Nees* XI. 138
α minor – –
β diffusus – 139
hygrophiloides *Nees* XI. 121
hypericoides *Nees* XI. 134
jamaicensis *Nees* XI. 140
inaequifolius *Nees* XI. 143
incomtus *Nees* XI. 140
lamiiformis *Nees* XI. 115
lanato-glandulosus *Nees* XI. 130
lanceolatus Moritzi XI. 149
lanceolatus *Nees* XI. 124
β erectus – –
leucanthus *Nees* XI. 128
linearis Torr. & Gr. XI. 108
longiflorus *Nees* XI. 117
macranthus *Nees* XI. 117
β magnificus – 118
menthoides *Nees* XI. 115
micranthus Engelm. & Gr. XI. 122
microcalyx *Nees* XI. 116
microphyllus *Nees* XI. 143
Mitchillianus *Nees* XI. 123
monanthos *Nees* XI. 125
β nummulariaefolius XI. 125
multifoljus *Nees* XI. 129
β multiflorus – –
Nagchana Nees XI. 109
nanus *Nees* XI. 137
Neesianus *Mart.* XI. 117
β subintegerrimus XI. 117
Neovedia *Nees* XI. 118
nitens *Nees* XI. 137
noctiflorus *Nees* XI. 123
β humilis XI. 123
nudiflorus Engelm. XI. 198
pallidus *Nees* XI. 126
paniculatus *Nees* XI. 142
parviflorus *Nees* XI. 123

Dipteracanthus
patulus *Nees* XI. 126 127
α obtusior XI. 126
α* humilior XI. 127
β erectus XI. 127
Pavonianus *Nees* XI. 133
pilosus *Nees* XI. 127 114
Pohlii *Nees* XI. 139
porrigens *Nees* XI. 137
β trifloras XI. 137
procumbens *Nees* XI. 133 396
prostratus *Nees* XI. 124
α parvifolius *Nees* XI. 124
β macrophyllus – –
Pumilio *Nees* XI. 124
Purdieanus *Nees* XI. 724
Puri *Nees* XI. 131
β angustifolius XI. 132
γ gymnocladus XI. 132
Rosmarinus *Nees* XI. 139
rubiaeformis *Nees* XI. 128
rubicaulis *Nees* XI. 116 723
Schauerianus *Nees* XI. 119
β humilis – – 120
γ – – –
δ japurensis – – –
ε decipiens – –
ζ nanus – – –
Schlechtendalianus *Nees* XI. 133
Schottianus *Nees* XI. 128
serpyllifolius *Nees* XI. 125
sessilifolius *Nees* XI. 118
Sibua *Nees* XI. 121
strepens *Leconte* XI. 121
α calycinus XI. 121
α* pedunculatis XI. 122
β strictus *Nees* – –
γ Diffusi XI. 122
γ* latifolius XI. 122
γ** oblongifolius XI. 122
δ clandestinus – –
strepens Nees XI. 121
subcapitatus *Nees* XI. 723
subringens *Nees* XI. 119
tomentosus *Nees* XI. 134
tuberosus *Nees* XI. 138
tubiflorus *Nees* XI. 128
turbacensis *Nees* XI. 143
urophyllus Nees XI. 192
vagans Nees XI. 123
ventricosus *Nees* XI. 126
vinciformis *Nees* XI. 132
Vindex *Nees* XI. 139
viscidulus *Nees* XI. 142
β glomeratus XI. 142
γ abortivus – –

Dipteracanthus
viscidus *Nees* XI. 141
viscosissimus *Nees* XI.
Dipterocalyx Cham. XI.
glabrescens Cham. XI.
hirtus Cham. XI. 579
Dipterocalyx Schauer

Dipterosperma *Hassk.* XI.
personatum *Hassk.* IX
Dipyrena *Hook.* XI. 539
glaberrima *Hook.* & G
glaberrima Walp. XI.
Disandra L. fil. X. 427
africana Cambess. X.
prostrata L. fil. X. 4
prostrata β W. X. 42
Dischidia *R. Br.* VIII. 6
benghalensis *Colebr.*
clavata *Wall.* VIII. 6
Collyris *Wall.* VIII. 6
cuneifolia *Wall.* VIII.
fasciculata *Dene* VIII.
Gaudichaudii *Dene* VI
hirsuta *Dene* VIII. 63
lanceolata *Dene* VIII.
latifolia *Dene* VIII. 6
nummularia Blum. VI
nummularia *R. Br.* VI
nummularia Dene VI
obovata *Dene* VIII. 6
orbicularis *Dene* VIII.
ovata *Bth.* VIII. 632
puberula *Dene* VIII. 6
punctata *Dene* VIII. 6
Rafflesiana *Wall.* VIII
rhombifolia *Blum.* VI
sagittata *Dene* VIII. 6
timorensis *Dene* VIII.
truncata *Dene* VIII. 6
Wallichii *Wight* VIII.
Dischisma *Choisy* XII. 6
arenarium *E. Mey.* XI
capitatum *Chois.* XII.
chamaedryfolium *Wa*
cilintum *Chois.* XII. 6
β unum XII. 7
ciliatum γ Chois. XII
clandestinum *E. Mey.*
flaccum *E. Mey.* XII.
hispidum *Chois.* XII.
leptostachyum *E. Mey*
spicatum *Chois.* XII.
Discocalyx De. fil. VIII.
Discopodium *Hochst.* XI
penninervium *Hochst.*

c. fil. XI. 702 703
dus De. fil. XI. 703
Leur. VIII. 318
De. IX. 191 *Mart.* IX. 191
ion De. IX. 191
a De. IX. 191
ns De. IX. 191
Gaudich. VII. 517
ana Gaudich. VII. 517
. Br. VIII. 574.
Mart. & Zucc. VIII. 577
folia Dcne VIII. 575
a Mart. VIII. 577
Dcne VIII. 575
tii Dcne VIII 575
nsis Dcne VIII. 577
lii Hook. & Arn. VIII. 577
guinea Dcne VIII. 575.
lia Dcne VIII. 576
ervia Dcne VIII. 577
ta Mart. & Zucc. VIII. 578
es Dcne VIII. 578
Dcne VIII. 574
ri Dcne VIII. 575
cens Dcne VIII. 575
iniana Dcne VIII. 574
Dcne VIII. 575
Mart. & Zucc. VIII. 576
ata Dcne VIII. 576
Mart. & Zucc. VIII. 578
ta Dcne VIII. 575
eria Dcne VIII. 578
a Dcne VIII. 576
ata Mart. & Zucc. VIII. 576
Dcne VIII. 576
ata Mart. & Zucc. VIII. 576
ala Dcne VIII. 574
noides Mart. & Zucc. VIII. 578
ra Dcne VIII. 577
Mart. & Zucc. VIII. 577
ns Dcne VIII. 574
a Dcne VIII. 578
ata Dcne VIII. 574
Dcne VIII. 574
Raf. X. 244
aefolia Raf. X. 245
E. Mey. XIII. 2. 19
E. Mey. XIII. 2. 20
ra G. Don VII. 525
ra Meisn. XI. 115
ra Schuttl. XI. 123

Dizygostemon Bth. X. 379 (Beyrichia)
Dobrowskia *Presl* VII. 355 (rectius Dobrowskya VII. 784)
anceps Presl VII. 356 375
aspera *Do. fil.* VII. 356
Dregeana *Presl* VII. 355
Eckloniana Presl VII. 356
laevicaulis *Presl* VII. 356
Massoniana Presl VII. 355
polyphylla *Presl* VII. 355
scabra *Dc. fil.* VII. 355
serratifolia *Dc. fil.* VII. 356
stellarioides *Presl* VII. 356 784
stricta *Presl* VII. 784
Thunbergiana Presl VII. 355
unidentata *Dc. fil.* VII. 355
Zeyheriana Presl VII. 356
Dodartia *L.* X. 342. 376 *R. & Pav.* X. 296
indica L. X. 376 377
Linaria Mill. X. 376 289
orientalis *L.* X. 376
Dodecatheon *L.* VIII. 55
dentatum *Hook.* VIII. 56
frigidum *Cham.* VIII. 56
integrifolium *Mx.* VIII. 56
Meadia *L.* VIII. 56
Dolia *Lindl.* XIII. 1. 3 15
clavata *Miers* XIII. 1. 15
laxa *Miers* XIII. 1. 16
leptophylla *Miers* XIII. 1. 16
salsoloides *Lindl.* XIII. 1. 15
vermiculata *Lindl.* XIII. 1. 15
Dolichandra Cham. IX. 203 *Dc. fil.* IX. 208
cynanchoides Cham. IX. 205
Dombeya L'Herit. IX. 236
lappacea L'Herit. IX. 236
nodiflora L'Herit. IX. 239
Donatia Loeffl. XI. 698 699 *Schauer* XI. 699 (Avicennia)
Dopatrium *Hamilt.* X. 343 407
junceum *Hamilt.* X. 407 595
lobelioides *Bth.* X. 407
nudicaule *Bth.* X. 407
senegalense *Bth.* X. 407
Doraena Thbg XIII. 1. 673
Doratanthera *Bth.* X. 341 347
linearis *Bth.* X. 347
Dorcoceras Bung. IX. 271
hygrometrica Bung. IX. 271
Dortmanna Rudb. VII. 357
lacustris Rudb. VII. 376
paludosa G. Don VII. 376
palustris G. Don VII. 376

Dorystaechas *Boiss.* & *Heldr.* XII. 260 261
hastata *Boiss. & Heldr.* XII. 261.
Dorystigma Miers XIII. 1. 476
caulescens Miers XIII. 1. 476
crispa Miers XIII. 1. 477
squarrosum Miers XIII. 1. 477
Douglasia *Lindl.* VIII. 46
arctica Hook. VIII. 47
nivalis *Lindl.* VIII. 47
β glabra *Duby*
Dracocephalum *L.* XII. 368 396
L. Auct. XII. 404 405 433
acanthoides *Edgew.* XII. 401
altaiense Laxm. XII. 399
argunense *Fisch.* XII. 402
argunense Reich. XII. 402
aristatum Bertol. XII. 403 405
Aucheri *Boiss.* XII. 397
austriacum *L.* XII. 403
botryoides *Stev.* XII. 397
canariense L. XII. 403 406
canescens L. XII. 403 405
chamaedrifolium *Turcz.* XII. 399
chamaedryoides Balb. XII. 403 255
cochinchinense *Lour.* XII. 403
cordatum Nutt. XII. 403 405
denticulatum Ait. XII. 403 433
discolor *Bung.* XII. 397
erectum Royl. XII. 403 388
foetidum *Bung.* XII. 401
frugile *Turcz.* XII. 399
fruticulosum *Steph.* XII. 400
Govanianum Wall. XII. 403 388
grandiflorum bot. mag. XII. 399
grandiflorum *L.* XII. 399
β minus
heterophyllum *Bth.* XII. 401
hyssopifolium F. Mart. XII. 403
iberieum M.B. XII. 403 405
imberbe *Bung.* XII. 398
inderiense Kar. & Kir. XII. 403 404
integrifolium *Bung.* XII. 400
intermedium Nutt. XII. 403 433
Kotschyi *Boiss.* XII. 402
lamiifolium Desf. XII. 403 507
lancifolium Moench XII. 403 433
mexicanum H. B. & Kth. XII. 403 405
Moldavica *L.* XII. 401
multicaule *Montbr. & Auch.* XII. 402
nutans *L.* XII. 400
obovatum Ell. XII. 403 433
ocimifolium Mill. XII. 403 404
oderatissimum Poir. XII. 403 367
Dracocephalum
origanoides Ledeb. XII
origanoides *Steph.* XII
origanoides Turcz. XII
palmatum *Steph.* XII.
parviflorum *Nutt.* XII.
peltatum L. XII. 404
peregrinum bot. mag.
peregrinum *L.* XII. 4
pinnatifidum Lam. XII
pinnatum Ledeb. XII.
pinnatum *L.* XII. 397
β vegetior 398
Royleanum Wall. XII.
Ruyschiana *L.* XII. 4
sibiricum L. XII. 404
speciosum *Bth.* XII.
speciosum Sweet XII.
spinescens *Wender.* X
staminëum *Kar. & K*
Stellerianum Stend. X
thymiflorum *L.* XII. 4
variegatum Vent. XII.
virginianum L. XII. 4
Spec. Gmel. XII. 388
Dracophyllum *Labill.* VII.
VI
capitatum R. Br. VII
gracile R. Br. VII. 77
latifolium *Soland.* VII
Lessonianum *Rich.* VII
longifolium *R. Br.* VII
rosmarinifolium *R. Br*
secundum *R. Br.* VII.
squarrosum R. Br. VI
Urvilleanum *Rich.* VII.
verticillatum *Labill.* V
Dregea *E. Mey.* VIII. 61
arabica *Decne* VIII. 64
floribunda *E. Mey.* VII
Drejera *Nees* XI. 305 33
boliviensis *Nees* XI. 3
ramosa *Nees* XI. 334
Willdenowiana *Nees* X
Driimys axillaris Cunn.
Drupatris Lour. VIII. 2
Drymonia *Mart.* VII. 5
bicolor *Lindl.* VII. 5
calcarata *Mart.* VII. 6
grandiflora G. Don VII
Jacquini G. Don VII.
serrulata *Mart.* VII. 5
spectabilis *Mart.* VII.
Drymosphace Bth. XII. 2
Duboisia *R. Br.* X. 190
myoporoides *R. Br.* X.

H. B. & Kth. IX. 437
a Mart. IX. 437
l. B. & Kth. IX. 437
a Nees & Mart. IX. 430 438
l. B. & Kth. IX. 438
Houst. XI. 656
hirata IX. 127
gularis fl. flum. VIII. 246 673
Dun. XIII. 1. 4 60 (Solanum)
Moench XIII. 1. 78
Bercht. & Opiz XIII. 1. 78
– – –
– – –
– – –
– – –
s. VII. 730
B. & Kth. XIII. 1. 6 483
R. Br. X. 409
R. Br. XIII. 1. 486. X. 411
es Miers XIII. 1. 484
antha Miers XIII. 1. 485
e Rowille XIII. 1. 484
Miers XIII. 1. 687
Miers XIII. 1. 485
Miers XIII. 1. 486
Miers XIII. 1. 485
H. B. & Kth. XIII. 1. 483
Gaudich. IX. 436
Gaudich. IX. 436
XI. 615
Poir. XI. 616
W. h. XI. 616 610
Rich. XI. 615
acq. XI. 615
Mart. XI. 616 527
W. h. XI. 609
L. XI. 615
pa H. B. & Kth. XI. 616
lla Desf. XI. 615
Sm. XI. 616
fil. XI. 616
a H. B. & Kth. XI. 616
aefolia Juss. XI. 616
Jacq. XI. 615
– –
L. XI. 615
Juss. XI. 616
ham. XI. 616
H. B. & Kth. XI. 615
Schauer XI. 525 608
erat X. 391
erat X. 392
h. XIII. 1. 541 (Datura)
ph XIII. 1 542

Dutra
nigra Rumph XIII. 1. 543
Duvalia Haw. VIII. 661. *Dcne* VIII. 661 (Stapelia)
caespitosa Haw. VIII. 662
compacta Don VIII. 663
elegans Haw. VIII. 662
glomerata Haw. VIII. 664
Jacquiniana Don VIII. 662
laevigata Haw. VIII. 664
mastodes Don VIII. 663
radiata Haw. VIII. 663
reclinata Haw. VIII. 662
replicata Don VIII. 662
tuberculata Haw. VIII. 663
Duvernoia *E. Mey.* XI. 304 322
adhatodoides *E. Mey.* XI. 323
Dyschoriste *Nees* XI. 99. 106
cernua *Nees* XI. 106
depressa *Nees* XI. 106
β – –
geniculata *Nees* XI. 107
littoralis *Nees* XI. 106
radicans *Nees* XI. 106
α diffusa – –
β minor – –
Dysophylla *Blum.* XII. 149 156
auricularia *Bth.* XII. 156
crassicaulis *Bth.* XII. 158
cruciata *Bth.* XII. 157
linearis *Bth.* XII. 157
myosuroides *Bth.* XII. 156
β bracteata – –
pumila *Bth.* XII. 158
β major – –
quadrifolia *Bth.* XII. 157
β velutina – –
γ pubescens – –
ramosissima Bth. XII. 157
stellata *Bth.* XII. 158
strigosa Bth. XII. 158 156
velutina Bth. XII. 157
verticillata *Bth.* XII. 157
β gracilis – 158
Dysosmon Raf. IX. 249
Dysphania R. Br. XIII. 2. 44 86
littoralis *R. Br.* XIII. 2. 86
Dyssochroma *Miers* XIII. 1. 689
longipes *Miers* XIII. 1. 689
viridiflora *Miers* XIII. 1. 689

E.

EBENACEAE Dc. & Duby VIII. 244
EBENACEAE Endl. XIII. 244
EBENACEAE Lindl. VIII. 244

EBENACEAE *Vent.* VIII. 209
Ebenus Rumph VIII. 242
Eberlea Riddell XI. 85
glomerata Riddell XI. 86
Ebermaiera *Nees* XI. 62 70
Anigoxanthus *Nees* XI. 71
argentea *Nees* XI. 76
axillaris *Nees* XI. 75
elegans *Nees* XI. 72
elongata *Nees* XI. 721
fastigiata *Nees* XI. 77
glauca *Nees* XI. 73
hirsuta *Nees* XI. 72
humilis *Nees* XI. 74
incana *Hassk.* XI. 76
lanceolata *Hassk.* XI. 76
lasiobotrys *Nees* XI. 721
longifolia *Nees* XI. 76
mandioccana *Nees* XI. 71
minarum *Nees* XI. 71
β microphylla - 72
polybotrya *Nees* XI. 74
repens *Nees* XI. 77
Riedeliana *Nees* XI. 73
α salicifolia - -
β latifolia - -
Sanctae Catharinae *Nees* XI. 72
setigera *Nees* XI. 76
spathulata *Hassk.* XI. 74
Staurogyne *Nees* XI. 75
β angustifolia - -
stolonifera *Nees* XI. 77
β nana - -
thyrsoidea *Nees* XI. 75
Vauthieriana *Nees* XI. 70
velutina *Nees* XI. 76
veronicifolia *Nees* XI. 73
zeylanica *Nees* XI. 74
Ecclimusa Mart. VIII. 156
ramiflora Mart. VIII. 158
ECCREMOCARPEAE *De.* IX. 238
ECCREMOCARPEAE *Endl.* IX. 238
ECCREMOCARPEAE *Fenzl* IX. 238
Eccremocarpus *R. & Pav.* IX. 238
Don IX. 239
longiflorus *H. B. & Kth.* IX. 238
scaber *R. & Pav.* IX. 238
β scipium *Bert.* - 239
viridis *R. & Pav.* IX. 238
Ecdysanthera *Hook. & Arn.* VIII. 442
brachiata *Dc. fil.* VIII. 443
glandulifera *Dc. fil.* VIII. 443
micrantha *Dc. fil.* VIII. 442
rosea *Hook. & Arn.* VIII. 442
Echaltium *Wight* VIII.
Piscidium *Wight* VI
ECHIALES Lindl. IX.
ECHIEAE *De.* IX. 467 X
Echinacanthus *Nees* XI
attenuatus *Nees* XI.
Brugmansianus *Nees*
calycinus *Nees* IX.
Lyellianus *Nees* IX.
Echinopsilon *Moq.*
carnosus *Moq.* XIII.
crassifolium Moq. X
crassifolius *Moq.* XI
dasyphyllus *Moq.* X
diffusus *Moq.* XIII.
divaricatum Kar.
divaricatus *Moq.* XI
eriophorum Moq. X
eriophorus *Moq.* XI
hirsutum Moq. XIII
β subglabrum -
hirsutus *Moq.* XIII.
β subglaber -
hyssopifolium Moq.
β γ δ
hyssopifolius *Moq.*
β triander
γ tenuifolius
δ pumilus
lanatum Moq. XIII.
lanatus *Moq.* XIII.
muricatum β angus
muricatus *Moq.* XII
β ericifolius XIII. 2
sedoides *Moq.* XIII
β ucranicus
γ tauricus
sericeum Moq. XIII
Echinospermum *Sw.*
X. 135 *Lehm.*
affine *Kar. & Kir.*
anisacanthum *Turcz*
barbatum *Lehm.* X.
borbonicum Lehm.
brachycentrum *Ledeb*
canum *Bth.* X. 141
capense *De.* X. 138
β elatius - -
γ suffruticosum X.
cariense *Boiss.* X.
casanense *Wirtg.* X
casanicum *Wirtg.*
dum

a
sch. & Mey. X. 138
Dietr. X. 143 164
Turcz. X. 114 136
m Lehm. X. 143 144
m Fisch. & Mey. X. 137
ung. X. 143 160
es Lehm. X. 138
es E. Mey. X. 137
hm. X. 135
rcz. X. 136
m. X. 143
isch. & Mey. X. 139
cy. X. 143 154
det X. 140
Lehm. X. 143
Dc. fil. X. 136
Royl. - -
. X. 143 120
m Ledeb. X. 137
ehm. X. 143 588
Ledeb. X. 138
ar. & Kir. X. 143 145
n. X 136
- -
Fisch. & Mey. X. 143 135
Ledeb. X. 139
Lehm. X. 138
Ledeb. X. 140
hm. X. 143 144
m Dc. fil. X. 141
Hohen. X. 143 145
E. Mey. X. 143 149
on X. 143
t. X. 136
m. X. 137
Lehm. X. 137
X. 141
renk X. 140
ar. & Kir. X. 136
Ledeb. X. 138
h. X. 142
. X. 141
Bth. X. 142
Reich. X. 136
leb. X. 139
leud. X. 143 151
r. & Kir. X. 140
n Fisch. & Mey. X. 143. 145
X. 139
Dc. fil. X. 136
ng. X. 143
Ledeb. X. 141

Echinospermum
Vahlianum Lehm. X. 142
α canescens Dc. - -
β obscurum - - -
virginicum Frank Lehm. X. 143 155
vulgare Sw. X. 136
zeylanicum Lehm. X. 142
Echinosphace Bth. XII. 349 (Salvia)
Echinostachys E. Mey. XII. 83
reticulata E. Mey. XII. 83
Echiochilon Desf. X. 27
fruticosum Desf. X. 27
hispidissimum Tausch X. 27. 94
Echioides Desf. X. 27 Moench X. 104
annua Moench X. 109
grandiflora Desf. X. 29
nigricans Desf. X. 31
orientale &c. Tourn. X. 96
palustris Moench X. 105
rubra Desf. X. 34
violacea Desf. X. 31
Echiopsis Reich. X. 4
ECHITEAE G. Don VIII. 412
Echites P. Browne VIII. 446 L. VIII. 408 Thbg VIII. 423 Spr. VIII. 401 R. & Schult. VIII. 318 Wall. VIII. 431 444 Roxb. VIII. 430 432 Boj. VIII. 487 Endl. VIII. 430 432 Auct. VIII. 425 481
acuminata Roxb. VIII. 479 434
acuminata R. & Pav. VIII. 449
acuminata W. h. VIII. 475
acutiloba Dc. fil. VIII. 451
adglutinata Burm. VIII. 479
adglutinata Jacq. VIII. 448
affinis R. & Schult. VIII. 479 434
alexicaca Mart. Stadelm. VIII. 479 484
almadensis Stadelm. VIII. 464
amazonica Stadelm. VIII. 464
angustifolia Bth. VIII. 467
angustifolia Poir. VIII. 449
annularis L. fil. VIII. 479 428
annularis Pav. VIII. 479 428
antennacea Dc. fil. VIII. 456
antidysenterica Roxb. VIII. 479 413
arborea Vell. VIII. 479 364
arborescens Boj. VIII. 479 488
asperuginis Sw. VIII. 448
atropurpurea Lindl. VIII. 479 486

Echites
atroviolacea Stadelm. VIII. 479 484
augusta Vell. VIII. 471
auriculata *Stadelm.* VIII. 459
bantamensis *Blum.* VIII. 478
barbata *Desv.* VIII. 453
Benthami *Dc. fil.* VIII. 467
Berterii *Dc. fil.* VIII. 447
biflora *Jacq.* VIII. 450
bispinosa L. fil. Thbg VIII. 479 424
Blanchetii *Dc. fil.* VIII. 448
bogotensis *H. B. & Kth.* VIII. 474
brachitata Wall. VIII. 479 443
brachystachya *Bth.* VIII. 460
bracteata Heyne VIII. 479
bracteata *H. B. & Kth.* VIII. 458
bracteata Vell. VIII. 474
calycina Wall. VIII. 479 433
campestris *Vell.* VIII. 475
canescens *R. & Schult.* VIII. 475
caryophyllata Blum. VIII. 479 433
caryophyllata Roth VIII. 479 434
caryophyllata Roxb. VIII. 479 432
Catesbaei *G. Don* VIII. 450
caudata Burm. VIII. 417
caudata L. VIII. 479
chilensis *Dc. fil.* VIII. 468
christophoriana *Hamilt.* VIII. 473
ciliata *Stadelm.* VIII. 459
cimicida Pav. VIII. 443
cimicifuga Pav. VIII. 443
circinalis Schlecht. VIII. 466
circinalis *Sw.* VIII. 466
β Thomasiana *Dc. fil.* VIII. 466
citrifolia *H. B. & Kth.* VIII. 465
citrina *Dc. fil.* VIII. 474
clavata *Roxb.* VIII. 477
coalita *Vell.* VIII. 458
coccinea *Hook. & Arn.* VIII. 476
cognata *Stadelm.* VIII. 470
concolor *Hamilt.* VIII. 473
conferta Wall. VIII. 479 433
congesta *H. B. & Kth.* VIII. 466
convolvulacea *Dc. fil.* VIII. 451
cordata *Dc. fil.* VIII. 451
coriacea *Bth.* VIII. 467
coriacea *Blum.* VIII. 478
corymbosa Jacq. VIII. 479 437
costata Forst. VIII. 479 409
crassinoda Gardn. VIII. 479 486
cristata *Roth* VIII. 478

Echites
Curutu *Mart.* VII
β grandifolia Sta
cuyabensis *Dc. fi*
cymosa Roxb. VII
cymosa Wall. VII
dense-venulosa
densiflora *Blum.*
densiflora Stadelm
denticulata *Vell.*
dichotoma *H. B. &*
dichotoma Roth
dichotoma Roxb.
didyma *Vell.* VII
difformis Wall.
domingensis *Jacq*
dubia *Vell.* VIII.
edulis *Thbg* VIII.
elastica *hort. ang*
elegans *Bth.* VII
elegans Wall. VII
elliptica *Thbg* VI
elliptica Wall. VI
emarginata Vell.
erecta *Thbg* VIII.
erecta *Vell.* VIII.
esculenta Wall.
ferruginea *Thbg*
floribunda Sw. V
fluminensis *Dc. fi*
β Claussenii
fragrans Stadelm
franciscea *Dc. fil.*
Fraseri *R. & Sch*
fructu spinoso
frutescens Roxb.
funiformis *Vell.*
galegiformis *Rudg*
geminata *R. & S*
glandulifera Wal
glandulosa R. &
glauca *R. & Sch*
glomerata *Poir.*
gracilis *H. B. &*
gracilipes *Stadelm*
grandiflora Hook
grandiflora Mey.
grandiflora Roth
grandiflora Roxb
grandiflora Stad
grandis Wall. V
guaranitica *St. H*

is Schum. VIII. 480 423
is Dc. fil. VIII. 458
Boj. VIII. 480 488
ylla Gmel. VIII. 453
pr. VIII. 477
Roxb. VIII. 480 399
Hook. VIII. 464
Rich. VIII. 463
R. & Pav. VIII. 463
Vell. VIII. 452
latifolia Stadelm. VIII. 463
H. B. & Kth. VIII. 465
Dc. fil. VIII. 456
W. h. VIII. 475
eggiana Steud. VIII. 475
Dc. fil. VIII. 476
ca Stadelm. VIII. 448
a Bth. VIII. 472
is Stadelm. VIII. 454
Dietr. VIII. 480 402
H. B. & Kth. VIII. 461
Vell. VIII. 480 483
lum. VIII. 478
Spr. VIII. 480 426
Vell. VIII. 480 381
Wall. VIII. 479
hbg VIII. 479
ta Spr. VIII. 480 402
ca Lam. VIII. 448
ginis Dc. fil. VIII. 448
a Dc. fil. VIII. 463
ifolia Stadelm. VIII. 463
ana Dc. fil. VIII. 464
Hamilt. VIII. 430
& Pav. VIII. 451
a Stadelm. VIII. 456
lia Dc. fil. VIII. 455
lia Hamilt. VIII. 449
lia Stadelm. VIII. 455
Vell. VIII. 480
flora Boj. VIII. 480 487
H. B. & Kth. VIII. 448 473
fs. VIII. 479
Steud. VIII. 479
Desf. VIII. 471
Don VIII. 444
& Schult. VIII. 475
Wall. VIII. 480 444
lt. VIII. 467
a R. & Schult. VIII. 475
a Spr. VIII. 477
pa Wall. VIII. 480 434
lla H. B. & Kth. VIII. 461
lla Roxb. VIII. 480 430

Echites
macrostoma *Bth.* VIII. 453
maculata *Dc. fil.* VIII. 474
madida *Vell.* VIII. 474
malabarica *Lam.* VIII. 477
Mansoana *Dc. fil.* VIII. 448
manubriata Wall. VIII. 480 443
maranhamensis *G. Don* VIII. 461
marginata Roxb. VIII. 480 433
Martiana Stadelm. VIII. 480 486
Maximilianea *Stadelm.* VIII. 462
megagros Vell. VIII. 480
membranacea *Dc. fil.* VIII. 457
Meyeriana R. & Schult. VIII. 480 426
micrantha Wall. VIII. 480 442
microcalyx *Dc. fil.* VIII. 456
β glabra VIII. 456
microphylla *Stadelm.* VIII. 459
mollis Spr. VIII. 480 401
mollis W. h. VIII. 461
mollissima *H. B. & Kth.* VIII. 461
monilifera Wall. VIII. 480 443
montana *H. B. & Kth.* VIII. 465
mucronata *R. & Schult.* VIII. 475 454
multinervia Gomez VIII. 437
muricata *Dc. fil.* VIII. 474
myrtifolia *Poir.* VIII. 476
myrtifolia *R. & Schult.* VIII. 473
nitida *Vahl* VIII. 453
nodosa *R. & Schult.* VIII. 476
nummularia Burm. VIII. 480
nutans Anders. VIII. 480 426
oaxacana *Dc. fil.* VIII. 451
oblongifolia *Hamilt.* VIII. 473
obovata *Nees* VIII. 479
obtusa *Thbg* VIII. 479
odorifera *Vell.* VIII. 468
ovalifolia Hook. & Arn. VIII. 476
ovalifolia *Poir.* VIII. 473
Pala *Hamilt.* VIII. 477
paludosa *Vahl* VIII. 467
palustris Salzm. VIII. 463
pandurata *Dc. fil.* VIII. 458
paniculata *Poir.* VIII. 473
paniculata Roxb. VIII. 480 443
paniculata Thonn. VIII. 423
parviflora *Afz.* VIII. 479
parviflora *Roxb.* VIII. 478
pastorum Mart. Stadelm. VIII. 480 482
Pavonii *Dc. fil.* VIII. 463
peduncularis Mart. Stadelm. VIII. 480 482
peltata Lockh. VIII. 479
peltata *Vell.* VIII. 465

Echites
peltigera *Stadelm.* VIII. 447
petraea *St. Hil.* VIII. 472
pilosa Vell. VIII. 480 387
pinifolia *St. Hil.* VIII. 471
plicata *Dc. fil.* VIII. 454
Pohliana *Stadelm.* VIII. 470
β latifolia – –
polyantha Wall. VIII. 480 443
Prieurei *Dc. fil.* VIII. 458
psidiifolia *Stadelm.* VIII. 453
puberula Mx. VIII. 480 437
pubescens Hook. & Arn. VIII. 468
pubescens *R. & Schult.* VIII. 476
pubiflora *G. Don* VIII. 461
pulchella Hook. VIII. 480 485
puncticulosa *Rich.* VIII. 473
pycnantha *Steud.* VIII. 469
quinquangularis *Jacq.* VIII. 468
repens *Blanco* VIII. 478
repens *Jacq.* VIII. 449
reticulata Boj. VIII. 480 433
reticulata *Roth* VIII. 476
β tomentosa – –
revoluta *Dc. fil.* VIII. 457
rhyncosperma Wall. VIII. 480 431
Richardi R. & Schult. VIII. 463
riparia *H. B. & Kth.* VIII. 466
rosea *Dc. fil.* VIII. 450
rotundifolia *Mikan* VIII. 479
rubricaulis *Poir.* VIII. 473
rugellosa *Rich.* VIII. 473
rugosa *Bth.* VIII. 460
sagittata Poir. VIII. 475
Sagraei *Dc. fil.* VIII. 450 473
salicifolia W. VIII. 318
sancta Mart. Stadelm. VIII. 480 484
sanguinolenta Tuss. VIII. 480 426
scabra Labill. VIII. 480 401
scabra *R. & Schult.* VIII. 475
scandens P. Browne VIII. 447
scandens *Thbg* VIII. 479
scholaris L. VIII. 480. 409
secundiflora *Dc. fil.* VIII. 457
semidigyna *Berg.* VIII. 474
sessilis *Vell.* VIII. 476
speciosa *H. B. & Kth.* VIII. 460
spectabilis *Stadelm.* VIII. 462
spicata Jacq. VIII. 480 437
spigeliaeflora *Stadelm.* VIII. 469
spinosa Burm. VIII. 480 332
splendens Lindl. VIII. 676

Echites
Stadelmeyeri *Ma*
stellaris *Lindl.* V
suaveolens *Dc. f*
subcarnosa *Bth.*
suberecta Andr.
suberecta *Jacq.*
suberosa *Vell.* V
subsagitatta *R. &*
subsessilis *Dc. f*
subspicata Sieb.
subspicata *Vahl*
succulenta Thbg
sulphurea *Vell.*
sylvestris *Dc. fil.*
symphitocarpa *M*
syphilitica *L. fil.*
tenuicaulis *Stade*
β latifolia
tenuifolia Mikan
thyrsoidea *Vell.*
tomentosa *Raf.*
tomentosa Roth
tomentosa *Vahl*
β laticordata *Dc.*
torosa *Jacq.* VII
β Brownei *Dc. f*
torulosa Lam. V
torulosa L. VIII.
triangularis Ham
trichotoma *Desf.*
trifida *Blanco* VI
trifida *Jacq.* VIII
tropaeolifolia *Dc.*
truncata Lam. V
tuberosa Haw. V
tubulosa *Bth.* VI
umbellata *Jacq.*
varia *Stadelm.* V
variegata Schrad.
Vauthieri *Dc. fil.*
Velame *St. Hil.*
Velloziana *Dc. f*
velutina Mart. St
velutina Spr. VII
venenata Roxb. V
venenosa *Stadelm*
verrucosa *R. & S*
versicolor *Stadel*
verticalis Hamilt.
vestita *R. & Sch*
violacea *Vell.* VI
virescens *St. Hil.*

…bg VIII. 479
…a Stadelm. VIII. 468
…a Stadelm. VIII. 471
… X. 13. 16 L. X. 13
… 26 Andr. Pers. X. 15
… Poir. X. 18
… Lehm. X. 20
… Pers. X. 25. 6
…eg. & Rodr. X. 24
…chott. X. 24
…deum De. X. 15
… Jacq. X. 24
… De. - -
… De. X. 17
… Fisch. & Mey. X. 21
…ium Grisl. X. 19
…um Lam. X. 20. 19
…ium Sw. X. 26 5
… Guss. X. 21
… De. - -
… Berg. X. 25
… Roth X. 25 7
… α Lehm. X. 7
… β Lehm. X. 25 7
… Massen X. 18
…um MB. X. 24
…um Lam. X. 23
… Lam. X. 22
… Wall. X. 25 27
…um E. Mey. X. 6
…De. X. 17
… Steud. X. 24
…se Poir. X. 22
…thum Horn. X. 17
…chyum Pall. X. 23
…m Vis. X. 20
…m De. - 21
…ntum Drege X. 25 11
…s De. X. 16
…s Lam. X. 17
…s L. fil. X. 17
…s Presl X. 25
…s L. X. 25 12
…s α Lam. X. 12
…s β Lam. X. 25 12
…s Thbg X. 13
… W. K. X. 25
…bot. reg. X. 22
… Lam. X. 22
… L. X. 22
… Pall. X. 20
…s Urv. X. 23
…ngustifol. &c. Tourn. X. 19
… angustifolium rubrum Tourn. X. 23

Echium
cynoglossoides Desf. X. 17
dahuricum G. Don X. 25
dalmaticum Tausch X. 18
densiflorum De. X. 16
diffusum Guss. X. 21
diffusum Sibth. X. 23
distachyum Vis. X. 21
Ecklonianum De. X. 14
elegans Lehm. X. 19
elongatum Lam. X. 24
eriostachyum De. X. 14
falcatum Lam. X. 25 5
fastuosum Banks h. X. 18
fastuosum Jacq. X. 16
fastuosum Salisb. X. 16
ferocissimum Andr. X. 25 7
ferox Pers. X. 25 7
flavum Desf. X. 24
foliosum Lehm. X. 17
Fontanesii De. X. 24
formosum Pers. X. 15
fruticosum Berg. X. 6
fruticosum Jacq. X. 26 7
fruticosum L. X. 26 6
fruticosum α Lehm. X. 6
fruticosum β Lehm. X. 6
gaditanum Boiss. X. 18
giganteum L. X. 18
glabrum Thbg X. 26. 5
glabrum Vahl X. 26. 5
glaucophyllum Jacq. X. 26 5
glaucophyllum Pers. X. 5
glomeratum Boiss. X. 24
glomeratum Poir. X. 24
β elongatum De. - -
grandiflorum Andr. X. 15
grandiflorum Desf. X. 22
hispidum Burm. X. 26. 12
hispidum Sibth. X. 19
hispidum Thbg X. 26 10
humile Desf. X. 26. 20 47
incanum Thbg X. 14
indicum Bernh. X. 25
italicum Bové X. 18
italicum Brot. X. 20
italicum Gmel. X. 20
italicum Lehm. X. 24
italicum L. X. 23
italicum Sieb. X. 24
laevigatum Lam. X. 5
laevigatum L. X. 26. 5
Lagascae Boiss. X. 24
Lagascae R. & Schult. X. 25
lasiophyllum Link X. 26 10
latifolium De. X. 14

Echium
lineariſolium Moench X. 24
lineatum *Jacq.* X. 17
longiſlorum Bertol. X. 26 78
longiſlorum Dum. Cours X. 15
longifolium *Delil.* X. 23
β arabicum *Dc.* – –
longifolium hortul. X. 10
longifolium Wiest X. 19
lucidum Lehm. X. 26 11
lusitanicum All. X. 21
lusitanicum *L.* X. 20
lusitanicum Mill. X. 22
luteum Lapeyr. X. 23
macranthum R. & Schult. X. 22
macrophyllum *Lehm.* X. 16
margaritaceum Lehm. X. 23
maritimum *W.* X. 23
maritimum α Guss. X. 23
maritimum β Guss. X. 21
megalanthos Lapeyr. X. 22
Menziesii *Lehm.* X. 25
Mertensii Lehm. X. 25
micranthum Schousb. X. 21
molle *Poir.* X. 17
montanum *Dc.* X. 15
nervosum Ait. X. 16
orientale L. X. 22
ovatum Poir. X. 21
paniculatum Drege X. 26. 8
paniculatum Lag. X. 25
paniculatum Thbg X. 26. 8
papillosum Lehm. X. 24
papillosum Thbg X. 26. 6
parviſlorum Moench X. 21
parviſlorum W. X. 20
petraeum Portenschl. X. 82
petraeum Tratt. X. 26
pictum Jan X. 26
plantagineum Boiss. X. 22
plantagineum Jacq. X. 22
plantagineum *L.* X. 22 587
plantaginoides R. & Schult. X. 22
prostratum Desf. X. 21
prostratum Sieb. X. 21
prostratum Ten. X. 21
prostratum var. Delil. X. 21
pumilum Lehm. X. 19
pustulatum Boiss. X. 19
pustulatum *Sibth.* X. 19
pyramidale Lapeyr. X. 23
pyramidatum *Dc.* X. 23
β biſidum – 24
γ nanum – –
pyrenaicum Desf. X. 23
Rauwolfii *Delil.* X. 23

Echium
regulariſlorum Ker
rosmarinifolium Vah
rossicum Gmel. X. 2
rubrum *Jacq.* X. 20
β scutifolium *Hohenac*
γ thyrsoideum *Dc.*
rubrum flore rubro
rubrum Moench X.
rupestre Salisb. X.
salmanticum Lag. X
scabrum Eckl. & Ze
scabrum Lehm. X. 2
scabrum Thbg X. 6
Schiſferi Reich. X. 1
sericeum *Vahl* X. 21
setosum Delil. X. 21
setosum *Vahl* X. 21
Sibthorpii R. & Schu
simplex *Dc.* X. 16
Simsii G. Don X. 2
spathulatum Drege
spathulatum Vis. X.
sphaerocephalum Va
spicatum Burm. X.
spicatum *L. fil.* X. 1
splendens *Dc.* X. 15
Sprengelianum *Dc.*
strictum *L. fil.* X. 17
β ambiguum – –
strigosum Eckl. X. 2
strigosum Sw. X. 26
Swartzii Drege X. 2
Swartzii Lehm. X. 2
tenue *Roth* X. 20
tenue α Lehm. X. 20
thyrsiflorum *Mazz.* X
thyrsoideum Vent. X
tinctorium *Vis.* X. 2
trichotomum Drege
trichotomum Thbg X.
trigonum Thbg X. 9
tuberculatum Guss.
tuberculatum *Hoffm.*
tubiferum Poir. X. 1
Vahlii R. & Schult.
valentinum Lag. X.
verecundum *Vis.* X.
verrucosum Sw. X. 2
verrucosum b Drege
verrucosum c Drege
violaceum Dc. X. 58
violaceum *L.* X. 22
γ grandiflorum *Dc.* X.
virescens Dc. X. 17
virescens Jan X. 17

um *Dc.* X. 13
X. 19
18
Bertol. X. 19
diflorum Jan X. 19
Tabl. X. 18
'HEAE *Nees* XI. 79
y. VIII. 500
Key. VIII. 500
Don VII. 613 *Bth.* VII. 614 (Erica)
Don VII. 623
Don VII. 617
on VII. 621
Don VII. 670
Don VII. 621
Don VII. 623
Don VII. 622
Don VII. 623
Don VII. 621
G. Don VII. 621
VII. 622
G. Don VII. 620
Don VII. 618
G. Don VII. 621
Don VII. 621
on VII. 616
VII. 675
Don VII. 617
on VII. 622
XIII. 1. 537
XIII. 1. 537
. 573 (Pedicularis)
on. VIII. 153 (*conf.* X. 626)
n. VIII. 153
fil. VII. 448
fil. VII. 448
fil. VII. 449
c. fil. VII. 448
il. VII. 449
VII. 449
c. fil. VII. 449
fil. VII. 449
2 P. Brown. IX.
X. 502 *H. B. &*
Herit. XIII. 1. 18
IX. 506
Dc. IX. 510
Br. IX. 503
IX. 510
X. 507
eo IX. 52
IX. 506
IX. 511

Ehretia
bogotensis Spr. IX. 511 513
Bourreria *L.* IX. 506
buxifolia *Roxb.* IX. 509
β microphylla *Dc.* IX. 509
cirrhosa Lam. IX. 511 327
coromandeliana Retz IX. 509
corymbosa *Boj.* IX. 505 511
cumanensis *Dc.* IX. 511
cymosa *Thonn.* IX. 508
cymosa W. h. IX. 511 517
dichotoma *Blum.* IX. 504
diffusa Vahl IX. 508
divaricata *Dc.* IX. 506
domingensis *Dc.* IX. 508
dubia *Jacq.* IX. 510
duplicata Nees XIII. 1. 19
elliptica *Dc.* IX. 503
exsucca H. B. & Kth. IX. 508
exsucca *L.* IX. 508
fasciculata *H. B. & Kth.* IX. 508
ferrea W. IX. 511 VIII. 240
floribunda *Royl.* IX. 507
formosa *Dc.* IX. 510
β saxosa
glabra *Roth* IX. 510
grandiflora *Poir.* IX. 510
gustimalensis *Dc.* IX. 507
kalmifolia L'Herit. IX. 511 XIII. 1. 19
kalmifolia Nees XIII. 1. 20
havanensis *W.* IX. 508
heterophylla *Spr.* IX. 509
Heynii R. & Schult. IX. 507
hottentotica *Burch.* IX. 508
javanica *Blum.* IX. 504
internodis L'Herit. IX. 505
laevis *Roxb.* IX. 505
laevis Sieb. IX. 505
laevis β cymosa Poir. IX. 507
laevis cymosa R. & Schult. IX. 511
lanceolata Vell. IX. 511
latifolia *herb. amat.* IX. 503
laurifolia *Dene* IX. 504
laxa *Jacq.* IX. 505
lucida *Spanh.* IX. 505
macrophylla *Wall.* IX. 503
mauritiana *Räusch.* IX. 511
mauritiana Willem. IX. 505
membranifolia *R. Br.* IX. 504
microcarpa *Ten.* IX. 508
microphylla Lam. IX. 509
mollis *Wall.* IX. 511
montevidensis *Spr.* IX. 510 XI. 610
obovata R. Br. IX. 507
obtusifolia *Hochst.* IX. 507

Ehretia
onava *Dc.* IX. 511
petiolaris *Lam.* IX. 504
philippensis *Dc. fil.* IX. 504
polyantha *Dc.* IX. 503
pubescens *Royl.* IX. 507
punctata Roth IX. 505
pyrifolia Don IX. 503
radula *Poir.* IX. 506
reticulata W. h. IX. 511
retusa *Wall.* IX. 511
revoluta *Dc.* IX. 507
saligna *R. Br.* IX. 504
scandens Poir. IX. 511 327
serrata *Roxb.* IX. 503
β pyrifolia *Dc.* – –
γ obovata *Lindl.* IX. 503
setosa *Roxb.* IX. 509
spicata Boj. IX. 511
spinifex *R. & Schult.* IX. 506
spinosa *Jacq.* IX. 510
spinosa Spr. IX. 510
ternifolia H. B. & Kth. IX. 511 513
timorensis *Dene* IX. 505
tinifolia *L.* IX. 503
tomentosa H. B. & Kth. IX. 511 513
tomentosa *Lam.* IX. 507
tomentosa Roth IX. 507
tomentosa Spr. IX. 508
triphylla Hochst. IX. 513
umbellulata Wall. IX. 511
uniflora *Roxb.* IX. 509
velutina *Dc.* IX. 508
viminea *Wall.* IX. 509
β parvifolia *Dc.* – 510
virgata Blanco IX. 511
virgata *Sw.* IX. 506
Wightiana Wall. IX. 512
EHRETIACEAE Schrad. IX. 502
EHRETIACEAE 1. *EHRETIEAE Lindl.* IX. 502
EHRETIACEAE 2. *Lindl.* IX. 531
EHRETIACEAE 1. *TOURNEFORTIACEAE Meisn.* IX. 502
EHRETIAE *Dc.* IX. 467. 502
Elaeodendron Argan Retz VIII. 186
Elatine Caesulp. VII. 489 *Moench* X. 266
Cymbalaria Moench X. 266
hastata Moench X. 268
ovata Gray X. 268
tenuis Moench X. 269
Elatinoides Chav. X. 267 (Linaria)
Elengi Rheed. VIII. 201 202
Elephas Tourn. X. 558 559
campoclarensium Col. X. 559
Elephas
Columnae Guss. X. 5
incurva G. Don X. 5
recta G. Don X. 559
Eleutherostemon Bth. V
Eleutherostemon Klotzs
galioides Klotzsch V
multiglandulosum K
Elliottia *Muehl.* VII. 5
racemosa *Muehl.* VII
Ellisia *L.* IX. 291 *P.*
acuta L. XI. 615
ambigua *Nutt.* IX. 2
chrysanthemifolia *Bu*
frutescens &c. P.
membranacea *Bth.*
microcalyx *Nutt.* IX.
Nyctelaea *L.* IX. 29
ranunculacea *Nutt.*
Ellobum Bth. X. 416
Ellobum Blum. X. 412
montanum Blum. X.
Elmigera Bth. X. 329
Elmigera Reich. X. 32
barbata Reich. X. 3
Elsholtzia Bth. XII. 163
Elsholtzia *W.* XII. 14
blanda *Bth.* XII. 16
cristata Hook. XII.
cristata *W.* XII. 16
densa *Bth.* XII. 162
elata *Zoll. & Mor.*
eriantha *Bth.* XII.
eriostachya *Bth.* XI
flava *Bth.* XII. 160
javanica Blum. XII.
incisa *Bth.* XII. 161
integrifolia *Bth.* XI
leptostachya *Bth.* X
mollissima *Bth.* XII.
ocimoides Pers. XII.
oppositifolia Poir.
paniculata W. XII.
pilosa *Bth.* XII. 16
polystachya *Bth.* XI
pubescens *Bth.* XII.
pusilla *Bth.* XII. 16
Stauntoni *Bth.* XII.
strobilifera *Bth.* XII.
villosa Roxb. XII.
ELSHOLTZIEAE *Bth.*

'ahl XI. 62 *H. B. & Kth.* XI. 284
lia *Nees* XI. 65
a *Lodd.* XI. 63
Vahl XI. 63
– –
a *Nees* XI. 65
a *H. B. & Kth.* XI. 64
H. B. & Kth. XI. 64
Mx. XI. 63
Pers. XI. 64
ers. XI. 63
ahl XI. 63
P. B. XI. 63
H. B. & Kth. XI. 65
es R. & Schult. XI. 64
Nees XI. 64
– – –
ens – – –
– – –
Vahl XI. 64
Mx. XI. 63
ees XI. 63
– –
– –
– –
a *Boj.* IX. 348
acea Boj. IX. 365
Bth. VII. 699 (Erica)
rm. VIII. 83
lia *De. fil.* VIII. 84
De. fil. VIII. 83
e. fil. VIII. 87
Retz. VIII. 88. 85
Wall. VIII. 85
Wall. VIII. 87
Hamilt. A. VIII. 85
Don VIII. 85
Wall. VIII. 86
Wall. VIII. 85
ria Retz VIII. 88
De. fil. VIII. 84
De. fil. VIII. 84
Vall. VIII. 87
ariensis De. fil. VIII. 84
De. fil. VIII. 84
Don VIII. 86
De. fil. VIII. 87
Vall. VIII. 87
Wall. VIII. 86
β *De. fil.* VIII. 86
De. fil. VIII. 85
De. fil. VIII. 83
fil. VIII. 86
Wall. VIII. 88
Wall. VIII. 86

Embelia
Ribes *Burm.* VIII. 85
β *silhetiensis De. fil.* VIII. 85
γ *gracillifolia Wall.* – –
Ribes Wall. VIII. 85
robusta *Roxb.* VIII. 86
Tajerram-Cottam *De. fil.* VIII. 87
umbellulata Wall. VIII. 88. 95
urophylla Wall. VIII. 88
vestita *Roxb.* VIII. 86
villosa De. fil. VIII. 86
villosa *Wall.* VIII. 85
γ *reticulata De. fil.* VIII. 86
EMBELIEAE *De. fil.* VIII. 83
Embryopteris Gaertn. VIII. 222 235
Endl. VIII. 224 235
discolor G. Don VIII. 235
glutinifera Roxb. VIII. 235
Loureiriana G. Don VIII. 238
peregrina Gaertn. VIII. 235
racemosa Don VIII. 239
Emericia R. & Schult. VIII. 399
Pergularia R. & Schult. VIII. 399
Emmenanthe *Bth.* IX. 301
penduliflora *Bth.* IX. 301
Empedoclea Bth. XII. 438 (Sideritis)
Empedoclia Raf. XII. 436 438
montana Raf. XII. 440
Enchylaena *R. Br.* XIII. 2. 45 127
aegyptiaca Spr. XIII. 2. 128 154
Borysthenis Spr. XIII. 2. 128 160
microphylla *Moq.* XIII. 2. 128
paradoxa *R. Br.* XIII. 2. 128
physophora Spr. XIII. 2. 128 164
pubescens *Moq.* XIII. 2. 128
tomentosa *R. Br.* XIII. 2. 128
Enchysia *Presl* VII. 408 409 *Endl.* VII. 408 409
Bauері Presl VII. 409 411
dentata *De. fil.* VII. 409
erecta *De. fil.* VII. 409
crinoides *Presl* VII. 408
Gaudichaudii Presl VII. 409 411
Lessonii *Presl* VII. 409
repens *Presl* VII. 408
scapigera *Presl* VII. 409
β *pusilla De. fil.* – –
Encyanthus Spr. VII. 732
Endiplus Raf. IX. 297
phaseloides Raf. IX. 300

Endogonia Turcz. Endl. X. 128 *Dc. fil.* X. 128 (Eritrichium)
Endopogon *Nees* XI. 99 103
Amomum *Nees* XI. 104. 105
argutus *Nees* XI. 104 723
consanguineus *Nees* XI. 104
decurrens *Nees* XI. 105
Digitalis *Nees* XI. 104
Gardnerianus *Nees* XI. 723
hypoleucus *Nees* XI. 104 105
α – – –
β – – – 153
khassyanus *Nees* XI. 104
viscosus *herb. amat.* XI. 104
α viscosissimus – –
α* humilis – –
γ hispidus – –
β microphyllus – –
vitellinus *Nees* XI. 723
Endotricha Froel. IX. 95
Endotropis *Endl.* VIII. 546
auriculata *Dene* VIII. 546
Jacquemontii *Dene* VIII. 547
Meyeri *Dene* VIII. 546
Roylii *Dene* VIII. 547
Endrach Flac. IX. 334
Endrachium Gmel. IX. 334
madagascariense Gmel. IX. 334
Engelia *Karsten* XI. 721
tovarensis *Klotzsch & Karsten* XI. 721
villosa *Klotzsch & Karsten* XI. 721
Enicostema *Blum.* IX. 66
littorale *Blum.* IX. 66
Enkyanthus *Dc.* (*Encyanthus Spr. Enckianthus Desf. Enkianthus Lour.*) VII. 732
biflorus *Lour.* VII. 733
quinqueflorus *Lour.* VII. 732
quinqueflorus Sims VII. 733
reticulatus *Lindl.* VII. 733
Enslenia *Nutt.* VIII. 518
albida *Nutt.* VIII. 518
EPACREAE *Reich.* VII. 760
EPACRIDACEAE Lindl. VII. 734 760
EPACRIDEAE *R. Br.* VII. 734
EPACRIDEAE sect. 1 *R. Br.* VII. 734
EPACRIDEAE sect. 2 *R. Br.* VII. 760
EPACRIDEAE GENUINAE Bartl. VII. 760
Epacridium Dc. VII. 759 (Pentachondra)
EPACRIEAE G. Don VII. 760
Epacris *Cav.* VII. 760 Pe 760 764 769 *Labill.* *Forst.* VII. 758 769 S 766 769 *Poir. Spr.*
apiculata *Cunn.* VII. 761
attenuata Lodd. VII. 76
auriculata *Bth.* VII. 761
campanulata *Lodd.* VII.
β alba *Dc.* –
capitata Poir. VII. 764
carinata A. Cunn. VII.
ceraeflora *Grah.* VII. 76
cerinthoides Labill. VII.
ciliata Poir. VII. 764
conspicua Poir. VII. 76
coriacea *A. Cunn.* VII.
crassifolia *R. Br.* VII. 7
β ciliaris *Dc.* – –
exserta *R. Br.* VII. 763
fasciculata Forst. VII.
frondosa Gaertn. VII. 7
gracilis Poir. VII. 764
grandiflora W. VII. 761
heteronema Hook. VII.
heteronema *Labill.* VII.
β subreflexa *Dc.* –
impressa *Labill.* VII. 76
β parviflora *Lindl.* – –
juniperina Forst. VII.
lanuginosa *Labill.* VII.
lasiantha Poir. VII. 764
longiflora *Cav.* VII. 761
longifolia Forst. VII. 7
longifolia L. fil. VII. 76
microphylla *R. Br.* VII.
β rivularis *Dc.* –
microphylla Gaudich.
microphylla Sieb. VII.
mucronulata *R. Br.* VII.
myrtifolia *Labill.* VII. 7
nivalis Grah. VII. 762
nivea *Dc.* VII. 762
obtusifolia *Sm.* VII. 762
odorata Sm. VII. 764 7
onosmaeflora *Cunn.* VII.
paludosa *R. Br.* VII. 7
pauciflora *Less. & Ku*
pedicellata *Dc.* VII. 76
pentapetala Poir. VII.
pulchella *Cav.* VII. 760
pulchella Sieb. VII. 760
pumila Forst. VII. 764
pungens Cav. VII. 764
pungens Sims VII. 760

Br. VII. 760
b. VII. 760
762
I. 761
. 764 765
II. 761
764 765
Forst. VII. 764
770
764 766
VII. 761
VII. 761
II. 764 770
Br. VII. 763
II. 762
. 747
. 764 747
VII. 764 771
VII. 771
VII. 761
. 763
Don XIII. 1. 440 (Physalis)
. VII. 670 (Erica)
VIII. 61 (Lysimachia)
. Herm. XI. 449
Ia Banks & Sol. XI. 691
. 528 (Castilleja)
3
591 *L.* VII. 591
II. 592
91
Don VII. 591
. 259 673
VIII. 266
II. 2. 456
CIII. 2. 456
. VII. 337
I. 2. 3
XI. 4
XI. 4
. XI. 3 44 *Blum.* X. 566
. XI. 44
XI. 44
. 44
XI. 44
XI. 44
. XI. 205
546
VII. 546
547
VII. 547

Episcia
pulchella G. Don VII. 539
reptans *Mart.* VII. 546
Epithema *Blum.* IX. 278
Brunonis *Dene* IX. 279
carnosum *Bth.* IX. 278
difformis *Spank.* IX. 564
Horsfieldii *De.* IX. 279
Roxburghii *De.* IX. 279
saxatile *Blum.* IX. 278
EPITHEMEAE *De.* IX. 278
ERANTHEMEAE *Nees* XI. 49 425
Eranthemum *L.* XI. 425 445 *Endl.* XI. 460 *L. Lam.* XII. 23
acanthodes Spr. XI. 461
acanthophorum R. & Schult. XI. 458 726
aviculare R. & Schult. XI. 458 461
affine Spr. XI. 454
alatum *Nees* XI. 450
albiflorum *Hook.* XI. 452
album *Nees* XI. 455
ambiguum Schult. XI. 458 461
angustatum L. XI. 458 XII. 23
angustifolium L. XI. 458 XII. 23
armatum R. & Schult. XI. 458 460
barlerioides Roxb. XI. 114 448
bicolor *Schrank* XI. 459
bifarium *Nees* XI. 458
capense &c. L. XI. 449
cinnabarinum *Wall.* XI. 453
coccineum Lemair. XI. 729
cordatum *Nees* XI. 450
crenulatum *Wall.* XI. 453
α – –
β – –
γ – 454
cristatum H. & Bonpl. XI. 456
cristatum W. h. XI. 224
cubense Spr. XI. 726
cuspidatum *Nees* XI. 451
decurrens *Hochst.* XI. 453
detruncatum *Nees & Mart.* XI. 451
diantherum Blum. XI. 453 455
diantherum Roxb. XI. 456
Edgeworthianum *Nees* XI. 446
elegans *R. Br.* XI. 447
emarginatum Desf. XI. 458 461
exsequatum *Nees* XI. 457
fasciculatum Blum. XI. 456
fastigiatum Hook. h. XI. 449
fastigiatum Spr. XI. 449
filiforme W. h. XI. 451

Eranthemum
flavum W. XI. 458 224
foecundum *Lindl.* XI. 451
graciliflorum *Nees* XI. 454
Haenkeanum *Nees* XI. 457
heterophyllum *Nees* XI. 457
hispidulum *Nees* XI. 450
hispidum *Nees* XI. 456
hypocrateriforme *R. Br.* XI. 454
lanceum *Nees* XI. 451
lapathifolium *Nees* XI. 454
leptostachyum *Nees* XI. 452
lycioides Desf. XI. 461
lycioides W. XI. 458
macrophyllum *Nees* XI. 452
β angustifolium – –
macrophyllum *Wall.* XI. 446
macrostachyum Mart. XI. 285
micranthum h. Berol. XI. 456
microphyllum R. Br. XI. 458
microphyllum R. & Schult. XI. 461
modestum *Nees* XI. 455 456
α majus – –
β minus – 456
montanum *Roxb.* XI. 448 449
α – – 449
β parabolicum – –
γ fastigiatum – –
δ – – –
montanum Russ. h. XI. 449
montanum Wall. XI. 448 449
nervosum *R. Br.* XI. 445
β scabrum – 446
γ confluens – –
nervosum Wall. XI. 446
obovatum var. b E. Mey. XI. 462
obovatum var. c E. Mey. XI. 462
palatiferum *Nees* XI. 457
parviflorum Berg. XI. 458 XII. 23
parviflorum R. Br. XI. 459 123
parvifolium Link XI. 459 461
parvifolium L. XI. 459 XII. 23
pubescens *Roth* XI. 458
pulchellum Andr. XI. 446
pulchellum Gartenmagaz. XI. 456
punctatum *Nees* XI. 455
purpurascens *Wight* XI. 447
β γ – – 448
racemosum *Roxb.* XI. 455
repandum R. Br. XI. 459 462
Riedelianum *Nees* XI. 452
roseum *R. & Schult.* XI. 447
salaccense *Blum.* XI. 448
salsoloides Desf. XI. 459

Eranthemum
salsoloides
semperflore
serpyllifoliu
sessile Nees
sinuatum R
sinuatum R
spinosum L
spinosum R
strictum *Co*
suffruticosu
tetragonum
tetragonum
variabile *R.*
α integrifoli
β dentatum
γ linearis
verbenaceu

verticillatu
vincoides R
vincoides R
viscidum *B*
Wightianum
Zollingeria
Spec. Wigh
Ercilla *A.*
(*Ercil*
spicata *Mo*
volubilis *A.*
Eremia *D. D*

Bartlingian
brevifolia
lanata *Bth.*
parviflora
recurvata
totta *D. D*
tubercularis
Eremiastra B
Eremocallis

Eremodendro
Cunninghan
Eremophila
alternifolia
arborescens
oppositifoli
viscida *En*
Eremostachys
affinis *Schr*
glabra *Boi*
gymnocaly
iberica Vis
laciniata *B*
lossaefolia

ia *Mönch.* & *Ehrh.* XII. 549
oides *Bunge* XII. 549
a *Bunge* XII. 548
renk XII. 549
ogl. XII. 548
Bth. XII. 548
Bunge XII. 549
. VIII. 147
Bth. X. 320 (Penistemon)
Wall. XI. 512 514 *Bth.* XII. 503
a *Nees* XI. 514 515
olia — 515
ia — —
W. Arn. XI. 514
a *Bth.* XII. 504
ia *Nees* XI. 514
618 612 713 *Klotzsch*
) *Gaes.* VII. 613 *D.* & VII. 613 *Thbg.* VII. 712 *W.* VII. 712
erg. VII. 624
. VIII. 680
es *G. Don* VII. 691
es *L.* VII. 691
a *Klotzsch* VII. 620
Fresen VII. 690
rtul. VII. 620
ak VII. 691
Andr. VII. 639
Lodd. VII. 639
angustiflora *Andr.* VII. 639
r. VII. 685
Don VII. 685
Lodd. VII. 687
Bartl. VII. 627
a *Spr.* VII. 693
ramiflora *Klotzsch.* VII. 640
arviflora *Klotzsch* VII. 640
k. VII. 618
th. VII. 615
. VII. 656
Lodd. VII. 671
Wendl. VII. 671
dr. VII. 645
jasminiflora Klotzsch VII. 644
rosea Klotzsch VII. 645

Erica
Aitoniana Lodd. VII. 645
Aitoniana *Masson* VII. 645
albens *L.* VII. 649
β *laxiflora Bth.* VII. 649
albens Wendl. VII. 649
albescens *Klotzsch* VII. 673
albida Thbg. VII. 649
albiflora Klotzsch VII. 674
alopecias Tausch VII. 652
alopecuroides Lodd. VII. 669
alopecuroides Wendl. VII. 675
alveiflora Salisb. VII. 624
amoëna Salisb. VII. 641
ambigua Wendl. VII. 638
amoena Salisb. VII. 644
amoena Wendl. VII. 663
ampullacea Andr. VII. 644
ampullacea *Curt.* VII. 644
ampullaeformis Salisb. VII. 644
Andrewsii Klotzsch VII. 638
andromedaeflora *Andr.* VII. 651
* triumphans *Lodd.*
andromedaeflora bot. mag. VII. 651
andromedaeflora alba Andr. VII. 651
angustata *Bartl.* VII. 674
angustifolia Bartl. VII. 643
anthina Spr. VII. 686
aperta Spr. VII. 651
Aphanes *Spr.* VII. 693
appressa *Spr.* VII. 693
approximata Schlechtd. ex Spr. VII. 691
aprica Klotzsch VII. 660
arachnoidea Klotzsch VII. 691
arborea *L.* VII. 690
arborea Bth. & Sm. VII. 690
arborea Thbg. VII. 678
arbuscula Lodd. VII. 676
arbutiflora Wendl. VII. 656
Archeriana Lodd. VII. 627
arctica Waitz VII. 693 713
ardens *Andr.* VII. 660
ardens bot. reg. VII. 660
argentea *Klotzsch* VII. 686
argentiflora Andr. VII. 628
argutifolia Salisb. VII. 626
aristata *Andr.* VII. 643
aristata bot. mag. VII. 643
aristata minor Andr. VII. 643
aristella Bedf. VII. 643
aristifolia *Niven.* VII. 676
armata *Klotzsch* VII. 672
armata Spr. VII. 637

Erica
artemisioides E. Mey. VII. 693 711
articularis Curt. VII. 652
articularis *L.* VII. 653
articularis Thbg VII. 662
articulata Thbg VII. 693 706
asiatica Waitz VII. 693 611
aspera Andr. VII. 637
asperifolia Salisb. VII. 690
assurgens Link VII. 679
atroviridis Klotzsch VII. 666
aurea *Andr.* VII. 628
β viscosissima *Bth.* VII. 628
auricularis Salisb. VII. 671
australis Andr. VII. 666
australis *L.* VII. 666
axillaris Salisb. VII. 678
axillaris Sol. VII. 692
axillaris Thbg VII. 693 711
axilliflora *Bartl.* VII. 664
azaleaefolia *Salisb.* VII. 619
baccans Bauer VII. 656
baccans *L.* VII. 656
bacciformis Salisb. VII. 656
buculiflora Salisb. VII. 621
Banksii Bauer VII. 623
Banksii *W.* VII. 623
barbata *Andr.* VII. 671
barbata G. Don VII. 671
barbata Drege VII. 671
barbata Lodd. VII. 671
barbata minor Andr. VII. 670
barbigera *Klotzsch* VII. 616
barbigera Salisb. VII. 693 698
Bartlingiana *Klotzsch* VII. 646 656
Bauerea Andr. VII. 624
Beaumontiana Lodd. VII. 661
Behen E. Mey. VII. 641 642
bella G. Don VII. 683
bella Spr. VII. 683
Bergiana *L.* VII. 662
Bergiana Lodd. VII. 662
Bergiana Wendl. VII. 662
bibax Salisb. VII. 633
bibracteata Klotzsch VII. 639
bicolor Andr. VII. 631
bicolor *Thbg* VII. 688
bicolor Wendl. VII. 688
biflora Link VII. 650
Blaeria Thbg VII. 693 498
blanda *Andr.* VII. 636
blanda Lodd. VII. 636
blanda Salisb. VII. 684
Blandfordiana *Andr.* VII. 648

Erica
Blandfordiana bot. m
blenna Salisb. VII. 6
Bonplandiana bot. m
horboniaefolia *Salisb.*
botuliformis Salisb. V
Bowei Bedf. VII. 624
Bowieana *Lodd.* VII.
brachialis *Salisb.* VII
brachycentra *Bth.* VI
bracteata *Thbg* VII.
brevifolia *Salisb.* VII
brevipes Bartl. VII.
Broadleyana *Andr.* V
Bruckenthalii Spr. V
bruniades Andr. VII.
bruniades *L.* VII. 61
α squarrosa *Bth.* – –
β lanata – – –
bruniades Wendl. VI
bruniaefolia *Salisb.* V
brunneo-alba Bartl. V
bryantha Thbg VII.
buccinaeflora Lodd. V
buccinaeflora Sims V
buccinaeformis *Salisb*
bullularis Salisb. VII
Burchellii *Bth.* VII.
α glabriflora –
β hirtiflora –
byssina Salisb. VII.
caduca *Thbg* VII. 69
caduceifera Salisb. V
caesia Bartl. VII. 62
caesia *Klotzsch* VII.
caesia Salisb. VII. 6
caesia Wendl. VII. 6
cafra Andr. VII. 679
caffra L. VII. 671 69
calamiformis Salisb.
calathiflora Salisb. V
caledonica *Spr. fil.* V
callosa G. Don VII.
callosa Wendl. VII.
calostoma Lodd. VII.
calycanthoides Klotz
calycina Andr. VII. 6
calycina Thbg VII. 6
calycina melastoma A
calycina minor Andr.
calycinades Bedf. VI
calyculata Wendl. VI
campanularis Salisb.
campanulata *Andr.* V
campanulata Wendl.
campylophylla Spr. V

ta *Andr.* VII. 688
ta minor *Andr.* VII. 688
Bartl. VII. 626
Dryand. VII. 617
Wendl. VII. 675
rmis *Lodd.* VII. 659
lish. VII. 644
Bartl. VII. 668
Drege VII. 680
Andr. VII. 618
.. VII. 618
Thbg VII. 617
Salisb. VII. 617
Salisb. VII. 660
Klotzsch VII. 680
Lodd. VII. 639
eg. VII. 614
VII. 614
alis *Bth.* VII. 614
Don VII. 641
Lodd. VII. 641
s *hortul.* VII. 685
hortul. VII. 685
ra *Salisb.* VII. 673
Bth.
Lodd. VII. 649
Thbg VII. 664
es *Bauer* VII. 636
es *L.* VII. 636
es β *Thbg* VII. 637
es γ *Thbg* VII. 637
dr. VII. 676
fl. VII. 658
accolata *Wendl.* VII. 676
a *Salisb.* VII. 664
is *Klotzsch* VII. 685
ora *Salisb.* VII. 656
a *Lindl.* VII. 629
ha *Bth.* VII. 649
Klotzsch VII. 620
a *mag.* VII. 665
VII. 665
Salisb. VII. 693
701
s *W.* VII. 693
ra VII. 665
VII. 665
ia *Bth.* VII. 666
ish VII. 692
Salisb. VII. 624
dr. VII. 623
hortul. VII. 643

Erica
coarctata *Wendl.* VII. 692
β longipes *Bth.*
coccinea Bauer VII. 627
coccinea *Berg.* VII. 627
β echiiflora *Bth.*
* Archeria *Andr.* VII. 627
** Bellissonia *Bedf.* VII. 627
*** sanguinea
coccinea L. VII. 621
coccinea L. h. VII. 634
codonodes Lindl. VII. 690
coerulea W. VII. 693 713
colleter Spr. VII. 691
colorans *Andr.* VII. 634
colorans bot. reg. VII. 634
comosa Bauer VII. 650
comosa *L.* VII. 650
compacta Bartl. VII. 673
complanata Nois. & Klotzsch VII. 685
Comptoniana Andr. VII. 642
concava Lodd. VII. 698
concinna Andr. VII. 636
concinna Drege VII. 629
concinna *Soland.* VII. 636
condensata *Bth.* VII. 681
conferta *Andr.* VII. 615
conferta Lodd. VII. 615
confertifolia Wendl. VII. 655
congesta Lodd. VII. 616
congesta Wendl. VII. 679
conica *Lodd.* VII. 664
coniflora Klotzsch VII. 655
constricta Klotzsch VII. 670
conspicua Bauer VII. 633
conspicua *Soland.* VII. 693
α glabra *Bth.*
β splendens *Klotzsch*
γ lanata
δ laniflora
Constantia *Nois. & Klotzsch* VII. 672
cordata *Andr.* VII. 669
β angustifolia *Bth.* VII. 669
corifolia Bauer VII. 652
corifolia *L.* VII. 652
corifolia L. h. VII. 652
corifolia var. Salisb. VII. 653
corifolia spicata Wendl. VII. 652
cornuta *Roxb.* VII. 684
β squarrosa *Bth.*
coronata Andr. VII. 637
coronifera *Bth.* VII. 663
corsica Dc. fl. fr. VII. 666
corusca Lichtenst. VII. 679
Corydalis *Salisb.* VII. 649
corymbosa Bartl. VII. 673

Erica
costaeflora Salisb. VII. 625
costata Andr. VII. 631
cothurnalis Salisb. VII. 621
Coventryana Lodd. VII. 645
crassifolia *Andr.* VII. 685
crassifolia Klotzsch VII. 669
crassisepala *Bth.* VII. 619
crenata E. Mey. VII. 659
crinifolia Salisb. VII. 636
crinita Lodd. VII. 643
cristaeflora *Salisb.* VII. 684
crossota Spr. VII. 685
cruenta Bauer VII. 629
cruenta *Sol.* VII. 629
β lucida *Bth.* –
* mutabilis *Andr.* VII. 629
cubica *L.* VII. 683
cubica Thbg VII. 683
cubica Wendl. VII. 683
cubica minor Andr. VII. 683
culeiliaeflora Salisb. VII. 639
cumulata Klotzsch VII. 690
cumuliflora G. Don VII. 657
cumuliflora *Salisb.* VII. 657
cuneiformis G. Don VII. 648
cupressiformis Salisb. VII. 629
cupressina *Bedf.* VII. 662
curviflora L. VII. 633. 634
curviflora *Thbg* VII. 633
curviflora rubra hortul. VII. 627
curvifolia *Salisb.* VII. 642
curvirostris *Salisb.* VII. 677
cuspidata Klotzsch VII. 615
cuspidigera Salisb. VII. 633
cylindrica Andr. VII. 638
cylindrica Lodd. VII. 638
cylindrica Thbg VII. 646
cylindrica *Wendl.* VII. 635
cylindriflora Salisb. VII. 631
cymosa *E. Mey.* VII. 670
cyrillaeflora Salisb. VII. 682
Daboecia L. VII. 693 713
daphnaeflora Lodd. VII. 646
daphniflora *Salisb.* VII. 646
daphnoides Lodd. VII. 647
decipiens *Spr. fil.* VII. 666
declinata Lodd. VII. 677
decora *Andr.* VII. 664
decora Lodd. VII. 664
decora Salisb. VII. 628
decurrens Klotzsch VII. 632
deflexa *Bedf.* VII. 680
deliciosa *Wendl. fil.* VII. 666
demissa Bedf. VII. 621
demissa *Klotzsch* VII. 666

Erica
densiflora Bartl. VII.
densiflora Drege VII.
densiflora Klotzsch V
densifolia W. VII. 62
dentata Thbg VII. 64
dentata Wendl. VII.
denticularis Salisb. V
denticulata *L.* VII. 6
denticulata Wendl. V
denticulata lutescens

depressa Andr. VII.
depressa Drege VII.
depressa *L.* VII. 68
depressa Thbg VII.
desmanthis *Bth.* VII.
dianthifolia *Salisb.* V
diaphana Spr. VII.
dichromata Lodd. VI
dichrus *Spr.* VII. 63
Dickensoni Lodd. VI
Dickensoniana alba

didyma Stokes VII.
dilatata *Wendl. fil.*
diosmaefolia *Salisb.*
diotaeflora *Salisb.* V
discolor *Andr.* VII.
β puberula *Bth.* –
discolor Wendl. VII
distans *Bth.* VII. 64
distans Spr. fil. VII.
distorta *Bartl.* VII.
divaricata Bedf. VII
divaricata Wendl. V
divergens Wendl. VI
doliiformis Salisb. V
Dregeana Klotzsch V
droseroides Andr. VI
droseroides minor
ducalis Klotzsch VII
dumosa *Andr.* VII. 6
dumosa Salisb. VII.
dysantha *Bth.* VII. 6
eburnea hortul. VII.
echiiflora Andr. VII.
elata Andr. VII. 633
elegans *Andr.* VII. 6
elegans bot. mag. VI
elongata *Lodd.* VII.
embolifera Salisb. V
embothrifolia Salisb.
empetrifolia bot. ma
empetrifolia *L.* VII.
* interrupta *Lodd.* –

fimbriata *Lodd.* VII. 658
fistulaeflora *Salisb.* VII. 646
flacca *E. Mey.* VII. 670
flacca *Klotzsch* VII. 670
flaccida *Link* VII. 647
flagellaris *Link* VII. 653
flagelliformis *Andr.* VII. 653
flammea *Andr.* VII. 633
flava *Andr.* VII. 664
flava *G. Don* VII. 664
flavicans *Klotzsch* VII. 681
flavicoma *Bartl.* VII. 663
flavida *Klotzsch* VII. 670
flexicaulis *Dryand.* VII. 692
flexilis *Salisb.* VII. 668
flexuosa *Andr.* VII. 620
flexuosa *Klotzsch* VII. 620
flexuosa *Salisb.* VII. 620
floccillora *Bth.* VII. 660
floccosa *Bartl.* VII. 686
floccosa *Salisb.* VII. 633
floribunda *Lodd.* VII. 688
β micrantha *Bth.* – –
floribunda *Wendl.* VII. 668
florida *Lodd.* VII. 684
florida *Thbg* VII. 662
β parviflora *Klotzsch* VII. 662
flosculosa *Salisb.* VII. 694 707
foliacea *Andr.* VII. 630
foliacea *Klotzsch* VII. 691
follicularis *Salisb.* VII. 621
Forbesiana *Klotzsch* VII. 644
formosa *Andr.* VII. 627
formosa *Thbg* VII. 659
* autumnalis *hort.* VII. 659
fragilis *Salisb.* VII. 623
fragrans *Andr.* VII. 686
fragrans *bot. mag.* VII. 686
fragrans *Salisb.* VII. 648
frondosa *Salisb.* VII. 627
fucata *Klotzsch* VII. 667
fugax *Salisb.* VII. 656
fulgida *Bedf.* VII. 626
fulgida *Lodd.* VII. 626
furfurosa *Salisb.* VII. 623
fusiformis *Salisb.* VII. 622
fusiformis γ δ *Salisb.* VII. 622
galiiflora *Bartl.* VII. 688
galiiflora *Salisb.* VII. 650
galioides *Klotzsch* VII. 691
galioides *Lam.* VII. 694 696
gelida *Andr.* VII. 624
gelida *hortul.* VII. 624
gemmifera *Lodd.* VII. 638
genistaefolia *Salisb.* VII. 657

Erica
gibbosa *Klotzsch* VII. 678
gigantea *Klotzsch* VII. 656
Gillii *Bth.* VII. 684
gilva *Wendl.* VII. 624
glabella Thbg VII. 694 704
glabra Link VII. 642
glabra Thbg VII. 694 705
glandulifera *Klotzsch* VII. 641
glandulosa Andr. VII. 692
glandulosa Drege VII. 632
glandulosa Thbg VII. 632
glandulosa Wendl. VII. 627
glauca *Andr.* VII. 654
glauca bot. mag. VII. 654
glaucescens Bartl. VII. 626
glaucifolia Klotzsch VII. 620
globosa *Andr.* VII. 672
globulifera Klotzsch VII. 667
glomerata *Andr.* VII. 650
glomiflora Salisb. VII. 659
glumaeflora *Klotzsch* VII. 689
glutinosa Andr. VII. 626
glutinosa Bauer VII. 641
glutinosa *Berg.* VII. 641
β parviflora *Bth.* - -
glutinosa minor Andr. VII. 626
gnaphaliiflora Salisb. VII. 657
gnaphalodes Klotzsch VII. 657
gnaphalodes L. VII. 657
gnaphalodes *Thbg* VII. 656
gnaphalodes Wendl. VII. 657
gnidiaefolia Salisb. VII. 686
Gordonia hortul. VII. 659
gorteriaefolia Salisb. VII. 644
gracilis Andr. VII. 677
gracilis *Salisb.* VII. 677
grandiflora Andr. VII. 628
grandiflora *L. fil.* VII. 628
grandiflora brevifolia Wendl. VII. 627 628
grandiflora longifolia Wendl. VII. 628
grandinosa Andr. VII. 659
grandinosa G. Don VII. 659
granulata L. VII. 658
grisea Klotzsch VII. 674
guttaeflora Salisb. VII. 676
halicacaba Bauer VII. 623
Halicacaba *L.* VII. 623
halocalycina Klotzsch VII. 690
Hartnelli Roll. VII. 643
hebecalyx *Bth.* VII. 630
helianthemifolia Salisb. VII. 671
hemisphaerica Klotzsch VII. 678
herbacea L. VII. 614

Erica
Hesseana *Wendl.* VII.
Hibbertiana *Andr.* VII.
Hibbertiana bot. mag.
hirsuta *Klotzsch* VII.
hirsuta Lodd. VII. 63
hirsuta Salisb. VII. 7
hirsuta Thbg VII. 694
hirta Andr. VII. 630
hirta *Thbg* VII. 672
hirta Wendl. VII. 65
hirta viridiflora And
hirtiflora *Curt.* VII. 6
β minor *Bth.* -
hirtiflora Lodd. VII.
hispida Andr. VII. 66
hispida Thbg VII. 69
hispidula G. Don VII
hispidula *L.* VII. 691
α serpyllifolia *Bth.* VI
β crassifolia - -
γ hispida - -
δ micrantha - -
ε foliacea - -
hispidula Wendl. VII
holosericea Salisb. V
horizontalis Andr. VI
hottoniaeflora Salisb.
Humeana Lodd. VII.
humifusa *Salisb.* VII.
humilis *Bth.* VII. 615
humilis Salisb. VII.
hyacinthoides Andr.
hybrida hortul. VII.
hypocrateriformis Tau
hystriciflora Salisb.
jasminiflora *Andr.* VI
* minor -
jasminiflora Salisb.
jasminiflora Wendl.
ignescens *Andr.* VII.
ignescens Wendl. VII
ignorata Klotzsch VII
imbellis Salisb. VII.
imbricata Andr. VII.
imbricata Bartl. VII.
imbricata Klotzsch V
imbricata *L.* VII. 62
incana Wendl. VII.
incarnata Andr. VII.
incarnata *Thbg* VII.
incerta Klotzsch VII.
inclusa *Wendl. fil.* V
incomta *Klotzsch* VII
inconspicua *Bartl.* V
incurva Andr. VII. 6

g VII. 683
ndl. VII. 616
ts VII. 714
lotzsch VII. 646
tzsch VII. 675
ul. VII. 644
VII. 641
Bth. VII. 641
ormis Andr. VII. 645
ormis Bartl. VII. 646
f. VII. 632
Klotzsch VII. 621
Salisb. VII. 675
Klotzsch VII. 617
Bth. VII. 619
ndr. VII. 645
– –
odd. VII. 645
Bth. VII. 680
is. VII. 647
rtl. VII. 662
Bth. VII. 680
a Klotzsch VII. 677
Hsb. VII. 694 706
ndr. VII. 685
urpurea Andr. VII. 693
blia Salisb. VII. 686
ea G. Don VII. 693
tzsch VII. 677
Lodd. VII. 677
-a Salisb. VII. 662
tl. VII. 677
Bartl. VII. 650
rmis Salisb. VII. 644
ma Lodd. VII. 660
Salisb. VII. 671
Klotzsch VII. 651
dr. VII. 617
endl. VII. 633
Wendl. VII. 633
labra Wendl. VII. 633
a Andr. VII. 623
ang. VII. 687
Hsb. VII. 689
Klotzsch VII. 677
da Klotzsch VII. 617
s Spr. VII. 678
Andr. VII. 676
V. VII. 676
a Bth. VII. 676
ndr. VII. 669
folia Salisb. VII. 684
ot. mag. VII. 646
a Andr. VII. 646
. VII. 697

Erica
laxiflora Bth. VII. 647
Lees Andr. VII. 625
Leeana Dryand. VII. 625
α aurantiaca Bth. – –
β candida – – 626
γ viridis – – –
δ minor – – –
ε glaucescens – – –
ζ pulchella – – –
Lehmanni Klotzsch VII. 618
leiophylla Bth. VII. 684
lentiformis Salisb. VII. 666
leptocarpha Spr. fil. VII. 646
leptocephala Klotzsch VII. 620
leptophylla Klotzsch VII. 620
leptopus Bth. VII. 680
leucantha hortul. VII. 677
leucanthera Andr. VII. 677
leucanthera L. fil. VII. 689
leucodesmia Bth. VII. 681
leucophylla Klotzsch VII. 655
leucosepala Klotzsch VII. 689
Lichtensteinii Klotzsch VII. 662
lilacina Klotzsch VII. 657
lineata Bth. VII. 622
linifolia Salisb. VII. 651
Linnaeana Andr. VII. 634
Linnaeana superba Andr. VII. 634
lituiflora Salisb. VII. 634
longiaristata Bth. VII. 663
longifissa Klotzsch VII. 680
longiflora Andr. VII. 633
longiflora Salisb. VII. 633
longifolia Ait. VII. 625
longifolia γ & δ Salisb. VII. 625
longifolia var. Salisb. VII. 626
longifolia carnea bot. mag. VII. 626
longipedunculata Lodd. VII. 668
longipes Bartl. VII. 692
longipes Klotzsch VII. 684
β parviflora Bth. – 685
lucida Andr. VII. 687
lucida G. Don VII. 687
lucida Salisb. VII. 687
lugubris Salisb. VII. 614
lusitanica Rudolph. VII. 690
lutea L. VII. 651
α lutea Bth. VII. 651
β albiflora – – –
lutea alba Bedf. VII. 651
luteoalba Bedf. VII. 677
lycopodiifolia Salisb. VII. 638
lycopodioides Lodd. VII. 619

Erica
lycopodioides Waitz VII. 691 611
lyrigera Salisb. VII. 687
lysimachiaeflora Salisb. VII. 684
Mackayi *Hook.* VII. 665
macroloma *Bth.* VII. 661
macrophylla *Klotzsch* VII. 669
macrostoma Klotzsch VII. 688
magnifica Andr. VII. 638
malleolaris Salisb. VII. 663
mammosa Andr. VII. 624
mammosa *L.* VII. 624
β albiflora *Bth.* – –
γ pallida *hort.* – –
mammosa Thbg VII. 636
manipuliflora Salisb. VII. 667
margaritacea *Sol.* VII. 677
margaritacea Wendl. VII. 677
marginata Andr. VII. 687
marginata Bartl. VII. 653
marifolia *Sol.* VII. 671
β helianthemifolia *Bth.* VII. 671
marifolia Wendl. VII. 671
mariboides hortul. VII. 678
Martinesii Lag. VII. 665
Massoni *L. fil.* VII. 638
β minor *hortul.* – –
Massoni Thbg VII. 638
Massonia Andr. VII. 638
mauritanica L. VII. 679
media *Klotzsch* VII. 682
medioliflora Salisb. VII. 648
mediterranea L. VII. 614
melanantherа Thbg VII. 684
melanthera *L.* VII. 684
β adenophylla *Bth.* VII. 684
melastoma Andr. VII. 622
mellifera Link VII. 675
melliflua Salisb. VII. 629
mera Klotzsch VII. 626
Mertensiana *Wendl.* VII. 635
metulaeflora Andr. VII. 640
metulaeflora Curt. VII. 640
metulaeflora Klotzsch VII. 636
metulaeflora Lodd. VII. 640
Meuroni *Bth.* VII. 636
Meyeriana *Klotzsch* VII. 653
microstoma Berg. VII. 668
milleflora Berg. VII. 690
minuta Klotzsch VII. 691
minutaeflora Andr. VII. 692
minutissima *Klotzsch* VII. 691
mira *Klotzsch* VII. 680
mirabilis Andr. VII. 647
mirabilis Lodd. VII. 647
mitraeformis Salisb. VII. 674

Erica
modesta Bedf. VII. 67
modesta *Salisb.* VII.
mollis *Andr.* VII. 674
monadelpha *Andr.* VII
monadelpha Curt. VII
Monsoniae Bauer VII
Monsoniana Andr. VI
Monsoniana *L. fil.* VI
montana Bedf. VII. 6
monticola Klotzsch V
moschata *Andr.* VII.
moschata Lodd. VII.
mucosa Bauer VII. 6
mucosa *L.* VII. 658
β brevifolia *Bth.* VII.
γ crenata – –
mucosoides Lodd. VI
mucronata *Andr.* VII.
multicaulis Salisb. V
multiflora Andr. VII.
multiflora Dc. fl. fr.
multiflora *L.* VII. 66
multiflora longipedunc
multiumbellata Berg.
multumbellifera hortu
munda Salisb. VII. 6
Mundtiana Klotzsch
mundula Andr. VII.
muricata Wendl. fl.
murina Klotzsch VII.
Muscari *Andr.* VII. 6
* tronula *Lodd.* – –
** cruciformis *Andr.* –
*** nobilissima *Salisb.* –
*** Bouplandiana *Lodd.* –
Muscari Wendl. VII.
mutabilis Lodd. VII.
mutabilis Salisb. VII.
myriantha Bartl. VII.
myriantha Klotzsch V
nana *Salisb.* VII. 631
nana Wendl. VII. 63
neglecta G. Don VII.
nemorosa Klotzsch V
nidularis *Lodd.* VII.
nigrita Andr. VII. 68
nigrita *L.* VII. 687
β Nivenii *Bth.* – –
γ subcristata – – –
δ lyrigera – – –
ε marginata – – –
ζ melanthera – – –
nitens Bartl. VII. 68
nitens *Bedf.* VII. 693

r. VII. 659
ld. VII. 659
. *Klotzsch* VII. 659
ortul. VII. 687
dr. VII. 674
f. VII. 687
dr. VII. 635
– –
Klotzsch VII. 652
Salisb. VII. 691 701
Salisb. VII. 663
Wendl. VII. 691 700
Berg. VII. 680
hortul. VII. 678
L. VII. 668
Sm. VII. 668
Don VII. 676
ndl. VII. 618
dr. VII. 644
Bedf. VII. 652
sb. VII. 677
nuer VII. 661
ibg VII. 661
edf. VII. 640
a Bth. VII. 632
alis Salisb. VII. 682
Don VII. 657
ld. VII. 657
Klotzsch VII. 615
Salisb. VII. 652
Wendl. fil. VII. 687
Thbg VII. 637
ndr. VII. 660
ea Andr. 661
atissa – –
ana Knowl. – –
it. mag. VII. 661
r. VII. 641
ata Salisb. VII. 626
Bth. VII. 672
ia Andr. VII. 651
ia major Andr. VII. 650
ia rubra Andr. VII. 651
ia rubra Lodd. VII. 650
Wendl. VII. 667
Lodd. VII. 694 698
ätzsch VII. 620
dd. VII. 627
d. VII. 674
sch VII. 674
ia Salisb. VII. 670
ata Klotzsch VII. 689

Erica
pachyphylla Spr. VII. 657
paleacea Klotzsch VII. 620
paleacea Salisb. VII. 694 706
pallens *Andr.* VII. 635
pallescens Klotzsch VII. 653
pallida Lodd. VII. 638
pallida *Salisb.* VII. 673
pallida Wendl. VII. 652
palliidiflora Klotzsch VII. 679
palliiflora *Salisb.* VII. 651
paludosa Salisb. VII. 636
palustris *Andr.* VII. 682
palustris Lodd. VII. 682
paniculata *L.* VII. 690
paniculata Lodd. VII. 657
paniculata Thbg VII. 694 703
pannosa Salisb. VII. 671
parilis *Salisb.* VII. 664
β flava *Bth.* – –
γ parvifolia – – –
Parmentieri Lodd. VII. 647
parviflora *L.* VII. 675
Passerinae *L. fil.* VII. 681
passerinaefolia Salisb. VII. 681
patens *Andr.* VII. 686
patens Wendl. VII. 686
Patersonia Andr. VII. 630
Patersonia coccinea Andr. VII. 638
patersonioides Bedf. VII. 638
patula *Klotzsch* VII. 652
patula E. Mey. VII. 680
pavettaeflora *Salisb.* VII. 645
* Coventryana *Andr.* – –
pectinata Bartl. VII. 691 693
pectinata *Klotzsch* VII. 642
pectinifolia Salisb. VII. 637
pedicellata *Klotzsch* VII. 646
pedunculàris Presl VII. 667
peduncularis *Salisb.* VII. 676
pedunculata Andr. VII. 680
pedunculata Wendl. VII. 676
pellucida *Andr.* VII. 632
α exposita *Bth.* – –
β media *Klotzsch* – –
γ exsudans *Bth.* – –
δ hirtiflora – – –
ε breviflora – – –
pellucida Salisb. VII. 647
pellucida absoluta Klotzsch VII. 632
pellucida rubra Andr. VII. 632
pellucida tenera Klotzsch VII. 632
peltata *Andr.* VII. 691
pelviformis *Salisb.* VII. 679

Erica
pendula Lodd. VII. 676
pendula Wendl. VII. 666
penicillata *Andr.* VII. 622
penicillata Lodd. VII. 622
penicilliflora *Salisb.* VII. 621
pentaphylla L. VII. 671
periplocaeflora *Salisb.* VII. 686
perlata *Bedf.* VII. 670
perlata Lee VII. 672
persoluta bot. mag. VII. 679
persoluta Drege VII. 679
persoluta *L.* VII. 678
α hispidula *Bth.* - 679
β laevis - - -
γ subcarnea - - -
persoluta major Wendl. VII. 679
persoluta var. hortul. VII. 679
perspicua Andr. VII. 634
perspicua Bedf. VII. 639
perspicua *Wendl.* VII. 634
β latifolia *Bth.* - -
α linnaeoides *Andr.* - -
perspicuoides Bedf. VII. 639
petiolaris Salisb. VII. 615
petiolata *Thbg* VII. 615
petiolata Wendl. VII. 615
Petiveri L. VII. 621
Petiveri Wendl. VII. 621
Petiveri *W.* VII. 621
β melastoma *Bth.* - 622
Petiveri hirsuta Andr. VII. 622
petraea *Bth.* VII. 668
pezisa Lodd. VII. 674
pharetraeformis Salisb. VII. 627
phylicifolia Salisb. VII. 627
phylicoides W. VII. 662
physantha *Bth.* VII. 619
physodes Andr. VII. 660
physodes G. Don VII. 660
physodes *L.* VII. 659
* Lambertiana *Andr.* VII. 660
physophylla *Bth.* VII. 682
picta Bedf. VII. 622
pilifera Klotzsch VII. 673
pilifera *Thbg* VII. 692
pilosa Lodd. VII. 617
pilulaeformis Salisb. VII. 680
pilularis Berg. VII. 658
pilularis Lodd. VII. 658
pilulifera Andr. VII. 658
pilulifera *L.* VII. 680
pilulifera Wendl. VII. 678
pinea Andr. VII. 625
pinea Wendl. VII. 626
pinea purpurea Lodd. VII. 627

Erica
pinguis Klotzsch V
pinifolia Andr. VI
pinifolia Salisb. V
pithyophylla Spr.
placentaeflora Sal
planifolia *L.* VII.
planifolia Wendl.
Plukenetii Bauer
Plukenetii *L.* VII.
Plukenetii μ *brev*
Plukenetii conferta
Plukenetii o *Dre*
Plukenetii γ *Eckl*
Plukenetii inflata
plumigera Bartl.
plumosa *Andr.* VI
plumosa Lodd. VI
plumosa Thbg VI
plumosa Wendl. V
podophylla *Bth.* V
pogonanthera *Bar*
pogonanthera Klot
Pohlmanni Lodd.
polifolia *Salisb.* V
polyantha *Klotzsc*
polycodon *Bth.* V
polycoma *Bth.* VI
polygalaeflora *Kl*
β major *Bth.*
polytrichifolia *Sal*
pomifera hortul. V
porrigens Bartl. V
praecox *Klotzsch*
praecox Lodd. VI
praegnans Andr.
praestans *Andr.* V
praestans Lodd. V
praeusta Bartl. V
primuloides bot.
princeps Andr. VI
princeps Lodd. VI
procera Salisb. V
procera Wendl. V
procumbens *Lodd.*
prolifera Salisb. V
propendens *Andr.*
propendens bot.
protrudens *Link* V
pseudo-vestita Bt
puberula Bartl. VI
puberula *Klotzsch*
pubescens Andr. V

...c. mag. VII. 675
... VII. 673
...odd. VII. 674
...eb. VII. 674
...ajor hortul. VII. 674
...inima Andr. VII. 675
...inor Andr. VII. 674
...'losa Thbg VII. 673
...losa Wendl. VII. 674
...llosa Thbg VII. 673
...isb. VII. 673
...alisb. VII. 618
...Salisb. VII. 649
...dr. VII. 662
...ett. VII. 662
...bg VII. 626
...sb. VII. 647
... Salisb. VII. 627
... VII. 655
...rtl. VII. 669
...VII. 626
...VII. 673
...tul. VII. 673
... L. VII. 614 667
...dr. VII. 627
... Bth. - 628
...bg VII. 694 698
...endl. VII. 627
...b. VII. 675
... VII. 694 698
...Bth. VII. 653
...dr. VII. 672
... Andr. VII. 682
... Salisb. VII. 620
... Sol. VII. 682
...Bth. - -
...nis Wendl. VII. 673
... Salisb. VII. 656
... Salisb. VII. 663
... Salisb. VII. 679
...ris Andr. VII. 640
...odd. VII. 659
... Andr. VII. 662
... Klotzsch VII. 631
... Andr. VII. 662
...hbg VII. 668
...Vendl. VII. 668
...ir. VII. 638
...color Andr. VII. 638
...alisb. VII. 637
... Bauer VII. 658
... L. VII. 658
... Wendl. VII. 674
...ertl. VII. 620
...ev. VII. 666

Erica
rastellum Spr. VII. 621
recurvata *Andr.* VII. 657
recurvata Lodd. VII. 657
reflexa Andr. VII. 659
reflexa *Link* VII. 659
β cantharoeformis *Bth.* - -
refulgens Andr. VII. 631
refulgens brevifolia Klotzsch VII. 631
refulgens longifolia Klotzsch VII. 631
regerminans Andr. VII. 679
regerminans hortul. VII. 679
regerminans *L.* VII. 662
β grandiflora *Bth.* - -
regerminans Lodd. VII. 679
regia *Bartl.* VII. 626
retorta Andr. VII. 644
retorta *L. fil.* VII. 644
retroflexa Wendl. VII. 662
revolvens Bartl. VII. 622
rigens Bartl. VII. 687
rigida Lodd. VII. 639
rigidifolia Wendl. VII. 687
rigidiuscula Wendl. VII. 627
rosea Lodd. VII. 626
rostella Bedf. VII. 621
rostrata Bartl. VII. 621
Roxburghii *Bth.* VII. 682
rubella G. Don VII. 650
rubella Ker VII. 650
rubens *Andr.* VII. 676
β lasiandra *Bth.* - 677
rubens Thbg VII. 676
rubens Wendl. VII. 676
rubens humilis Wendl. VII. 676
rubercalyx Andr. VII. 638
rubida Lodd. VII. 638
rufescens *Klotzsch* VII. 640
rugosa Andr. VII. 640
rupestris Andr. VII. 680
rupestris Salisb. VII. 623
rupestris rubra Andr. VII. 680
rupicola *Klotzsch* VII. 681
Russeliana *Andr.* VII. 643
Russeliana Lodd. VII. 643
sacciflora *Salisb.* VII. 630
sagittata *Klotzsch* VII. 681
Sainsburyana Andr. VII. 641
salax *Salisb.* VII. 691
Salisburia Andr. VII. 627
sanguinea Lodd. VII. 627
sanguinolenta Lodd. VII. 672
Savileana *Andr.* VII. 641
Savilliae Lodd. VII. 641

Erica
saxatilis Salisb. VII. 614
scabra Thbg VII. 706
scabriuscula Drege VII. 678
scabriuscula Lodd. VII. 678
scariosa Berg. VII. 618
scariosa Lodd. VII. 685
scariosa Thbg VII. 668
sceptriformis Salisb. VII. 625
Scholliana Lodd. VII. 653
scoliostoma Klotzsch VII. 648
scoparia L. VII. 692
β parviflora Bth. - -
scoparia Thbg VII. 690
Sebana Dryand. VII. 621
Sebana Wendl. VII. 621
Sebana breviflora Klotzsch VII. 621
Sebana lutea Andr. VII. 621
selaginifolia Salisb. VII. 657
semisulcata Drege VII. 660
senilis Klotzsch VII. 617
sequax Salisb. VII. 660
seriphiifolia Salisb. VII. 663
serpyllifolia Andr. VII. 691
serrata Thbg VII. 691
serratifolia Andr. VII. 631
β - - -
serratifolia Lodd. VII. 631
serrulata Bedf. VII. 689
sertiflora Salisb. VII. 668
sessiliflora Andr. VII. 625
sessiliflora L. fil. VII. 625
sessiliflora Wendl. VII. 657
setacea Andr. VII. 690
setacea Drege VII. 679
setifera Klotzsch VII. 616
setosa Bartl. VII. 671
setula Klotzsch VII. 689
setulosa Bth. VII. 682
sexfaria Andr. VII. 618
sexfaria Dryand. VII. 618
Shannoni Lodd. VII. 614
Shannoniana Andr. VII. 614
sicaefolia Salisb. VII. 672
sicula Guss. VII. 694 613
Sieberiana Klotzsch VII. 673
simpliciflora W. VII. 633 634
sitiens Klotzsch VII. 677
Smithiana Lodd. VII. 662
soccifiora Salisb. VII. 621
sodalis Klotzsch VII. 690
Solandriana Andr. VII. 658
solandroides Andr. VII. 616
sordida Andr. VII. 633
sordida Drege VII. 634
Sparmanni L. VII. 630

Erica
sparsa Klotzsch VII.
sparsa Lodd. VII. 6
speciosa Andr. VII.
β bicolor Bth. -
γ calycina - -
speciosa Lodd. VII.
speciosa Schneev. VI
speciosa α tomentos
speciosissima Klotzs
spectabilis Klotzsch
sphaerantha Spr. VII
sphaerocephala Wen
spicata Andr. VII. 6
spicata Thbg VII. 62
β ciliata Bth. - -
spiculiflora Salisb. V
spireaeflora Salisb.
spissifolia Salisb. V
splendens Andr. VII.
splendens Wendl. VI
Sprengelii hortul. VI
spumosa L. VII. 618
spumosa Lodd. VII.
spumosa Thbg VII. 6
spumosa Wendl. VII
spuria Andr. VII. 63
squamaeflora Salisb.
squamosa Andr. VII.
squarrosa Salisb. VII
stagnalis Salisb. VII
staminea Andr. VII.
Steinbergiana Wen
stellaris Nois. VII. 6
stellata Lodd. VII. 6
Stelleriana W. VII.
stellifera Andr. VII.
stellifera Lodd. VII.
stenantha Klotzsch V
stenophylla Bth. VII.
stricta Andr. VII. 66
strictifolia Klotzsch
strigilifolia Salisb. V
strigosa Sol. VII. 678
strigosa Wendl. VII.
struthiolaefolia Bartl
stylaris Spr. VII. 616
stylosa Salisb. VII.
suaveolens Lodd. VII
suavis Bartl. VII. 68
subdivaricata Berg.
subterminalis Klotzsc
subulata Wendl. VII.
suffulta Wendl. VII.

II. 632
r. VII. 634
mag. VII. 634
dr. VII. 638
sb. VII. 674 675
pd. VII. 651
r. – –
dl. VII. 651
alisb. VII. 655
. VII. 640
VII. 677
– –
VII. 677
ch VII. 677
lotzsch VII. 669
dr. VII. 645 646
– 646
– – –
dd. VII 646
a Andr. VII. 646
VII. 651
VII. 680
VII. 680
Wendl. VII. 677
Wendl. VII. 653
Klotzsch VII. 642
ndr. VII. 649
bg VII. 649
t. VII. 665
VII. 665
Bth. – –
s Bth. VII. 683
Spr. VII. 693
a Lodd. VII. 689
Andr. VII. 648
L. fil. VII. 648
Bth. – 649
ndr. VII. 669
α & β Salisb. VII. 669
Salisb. VII. 669
lotzsch VII. 670
ndr. VII. 619
striata Klotzsch VII. 619
squarrosa Klotzsch VII. 619
VII. 651
rtul. VII. 652
alisb. VII. 673
VII. 694 699
II. 694 699
alisb. VII. 659
Andr. VII. 689
Andr. VII. 681

Erica

transparens Berg. VII. 650
transparens Lodd. VII. 632
transparens Thbg VII. 637
triceps *Link* VII. 620
triceps Lodd. VII. 620
trichophora *Bth.* VII. 673
trichophylla *Bth.* VII. 679
trichroma *Bth.* VII. 642
tricolor Niven VII. 642
tricolor Nois. VII. 644
tricolor Spr. VII. 657
tricolor var. hortul. VII. 643
tricolor dumosa hortul. VII. 643
trifaria Klotzsch VII. 620
triflora *L.* VII. 656
β rosea *Bth.* – –
triflora Thbg VII. 656
triphylla *Link* VII. 670
tristis *Bartl.* VII. 691
triumphans bot. mag. VII. 654
trivialis Klotzsch VII. 666
tuberularis G. Don VII. 700
tuberularis Salisb. VII. 694 700
tubiflora Bauer VII. 634
tubiflora L VII. 633
tubiflora *W.* VII. 634
tubiflora α Salisb. VII. 633
tubiflora β Salisb. VII. 634
tubiuscula Lodd. VII. 675
tubulosa Wendl. VII. 639
tumida *Ker* VII. 636
tunicata Bartl. VII. 652
turbiniflora *Salisb.* VII. 678
turgida Link VII. 651
turgida *Salisb.* VII. 675
turmalis *Salisb.* VII. 616
turrigera Salisb. VII. 662
Uhria *Andr.* VII. 628 629
α calycina *Bth.* – 629
β Ewerana – – –
γ densifolia – – –
Uhria Wendl. VII. 629
Uhria pilosa Andr. VII. 629
umbellata Andr. VII. 666
umbellata Bartl. VII. 666
umbellata *L.* VII. 666
β subcampanulata *Bth.* – –
umbelliflora *Klotzsch* VII. 659
umbellifera Wendl. VII. 677
uncifolia Salisb. VII. 662
undulata Andr. VII. 639
undulata Lodd. VII. 639
unibracteata *Klotzsch* VII. 692
unica Spr. VII. 680
unicolor Wendl. VII. 630

Erica
unilateralis Klotzsch VII. 667
urceolaris Bauer VII. 671
urceolaris Berg. VII. 671
β auriculata Bth. - -
urceolaris G. Don VII. 671
urceolaris Salisb. VII. 672
vaga Sibth. & Sm. VII. 667
vagans Dc. β. fr. VII. 667
vagans L. VII. 667
vagans Sm. VII. 667
varia Lodd. VII. 685
variabilis Klotzsch VII. 690
variifolia Salisb. VII. 624
velitaris Salisb. VII. 678
β Bth. - -
velleriflora Salisb. VII. 617
velutina Bartl. VII. 673
ventricosa Andr. VII. 642
ventricosa Thbg VII. 642
β grandiflora Bth. - -
* densa Andr. - -
venusta Bedf. VII. 647
venusta hortul. VII. 647
venusta Klotzsch VII. 637
venusta Salisb. VII. 642
verecunda Lodd. VII. 636
verecunda Salisb. VII. 676
β lanceolata Bth. - -
vernalis Lodd. VII. 682
vernicifluа Salisb. VII. 661
Vernix Andr. VII. 660
Vernix Lodd. VII. 660
versicolor Andr. VII. 631
α subnuda Bth. - -
β major Andr. - -
γ costata Salisb. - -
versicolor Wendl. VII. 631
versicolor α β γ Salisb. VII. 631
versicolor ciliata Wendl. VII. 631
verticillaris Salisb. VII. 633
verticillata Andr. VII. 624
verticillata Berg. VII. 636
verticillata Forsk. VII. 667
vesicularis Salisb. VII. 661
vespertina L. fil. VII. 686
β virgata Bth. - -
vestifluа Salisb. VII. 622
vestita Bauer VII. 626
vestita Drege VII. 625
vestita Thbg VII. 626
* rosea Andr. - -
vestita alba Andr. VII. 626
vestita blanda Lodd. VII. 626
vestita carnea Lodd. VII. 626

Erica
vestita coccinea b
vestita coccinea W
vestita formosa
vestita fulgida An
vestita incarnata
vestita lutea Andr.
vestita purpurea
vestita rosea Andr
villosa Andr. VII.
villosa G. Don VII
villosa Pluk. VII.
villosiuscula Lodd.
viminalis Salisb. V
violacea Klotzsch
virescens Link VII
virescens Thbg VII
virgata G. Don VI
virgata Thbg VII.
virginalis Klotzsch
virgularis Salisb.
virgulata Wendl.
viridescens Lodd.
viridiflora Andr. VI
β clavata Bth.
viridiflora Lodd. V
viridipurpurea L.
viridis Andr. VII.
viscaria Andr. VII
viscaria Bauer VII
viscaria Bory VII.
viscaria L. VII. 66
viscida Salisb. VII
viscida Wendl. VI
volutaeflora Salisb.
vulgaris L. VII. 6
Walkeri Andr. VI
Walkeriana Andr.
α Andrewsiana Bth.
β platysepala -
γ rubra Andr. -
δ grandiflora Bth.
Wendlandiana Klo
Westphalingia hor
xeranthemifolia Sa
Zeyheri Bartl. VII
Zeyheri Spr. fil. V
M 7705 Drege
„ 7707 Drege
„ 7727 Drege
„ 7737 Drege
„ 7766 Drege

Lindl. VII. 580
MONOTROPEAE G. Don VII. 779
& RHODORACEAE Dc. fl. fr. VII. 580
b. XIII. 1. 691
RHODODENDRA Juss. VII. 580
temones Klotzsch VII. 614
Klotzsch VII. 657
mes Klotzsch VII. 650
Bth. VII. 654
s Klotzsch VII. 618
Dryand. VII. 640
Klotzsch VII. 655
Link VII. 640
Klotzsch VII. 617
s Klotzsch VII. 623
Klotzsch VII. 648
Klotzsch VII. 615
lotzsch VII. 654
Dryand. VII. 623 640
grandes Dryand. VII. 636
Klotzsch VII. 663
s Klotzsch VII. 623
ras Klotzsch VII. 623 636
s Klotzsch VII. 616
Bartl. VII. 670
Bth. VII. 640
Klotzsch VII. 640
Link VII. 640
Dryand. VII. 623
anes Dryand. VII. 614
as Klotzsch VII. 622
Klotzsch VII. 695
Klotzsch VII. 658
tzsch VII. 621 622
e Klotzsch VII. 614
Klotzsch VII. 695
ates Klotzsch VII. 623
Klotzsch VII. 618
Klotzsch VII. 615
Bth. VII. 623
IX. 86
IX. 95
IX. 104
IX. 116
Don IX. 1.4
a Don IX. 114
Don IX. 107
Don IX. 107
Don IX. 109
Don IX. 104

Ericeae
decumbida Don IX. 107
depressa Don IX. 109
Douglasiana Don IX. 118
flava Don IX. 95
humilis Don IX. 107
imbricata Don IX. 104
linearis Don IX. 113
Loureiri Don IX. 108
marginata Don IX. 108
orbiculata Don IX. 107
pedicellata Don IX. 107
procumbens Don IX. 107
quadrifaria Don IX. 108
sedifolia Don IX. 105
spathacea Don IX. 113
squarrosa Don IX. 107
Thunbergii Don IX. 108
tubiflora Don IX. 110
venusta Don IX. 109
ERICEAE *D. & G. Don* VII. 612
ERICEAE Juss. VII. 552 772 *R. Br.* VII. 580
ERICEAE EPACRIDEAE Link VII. 734
ERICINEAE Desv. VII. 580
ERICINEAE RHODORACEAE Dc. VII. 712
Ericinella *Klotzsch* VII. 697
gracilis *Bth.* VII. 697
multiflora *Klotzsch* VII. 697
Ericoides Borkh. IX. 86
alpina Borkh. IX. 105
bavarica Borkh. IX. 104
Cruciata Borkh. IX. 118
nivalis Borkh. IX. 103
prostrata Borkh. IX. 106
pumila Borkh. IX. 104
pyrenaica Borkh. IX. 105
utriculosa Borkh. IX. 103
verticillata Borkh. IX. 65
Erimatali Rheed. IX. 464
Erimatalia R. & Schult. IX. 464
Rheedii R. & Schult. IX. 464
ERIMATALIEAE G. Don IX. 463
Erinson Plin. VII. 457
Erinia Noulet VII. 457 473
Campanula Noulet VII. 474
Erinus *L.* X. 448 453 348 *Auct.* X. 357
aethiopicus Thbg X. 453 349
africanus herb. un. itin. X. 453 349
africanus L. Thbg X. 453 350
africanus Schum. X. 453 399
alpinus *L.* X. 453
bilabiatus Roxb. X. 453 380 XI. 252

Erinus
capensis L. X. 453 349
fragrans Ait. X. 453 596
fragrans Soland. X. 358
frutescens Mill. X. 453 430
gracilis Lehm. X. 453 349
hispanicus Pers. X. 453
incisus Thbg X. 453 359
laciniatus L. X. 453 XI. 553
lychnidea L. fil. X. 453 349
lychnideus Thbg X. 453 358
maritimus L. Thbg X. 454 348
patens Thbg X. 454 359
peruvianus L. X. 454 XI. 537
procumbens Mill. X. 454 393
selaginoides Thbg X. 454 349
simplex Thbg X. 454 358
tomentosus Mill. X. 454 383
tomentosus Thbg X. 454 367
tristis L. fil. Thbg X. 454 358
verticillatus Mill. X. 454 383
villosus Thbg X. 454 350
Eriodesmia Bth. VII. 617 (Erica)
Eriodesmia D. & G. Don VII. 613 617
capitata D. & G. Don VII. 618
Eriodyction *Bth.* X. 183
crassifolium *Bth.* X. 183
glutinosum *Bth.* X. 183
β serratum *Chois.* – –
tomentosum *Bth.* X. 183
Eriope *Humb. & Bonpl.* XII. 31 140
alpestris *Mart.* XII. 143
β glabrior – –
complicata *Mart.* XII. 142
crassifolia *Mart.* XII. 141
crassipes *Bth.* XII. 142
β parvifolia – –
γ acutifolia – –
δ macrophylla – –
filifolia *Bth.* XII. 141
foetida *St. Hil.* XII. 143
hypenioides *Mart.* XII. 141
macrostachya *Mart.* XII. 143
β villosa – –
γ hypoleuca – –
micrantha *Bth.* XII. 141
monticola *Mart.* XII. 141
nudiflora *H. & Bonpl.* XII. 142
obtusata *Bth.* XII. 141
pallens *Bth.* XII. 143
parviflora Mart. XII. 143
parvifolia *Mart.* XII. 142
polyphylla *Mart.* XII. 141
striata *Bth.* XII. 142
teucrioides *St. Hil.* XII. 142

Eriopetalum *Wight* VI
attenuatum *Wight* V
laevigatum *Wight* V
parviflorum *Wight*
Eriophyton *Bth.* XII.
Wallichianum *Bth.*
Eriosphaeria Bth. XI
Eriostachys Bth. XII.
Eriostachys Reich. XI
Eriostomum Hoffm.

alpinum Hoffm. &
germanicum Hoffm.

lanatum Hoffmans.
lusitanicum Hoffm.

polystachyum Presl
salviaefolium Presl
Eriothymus Bth. XII.
Eriphia P. Brown VI
Eritrichium *Schrad.* X
alyssoides *Dc.* X. 1
aretioides *Dc.* X. 12
australasicum *Dc.* f
californicum *Dc.* X.
Chamissonis *Dc.* X.
chorisianum *Dc.* X.
ciliatum *Dc.* X. 127
clandestinum *Dc.* fil
β angustifolium –
γ decumbens –
congestum *Dc. fil.*
cryptanthum *Dc. fil.*
elongatum *Dc. fil.* X
fulvum *Dc. fil.* X. 1
glomeratum *Dc.* X.
gnaphalioides *Dc.* f
Hacquetii Koch X.
humile *Dc.* X. 133
Jacquemontii *Dene*
jenisseense *Turcz.* X
incanum *Dc. fil.* X.
latifolium *Kar. & K*
leucophaeum *Dc. fil.*
limense *Dc. fil.* X.
lineare *Dc.* X. 131
β sericeum *Dc. fil.*
longifolium *Dene* X.
microcarpum *Dc.* X.
multicaule *Dc.* X. 1
muricatum *Dc. fil.*
muriculatum *Dc. fil.*
nanum *Schrad.* X. 1
β tergloveense *Dc.* –
nanum var. Moritzi

[illegible] X. 124
[illegible] Koch X. 124
De. fl. X. 123
c. X. 123
De. X. 123
X. 123
De. X. 127
De. X. 127
De. X. 128
. fl. X. 133
Dcne X. 125
De. X. 133
X. 125
fl. X. 132
De. X. 123
X. 125
Bunge X. 127
fl. X. 130
De. fl. X. 124
X. 125
De. X. 133
X. 125
Pittieri & Kuhl. X. 124
fl. X. 130
c. fl. X. 132
ge X. 126
X. 126
c. fl. – –
& Kit. X. 126
Choisy IX. 349 (Ipomoea)
VIII. 525
fl. VIII. 373 (Tabernaemontana)
IX. 464 R. & Schult. IX. 464
ill. IX. 465
Choisy IX. –
IX. 464
all. IX. 465
Wall. IX. 464
IX. 465
Wall. IX. 465
all. IX. 464
IX. 464
IX. 464
Choisy – –
– –
ly IX. 464
IX. 464
Kuhl. IX. 464
IX. 464
f. IX. 465

Eryngium Lam. XIII. 2. 139
lateriflorum Lam. XIII. 2. 139
seylanicum (Linn.) Dc. Mus. seyl. XI. 238
Erysibe G. Don IX. 464
Erythracanthus *Nees* XI. 62 78
elongatus *Nees* XI. 78 721
β – – 79
Griffithianus *Nees* XI. 78
obtusus *Nees* XI. 78
racemosus *Nees* XI. 78
Erythraea *Ren.* IX. 57 *Hook.* IX. 51 *Kth.* IX. 51
acutiflora *Schott* IX. 61
alopecuroides *Don* IX. 61
angustifolia Wall. IX. 59
arenaria Presl IX. 59
australis *R. Br.* IX. 60
babylonica *Griseb.* IX. 60
Cachanlahuan R. & Schult. IX. 58
caespitosa Link IX. 59
capitata Cham. IX. 58
caspica *Fisch.* IX. 59
Centaurium Beck IX. 60
Centaurium *Pers.* IX. 58
β grandiflora *Biv.* – –
γ major *Link* – –
δ suffruticosa *Griseb.* – –
chilensis *Pers.* IX. 57
cochinchinensis *Spr.* IX. 61
compar *R. Br.* IX. 61
compressa Hayne IX. 59
conferta Pers. IX. 59
conferta Steud. & Hochst. IX. 59
diffusa *Woods* IX. 59 561
elodes *R. & Schult.* IX. 51
emarginata Kit. IX. 57
Gerardi Baumg. IX. 57
germanica Link IX. 58
gypsicola *Boiss. & Reut.* IX. 561
inaperta Schlecht. IX. 57
intermedia Poll. IX. 57
jorullensis H. B. & Kth. IX. 61 68
latifolia *Sm.* IX. 58 561
β [illegible] *Link* – –
latifolia W. & A. IX. 59
linarifolia *Pers.* IX. 59 561
β humilis *Griseb.* – –
γ tenuifolia *Griseb.* – 561
linarifolia Reut. IX. 561
littoralis Sm. IX. 59
lutea R. & Schult. IX. 61
luteola Pers. IX. 61

Erythraea
major Boiss. IX. 58
maritima *Pers.* IX. 60
β lutea *R. & Schult.* - -
Massoni *Sw.* IX. 61 561
mexicana Hook. IX. 58
Meyeri Ledeb. IX. 57
Muehlenbergii *Griseb.* IX. 60
nana Hegetsch. IX. 57
occidentalis R. & Schult. IX. 60
pallida W. h. IX. 58
paludosa Schrad. IX. 59
palustris Schrad. IX. 59
Plumieri Kth. IX. 61 51
portensis *Link* IX. 59
pulchella A. Gray IX. 60
pulchella Horn. IX. 57
pyrenaica Pers. IX. 57
quitensis *Kth.* IX. 58
ramosissima *Pers.* IX. 57
β pulchella *Fries* - -
γ altaica *Griseb.* - -
Roxburghii *Don* IX. 59
spicata *Pers.* IX. 60
suffruticosa Steud. IX. 58
tenuifolia *Griseb.* IX. 59
texensis *Griseb.* IX. 58
trichantha *Griseb.* IX. 60
β angustifolia - - -
triphylla Schm. IX. 59
uliginosa Schm. IX. 61
uliginosa W. & Kit. IX. 59
uniflora Hook. IX. 61 52
ERYTHRAEACEAE *Griseb.* IX. 54
Erythranthe Spach X. 368
cardinalis Spach X. 370
Erythrorhiza Mx. VII. 776
rotundifolia Mx. VII. 776
Escobedia *R. & Pav.* X. 336
laevis Cham. & Schl. X. 337
linearis *Schlecht.* X. 337
scabrifolia *R. & Pav.* X. 337
stricta Zucc. X. 337
ESCOBEDIEAE *Bth.* X. 189 336
Esterhazya *Mikan* X. 507 514
alpestris Spix & Mart. X. 514 515
campestris Spix & Mart. X. 514
macrodonta *Cham. & Schl.* X. 514
montana Spix & Mart. X. 514
nervosa *Bth.* X. 514
splendida *Mikan* X. 514
α latifolia *Bth.* - -
β vulgaris - - -
γ longifolia - - -
δ angustifolia - - -

Esula rara Lob. VIII. 44
Euagnus Schauer XI. 68
Euamarantus Moq. XII (A
Euamphiscopia Nees XI.
Euanchusa Griseb. X. 42
Euanoplon Endl. XI. 41
Euardisia Endl. VIII. 1 VIII. 12
Euargyreia Endl. IX. 33
Euatriplex C. A. Mey.
Eubanalia Moq. XIII. 2
Eubassia Dc. fil. VIII. 1
Eubignonia Mart. IX. 1
EUBIGNONIEAE *Dc.* IX
EUBIGNONIEAE MONO *Ma*
EUBIGNONIEAE PLEO *Ma*
Eublitum Moq. XIII. 2
Euborrago Dc. X. 34
Eucalceolaria (rect. C 591) *Bth.* X. 207
Eucanscora Griseb. IX.
Eucarissa Dc. fil. VIII
EUCARISSEAE *Dc. fil.*
Eucephalostigma Endl. Dc. fil. VII. 420
Eucestrum Dun. XIII. 1
Euchamissoa Moq. XI (
Euchilus Dc. fil. XI. 7
Euchironia Endl. IX. 40
Euchnoa Fenzl XIII. 2
Euchroa Fenzl XIII. 2.
Euchroma Nutt. X. 528 529
angustifolia Nutt. X.
Bradburii Nutt. X. 53
coccinea Nutt. X. 530
grandiflora Nutt. X. 5
integrifolia Nutt. X. 5
purpurea Nutt. X. 53
Euclea *L.* VIII. 215 *E.* 216 *Au*
acutifolia *E. Mey.* VI

Dc. fil. VIII. 216
Dc. fil. VIII. 216
Dc. fil. VIII. 216
Lour. VIII. 219
chst. VIII. 672 219 289
bg VIII. 219
E. Mey. VIII. 218
Dc. fil. – –
E. Mey. VIII. 218
urch. VIII. 217
Dc. fil. VIII. 218
E. Mey. VIII. 217
rch. VIII. 218
Dc. fil. – –
– – –
r. VIII. 219
E. Mey. VIII. 216
E. Mey. VIII. 217
Thbg VIII. 219
Mey. VIII. 217
E. Mey. VIII. 218
E. Mey. VIII. 216
Thbg VIII. 219
ron Schauer XI. 658 (Clerodendron)
Dc. VII. 588 (Clethra)
fil. VII. 466 (Campanula)
Bth. VII. 708 (Coilostigma)
Dc. IX. 558 (Coldenia)
Bth. IX. 307 (Collomia)
Dc. fil. IX. 297 (Cosmanthus)
NDREAE Endl. IX. 260
ARPEAE Dc. IX. 264
Dc. fil. VIII. 224 (Diospyros)
Dc. fil. VIII. 481 (Dipladenia)
IX. 120 86
Don IX. 120
Don X. 120
fil. VIII. 447 (Echites)
X. 16 (Echium)
Dc. IX. 236 (Ecremocarpus)
IX. 502 (Ehretia)
VIII. 284 (Olea)
Dc. fil. VIII. 83 (Embelia)
VII. 591 (Epigaea)
VII. 614 654 (Erica)
Bth. VII. 612
Eucritrichium Dc. X. 124 (Eritrichium)
Eucrythraea Griseb. IX. 57 (Erythraea)
Eufragia Griseb. X. 527 542
latifolia *Griseb.* X. 542
viscosa *Bth.* X. 543
Eugaertnera Dc. IX. 33 (Gaertnera)
Eugenia laurina W. VIII. 254
Eugenioides L. VIII. 248 254
Eugerardia Bth. X. 514
Eugesneria Dc. VII. 527 (Gesneria)
Eugilia Bth. IX. 311 (Gilia)
Eugloxinia Dc. VII. 533 (Gloxinia)
Eugomphocarpus Done VIII. 557 (Gomphocarpus)
EUGRATIOLEAE *Bth.* X. 341
Eugriesbachia Bth. VII. 700 (Griesbachia)
Euheliophytum Dc. IX. 552 (Heliophytum)
Eueliotropium Dc. IX. 532 539
Griseb. IX. 534
Eueliotropium Dc. IX. 534 (Heliotropium)
Euherpestes Bth. X. 394 (Herpestes)
Eulolarrhena Dc. fil. VIII. 413 (Holarrhena)
Euisotoma Dc. fil. VII. 412 (Isotoma)
Eujuanulloa Dun. XIII. 1. 528 (Juanulloa)
Euleucothoe Dc. VII. 601 (Leucothoe)
Euleptostemonum Dun. XIII. 1. 183 (Solanum)
Eulithospermum Dc. X. 76 (Lithospermum)
Eulogania Dc. fil. IX. 25 (Logania)
EULOGANIEAE *Endl.* IX. 24
Eulucuma Dc. fil. VIII. 169 (Lucuma)
Eulycium Dun. XIII. 1. 509 (Lycium)
Eulysipoma Dc. fil. VII. 349 (Lysipoma)
Eumicrocodon Dc. fil. VII. 421 (Microcodon)
Eumonarda Bth. XII. 361 (Monarda)
Eumyosotis Dc. fil. X. 105 (Myosotis)
Eumyosotis Turcz. X. 104 105 *Endl.* X. 105
EUMYRSINEACEAE *Dc. fil.* VIII. 82

Eunanus *Bth.* X. 342 374 594
Douglasii *Bth.* X. 374
Fremontii *Bth.* X. 374 594
Tolmiaei *Bth.* X. 374
Eunolana Miers XIII. 1. 9 (Nolana)
Euodontites Bth. X. 550 (Odontites)
Euomphalodes Dc. fil. X. 161 (Omphalodes)
Euonosma Dc. fil. X. 57 (Onosma)
Euophelia Griseb. IX. 123 (Ophelia)
Euoriganum Vog. XII. 192
Euosma Andr. IX. 24 25 *W.* IX. 24
albiflora Andr. IX. 25
Euosmia H. B. & Kth. IX. 24
Euosmus Nutt. IX. 24
Euoxypetalum Dene VIII. 581 (Oxypetalum)
Euparea *Gaertn.* VIII. 68
amoena *Gaertn.* VIII. 68
Eupentachondra Dc. VII. 759 (Pentachondra)
Eupentstemon Bth. X. 327 (Pentstemon)
Euphilippia Bth. VII. 695 (Philippia)
Euphlomis Bth. XII. 537 (Phlomis)
Euphorbia gracilis Pap. XIII. 2. 269
viminalis L. VIII. 538
Spec. Sieb. X. 400
Euphrasia *L.* X. 527 552 549 *Auct.* X. 542 549
acinos latiore folio Pluk. XI. 513
alpina *R. Br.* X. 553
β humilis - - -
γ angustifolia - - -
alpina Lam. X. 553
andicola *Bth.* X. 554
antarctica *Bth.* X. 555
arguta R. Br. X. 554
aspera Brot. X. 555 545
aspera W. X. 555 501
asperrima Link X. 555 545
asorica Wats. X. 552
Bocconi Guss. X. 555 551
collina *R. Br.* X. 553
Coris Crantz X. 555 550
coromandeliana Roth X. 555 522
corsica Lois. X. 555 551
cuneata *Forst.* X. 553
depauperata Bth. X. 552
diemenica Spr. X. 553
frutescens Sieb. X. 551
glandulosa *Bth.* X. 555

Euphrasia
glutinosa MB. X. 555
grandiflora Hochst. X.
Helliana Lowe X. 555
Jaubertiana Boreau X
imbricata Pers. X. 55
laevis Gater X. 555 5
lanceolata Gaud. X. 5
latifolia L. X. 555 54
latifolia Pursh X. 55
linifolia L. X. 555 55
longiflora Vahl X. 55
lutea L. X. 555 550
melampyroides H. B.
micrantha Reich. X.
minima Jacq. X. 553
mollis Ledeb. X. 553
multicaulis *Bth.* X. 5
mutica H. B. & Kth.
nemorosa Pers. X. 55
Odontites L. X. 555 5
officinalis Auct. X. 5
officinalis *L.* X. 552
α imbricata *Bth.* - -
β tatarica - - -
γ vulgaris - - -
δ minima - - 55
ε salisburgensis - - -
paludosa *R. Br.* X. 5
β pedicularioides *Cunn.*
pratensis Schreuchz. X
pubescens *Bth.* X. 55
purpurea Desf. X. 55
rigidifolia Bie. X. 55
rigidifolia Klotzsch X
Rostkoviana Hayne X
rubra Roth X. 556
salisburgensis Hoppe
santolinaefolia H. B.
scabra *R. Br.* X. 554
β arguta *Bth.* - -
serotina Lam. X. 556
simplex Don X. 553
speciosa *R. Br.* X. 55
squarrosa Salzm. X.
stricta *R. Br.* X. 554
stricta Host X. 553
stricta H. B. & Kth.
subexserta *Bth.* X. 55
tatarica Fisch. X. 55
tenuifolia Pers. X. 55
tetragona *R. Br.* X. 5
tricuspidata *L.* X. 55
trifida *Poepp.* X. 554

X. 586 554
X. 550 551
officinalis Gaertn. XI. 519
IKAE Bth. X. 189 526
idae Bth. X. 560 (Lamouroxia)
ceae Meq. XIII. 2. 31 (Phytolacca)
ntt. IX. 559
lacea Nutt. IX. 559
haner XI. 383 (Priva)
Meq. XIII. 2. 281 (Ptilotus)
dron Dc. VII. 721 (Rhododendron)
nus. XIII. 2. 44 120
E. Mey. XIII. 2. 307
s C. A. Mey. XIII. 2. 120
a – – – –
lia – – – –
Boiss. XIII. 2. 120
ar. E. Mey. XIII. 2. 308
g. XIII. 2. 121
Meq. XIII. 2. 44 119
Nees XI. 101 268
ling Nees XI. 208 725
Grah. XII. 634
Irsh. XII. 870
). & G. Don VII. 623
9 Bth. VII. 623 (Erica)
Don VII. 649
a G. Don VII. 619
G. Don VII. 652
9. Don VII. 685
ia G. Don VII. 669
G. Don VII. 686
Don VII. 642
D. & G. Don VII. 623
G. Don VII. 624
G. Don VII. 683
G. Don VII. 652
a G. Don VII. 657
G. Don VII. 652
) Don VII. 645
G. Don VII. 656
D. Don VII. 687
& G. Don VII. 618
. Don VII. 649
Don VII. 656
chst. XII. 607
chst. XII. 608

Eurylema D. & G. Don VII. 613 640 *Don Bth.* VII. 648 (Erica)
Altoni G. Don VII. 645
ampullacea G. Don VII. 644
ampullaceoides G. Don VII. 644
aristata G. Don VII. 643
aristella G. Don VII. 643
capax G. Don VII. 644
crinita G. Don VII. 643
curvifolia G. Don VII. 642
Hartnellii G. Don VII. 643
jasminiflora G. Don VII. 644
imperialis G. Don VII. 637
Irbyana G. Don VII. 645
mirabilis G. Don VII. 647
notabilis G. Don VII. 700
obbata G. Don VII. 644
oblonga G. Don VII. 640
princeps G. Don VII. 640
recurvata G. Don VII. 657
retorta G. Don VII. 644
Shannoniana G. Don VII. 644
squarrosa G. Don VII. 643
tricolor α & β G. Don VII. 644
Eurystegia Bth. VII. 623 654 (Erica)
Eurystegia D. & G. Don VII. 613 623 654
andromedaeflora G. Don VII. 654
Corydalis G. Don VII. 649
elegans G. Don VII. 654
glauca G. Don VII. 654
lachnaeaefolia G. Don VII. 686
lanuginosa G. Don VII. 624
marginata G. Don VII. 687
pannosa G. Don VII. 671
tegulaefolia G. Don VII. 655
triceps G. Don VII. 620
triumphans G. Don VII. 654
Eurystoma Bth. VII. 685 (Erica)
Eurysturkisa G. Don XIII. 1. 484 (Physalis)
Eurythalia Borkh. IX. 86 *Rau.* IX. 95 *Griseb.* IX. 108 (Gentiana)
Amarella Borkh. IX. 86
auriculata Don IX. 97
campestris Borkh. IX. 97
canaliculata Don IX. 96
carinata Don IX. 109
caucasica Don IX. 97
coronata Don X. 109
dichotoma Don IX. 98
germanica Mayrh. IX. 96
glacialis Don IX. 98
nana Borkh. IX. 98

Eurythalia
obtusifolia Don IX. 97
pratensis Don IX. 95
septemfida Borkh. IX. 112
tenella Don IX. 98
uliginosa Don IX. 95
umbellata Don IX. 96
uniflora Don IX. 96
Eusalaxis Bth. VII. 711 (Salaxis)
Eusalpichroa Miers XIII. 1. 472
Eusalpichroma Don XIII. 1. 472 (Salpichroma)
Eusarcostemma Dene VIII. 538 (Sarcostemma)
Euschwenkia Bth. X. 194 (Schwenkia)
Eusebaea Griseb. IX. 52 (Sebaea)
Euselago Endl. XII. 8 697 (Selago)
EUSESAMEAE *Dc.* IX. 249
Eusesamum Endl. IX. 249
Eusideritis Bth. XII. 441 (Sideritis)
Eusideroxylon Dc. fil. VIII. 178 (Sideroxylon)
Eusimocheilus Bth. VII. 703 (Simocheilus)
Eusiphocampylus Dc. fil. VII. 398 (Siphocampylus)
Eusphace Bth. XII. 263 (Salvia)
Eustachya Raf. X. 458 463
alba Raf. X. 464
coerulea Raf. X. 464
purpurea Raf. X. 464
Eustegia *R. Br.* VIII. 545
filiformis *R. & Schult.* VIII. 545
hastata *R. Br.* VIII. 545
hastata Sieb. VIII. 511
humilis *E. Mey.* VIII. 545
lonchitis *E. Mey.* VIII. 545
EUSTEGIEAE *Dene* VIII. 544
Eustilbe Dc. fil. XII. 606 (Stilbe)
Eustoma *Don* IX. 51
chironioides *Griseb.* IX. 51
exaltatum *Griseb.* IX. 51
Russelianum *Don* IX. 51
silenifolium G. Don IX. 51
EUSTRYCHNEAE *Endl.* IX. 12
Eusympiesa Bth. VII. 705 (Sympieza)
Eusyndesmanthus Bth. VII. 706 (Syndesmanthus)
Eutecoma Endl. IX. 216 *Dc.* IX. 216 (Tecoma)
Euthales *R. Br.* VII. 517 *Dietr.* VII. 517
trinervis *R. Br.* VII. 517
Euthystachys *Dc. fil.* I
abbreviata *Dc. fil.* I
Eutiaridium Endl. IX.
Eutoca *R. Br.* IX. 2
Andrieuxii *Dc. fil.* I
aretioides *Hook. &*
β perpusilla
brachyloba *Bth.* IX.
bursifolia *Spr.* IX.
congesta Lehm. IX.
Cumingii Bth. IX. 2
divaricata *Bth.* IX.
β Wrangeliana *Dc. f*
Douglasii *Bth.* IX.
echioides Dougl. IX
Franklinii *R. Br.* I
glomerata Dougl. I
grandiflora Bth. IX
lonsaefolia *Bth.* IX.
lutea Hook. & A
Menziesii *R. Br.* IX
α multiflora *Dc. fil.*
β congesta –
Menziesii Hook. IX.
mexicana Bth. IX.
multiflora Lehm. IX
parviflora R. Br. I
phacelioides *Bth.* I
pulchella Lehm. IX.
sericea *Grah.* IX. 2
viscida Bth. IX. 29
viscosa Hook. IX. 2
Eutrichisium Moq.
Eutropis *Falcon.* VIII.
Eutupa Dc. fil. VII.
Euveronica Griseb. X.
Euxolus *Raf.* XIII. 2.
caudatus *Moq.* XIII
β gracilis – –
γ maximus – –
deflexus *Raf.* XIII.
β ascendens –
γ major –
δ minor –
interruptus *Moq.* XI
lineatus *Moq.* XIII.
lividus *Moq.* XIII. 1
β oblongifolius –
muricatus *Moq.* XII
oleraceus *Moq.* XIII
polygonus *Moq.* XI
rhombeus *Moq.* XII
undulatus *Moq.* XII

XIII. 2. 273
... 278
... VII. 628 (Erica)
X. 441
W. IX. 449
Mart. IX. 441
IX. 447
IX. 448
H. B. & Kth. IX. 444
IX. 443
Br. IX. 442
IX. 443
IX. 447
Mart. IX. 445
IX. 449
X. 443
May. IX. 444
& Mart. IX. 442
Mart. IX. 445
Mart. IX. 448
IX. 447
B. & Schult. IX. 444
IX. 447
Mart. XI. 444
H. B. & Kth. IX. 444
Moriç. IX. 446
& Kth. IX. 449
Br. IX. 449
Mart. IX. 442
Mart. IX. 446
Chois. ...
IX. 444
Mart. IX. 444
IX. 442
Chois. ...
IX. 449
Burm. IX. 450 351
Schrank IX. 443
IX. 442
IX. 448
Moriç. IX. 445
Chois. ...
Hochst. IX. 449
IX. 450 351
X. 449
Chois. IX. 446
Chois. IX. 442
& Mart. IX. 442
... 443
Moriç. IX. 445

Evolvulus
sypsophiloides *Moriç.* IX. 439
β ... *Chois.* ...
hederaceus Burm. IX. 450 415
helichrysoides *Moriç.* IX. 442
heterophyllus *Labill.* IX. 449
hirsutulus A. Brit. mss. IX. 447
hirsutus H. B. & Kth. IX. 447
hirsutus *Lam.* IX. 447
holosericeus *H. B. & Kth.* IX. 444
β ... *Chois.* ...
jacobinus *Moriç.* IX. 444
javanicus Blum. IX. 449
imbricatus Mart. IX. 445
incanus H. B. & Kth. IX. 447
incanus *Pers.* IX. 444
β elongatus *Chois.* ...
kramerioides *Mart.* IX. 443
lagopus *Mart.* IX. 441
β pilosus *Chois.* ...
lanceaefolius *Span.* IX. 450
latifolius *bot. reg.* IX. 446
linifolius *L.* IX. 449
linoides *Moriç.* IX. 448
lithospermoides *Mart.* IX. 443
longifolius *Chois.* IX. 449
macroblepharis *Mart.* IX. 445
macrophyllus W. IX. 450 404
Maximiliani *Mart.* IX. 444
modestus *Mart.* IX. 448
mucronatus Sm. IX. 448
Muehlenbergii *Spr.* IX. 449
niveus *Mart.* IX. 442
nummularius *L.* IX. 445
Nuttallianus R. & Schult. IX. 443
paniculatus *Spr.* IX. 449
phylicoides Mart. IX. 446
phylicoides Schrad. IX. 442
phyllanthoides *Moriç.* IX. 439
pseudo-incanus Span. IX. 450
pterocaulon *Moriç.* IX. 441
pterygophyllus *Mart.* IX. 441
pumilus *Span.* IX. 450
pusillus *Chois.* IX. 447
ramiflorus Boj. IX. 447
rufus *A. St. Hil.* IX. 445
saxifragus *Mart.* IX. 448
scoparioides *Mart.* IX. 446
sericeus R. & Pav. IX. 444
sericeus *Sw.* IX. 443
Sherardi *Chois.* IX. 449
speciosus *Moriç.* IX. 447
tenuis *Mart.* IX. 448
thymiflorus *Chois.* IX. 444
tridentatus L. IX. 450 353

Evoltulus
veronicaefolius R. & Sch. IX. 445
villosus *R. & Pav.* IX. 449
virgatus *Choix.* IX. 446
virgatus W. IX. 444
M 1365 *Burch.* IX. 450 X. 180
Exacum *L.* IX. 44 *L. & Aucl.* IX. 52 *Aubl.* IX. 67 *Sm.* IX. 69 *W.* IX. 62 65 83 *De.* IX. 61 *Aubl. Lam.* IX. 55 *Aucl.* IX. 64 *Vahl* IX. 66
alatum Roth IX. 47 64
albens L. fil. IX. 47
albens Blanco IX. 47
aphyllum W. IX. 47 85
arenarium Sch. IX. 47
aureum L. IX. 47 52
bicolor *Roxb.* IX. 45
brachiatum Spix IX. 47 56
Candollei Bat. IX. 47 62
carinatum Roxb. IX. 46
chilense Bert. IX. 47 63
chironioides *Griseb.* IX. 45 61
cordatum L. IX. 47 54
courtallense *Arn.* IX. 47
cubense Poepp. IX. 47 68
diffusum W. IX. 47 64
erectum Roth IX. 47 63
filiforme W. IX. 47 63
foliosum *Griseb.* IX. 45
glaucum Bat. IX. 47 62
grandiflorum Gaertn. IX. 47 53
grandiflorum *Wall.* IX. 47
guianense Aubl. IX. 47 68
Hamiltonii Don IX. 44
heterocliton W. IX. 47 64
hyssopifolium W. IX. 47 65
inflatum Hook. & Arn. IX. 47 63
macranthum Arn. IX. 46
minus R. & Schult. IX. 47 66
nervosum Spr. IX. 47 49
ovale *Griseb.* IX. 46
ovatum Labill. IX. 47 53
pallescens Spr. IX. 47 48
patens W. h. IX. 58
pedunculare Wight IX. 46
pedunculatum *L.* IX. 46 64
Perrottetii *Griseb.* IX. 45
petiolare *Griseb.* IX. 46
pteranthum *Wall.* IX. 47
pulchellum Pursh IX. 48 62
pumilum *Griseb.* IX. 46
punctatum *L.* IX. 47
purpureum Lam. IX. 48 68
pusillum De. IX. 48 61

Exacum
pusillum β De. IX
quadrangulare W.
quinquenervium G
quitense Spr. IX.
racemosum R. & S
ramosum Vahl I
sessile *L.* IX. 47
spicatum Vahl I
striatum W. h. I
stylosum *Wall.* I
sulcatum *Roxb.* I
tenuifolium Aubl.
teres *Wall.* IX. 4
ternifolium R. & S
tetragonum Don I
tetragonum *Roxb.*
β rubrum Royl. I
tetrapterum Mey
vaginale Labill. I
verticillatum W.
violaceum Lam. I
viscosum Sm. IX.
Walkeri *Arn.* IX.
Wightianum *Arn.*
zeylanicum Roxb.
Exadenus *Griseb.* I
breviscapis *Griseb*
parviflorus *Griseb*
β nutans Cham

Exarrhena R. Br. X

succulens R. Br. I
Exochaenium *Griseb*
grande *Griseb.* IX
Exogonium *Choix.* I

arenarium *Choix.*
curviflorum Moç.

dumosum Bth. IX.
eriospermum *Choi*
filiforme *Choix.* IX
pedatum *Choix.* I
Purga Bth. IX. 2
racemosum *Choix.*
repandum *Choix.*
spicatum *Choix.*
umbellatum Moç.
Exomis *Moç.* XIII.
albicans *Moç.* XI
atripliciodes Moç.
axyrioides *Fenzl* X
Exostegia filicaulis
laevigata Bl. VII

G. Don VIII. 446
G. Don VIII. 459
Don VIII. 460
Don VIII. 461
G. Don VIII. 461
G. Don. VIII. 461
Don VIII. 461

F.

Fav. XIII. 1. 8 589
Fav. XIII. 1. 590
Fav. XIII. 1. 590
XIII. 1. 591
Fav. XIII. 1. 590
Don XIII. 1. 591
Don. XIII. 1. 592
& Fab. XIII. 1. 590
Hook. & Arn. XIII. 1. 593 15
Don XIII. 1. 592
Don XIII. 1. 591
Bl. XIII. 1. 592
& Arn. XIII. 1. 592
XIII. 1. 8 592
XI. 99 113
XI. 114
114
XI. 114
XII. 148
h. VIII. 278
XIII. 2. 229
XIII. 2. 230
IX. 28 *Roxb. Wall. Blum. Endl.* IX. 31
IX. 99
IX. 29
IX. 30
IX. 29
IX. 30
Wall. IX. 30
IX. 30
IX. 30
IX. 30
IX. 31
IX. 29
IX. 29
Wall. IX. 31
IX. 30
IX. 30
IX. 30
Blum. IX. 29
IX. 30
IX. 29

Fagraea
peregrina Blum. IX. 31
plumeriaefolia De. IX. 29
racemosa Jack IX. 29
β gracilis Wall. – –
rostrata Blum. IX. 30
speciosa Blum. IX. 31
tetragona *Spanoghe* IX. 561
volubilis *Wall.* IX. 30
zeylanica *Thbg* IX. 29
FAGRAEACEAE *Meisn.* IX. 28
Faldermannia Bunge XII. 364
parviflora Trautv. XII. 367
sericea Trautv. XII. 367
Falkia *L.* IX. 454
negens L. IX. 451
α villosa Choisy. – –
β subnuda – – –
Faterna Noronh. VIII. 327
elastica Sieb. VIII. 327
Faucidentes Stev. X. 565 (Pedicularis)
Fenzlia Bth. IX. 310 314
dianthiflora Bth. IX. 314
Ferdinandusa Pohl IX. 2. 143
Ferreola Roxb. VIII. 240
buxifolia Roxb. VIII. 240
guineensis Schum. VIII. 241
Fieldia *A. Cunn.* IX. 286
australis *Cunn. & Hook.* IX. 286
Finckea Bth. VII. 702 (Grisebachia)
Finckea Klotzsch VII. 700 702
bruniades Klotzsch VII. 702
eriocephala Klotzsch VII. 702
Findlaya *Bowdich* VIII. 74
Finlaysonia *Wall.* VIII. 494
obovata *Wall.* VIII. 494
Firensia Neck. IX. 471
Fischera Sw. VII. 729
buxifolia Sw. VII. 730
Fischeria *De.* VIII. 600
acuminata *Dene* VIII. 600
calycina *Dene* VIII. 600
havanensis *Dene* VIII. 601
Martiana *Dene* VIII. 601
multiflora *Dene* VIII. 601
peruviana *Dene* VIII. 601
polytricha *Dene* VIII. 600
propinqua *Dene* VIII. 600
rotundifolia *Dene* VIII. 601
scandens *De.* VIII. 600
Flemingia Hamilt. XI. 54 60
coccinea Hamilt. XI. 54
grandiflora h. Madr. XI. 54
grandiflora Rottl. XI. 54
racemosa h. Madr. XI. 54
virgata Roxb. IX. 64

Floerkea Spr. VII. 491
Flos cardinalis Rumph IX. 336
Flos convolutus Rumph VIII. 392
Flos cuspidum Rumph VIII. 202
Flos manilhanus Rumph VIII. 373
Flos Pergulanus Rumph VIII. 399
Flos siamicus Rumph VIII. 618
Fockea *Endl.* VIII. 545
capensis *Endl.* VIII. 545
glabra *Done* VIII. 545
M 239 *Zeyh.* VIII. 545
Folium bracteatum Rumph XI. 328
Folium hircinum Rumph XI. 630
Folium tinctorum Rumph XI. 493
Fontanesia *Labill.* VIII. 280
phillyraeoides *Labill.* VIII. 281
Forstera *L. fil.* VII. 338 *Schreb.* VII. 338
muscifolia *W.* VII. 338
sedifolia *L.* VII. 338
Forsteronia *Mey. esseq.* VIII. 436
Acouci *Dc. fil.* VIII. 439
brasiliensis *Dc. fil.* VIII. 436
corymbosa *Mey. esseq.* VIII. 437
difformis *Dc. fil.* VIII. 437
floribunda *G. Don* VIII. 437
laurifolia *Dc. fil.* VIII. 438
leptocarpa *Dc. fil.* VIII. 438
multinervia *Dc. fil.* VIII. 437
β glabriuscula – – –
Pavonii *Dc. fil.* VIII. 438
pubescens *Dc. fil.* VIII. 436
Schomburgkii *Dc. fil.* VIII. 438
β umbellata – – –
spicata *Mey. esseq.* VIII. 437
Forsythia *Vahl* VIII. 281
suspensa *Vahl* VIII. 281
α β *Dc.* – –
Foveolaria *Dc. fil.* VIII. 271 *R. & Pav.* VIII. 259
cordata R. & Pav. VIII. 272 268
crocea R. & Pav. VIII. 272 261
ferruginea *R. & Pav.* VIII. 272 271
oblonga Pav. VIII. 266
oblonga R. & Pav. VIII. 272 261
ovata R. & Pav. VIII. 272 267
Franciscea Pohl X. 198
acuminata bot. mag. X. 590
acuminata Pohl X. 199
confertiflora Pohl X. 199
divaricata Pohl X. 199
Hopeana Hook. X. 200
hydrangeaeformis Pohl X. 198
latifolia Pohl X. 199
macrophylla Cham. & Schl. X. 198
Franciscea
pauciflora Cham.
ramosissima Pohl
uniflora Pohl X. 2
Francoa *Cav.* VII. 7
appendiculata *Cav.*
appendiculata A. J
glabrata *Dc.* VII.
ramosa *D. Don* VI
ramosa Lindl. VII.
sonchifolia *Cav.* V
FRANCOACEAE *A.*
Frankenia mollis Mé
Franquevillia Gray
Frasera *Walt.* IX. 1
albicaulis *Griseb.*
carolinensis *Walt.*
speciosa *Dougl.* IX
Walteri Mx. IX. 1
Fraxinaster Dc. VI
FRAXINEAE *Bartl.*
FRAXINEAE Mart.
FRAXINEAE Don
Fraxinus *Tourn.* VIII. 274
acuminata Lam. V
alba angloamerie.
alba *Bosc* VIII. 27
amarissima *Lodd.*
americana *L.* VIII.
angustifolia *Vahl*
β brachystachya *Dc.*
apetala Lam. VIII.
appendiculata *Lodd*
argentea Lois. VII
atrovirens *Desf.* VI
aurea hortul. VIII.
Berlanderiana *Dc.*
Boscii Don VIII. 2
botryoides Mor. VI
Bungeana *Dc.* VIII.
calabrica hortul. V
canadensis Gaertn.
cappadocica *Juss.*
caroliniana Lam. V
caroliniana Wangen
carolinensis Cat. V
cerasifolia Hoffman
chinensis *Roxb.* VI
cinerea *Bose* VIII.
coerulea angloameri
concolor Mühl. VII
crispa Bosc VIII. 2
curvidens *Hoffmans.*
dentata *Tausch* VI

ik. & Arn. VIII. 275
blanb. VIII. 277
ic VIII. 279
. VIII. 277
VIII. 276
cé VIII. 276
VIII. 276
r. Lam. VIII. 276
ispa Lund. VIII. 279
VIII. 278
ungs VIII. 275
Vall. VIII. 275
p. VIII. 274
VIII. 279
erm. VIII. 275 277
Vahl VIII. 276
Bosc VIII. 376
tul. VIII. 276
Lam. VIII. 278
ina Vahl - -
β subserrata W. VIII. 278
Loud. VIII. 276
VIII. 277
Desf. VIII. 277
se VIII. 278
VIII. 280
Hoffmans. VIII. 280
rtul. VIII. 275
est VIII. 280
VIII. 279
Desf. VIII. 276
a Wall. VIII. 275
'III. 279
'III. 279
'III. 279
VIII. 278
b VIII. 278
s Wangenh. VIII. 277
rch VIII. 277
s. Tourn. VIII. 276
II. 274
sit. - -
VIII. 274
VIII. 276
VIII. 276
VIII. 274
s. VIII. 277
'III. 279
. VIII. 276
. VIII. 276
Dc. - -
VIII. 279
III. VIII. 274
t. & Bosc VIII. 280

Fraxinus
parasol hortul. VIII. 276
parviflora Asch. VIII. 276
parvifolia Lam. VIII. 277
parvifolia Loud. VIII. 277
parvifolia Tsn. VIII. 275
parvifolia W. VIII. 277
pendula Vahl VIII. 276
platycarpa Mx. VIII. 277
platyphylla Hoffmans. VIII. 280
polemonifolia Poir. VIII. 279
pseudo-ornus Steud. VIII. 274
pubescens Bosc VIII. 277
pubescens Walt. VIII. 278
β longifolia Vahl - -
γ latifolia W. - -
δ subpubescens Pers. - -
pulverulenta Bosc VIII. 280
quadrangularis Lodd. VIII. 278
quadrangulata Mx. VIII. 278
Richardi Bosc VIII. 280
rostrata Guss. VIII. 276
rostrata Tsn. VIII. 276
rotundifolia hortul. VIII. 277
rotundifolia Lam. VIII. 274
β acuta Dc. - -
rubicunda Bosc VIII. 280
rufa Bosc VIII. 280
sambucifolia Lam. VIII. 278
Schiedeana Cham. & Schl. VIII. 278
simplicifolia W. VIII. 276
striata Spr. VIII. 275
strigata Bosc VIII. 275
subvillosa Bosc VIII. 278
tamariscifolia Vahl VIII. 277
tetragona Cels. VIII. 278
Theophrasti hortul. VIII. 277
tomentosa Mx. VIII. 278
triptera Nutt. VIII. 277
urophylla Wall. VIII. 275
verrucosa hortul. VIII. 276
virens Lodd. VIII. 280
viridis Mx. VIII. 278
vulgatior Seg. VIII. 274
xanthoxyloides Wall. VIII. 275
Fromentia Terr. XIII. 2. 219
Frerigardia Dun. XIII. 1. 7 502 698
angustifolia Dun. XIII. 1. 506
ciliata Dun. XIII. 1. 505
dumetorum Dun. XIII. 1. 504
eriolarynx Dun. XIII. 1. 503
leptoclada Dun. XIII. 1. 505
ligustrina Dun. XIII. 1. 507
Lindeni Dun. XIII. 1. 503
luteiflora Dun. XIII. 1. 506

Frerigardia
mollis *Dun.* XIII. 1. 505
rhomboidea *Dun.* XIII. 1. 504
riparia *Dun.* XIII. 1. 503
spina-alba *Dun.* XIII. 1. 507
Vargasii *Dun.* XIII. 1. 505
Freyeria Scop. VIII. 299
Freylinia *Coll.* X. 299 333
cestroides *Coll.* X. 333
densiflora *Bth.* X. 333
longiflora *Bth.* X. 333
oppositifolia Spin. X. 333
rigida G. Don X. 333
undulata *Bth.* X. 333
α Linnaei – –
β pubescens – 334
γ carinata – –
Fridericia *Mart.* IX. 176
Guilelma *Mart.* IX. 177
speciosa *Mart.* IX. 176
Friederichsthalia Dc. fil. X. 173 (Trichodesma)
Friederichsthalia Fenzl X. 171 173
incana Bunge X. 174
physaloides Fenzl X. 173
trichodesmoides Bunge X. 173
Froehlichia Vahl XIII. 2. 419 *Wulf.* XIII. 2. 419
Froelichia *Moench* XIII. 2. 235 419
Drummondii *Moq.* XIII. 2. 421
floridana *Moq.* XIII. 2. 420
β pellescens – – 421
gracilis *Moq.* XIII. 2. 420
interrupta *Moq.* XIII. 2. 421
lanata Moench XIII. 2. 421
lanata *Moq.* XIII. 2. 422
nudicaulis *Hook. fil.* XIII. 2. 423
sericea *Moq.* XIII. 2. 422
tomentosa *Moq.* XIII. 2. 424
Frutesca Dc. IX. 32
Funis quadrifidus Rumph XI. 620

G.

Gaertnera *Lam.* IX. 32 34 *Boj.* IX. 32 *Endl.* IX. 35 *Neck.* IX. 32 *Retz* VII. 548 IX. 32 *Schreb.* IX. 32
aetheonoma Steud. IX. 35
bifida *Boj.* IX. 34
calycina *Boj.* IX. 35
β variegata – –
capitata *Boj.* IX. 33
coerulea Boj. IX. 35

Gaertnera
coriacea Steud. X. 3
crassiflora *Boj.* IX. 3
cuneifolia *Boj.* IX. 3
cymiflora Boj. IX. 3
edentata *Boj.* IX. 33
incarnata Boj. IX. 3
lanceolata *Bouton* IX
longiflora Gaertn. fil.
longifolia *Boj.* IX. 3
parviflora *Boj.* IX. 3
pendula *Boj.* IX. 34
quadriseta *Dc.* IX. 3
α brevipes – –
β platypoda – –
γ hebepoda – –
δ petiolaris – –
rotundifolia *Boj.* IX.
truncata *Dc.* IX. 34
vaginata Boj. IX. 34
vaginata *Poir.* IX. 3
vaginata Sieb. IX. 3
GAERTNEREAE *Arn.*
GALACEAE *Dc.* VII.
GALACINEAE Don VI
Galarips Allam. VIII.
Galax *L.* VII. 776 *Per*
aphylla *L.* VII. 776
rotundifolia Pursh
Galenia L. XIII. 2. 21
celosioides Spr. XIII
Galeobdolon Bth. XII. 5
Galeobdolon Huds. XI
amplexicaule Moench
luteum Huds. XII. 5
vulgare Pers. XII. 5
Galeopsis *L.* XII. 408
acuminata Reich. XI
angustifolia Ehrh. X
angustifolia Heffm.
bifida Bönningh. XII
canescens Schult. XI
cannabina W. XII.
dubia Leers XII. 49
fusca Moench XII.
Galeobdolon L. XII.
grandiflora Gmel. XI
hirsuta All. L. XII.
hispanica Mill. XII.
hispida Thbg XII. 4
intermedia Vill. XII.
Ladanum *L.* XII. 49
β parviflora – 49
γ spinosa – –

…n. XII. 499
…m. XII. 499 64
…um. XII. 498
…ll. XII. 499 482
…um. XII. 498
…ll. XII. 497
…ss. XII. 498
…s. XII. 497
…l. XII. 498
…k. XII. 498
XII. 498
– –
– –
– –
Ortm. XII. 498
rt. XII. 498
XII. 497
chlecht. XII. 498
XI. 304 311 (*lege* …keria *Nees* XI. 728)
XI. 311
A. Hamilt. XII. 424 (Scutellaria)
. XIII. 2. 4 8
sar. XIII. 2. 8
. *Casar.* XIII. 2. 8
268
X. 266 295
s. X. 296
b. X. 296
Bth. – –
XIII. 2. 34
. XIII. 2. 35
… XIII. 2. 222 *Moq.* XIII. 2. 224
XIII. 2. 223
oq. XIII. 2. 225
… XIII. 2. 223
r. XIII. 2. 224
d. XIII. 2. 61
Steud. XIII. 2. 62
vis Vell. IX. 14
. IX. 19
Wall. IX. 1
. IX. 19
Vall. IX. 20
IX. 20
Endl. IX. 19
Pav. XII. 150 235
. XII. 236
. & Kth. XII. 237
indl. XII. 239 405
. XII. 237
XII. 239
XII. 236

Gardoquia
discolor *H. B. & Kth.* XII. 238
elegans *H. B. & Kth.* XII. 237
elliptica *R. & Pav.* XII. 235
fasciculata *Bth.* XII. 239
foliolosa *Bth.* XII. 238
Gilliesii *Grah.* XII. 235
glabrata *H. B. & Kth.* XII. 236
grandiflora *H. B. & Kth.* XII. 236
Hookeri Bth. XII. 239 229
Jamesoni *Bth.* XII. 239
incana *R. & Pav.* XII. 237
mexicana *Bth.* XII. 235
microphylla *H. B. & Kth.* XII. 238
multiflora *R. & Pav.* XII. 235
obovata *R. & Pav.* XII. 236
obovata Spr. XII. 239
origanoides Reich. XII. 239
pulchella *H. B. & Kth.* XII. 237
revoluta *R. & Pav.* XII. 239
rugosa *Bth.* XII. 236
sericea *Presl* XII. 238
spicata *Spr.* XII. 239
striata *R. & Pav.* XII. 238
taxifolia *H. B. & Kth.* XII. 236
thymoides *H. B. & Kth.* XII. 238
tomentosa *H. B. & Kth.* XII. 237
Gasparinia Endl. IX. 286
Gastromeria Don X. 337
physalodes G. Don X. 338
Gaudinia Gay XIII. 2. 20
diffusa Gay XIII. 2. 24
Perrottetii Gay XIII. 2. 24
viscosa Gay XIII. 2. 23
Gaultheria *Kalm.* VII. 592 *Pers.* VII. 577
acuminata *Cham. & Schl.* VII. 596
anastomosans *H. B. & Kth.* VII. 593
antipoda *Forst.* VII. 594 795
brachybotrys *Do.* VII. 595
bracteata *G. Don* VII. 595
buxifolia *W.* VII. 597
caespitosa *Poepp. & Endl.* VII. 795
candida *Dc.* VII. 597
ciliata *Cham. & Schl.* VII. 594
coccinea *H. B. & Kth.* VII. 596
cordifolia *H. B. & Kth.* VII. 594
cordifolia Rousch. VII. 597 592
elliptica *Cham. & Schl.* VII. 596
erecta *Vent.* VII. 596

Gentiana
Amarella Froel. IX. 96
Amarella *L.* IX. 95
β uliginosa *W.* – –
γ axillaris *Reich.* – –
δ pyramidalis *W. h.* – –
Amarella Pall. IX. 97
Amarella Richards. IX. 95
Amarella Sm. IX. 96
Amarella β Lam. IX. 97
Amarella depauperata Roch. IX. 96
amarelloides Mx. IX. 100
Andrewsii *Griseb.* IX. 113
β linearis – – –
angulosa MB. IX. 104
angustifolia *MB.* IX. 114
β australis *Griseb.* – –
angustifolia Sturm IX. 115
angustifolia Vill. IX. 116
angustifolia β floridana Griseb. IX. 114
aphylla Jacq. IX. 119 85
aprica *Done* IX. 107
aquatica Ledeb. IX. 106
aquatica *L.* IX. 106
aquatica Lour. IX. 108
aquatica Reich. IX. 103
aquatica Thby IX. 108
aquatica W. IX. 107
aquatica α Froel. IX. 106
aquatica β Froel. IX. 106
aquatica γ Froel. IX. 107
araratica Adams IX. 113
arctophila *Griseb.* IX. 101
β densiflora – – –
arcuata Griseb. IX. 92
argentea *Royl.* IX. 107
asclepiadea *L.* IX. 112 562
asclepiadea var. schistocalyx C. Koch IX. 562
aspera Hegetsch. IX. 97
attenuata *Griseb.* IX. 93
atrata *Bunge* IX. 98
aurea *L.* IX. 100
aurea Stev. IX. 100
aurea Thby IX. 119 52
auriculata *Pall.* IX. 97
β flexuosa *Griseb.* – –
azurea *Bunge* IX. 98
bavarica *L.* IX. 104
β imbricata *Schleich.* – –
γ alata *Griseb.* – –
bavarica Zoeg. IX. 101
Biebersteinii Bunge IX. 97
biloba Do. IX. 87

Gentiana
borealis Bunge IX.
Boryi *Boiss.* IX. 10
brachypetala Bunge
bucovinensis *Herbic*
Burseri *Lapeyr.* IX.
β Villarsii *Griseb.* –
Burseri γ Dc. IX.
Burseri-punctata Gr
cachemirica *Done*
caespitosa Grah. IX
caespitosa W. h. IX
calycina Lam. IX.
calycosa *Griseb.* IX
β stricta – –
calyculata *Ldav. &*
campanulata Jacq.
campanulata Reyn.
campanuloides W.
campestris All. IX.
campestris Gener.
campestris Leyss.
campestris *L.* IX. 9
β montana *Griseb.*
γ Columnae *Ten.* –
chlorifolia *Nees* –
campestris Pall. IX
campestris α Froel.
campestris β chlor
ha
canaliculata Royl.
capitata *Hamilt.* IX.
carinata *Griseb.* IX.
carinthiaca Froel.
carnica Wulf. IX.
carpathica *Kit.* IX.
Catesbaei Andr. IX.
Catesbaei Ell. IX.
Catesbaei Walt. IX.
caucasica MB. IX.
caulescens Lam. IX.
Centaurium α L. IX
Centaurium β L. IX
cerastioides *Kth.* IX
β chimborazensis *Gri*
cerastioides β Grise
cernua *Kth.* IX. 88
cernua W. h. IX. 8
Charpentieri Thom.
chelonoides W. h.
chimboracensis W.
Chirayta Roxb. IX.
chloodes Brot. IX.
ciliata Gunn. IX. 1
ciliata *L.* IX. 101
β humilis *Griseb.*

Bth. VII. 618 (Erica)
De. fil. IX. 23
Cutesb. IX. 23
emperviranus Ait. IX. 24
ss. IX. 23
ör. IX. 24
. IX. 24
Kumph XI. 307 410
XI. 410 *Nees* XI. 384
Hochst. XI. 730
s XI. 456 730
chst. XI. 379
ss XI. 392 731
. XI. 411
Hochst. XI. 731
Vees XI. 408
Hochst. XI. 500
a Nees XI. 731
is Nees XI. 399 731
L. XI. 392
Nees XI. 392 731
. XI. 393 731
ees XI. 731
villosa Nees XI. 391
Vees XI. 390 731
ss XI. 393
c. h. XI. 176
Wall. XI. 397 731
Nees XI. 393 731
ees XI. 400
axillaris Nees XI. 399
Hochst. XI. 402 721
. XI. 393 731
Vees XI. 390 731
ees XI. 394 731
Nees XI. 396
Wall. XI. 731
h XI. 410
ea Hochst. XI. 388 731
ensis Nees XI. 399 731
Hochst. XI. 385
Vees XI. 731
Hochst. XI. 731
Hochst. XI. 731
ss XI. 410
Hochst. XI. 731
Nees XI. 406
KAR Nees XI. 48 303
Wall. XII. 44
. XII. 46 241
th. XII. 45
XII. 45

Geniosporum
madagascariense *Bth.* XII. 44
Pahsoti Bth. XII. 46 47
parviflorum Bth. XII. 46
prostratum *Bth.* XII. 45
strobiliferum Hook. XII. 45
strobiliferum *Wall.* XII. 45
thymifolium *Bth.* XII. 46
Geniostoma *Forst.* IX. 26 *Juss.* IX. 26
acuminatum *Wall.* IX. 28
angustifolium *Bouton* IX. 28
borbonicum Spr. IX. 27
brasiliense Spr. IX. 28 15 VII. 380
cordifolium *Boj.* IX. 27
febrifugum Spr. IX. 28 14
Haemospermum *Steud.* IX. 27
lanceolatum *Boj.* IX. 27
ligustrifolium *A. Cunn.* IX. 27
micranthum *De.* IX. 27
ovatum *Boj.* IX. 27
parviflorum *Boj.* IX. 27
parvifolium Boj. IX. 27
pedunculatum *Boj.* IX. 28
rupestre *Forst.* IX. 26
rupestris Rich. & Less. IX. 27
spinescens Spr. IX. 28
Genlisea *St. Hil.* VIII. 25
aurea *St. Hil.* VIII. 26
filiformis *St. Hil.* VIII. 26
minor *St. Hil.* VIII. 26
pygmaea *St. Hil.* VIII. 26
violacea *St. Hil.* VIII. 26
Gentiana *Tourn.* IX. 86 *Jacq.* IX. 83 *Don* IX. 120 *Frœl.* IX. 121 *L.* IX. 57 62 65 69 *Auct.* IX. 64 *R. & Pav.* IX. 141 *Ait.* IX. 69 *Lam.* IX. 61
abscondita Zenk. IX. 107
acaulis *L.* IX. 115
β angustifolia *Griseb.* IX. 116
γ alpina - - -
acuta *Mx.* IX. 95
β striata *Griseb.* - 96
adscendens Pall. IX. 110
adsurgens *Cervant.* IX. 113
aestiva R. & Schult. IX. 104
affinis *Griseb.* IX. 114
aggregata Bunge IX. 100
albens Thbg IX. 52
aleutica *Cham. & Schl.* IX. 100
alopecurotides Lam. IX. 119 61
alpina Adams IX. 113
alpina Vill. IX. 116
altaica *Laxm.* IX. 105

Gentiana
Amarella Froel. IX. 96
Amarella *L.* IX. 95
β uliginosa *W.* – –
γ axillaris *Reich.* – –
δ pyramidalis *W. h.* – –
Amarella Pall. IX. 97
Amarella Richards. IX. 95
Amarella Sm. IX. 96
Amarella β Lam. IX. 97
Amarella depauperata Roch. IX. 96
amarelloides Mx. IX. 100
Andrewsii *Griseb.* IX. 113
β linearis – – –
angulosa MB. IX. 104
angustifolia *MB.* IX. 114
β australis *Griseb.* – –
angustifolia Sturm IX. 115
angustifolia Vill. IX. 116
angustifolia β floridana Griseb. IX. 114
aphylla Jacq. IX. 119 85
aprica *Dene* IX. 107
aquatica Ledeb. IX. 106
aquatica *L.* IX. 106
aquatica Lour. IX. 108
aquatica Reich. IX. 103
aquatica Thbg IX. 108
aquatica W. IX. 107
aquatica α Froel. IX. 106
aquatica β Froel. IX. 106
aquatica γ Froel. IX. 107
araratica Adams IX. 113
arctophila *Griseb.* IX. 101
β densiflora – – –
arcuata Griseb. IX. 92
argentea *Royl.* IX. 107
asclepiadea *L.* IX. 112 562
asclepiadea var. schistocalyx C. Koch IX. 562
aspera Hegetsch. IX. 97
attenuata *Griseb.* IX. 93
atrata *Bunge* IX. 98
aurea *L.* IX. 100
aurea Stev. IX. 100
aurea Thbg IX. 119 52
auriculata *Pall.* IX. 97
β flexuosa *Griseb.* – –
azurea *Bunge* IX. 98
bavarica *L.* IX. 104
β imbricata *Schleich.* – –
γ alata *Griseb.* – –
bavarica Zoeg. IX. 101
Biebersteinii Bunge IX. 97
biloba Dc. IX. 87

Gentiana
borealis Bunge IX.
Boryi *Boiss.* IX.
brachypetala Bung
bucovinensis *Herb*
Burseri *Lapeyr.* IX
β Villarsii *Griseb.*
Burseri γ Dc. IX.
Burseri-punctata
cachemirica *Dene*
caespitosa Grah.
caespitosa W. k.
calycina Lam. IX.
calycosa *Griseb.* I
β stricta – –
calyculata *Llav.*
campanulata Jacq
campanulata Reyn
campanuloides W.
campestris All. IX
campestris Genera
campestris Leyss.
campestris *L.* IX.
β montana *Griseb.*
γ Columnae *Ten.*
* chlorifolia *Nees*
campestris Pall.
campestris α Froe
campestris β chlo
canaliculata Royl.
capitata *Hamilt.*
carinata *Griseb.*
carinthiaca Froel.
carnica Welw. IX.
carpathica *Kit.* IX
Catesbaei Andr.
Catesbaei Ell. IX.
Catesbaei Walt.
caucasica MB. IX.
caulescens Lam.
Centaurium α L.
Centaurium β L.
cerastioides *Kth.*
β chimborazensis
cerastioides β Gri
cernua *Kth.* IX.
cernua W. k. IX.
Charpentieri Thom
chelonoides W. k.
chimboracensis W.
Chirayta Roxb. IX
chloodes Brot. IX.
ciliata Gunn. IX.
ciliata *L.* IX. 101
β humilis *Griseb.*

. & Sess. IX. 102
. IX. 102
ricana L. IX. 102
. h. IX. 89
& Pav. IX. 93
ec. & Sess. IX. 112
& Pav. IX. 93
ms IX. 97
legetsch. IX. 96
. h. IX. 90
. h. IX. 119 51
yl. IX. 94
ryl. IX. 109
Kth. IX. 89
Griseb. IX. 91
l. IX. 102
Griseb. - -
s. IX. 97
h. IX. 96
IX. 118
Griseb. IX. 90
ch. IX. 110
tamilt. IX. 107
Wall. IX. 107
L. IX. 110
Ledeb. 111
on IX. 109
Pall. IX. 109
es IX. 101
Froel. - -
Bunge - 102
Kth. IX. 91
Pall. IX. 98
Griseb. IX. 90
. IX. 92
sis Griseb. - -
ol IX. 119 64
iseb. IX. 89
s. IX. 119 126
ffmans. IX. 104
Griseb. IX. 91
la Granov. IX. 119 50
eb. IX. 98
a Bongard IX. 118
Griseb. - -
IX. 119
ud. IX. 562
ank. IX. 103
Griseb. IX. 91
a IX. 119 54
ss. Desevurt. IX. 119 51
IX. 119
b IX. 119

Gentiana
excisa Presl IX. 116
falcata Turcz. IX. 99 562
filamentosa Griseb. IX. 94
filiformis L. IX. 119 63
fimbriata Andr. IX. 102
fimbriata Vahl IX. 113
fimbriata W. IX. 101
flava Merat IX. 97
flavescens Vis. IX. 96
floribunda Don IX. 119 127
floribunda W. h. IX. 93
foliosa Kth. IX. 90
β laxa Griseb. - 91
γ flaviflora - - -
foliosa γ humilis Griseb IX. 91
frigida Froel. IX. 111
frigida Haenk. IX. 111
β algida Pall. - -
γ Drummondii - -
Froelichii Jan IX. 115
Gaudini Thom. IX. 117
Gayi Griseb. IX. 106
gelida MB. IX. 112
germanica W. IX. 96
β minor Meyer hannov. - -
γ praecox Griseb. - 97
δ caucasica - - -
ε pontica - - -
glacialis Thom. IX. 98
glauca Pall. IX. 111
gracilis Kth. IX. 89
gracilis Nees IX. 95
graminea Kth. IX. 90
grandiflora Lam. IX. 115
guayaquilensis Griseb. IX. 93
Hartwegi Bth. IX. 96
heterochita L. IX. 119 64
heterophylla Raf. IX. 114
Hirculus Griseb. IX. 88
Hladnikiana hortul. IX. 115
Hookeri Griseb. IX. 88
Hügelii Griseb. IX. 108
humilis Rochel IX. 103
humilis Stev. IX. 106 562
hybrida Dc. fl. fr. IX. 86
hybrida Vill. IX. 87
hybrida secundaria Griseb. IX. 87
hyssopifolia Kth. IX. 91
jakutensis Bunge IX. 118
Jamesonii Griseb. IX. 88
Jamesonii Hook. IX. 92
imbricata Froel. IX. 104
incarnata Stev. IX. 114
incurva Hook. IX. 89

Gentiana
verticillaris Retz IX. 119 65
verticillata L. IX. 119 65
villosa L. IX. 114
violacea R. & Pav. IX. 141
viscosa Ait. IX. 119 69
volubilis Don IX. 119 120
zeylanica *Griseb.* IX. 108
GENTIANACEAE *Lindl.* IX. 38
GENTIANEAE *Griseb.* IX. 38
GENTIANEAE Juss. IX. 38
GENTIANEAE VERAE Endl. IX. 38
Gentianella Borkh. IX. 86 *Col.* IX. 101
barbata Don IX. 102
ciliata Borkh. IX. 101
crinita Don IX. 102
detonsa Don IX. 101
flore coeruleo Sloan. XI. 197
macrantha Don IX. 102
serrata Borkh. IX. 101
Geochorda *Cham. & Schl.* X. 343 401
cuneata *Cham. & Schl.* X. 401
Gerardia *L.* X. 507 514 *Bth.* X. 510 512 *Bunge* IX. 275 *H. B. & Kth.* X. 513 *L. fil.* X. 521
Afzelia Mx. X. 519 511
angustifolia *Mart.* X. 516
aphylla *Nutt.* X. 519
aspera *Dougl.* X. 517
auriculata Mx. X. 519 512
brachyphylla *Cham. & Schl.* X. 515
brasiliensis Spr. X. 519 199
caesarea Cham. & Schl. X. 519 514
cassioides Pursh X. 519 511
Chytra Steud. X. 519
communis *Cham. & Schl.* X. 516
cuneifolia Pursh X. 519 393
dasyantha *Cham. & Schl.* X. 517
dasystoma Steud. X. 519
delphinifolia L. X. 519 522
densiflora Bth. X. 519 512
Digitalis *Bth.* X. 515
digitata Spr. X. 519
domingensis *Spr.* X. 517
Dregeana Bth. X. 519 522
erecta Walt. X. 518
fasciculata Ell. X. 517
filifolia *Nutt.* X. 518
β Gatesii *Bth.* – –
γ longifolia – – –
filiformis Raf. X. 518

Gerardia
filiformis Schum. X. 5
flava L. X. 519 520
flava Pursh X. 519 52
fol. subovatis Pbm. X
fruticosa Pursh X. 51
genistaefolia *Cham. &*
glauca Eddy X. 519 5
glutinosa Bunge X. 5
glutinosa L. X. 519 3
gnidioides Cham. &
grandiflora Bth. X. 5
heterophylla *Nutt.* X.
Heyneana Bth. X. 519
hispidula *Mart.* X. 51
japonica *Thbg* X. 519
lanceolata *Bth.* X. 51
β angustifolia – – –
γ parvifolia – – –
linarioides Bth. X. 51
linarioides *Cham. &*
linifolia *Nutt.* X. 518
longifolia Bth. X. 517
longifolia Nutt. X. 51
macrodonta Cham. X.
macrophylla Bth. X.
maritima *Raf.* X. 517
β grandiflora *Bth.* – –
nigrina L. fil. Thbg X.
obtusifolia Bth. X. 51
orobanchoides Lam. X
parviflora Bth. X. 519
pectinata Torr. X. 51
pedicularia L. X. 519
pedicularia β pectina
peduncularis *Bth.* X. 5
β guatimalensis –
Plukenetii Ell. X. 517
prostrata H. B. & Kth.
purpurea *L.* X. 517
quercifolia Pursh X. 5
ramosissima *Bth.* X. 5
rigida *Gill.* X. 515
β Berteriana *Bth.* – –
scabra L. fil. X. 520
scabra Wall. X. 520 5
serpyllifolia H. B. &
serrata Torr. X. 520 5
sessiliflora Vahl X. 52
setacea *Walt.* X. 518
β parvifolia *Bth.* – –
Sopubia Bth. X. 530 5
spiciflora Engelm. X.

...w. IX. 119 57
Turcz. IX. 98
...q. IX. 104
...acq. IX. 117
... IX. 116
...*ill.* IX. 116
...*ar. Pall.* IX. 111
...*lutea Griseb.* IX. 87
...*purpurea Griseb.* IX. 117
...*ns Griseb.* IX. 87
... IX. 116
...*riseb.* - -
...tica - -
...*chrank* IX. 117
...*Vill.* IX. 117
...*Walt.* IX. 114
...*lutea Griseb.* IX. 86
...n. IX. 119 61
...*s Nees* IX. 97
...*L.* IX. 105
...*aris Lam.* IX. 119 63
Blum. IX. 108
L. IX. 119
...a *Lam.* IX. 99
Raf. IX. 100
...a *fl. dan.* IX. 100
...*tita Domb.* IX. 90
...*riseb.* IX. 91
...a *Vill.* IX. 119 57
...*les W. h.* IX. 92
IX. 93
...*r. & Kir.* IX. 106
...*Ledeb.* IX. 111
... IX. 119 122
...*el.* IX. 119 122
...*roel.* IX. 119 122
...a *Hoppe* IX. 104
Wall. IX. 107
...*ro.* IX. 86
Schw. IX. 163
Schwein. IX. 114
...*eb.* IX. 96
...*th.* IX. 87
...lia *Griseb.* - -
Cham. & Schl. IX. 100
Froel. IX. 113
L. IX. 113
Froel. - -
Walt. IX. 114
...*riseb.* IX. 88
...les *Kth.* IX. 88
...*rst.* IX. 89
...ga IX. 112

Gentiana
scandens Lour. IX. 119 120
Sceptrum *Griseb.* IX. 115
scilloides *L.* IX. 118
sedifolia *Kth.* IX. 105 562
β elongata *Griseb.* - -
γ imbricata - - -
sedifolia γ compacta Griseb. IX. 105
sedifolia var. imbricata Meyen IX. 562
Selatium *Grisbe.* IX. 93
semifida Hoffmans. IX. 117
septemfida *Pall.* IX. 112
Serpentaria *Raf.* IX. 118
serpyllifolia Lam. IX. 104
serrata Gunn. IX. 101
Sessaei *Griseb.* IX. 112
sessilis L. IX. 119
setiflora Bunge IX. 100
spathacea *Kth.* IX. 113
β Benthami *Griseb.* - -
spathacea var. Bth. IX. 113
spathulata Bartl. IX. 97
spicata L. IX. 119 60
spuria Lebert IX. 117
squarrosa Bunge IX. 107
squarrosa *Ledeb.* IX. 107
stellarioides *Griseb.* IX. 90
Stelleriana Cham. & Schl. IX. 119 122
stricta W. h. IX. 92
sulcata W. IX. 119 122
swertioides *Griseb.* IX. 92
tenella *Fries* IX. 98 562
tenuis *Griseb.* IX. 100
tergloviensis Jacq. IX. 104
tetragona Mayer IX. 95
tetragona Roth IX. 98
Thomasii Gillab. IX. 86
Thomasii β Gaud. IX. 87
Thunbergii *Griseb.* IX. 108
thyrsoidea *Hook.* IX. 117
triflora *Pall.* IX. 111
tristriata Turcz. IX. 98
tubiflora *Wall.* IX. 110
umbellata *MB.* IX. 100
umbellata R. & Pav. IX. 96
unalaccensis Bunge IX. 101
uniflora W. IX. 96
utriculosa *L.* IX. 103
vaginalis *Griseb.* IX. 87
ventricosa *Griseb.* IX. 102
venusta *Wall.* IX. 109
verna *L.* IX. 103
β brachyphylla *Vill.* IX. 103
γ alata *Griseb.* - - 104 562

Gesneria
rutila var. atrosanguinea Lindl. VII. 529
scabra Spr. VII. 533
scabra ex Hispaniola Spr. VII. 524
scabra Sw. VII. 533 526
Sceptrum *Mart.* VII. 531
α rubra – –
β flavida – –
γ lutea – –
Selloi hortul. VII. 530
Sellowii *Mart.* VII. 528
spicata *H. B. & Kth.* VII. 531
β Schiedeana *Dc.* – –
stricta *Hook. & Arn.* VII. 531 794
Suttoni *Booth* VII. 529
sylvatica *H. B. & Kth.* VII. 532
tenella fl. mexic. VII. 533 536
tomentosa Bert. h. VII. 533 524
tomentosa Jacq. VII. 533 524
tomentosa L. VII. 533 524
tomentosa Moç. VII. 528
tuberosa *Mart.* VII. 529
tubiflora *Cav.* VII. 527
ulmifolia *H. B. & Kth.* VII. 530
uniflora *Moç. & Sess.* VII. 532
Vargasii *Dc.* VII. 527
Vauthieri *Dc.* VII. 530
velutina W. h. VII. 528
ventricosa Sw. VII. 533 525
verticillata *Cav.* VII. 527
verticillata Hook. VII. 532
GESNERIACEAE *Nees* VII. 523
GENERIACEAE CYRTANDRACEAE RBr. IX. 258
GESNERIEAE Bartl. VII. 523
GESNERIEAE *Dc.* VII. 523
GESNERIEAE GENUINAE Bartl. VII. 523
Geussia Blum. XI. 640
farinosa Blum. XI. 646
Ghaesaembilla Herm. VIII. 83 85
Ghinia Schreb. XI. 528
verbenacea Sw. XI. 528
Giesekia (*Gisechia, Gisekia, Giseckia*) *L.* XIII. 2. 5 26
Burchellii Moq. XIII. 2. 28
congesta *Moq.* XIII. 2. 28
linearifolia Fenzl XIII. 2. 27
linearifolia *Schum.* XIII. 2. 27
Miltus *Fenzl* XIII. 2. 28
molluginoides Wight XIII. 2. 459
occulta R. & Schult. XIII. 2. 27
pentadecandra *E. Mey.* XIII. 2. 28
β Burchelli – –

Giesekia
pharnaceoides
β Sieberi – –
γ obovata – –
pharnaceoides
rubella *Hochst.*
GIESEKIEAE
Gigandra Salisb.
Gilia *R. & Pav.*
achilleaefolia
achilleaefolia
aggregata Swee
aggregata *Spr.*
androsacea *Ste*
arenaria *Bth.*
atractyloides
Berterii De. fil
Beyrichiana *Bo*
californica *Bth.*
capitata *Dougl.*
congesta *Hook.*
coronopifolia
cotulaefolia St
crassifolia *Bth.*
densiflora *Bth.*
densifolia *Bth.*
dianthoides *En*
dianthiflora St
dichotoma *Bth.*
Douglasii Gill.
elongata *Steud.*
eryngioides bo
floridana *G. D*
foetida *Gill.* IX
glomeriflora *Ju*
gossypifera *Gil*
gracilis Hook.
grandiflora *Ste*
heterophylla H
Hookeri *Bth.* I
Hugelia Steud.
incisa *Bth.* IX.
inconspicua *Do*
intertexta Steu
laciniata *R. &*
Leptosiphon St
Linanthus Steu
liniflora *Bth.* I
longiflora *G. D*
lutea *Steud.* IX
lutescens *Steud*
micrantha *Steu*

h. X. 520 522
Bth. X. 518
Vahl X. 518
Bth. - -
. X. 520 XI. 199
fil. X. 520 504
h. X. 520 512
B. & Kth. X. 520 511
et. Dargeria Cham. & Schl. X. 514
Eugerardia Bth. X. 514
Leptorhabdos Bth. X. 510
Otophylla Bth. X. 512
Pedicularoides Bth. X. 520
Sopubia Bth. X. 521
E Bth. X. 189 506
P. Brown. IX. 471
Cham. Dc. IX. 471
rt. IX. 471
irt. IX. 473
Iart. IX. 473
Iart. IX. 473
Dc. IX. 471 (Cordia)
I. XII. 24
ne. XII. 25
th. XII. 62 (Plectranthus)
rm. XII. 55
Poir. XII. 71
Poir. XII. 71
ir. XII. 76
Lam. XII. 64
Poir. XII. 73
Poir. XII. 67
Poir. XII. 65
Poir. XII. 65
Lam. XII. 62
EAE Lindl. VII. 523
Mart. VII. 523 537
Rich. VII. 523
snera) Mart. VII. 526
VII. 524 525 L. VII. 526
mex. VII. 533 536
VII. 533 526
Her VII. 529
a Mart. VII. 527
Pkm. VII. 526
ea ann. flor. VII. 529
es & Mart. VII. 533 544
r VII. 529
n. VII. 533 525
Mart. VII. 532

Gesneria
chelonioides H. B. & Kth. VII. 527
Cooperi h. Woburn. VII. 530
corymbosa Balb & Bert. h. VII. 533 525
corymbosa Sw. VII. 528
Craniolaria Sw. VII. 533 526
crenulata Dc. fil. VII. 533 524
cuneifolia fl. mex. VII. 533 526
Deppeana Cham. & Schlecht. VII. 528
Douglasii Lindl. VII. 532
β verticillata Hook. - -
Douglasii Lodd. VII. 532
elatior H. B. & Kth. VII. 531
elongata H. B. & Kth. VII. 528
elongata var. Grah. VII. 528
exogonia fl. mex. VII. 533 525
exserta Sw. VII. 533 525
fascialis Hook. VII. 530
faucialis Lindl. VII. 530
fimbriata Lam. VII. 533 526
grandis e Jamaica Spr. VII. 524
grandis var. ex Hispaniola Spr. VII. 524
grandis Sw. VII. 524
hirsuta H. B. & Kth. VII. 530
hondensis H. B. & Kth. VII. 530
Houttei Dumort. VII. 530
humilis L. VII. 533 526
lasiantha Zucc. VII. 528
lateritia Lindl. VII. 529
latifolia Mart. VII. 527
β Gaudichaudi Dc. - -
Lindleyi Hook. VII. 529
longiflora fl. mex. VII. 533 536
longiflora H. B. & Kth. VII. 531
macrantha Spr. VII. 532
macrorhiza Dumort. VII. 529
macrostachya Lindl. VII. 527
maculata Mart. VII. 532
maculata Moç. & Sess. VII. 532
Marchii Wail. VII. 794
mollis H. B. & Kth. VII. 531
oxyphylla Dc. VII. 531
pendulina bot. reg. VII. 529
polyantha Dc. VII. 528
prasinata Her VII. 532
pulchella Sw. VII. 533 536
pumila Sw. VII. 533 526
quaterniflora fl. mex. VII. 528
rupestris Grah. VII. 529
rupicola Mart. VII. 528
β pulcherrima St. Hil. - -
rutila Lindl. VII. 529

Glockeria *Nees* XI. 728
Glomeraria Cav. XIII. 2. 262
bicolor Cav. XIII. 2. 262
Glossocomia D. Don VII. 424
tenera D. Don VII. 425
thalictrifolia Wall. VII. 425
Glossanthus Klein IX. 275
grandiflorus Bth. IX. 278
malabaricus Klein IX. 276
mexicana RBr. IX. 276
Notoniana RBr. IX. 276
zeylanica RBr. IX. 276
Glossocarya *Wall.* XI. 624 625
mollis *Wall.* XI. 626
Glossochilus *Nees* XI. 79 83
Burchellii *Nees* XI. 83
Glossonema *Dene* VIII. 554
Boveanum *Dene* VIII. 554
Boveanum Hochst. & Steud. VIII. 555
lineare *Dene* VIII. 555
nubicum *Dene* VIII. 555
Glossostephanus *E. Mey.* VIII. 520
linearis *E. Mey.* VIII. 521
Glossostigma *Arn.* X. 424 426
Drummondi *Bth.* X. 426
spathulatum *Arn.* X. 424
β minimum *Bth.* –
Glossostyles Cham. & Schl. X. 338
(rectius Glossostylis X. 594)
abyssinica Hochst. X. 545
arvensis Bth. X. 339
aspera Cham. & Schl. X. 339
asperrima Hochst. X. 340
capensis Bth. X. 339
cordata Hochst. X. 339
Gloxinia *L'Herit.* VII. 533 *Nees Lindl.* VII. 533 *Lindl.* VII. 533 *Mart.* VII. 533
antirhina *Dc.* VII. 534
arborea *Colla* VII. 535
caulescens *Lindl.* VII. 534
dubia *G. Don* VII. 535
gracilis *Mart.* VII. 534
guttata *Mart.* VII. 535
Helleri *Mart.* VII. 535
hirsuta *Lindl.* VII. 534
macrophylla *Nees & Mart.* VII. 534
maculata *L'Herit.* VII. 534
Schottii Mikan VII. 535
speciosa *Lodd.* VII. 534
β albiflora *Hook.* – –
trichotoma Moench VII. 534
velutina *Mart.* VII. 535
villosa *Mart.* VII. 535

GLOXINIEAE G. Don
Glumaria Boiss. XII.

Glyciphylla Raf. VII. 5
hispidula Raf. VII. 5
Glyphospermum *G. Don*
ornatum *Don* IX. 141
violaceum *Don* IX. 14
Gmelina *L.* XI. 628 67
arborea *Roxb.* XI. 6
asiatica *L.* XI. 679
coromandeliana Burm
elliptica Sm. XI. 679
Finlaysoniana *Wall.*
inermis Blanco XI. 6
lobata Gaertn. XI. 6
macrophylla *Wall.* X
oblongifolia *Roxb.* XI
parvifolia *Roxb.* XI. 6
philippensis Cham. X
sinuata *Link* XI. 680
speciosissima *D. Don*
Tacabuskia Hamilt.
vestita *Wall.* XI. 680
villosa *Roxb.* XI. 679
Gnidia pentandra Thbg.
Goetzea Wydl. VIII. 2
Goldfussia *Nees* XI. 101
anisophylla *Nees* XI.
bibracteata *Nees* XI.
biceps *Nees* XI. 172
bracteata *Nees* XI. 17
capitata *Nees* XI. 173
colorata *Moritzi* XI.
coloruta *Nees* XI. 176
crinita *Nees* XI. 176
Cusia *Nees* XI. 175
Dalhousiana *Nees* XI.
discolor *Nees* XI. 172
divaricata *Nees* XI. 17
Edgeworthiana *Nees*
extensa Nees XI. 175
filiformis *Nees* XI. 17
flexuosa *Nees* XI. 175
glomerata *Nees* XI. 1
isophylla *Nees* XI. 17
lamiifolia *Nees* XI. 17
Leschenaultiana *Nees*
Myrtinia *Nees* XI. 174
nutans *Nees* XI. 174
paniculata *Nees* XI. 1
β stata – –
pentstemonoides *Nees*
β monocephala –
sessilis *Nees* XI. 172
Zenkeriana *Nees* XI.

Tsch. & Mey. IX. 312
A. IX. 315
hm. IX. 316 309
h. IX. 312
esd. IX. 316 309
r. IX. 312
Bth. IX. 315
nd. IX. 316 309
gl. IX. 313
IX. 316
. IX. 316 310
X. 315
IX. 312
IX. 316 309
X. 313
ek. & Arn. IX. 316 310
. IX. 313
IX. 312
IX. 311
X. 306 (Collomia)
F. Gmel. XI. 535 550
Nutt. XI. 553
. F. Gmel. XI. 554
auer XI. 550 (Verbena)
s costensis Rumph XII. 79
59
VIII. 59
XII. 391 (Nepeta)
Auct. XII. 370 391
Bth. XII. 391
XII. 381
c. XII. 396 477
XII. 391
Opis XII. 391
oth XII. 381
: Kit. XII. 391
XII. 381
hrad. XII. 391
XII. 391
n Vill. XII. 478
nsingh. XII 391
em. XII. 391
psem. XII. 392
II. 150 249
b. XII. 250
Hil. XII. 250
II. 251
- -
. XII. 250
Hil. XII. 251

Glechon
origanifolia Bth. XII. 250
ringens Bth. XII. 251
serpyllifolia St. Hil. XII. 249
spathulata Bth. XII. 249
squarrosa Bth. XII. 250
thymoidea Spr. XII. 249
Glinus Millus Räusch. XIII. 2. 28
mozambicensis Spr. XIII. 2. 28
Globifera Gmel. X. 422
GLOBULAIRES Lam. XII. 609
Globularia *Tourn.* XII. 611 *Auct.* XII. 640 *Necker* XII. 611
alpina minima Tourn. XII. 610
alpina pumila Micheli XII. 610
Alypum *L.* XII. 613
bellidifolia Ten. XII. 612
bisnagarica *L.* XII. 614
caespitosa Orteg. XII. 612
cordifolia *L.* XII. 612
β nana *Cambess.* - -
frutescens &c. Pluk. XII. 614
fruticosa &c. Garid. XII. 613
incanescens Viv. XII. 610
linifolia Lam. XII. 612
longifolia Ait. XII. 614
macrantha C. Koch XII. 611
minima Vill. XII. 612
nana Lam. XII. 612
nudicaulis *L.* XII. 613
orientalis *L.* XII. 612
orientalis &c. Tourn. XII. 613
punctata Lapeyr. XII. 612
repens Lam. XII. 612
salicina *Lam.* XII. 614
serpeggiante alpina Zanon. XII. 612
spinosa *L.* XII. 612
trichocalyx Steud. XII. 613
trichosantha *Fisch. & Mey.* XII. 611
vulgaris *L.* XII. 611
β subcaulis *Reyn.* XII. 612
vulgaris β bithynica Griseb. XII. 611
GLOBULARIACEAE *Dc. fl.* XII. 609
GLOBULARIACEAE Lindl. XII. 609
GLOBULARIAE Dc. XII. 609
GLOBULARIAE AUT SELAGINI AFFINES Juss. XII. 604
GLOBULARIEAE Bartl. XII. 604
GLOBULARIEAE Camb. XII. 609
Endl. XII. 609

Glockeria *Nees* XI. 728
Glomeraria Cav. XIII. 2. 262
bicolor Cav. XIII. 2. 262
Glossocomia D. Don VII. 424
tenera D. Don VII. 425
thalictrifolia Wall. VII. 425
Glossanthus Klein IX. 275
grandiflorus Bth. IX. 278
malabaricus Klein IX. 276
mexicana RBr. IX. 276
Notoniana RBr. IX. 276
zeylanica RBr. IX. 276
Glossocarya *Wall.* XI. 624 625
mollis *Wall.* XI. 626
Glossochilus *Nees* XI. 79 83
Burchellii *Nees* XI. 83
Glossonema *Dene* VIII. 554
Boveanum *Dene* VIII. 554
Boveanum Hochst. & Steud. VIII. 555
lineare *Dene* VIII. 555
nubicum *Dene* VIII. 555
Glossostephanus *E. Mey.* VIII. 520
linearis *E. Mey.* VIII. 521
Glossostigma *Arn.* X. 424 426
Drummondi *Bth.* X. 426
spathulatum *Arn.* X. 424
β minimum Bth. –
Glossostyles Cham. & Schl. X. 338
(rectius Glossostylis X. 594)
abyssinica Hochst. X. 545
arvensis Bth. X. 339
aspera Cham. & Schl. X. 339
asperrima Hochst. X. 340
capensis Bth. X. 339
cordata Hochst. X. 339
Gloxinia *L'Herit.* VII. 533 *Nees Lindl.* VII. 533 *Lindl.* VII. 533 *Mart.* VII. 533
antirrhina *Dc.* VII. 534
arborea *Colla* VII. 535
caulescens *Lindl.* VII. 534
dubia *G. Don* VII. 535
gracilis *Mart.* VII. 534
guttata *Mart.* VII. 535
Helleri *Mart.* VII. 535
hirsuta *Lindl.* VII. 534
macrophylla *Nees & Mart.* VII. 534
maculata *L'Herit.* VII. 534
Schottii Mikan VII. 535
speciosa *Lodd.* VII. 534
β albiflora Hook. – –
trichotoma Moench VII. 534
velutina *Mart.* VII. 535
villosa *Mart.* VII. 535

GLOXINIEAE G. Don
Glumaria Boiss. XII.

Glyciphylla Raf. VII. 5
hispidula Raf. VII. 5
Glyphospermum *G. Don*
ornatum *Don* IX. 141
violaceum *Don* IX. 1
Gmelina *L.* XI. 628 67
arborea *Roxb.* XI. 6
asiatica *L.* XI. 679
coromandeliana Burm
elliptica Sm. XI. 679
Finlaysoniana *Wall.*
inermis Blanco XI. 6
lobata Gaertn. XI. 6
macrophylla *Wall.* X
oblongifolia *Roxb.* X
parvifolia *Roxb.* XI.
philippensis Cham. X
sinuata *Link* XI. 680
speciosissima *D. Don*
Tacabuskia Hamilt.
vestita *Wall.* XI. 680
villosa *Roxb.* XI. 679
Gnidia pentandra Thbg.
Goetzea Wydl. VIII. 2
Goldfussia *Nees* XI. 10
anisophylla *Nees* XI.
bibracteata *Nees* XI.
biceps *Nees* XI. 172
bracteata *Nees* XI. 17
capitata *Nees* XI. 173
colorata *Moritzi* XI.
colorata *Nees* XI. 176
crinita *Nees* XI. 176
Cusia *Nees* XI. 175
Dalhousiana *Nees* XI.
discolor *Nees* XI. 172
divaricata *Nees* XI. 17
Edgeworthiana *Nees*
extensa Nees XI. 195
filiformis *Nees* XI. 17
flexuosa *Nees* XI. 175
glomerata *Nees* XI. 1
isophylla *Nees* XI. 17
lamiifolia *Nees* XI. 17
Leschenaultiana *Nees*
Myrtinia *Nees* XI. 174
nutans *Nees* XI. 174
paniculata *Nees* XI. 17
β stricta – – –
pentstemonoides *Nees*
β monocephala –
sessilis *Nees* XI. 172
Zenkeriana *Nees* XI. 1

Gomphocarpus
viridiflorus Spr. VIII. 563
solubilis Hamilt. VIII. 563
Gompbostemma *Wall.* XII. 550 700
crinitum *Wall.* XII. 552
dichotomum *Zoll. & Moritzi* XII. 552 700
eriocarpum *Bth.* XII. 552
Heyneanum *Wall.* XII. 551
javanicum *Bth.* XII. 553
lucidum *Wall.* XII. 551
melissaefolium *Wall.* XII. 552
multiflorum *Bth.* XII. 552
oblongum *Wall.* XII. 551
ovatum *Wall.* XII. 552
parviflorum *Wall.* XII. 551
philippinarum *Bth.* XII. 551
phlomoides *Bth.* XII. 551
strobilinum *Wall.* XII. 550
velutinum *Bth.* XII. 552
viride *Wall.* XII. 550
Gomphostigma *Turcz.* X. 432 431
scoparioides *Turcz.* X. 434
Gomphrena *L.* XIII. 2. 235 383 350
Pers. XIII. 2. 383 *Vahl Spr.* XIII. 2. 387 *Mart.* XIII. 2. 391 *Lam.* XIII. 2. 419
acaulis *Rémy* XIII. 2. 401
aggregata h. Monsp. XIII. 2. 414
aggregata W. XIII. 2. 418
agrestis *Mart.* XIII. 2. 405
albiflora *Moq.* XIII. 2. 392
amarantoides Roth XIII. 2. 418 348
angustiflora *Mart.* XIII. 2. 417
angustifolia *Vahl* XIII. 2. 417
aphylla *Pohl* XIII. 2. 419
arborescens Balb. XIII. 2. 418 352
arborescens L. fl. XIII. 2. 407
argentea hort. XIII. 2. 440
bicolor hort. XIII. 2. 410
bicolor *Mart.* XIII. 2. 412
Blanchetii *Moq.* XIII. 2. 413
boliviana *Moq.* XIII. 2. 401
bonariensis Gill. XIII. 2. 406
brachiata *H. & Bonpl.* XIII. 2. 447
brachiata W. h. XIII. 2. 418 382
brasiliana L. XIII. 2. 416 388
brasiliensis h. Aven. XIII. 2. 418 364

Gonolobus
eriopetalus Mart. VIII. 541
filiformis R. & Schult. VIII. 598
542
floccosus Bert. VIII. 598
fraternus Schlecht. VIII. 592
fuscus *Dene* VIII. 592
ganglinosus Dene VIII. 597
geminiflorus Dene VIII. 595
glabet *Dene* VIII. 594
glandulosus *Poepp.* VIII. 598
gracilis Dene VIII. 596
grandiflorus Bth. VIII. 592
grandiflorus bot. reg. VIII. 592
grandiflorus *RBr.* VIII. 593
594
guianensis Spr. VIII. 594
hirsutus *Mx.* VIII. 595
hispidus *Hook. & Arn.* VIII.
594
Hystrix *Dene* VIII. 593
laevis *Mx.* VIII. 595
lanceolatus *Dene* VIII. 598
lasiostomus *Dene* VIII. 593
ligustrinus *Dene* VIII. 598
littoralis *Dene* VIII. 596
luridus *Dene* VIII. 592
luteolus *Dene* VIII. 593
macrocarpus *Gaspar.* VIII. 598
macrophyllus *Mx.* VIII. 596
maritimus RBr. VIII. 598 599
martinicensis *Dene* VIII. 595
nemorosus *Dene* VIII. 596
niger bot. reg. VIII. 597
niger *RBr.* VIII. 597
nigrescens *Schlecht.* VIII. 597
Nuttallii *Dene* VIII. 598
obliquifolius Colla VIII. 599
588
obtusiflorus *Dene* VIII. 591
obtusifolius *Rees.* VIII. 598
parviflorus *Dene* VIII. 597
patens *Dene* VIII. 594
paucifloras *Spr.* VIII. 595
planiflorus *RBr.* VIII. 593
planiflorus R. & Schult. VIII.
593
prostratus *RBr.* VIII. 599 602
pyrrhotrichus *Dene* VIII. 594
racemosus RBr. VIII. 599
retusus *Dene* VIII. 594
riparius *H. B. & Kth.* VIII. 592
rostratus *RBr.* VIII. 595
rotatus *Dene* VIII. 593
stenolobus *Dene* VIII. 595
suberosus *RBr.* VIII. 597

Gonolobus
tetragonus *Dene* VIII
tiliaefolius *Dene* VII
tingens *Dene* VIII.
tristis *Dene* VIII.
undulatus *RBr.* VIII
undulatus R. &
uniflorus *H. B. &*
velutinus *Schlecht.*
virescens *Dene* VIII
viridiflorus bot. reg.
viridiflorus Nutt.
viridiflorus *R. &*
Voquicillo Colla VI
Gonostemon Dene VI
Gonostemon Haw. VII
strictus Haw. VII
Goodenia *Sm.* VII. 5
512
acuminata *RBr.* VII
albida Sm. VII. 51
albida W. VII. 51
appendiculata Lucq.
ericaefolia Sieb.
hederacea Sm. VII.
heterophylla Sm. VII
hispida *RBr.* VII. 5
humilis *RBr.* VII. 5
incana *RBr.* VII. 51
laevigata Curt. VII.
laevigata W. VII. 5
lanata *RBr.* VII. 51
littoralis RBr. VII.
mollis *RBr.* VII. 51
ovata *Sm.* VII. 514
paniculata *Sm.* VII.
pterigosperma *RBr.*
pubescens *Sieb.* VII.

XIII. 2. 403
M. & Schult. XIII. 2. 390
L. XIII. 2. 419 363
Pav. XIII. 2. 419 370
Zucc. XIII. 2. 419 360
Desf. XIII. 2. 410
Mart. XIII. 2. 393
Mart. XIII. 2. 405
406
Moq. XIII. 2. 386
XIII. 2. 400
ort. XIII. 2. 419 377
og. XIII. 2. 414
XIII. 2. 409
XIII. 2. 402
es XIII. 2. 397
Mart. XIII. 2. 406
liana Mart. XIII. 2. 408
Mart. XIII 2. 397
XIII. 2. 407
Mart. XIII. 2. 403
Mart. XIII. 2. 396
Imans. XIII. 2. 419 422
. XIII. 2. 385
. XIII. 2. 388
XIII. 2. 411
. XIII. 2. 410
XIII. 2. 419 357
n. XIII. 2. 419 421
. XIII. 2. 387
Spr. XIII. 2. 384
rt XIII. 2. 418
Poll XIII. 2. 391
hort. XIII. 2. 419 377
Pav. XIII. 2. 410
ly. XIII. 2. 387
388
XIII. 2. 389
XIII. 2. 399
XIII. 2. 395
Mart.
XIII. 2. 389
XIII. 2. 419 340

Gomphrena
villosa Mart. XIII. 2. 413
virgata Mart. XIII. 2. 415
volubilis Blanco XIII. 2. 418
Wallichii M. Monsp. XIII. 2. 418
Spec. Cham. & Schlecht. XIII. 2. 372
Gomphrena sect. Gomphrena Endl. XIII. 2. 391
GOMPHRENEAE Endl. XIII. 2. 234 337
Gonatia gratioloides Nutt. X. 595
Gongrotiema Endl. VIII. 624
attenuatum Dene VIII. 625
columnare Dene VIII. 624
Finlaysonii Dene VIII. 625
nepalense Dene VIII. 624
sagittatum Dene VIII. 624
Wallichii Dene VIII. 624
Gongyla Bernh. IX. 251
Gongyla Bo. fil. IX. 251 (Seemiopteris)
Goniolithon Boiss. XII. 630 632
callitomum Boiss. XII. 633
collinum Boiss. XII. 633
elatum Boiss. XII. 634
eximium Boiss. XII. 634
graminifolium Boiss. XII. 633
speciosum Boiss. XII. 634
tataricum Boiss. XII. 632
β angustifolium 633
γ laxiflorum
Gonioma E. Mey. VIII. 387
Kamassi E. Mey. VIII. 388
β brachycarpum
Goniostachyum Schauer XI. 574 (Lippia)
Goniostemma Wight VIII. 504
acuminatum Wight VIII. 504
GONOLOBAE RBr. VIII. 591
Gonolobus Mx. VIII. 591
albus Poir. VIII. 598
altissimus RBr. VIII. 597
aristolochioides H. B. & Kth. VIII. 592
asper Dene VIII. 595
Baldwinianus Sweet VIII. 595
barbatus H. B. & Kth. VIII. 597
biflorus Nutt. VIII. 598 605
carolinensis RBr. VIII. 595
chloranthus Schlecht. VIII. 592
congestus Dene VIII. 597
crispiflorus RBr. VIII. 598 600
diadematus Dene VIII. 592
echinatus Ledd. VIII. 598
erianthus Dene VIII. 592

Gratiola
inaequalis Walt. X. 406
integrifolia Roxb. X. 406 420
inundata Kit. X. 404 418
involucrata Roxb. X. 406 IX. 279
juncea Roxb. X. 406 407
latifolia *RBr.* X. 403
linifolia *Vahl* X. 404
lobelioides Retz X. 406 407
lucida Vahl X. 406 413
marginata Colsm. X. 406 421
minima Roth X. 406 422
missouriana Beck X. 403
Monniera L. X. 406 400
montana Bottl. V. 406
nana *Bth.* X. 404
neglecta Torr. X. 403
nudicaulis W. X. 406 407
ocymifolia Vahl X. 406
officinalis Brot. X. 404
officinalis *L.* X. 404
officinalis Mx. X. 403
oppositifolia Retz X. 406 421
origanifolia Vahl X. 406 416
parviflora Roxb. X. 406 420
pedunculata *RBr.* X. 403
peruviana *L.* X. 403
peruviana Walt. X. 405
pilosa *Mx.* X. 405
portulacacea Weinm. X. 406 400
pubescens *RBr.* X. 404
pulegiifolia Vahl X. 406 421
punctata Colsm. X. 406 387
pusilla *Torr.* X. 402
pusilla W. X. 406 414
quadridentata *Mx.* X. 405
racemosa Roth X. 406 424
racemosa Roxb. X. 406 421
ramosa Walt. X. 405
repens Sw. X. 406 397
reptans Roxb. X. 406 420
riparia Raf. X. 419
rotundifolia *L.* X. 406 420
Roxburghiana R. & Schult. X. 406 421
ruellioides Colsm. X. 406
ruelloides Koen. X. 421
rugosa Lour. X. 406
serrata Roxb. X. 406 420
sexdentata *R. Cunn.* X. 404
sphaerocarpa *Ell.* X. 403
stricta Lour. X. 406
strigosa *Roth* X. 405 386
subulata *Baldw.* X. 405
tenuifolia Colsm. X. 406 422

Gratiola
tetragona Ell. X. 406
tetragona Hook. X.
trifida W. X. 407 38
verbenaefolia Colsm.
veronicaefolia Retz
virginiana *L.* X. 403
virginiana L. ex
virginica Lam. X. 40
viscosa Horn. X. 407
viscosa *Schwein.* X.
Gratiolae affinis ecl

GRATIOLAE VERAE *Bt*
Gratiolaria Bth. X. 40
GRATIOLEAE *Bth.* X.
Graya Endl. XIII. 2.
Grayia *Hook. & Arn.*

polygaloides Hook.

spinosa *Moq.* XIII.
Gregoria *Duby* VIII.
arctioides *Duby* VIII.
Aucheri *Duby* VIII.
caespitosa *Duby* VIII
Michauxii *Duby* VIII
Vitaliana *Duby* VIII.
Grisebachia *Klotzsch*
bruniades *Bth.* VII.
ciliaris *Klotzsch* VII.
Dregeana *Bth.* VII.
eriocephala *Bth.* VII.
hirta *Klotzsch* VII.
hispida *Klotzsch* VII.
incana *Klotzsch* VII.
involuta *Klotzsch* VII
plumosa *Klotzsch* VII
serrulata *Bth.* VII.
velleriflora *Klotzsch*
Zeyheriana *Klotzsch*
Geossostyles Cham. &
(lege *Glossostylis*
Geosxularia Burm. VII
Gruvelia *Dc. fl.* X. 11
pusilla *Dc. fl.* X. 11
Guacomaya XIII. 2. 14
Guajacana Tourn. VIII.
VIII. 238 *Cate*
GUAJACANAE Juss.
Gualtheria Scop. VII.
Guapeba Dc. fl. VIII.

Guapeba Gomez VIII.
laurifolia Gomez VII

M. VII. 515
r. VII. 516
s RBr. VII. 515
ria RBr. VII. 515
rs. VII. 516
i Sm. VII. 514
m. VII. 516
R. VII. 516 794
VII. 516
RBr. VII. 514
β RBr. VII. 514
Br. VII. 516
Br. VII. 513
VII. 504
. VII. 517
. VII. 515
don VII. 515
VII. 514
. VII. 516
EAE Bth. VII. 502
Lindl. VII. 512
ES Lindl. VII. 502
G. Don VII. 512
EAE RBr. VII. 497
XII. 615
EAE RBr. VII. 502
556
XII. 22
Chois. XII. 22
Hook. XIII. 2. 334
337
Hook. XIII. 2. 337
Hook. XIII. 2. 337
Hook. XIII. 2. 337
at. VIII. 581
ent. VIII. 583
1. 177
III. 639
Schlecht. XIII. 1. 21
folia W. Arn. XIII.
1. 19
folia Lindl. XIII. 1.
21
folia Schlecht. XIII.
1. 20
um. XIII. 1. 20
. Arn. XIII. 1. 19
ris XIII. 1. 20
ata. XIII. 1. 21
Arn. XIII. 1. 20
III. Bentham. XIII. 1.
20

GRADOWSKIANA Dun. XIII. 1. 5.
18
Graderia Bth. X. 507 521
scabra Bth. X. 521
Gramen junceum minus &c. Moris.
XIII. 1. 737
Gramnica Lour. IX. 452
aphylla Lour. IX. 460
Grammotheca Presl VII. 348 784
Bergiana Presl VII. 348
Dregeana Presl VII. 348 784
Echloniana Presl VII. 348
Meyeriana Presl VII. 348
Mundtiana Presl VII. 348
Graptophyllum Nees XI. 395 327
hortense Nees XI. 398
Gratiola L. X. 343 402 392 Roxb.
X. 408 W. Aust. X. 407
acuminata Franch X. 403
acuminata Vahl X. 403
acuminata Walt. X. 405 394
alata Roxb. X. 405 411
amara Roxb. X. 405 408
anagallidea Mx. X. 405 419
Anagallis Beyr. X. 404
aphylla Roth X. 405 407
aromatica Pers. X. 405 388
aspera Roth X. 405 443
attenuata Spr. X. 406 449
aurea Muehl. X. 404
hirsuta Pursh X. 403
carolinensis LeConte X. 403
cartilaginea Pers. X. 403
chaimaedrifolia Lam. X. 406
388
Chamaedrys Roth X. 405
ciliata Colsm. X. 406 421
cordifolia Koen. X. 406
cordifolia Vahl X. 417
crassifolia Lag. X. 404
cuneifolia Roxb. X. 409 407
dilatata Muehl. X. 406 419
domingensis Gaertn. X. 406
419
Drummondii Bth. X. 405
ebracteata Bth. X. 595
floridana Nutt. X. 402
β intermedia Bth. 403
glabra Walp. X. 404
goodenaefolia Horn. X. 406 375
gracilis Bth. X. 402
grandiflora Reis X. 406 421
grandiflora Roxb. X. 406 421
hispidula Colsm. X. 406
Hookeri Walp. X. 406 384
hyssopioides L. X. 406 419

Gypsocallis Salisb. Bth. VII. 667 (Erica)
Gypsocallis G. & D. Don VII. 613 614
Actaea G. Don VII. 691
acutangula G. Don VII. 687
Bedfordiana G. Don VII. 675
caesia G. Don VII. 620
carnea D. & G. Don VII. 614
cistifolia G. Don VII. 692
concava G. Don VII. 688
dumosa G. Don VII. 668
eriocephala G. Don VII. 617
expromta G. Don VII. 704
flexilis G. Don VII. 668
flexuosa G. Don VII. 620
fragrans G. Don VII. 686
hispida G. Don VII. 668
horizontalis G. Don VII. 657
imbricata G. Don VII. 620
intertexta G. Don VII. 663
lanata G. Don VII. 617
lasciva G. Don VII. 689
leucanthera G. Don VII. 689
Loddigesii G. Don VII. 688
longipedunculata G. Don VII. 668
lyrigera G. Don VII. 687
manipuliflora D. & G. Don VII. 667
mediterranea D. & G. Don VII. 614
melanthera G. Don VII. 684
microstoma G. Don VII. 668
multiflora D. & G. Don VII. 667
nigricans G. Don VII. 687
nigrita G. Don VII. 687
nudiflora G. Don VII. 668
paniculata G. Don VII. 690
patens G. Don VII. 686
peltata G. Don VII. 691
pilosa G. Don VII. 617
procumbens G. Don VII. 672
purpurascens D. & G. Don VII. 667
rastellum G. Don VII. 621
rostella G. Don VII. 621
squamaeflora G. Don VII. 620
staminea G. Don VII. 689
stylosa G. Don VII. 620
thaliotriflora G. Don VII. 689
tiaraeflora G. Don VII. 620
vagans Salisb. VII. 667
Gyrandra *Griseb.* IX. 44 *Meq.* XIII. 2. 40
Gyrandra
chironioides *Griseb.*
№ 295 *Berland.* IX.
385 *Berland.* IX.
Gyrastrum Neck. XI.
GYROMERIEAE *Meq.*
Gyrostachys G. Don IX
Gyrostemon *Desf.* XII *Hook.*
attenuatum Hook. XI
brevipes Hook. XIII.
cotinifolius *Desf.* XII
cotinifolius Spr. XII
ramulosus *Desf.* XIII
ramulosus Spr. XIII.
GYROSTEMONEAE *En*

H.

Haberlea *Friwaldsk.* IX
rhodopensis *Friwald.*
Hablitzia *MB.* XIII.
tamnoides *MB.* XIII.
Hablizia Spr. XIII. 2.
Habracanthus *Nees* XI.
haematodes *Nees* XI.
sanguineus *Nees* XI.
sylvaticus *Nees* XI. 3
Habrothamnus Endl. 598 599 *Lindl.*
corymbosus Endl. XII
cyaneus Lindl. XIII.
cyaneus h. Monsp. XI
elegans Linden XIII.
elegans Scheidw. XIII
fasciculatus Bth. XII
fasciculatus Endl. XII
paniculatus Mart. &
purpureus Lindl. XII
tomentosus Bth. XIII.
Habrothamnus Schlecht. 599
Hackelia Opiz X. 135
stellata Pohl IX. 56
Haematodictyon *Lindl.* VI
annulare *Dc. fl.* VIII.
cayennense *Dc. fl.* VI
circinalis G. Don VI
exsertum *Dc. fl.* VIII.
Gaudichaudii *Dc. fl.*
glabratum *Dc. fl.* VII
glandulosum *Dc. fl.*

699
XIII. 2. 120
& Kth. XIII. 2.
235 338
. 2. 338
B. & Kth. XIII.
2. 338
XIII. 2. 338
XIII. 2. 338
p. IX. 217
630
s Spec. Nimph. XI.
630
(I. 630
k. XI. 632
XI. 630 632
k. XI. 633
(I. 630 (Premna)
XIII. 2. 338
l. VIII. 219
. VIII. 220
71
mult. VIII. 494
s XI. 219
XI. 219
XII. 24. X. 586
Auct. X. 454
II. 25
25
(II. 26
II. 25
II. 25
ul. XII. 25
ul. XII. 25
. 25
I. 25
& Schl. XII. 25
. 25
XII. 25
ogyn XII. 25
& Kir. XII. 25
XII. 25
25
25
& Schl. XII. 25
XII. 25
II. 26
455
& Schl. XII. 25
VIII. 493
II. 493
66 (Hygrin)
Gymnolaena Hook. VIII. 284 Dec. VIII. 284 (Olea)
Gymnosana RBr. VIII. 621 Wight VIII. 623 624
acuminatum Wall. VIII. 622
affine Dene VIII. 623
albidum Dene VIII. 622
attenuatum Wall. VIII. 625
crinitum Dene VIII. 622
Finlaysonii Wight VIII. 625
geminatum RBr. VIII. 623
glabrum Wight VIII. 622
hirsutum Wall. VIII. 607
hirsutum Wight & Arn. VIII. 622
humile Dene VIII. 621
lactiferum RBr. VIII. 622
latifolium Wall. VIII. 623
molle Wall. VIII. 622
nepalense Wall. VIII. 624
parviflorum Wall. VIII. 624
pubigerum h. Calcutt. VIII. 609
rufescens Dene VIII. 621
sagittatum Wall. VIII. 624
Spartium Wall. VIII. 629
subvolubile Dene VIII. 624
sylvestre RBr. VIII. 621
tenacissima Spr. VIII. 616
trinerve RBr. VIII. 624
Wallichii Wight VIII. 625
zeylanicum Dene VIII. 622
GYNNEMAN Dene VIII. 621
Gymnophytum Dc. Ml. IX. 286 (Casmanthus)
Gymnosalyx Bth. XII. 248 (Keithia)
Gymnocimum Bth. XII. 39 (Ocimum)
Gymnolaena Dene X. 73 80
Gymnomyaretis Dc. Ml. X. 111 (Myaretis)
Gymnophionis Bth. XII. 537 (Rhinomis)
Gymnostachyum Nees XI. 79 93
affine Nees XI. 94
ceylanicum Wt. Arn. XI. 93
Cumingianum Nees XI. 94
javanicum Nees XI. 93
leptostachyum Nees XI. 93
Gymnostegia Bth. Dc. VII. 508 (Scaevola)
Gynaion Dc. Ml. IX. 468
vestitum Dc. Ml. IX. 468
Gynocampus Lenchm. h. VII. 238
Gynopogon Forst. VIII. 345
Alyxia Forst. VIII. 347
scandens Forst. VIII. 348
stellatum Labill. VIII. 346

Halimus
portulacoides Dumort. XIII. 2. 112
Halleria *L.* X. 299 301
elliptica *L.* X. 302
lucida *L.* X. 301
ovata *Bth.* X. 302
Halocharis *Moq.* XIII. 2. 48 201
gamocarpa *Moq.* XIII. 2. 201
sulphurea *Moq.* XIII. 2. 201
vesiculosa *Moq.* XIII. 2. 202
Halocnemum *MB.* XIII. 2. 46 149
Spr. XIII. 2. 146
americanum Gill. XIII. 2. 150 148
arabicum Spr. XIII. 2. 150 147
australasicum *Moq.* XIII. 2. 149
caspicum MB. XIII. 2. 150
foliatum Spr. XIII. 2. 150 147
glaucum Presl XIII. 2. 150 151
nodulosum Spr. XIII. 2. 150 148
Ritterianum Moq. XIII. 2. 150 148
strobilaceum *MB.* XIII. 2. 149
β cruciatum – – –
Halodendron Pet. Thouars XI. 698 700
Thouarsii R. & Schult. XI. 700
Halogeton *C. A. Mey.* XIII. 2. 48 204 203 207
alopecuroides Moq. XIII. 2. 206 210
arachnoideus *Moq.* XIII. 2. 205
cinereus Moq. XIII. 2. 206 214
georgicus *Moq.* XIII. 2. 205
glomeratus Ledeb. XIII. 2. 206
glomeratus *C. A. Mey.* XIII. 2. 206
monandrus C. A. Mey. XIII. 2. 206 203
Olivieri *Moq.* XIII. 2. 205
oppositiflorus Moq. XIII. 2. 206 209
oppositiflorus *C. A. Mey.* XIII. 2. 204
paronychioides *Less.* XIII. 2. 206
sativus *Moq.* XIII. 2. 206
spinosissimus C. A. Mey. XIII. 2. 206 209
spinosissimus β camphorosmoides Moq. XIII. 2. 207 209
tamariscifolius C. A. Mey. XIII. 2. 207 174
tetragonus Moq. XIII. 2. 207 177
tetrandrus Moq. XIII. 2. 207 180
Halostachys *C. A. Mey.*
caspia *C. A. Mey.* XI
β Belangeriana
nodulosa C. A. Mey.
patagonica *Moq.* XII
perfoliata *Moq.* XIII.
Ritteriana *Moq.* XII
songarica *Schrenk* X
Halothamnus Jaub. &
Bottae Jaub. & Spa
Halymus Wahlenb. XII
pedunculatus Wahle
Hancornia *Gomez* VIII.
laxa *Dc. fil* VIII. 32
pubescens *Nees & Ma*
β Gardneri – –
speciosa *Gomez* VIII.
β Maximiliani *Dc. fil.*
γ Lundii –
speciosa Nees & Ma
Haplanthera *Hochst.* XI
speciosa *Hochst.* XI.
Haplanthus *Nees* XI. 51
tener *Nees* XI. 512
α humilis – – 513
β elongatus – – –
tentaculatus *Nees* XI.
verticillaris *Nees* XI.
β glabrescens – –
Haplolophium *Endl.* IX.
Blanchetii *Dc.* IX. 19
bracteatum *Cham.* IX
Lundii *Dc.* IX. 192
Haplophyton *Dc. fil.* VI
cimicidum *Dc. fil.* VI
Haplostemma Endl. VIII
HAPLOSTEMMAE *Dcne*
Harpagophytum *Dc.* IX.
procumbens *Dc.* IX.
Harpanema *Dcne* VIII.
acuminatum *Dcne* VI
Harpochilus *Nees* XI.
Neesianus *Nees* XI. 3
phaeocarpus *Nees* XI.
Harrachia Jacq. XI.
macrothyrsus Mart.
montana Mart. XI.
repanda Mart. XI.
speciosa Jacq. XI.
spinosa Hook. h. XI.
Harrisonia Hook. VIII.
loniceroides Hook. VI

Dc. fil. VIII. 426
Bth. VIII. 426
Dc. fil. VIII. 428
L. VIII. 427
fil. VIII. 426
ata - - -
. *fil.* VIII. 428
. *Don* VIII. 428 453
gy. VIII. 509
ley. VIII. 509
Mey. VIII. 509
Wallr. XI. 11
n *Blum.* IX. 26
lum. IX. 27
Koch XIII. 2, 48 203
r. XIII. 2. 204
. Koch XIII. 2. 204
. IX. 128 *Don* IX. 127
Griseb. IX. 129
Griseb. IX. 129
G. Don IX. 131 128
Bth. IX. 130
eb. IX. 128
. IX. 129
Don IX. 130
ch. IX. 128
eb. IX. 130
- - -
riseb. IX. 129
Griseb. IX. 130
. *Don* IX. 129
th. IX. 130
Don IX. 131
. Don IX. 131 129
riseb. IX. 129
Don IX. 130
Griseb. IX. 130
Griseb. IX. 130
th. IX. 128
VIII. 269
VIII. 270
mbranaceo-quadran-ulatis Ellis VIII. 270
x. VIII. 270
ce VIII. 270
. VIII. 269
E D. Don VIII. 259
E G. Don VIII. 244
ch. X. 177
Endl. X. 177
Endl. X. 178
Endl. X. 178
ndich. X. 177
ham. X. 177
Halicacabus indicus &c. Rumph. XIII. 1. 58 449
HALIMOCNEMIDES *Endl.* XIII. 2. 169
Halimocnemis *C. A. Mey.* XIII. 2. 48 194 200 207 *Moq.* XIII. 2. 201 202
alternifolia *Moq.* XIII. 2. 198
β angustifolia - - - 199
Belangeri *Moq.* XIII. 2. 196
brachiata *C. A. Mey.* XIII. 2. 197
caspica Moq. XIII. 2. 199 200
crassifolia C. A. Mey. XIII. 2. 198
gamocarpa Moq. XIII. 2. 199 201
glauca *C. A. Mey.* XIII. 2. 198
hispida *Schrenk* XIII. 2. 195
Hohenackeri *Presl* XIII. 2. 199
juniperina C. A. Mey. XIII. 2. 199 200
Karelini *Moq.* XIII. 2. 196
Kulpiana *C. Koch* XIII. 2. 199
macrantha Karel. XIII. 2. 199 200
malacophylla Kar. & Kir. XIII. 2. 199 207
malacophylla *C. A. Mey.* XIII. 2. 196
monandra *C. A. Mey.* XIII. 2. 199
obtusifolia *Schrenk* XIII. 2. 198
occidentalis Nutt. XIII. 2. 199 279
pilifera Moq. XIII. 2. 195
pilosa *Moq.* XIII. 2. 195
pubescens *Ledeb.* XIII. 2. 199
purpurea Moq. XIII. 2. 199 202
sclerosperma *C. A. Mey.* XIII. 2. 195
sibirica *C. A. Mey.* XIII. 2. 197
spicata *Presl* XIII. 2. 199
squarrosa *Schrenk* XIII. 2. 198
sulphurea Moq. XIII. 2. 199 201
tomentosa Moq. XIII. 2. 199 208
tomentosa β glabrescens Moq. XIII. 2. 199 208
tomentosa β glabriuscula Boiss. XIII. 2. 199 208
triandra *Moq.* XIII. 2. 197
villosa *Kar. & Kir.* XIII. 2. 195
Volvox C. A. Mey. XIII. 2. 197
Halimus Moq. XIII. 2. 114 (Obione)
Halimus Wallr. XIII. 2. 106 114
Nees XIII. 2. 107
pedunculatus Wallr. XIII. 2. 115

Halimus
portulacoides Dumort. XIII. 2. 112
Halleria *L.* X. 299 301
elliptica *L.* X. 302
lucida *L.* X. 301
ovata *Eth.* X. 302
Halocharis *Moq.* XIII. 2. 48 201
gamocarpa *Moq.* XIII. 2. 201
sulphurea *Moq.* XIII. 2. 201
vesiculosa *Moq.* XIII. 2. 202
Halocnemum *MB.* XIII. 2. 46 149
Spr. XIII. 2. 146
americanum Gill. XIII. 2. 150 148
arabicum Spr. XIII. 2. 150 147
australasicum *Moq.* XIII. 2. 149
caspicum MB. XIII. 2. 150
foliatum Spr. XIII. 2. 150 147
glaucum Presl XIII. 2. 150 151
nodulosum Spr. XIII. 2. 150 148
Ritterianum Moq. XIII. 2. 150 148
strobilaceum *MB.* XIII. 2. 149
β cruciatum - - -
Halodendron Pet. Thouars XI. 698 700
Thouarsii R. & Schult. XI. 700
Halogeton *C. A. Mey.* XIII. 2. 48 204 203 207
alopecuroides Moq. XIII. 2. 206 210
arachnoideus *Moq.* XIII. 2. 205
cinereus Moq. XIII. 2. 206 214
georgicus *Moq.* XIII. 2. 205
glomeratus Ledeb. XIII. 2. 206
glomeratus *C. A. Mey.* XIII. 2. 206
monandrus C. A. Mey. XIII. 2. 206 203
Olivieri *Moq.* XIII. 2. 205
oppositiflorus Moq. XIII. 2. 206 209
oppositiflorus *C. A. Mey.* XIII. 2. 204
paronychioides *Less.* XIII. 2. 206
sativus *Moq.* XIII. 2. 206
spinosissimus C. A. Mey. XIII. 2. 206 209
spinosissimus β camphorosmoides Moq. XIII. 2. 207 209
tamariscifolius C. A. Mey. XIII. 2. 207 174
tetragonus Moq. XIII. 2. 207 177
tetrandrus Moq. XIII. 2. 207 180
Halostachys *C. A. Mey*
caspia *C. A. Mey.* X
β Belangeriana
nodulosa C. A. Mey.
patagonica *Moq.* XI
perfoliata *Moq.* XIII
Ritteriana *Moq.* XI
songarica *Schrenk*
Halothamnus Jaub. &
Bottae Jaub. & Sp
Halymus Wahlenb. XI
pedunculatus Wahl
Hancornia *Gomes* VIII
laxa *De. fil* VIII. 3
pubescens *Nees & M*
β Gardneri - -
speciosa *Gomes* VII
β Maximiliani *De. f*
γ Lundii -
speciosa Nees & M
Haplanthera *Hochst.* X
speciosa *Hochst.* XI
Haplanthus *Nees* XI. 5
tener *Nees* XI. 512
α humilis - - 513
β elongatus - - -
tentaculatus *Nees* XI
verticillaris *Nees* XI.
β glabrescens - -
Haplolophium *Endl.* IX
Blanchetii *De.* IX.
bracteatum *Cham.*
Lundii *De.* IX. 192
Haplophyton *De. fil.* V
cimicidum *De. fil.* V
Haplostemma Endl. VII
HAPLOSTEMMAE *Dene*
Harpagophytum *De.* IX.
procumbens *De.* IX.
Harpanema *Dene* VIII.
acuminatum *Dene* VI
Harpochilus *Nees* XI.
Neesianus *Nees* XI.
phaeocarpus *Nees* XI.
Harrachia Jacq. XI. 2
macrothyrsus Mart.
montana Mart. XI.
repanda Mart. XI.
speciosa Jacq. XI.
spinosa Hook. h. XI.
Harrisonia Hook. VIII.
loniceroides Hook. VI

ık. X. 508 524
fook. X. 524
Harv. X. 525 523
um. VIII. 408
n. XI. 696
'm. XI. 697
rt. XIII. 2. 385 *Endl.* XIII. 2. 385
s *Mart.* XIII. 2. 387
Mart. XIII. 2. 385
Bth. XIII. 2. 360
ta *Mart.* XIII. 2. 386
art. XIII. 2. 387
art. XIII. 2. 386
ıq. XIII. 2. 385 (Gomphrena)
. 459 (Veronica)
.. 458
a *Juss.* X. 461
Miers XIII. 1. 5. 468
s XIII. 1. 470
iers XIII. 1. 470
iers XIII. 1. 470 686
Miers XIII. 1. 471
liers XIII. 1. 471
s *Miers* XIII. 1. 470
s *Miers* XIII. 1. 470
rs XIII. 1. 471
liers XIII. 1. 471
iers XIII. 1. 470
Miers XIII. 1. 469
Miers XIII. 1. 469
lumph VIII. 222 235
L. XII. 3 *Auct.* XII. 3. 6 XII. 6
ink XII. 6. 8
r. XII. 4
hbg XII. 6. 7
. *Berol.* XII. 6. 7
folia *Link* XII. 6. 7 XII. 6
g. XII. 6. 7
chst. XII. 5
XII. 6 3
Choix. XII. 4
XII. 3
lia - 4
a - -
E. *Mey.* XII. 5
. XII. 4
. *Berg.* XII. 6
hbg XII. 6. 7
Jaross XII. 6
. *Berol.* XII. 4
. XII. 4
- -

Hebenstreitia
fruticosa Thbg XII. 3
hamulosa *E. Mey.* XII. 5
hispida *Lam.* XII. 6. 7
integrifolia L. XII. 4
macra *E. Mey.* XII. 5
parviflora *E. Mey.* XII. 5
β denticulata - - -
pulchella Sal. XII. 4
ramosissima *Jaross* XII. 5
repens *Jaross* XII. 6
robusta *E. Mey.* XII. 4
robusta β E. Mey. XII. 4
scabra h. Berol. XII. 5
scabra Sieb. XII. 5. 11
scabra Spr. XII. 6
scabra *Thbg* XII. 4
spicata Thbg XII. 6
tenera Spr. XII. 6 2
tenuifolia E. Mey. XII. 4
tenuifolia Schrad. XII. 4
tenuifolia Walp. XII. 4
virgata *E. Mey.* XII. 5
Heberdenia *Banks h.* VIII. 105
excelsa *Banks* VIII. 106
Hedeoma Bth. XII. 245 (Hedeoma)
Hedeoma *Pers.* XII. 150 244
arkansana Nutt. XII. 246 230
bracteolata Nutt. XII. 246 223
ciliata *Bth.* XII. 245
coerulescens *Bth.* XII. 245
Drummondi *Bth.* XII. 245
Gillesii Bth. XII. 246
glabra Auct. XII. 230
glabra Nutt. XII. 230
glabra Pers. XII. 246
hirta Nutt. XII. 245
hispida *Pursh* XII. 245
multiflora *Bth.* XII. 246
napalensis *Bth.* XII. 244 698
piperita *Bth.* XII. 245
polygalaefolia *Bth.* XII. 246
pulegioides *Pers.* XII. 244
thymoides Pers. XII. 246 201
Hedionda XIII. 2. 87
Hediunda jasminiano folio &c. Feuill. XIII. 1. 667
Hedranthum G. Don Dc. fil. VII. 450 (Phyteuma)
Hedyotis maritima L. fil. X. 422
Heeria Meisn. VIII. 92
inermis Meisn. VIII. 183
melanophleos Meisn. VIII. 97
Heinzelia *Nees* XI. 304 314
longiflora *Nees* XI. 314
lythroides *Nees* XI. 314 729

Heliotropium
niloticum *Dc. fil.* IX. 541 566
oaxacanum *Dc.* IX. 543 X. 78
oblongifolium Horn. IX. 535
obovatum *Roxb.* IX. 548
ocellatum *Cham.* IX. 545
odoratum Moench IX. 538
oppositifolium *R. & Pav.* IX. 540
orientale *Houtt.* IX. 549
Ottonianum R. & Schult. IX. 545
Ottonis *Lehm.* IX. 545
Ottonis R. & Schult. IX. 549
ovalifolium Forsk. IX. 541
ovalifolium Kotschy IX. 541
pallens *Delil.* IX. 534
paniculatum *RBr.* IX. 547
paniculatum Roxb. IX. 549
paronychioides *Dc. fil.* IX. 565
parviflorum Blanco IX. 551 557
parviflorum L. IX. 551 553
parviflorum Stev. IX. 550
patibilcense *H. B. & Kth.* IX. 550
pauciflorum *RBr.* IX. 547
persicum Auch. IX. 551 X. 72
persicum *Lam.* IX. 537
peruvianum *L.* IX. 538
phylicoides Cham. IX. 551 554
pilosum *R. & Pav.* IX. 540
pinnatum Vahl IX. 298
pinnatum W. h. IX. 298
plebejum Banks IX. 551 552
polyphyllum *Lehm.* IX. 544 566
β Blanchetii *Dc.* – –
polyphyllum erectum Cham. IX. 544
polystachyum *Poir.* IX. 549 541
procumbens H. B. & Kth. IX. 539
procumbens Mill. IX. 549
prostratum *RBr.* IX. 548
pterocarpum Hochst. & Steud. IX. 551 552
pumilum glabrum Pluk. IX. 297
ramosissimum *Sieb.* IX. 536
β trichocarpum *Dc.* – 537
rigidifolium *Dc. fil.* IX. 543
rigidulum *Dc.* IX. 540
Rottleri *Lehm.* IX. 549
rotundifolium *Sieb.* IX. 536
Roxburghii *Spr.* IX. 549
salicoides *Cham.* IX. 544
Saltianum Steud. IX. 542
scabrum Lehm. IX. 547
scabrum Retz IX. 547

Heliotropium
scandens Vell. IX. 5
scorpioides H. B.
scorpioides W. h. IX
sidaefolium Cham. I
Sienites Spr. IX. 54
simplex Meyen IX. 5
Stevenianum *Andrz.*
stenophyllum Hook.
strictissimum *Meric.*
strictum *H. B. & K*
strigosum *W.* IX. 5
suaveolens *MB.* IX.
subulatum Hochst. I
supinum *L.* IX. 533
β malabaricum *Bth.* –
supinum Pall. IX. 5
supinum Thbg IX. 5
synzystachyum *Lehm*
synzystachyum R.
tenue *Wall.* IX. 548
tenuifolium *RBr.* IX.
ternatum Vahl IX. 5
ternatum var. Spr. I
tetrandrum *Lour.* IX
thymifolium *Vahl* IX
tiaridioides Cham. I
tomentosum Burm. I
tomentosum *Poir.* IX
transalpinum Vell. I
tubulosum *E. Mey.* I
turcicum *Friwald.* IX
undulatum *Vahl* IX.
ventricosum *RBr.* IX
villosum Presl IX. 5
villosum Sieb. IX. 54
villosum *W.* IX. 537
virens E. Mey. IX. 5
viridiflorum Lehm. I
Willdenowii G. Don
zeylanicum Lam. IX.
zeylanicum Wall. IX.
№ 297 *Drummond.*
Helygia Blum. VIII. 42
Hemiadelphis *Nees* XI.
polysperma *Nees* XI.
Hemiaerva Fenzl XI

Hemiandra *RBr.* XII. 5
brevifolia Bth. XII.
emarginata *Lindl.* XI
glabra Bth. XII. 564
hirsuta *Bth.* XII. 564
incana *Bartl.* XII. 5

ı
elianum *Lehm.* IX. 541
n *Dc.* - -
um *Lehm.* - -
folium *Dc.* - -
um - 542
lianum *Raddi* IX. 533
lianum *Rets* IX. 541
m *R. & Pav.* IX. 538
esf. IX. 536
um *Lehm.* IX. 538
um *L.* IX. 538
n *Dc.* - -
- - -
n *Ledeb.* IX. 535
Lehm. IX. 539
R. & Schult. IX. 542
lt. IX. 550
Steud. IX. 535
Ledeb. IX. 535
Salt. IX. 550
W. IX. 551 555
um. IX. 535
ell. IX. 551
ı *Lehm.* IX. 532
ı *Schimp.* IX. 537
hm. IX. 551 552
Buch IX. 535
L. IX. 534
olium *Cham.* - 535
um *Guss.* - -
ri *Dc.* - -
α *R. & Schult.* IX. 535
β *MB.* IX. 535
β *R. & Schult.* IX. 535
e *Malabaria Burm.* IX. 533
var. Cham. IX. 537
m *RBr.* IX. 547
l. B. & Kth. IX. 545
hm. IX. 550
alsm. IX. 551 553
Br. IX. 548
V. IX. 549
V. h. IX. 544
Forsk. IX. 546
Fors. IX. 543
L. IX. 542
ı *Dc.* - -
m - - -
ı - - 543
bum - -
Spr. IX. 542
β *persicum Burm.* IX. 537
RBr. IX. 548

Heliotropium
glandulosum *RBr.* IX. 542
glaucophyllum Moench IX. 538
glomeratum *Dc. fil.* IX. 550
gnaphalodes Jacq. IX. 551 515
gracile RBr. IX. 541
gracile β depressum Cham. IX. 542
grandiflorum *Auch.* IX. 532
grandiflorum Don IX. 538
helophilum *Mart.* IX. 544
hirsutissimum Web. IX. 537
hirsutum Clark IX. 533
hirtum Lehm. IX. 542 543
hispidum H. B. & Kth. IX. 543
horminifolium Mill. IX. 551 557
Houstoni *Dc.* IX. 549
Humboldtianum R. & Schult. IX. 540
humifusum *H. B. & Kth.* IX. 542
humile RBr. IX. 542
humile Schult. IX. 535
humistratum *Cham.* IX. 545
incanum *R. & Pav.* IX. 540 566
indicum L. IX. 551 557
innndatum *Sw.* IX. 539 566
β cubense *Dc.* - - -
intermedium Ands. IX. 535
Kunzii *Lehm.* IX. 541
lanatum *H. B. & Kth.* IX. 549
lanceolatum *R. & Pav.* IX. 539
lasiocarpum *Fisch. & Mey.* IX. 536
latifolium *W. h.* IX. 539
laxiflorum *Roth* IX. 548
limbatum *Bth.* IX. 543
lineatum Auct. IX. 549
lineatum Delil. IX. 532
linestum *Vahl* IX. 548
linifolium *Lehm.* IX. 547
lithospermoides W. IX. 551 X. 51
longiflorum Hochst. & Steud. IX. 551 555
luteum *Poir.* IX. 532
majus siculum Bocc. IX. 535
malabaricum Rets IX. 533
marifolium *Rets* IX. 547
maroccanum *Lehm.* IX. 536
maroccanum Raddi IX. 537
microcalyx *R. & Pav.* IX. 540
microphyllum *Sw.* IX. 550
microstachyum *R. & Pav.* IX. 550
monostachyum Cham. IX. 551 556
myosotoides Lehm. IX. 546
nicotianaefolium Poir. IX. 551 554

Henckelia
bifolia Dietr. IX. 269
cinerea Spr. IX. 267
corniculata Spr. IX. 266
crinita Spr. IX. 265
elongata Spr. IX. 266
frutescens Spr. IX. 265
grandiflora Dietr. IX. 269
grandiflora Link X. 421
incana Spr. IX. 268
macrophylla Spr. IX. 267
oblonga Spr. IX. 267
oppositifolia Link X. 422
plicata Spr. IX. 267
racemosa Spr. IX. 266
reptans Spr. IX. 266
Roxburghiana Link X. 420
urticaefolia Dietr. IX. 269
villosa Spr. IX. 266
Wallichiana Dietr. IX. 269
Henfreya Lindl. XI. 724
scandens Lindl. XI. 724
Henonia *Moq.* XIII. 2. 232 237
scoparia *Moq.* XIII. 2. 237
Henricea Lemaire-Lis. IX. 123
pharmacearcha Lemaire-Lis. IX. 127
spicata Lemaire-Lis. IX. 127
Henrya *Nees* XI. 464 491
Barclayana *Nees* XI. 490
scorpioides *Nees* XI. 491
Henslowia Low. VIII. 288
Heptaneuron Dene XIII. 1. 698 (Plantago)
Herba admirationis Rumph XII. 533
Herba purgationis &c. Feuill. XIII. 2. 454
Herbastella &c. J. Bauh. XIII. 1. 732
Hermbstaedtia *Reich.* XIII. 2. 232 246
caffra *Moq.* XIII. 2. 246
elegans *Moq.* XIII. 2. 247
β recurva – – –
glauca *Moq.* XIII. 2. 247
Hermes Salisb. Bth. VII. 662 (Erica)
Herniaria Tourn. XIII. 2. 424
Payco &c. Molin. XIII. 2. 80
Herpestis *Gaertn.* X. 343 392 *Endl.* X. 392 *Cham.* X. 394 *Mart.* X. 398
amara Bth. X. 401 409
amara Spanogh. X. 400
amplexicaulis *Pursh* X. 398
andicola Gill. X. 401 374
angulata *Bth.* X. 396

Herpestis
axillaris *Bth.* X. 39
bacopoides *Bth.* X.
Brownei Nutt. X. 4
caespitosa *Cham.* X
callitrichoides H. 4

calycina *Bth.* X. 39
β Thonningii – –
caprarioides *H. B.*
chamaedryoides *H.*

chrysantha Cham.
colubrina H. B. &
connata Spr. X. 40
crenata PB. X. 400
cubensis Poepp. X.
depressa *Bth.* X. 39
domingensis Spr. X
elongata *Bth.* X. 39
erecta Spr. X. 401
flagellaris *Cham.* &
floribunda *RBr.* X.
glechomoides Spr. X
gracilis *Bth.* X. 393
grandiflora *Bth.* X.
gratioloides *Bth.* X
Hamiltoniana *Bth.*
herniarioides *Cham.*
javanica *Blum.* X.
imbricata *Bth.* X. 3
lanceolata Wight X
lanigera *Cham.* &
lanuginosa *Blum.* X
laxiflora *Bth.* X. 39
linearis Spr. X. 400
madagascariensis *B*
marginata *Bth.* X.
Matourea Spr. X.
micrantha Ell. X.
micrantha *Pursh* X.
Monnieria *H. B.* &

montevidensis *Spr.*
moranensis H. B.
myriophylloides *Bth*
nigrescens *Bth.* X.
obovata *Poepp.* X.
ovata Bth. X. 401
ovata Wall. X. 380
peduncularis *Bth.* X
pilosa *Bth.* X. 394
polyantha Bth. X.
polygonoides Bth. X
procumbens Spr. X.
pusilla Meisn. X. 3

: *Bartl.* XII. 564
Bth. XII. 564
Bartl. XII. 564
RBr. XII. 564
Hügel XII. 564
Nutt. X. 344 423
moides *Nutt.* X. 423
Bth. X. 335
Bth. X. 336
Salisb. b. VII. 510
: *Nees* XI. 306 367
Nees XI. 367
RBr. XIII. 2. 234 334 219
Br. XIII. 2. 334
RBr. XIII. 2. 334
: *Bth.* X. 532 (Castilleja)
RBr. VIII. 494
Br. VIII. 494
Wight & Arn. VIII. 495
Wight VIII. 495
Bth. XII. 567 (Hemigenia)
RBr. XII. 558 565
Bartl. XII. 567
artl. XII. 567
Bth. XII. 566
Bth. XII. 566
th. XII. 567
h. XII. 566
h. XII. 566
Bth. XII. 568
Bth. XII. 565
h. XII. 566
h. XII. 567
Bartl. XII. 567
Bth. XII. 566
Bth. XII. 566
RBr. XII. 568
Sieb. XII. 568
Bth. XII. 565
h. XII. 565
th. XII. 567
th. XII. 568
Bth. XII. 566
ides Bth. XII. 508
Nees XI. 722
ees XI. 722
Roxb. XI. 723
De. fil. VIII. 111 (Badula)
Griff. XI. 628 697
Griff. XI. 697
r. VII. 534 (Gloxinia)
Hemilobos Endl. IX. 228
HEMIMERIDEAE *Bth.* X. 188 248
Hemimeris *Thbg* X. 249 255 *H. B. & Kth.* X. 249 *Auct.* X. 249
acutifolia Pers. X. 256
alsinoides Lam. X. 255
caulialata Pers. X. 256 250
coccinea W. X. 256 250 591
diffusa L. fil. X. 256
diffusa Thbg X. 257
hirsuta Spr. X. 256
incisaefolia Pers. X. 256
linearifolia H. B. & Kth. X. 256 250
linearis Pers. X. 256
linearis Sm. X. 250
macrophylla Thbg X. 256 258
montana *L.* X. 255
β latipes Bth. – 256
Mutisii H. B. & Kth. X. 256 250 591
parviflora H. B. & Kth. X. 256 250 591
pedunculoris Lam. X. 256 257
procumbens Pers. X. 256 251
sabulosa *L.* X. 256
sessilifolia *Bth.* X. 255
sinuata Sm. X. 256 257
unilabiata Pers. X. 256
unilabiata Thbg X. 257
urticaefolia W. X. 256 250
Hemiphragma *Wall.* X. 424 429
heterophyllum *Wall.* X. 429
Hemipogon *Dcne* VIII. 509
acerosus *Dcne* VIII. 509
setaceus *Dcne* VIII. 509
Hemisandra Scheidw. XI. 295
aurantiaca Scheidw. XI. 298
Hemisiphocampylus Dc. fil. VII. 397 (Siphocampylus)
Hemispadon Bth. X. 540 (Lamourouxia)
Hemisphace Bth. XII. 357 (Salvia)
Hemistoma Bth. XII. 523 (Leucas)
Hemistoma Ehrenb. XII. 523
ovatum Ehrenb. XII. 523
Hemitome Nees XI. 295
ignea Nees XI. 292
Hemizygia Bth. XII. 41 (Ocimum)
Hemonacanthus salviaefolius XI. 725
Henckelia Spr. IX. 264 270 *Dietr.* IX. 264 268
alata Link X. 411
aromatica Spr. IX. 267
barbata Spr. IX. 265

Himeranthus
runcinatus *Endl.* XIII. 1. 479
α brevipes – – 479
β longipes – – –
γ caulescens – – 480
tridentatus *Miers* XIII. 1. 480
Hippion Spr. IX. 65 *Schmidt* IX. 86
aestivum Schm. IX. 103
alpinum Schm. IX. 116
altaicum Schm. IX. 105
Amarella Schm. IX. 96
aureum Schm. IX. 100
auriculatum Schm. IX. 97
axillare Schm. IX. 95
bavaricum Schm. IX. 104
campestre Schm. IX. 96
ciliatum Schm. IX. 101
Cruciata Schm. IX. 118
dentosum Schm. IX. 101
dichotomum Schm. IX. 98
elongatum Schm. IX. 103
filiforme Schm. IX. 63
Gentianella Schm. IX. 96
hyssopifolium Spr. IX. 65
involucratum Schm. IX. 100
lancifolium Presl IX. 95
longepedunculatum Schm. IX. 89
macrophyllum Schm. IX. 118
nanum Schm. IX. 98
nivale Schm. IX. 103
porphyris Schm. IX. 114
prostratum Schm. IX. 106
pumilum Schm. IX. 104
pusillum Schm. IX. 104
pyrenaicum Schm. IX. 105
quinquefolium Schm. IX. 100
sexfidum Schm. IX. 104
tenellum Schm. IX. 98
utriculosum Schm. IX. 103
vernum Schm. IX. 103
verticillatum Spr. IX. 65
Hippobroma G. Don VII. 412
longiflora G. Don VII. 413
Hippocentaurea Schult. IX. 57 *Reich.* IX. 61
Centaurium Schult. IX. 58
pulchella Schult. IX. 57
uliginosa Schult. IX. 59
Hippochiron Endl. IX. 39 (Chironia)
Hippoglossum Hartm. X. 87
Hippothronia undata Schrank XII. 129
Hivurahe &c. J. Bauh. VIII. 671
Hockinia *Gardn.* IX. 7
montana *Gardn.* IX.
Hoeloe-Naga XI. 373
Hoitzia Juss. IX. 318
amplectens Hook. &
aristata H. B. & K
capitata W. IX. 3
Cervantesii H. & B
coccinea Cav. IX.
coerulea Cav. IX. 3
conglomerata H. B
elata Hook. & *Arn.*
glandulosa Cav. IX.
linearis Cav. IX. 3
linearis Spr. IX. 30
Loeselia Spr. IX. 3
lupulina Hook. & A
mexicana Lam. IX.
nepetaefolia Cham.
spicata W. IX. 319
squarrosa Eschholt
Holarrhena *RBr.* VIII.
affinis *Hook.* & *Arn.*
africana *De. fil.* VII
antidysenterica *Wa*
Codaga *G. Don* VII
landolphioides *De.*
mitis *RBr.* VIII. 41
ovata *De. fil.* VIII.
pubescens *Wall.* VI
villosa *Ait.* VIII. 41
„ 626 *Heudelot*
„ 776 *Heudelot*
„ 1795 *Heudelot*
Holmskioldia *Retz* XI.
rubra Pers. XI. 697
sanguinea *Retz* XI.
Holochiloma Hochst.
resinosum Hochst.
Holographis *Nees* XI.
Ehrenbergiana *Nees*
Hologyne G. Don IX.
Holomeria Bth. X. 35
Holomitrium Endl. IX.
Haloregmia Nees IX.
viscida Nees IX. 25
Holostemma *RBr.* VIII
Adakodien R. & A
Brunonianum *Royl.*
Candolleanum Spr.
fragrans *Wall.* VIII.
laeve *Blum.* VIII. 5

h. X. 394
h. X. 395
. X. 399
m. & *Schl.* X. 397
h. X. 395
Pursh X. 397
h X. 401 396
Bth. X. 397
. X. 396
Bth. X. 398
Cham. X. 394
Bth. X. 396
– – –
Blum X. 400
Cham. X. 399
Bth. – –
rad. X. 396
m. X. 393
Bth. X. 399
Cham. & *Schl.* X. 401 383
h. X. 397
ee H. B. & *Kth.* X. 393
et. Matourea Bth. X. 393
as Nees XI. 306 365
Nees XI. 367
Nees XI. 366
ochyrus – –
Nees XI. 365
as Nees XI. 366
cus Nees XI. 366
ilias – 367
– – –
Nees XI. 365
Nees XI. 366 730
Endlich XIII. 1. 434
. XII. 445 (Sideritis)
nch XII. 436 445
nch XII. 446
Hammert. XII. 446
Endl. XI. 480
us Bth. XII. 223 (Micromeria)
Bth. XII. 414 (Scutellaria)
Nees & Mart. X. 190 201
Nees & Mart. X. 201 591
Dc. fil. VIII. 66 (Embelia)
Bth. XII. 69 (Plectranthus)

Heterocanscora Griseb. IX. 65 (Canscora)
Heterocaryum *Dc. fil.* X. 144
condylophorum *Dc. fil.* X. 144
laevigatum *Dc. fil.* X. 145
minimum *Dc. fil.* X. 144
pachypodum *Dc. fil.* X. 144
β Kotschyanum – – 145
rigidum *Dc. fil.* X. 145
Szovitzianum *Dc. fil.* X. 145
Heterochaenia *Dc. fil.* VII. 441
ensifolia *Dc. fil.* VII. 442
Heteromelyrson Bth. XII. 234 (Calamintha)
Heterophragma *Dc.* IX. 210
Roxburghii *Dc.* IX. 210
Heterosphace Bth. XII. 350 (Salvia)
Heterostemma *Wight* & *Arn.* VIII. 630
acuminatum *Dene* VIII. 630
alatum *Wight* VIII. 630
cuspidatum *Dene* VIII. 630
tanjorensis *Wight* & *Arn.* VIII. 630
Wallichii *Wight* VIII. 630
Heterotoma *Zucc.* VII. 350
lobelioides *Zucc.* VII. 350
Heteryta Raf. IX. 293
Heurnia vide Huernia
Hewittia Wight IX. 435 *Steud.* IX. 435
bicolor Steud. IX. 435
caespitosa Steud. IX. 435
Hexacentris *Nees* XI. 49 60
acuminata *Nees* XI. 61
coccinea *Nees* XI. 61
dentata *Nees* XI. 61
Hexastemon Bth. VII. 700 (Eremia)
Hexastemon Klotzsch VII. 700
lanatus Klotzsch VII. 700
Hieranthemum Endl. IX. 555 (Heliophytum)
Hierocimum Bth. XII. 37 (Ocimum)
Hierva hedinnda XIII. 1. 667
Hilleria Mog. XIII. 2. 16 (Mohlana)
Hilleria Vell. XIII. 2. 15 16
elastica Vell. XIII. 2. 16
HILOSPERMAE Vent. VIII. 144 154
Hilsenbergia *Tausch* XIII. 1. 5 477 XI. 524
Ehretia Sieb. XIII. 1. 478
Ehretia *Tausch* XIII. 1. 478
rugosa *Dun.* XIII. 1. 478
Himeranthus *Endl.* XIII. 1. 5 479
crosus *Miers* XIII. 1. 480

Holtonia *L.* VIII. 33
indica L. VIII. 34 X. 389
inflata *Ell.* VIII. 34
littoralis Lour. IX. 61
palustris *L.* VIII. 34
sessiliflora *Vahl* VIII. 34 X. 389
HOTTONIEAE *Endl.* VIII. 33
Hoverdenia *Nees* XI. 305 330
speciosa *Nees* XI. 331
Hoya *RBr.* VIII. 634
acuta Harv. VIII. 636
africana *Dene* VIII. 639
albens Mill. VIII. 636
Ariadna *Dene* VIII. 635
Arnottiana *Wight* VIII. 638
australis *RBr.* VIII. 640
barbata Spr. VIII. 609
Billardieri *Dene* VIII. 636
Brunoniana *Wight* VIII. 636
campanulata Blum. VIII. 640 633
carnosa *RBr.* VIII. 636
cochinchinensis Auct. VIII. 640
cochinchinensis *R. & Schult.* VIII. 640
coriacea *Blum.* VIII. 638
coriacea Lindl. VIII. 640 634
crassifolia *Haw.* VIII. 640
Cumingiana *Dene* VIII. 636
diversifolia *Blum.* VIII. 636
Finlaysonii *Wight* VIII. 638
fusca *Wall.* VIII. 639
grandiflora *Blum.* VIII. 635
grandiflora Spr. VIII. 612
gymnanthera *Wight* VIII. 638
Hookeriana *Wight* VIII. 636
imbricata Callery VIII. 637
imbricata *Dene* VIII. 637
Lacuna *Wight & Arn.* VIII. 639
lacunosa *Blum.* VIII. 638
lanceolata Lindl. VIII. 636
lanceolata *Wall.* VIII. 637
latifolia *Don* VIII. 638
laurifolia *Dene* VIII. 639
linearis *Wall.* VIII. 637
longifolia *Wall.* VIII. 637
lutea *Dene* VIII. 635
macrophylla *Blum.* VIII. 637
macrophylla Wight VIII. 638
multiflora Blum. VIII. 640 634
nicobarica *RBr.* VIII. 640
obovata *Dene* VIII. 635
obtusifolia *Wight* VIII. 638
orbiculata *Wall.* VIII. 635
ovalifolia *Wight & Arn.* VIII. 638

Hoya
pallida *Lindl.* VII
paniculata Spr. V
parasitica *Wall.* V
parviflora *Wight*
pendula *Wight &*
α Rheedii *Dene*
β neelgherensis
Pottsii Lodd. VII
Pottsii *Traill* VII
pubera *Blum.* VII
revoluta Wight V
Rumphii *Blum.* V
α longifolia *Dene*
ruscifolia *Dene* V
speciosa *Dene* VI
velutina *Wight* V
viridiflora *RBr.* V
Wallichiana *Dene*
Huebil XIII. 1. 579
Huernia *(Heurnia)*
barbata *RBr.* VII
barbata Haw. VI
campanulata *RBr*
clavigera *Haw.* V
crispa *Haw.* VIII.
guttata *RBr.* VIII
humilis *RBr.* VII
lentiginosa *RBr.*
ocellata *R. & Sc*
reticulata *RBr.* V
tubata *RBr.* VIII.
venusta *RBr.* VII
Hugelia Bth. IX. 3
densifolia Bth. I
elongata Bth. IX.
lutea Bth. IX. 3
virgata Bth. IX.
Huldi IX. 20
Humbertia *Lam.* IX
aeviternia Comm.
madagascariensis
Humboldtia Neck. 1
Hummatu Rheed. X
Hunteria *Roxb.* VII
atrocirens G. Do
atroviridis *Wall.*
coriacea *Wall.* V
corymbosa *Roxb.*
cuspidata *Wall.* V
eugeniaefolia Wa
fasciculatis *Wall.*
gracilis *Wall.* VI
lanceolata *Wall.*
Hutchinia Wight V
indica Wight &

n *Blum.* VIII. 533 538
pr. VIII. 532
um *Blum.* VIII. 533
aquaticum &c. H.R. Par. XIII. 1. 737
C. Bauh. XIII. 1. 706
Clus. XIII. 1. 706
albicans Bauh. XIII. 1. 705
e C. Bauh. XIII. 1. 730
Raj. XIII. 1. 737
nse Rauw. XIII. 1. 705
similis J. Bauh. XIII. 1. 705
um prius Clus. XIII. 1. 705
o folio C. Bauh. XIII. 1. 730
G. Don VII. 352 *Endl.* VII. 352
G. Don VII. 352
ia *Klotzsch & Karsten* XI. 727
a *Klotzsch & Karst.* XI. 728
um *Dc. fil.* X. 135 (Echinospermum)
s Bth. XII. 565 (Hemigenia)
Dc. fil. VII. 383 (Lobelia)
III. 1. 283
s tenerrima Wall. VIII. 610
a *Nees* XI. 99 113
ium *Nees* XI. 113 723
- - -
- - -
st VIII. 664
ense VIII. 665
Sweet VIII. 665
fil. VIII. 253 (Symplocos)
III. 249 253 *Bth.* VIII.
thl IX. 63 *Griseb.* IX. 63
s *Vahl* IX. 63
L. VIII. 254
Mart. & Gal. XIII. 2. 419
Meq. XIII. 2. 420 (Frecheia)
III. 63

Horaninovia *Fisch.* XIII. 2. 47 170
anomala *Moq.* XIII. 2. 170
juniperina C. A. Mey. XIII. 2. 170
minor *Schrenk* XIII. 2. 171
β rigidior - - -
ulicina *Fisch. & Mey.* XIII. 2. 170
Horminum Bth. XII. 277 (Salvia)
Horminum *Bth.* XII. 151 259 *L.* XII. 259 *Tourn.* XII. 262 *Auct.* XII. 277
caulescens Ortg. XII. 259
clinopodiifolia Pers. XII. 173
coccineum Moench XII. 344
coloratum Moench XII. 278
disermas Moench XII. 291
lyratum Mill. XII. 353
napifolium Mill. XII. 350
nilloticum Moench XII. 350
pyrenaicum *L.* XII. 259
sativum Mill. XII. 278
suavolens Moench XII. 261
Virgilianum Rie. XII. 283
verbenaceum Mill. XII. 294
verticillatum Mill. XII. 357
virginicum L. XII. 353
Hormogyne *Dc. fil.* VIII. 176
cotinifolia *Dc. fil.* VIII. 176
Hornemannia *Bth.* X. 424 428 *W.* X. 375 *Link et Otto* X. 412 413
bicolor W. X. 429 375
ovata Link & Otto X. 429 413
pinnata *Bth.* X. 428
viscosa W. X. 429 414
Hornschuchia Nees VIII. 245
Horta Vell. VIII. 670
spinosa Vell. VIII. 670
Hoslundia *Vahl* XII. 31 54
decumbens *Bth.* XII. 54
opposita *Vahl* XII. 54
verticillata *Vahl* XII. 54
Hosta Jacq. XI. 680
coerulea Jacq. XI. 682
coerulea Walp. XI. 681
grandiflora A. Distr. XI. 682
grandifolia Cham. & Schl. XI. 682
latifolia H. B. & Kth. XI. 681
longifolia H. B. & Kth. XI. 682
odorata Poepp. & Endl. XI. 681
pyramidata A. Distr. XI. 682
Hostana Pers. XI. 680
coerulea Pers. XI. 682
Hostea W. VIII. 591

Hottonia *L.* VIII. 33
indica L. VIII. 34 X. 389
inflata *Ell.* VIII. 34
littoralis Lour. IX. 61
palustris *L.* VIII. 34
sessiliflora *Vahl* VIII. 34 X. 389
HOTTONIEAE *Endl.* VIII. 33
Hoverdenia *Nees* XI. 305 330
speciosa *Nees* XI. 331
Hoya *RBr.* VIII. 634
acuta Hare. VIII. 636
africana *Dene* VIII. 639
albens Mill. VIII. 636
Ariadna *Dene* VIII. 635
Arnottiana *Wight* VIII. 638
australis *RBr.* VIII. 640
barbata Spr. VIII. 609
Billardieri *Dene* VIII. 636
Brunoniana *Wight* VIII. 636
campanulata Blum. VIII. 640 633
carnosa *RBr.* VIII. 636
cochinchinensis Auct. VIII. 640
cochinchinensis *R. & Schult.* VIII. 640
coriacea *Blum.* VIII. 638
coriacea Lindl. VIII. 640 634
crassifolia *Haw.* VIII. 640
Cumingiana *Dene* VIII. 636
diversifolia *Blum.* VIII. 636
Finlaysonii *Wight* VIII. 638
fusca *Wall.* VIII. 639
grandiflora *Blum.* VIII. 635
grandiflora Spr. VIII. 612
gymnanthera *Wight* VIII. 638
Hookeriana *Wight* VIII. 636
imbricata Callery VIII. 637
imbricata *Dene* VIII. 637
Lacuna *Wight & Arn.* VIII. 639
lacunosa *Blum.* VIII. 638
lanceolata Lindl. VIII. 636
lanceolata *Wall.* VIII. 637
latifolia *Don* VIII. 638
laurifolia *Dene* VIII. 639
lincaris *Wall.* VIII. 637
longifolia *Wall.* VIII. 637
lutea *Dene* VIII. 635
macrophylla *Blum.* VIII. 637
macrophylla Wight VIII. 638
multiflora Blum. VIII. 640 634
nicobarica *RBr.* VIII. 640
obovata *Dene* VIII. 635
obtusifolia *Wight* VIII. 638
orbiculata *Wall.* VIII. 635
ovalifolia *Wight & Arn.* VIII. 638

Hoya
pallida *Lindl.* VIII
paniculata Spr. VI
parasitica *Wall.* V
parviflora *Wight* V
pendula *Wight &*
α *Rheedii Dene*
β *acutifolia*
Pottsii Lodd. VIII
Pottsii *Traill* VIII.
pubera *Blum.* VIII
revoluta Wight VI
Rumphii *Blum.* VI
α *lanceifolia Dene*
ruscifolia *Dene* VI
speciosa *Dene* VII
velutina *Wight* VI
viridiflora *RBr.* V
Wallichiana *Dene*
Huebl XIII. 1. 579
Huernia *(Heurnia)*
barbata *RBr.* VIII
barbata Haw. VII
campanulata *RBr.*
clavigera *Haw.* VI
crispa *Haw.* VIII.
guttata *RBr.* VIII.
humilis *RBr.* VIII.
lentiginosa *RBr.* V
ocellata *R. & Sch*
reticulata *RBr.* VI
tubata *RBr.* VIII.
venusta *RBr.* VIII.
Hugelia Bth. IX. 310
densifolia Bth. IX.
elongata Bth. IX.
lutea Bth. IX. 311
virgata Bth. IX. 3
Huldi IX. 20
Humbertia *Lam.* IX.
aeviternia Comm.
madagascariensis
Humboldtia Neck. IX.
Hummatu Rheed. XI
Hunteria *Roxb.* VIII.
atrovirens G. Don
atroviridis *Wall.* V
coriacea *Wall.* VII
corymbosa *Roxb.* V
cuspidata *Wall.* VI
eugeniaefolia Wall.
fascicularis *Wall.* V
gracilis *Wall.* VIII.
lanceolata *Wall.* VI
Hutchinia Wight VII
indica Wight & Ar

ll. VIII. 612.
Kndl. VIII. 612
H. B. & Kth X. 424 425
H. B. & Kth. X. 425
. & Endl. X. 425
. 180 *Auct.* X. 182
B. & Pav. X. 184
Blanco X. 180
pr. X. 181 184
brit. mus. X. 181
ax. X. 181
X. 181 182
ll. X. 180
Pav. X. 181 184
r. X. 181
& Pav. X. 181 182
h. X. 181
X. 180
ct X. 180
. mus. X. 181
X. 180
ois. X. 180
Ausch. X. 181
n. X. 180
X. 180
Spr. X. 181
181 184
Chois. X. 181
ois. X. 180
. 181
sch. X. 181
Walt. X. 181
is. X. 181
X. 181 182
r. X. 181 182
pr. X. 182 184
181
X. 182 183
. 181
av. X. 182 184
f. X. 181
X. 182
l X. 180
ax. -
Chois. X. 180
Chois. X. 180
E Chois. X. 179
Br. X. 179
Sch. X. 180
Endl. XIII. 1. 691
bert. X. 182
Chois. X. 182
f. X. 182

Hydromestus maculatus Schreber XI. 291
HYDROPHYLLACEAE *Lindl. Dc.* *fl.* IX. 267 564
HYDROPHYLLEAE RBr. IX. 267
Hydrophyllum *Tourn.* IX. 268 *Lam.* IX. 297
appendiculatum *Mx.* IX. 268
canadense *L.* IX. 268
capitatum *Dougl.* IX. 269
cochinchinense *Lour.* IX. 269
hispidum *Riddel* IX. 269
lineare Pursh IX. 294
macrophyllum *Nutt.* IX. 269
magellanicum Lam. IX. 269 298
Moritzi Tourn. IX. 268
paniculatum Poepp. IX. 269 298
pusillum Muehl. IX. 269 292
trilobum Raf. IX. 269
virginicum *L.* IX. 268
Hydropityon paduvylatum Ser. X. 389
Hydrotriche *Zucc.* X. 506 508
hottoniaeflora Zucc. X. 508
Hygrocharis abyssinica Hochst. IX. 451
Hygrophila *RBr.* XI. 79 85
acutangula Nees XI. 88
angustifolia *RBr.* XI. 91
assurgens *Nees* XI. 90
β nana
brasiliensis Spr. XI. 366
conferta *Nees* XI. 85
α
β rubicaulis
costata *Nees* XI. 88
β angustifolia
γ erecta
δ strobilantha 89
dimidiata Nees XI. 92
glandulifera *Nees* XI. 88
guianensis *Nees* XI. 85
β angustior 86
helodes *Nees* XI. 89
β multiflora
hirsuta *Nees* XI. 722
hispida *Nees* XI. 87
incana *Nees* XI. 91
lacustris *Nees* XI. 86
latifolia *Nees* XI. 89
longifolia *Nees* XI. 86
β stricta 87
γ hirsuta
oblongifolia *Nees* XI. 86
β laxior
obovata *Nees* XI. 91
ovata *Nees* XI. 89 (*lege* hirsuta *Nees* XI. 722)

Hypsela Presl Dc. fil. VII. 350 (Lysipoma)
reniformis Presl VII. 350
Hyptis *Jacq.* XII. 31 85
acuta Bth. XII. 107
adamantium *St. Hil.* XII. 101
adpressa *St. Hil.* XII. 94
affinis *Bth.* XII. 114
albida *H. B. & Kth.* XII. 127
albipes *St. Hil.* XII. 93
alpestris *St. Hil.* XII. 101
altheaefolia *Pohl* XII. 117
altissima *St. Hil.* XII. 134
alutacea *Pohl* XII. 111
amethystoides *Bth.* XII. 130
angulosa *Schott* XII. 106
angustifolia *Pohl* XII. 99
anomala Bth. XII. 112
aquatica *Pohl* XII. 117
araripensis *Bth.* XII. 93
arborea *Bth.* XII. 132
arenaria *Bth.* XII. 104
arguta *Pohl* XII. 94
aristata *Bth.* XII. 111
aspera Mart. & Gal. XII. 122
asteroides *St. Hil.* XII. 103
atrorubens *Poit.* XII. 108
barbata *Schrank* XII. 117
Besckeana *Kze* XII. 140 698
bisdentata Pohl XII. 92
Blanchetii *Bth.* XII. 136
brachyphylla *Mart.* XII. 98
brachystachys *St. Hil.* XII. 136
brevipes *Poit.* XII. 107
β glabrior – –
γ – –
brunnescens *Pohl* XII. 93
caespitosa *St. Hil.* XII. 111
calida *Mart.* XII. 130
calophylla *St. Hil.* XII. 137
calycina *Pohl* XII. 139
campanulata *Bth.* XII. 137
camporum *Bth.* XII. 92
cana *Pohl* XII. 133
candida *Pohl* XII. 95
canescens Bth. XII. 121
canescens *H. B. & Kth.* XII. 121 395
capitata *Jacq.* XII. 106
capitata Poit. XII. 107
caprariaefolia *Pohl* XII. 91
cardiophylla *Pohl* XII. 94
carpinifolia *Bth.* XII. 117
Chamaedrys W. XII. 140 85
Chamissonis *Schlecht.* XII. 140
Clausseni *Bth.* XII. 131

Hyptis
clavellifera *Bth.* XII
coccinea *Mart.* XII.
coerulea *St. Hil.* XII
communis *St. Hil.* X
complicata *St. Hil.*
concinna *Bth.* XII.
conferta *Pohl* XII.
β angustifolia –
conspersa *Bth.* XII.
cordata *Pohl* XII.
coriacea *Bth.* XII.
corymbosa *Bth.* XII.
crassifolia *Mart.* XII
crenata *Pohl* XII.
crinita *Bth.* XII. 97
β polycephala – –
crispata *Pohl* XII.
cuneata *Pohl* XII.
cymulosa *Bth.* XII.
densiflora *Pohl* XII.
densifolia *Pohl* XII.
α hyssopifolia *Mart.*
β Pohliana –
desertorum *Pohl* XII
dictiocalyx *Bth.* XII.
β elatior – –
dilatata *Bth.* XII.
ditassoides *Mart.* XI
divaricata *Pohl* XII.
diversifolia *Bth.* XII.
dubia *Pohl* XII. 121
duplicato – dentata
dyctiodea *Pohl* XII.
ebracteata RBr. XII.
elongata *Bth.* XII.
eriocalyx *St. Hil.* XI
eriocephala *Bth.* XII
eriophylla *Pohl* XII.
β corifolia –
excelsa *Mart. & Gal*
expansa *Pohl* XII.
fasciculata *Bth.* XII.
β tomentella –
fastigiata *Bth.* XII.
ferruginea *Bth.* XII.
ferruginosa *Pohl* XII
flabellata Pohl XII.
florida *Bth.* XII.
foliosa *St. Hil.* XII.
fragilifolia *St. Hil.* X
fruticosa *Salzm.* XII
Gaudichaudii *Bth.* X
glandulosa Sieb. XII.

us
Ledeb. XIII. 1. 551
L. XIII. 1. 550
rinoides – – 551
a *Schimp.* – –
ens – – –
nthus – – –
aureus Pluk. XIII. 1. 550
ius *L.* XIII. 1. 547
eri – – –
us *C. A. Mey.* XIII. 1. 547
lora *Bauh.* XIII. 1. 547
i *L.* XIII. 1. 551 556
ris *W.* XIII. 1. 550
Cam. XIII. 1. 547
ris *C. Koch* XIII. 1. 551
Vis. XIII. 1. 549
is *Lejeun.* XIII. 1. 547
& *niger C. Bauh.* XIII. 1. 546
Aucher XIII. 1. 553
Raf. XIII. 2. 246
Raf. XIII. 2. 247
Hart. XII. 135 (Hyptis)
a *Dun.* XIII. 1. 453 (Withania)
a *Rodrig.* XIII. 1. 453 455
ana *Rodrig.* XIII. 1. 454
a (*rectius Kyphocarpa*) *Fenzl* XIII. 2. 306
s *De. fil.* VIII. 245 (*est* iosma *Poepp.* VIII. 673)
innus *De. fil.* VIII. 246
us *De. fil.* VIII. 246
Mart. VII. 540
a *Mart.* VII. 541
Mart. VII. 541
Mart. VII. 541
Mart. VII. 541
a *Mart.* VII. 541
RBr. XI. 464 501
ia *Hochst.* XI. 506
Hochst. XI. 506
ma *Nees* XI. 502
Nees XI. 502
lla *Nees* XI. 503
Soland. XI. 509
ophyta – 510
a *Nees* XI. 506
a *Nees* XI. 505
Link XI. 252
Nees XI. 502
a *R. Mey.* XI. 508
Nees XI. 509

Hyposstes
diclipteroides *Nees* XI. 510
elegans *Nees* XI. 502
fascicularis *Nees* XI. 504
fastuosa *Soland.* XI. 507
fimbriata B. Mey. XI. 309
flexibilis *Nees* XI. 505
floribunda *RBr.* XI. 509
Forskoli Blum. XI. 508
Forskolii *RBr.* XI. 507 509
β angustifolia – 508
glandulosa Hochst. XI. 510 310 373
gracilis *Nees* XI. 506
hirsuta *Nees* XI. 504
lasiocladus *Nees* XI. 503
lasiostegia *Nees* XI. 504
latifolia *Hochst.* XI. 509
β integrifolia – –
laxiflora *Nees* XI. 508
α β γ – –
maculosa *Nees* XI. 503
microphylla *Nees* XI. 504
mollissima *Nees* XI. 505
oxystegia *Nees* XI. 506
plumosa α & β E. Mey. XI. 510
polymorpha Schlecht. XI. 507
pulchra *Nees* XI. 505
purpurea *RBr.* XI. 509
Richardi *Nees* XI. 502
rosea Dene XI. 508
rosea *Nees* XI. 506
saxicola *Nees* XI. 503
serpens *RBr.* XI. 501
spicata *Nees* XI. 504
teucrioides *Nees* XI. 503
Thomsoniana *Nees* XI. 502
triflora *R. & Schult.* XI. 506
α β – –
uniflora Hochst. XI. 504
verticillaris *Soland.* XI. 507
α – –
β denudata – –
Wallichii Nees XI. 506
Hypopitys *Dill.* VII. 780
europaea Don VII. 780
europaea Nutt. VII. 780
glabra *Bernh.* VII. 780
hypophaga Wallr. VII. 780
lanuginosa *Nutt.* VII. 781
lutea Dill. VII. 780
multiflora *Scop.* VII. 780
β monticola *Dc.* – –
Rivini Rupp. VII. 780
Hypothronia Schrank XII. 85

Hyptis
paludosa *St. Hil.* XII. 90
paniculata *Bth.* XII. 138
Parkeri *Bth.* XII. 108
parviflora Mart. & Gal. XII. 129
parvifolia Pohl XII. 118
passerina *Mart.* XII. 99
β latifolia – –
pauciflora *Pohl* XII. 120
pectinata *Poit.* XII. 127
peduncularis *Bth.* XII. 92
persica Poit. XII. 127
petiolaris *Pohl* XII. 110
petraea *St. Hil.* XII. 120
pilosa *Bth.* XII. 125
β costata – –
platanifolia *Mart.* XII. 87
β capitulis minoribus – –
plectranthoides *Bth.* XII. 132
Plumieri Poit. XII. 126
plumosa *Bth.* XII. 94
Pohliana *Jacq.* XII. 140
polyantha *Poit.* XII. 124 395
β longiflora – –
polystachya *H. B. & Kth.* XII. 121
procumbens Schied. & Depp. XII. 108
proteoides *St. Hil.* XII. 113
pruinosa *Pohl* XII. 136
pseudo-chamaedrys Poit. XII. 140 85
pubescens *Bth.* XII. 128
pulegioides *Pohl* XII. 127
pumila Pohl XII. 123
punctata Mart. & Gal. XII. 128
Purdiaei *Bth.* XII. 125
pycnocephala *Bth.* XII. 102
racemosa W. h. XII. 122
racemosa Zucc. XII. 127
racemulosa *Mart.* XII. 123
radiata H. B. & Kth. XII. 107
radiata Poit. XII. 110
radiata *W.* XII. 109
ramosa *Pohl* XII. 106
ramosa var. Bth. XII. 109
recurvata *Poit.* XII. 90
β hirsutior – –
γ grandifolia – –
δ megacephala – –
reflexa *St. Hil.* XII. 93
remota *Pohl* XII. 113
reticulata *Mart.* XII. 139
rhabdocalyx *Mart.* XII. 131
rhomboidea *Mart. & Gal.* XII. 110
rhytidea *Bth.* XII. 118

Hyptis
rigida *Pohl* XII. 95
rostrata Salzm. XII. 1
rotundifolia *Bth.* XII.
rubicunda *Pohl* XII. 1
β grandifolia –
rubiginosa *Bth.* XII. 1
rugosa *Bth.* XII. 94
salviaefolia *Pohl* XII.
Salzmanni *Bth.* XII. 1
β hispida –
saxatilis *St. Hil.* XII.
scabra *Bth.* XII. 133
scoparia *Poit.* XII. 12
selaginifolia *Mart.* XI
Sellowii *Bth.* XII. 99
sericea *Bth.* XII. 88
Sideritis Bth. XI. 594
Sideritis *Mart.* XII. 9
simplex *St. Hil.* XII.
sinuata *Pohl* XII. 105
β γ – –
sordida *Pohl* XII. 13
spicata *Poit.* XII. 121
β rostrata – 122
γ micrantha – –
δ Bromfieldi – –
spicigera *Lam.* XII. 8
spinulosa *Bth.* XII. 1
spinulosa *Bth.* XII.
cymulosa *Bth.* X
spireaefolia *Mart.* XI
stachyodes Link XII.
stellulata *Bth.* XII. 12
β Sinclairi – –
stricta *Bth.* XII. 88
strictissima Pohl XII.
suaveolens *Poit.* XII.
subrotunda *Pohl* XII.
subsessilis *Bth.* XII.
sylvularum *St. Hil.* X
Tafaliae *Bth.* XII. 132
tenuiflora *Bth.* XII. 1
tetragona *Pohl* XII. 1
tomentosa *Poit.* XII.
tricephala *St. Hil.* XI
turneraefolia *Mart.* X
Tweedii *Bth.* XII. 11
uliginosa *St. Hil.* XII.
umbrosa *Salzm.* XII.
β Riedelii –
uncinata *Bth.* XII. 11
undulata Schrank XI
urticoides *H. B. &*

velutina *Pohl* XII. 10

l. XII. 139
– 140
Weinm. XII. 140
. esseq. XII. 107
rt. XII. 119
– 120
. XII. 130
t. Hil. XII. 102
St. Hil. XII. 102
art. XII. 126
chrank XII. 124
art. XII. 98
h. XII. 134
Bth. XII. 101
XII. 100
& Kth XII. 116
– – –
XII. 118
Pohl XII. 115
XII, 118
h. XII. 135
M XII. 103
. XII. 106
l. & Mart. XII. 92
XII. 140 85
ank XII. 119
hl XII. 86
th. XII. 109
th. XII. 137
XII. 99
l XII. 98
Hil. XII. 108
Hil. XII. 96
inm. XII. 126
XII. 95
Schum. XII. 107
ir. XII. 107
XII. 132
Poit. XII. 110
. XII. 109
– –
Mart. XII. 108 107
t. XII. 134
Hil. XII. 133
Pohl XII. 91
ta Pohl XII. 140
t. XII. 136
th. XII. 100
Mart. XII. 89
Pohl XII. 133
ied. & Deepp. XII. 123
ohl XII. 104
hl XII. 94
B. XII. 96

Hyptis
longiflora *Pohl* XII. 139
longifolia *Pohl* XII. 106
longipes *St. Hil.* XII. 92
lophantha *Mart.* XII. 87
lucida *Pohl* XII. 113
Lundii *Bth.* XII. 111
lurida Spr. XII. 140 85
lutescens *Pohl* XII. 114
lythroides *Pohl* XII. 118
macrantha *St. Hil.* XII. 139
macrocephala *Mart. & Gal.* XII 109
macrostachys *Bth.* XII. 130
madagascariensis Boj. XII. 87
malacophylla *Bth.* XII. 86
marathrosma *Spr.* XII. 140
marifolia *Bth.* XII. 136
marrubiaea *Bth.* XII. 105
marrubiastra Pohl XII. 105
Martiusii *Bth.* XII. 97
melissoides *H. B. & Kth.* XII. 125
melochioides *St. Hil.* XII. 135
membranacea *Bth.* XII. 132
menthodora *Schrank* XII. 140
micrantha Pohl XII. 122
microphylla *Pohl* XII. 90
Moçiniana *Bth.* XII. 128
mollis *Pohl* XII. 105
mollissima *Bth.* XII. 96
monticola *Mart.* XII. 112
multibracteata *Bth.* XII. 105
multiflora *Pohl* XII. 97
multiseta *Bth.* XII. 122
muricata *Schott* XII. 119
nepalensis *Lehm.* XII. 140
nepetoides Fisch. XII. 127
nervosa *Pohl* XII. 95
nigrescens *Pohl* XII. 114
nitida Mart. & Gal. XII. 140 300
nitidula *Bth.* XII. 91
nudicaulis *Bth.* XII. 88
oblongifolia *Bth.* XII. 125
obtecta *Bth.* XII. 99
obtusata *Bth.* XII. 125
obtusiflora *Presl* XII. 115
obtusifolia *RBr.* XII. 140
obvallata *Spr.* XII. 117
odorata *Bth.* XII. 89
oppositiflora Schrank XII. 120
orbiculata *Pohl* XII. 114
origanoides *Pohl* XII. 100
ovalifolia *Bth.* XII. 87
ovata *Pohl* XII. 102

acaranda
semiserrata *Cham.* IX. 231
spectabilis *Mart.* IX. 229
subrhombea *De.* IX. 230
subvelutina Mart. IX. 231
tomentosa *RBr.* IX. 231
tuberculosa Steud. IX. 233 212
undulata *Steud.* IX. 233
Jacobinia *Nees* XI. 305 331
barlerioides *Nees* XI. 332
californica *Nees* XI. 729
ciliata *Nees* XI. 333
lepida *Moriç.* XI. 332
pubescens *Nees* XI. 332
sericea *Nees* XI. 332
sulcata *Nees* XI. 333
Jacquemontia *Choisy* IX. 396
azurea *Chois.* IX. 397
β parviflora – –
Blanchetii *Moriç.* IX. 398
β major *Chois.* – –
capitata Don IX. 399 365
capitellata *Chois.* IX. 396
erecta *Chois.* IX. 396
ferruginea *Chois.* IX. 396
β elongata – – –
γ rufa – – –
glaucescens *Chois.* IX. 398
gracilis *Chois.* IX. 399
hastigera Boj. IX. 399 429
hirsuta *Chois.* IX. 397
Martii *Chois.* IX. 398
menispermoides *Chois.* IX. 398
micrantha Don IX. 399 414
nodiflora Don IX. 399 414
nummularia *Chois.* IX. 397
parviflora *Chois.* IX. 398
pentantha Don IX. 397
prostrata *Chois.* IX. 399
secunda *Chois.* IX. 397
subsessilis *Moriç.* IX. 398
umbellata *Boj.* IX. 397
velutina *Chois.* IX. 398
violacea *Chois.* IX. 397
β canescens – –
γ abbreviata – –
Jacquinia *L.* VIII. 149
arborea *Vahl* VIII. 149
armillaris *Jacq.* VIII. 149
aurantiaca *Ait.* VIII. 150
aurantiaca Bert. h. VIII. 151
Berterii *Spr.* VIII. 151
caracasana *Kth.* VIII. 150
ferruginea *Spr.* VIII. 151
indica Wight VIII. 151 X. 464
linearis *Jacq.* VIII. 151

Jacquinia
macrocarpa *Cav.* VIII.
macrocarpa Cham. VI
macrocarpa Spr. VIII.
mucronata R. & Sch
pubescens *Kth.* VIII.
racemosa *De. fil.* VIII.
ruscifolia h. tur. VIII.
ruscifolia *Jacq.* VIII.
β velutina *De. fil.* –
γ frutescens – –
ruscifolia Spr. VIII.
ruscifolia var. Sw. V
umbellata *De.* VIII.
venosa Sw. VIII. 151
JACQUINIEAE *De. fil.*
Jalapa Tourn. XIII. 2.
congesta Moench XIII
longiflora Moench XI
officinarum Martyn
undulata Moench XIII
JALAPAE Adans. XIII.
JALAPINAE Batsch X
Jalapium Blacksw. XIII.
Jaltomata edulis Schlec
Jamma Gobo Kaempf.
Janthe *Griseb.* X. 224 2
bugulifolia *Griseb.* X.
Jarra XIII. 2. 299
Jasione *L.* VII. 415
amethystina *Lag.* &
β tristis *De. fil.* – –
arenaria Salzm. VII.
capensis Berg. VII. 41
corymbosa *Poir.* VII.
foliosa *Cav.* VII. 416
humilis Jan VII. 415
humilis *Lois.* VII. 416
β tomentosa *De. fil.* –
lusitanica *De. fil.* VII.
maritima Dufour VII.
montana *L.* VII. 415
β maritima *De. fil.* –
γ littoralis *Fries* –
δ stolonifera *De. fil.* –
ε major *Mert. & Ko*
η prolifera *Bell.* – –
ζ dentata *De. fil.* – –
montana b Guss. VII
montana humilis Per
montana γ maritima
penicillata *Boiss.* A.

m Mart. XII. 131
folia Pohl XII. 104
ta Hook. XII. 129
a Jacq. XII. 129
a Bth. XII. 130
th. XII. 116
lart. XII. 116
ohl XII. 114
sta - -
Pohl XII 118
th. XII. 86
Bth. XII. 92
Pohl XII. 138
phala Mart. XII. 113
th. XII. 150 251 *L.* XII. 251 *L. Auct.* XII. 368
ides Fisch. XII. 252
ius MB. XII. 252
Nutt. XII. 252 369
s Gmel. XII. 252 163
olius h. Paris. XII. 252 369
s Spr. XII. 252
Lam. XII. 252 151
Desf. XII. 252 369
hortul. XII 252
m Spr. XII. 252 369
ides Don Hamilt. XII 252 56
us L. XII. 252 370
s Desf. XII. 252
s L. XII. 252 369
s Lam. XII. 252 163
Auct. XII. 252
L. XII. 251
as - 252
a - -
folius - -
ens Dc. - -
β decussatus Pers. XII. 252
Adam XII. 252
us Moench XII. 252 370
nh. XII. 252
riaefolius W. XII. 252 369
lax Rumph XI. 239

I.

m. XIII. 1. 6 481 *Auct.* 467 *Hook.* XIII. 1. *m. Otto & Link* XIII. 1. 479
Hook. XIII. 1. 476

Jaborosa
decurrens Miers XIII. 1. 477
integrifolia *Lam.* XIII. 1. 481
β brasiliensis - - -
laciniata Miers XIII. 1 467
longiflora *Moç. & Sess.* XIII. 1. 481
runcinata Lam. XIII. 1. 479
Spec. nov. Cav. XIII. 1. 482
Nl 583 *Gay* XIII. 1 477
Jacaranda *Juss.* IX. 228 *Spr* IX. 228
acutifolia *H. B. & Kth.* IX. 229
alba Spr. IX. 233
Arrabidae Steud. IX. 233 189
arvensis Steud. IX. 233 187
bahamensis *RBr.* IX. 229
brasiliana *Pers.* IX. 228
Carobe *Dc.* IX. 232
caroliniana Pers. IX. 229
Clausseniana *Casar.* IX. 232
Copaja *Don* IX. 229
curialis *Dc.* IX. 232
cuspidifolia *Mart.* IX. 228
decurrens *Cham.* IX. 258
densicoma *Mart.* IX. 232
echinata Spr. IX. 233 194
elegans Mart. IX. 231
elliptica *Mart.* IX. 232
endotricha *Dc.* IX. 231
filicifolia *Don* IX. 229
hebephora *Dc.* IX. 231
macrantha *Cham.* IX. 230
micrantha *Cham.* IX. 231
mimosifolia *Don* IX. 229
nitida *Dc.* IX. 230
obovata *Cham.* IX. 230
obovata Mart. IX. 230
obtusifolia *H. B. & Kth.* IX. 228
orbiculata Spr. IX. 233 191
ovalifolia RBr. IX. 229
oxyphylla *Cham.* IX. 230
paucifoliolata *Mart.* IX. 230
paulistana *Silv. Mans.* IX. 232
procera Spr. IX. 229
pteroides *Silv. Mans.* IX. 232
puberula *Cham.* IX. 231
α microphylla *Dc* - -
β microphylla - - -
pubescens Guillem. IX. 231
quinquefolia Steud. IX. 233
racemosa *Cham.* IX. 230
rhombifolia Mey. essex IX. 229
rufa *Silv. Mans.* IX. 232
Segraeana *Dc.* IX. 229

Jasminum
glaucum *Ait.* VIII. 305
α rivulare *Dc.* – –
β lanceolatum *E. Mey.* – –
γ latifolium – –
δ parvifolium – –
glaucum Vent. VIII. 305
gracile *Andr.* VIII. 309
grandiflorum *L.* VIII. 313
guineense *G. Don* VIII. 307
Hamiltonii G. Don VIII. 308
heterophyllum Moench VIII. 313
heterophyllum *Roxb.* VIII. 312
Heyneanum Wall. VIII. 302
hirsutum W. VIII. 302
hispanicum hortul. VIII. 313
humile *L.* VIII. 313
Jacquemontii Dene VIII. 312
indicum Merian. VIII. 390
inodorum *Jacquem.* VIII. 312
laetum *Wall.* VIII. 306
lanceolaria *Roxb.* VIII. 310
lanceolatum *R. & Pav.* VIII. 308
lancifolium *Dene* VIII. 307
latifolium *Roxb.* VIII. 308
laurifolium *Roxb.* VIII. 303
laurinis foliis &c. Sloan. XIII. 1. 624 631
Lessertianum *Dc. fil.* VIII. 304
ligustrifolium Lam. VIII. 305
ligustrifolium Salisb. VIII. 305
ligustrifolium *Wall.* VIII. 305
lineare *RBr.* VIII. 311
Loudonianum *Hoffmans.* VIII.314
lucidum Banks h. VIII. 309
luteum Lob. VIII. 313
macrophyllum hortul. VIII. 312
marianum *Dc.* VIII. 307
mauritianum *Boj.* VIII. 310
molle *RBr.* VIII. 307
mollissimum Wall. VIII. 307
montanum *Roth* VIII. 308
mucronatum Reich. VIII. 309
mucronatum Roth VIII. 309
multiflorum Andr. VIII. 302
multiflorum *Roth* VIII. 303
myrtifolium Lam. VIII. 305
myrtophyllum *Zenk.* VIII. 304
nepalense *Spr.* VIII. 308
nervosum *Lour.* VIII. 313
noctiflorum *Afz.* VIII. 309
oblongum *Burm.* VIII. 314
odoratissimum *L.* VIII. 312
odorum Salisb. VIII. 313
officinale *L.* VIII. 313
ovatum *Wall.* VIII. 314

Jasminum
paniculatum *Roxb.* VI
parviflorum *Dene* VII
Perrottetianum *Dc.* fi
pubescens Hamilt. VI
pubescens Loud. VIII
pubescens *W.* VIII.
pubigerum *Don* VIII.
β glabrum *Dc.* –
punctatum *Wall.* VII
quinqueflorum *Heyne*
β pubescens *G. Don*
quinquenerve Lamb.
reticulatum *Wall.* VI
revolutum *Sims* VIII
β peninsulare *Dc. fil.*
rigidum *Zenk.* VIII.
rivulare Salisb. VIII
Rottlerianum *Wall.*
Roxburghianum *Wal*
Sambac *Ait.* VIII. 3
α verum *Dc.* – 3
β Gimea – –
γ gosense – –
δ trifoliatum – –
Sambac trifoliatum
Sanjurium Hamilt.
scandens *Vahl* VIII.
sessiliflorum *Vahl* V
simplicifolium Forst.
solenanthum *Dc.* VII
stenopetalum *Lindl.*
streptopus *E. Mey.*
suaveolens Salisb. VI
subulatum *Lindl.* VII
syringaefolium *Wall.*
tortuosum *W.* VIII.
β latifolium *Vis.* –
γ campanulatum *Dc.* –
trichotomum *Heyne*
trichotomum β lati

triflorum Pers. VIII.
trifoliatum Pers. VII
trinerve Roxb. VIII.
trinerve *Vahl* VIII. 3
tubiflorum Roxb. VII
undulatum *W.* VIII.
viminale Salisb. VIII
vimineum W. VIII. 3
volubile Jacq. VIII.
vulgatius Lam. VIII.
Wallichianum Lindl.
zanzibariense Boj. V
zeylanicum Burm. V
zeylanicum *Mackay*

ert. VII. 415
um. VII. 415
ries VII. 415
Lapeyr. VII. 416
. VII. 416
y VII. 416
um. VII. 415
Lam. VII. 416
anum Alam. XI. 111
AE Lindl. VIII. 300
G. Don VIII. 300
RBr. VIII. 300
Juss. VIII. 273 300
Vent. VIII. 273 300
AE Dumort. VIII. 273
&c. Michell XIII. 1. 523
&c. Shaw XIII. 1. 511
&c. Nils. XIII. 1. 522
Moench XIII. 1. 509
nimis &c. Dill. XIII. 1. 631
lio Dill. XIII. 1. 604
. Duh. XIII. 1. 509 510
urn. VIII. 301 *Juss.* 301 *Lour.* VIII. 301
RBr. VIII. 311
Hochst. VIII. 311
RBr. VIII. 307
Pers. VIII. 304
m Wall, VIII. 314
Br. VIII. 302
loan. XIII. 1. 662
e Wall. VIII. 306
is Wall. VIII. 305
hl VIII. 311
E. Mey. - -
n Vahl VIII. 303
n W. VIII. 303
n β Ker VIII. 303
Boj. VIII. 306
R. & Schult. VIII. 303
Roxb. VIII. 303
milt. VIII. 302
& Schult. VIII. 303
all. VIII. 314
Wall. VIII. 309
VIII. 314
Vahl VIII. 309
e Dc. - -
. VIII. 306

Jasminum
azoricum Hook. & Arn. VIII. 311
azoricum *L.* VIII. 311
bahiense *Dc.* VIII. 311
β fluminense - 312
bifarium *Wall.* VIII. 305
bignoniaceum *Wall.* VIII. 313
bracteatum Rottl. VIII. 305
bracteatum *Roxb.* VIII. 305
brevilobum *Dc. fil.* VIII. 307
β mollissimum - - -
calophyllum *Wall.* VIII. 310
campanulatum Link VIII. 311
capense Thbg VIII. 311
catalonicum hortul. VIII. 313
caudatum *Wall.* VIII. 310
chrysanthemum Roxb. VIII. 312
coarctatum *Roxb.* VIII. 308
Cobra de Capello XI. 443
collinum Salisb. VIII. 313
confusum *Dc.* VIII. 309
congestum *Wall.* VIII. 314
cordifolium *Wall.* VIII. 304
crassifolium *Blum.* VIII. 309
cuspidatum Rottl. VIII. 307
decussatum *Wall.* VIII. 306
dichotomum Don VIII. 308
dichotomum *Vahl* VIII. 307 674
didymum *Forst* VIII. 311
dispermum *Wall.* VIII. 310
divaricatum *RBr.* VIII. 311
elongatum Roxb. VIII. 314
elongatum *W.* VIII. 302
β Dc. - 303
erectiflorum *Dc. fil.* VIII. 308
extensum *Wall.* VIII. 308
Finlaysonianum *Wall.* VIII. 304
flavum Sieb. VIII. 312
flexile Desf. VIII. 310
flexile Jacq. VIII. 311
flexile *Vahl* VIII. 310
floribundum *RBr.* VIII. 313 674
floridum *Bunge* VIII. 313
fluminense Vell. VIII. 312
fragrans Salisb. VIII. 301
frutescens Nissol. XIII 1. 523
fruticans *L.* VIII. 313
fruticans β Lapeyr. VIII. 313
funale *Dene* VIII. 308
geniculatum Vent. VIII. 309
glabellum *Wall.* VIII. 314
glabriusculum *Blum.* VIII. 303 674
glabrum Blum. VIII. 308
glabrum *W. h.* VIII. 308 674
glandulosum *Wall.* VIII. 304

Imaicola Griseb. IX. 94 (Gentiana)
Imbricaria *Comm.* VIII. 199 *Sm.* VIII. 201
Binectaria *Dc. fil.* VIII. 201
Commersonii *G. Don* VIII. 201
coriacea *Dc. fil.* VIII. 200
macrocarpa *Gaertn.* VIII. 201
malabarica Poir. VIII. 201 206
maxima *Poir.* VIII. 200
petiolaris *Dc. fil.* VIII. 200
Incarvillea *Juss.* IX. 236 *Wall.* IX. 237 263 *Roxb.* IX. 260
arguta Royl. IX. 237 238
chinensis Spr. IX. 237
dubia Wall. IX. 237 264
Emodi Wall. IX. 237
grandiflora Poir. IX. 223
grandiflora Spr. IX. 237
oblongifolia Roxb. IX. 260
parasitica Roxb. IX. 237 261
sinensis *Lam.* IX. 237
tomentosa Roxb. IX. 237
tomentosa Spr. X. 300
INCARVILLEAE *Dc.* IX. 236
INCARVILLEAE *Dc.* IX. 259
INCARVILLEAE *Endl.* IX. 236
Inocarpus Forst. VIII. 155
Inota-Inodien Rheed. XIII. 1. 449
Jochroma *Bth.* XIII. 1. 6 489 *Miers* XIII. 1. 486
calycinum *Bth.* XIII. 1. 491
fuchsioides Miers XIII. 1. 487
gesnerioides Miers XIII. 1. 488
grandiflorum *Bth.* XIII. 1. 491
lanceolata Miers XIII. 1. 489
longipes Miers XIII. 1. 489
loxensis Miers XIII. 1. 488 *(bis)*
macrocalyx *Miers* XIII. 1. 491
tetradynamum *Dun.* XIII. 1. 490
tubulosum *Bth.* XIII. 1. 490
umbrosa Miers XIII. 1. 487
Johnsonia Catesb. XI. 640
americana Mill. XI. 643
Jonidium diffusum Gill. VIII. 516
Josepha Vell. XIII. 2. 437
angusta Vell. XIII. 2. 437
Josephinia *Vent.* IX. 255
celebica Blum. IX. 255
grandiflora RBr. IX. 255
Imperatricis RBr. IX. 255
Imperatricis *Vent.* IX. 255
α β γ Dc. - - -
Joubeba Blanchet XIII. 1. 279
Jovellana Bth. X. 205 (Calceolaria)
Jovellana R. & Pav. X. 204
punctata R. & Pav. X. 206
Jovellana
scapiflora R. & Pav.
triandra Cav. X. 206
Jovibarba Boiss. XII. 6
Jovipana XI. 443
Iphisia Govanii Wight
multiflora Wight VII
Ipomoea *L.* IX. 348 *A*
328 335 337 341
abrupta *RBr.* IX. 370
abscissa Boj. IX. 39
abutiloides *Don* IX.
acanthocarpa Hochst
acetosaefolia R. &
acetosellaefolia *Chois*
aculeata Blum. IX. 3
acuminata R. & P
acutangula R. & Pav.
affinis Poepp. IX. 3
afra *Chois.* IX. 380
Afzelii *Chois.* IX. 37
aggregata *Poir.* IX.
Aitoni *bot. reg.* IX.
alata *RBr.* IX. 369
albiflora *Moriç.* IX. 3
β stricta - - -
γ divergens - - -
albivenia *Don* IX. 37
altissima Bert. IX. 3
altissima *Mart.* IX. 3
ambigua Endl. IX. 3
amoena Blum. IX. 39
amoena *Chois.* IX. 3
ampelopsifolia Don
ampliata *Chois.* IX. 3
anceps *R. & Schult.*
angularis W. IX. 39
angulata Lam. IX. 3
angulata *Mart.* IX. 3
angulata R. & Pav.
angustifolia *Chois.* I
angustifolia Jacq. IX
aquatica Forsk. IX.
arachnoidea *Boj.* IX.
arborescens *Don* IX.
arenaria R. & Schu
arenaria Steud. IX.
argyreioides *Chois.*
β elongata -
aristolochiaefolia *Do*
armata R. & Schult.
Arnottiana Steud. IX

:I. 629
. 443
II. 599
ie VIII. 599
III. 119 *Lam.* VIII. 103
Lam. VIII. 106
fil. VIII. 119
ubl. VIII. 119
III. 140 (*rectius Cy-*
Humboldtii Dc. fil. =
ayanensis Aubl. conf.
VIII. 119
fil. VIII. 120
Dc. fil. VIII. 119
IX. 228
Sr. VIII. 434
Schult. VIII. 435
U. VIII. 435
Br. VIII. 435
-. VIII. 436. 440
e. fil. VIII. 435
U. VIII. 435
XIII. 2. 279 (Bana-
lia)
535
X. 18
IX. 19
-. IX. 18
Lour. IX. 19
n. VIII. 69
. VIII. 71
p. VIII. 292
dn. X. 402. 403
Jardn. X. 402
. X. 412 *rect. Ilyo-*
geton
XIII. 2. 299. 350
Gaertn. XIII. 2. 424
L. XIII. 2. 358
Pav. XIII. 2. 339
Scop. XIII. 2. 365
Spr. XIII. 2. 355
. XIII. 2. 317
L. XIII. 2. 304
XIII. 2. 338
Spr. XIII. 2. 356
h. XIII. 2. 355
XIII. 2. 351
XIII. 2. 363
r. XIII. 2. 382
Horit. XIII. 2. 365
. XIII. 2. 361
W. h. XIII. 2. 378
R. & Schult. XIII.
2. 368

Illecebrum
javanicum Ait. XIII. 2. 299
incanum C. Rich. XIII. 2. 362
irestinoides Spr. XIII. 2. 383
lanatum hort. XIII. 2. 299
lanatum h. Paris. XIII. 2. 337
lanuginosum Poir. XIII. 2. 337
leucurum h. Berol. XIII. 2. 302
limense h. Paris. XIII. 2. 366
lineare Thbg XIII. 2. 339
lupulinum Spr. XIII. 2. 374
maritimum Spr. XIII. 2. 365
maritimum W. XIII. 2. 368
maritimum W. h. XIII. 2. 371
Monsonias L. fil. XIII. 2. 305
nanum Spr. XIII. 2. 360
paniculatum Spr. XIII. 2. 377
polygonoides L. XIII. 2. 363
pubescens W. XIII. 2. 306
pulverulentum Spr. XIII. 2. 351
pungens Spr. XIII. 2. 371
ramosum hort. XIII. 2. 359
sanguinolentum L. XIII. 2. 300
sericeum Spr. XIII. 2. 385
sessile Pall. XIII. 2. 360
sibiricum Vest XIII. 2. 360
sinense hort. XIII. 2. 359
spinosum Spr. XIII. 2. 359
tenellum Desf. XIII. 2. 355
tomentosum hort. XIII. 2. 299
triandrum Hamilt. XIII. 2. 360
truxillense Spr. XIII. 2. 367
vermiculatum L. XIII. 2. 340
villosum W. h. XIII. 2. 379
M 3450 *Bonpl.* XIII. 2. 379
Illipe malabarorum Koen. VIII.
197
Ilyogethos nervosum Hassk. X. 417
sphaerocarpum Hassk. X. 417
Ilyogeton Endl. X. 412. 415 *Bth.* X.
415 (Vandellia)
alsinoides Endl. X. 415
scapigerum Endl. X. 415
subulatum Endl. X. 416
Ilysanthes *Raf.* X. 343. 418.
attenuata Raf. X. 419
capensis *Bth.* X. 419
dilatata Raf. X. 419
grandiflora *Bth.* X. 418
gratioloides *Bth.* X. 419
hyssopioides *Bth.* X. 419
minima *Bth.* X. 420
parviflora *Bth.* X. 419
refracta *Bth.* X. 419
riparia Raf. X. 419
rotundifolia *Bth.* X. 420

L. & Schult. IX. 350
ert. IX. 368
a Chois. IX. 366
ea bot. mag. IX. 392 330
Don IX. 367
Raf. IX. 392 344
is. IX. 361
V. IX. 368
ois. IX. 366
Ch IX. 392 344
m. IX. 392 338
on IX. 358
Bth. IX. 369
Chois. IX. 376
— — —
s Roth IX. 392 325
: R. & Schult. IX. 350
e. IX. 392 334
IX. 392 435
Don IX. 354
Schult. IX. 371
IX. 371
. IX. 367
s. IX. 392 431
s Lindl. IX. 381
k. IX. 349
Chois. IX. 387
ois. IX. 389
et IX. 371
ud. IX. 354
Don IX. 392 341
L. IX. 392 345
bot. reg. IX. 345
Hook. IX. 369
Cav. IX. 392 347
R. & Schult. IX. 392 435
Rud. IX. 392 344
W. IX. 392 329
Mey. chseg. IX. 349
Mey. esseq. IX. 359
Lag. & Sess. IX. 349
& Schult. IX. 369
arrot. IX. 384
Chois. IX. 367
ois. IX. 360
a Moç. IX. 392 344
Chois. IX. 350
Koen. IX. 392 330
Chois. IX. 370
ies Drege IX. 392 431
ia Arn. IX. 392 325
a L. IX. 359
ag. IX. 369

Ipomoea
canescens Sweet IX. 391
canescens Don IX. 393 397
capillacea Don IX. 353
capillata Spreng. IX. 366
capillifolia Bert. IX. 368
capitata Chois. IX. 365
capitata R. & Schult. IX. 393 332
capitellata Chois. IX. 365
capparoides Chois. IX. 376
cardiosepala Hochst. IX. 393 429
carinata Endl. IX. 393 345
carnea Jacq. IX. 374
carnosa RBr. IX. 349
carolina L. IX. 386
carolina Pursh IX. 382
carolinicana Poir. IX. 386
Cataractae Endl. IX. 363
Catesbaei Mey. esseq. IX. 393 338
cathartica Poir. IX. 393 342
Cavanillesii R. & Schult. IX. 385
cholulensis H. B. & Kth. IX. 393 335
chrysoides bot. reg. IX. 382
ciliolata Pers. IX. 339
ciliosa Pursh IX. 359
cincta R. & Schult. IX. 393 347
cinerascens RBr. IX. 351
Clappertonii RBr. IX. 349
clausa Rud. IX. 383
coccinea L. IX. 393 335
coelestis Roj. IX. 393 439
coerulea Koen. IX. 393 343
coerulescens Roxb. IX. 393 343
commutata R. & Schult. IX. 382
compressa Guss. IX. 368
conferta Don IX. 366
congesta RBr. IX. 369
contorquens Chois. IX. 385
contorta Chois. IX. 350
coptica Roth IX. 384
β scinta Chois. — —
cordifolia Ten. IX. 390
cordofana Chois. IX. 350
coriacea Chois. IX. 358
corralinensis Chois. IX. 361
corymbosa Roth IX. 350 372
coscinosperma Hochst. IX. 354
crassifolia Cav. IX. 349
crassipes Hook. IX. 393 431
crotonifolia Gardn. IX. 374
Cruickshanskii Chois. IX. 389

Ipomoea
cumanensis Don IX. 373
curassavica R. & Schult. IX. 377
cuspidata *Don* IX. 388
cuspidata R. & Pav. IX. 393 343
cymosa Blum. IX. 371
cymosa Lindl. IX. 372
cymosa Mey. esseq. IX. 380
cymosa *R. & Schult.* IX. 371
β pilosa *Chois.* – –
γ sagittata – –
δ culta – –
cymosa Roth IX. 371
dasysperma *Jacq.* IX. 386
debilis Boj. IX. 353
delphinioides *Chois.* IX 352 565
demerariana *Chois.* IX. 361
dendroidea *Chois.* IX. 356
dentata W. IX. 393 336 382
denticulata *Chois.* IX. 379
denticulata RBr. IX. 354
Deppeana *Don* IX. 390
desmophylla *Boj.* IX. 353
β oblonga *Chois.* – –
Desrousseauxii Steud. IX. 393 347
diantha R. & Schult. IX. 367
dichotoma *Chois.* IX. 383
β longiflora – – –
dichotoma H. B. & Kth. IX. 393 335
dichroa *Chois.* IX. 364
digitata *L.* IX. 389
Dillenii R. & Schult. IX. 393 343
discolor *Don* IX. 374
discolor Spr. IX. 393 341
dissecta RBr. IX. 363
dissecta Pursh IX. 362
dissecta *W.* IX. 363
distans *Chois.* IX. 378
diversifolia RBr. IX. 363
dubia R. & Schult. IX. 393 335
dumetorum *W.* IX. 378
β glaucescens *Chois* – –
ebracteata *Chois.* IX. 377
echioides *Chois.* IX. 355
elliptica Roth IX. 393 330
elongata *Chois.* IX. 355
emetica *Chois.* IX. 376
ennealoba *PB.* IX. 388
erecta *RBr.* IX. 354
eriocarpa *RBr.* IX. 369
eriocephala *Moriç.* IX. 366
β sericea *Chois.* – –
γ abbreviata – – –

Ipomoea
eriosperma PB. IX.
eriosperma *Bert.* IX.
erythraea Moç. IX.
Eustachiana h. Tur.
eustachiana *Jacq.* IX
evolvuloides *Moriç.*
β grandiflora *Chois.*
fastigiata *Sweet* IX.
ferruginea *R. & Sch*
ficifolia *Lindl.* IX. 3
filicaulis *Blum.* IX.
filiformis Jacq. IX.
fimbriosepala *Chois.*
fistulosa *Mart.* IX.
flagellaris *Chois.* IX
flammea *Nees* IX. 3
flavescens Steud. IX
floribunda Don IX.
floribunda *Moriç.* IX
foliis digitatis &c
fragilis *Chois.* IX. 3
fragrans Boj. IX. 3
franciscana *Chois.*
frutescens h. Paris.
funis Cham. & Schl
Gabrieli *Chois.* IX.
gangetica Sweet IX.
gemella *Roth* IX. 3
gigantea *Chois.* IX.
gigantea *Reinw.* IX.
glaberrima Boj. IX.
glabra *Chois.* IX. 3
glandulifera R. &
glaucescens Don IX.
glaucifolia L. IX. 3
gnaphalosperma Ho
gossypiifolia W. IX.
goyasensis Garda.
gracilis *RBr.* IX. 3
graminea *RBr.* IX.
grandiflora Lam. IX
grandiflora Roxb. IX
guineensis Don IX. 3
guyanensis *Chois.* I
Haenkeana *Chois.* IX
halophyla Poepp. IX
Hamiltonii Don IX.
Hartwegi *Bth.* IX. 3
hastata L. IX. 393 3
hastigera H. B. &
havanensis *Chois.* IX

. IX. 393 341
L. IX. 393 336
L. IX. 363
Don IX. 393 409
RBr. IX. 354
Don IX. 363
Ort. IX. 393 344
Schult. IX. 371
. IX. 385
ank IX. 390
Gardn. IX. 356
eg. IX. 393 344
Don IX. 385
t Schult. IX. 367
. IX. 393 341
Dorpat. IX. 390
Drege IX. 364
Hook. IX. 367
a R. & Schult. IX. 393 336
IX. 390
IX. 393 338
IX. 374
Don IX. 384
hois. IX. 367
& Schult. IX. 354
th IX. 393 333
ois. IX. 360 362
IX. 352
IX. 349
reg. IX. 393 339
n. IX. 370
ud. IX. 394 342
chult. IX. 394 341
B. IX. 365
Dietr. IX. 394 344
. IX. 355 367
is. IX. 388
Hoffmans. IX. 390
& Schult. IX. 394 329
Hochst. IX. 354
Ledeb. IX. 394 345
. IX. 369
Chois. IX. 356
IX. 378
ud. IX. 379
n IX. 390
Chois. IX. 368
Chois. IX. 357
reg. IX. 394 345
Schult. IX. 394 346
ert IX. 394 330
& Poir. IX. 394 343

Ipomoea
Ledebourii *Chois.* IX. 368
leucantha *Jacq.* IX. 382
ligulata Boj. IX. 367
lilacina *Blum.* IX. 369
lilacina Kze IX. 390
lilacina *Schrank* IX. 390
Lindleyi *Chois.* IX. 371 341
linifolia *Blum.* IX. 369
linoides *Chois.* IX. 354
β major – – –
littoralis *Blum.* IX. 352
longeramosa *Chois.* IX. 364
longiflora RBr. IX. 345
longiflora W. IX. 394 345
longiflora Eth. IX. 394 336
Lundii Chois. IX. 394 420
luteola *RBr.* IX. 369
luteola Jacq. IX. 394 336
luxurians *Moric.* IX. 368
macrantha Don IX. 368
macrantha R. & Schult. IX. 394 345
macrocalyx *Chois.* IX. 382
macrophylla *Chois.* IX. 374
macropoda Boj. IX. 365
macrorhiza Mx. IX. 394 336
macrorhiza *R. & Schult.* IX. 368
madagascariensis *Chois.* IX. 367
Maireli *Chois.* IX. 374
malabarica R. & Schult. IX. 394 331
mammosa *Chois.* IX. 369
maraguiensis *Chois.* IX. 351
mariannensis *Chois.* IX. 369
maritima RBr. IX. 349
martinicensis Mey. esseq. IX. 394 430
Martiusiana *Steud.* IX. 390
mataxocarpa Don IX. 394 415
mauritiana Jacq. IX. 394 339
Mechoacanna Nutt. IX. 394 338
megapotamica *Chois.* IX. 375
melanosticta Don IX. 394 325
mestitlanica *Chois.* IX. 389
mexicana Moç. IX. 394 335
Meyeri Don IX. 394 416
Michauxii Sw. IX. 394 338
microphylla Roth IX. 357
mollis Don IX. 394 342
monosperma *Spr.* IX. 382 361
montana *Moric.* IX. 364
montevidensis Don IX. 394 415
multiflora Mill. IX. 377
multiflora Roxb. IX. 394 360

Ipomoea
suffulta *Don* IX. 378
sulphurea Don IX. 361
sulphurea *Hochst.* IX. 356
superba *Don* IX. 373
superba *h. Dorpat.* IX. 390
sylvana *Chois.* IX. 374
tamnifolia Burm. IX. 365
tamnifolia *L.* IX. 365 434
tenuirostris *Chois.* IX. 379
tenuissima *Chois.* IX. 376
terctistigma *Chois.* IX. 373 432
β setifera – – –
terminalis Chois. IX. 395 439
ternata *Jacq.* IX. 361
ternifolia *Cav.* IX. 353
Thonningii Don IX. 363
tiliacea *Chois.* IX. 375
tiliaefolia R. & Schult. IX. 395 325
timorensis Blum. IX. 395 413
tomentosa Chois. IX. 395 337
trematosperma Hochst. IX. 367
triantha *R. & Schult.* IX. 370
trichocalyx Don IX. 372
trichocalyx *Steud.* IX 370
trichocarpa Ell. IX. 392
trichosperma Blum. IX. 395 346
trichotosa Blum. IX. 396 332
tricolor *Cav.* IX. 359
tridentata *Roth* IX. 353
trifida *Don* IX. 383
triflora *Forsk.* IX. 388
trifurcata *Chois.* IX. 352
triloba *L.* IX. 383
triquetra *R. & Schult.* IX. 360
Tuba Don IX. 396 346
tubata *Neuw.* IX. 379
tuberculata bot. reg. IX. 388
tuberculata *R. & Schult.* IX. 386
β abbreviata *Chois.* – 387
tuberculosa Desf. IX. 386
tuberosa *L.* IX. 362
β uniflora *Chois.* – –
tuberosa Lour. IX. 386
tubulosa W. IX. 396 345
turbinata Lag. IX. 396 345
Turpethum *RBr.* IX. 360
Tweediei *Hook.* IX. 375
tyrianthina *Lindl.* IX. 375 341
umbellata L. IX. 389
umbellata *Mey. esseq.* IX. 377
umbellifera *Chois.* IX. 389
uniflora R. & Schult. IX. 396 431

Ipomoea
urbica *Chois.* IX. 3
β muricata – – 3
urceolata *RBr.* IX.
utilis *Chois.* IX. 37
varia Roth IX. 396
variabilis *Chois.* IX
Velloziana Mart. I
velutina *RBr.* IX.
veniciflua Arn. IX.
venosa *R. & Schul*
ventricosa *Chois.* I
verbascoidea *Chois*
verrucipes *Chois.* I
verrucosa *Blum.* IX
verrucosa Ort. IX.
verruculosa Mart. I
verticillata *Forsk.* I
verticillata L. IX. 3
vesiculosa *PB.* IX.
vespertina *Colla* IX
villosa R. & Pav. I
villosula *Blum.* IX.
violacea L. IX. 396
viridis *Chois.* IX. 3
vitifolia *Sweet* IX.
β angularis *Chois.*
Wallichii Steud. IX
Weinmannii R. &

Wightii *Chois.* IX.
Willdenowii R. &

zebrina *Perrot.* IX.
zeylanica Gaert. IX
Zucagni R. & Schu
№ 771 *Lund* IX. 3
№ 772 *Lund* IX. 3
Ipomeria Nutt. IX. 31
aggregata Nutt. IX.
albida Nutt. IX. 31
coronopifolia Nutt.
inconspicua Nutt. I
Ipomopsis Bth. IX. 3
Ipomopsis Mx. IX. 31
elegans Lindl. IX.
elegans Mx. IX. 31
inconspicua Sm. IX
tuberosa W. IX. 35
verticillata Schlecht
Ireneis *Moq.* XIII. 2.
interrupta *Moq.* XI
Iresinastrum Moq.

Iresine *P. Browne* XI
Bth. XIII. 2. 3

IX. 395 336
IX. 385
Desf. IX. 386
V. IX. 395 339
R. & Schult. IX. 367
r. IX. 395 347
h IX. 371
. IX. 387
n. IX. 371
. IX. 380
Chois. IX. 377
. IX. 399
Blum. IX. 395 332
ois. IX. 351
. IX. 395 347
IX. 350
X. 349
IX. 349
X. 389
. IX. 381
IX. 384
IX. 390
Don IX. 349
weet IX. 395 330
teud. IX. 395 345
. IX. 371
313
IX. 395
Hook. IX. 375
n IX. 395 414
& Schult. IX. 395 344
. IX. 350
hois. IX. 351
. IX. 372
f. IX. 372
Chois. - -
g. & Sess. IX. 376
Burm. IX. 395 335
on IX. 377
ot. reg. IX. 372
eb. IX. 367
ois. IX. 379
hil IX. 395 336
. IX. 395 344
. IX. 395 343
& Schult. IX. 395 344
lem. IX. 375
nee. IX. 374
ll Vis. IX. 390
Chois. IX. 354

Ipomoea
Schrankii Steud. IX. 390
Schultesii Weinm. IX. 395 435
scrobiculata Don IX. 383
secunda Don IX. 390
Sellowii Penny IX. 390
senegalensis Lam. IX. 386
Senegambiae Chois. IX. 351
sepiaria Koen. IX. 370
β sagittata Chois. - -
septenata Chois. IX. 362
sericea Blum. IX. 395 331
sericea Spr. IX. 368
serotina R. & Schult. IX. 395 335
serpillifolia Don IX. 351
serrata Chois. IX. 364
β triloba - - -
sessiliflora Roth IX. 366
setifera Poir. IX. 359
setosa Blum. IX. 370
setosa bot. reg. IX. 381
sibirica Pers. IX. 377
sidaefolia Chois. IX. 372
sidaefolia Schrad. IX. 359
simplex Thbg IX. 357
sinensis Chois. IX. 370
sinensis h. Gorenk. IX. 390
sinuata Ort. IX. 362
solaniflora Thbg IX. 390
solanifolia Burm. IX. 370
solanifolia L. IX. 395 335
soldanellaefolia Schrank IX. 390
speciosa Pers. IX. 395 328
spectabilis Boj. IX. 395 439
sphaerica h. Calc. IX. 370
sphaerocephala Don IX. 366
sphaerocephala Sw. IX. 366
spicaeflora Chois. IX. 356
spicata H. B. & Kth. IX. 395 347
splendens bot. mag. IX. 395 329
squamosa Chois. IX. 376
stans Cav. IX. 395
staphylina R. & Schult. IX. 371
stipulacea Jacq. IX. 386
stipulacea Sweet IX. 379
striata Roth IX. 370
strigosa Roth IX. 395 332
stylosa h. Madr. IX. 395 335.
subpedata Desf. IX. 384
subrevoluta Chois. IX. 386
subtriloba R. & Pav. IX. 395 344
suffruticosa Burch. IX. 357

Isolobus
concolor *Dc. fil.* VII. 354
corymbosus *Dc. fil.* VII. 352 785
β *Dc. fil.* VII. 785
Cunninghamii *Dc. fil.* VII. 354
jasionoides *Dc. fil.* VII. 353
Kerii *Dc. fil.* VII. 353
radicans *Dc. fil.* VII. 353
Roxburghianus *Dc. fil.* VII. 353
sparsiflorus *Dc. fil.* VII. 353
Isonandra *Wight* VIII. 187
lanceolata *Wight* VIII. 187
Perrottetiana *Dc. fil.* VIII. 188
villosa *Wight* VIII. 188
Wightiana *Dc. fil.* VIII. 187
Isonema *RBr.* VIII. 415
Smeathmanni *R. & Schult.* VIII. 415
Isoplexis *Lindl.* X. 448
canariensis *Lindl.* X. 449
Sceptrum *Lindl.* X. 448
Isostylis Dc. fil. VIII. 110 (Badula)
Isotoma *Lindl.* VII. 412 *RBr.* VII. 412
axillaris Lindl. VII. 412
Baueri *Presl* VII. 412
brevifolia *Presl* VII. 412
Brownii *G. Don* VII. 412
longiflora *Presl* VII. 413
pusilla Bth. VII. 413 411
scapigera G. Don VII. 413 409
senecioides *Dc. fil.* VII. 412
Itzticapitl Hern. XIII. 1. 589
Juanulloa *R. & Pav.* XIII. 1. 6 528
Miers XIII. 1. 528
aurantiaca *Otto & Dietr.* XIII. 1. 529 689
elliptica *R. & Pav.* XIII. 1. 530
grandiflora *Dun.* XIII. 1. 531
Hookeriana Miers XIII. 1. 529
mexicana *Miers* XIII. 1. 529
microphylla *Dun.* XIII. 1. 531
panamensis *Miers* XIII. 1. 530
parasitica Hook. XIII. 1. 529
parasitica Pav. XIII. 1. 531
parasitica *R. & Pav.* XIII. 1. 528
speciosa *Dun.* XIII. 1. 532
umbellata *Dun.* XIII. 1. 530
Juciri XIII. 1. 235
Julieta Leschen. VII. 761
Jumo-Sao IX. 480
Jungia Moench XII. 262
altissima Moench XII. 337
formosa Moench XII. 328
Junia Adans. VII. 588

Juripeba altera Pis. X
prior Pis. XIII. 1.
Justicia *Nees* XI. 42
XI. 280 319 469
XI. 327 335 383
442 473 515
L. Vahl XI. 355
Wall. XI. 492
65 80 *Wall.* XI.
Wall. XI. 320
514 *Pohl* XI.
Schlecht. XI. 31
Hook. XI. 314
XI. 331 335 *Bur*
Jacq. L. Auct.
XI
abnormis Pohl XI.
acanthifolia W. h.
acaulis L. XI. 429
acaulis β Vahl XI.
acaulis β W. XI.
acinoides hort. Ke
Ackermanni Mart.
acicularis Sw. XI.
acuminata Vahl X
acuminata Wall. X
acutifolia Tafall. X
Adhatoda L. XI.
Adhatoda Mart. h.
adscendens RBr. X
ajugoides Hamilt.
alata Vahl XI. 429
alba h. Berol. XI.
alba Roxb. XI. 429
albiflora Blum. XI.
amabilis Wall. XI.
americana Vahl XI.
amoena Mart. h. X
amygdalina E. Mey.
amygdalina α E.
amygdalina b E.
Anagallis Mart. XI.
androsaemifolia
angustifolia Pohl X
annua Aet. XI. 429
antirrhina Nees &
appendiculata Vahl
appressa Forsk. X
argyrostachya Wal
aristata Vahl XI.
aristata Wall. XI.
armata Sw. XI. 42

. XIII. 2. 385 *Mart.*
39 244 *L.* XIII. 2. 344
g. XIII. 2. 345
XIII. 2. 343
g. XIII. 2. 340
Moq. XIII. 2. 348
Lespar. XIII. 2. 348
ort. XIII. 2. 343
Rich. XIII. 2. 348 353
etr. XIII. 2. 348 352
XIII. 2. 348 353
XIII. 2. 341
mpl. XIII. 2. 349 352
& *Bonpl.* XIII. 2. 349 351
is Schauer XIII. 2. 348
XIII. 2. 347 462
– – –
. XIII. 2. 343
rr. eriophylla Bth. XIII. 2. 347
XIII. 2. 342
g. XIII. 2. 340
Moq. XIII. 2. 342
Bonpl. XIII. 2. 345
iflora Moq. XIII. 2. 346
XIII. 2. 349 353
Hook. fil. XIII. 2. 343
XIII. 2. 343
– – –
XIII. 2. 349 353
t. & *Arn.* XIII. 2. 345
& *Bonpl.* XIII. 2. 344
r. XIII. 2. 349 386
g. XIII. 2. 347
& *Bonpl.* XIII. 2. 349 350
rt. & *Gal.* XIII. 2. 347
g. XIII. 2. 344
r. XIII. 2. 349 384
s XIII. 2. 348
. & *Gal.* XIII. 2. 345
, *B.* & *Kth.* XIII. 2. 347

Iresine
herbacea Desf. XIII. 2. 345
Hookeri *Moq.* XIII. 2. 344
javanica Burm. XIII. 2. 349 299
interrupta Bth. XIII. 2. 349 (*bis*)
interrupta Hook. fil. XIII. 2. 349 353
lanceolata *Moq.* XIII. 2. 347
latifolia Dietr. XIII. 2. 349 351
linearis *Moq.* XIII. 2. 339
macrocephala *Moq.* XIII. 2. 342
Mutisii *H. B.* & *Kth.* XIII. 2. 346
obtusifolia Kth. XIII. 2. 349 350
paniculata Poir. XIII. 2. 343
paniculata Spr. XIII. 2. 349 385
parvifolia *H. B.* & *Kth.* XIII. 2. 346
persica Burm. XIII. 2. 349 300
polymorpha *Mart.* XIII. 2. 346
α alopecuroides – – –
β ellua – – –
γ verticillata – – –
portulacoides *Moq.* XIII. 2. 341
β Commersoni – – –
racemosa Lam. XIII. 2. 343
serpyllifolia *Moq.* XIII. 2. 341
spicata Spr. XIII. 2. 349 387
surinamensis *Moq.* XIII. 2. 339
tenella *Moq.* XIII. 2. 343
vermicularis *Moq.* XIII. 2. 340
β longifolia – – – –
γ microcephala – – – –
δ longepilosa – – – –
verticillata Spr. XIII. 2. 346
virgata Poepp. XIII. 2. 343
virgata Spr. XIII. 2. 349 386
Iribachia *Mart.* IX. 71
Bonplandiana *Fenzl* IX. 72
coerulescens *Griseb.* IX. 72
elegans *Mart.* IX. 72
Isacanthus *Nees* XI. 265 278
Vogelii *Nees* XI. 279
Isanthera *Nees* IX. 279 X. 586 XIII. 1. 673
pernollis *Nees* IX. 280
Isanthus *Mx.* XII. 572
coeruleus *Mx.* XII. 572
Ischnia *De.* IX. 257 XI. 528
verbenacea *De.* IX. 257 XI. 529
Isgarum Raf. XIII. 2. 192
Isodon Bth. XII. 55 (Plectranthus)
Isodon Schrad. XII. 55
plectranthoides Schrad. XII. 59
Isolobus *De. fil.* VII. 352
campanuloides *De. fil.* VII. 353

Justicia
clandestina Russel h. XI. 431 96
clavata Juss. XI. 431
clavata Vahl XI. 490
clinopodia E. Mey. XI. 431 484
coccinea Aubl. XI. 431 319
coccinea Cav. XI. 431 445
coccinea Forsyth h. XI. 431 341
coccinea Gouan XI. 431 398
coccinea h. Berol. XI. 431 729
coccinea Luschn. XI. 431 420
coccinea W. h. XI. 431 320
coccinea h. Monsp. XI. 431 415
coerulea Poir. XI. 431 475
colorata Vahl h. XI. 431 446
comata Vell. XI. 432
comata Nees & Mart. XI. 432 380
comata Salisb. XI. 432 381
comata Sw. XI. 432 381
comosa Dc. h. XI. 432 415
comosa Vahl XI. 432 360
confertiflora Pohl XI. 432 317
consanguinea Nees XI. 432
conspicua Wall. XI. 432 226
convexa E. Mey. XI. 432 390
cordifolia Heyne h. XI. 432 95
corymbosa W. h. XI. 432 500
corymbulosa Bertol. XI. 432 355
costata Mart. XI. 432 87
crenata Pohl XI. 432 419
crenulata Pohl XI. 432 313
crinita Dc. h. XI. 432 444
crinita Thbg XI. 432 485 493
crispata Pohl XI. 432 356 358
cristata Jacq. XI. 442 432 295
cuneata Vahl XI. 432 393
cuneata W. h. XI. 432 392
cuneifolia Hook. h. XI. 432 461
cuneiformis E. Mey. XI. 393
cuneiformis Nees & Mart. XI. 432 405
curviflora Wall. XI. 432 320
cuspidata Pers. XI. 432 479
cuspidata Vahl XI. 432 484
cymosa h. Madr. XI. 432
cynanchifolia RBr. XI. 442
Dalaora Blanco XI. 432 490
dasyclados Mart. XI. 432 351
debilis Vahl XI. 432 411
decussata Roxb. XI. 408
dentata Klein XI. 427
dentata Link XI. 428
dentata α Nees XI. 427
dentata β Nees XI. 428

Justicia
denticulata Klein X
Dianthera Vell. X
dichotoma Blum. X
dichotoma h. Mad
dichotoma Rottl.
diffusa Hamilt. h.
diffusa h. Madr. X
diffusa Vahl XI.
diffusa W. XI. 43
diffusa a imberbis
divaricata Lichten
divaricata h. Mad
divaricata W. h.
divaricata Zeyh. X
Dohona Hamilt. X
dubia Forsk. XI.
Ecbolium L. XI.
β – –
γ ligustrina – –
δ mollis – –
Ecbolium Wall. X
Ecbolium Wight h.
echioides L. XI. 43
echioides W. h. XI
elegans PB. XI.
elegans Pohl XI. 43
elongata Vahl XI.
emarginata Nees X
ensiformis Ell. XI.
eriandra Salisb. X
Eustachiana Jacq.
Eustachiana Vahl
falcata Lam. XI.
fasciata E. Mey. X
fasciculata Nees X
fasciculata Russel
fastigiata Lam. XI.
fastuosa L. XI. 43
filiformis Rheed XI.
flava Delil. XI. 43
flavicoma Lindl. XI.
flexibilis Baj. XI.
foetida Forsk. XI.
foliolosa E. Mey. X
foliolosa W. h. XI.
formosa W. XI. 43
Forskolii Vahl XI.
Forskolii W. h. XI.
fragilis Wall XI
frondosa Vahl XI.
fulgida Blum. XI.
fulvicoma Schlecht.
furcata Jacq. XI.

Steud. XI. 429 730
nud. XI. 429
rott. XI. 429 267
'all. XI. 429 322
.. XI. 429 489
:a Bth. XI. 429
cht. XI. 430 329
Wall. XI. 430 191
ll. XI. 430 395
. XI. 430
·tol. XI. 430 355
·st. XI. 430 475
Schott XI. 430 323
Spr. XI. 430 66
XI. 430 395
Vall. XI. 430 385 386
ta hort. Angl. XI. 730
ta h. Berol. XI. 430
Wall. XI. 430 493
Vahl XI. 430 497
Wight h. XI. 497
XI. 430 456
. XI. 430
. XI. 430 424
XI. 428
orsk. XI. 430 242
XI. 430 475
zb. XI. 430 476 497
illa Mart. XI. 430 159
pia E. Mey. XI. 430 412
Klotzsch XI. 430 374
Gill. XI. 430 395
Hook. h. XI. 475
Mch. XI. 430
Salzm. XI. 430 479
Young XI. 430 346
Pursh XI. 430 480
Roth XI. 430 400
es Spr. XI. 430 400
ana W. h. XI. 430 370
Pohl XI. 367
W. XI. 430 327
Roth XI. 430 419
Vell. XI. 430
Hochst. XI. 430 397
Wall. XI. 430 444
Schlecht. XI. 430 326
ia Link & Otto XI. 430 316
Hook. XI. 430 316
Thbg XI. 430 506

Justicia
canescens Lam. XI. 430 67 722
canescens Vahl XI. 67
canescens Wall. XI. 430 485
capensis Eckl. XI. 430 336 498
capensis L. Thbg XI. 430 391
capensis E. Mey. XI. 430 393
capensis Thbg XI. 431 390 391
capensis β glandulosa W. XI. 431 390
caracasana Jacq. XI. 431 352
caracasana Sieb. XI. 431 388
caracasana W. h. XI. 431 340
Careyana Hamilt. h. XI. 431 500
Careyana Newmann XI. 431 328
caripensis H. B. & Kth. XI. 431 340
carnea Hook. bot. mag. XI. 431 329
carnea Hook. h. XI. 320
carnea Lindl. XI. 729
carnea ? XI. 431
carthagenensis bot. reg. XI. 403
carthagenensis Bth. h. XI. 431 409
carthagenensis Jacq. XI. 431 403
carthagenensis L. XI. 431 403
carthagenensis Nees & Mart. XI. 431 406
carthagenensis Vahl XI. 431 415
carthagenensis W. h. XI. 431 466
caulopsila E. Mey. XI. 431 498
cephalotes W. h. XI. 431 252
chelionida Raf. XI. 442
chinensis Burm. XI. 431 483
chinensis Mart. h. XI. 509
chinensis Roxb. XI. 431 483
chinensis Vahl XI. 431 477 484
chinensis Wall. XI. 431 485
chinensis canescens Wall. XI. 431
chinensis rotundifolia Wall. XI. 431
chinensis var. Roxb. XI. 431 486
chinensis var. l. Roxb. XI. 431
chinensis β Hamilt. h. XI. 431 480 481
chinensis γ Hamilt. h. XI. 431 486
chrysotrichoma Pohl XI. 431 408
ciliaris Russel h. XI. 431 470
ciliaris L. XI. 431 384
ciliata Jacq. XI. 431 384
ciliata Pers. XI. 431 423
cinerascens W. h. XI. 431 332

Justicia
livida *Hamilt. h. Wall.* XI. 427
lobelioides Wall. XI. 435 515
longiflora Heyne h. XI. 435 494
longiflora Vis. XI. 435 729
longifolia Balb. XI. 435 398
longifolia Forst. XI. 435 402
longifolia Heyne h. XI. 435 367
longifolia Vahl XI. 435 404
longepetiolata Pohl XI. 435 418
longiracemosa hort. XI. 729
longistaminea R.& Pav. XI. 435 326
longistylus Gill. XI. 395
Loureiriana *Nees* XI. 428
lucida Andr. XI. 435 325 341
lucida h. Berol. XI. 435 729
lupulina E. Mey. XI. 435 385
lutea Pohl XI. 435 316
lutea R. & Pav. XI. 435 320
lythroides Pohl XI. 435 314
macilenta E. Mey. XI. 435 443
macrantha Bth. XI. 435 330
macrophylla Pohl XI. 435 318
macrophylla Spr. XI. 435 728
maculosa Boj. XI. 435 504
madurensis Burm. XI. 435 106
magnifica Pohl XI. 436 329
malabarica Ait. XI. 436 497
martinicensis Jacq. XI. 436 478
martinicensis Salzm. XI. 475
martinicensis Sieb. XI. 436 466
marrubiastrum Blanchet XI. 436 88
mauritiana W. h. XI. 436 500
media Hook. h. XI. 436
media RBr. XI. 436 374 376
megaphylla Pohl XI. 436 62 721
melgariensis W. h. XI. 436 297
membranacea Rich. XI. 436 356
micrantha Heyne h. XI. 373
micrantha Pohl XI. 436 408
micrantha Wall. XI. 436 373
microphylla Lam. XI. 436 461
microphylla Pohl XI. 436 424
mirabilioides Lam. XI. 436 415
misera Pohl XI. 354
Mohintli Moç. & Sess. XI. 361
Moctli Sessé XI. 436
mollis E. Mey. XI. 436 391
mollis Pohl XI. 436
mollissima Wall. XI. 436 370 374 438
montana Heyne h. XI. 436 448
montana Rottl. XI. 436 449
montana Wall. XI. 436 367
Moretiana *Vahl* XI. 428
mucronata R. & Pav. XI. 436 301

Justicia
multiflora Vahl XI. 43
mysorensis Klein XI. 4
nasuta L. XI. 436 442
Necsiana Mart. XI. 43
Necsiana Wall. XI. 43
nemorosa Bert. h. XI.
nemorosa Sw. XI. 436
nemorosa var. Sw. XI.
nervosa Vahl XI. 436
nigricans *Lour.* XI. 42
nilgerrhensis Wall. XI
nitida Haenk. h. XI. 4
nitida Jacq. XI. 436
nitida Nees & Mart. X
nodicaulis Pohl XI. 43
nodosa Hook. XI. 436
nummularia Mart. XI.
nummulariaefolia Va

nummulariaefolia Wa

nutans Burm. XI. 436
oblongata Link & Otto
ochroleuca Blum. XI.
oeymoides Lam. XI. 4
odora Vahl XI. 437 3
odoratissima Boj. XI.
oleaefolia Schlecht. XI
ongylantha Pohl XI. 4
opaca Vahl XI. 437 3
orbiculata Wall. XI.
orbiculata Wight XI.
orchidea E. Mey. XI.
orchioides L. XI. 437
orchioides Vahl h. XI
orchioides h. Wratisl.
origanoides Vahl XI.
orizensis Koen. Rottl.
ovata Dietr. XI. 437
ovata E. Mey. XI. 43
oxyphylla Dc. h. XI.
pachyrrhiza Mart. XI
palatifera Wall. XI.
paniculata Burm. XI.
paniculata Forsk. XI.
parasitica Lam. XI. 4
parviflora Ort. XI. 4
parviflora Retz XI. 4
parviflora Vahl XI. 4
parvifolia hort. XI. 4
parvifolia Lam. XI. 4
patula E. Mey. XI. 4
patula a & b E. M

patula Lichtenst. XI.

[illegible] XI. 433 165 373
[illegible] XI. 433 410
[illegible] acrae XI. 443
[illegible] XI. 433 341
[illegible] XI. 433 731
[illegible] XI. 433 375
[illegible] & Mart. XI. 433 342
[illegible] Lemaire. XI. 730
[illegible] XI. 433 500
[illegible] XI. 433
[illegible] XI. 500
[illegible] XI. 500
[illegible] Mey. XI. 433 336
[illegible] XI. 433 405
[illegible] XI. 433 518
[illegible] XI. 433 400
[illegible] XI. 433 425
[illegible] XI. 433 418
[illegible] Nees & Mart. XI. 433 319
[illegible] XI. 433 454
[illegible] XI. 433 506
[illegible] h. XI. 376
[illegible] h. XI. 433 415
[illegible] XI. 433 321
[illegible] Nees XI. 426
[illegible] Schlecht. XI. 433 312
[illegible] Wall. XI. 434 322 371
[illegible] Schlecht. XI. 434 365
[illegible] Mey. XI. 434 478
[illegible] XI. 434 183
[illegible] XI. 434
[illegible] XI. 434 365
[illegible] XI. 434 372 (bis)
[illegible] 434 456
[illegible] Heyne h. XI. 373
[illegible] h. Madr. XI. 434 453
[illegible] XI. 434 392
[illegible] XI. 434 344
[illegible] 434 340
[illegible] Herr. XI. 340
[illegible] Nees & Mart. XI. 434 315
[illegible] Vahl XI. 434 454
[illegible] XI. 434 445
[illegible] XI. 434
[illegible] XI. 434 243
[illegible] Vahl XI. 434 494
[illegible] XI. 434 372

Justicia
gyantea Lam. XI. 434 498
imbricata Pohl XI. 434 293
imbricata Vahl XI. 434 44
inaequalis Eth. XI. 434 350
inconspicua Wall. XI. 449 434
infesiens Vahl XI. 434 357
infracta Buxm. Blum. Vahl XI. 434 470
infundibuliformis L. XI. 434 280
interrupta E. Mey. XI. 434 336
interrupta Blanco XI. 434
interrupta Kth. XI. 434 326
involucrata Rozb. XI. 434 493
juncea Ehr. XI. 434 376
juncea Russel h. XI. 376
Kerriana Steud. XI. 434
Klotzschiana Hoffmans. XI. 434 328
ladanoides Dc. h. XI. 434
ladanoides Lam. XI. 434 398
ladanoides Link XI. 434 490
lasta Mart. XI. 434 350
laetevirens *Vahl* XI. 427
laevigata Vahl h. XI. 434 476
lamiifolia Koen. XI. 66
lamiifolia Rozb. XI. 434 66
lancea *Thbg* XI. 428
lanceolaria Rozb. XI. 434 496
lanceolata Forsk. XI. 434 240
lapathifolia Vahl XI. 434 455
latebrosa Koen. XI. 434 485
latebrosa Russel h. XI. 435 515
latebrosa Wight h. XI. 435 481
lateritia W. h. XI. 435 490
lavandulaefolia Pohl XI. 435 348
leptospermifolia Dc. h. XI. 435
leptostachya Wall. XI. 435
leucantha Blanchet XI. 435 452
leucophloea Nees XI. 436 343
ligulata Dc. h. XI. 435
ligulata Lam. XI. 435 497
ligustrina Vahl XI. 427
linarifolia Vahl h. XI. 435 376
linearifolia Lam. XI. 435 339
lineata Pers. XI. 435 341
lineata Wall. XI. 435 406 494 516 517
lineata Wight XI. 435 517
lineolata R. & Pav. XI. 435 341
linifolia Heyne h. XI. 435 469
lithospermifolia h. Paris. XI. 435
lithospermifolia Jacq. XI. 435 398 474
lithospermifolia Vahl XI. 435 86

Justicia
rivinoides Wall. XI. 439
Rohrii Vahl XI. 439 415
rostrata Bertol. XI. 439 383
Rottleriana *Wall.* XI. 442 439 443
rotundifolia E. Mey. XI. 439 392
rotundifolia *Nees* XI. 427
rotundifolia Wall. XI. 439 370 485
Roxburghiana Blum. XI. 439 495
Roxburghiana herb. h. Berol. XI. 439 722
Roxburghiana R. & Schult. XI. 439 493
rubicunda Hamilt. h. XI. 439 453
rubra Rohr XI. 439 205
rubra Vahl XI. 439 326
rubra Wight XI. 439 494
rupestris Hochst. XI. 439
Ryani Vahl XI. 439 404
salicaria Pohl XI. 439 350
salicina Jacq. XI. 439
salicina Vahl h. XI. 439 332 410
salviaeflora H. B. & Kth. XI. 439 382
salviaefolia Kth. XI. 439 382
sanguinea W. h. XI. 439 312
sanguinolenta Vahl XI. 439 96
scabra Vahl h. XI. 439 298
scandens Mx. XI. 439 490
scandens Vahl XI. 439 443
Schottii Pohl XI. 439 319
scorpioides L. XI. 440 491
secunda herb. h. Berol. XI. 440
secunda Spr. XI. 730
secunda Vahl XI. 440 340
secundiflora Poepp. XI. 440 378
secundiflora R. & Pav. XI. 440
secundiflora Vahl XI. 378
sericea R. & Pav. XI. 440 332
serpens Do. h. XI. 440
serpens Vahl XI. 440 502
serpyllifolia Rottl. XI. 440 514
serrata Steud. XI. 440
serrata Vell. XI. 440
serrata Humb. XI. 440 224
serrulata Heyne Wall. XI. 440 95
serrulata Wight h. XI. 95
sesamoides h. Madr. XI. 440 104
sessilis Jacq. XI. 440 345
setibractea Pohl XI. 440 343
sexangularis h. Berol. XI. 440
sexangularis Forsk. XI. 440
sexangularis Güldenst. XI. 440 490

Justicia
sexangularis L. XI. 4
sexangulata Cav. XI.
silvatica Lour. XI. 4
silvestris h. Madr. X
simplex Don XI. 440
sinuata Banks & S

sparsiflora Pohl XI.
spathulata Klotzsch
spathulata Nees & M

speciosa Roxb. XI. 4
sphaerosperma Vahl
spicata R. & Pav. X
spicata Vell. XI. 440
spicigera Schlecht. X
spinosa L. XI. 440 4
spinulosa Hochst. XI
squamosa W. h. XI.
staminea Vahl XI. 4
straminea W. h. XI.
stricta Pohl X. 440
stricta Vahl XI. 440
strobilifera *Lam.* XI.
suaveolens W. h. XI.
suffruticosa E. Mey.
suleata Vahl XI. 440
sulphurea Pohl XI.
superba hortul. XI. 4
syringifolia *Vahl* XI.
temulenta h. Liverp.
tenuiflora R. & Pav.
tenuiflora Wall. XI.
tenuifolia Spr. XI. 4
tetragona Hook. h. X
tetragona Vahl XI. 4
thyrsiflora Roxb. XI.
thyrsoidea Pohl XI.
thyrsoides Roxb. W.

tinctoria Allam. XI.
tinctoria h. Calcut.
tinctoria Hoffmans.
tinctoria Lour. XI. 4
tinctoria Roxb. XI. 4
tomentosa Roxb. XI.
tomentosa Vahl XI.
tomentosa Wall. XI.
tomentosa W. XI. 44
tranquebariensis L.

tranquebariensis Ro

tranquebariensis Wa
triangularis Heyne h

ıhl XI. 437 345
ım. XI. 437 471
yne h. XI. 470
XI. 437 470
Madr. XI. 437 470
ıhl & Wall. h. XI. 437 470
ght XI. 437 386
ule repente Hamilt. h. XI. 470
ders. XI. 353
eq. XI. 437 353
h. XI. 437 353
Mx. XI. 437 339
Hamilt. h. XI. 437 66
ı Jacq. XI. 437 395
h. Berol. XI. 437 398
c. XI. 437 398
ıll. XI. 398
Mey. XI. 437 402
437 328
. XI. 402
XI. 437 402
Wall. XI. 437 161
a Jacq. XI. 437 420
H. B. & Kth. XI. 438 353
oxb. XI. 438 80
Blum. XI. 438 408
am. XI. 438 356
nders. XI. 353
lum XI. 374
eyne h. XI. 376
. XI. 438 372
Roxb. h. XI. 372
Thibaud h. XI. 263
ahl XI. 438 370
Wall. XI. 438 370 372 373 375
ar. β Blum. XI. 374
Hamilt. h. XI. 371
Hamilt. h. XI. 375
Vahl XI. 438 371
ley. XI. 337
ey. XI. 438 337
Jecht. XI. 438 390
ruptae H. B. & Kth. XI. 451
Pohl XI. 438 356
am. XI. 438 148
ra Roth XI. 438 385
Pohl XI. 438 420
W. h. XI. 438 370
Wall. XI. 438 337

Justicia
pubescens Lam. XI. 438 84 95
pubescens Ruiz XI. 438 332
pubescens Schult. XI. 439
pubescens Vahl XI. 438 475
pubigera Wall. XI. 438 498
pulchella n. spec. Carey XI. 438 486
pulchella var. Carey XI. 438 485
pulchella Roxb. XI. 438 446
pulchella Wight Roxb. XI. 438 449
pulcherrima Jacq. XI. 438 296
pulcherrima var. spicata B. de Sch. XI. 320
pulchra Pohl XI. 438 362
Pulegium E. Mey. XI. 438 390
pumila Dietr. XI. 438 445
punctata Vahl XI. 438 355
punduana Wall. XI. 438 473
purpurascens Hamilt. h. XI. 438 449
purpurea Forsyth h. XI. 438 415
purpurea L. XI. 438
purpurea Lour. XI. 438 493
purpurea Poir. XI. 438 490
purpurea Vahl XI. 438 509
purpurea Wight h. XI. 438 493
pusilla Pohl XI. 438 66
quadrangularis bot. reg. XI. 729
quadrangularis Hook. XI. 438 322
quadrifida Vahl XI. 438 445
quadrifaria Wall. XI. 438 396
quinquangularis Koen. XI. 438 439 372 375
quinquangularis Wall. XI. 439 372 375 376
racemosa R. & Pav. XI. 439 335
racemulosa Wickst. XI. 439 468
radicans Vahl XI. 439 423
ramosa Pohl XI. 439 334
ramosissima Roxb. XI. 439 356
reflexiflora Rich. Vahl XI. 439 398
repanda Forst. XI. 439 462
repens Deless. h. XI. 439 373
repens L. XI. 439 472
repens Pers. XI. 439 481
repens Vahl h. XI. 439 470
reptans Sw. XI. 439 344
reptans var. W. Arn. XI 439
resupinata Hegew. XI. 439 298
resupinata Nutt. XI. 439
resupinata Vahl XI. 439 474
reticulata *Lam.* XI. 428
retorta Vahl XI. 439 488
retusa Vahl XI. 357
riviniaefolia Vis. XI. 439 495

Spr. XI. 441 731
ht XI. 441 424
Mey. XI. 441 309
. Mey. XI. 441
. XI. 441 506
& Schult. XI. 441 421
d XI. 441 386
ll. XI. 441 387
d h. XI. 441 387
XI. 441 424
Bertol. XI. 441 324
ll. XI. 441 321
Mey. XI. 441 392
XI. 428
yne XI. 441 500
Madr. XI. 432 500
hl XI. 441 484
all. XI. 441 481
ght XI. 441 488
. XI. 441 329
bl XI. 441 496
& Schult. XI. 376
XI. 441
KI. 441 376
berbis Roth XI. 441 370
cc. XI. 441
bl. XI. 441 325
all. XI. 441 407
Bertol. XI. 441 409
l. & Schult. XI. 441
& Schult. XI. 428 417
XI. 441 358
s h. XI. 442 104
ook. XI. 442
Wall. XI. 407
d. XI. 722
l. XI. 442 94
L. XI. 442 507
Schult. XI. 442 66
. XI. 200
XI. 442 417
nt. XI. 442 462
d XI. 442 411
l. XI. 442 379
dlsb. XI. 442 445
hsekl. XI. 442 346
o XI. 732 442
XI. 442 395
a XI. 442 104
ub. XI. 442 723
tol. XI. 442 409
Wall. XI. 442 472
Justicia
wynaadensis Wight h. Wall. XI. 442 406 494
Spec. Auch. XI. 234
Spec. d'Orbigny XI. 334
Spec. h. Madr. XI. 95
Spec. h. Madr. XI. 387
Spec. Wight h. XI. 96
M 555 Eckl. XI. 391
a fleurs d'oranges Linden XI. 298
Iva monophylla Bosc XIII. 2. 278
Ixanthus Griseb. IX. 69
viscosus Griseb. IX. 69
Ixienthes Bth. X. 300 335
retzioides Bth. X. 335
Ixochiron Griseb. IX. 40 (Chironia)
Ixora alternifolia &c. Jacq. XIII. 1. 662
M 66 Sieb. X. 445

K.

Kabelija VIII. 495
Kada-Kodi Rheed. VIII. 615
Kaempfera Houst. XI. 528
Kaki Kaempf. VIII. 229
Kakusju Kaempf. IX. 226
Kala-megh XI. 515
Kali Dumort. XIII. 2. 179 (Salsola)
Kali Tourn. XIII. 2. 179
inermis Moench XIII. 2. 189
rosacea Moench XIII. 2. 187
Soda Moench XIII. 2. 187
Soda Scop. XIII. 2. 189
Tragus Scop. XIII. 2. 187
Kali & Salsolaria Moq. XIII. 2. 179
Kalidium Moq. XIII. 2. 46 146
arabicum Moq. XIII. 2. 147
foliatum Moq. XIII. 2. 147
Kalmia L. VII. 728
angustifolia L. VII. 729
ciliata Bartr. VII. 729
cuneata Mx. VII. 729
glauca Ait. VII. 729
β rosmarinifolia Pursh
hirsuta Walt. VII. 729
latifolia L. VII. 729
polifolia Wangenh. VII. 729
rosmarinifolia Dum. - Cours. VII. 729
Kalup Nath XI. 515
Kalu-tali Rheed. IX. 274

Kanahia *RBr.* VIII. 537
Delilii *Dcne* VIII. 537
Delilii Kotschy VIII. 537
Forskahlii *Dcne* VIII. 537
laniflora Schimp. VIII. 537
Kandal IX. 481
Kansjan-sora Rheed. IX. 65
Kappa-Kalengu Rheed. IX. 398
Kappal VIII. 634
Karami Kadaura IX. 388
Karnabcom XI. 699
Karondong XIII. 1. 361
Kattu-Kelengu Rheed. IX. 331
Katu-karivi Rheed. XI. 517
Katu-Kurka Rheed. XII. 81
Katutumba Rheed. XII. 45
Kauken Indorum Burm. VIII. 203
Kauki indorum Breyn VIII. 202
Kawara-si-cagi Kaempf. IX. 226
Kawatuwa (Kawatumba) Mus. seyl. XI. 518
Keimodracon Bth. XII. 396 (Dracocephalum)
Keithia Bth. XII. 247 (Keithia)
Keithia *Bth.* XII. 150 246
ciliata Bth. XII. 249 248
coccinea *Bth.* XII. 249
denudata *Bth.* XII. 249
gracilis *Bth.* XII. 248
β albiflora
lavanduloides *Bth.* XII. 249
[illegible] *S. Schauer* XII. 698
nitida *Bth.* XII. 247
pilosa *Bth.* XII. 247
rubiacea *Bth.* XII. 246
scutellarioides *Bth.* XII. 247
villosa *Bth.* XII. 248
Kekko Kaempf. VII. 486
Kellaua *Dc. fil.* VIII. 289 674
Schimperi *Dc. fil.* VIII. 290
Kentigri-balli Rheed. VIII. 432
Kentia Steud. IX. 98
menthaefolia Steud. IX. 99
Kentropsis *Moq.* XIII. 2. 45 467
diacantha *Moq.* XIII. 2. 169
lanata *Moq.* XIII. 2. 139
Kibatalia G. Don VIII. 468
Kickxia Dumort. X. 268
spuria Dumort. X. 268
Kigelia *Dc.* IX. 247 564
pinnata *Dc.* IX. 247
Kigeli-Kela IX. 247
Kikfo vel Kirukoo Kaempf. VII. 486
Kikondal VIII. 631
Kilampakam VIII. 698

Kilumpkit IX. [illegible]
Kipadali IX. [illegible]
Kipadali Leisch. [illegible]
Kiparea XIII. [illegible]
Kirilowia *Bunge* [illegible]
eriantha *Bunge* [illegible]
pilosa *Bunge* [illegible]
Kiterong IX. 29[illegible]
Kixia *Blum.* VI[illegible]
arborea *Blum.* [illegible]
Klugia *Schlecht.* [illegible]
azurea *Schlecht.* [illegible]
Notoniana *Dc.* [illegible]
zeylanica *Dc.* [illegible]
Knoxia scandens [illegible]
Kochia *Moq.* XI[illegible]
2. 130 *RBr.* [illegible]
W. XIII. [illegible]
aphylla *RBr.* [illegible]
arenaria *Roth* [illegible]
β major *Moq.* [illegible]
γ [illegible]
δ glabra [illegible]
ε [illegible]
arenaria var. [illegible]
arenaria var. [illegible]
atriplicifolia [illegible]
brevifolia *RBr.* [illegible]
dasyantha [illegible]
dasyphylla [illegible]
densiflora [illegible]
densiflora [illegible]
dentata W. [illegible]
dioica *Nutt.* [illegible]
ericaefolia [illegible]
eriophora [illegible]
hirsuta [illegible]
hyssopifolia [illegible]
lanata *Lindl.* [illegible]
latifolia [illegible]
[illegible]
monticola [illegible]
muricata [illegible]
odontoptera [illegible]
β [illegible]
γ [illegible]

brad. XIII. 2. 132
Moq. - - -
- - -
oq. XIII. 2. 131
- - -
ensl XIII. 2. 131
rad. XIII. 2. 130 461
- - -
- - -
hrad. XIII. 2. 134
136
ad. XIII. 2. 134 137
C. A. Mey. XIII. 2.
131
var. subglabra Moq.
XIII. 2. 131
& Schult. XIII. 2.
134 136
. XIII. 2. 132
Less. XIII. 2. 131
ndl. XIII. 2. 461
XIII. 2. 134 158
art. XIII. 2. 133
XIII. 2. 461
. XIII. 2. 130
l. Schrad. XIII. 2.
130
& 3 Schrad. XIII. 2.
134
naeda Koch XIII. 2.
134
Villemetia Koch XIII.
2. 130
. XIII. 2. 49 127
. XIII. 2. 45 127
XII. 186
nch XII. 189
Murr. XIII. 2. 26
Murr. XIII. 2. 27
VIII. 351
VIII. 352
fil. VIII. 352
on VIII. 352
l. VIII. 352
lum. VIII. 352
ming VIII. 352
rad. IX. 228
ad. IX. 233
IX. 16
bia Güldenst. XIII.
2. 120
üldenst. XIII. 2. 120
M. & Mey. X. 134
ch. & Mey. X. 135
Lehm. X. 120
Kuhlia Reinw. IX. 28 259
Kummel Bruce VIII. 203
Kurka Rheed. XII. 65
Kurroo IX. 110
Kyphocarpa Fenzl XIII. 2. 306
(Sericocoma)
Kyrtandra Blanco vid. Cyrtandra

L.

Labatia Mart. VIII. 164 165 166
Sw. VIII. 164
Catinito Mart. VIII. 165
chrysophylloides Mart. VIII. 168
laevigata Mart. VIII. 167
lasiocarpa Mart. VIII. 166
macrocarpa Mart. VIII. 165
pedunculata W. VIII. 164
Pouteria Rausch. VIII. 165
psammophila Mart. VIII. 167
ramiflora Mart. VIII. 168
reticulata Mart. VIII. 166
salicifolia Mart. VIII 167
sessiliflora Sw. VIII. 164
torta Mart. VIII. 167
LABIATAE Bth. XII. 27
LABIATAE Juss. XII. 27 Lindl. XII.
27 Endl. XII. 27
Labordia Gaudich. IX. 21
fragracoidea Gaudich. IX. 21
LABORDIEAE Endl. IX. 21
Labourdonnaisia Boj. VIII. 194
calophylloides Boj. VIII. 195
glauca Boj. VIII. 195
revoluta Boj. VIII. 195
sarcophleia Boj. VIII. 195
Labramia Dc. fil. VIII. 672 195
Bojeri Dc. fil. VIII. 196
Lachanostachys Endl. XIII. 2. 298
LACHNOPYLEAE Dc. fil. IX. 22
Lachnopylis Hochst. IX. 22 X. 434
oppositifolia Hochst. IX. 23 X.
435
ternifolia Hochst. IX. 23 X. 435
Lachnostachys Hook. XIII. 2. 283
298
albicans Hook. XIII. 2. 298
ferruginea Hook. XIII. 2. 298
Lachnostoma H. B. & Kth. VIII.
601
Balbisii Dene VIII. 602
nigrum Dene VIII. 602
prostratum Dene VIII. 602

ndl. XII. 27
. XII. 408
mort. XII. 504 (Lamium)
Dumort. XII. 509 (Lamium)
XII. 408 503 *L.* XII 503
II. 510
e *L.* XII. 508
m *Reich.* - -
oiss. XII. 506
ieb. & *Zucc.* XII. 511
XII. 507
m - 508
Bth. XII. 505
urv. XII. 509
m. XII. 510
h. XII. 512
Weihe XII. 509
en. XII. 511
Fonth. & *Auch.* XII. 511
Guss. XII. 508
Vither. XII. 509
n *Bth.* XII. 506
um *Boiss.* XII. 513 503
ss. XII. 507
en. XII. 511
mtz XII. 510
Crantz XII. 512
L. XII. 504
ar. *glabratum Griseb.* XII. 505
s *Sm.* XII. 506
Pourr. XII. 510
tel. XII. 510
eri *C. Koch* XII. 510
m. XII. 510
. XII. 513 473
Mich. XII. 513 435
ll. XII. 509
XII. 509
Fries XII. 508
Dc. XII. 505
. XII. 510
Ten. XII. 505
. XII. 510
m *Mill.* XII. 510
Tausch XII. 512 505
Weinm. XII. 512
Boiss. XII. 506
H. 509 510
XII. 510

Lamium
moluccellaefolium Fries XII. 508
moschatum *Mill.* XII. 509
multifidum L. XII. 513 503
mutabile Dumort. XII. 510
nivale *Boiss. & Heldr.* XII. 507
niveum Schrad. XII. 510
nudum Moench XII. 509
ochroleucum Link XII. 509
ocimifolium Sims XII. 509
Orvala *L.* XII. 504
β foliis incise-dentatis - -
pannonicum Scop. XII. 504
parietariaefolium *Bth.* XII. 510
pedemontanum Reich. XII. 505
petiolatum *Royl.* XII. 509
Petitianum Gay XII. 512
pubescens *Sibth.* XII. 511
purpureum *L.* XII. 508
β molle - 509
rectum *Schenk* XII. 506
reniforme *Montb. & Auch.* XII. 506
rhomboideum *Bth.* XII. 504
Robertsonii *Boiss.* XII. 505
rubrum Wallr. XII. 510
rugosum Ait. XII. 510
rugosum Sibth. & Sm. XII. 511
stoloniferum Lapeyr. XII. 510
striatum *Sibth. & Sm.* XII. 507
tomentosum Auch. XII. 506
tomentosum *W.* XII. 511
urticaefolium Weihe XII. 509
veronicaefolium *Bth.* XII. 505 506
vestitum *Bth.* XII. 507
β - - -
vulgatum Bth. XII. 510
vulgatum β album Bth. XII. 510
westphalicum Weihe XII. 509

Lamourouxia Bth. X. 540 (Lamourouxia)

Lamourouxia *H. B. & Kth.* X. 527 539
andicola Gill. X. 542 554
bartsioides Hook. X. 542 548
betonicaefolia *Bth.* X. 539
breviflora *Bth.* X. 540
cordata *Cham. & Schl.* X. 541
dependens *Bth.* X. 539
euphrasioides Bert. X. 542 547
lanceolata *Bth.* X. 542
linearis *Bth.* X. 540
longiflora *Bth.* X. 540
loxensis *Bth.* X. 541

XI. 606
. XI. 603
to & Dietr. XI. 607
Hil. XI. 603
sch XI. 608
W. XI. 608 583
rt. XI. 606
. XI. 604
ook. & Arn. XI. 608 583
vr. XI. 607
D. Don XI. 608 580
er XI. 602
bauer XI. 605
Schauer XI. 595
Schauer XI. 595
Ait. XI. 599
XI. 598
600
XI. 606
esf. XI. 608 583
tto & Dietr. XI. 599
rmaire XI. 608
tto & Dietr. XI. 597
rpold XI. 600
XI. 596
nutabilis Hook. XI. 596
XI. 603
I. 603
gelt XI. 608 583
Mart. & Gal. XI. 608 575
sf. XI. 607
f. XI. 607
& Kth. XI. 607
auer XI. 601
Schauer XI. 597
chauer XI. 596
St. Hil. XI. 608 582
rn. XI. 597
er. XI. 608
XI. 606
I. 603
XI. 604
rs. XI. 603
chauer XI. 601
uer XI. 601
B. & Kth. XI. 602
. B. & Kth. XI. 596
Cham. XI. 604
Jacq. XI. 605
L. XI. 604 X. 444
chauer XI. 602

Lantana
sanguinea Med. XI. 600
scabiosaefolia H. B. & Kth. XI. 602
scabrida Ait. XI. 598 600
Sellowiana Link & Otto XI. 604
spicata Vell. XI. 595
spiraeastrum Mart. & Gal. XI. 596
splendens Med. XI. 598
stricta Sw. XI. 604
suaveolens Desf. XI. 600
tenuifolia Otto & Dietr. XI. 603
tiliaefolia Cham. XI. 600
trifolia Cham. XI. 606 607
trifolia L. XI. 606
undulata Schrank XI. 606
variegata Otto & Dietr. XI. 597
velutina Mart. & Gal. XI. 605
viburnoides Vahl XI. 605
violacea Desf. XI. 605
viscosa Pohl XI. 601
Wightiana Wall. XI. 606
LANTANEAE Schauer XI. 524 594
Lapithea Griseb. IX. 48
gentianoides Griseb. IX. 48
Lappula Dc. X. 136 (Echinospermum)
Lappula Moench X. 135 136
Myosotis Moench X. 136
Lardizabala R. & Pav. XIII. 2. 34
Spec. R. & Pav. XIII. 2. 35
Larnax Miers XIII. 1. 686
orinocensis Miers XIII. 1. 686
subtriflora Miers XIII. 1. 686
xalapensis Miers XIII. 1. 686
Laseguea Dc. fil. VIII. 481
emarginata Dc. fil. VIII. 481
Guilleminiana Dc. fil. VIII. 481
M 485 Guillem. VIII. 481
Lasiocladus Boj. XI. 464 510
anthospermifolius Boj. XI. 510
boerhaviaefolius Boj. XI. 510 409
chlorothrichus Boj. XI. 510
spicatus Boj. XI. 510 409
Lasiocorys Bth. XII. 409 534
abyssinica Bth. XII. 534
capensis Bth. XII. 534
stachydiformis Bth. XII. 534
Lasiopera Bth. X. 549 (Odontites)
Lasiopera Hoffm. & Link X. 543
Presl X. 549
Bocconi Presl X. 551
rhinanthina Hoffm. & Link X. 543
rigidifolia Presl X. 550

. 729
XIII. 2. 4.
14
Klotzsch XIII. 2. 14
Berg. Lam. VII.
725 Pers. VII.
730 730
VII. 730
VII. 730
Rets. VII. 730
VII. 730
I. 730
VII. 730
L'Herit. VII. 730
VII. 730
(Levenhookia) R.Br.
VII. 338
VII. 338
II. 338
IX. 329
IX. 329
VII. 442 Durand
VII. 489
VII. 490
. VII. 443
VII. 490
XIII. 1. 7. 572
XIII. 1. 572
Griseb. IX. 85
(Voyria)
IX. 83 71
Griseb. IX. 83
Griseb. IX. 82
IX. 83
IX. 83 102
IX. 83
Griseb. IX. 82
Griseb. IX. 83 71
Griseb. IX. 83 71
Griseb. IX. 83
X. 251 (Angelo-
nia)
X. 174 172
X. 172
fil. X. 172 (Tri-
chodesma)
X. 76 80
VII. 729
VII. 730
VII. 730
VII. 330
VII. 280

Leiospermum *Wall.* XIII. 2. 279
ferrugineum *Wall.* XIII. 2. 279
Leiothamnus *Griseb.* IX. 79
anomalus *Griseb.* IX. 79
Leiphaimos *Cham.* & *Schl.* IX. 83
84
parasitica *Cham.* & *Schl.* IX.
84
Leiphaimos *Griseb.* IX. 84 (Voyria)
LENTIBULACEAE *Lindl.* VIII. 2.
Lentibularia *Dc.* *fil.* VIII. 4. (Utricularia)
Lentibularia *Gesn.* VIII. 3. 4 *Riv.*
VIII. 6
minor *Petiv.* VIII. 7
LENTIBULARIEAE *Rich.* VIII. 2.
666 IX. 560
Leonia *R.* & *Pav.* VIII. 668 *Llav.*
& *Lex.* XII. 262
cymosa *Mart.* VIII. 669
glycycarpa *R.* & *Pav.* VIII. 668
paniculata *Mart.* VIII. 669
racemosa *Mart.* VIII. 668
salvifolia (*Llav.* & *Lex.*) XII. 349
Leonotis *RBr.* XII. 409 534
dubia *E. Mey.* XII. 536
dysophylla *Bth.* XII. 536
hirtiflora *Bth.* XII. 536
intermedia *Lindl.* XII. 536
Leonurus *RBr.* XII. 536
β *albiflora* 537
mollis *Bth.* XII. 536
nepetaefolia *RBr.* XII. 535
nepetaefolia *Schimp.* XII. 535
ovata *Spr.* XII. 535
pallida *Bth.* XII. 535
parvifolia *Bth.* XII. 536
Raineriana *Vis.* XII. 535
rugosa *Bth.* XII. 535
velutina *Fenzl* XII. 535
β *Raineriana*
Leontopodium *creticum* *C. Bauh.*
XIII. 1. 706
legitimum *Impet.* XIII. 1. 706
Leonurus (L.) XII. 408 499 *Spenn.*
XII. 499
africanus *Mill.* XII. 502 536
altaicus *Spr.* XII. 500
altissimus *Bunge* XII. 501
campestris *Andrz.* XII. 500
canescens *Bth.* XII. 502
canescens *Dumort.* XII. 500
capitatus *Presl* XII. 502
Cardiaca *L.* XII. 500
β *villosus*
γ *crispus*

Don VII. 721
um. IX. 347
hum. IX. 348
ipunk. IX. 348 382
heis. IX. 348
m. VIII. 497
ium. VIII. 497
. VIII. 497
Nees XI. 100 169
ees XI. 170
Nees XI. 170
s XI. 170
– –
m. XI. 170
h. VIII. 627
Dene VIII. 628
a Dene VIII. 628
ene VIII. 629
Hst. VIII. 629
VIII. 628
m. VIII. 629 502
ene VIII. 629
e VIII. 629
Dene VIII. 628
ana Dene VIII. 629
ight VIII. 629
ene VIII. 629
– – –
ensis Dene VIII. 629
hst. VIII. 629
a Dene VIII. 629
Wight & Arn. VIII. 628
Wight VIII. 628
ight VIII. 629
Laf. XI. 3
Bth. X. 463 (Veronica)
er. X. 458 463
Lehm. X. 464
Don X. 464
z. X. 464
ett. X. 464
Bth. VII. 697 (Blaeria)
ea IX. 348
s IX. 353
a IX. 353
W. XI. 528
ellus W. XI. 529
Bth. IX. 316 (Gilia)
Hook. & Arn. IX. 310 316
a Hook. & Arn. IX. 316
Bth. VII. 679 (Erica)

Leptoglossis *Bth.* X. 190 196 XIII. 1. 673
schwenkioides *Bth.* X. 196
Leptophragma *Bth.* XIII. 1. 7. 578
montevidensis *Don.* XIII. 1. 579
prostrata *Bth.* XIII 1. 578
Leptorhabdos *Schrenk* X. 507 510
Benthamiana Walp. X. 510
brevidens *Schrenk* X. 511
linifolia *Walp.* X. 510
micrantha *Schrenk* X. 510
parviflora *Bth.* X. 510
virgata *Bth.* X. 510
Leptosiphon Bth. IX. 310 315
androsaceus Bth. IX. 315
densiflorus Bth. IX. 316
grandiflorus Bth. IX. 316
luteus Bth. IX. 315
parviflorus Bth. IX. 315
Leptosiphon Endl. IX. 315 (Gilia)
Leptostachya *Nees* XI. 206 376 *Mitch.* XI. 520
centrivilina Nees XI. 380
Cumpylostemon *Nees* XI. 378
cotnata *Nees* XI. 381
β humilior – – 382
cordata *Nees* XI. 378 499 (*delenda; conf.* XI. 730)
crinita *Nees* XI. 381
dichotoma *Nees* XI. 379 500 (*delenda; conf.* XI. 730)
heterophylla *Nees* XI. 377
α acutior – – –
β obtusior – – 378
laxa *Nees* XI. 380
lucida *Nees* XI. 377
α acutifolia – –
β obtusifolia – – –
Martiana *Nees* XI. 381
α – –
α* macrophylla – –
β hispida – –
parviflora *Nees* XI. 380
β latifolia – – –
Poeppigiana *Nees* XI. 378
secundiflora *Nees* XI. 378
virens *Nees* XI. 378
virgata *Nees* XI. 379
Wallichii *Nees* XI. 379
zeylanica *Nees* XI. 379
Leptostachys Dene XIII. 1. 720 (Plantago)
Leptostemma Blum. VIII. 631
fasciculatum Blum. VIII. 632
hirsutum Blum. VIII. 632
lanceolatum. Blum. VIII. 631
latifolium Blum. VIII. 634

Bth. XII. 528
cata RBr. XII. 534
lia Bth. XII. 528
Bth. XII. 530
Hochst. XII. 533
Spr. XII. 526
Wall. XII. 529
– –
. XII. 531
h. XII. 526
Bth. XII. 528
XII. 526
Desf. XII. 529
RBr. XII. 524
. XII. 530
h. XII. 531
Bth. XII. 532
RBr. XII. 531
ois. XIII. 2. 457
Choix. XIII. 2. 458
Don X. 330 335
Don X. 335
Bth. X. 336
Bth. X. 335
Bth. XII. 69 (Hyptis)
ack VIII. 331
h VIII. 331
Do. fil. VIII. 331
Webb XII. 437
us Webb XII. 437
Webb XII. 437
ia Webb XII. 437
ps Webb XII. 437
Webb XII. 437
H. & Bonpl. X. 341 344
H. & Bonpl. X. 344
h. X. 344 594
RBr. VII. 743
RBr. VII. 751
Mob. VII. 747
VII. 745
RBr. VII. 748
is RBr. VII. 748
Bth. VII. 748
RBr. VII. 745
– – 746
RBr. VII. 754
G. Don VII. 754
Br. VII. 750
Do. – –
. *Cunn.* VII. 750
L. Cunn. VII. 752
Br. VII. 746
ob. VII. 744

Leucopogon
biflorus *RBr.* VII. 751
blepharodes *Do.* VII. 753
brachycephalus *Do.* VII. 746
capitellatus *Do.* VII. 747
carinatus *RBr.* VII. 750
ciliatus *A. Cunn.* VII. 746
coelophyllus *A. Cunn.* VII. 758
collinus RBr. VII. 749
collinus *R. & Schult.* VII. 749
α Billardieri *Do.* – –
β Brownei – – –
conostephioides *Do.* VII. 753
corifolius *Endl.* VII. 750
cuculiatus *RBr.* VII. 750
cucullatus A. Cunn. VII. 752
Cunninghami *RBr.* VII. 745
cuspidatus *RBr.* VII. 751
cymbiformis *A. Cunn.* VII. 750
Cymbulae *Labill.* VII. 745
deformis *RBr.* VII. 754
denudatus A. Cunn. VII. 749
denudatus *Sieb.* VII. 749
distans *RBr.* VII. 748
Drummondi *Do.* VII. 745
Epacridis *Dc.* VII 754
ericoides *RBr.* VII. 747
esquamatus *RBr.* VII. 754
fasciculatus *A. Rich.* VII. 744
fastigiatus G. Don VII. 754
fastigiatus Sieb. VII. 754
flexifolius *RBr.* VII. 754
Forsteri *A. Rich.* VII. 754
Fraseri *A. Cunn.* VII. 753 752
fraternus *Do.* VII. 749
glabellus *RBr.* VII. 749
glaucescens *RBr.* VII. 745
gracilis *RBr.* VII. 749
gracillimus *Do.* VII. 747
imbricatus *RBr.* VII. 752
insularis *A. Cunn.* VII. 754
interruptus *RBr.* VII. 745
juniperinus *RBr.* VII. 753
lanceolatus *RBr.* VII. 744
lanceolatus Sieb. VII. 745
laniger A. Cunn. VII. 751
lanigerus *A. Cunn.* VII. 749
leptospermoides *RBr.* VII. 751
linifolius *A. Cunn.* VII. 747
malayanus *Jack* VII. 744
margarodes *RBr.* VII. 747
melaleucoides *A. Cunn.* VII. 750
microphyllus *RBr.* VII. 749
mucronatus *Do.* VII. 751
multiflorus *RBr.* VII. 746
muticus *RBr.* VII. 747

Leucopogon
nervosus *RBr.* VII. 750
nesophilus *De.* VII. 752
obovatus *RBr.* VII. 746
obovatus *h. mus. paris.* VII. 747
parviflorus *Lindl.* VII. 745
parvifolius *De.* VII. 752
pauciflorus *RBr.* VII. 752
pendulus *RBr.* VII. 751
petiolaris *De.* VII. 753
pilibundus *A. Cunn.* VII. 746
pimeleoides *A. Cunn.* VII. 744
polystachyus *RBr.* VII. 746
polystachyus *Lodd.* VII. 745
propinquus *RBr.* VII. 748
racemulosus *De.* VII. 747
ramulosus *A. Cunn.* VII. 753
reclinatus *A. Cunn.* VII. 752
β oblongifolius *De.* - -
recurvatus *A. Cunn.* VII. 754
reflexus *RBr.* VII. 749
revolutus *RBr.* VII. 746
Richei *RBr.* VII. 745
Richei *De.* VII. 744
rigidus *A. Cunn.* VII. 753
rotundifolius *RBr.* VII. 752
rubricaulis *RBr.* VII. 746
ruscifolius *RBr.* VII. 752
setiger *RBr.* VII. 751
Sieberi *De.* VII. 751
sparsus *A. Cunn.* VII. 751
squarrosus *Bth.* VII. 750
striatus *RBr.* VII. 750
tamariscinus *RBr.* VII. 749
tenuis *De.* VII. 744
trichocarpus *RBr.* VII. 747
verticillatus *RBr.* VII. 745
villosus *RBr.* VII. 746
virgatus *RBr.* VII. 748
Leucopsyllium Desne XIII. 1. 704 (Plantago)
Leucorhaphis *Nees* XI. 80 97 722
Lamium *Nees* XI. 97 722
Vogeliana *Nees* XI. 97
Leucosceptrum *Bth.* XII. 574 (Teucrium)
Leucosceptrum *Sm.* XII. 574
canum *Sm.* XII. 574
Leucospora Bth. X. 391 (Conobea)
Leucospora Nutt. X. 390 391
multifida *Nutt.* X. 391
Leucothoe *De.* VII. 601 *D. & G. Don* VII. 601
acuminata *De.* VII. 602
axillaris *D. & G. Don* VII. 601
β longifolia *Pursh* - 602

Leucothoe
axillaris Loud. VII.
babiensis *De.* VII. (
α Salmanni - -
β Blanchetii - -
γ Arrabidae - - (
Bojeri *De.* VII. 603
bracamorensis *De.*
buxifolia *De.* VII. (
chlorantha *De.* VII.
ciliata *De.* VII. 605
coccinea *De.* VII. (
coriacea *De.* VII. (
coriifolia *De.* VII.
crassifolia *De.* VII.
eriophylla *De.* VII.
eucalyptoides *De.*
floribunda D. & G.
hirta *De.* VII. 606
ilicifolia *De.* VII. 6
katagherensis *De.*
littoralis *De.* VII. (
Mariana *De.* VII. 6
β angustifolia *Pursh*
multiflora *De.* VII.
neriifolia *De.* VII.
nummularia *De.* VI
oleifolia *De.* VII. 6
pistrix *De.* VII. 60
pulchella *De.* VII.
pulchra *De.* VII. 6
revoluta *De.* VII. 6
salicifolia *De.* VII.
β pyrifolia - -
secunda *De.* VII. 6
serrata *De.* VII. 60
serrulata *De.* VII. 6
spicata D. & G. Do
spinulosa *D. & G.*
subrotunda *De.* VII.
Leycythis microcarpa
Lida-bebek IX. 285
Liebigia *Endl.* IX. 259
elongata *Blum.* IX.
speciosa *Blum.* IX.
LIEBIGIEAE *De. fil.* IX
Lightfootia *L'Herit.*
Bu
adpressa *De. fil.* VII
albens *Spr.* VII. 41
angustifolia *De. fil.*
anomala *De. fil.* VII.
capillaris *Bunk* VII.
ciliata Spr. VII. 42

: VII. 787
uck VII. 787
Dc. fil. VII. 418
Eckl. VII. 418
VII. 787
Buck VII. 787
Buck VII. 419
ck VII. 786
. VII. 417
Dc. fil. VII. 419
c. fil. VII. 417
s Dc. fil. VII. 419
s Dc. fil. VII. 787
ensis Dc. fil. VII. 420
Buck VII. 787
k VII. 419
: VII. 787
Dc. fil. VII. 419
s L'Herit. VII. 419
Spr. VII. 419
var. Spr. VII. 419
a Drege VII. 419
b & d - - -
e - - 418
f - - 418
c. fil. VII. 418
e. fil. VII. 419
fil. VII. 420
VII. 786
c. fil. VII. 419
Spr. VII. 420 445
Zeyh. VII. 420
Zeyh. VII. 498
VII. 787
fil. VII. 418 (*dilenda*; *conf.* VII. 787
Herit. VII. 417
Drege VII. 418
fil. VII. 418
- - -
- - -
. VII. 419
uck VII. 787
Buck VII. 787
uck IX. 766
Buck VII. 786
Dc. fil. VII. 417
ge VII. 418
ge VII. 420
ge VII. 420
ge VII. 420
Bunph VIII. 409
XI. 492
VIII. 293 *Bunh.*
Burm. VIII. 342
Wall. VIII. 301

Ligustrum
bracteolatum *Don* VIII. 294
coriaceum *Nois.* VIII. 294
japonicum Hamilt. h. VIII. 294
japonicum herb. amat. VIII. 294
japonicum *Thbg* VIII. 293
italicum Mill. VIII. 293
laurifolium Roxb. VIII. 301
lucidum *Ait.* VIII. 293
nepalense *Wall.* VIII. 294
β glabrum *Hook.* - -
Perrottetii *Dc. fil.* VIII. 294
pubescens *Wall.* VIII. 294
quadriloculare Blanco VIII. 294
sempervirens β. coro. VIII. 293
sinense *Lour.* VIII. 294
spicatum Hamilt. VIII. 294
Stauntoni *Dc.* VIII. 294
vestitum *Wall.* VIII. 294
vulgare *L.* VIII. 293
β italicum *Vahl* - -
Lilac Tourn. VIII. 282
media Dum.-Cours. VIII. 282
minor Moench VIII. 283
perpensa Lam. VIII. 281
persica Lam. VIII. 283
sterilis Lavy VIII. 273
varina Dum.-Cours. VIII. 282
vulgaris Lam. VIII. 282
vulgaris γ Lam. VIII. 282
LILACEAE Vest VIII. 273 300
Liliacum album Ren. VIII. 282
rothomagense Ren. VIII. 282
LIMEAE Endl. XIII. 2. 4 19
Limeastrum Moq. XIII. 2. 21 (Limeum)

Limeum *L.* XIII. 2. 4 20
aethiopicum *Burm.* XIII. 2. 22
β glabrum - - - 23
africanum *Burm.* XIII. 2. 21
africanum Sieb. XIII. 2. 23
africanum Zeyh. XIII. 2. 22
aphyllum L. fil. XIII. 2. 22
canescens *E. Mey.* XIII. 2. 21
capense Eckl. & Zeyh. XIII. 2. 22
capense *Thbg* XIII. 2. 21
fluviale *Eckl. & Zeyh.* XIII. 2. 22
glomeratum *Eckl. & Zeyh.* XIII. 2. 24
humile Forsk. XIII. 2. 25
linifolium *Fenzl* XIII. 2. 24
littorale *Eckl. & Zeyh.* XIII. 2. 22
Meyeri *Fenzl* XIII. 2. 24
pauciflorum *Moq.* XIII. 2. 23
telephioides *E. Mey.* XIII. 2. 22
viscosum *Fenzl* XIII. 2. 23
β Ketschyi - - -

Linaria
lusitanica *Hoffm.* & *Link* X. 280
lusitanica Mill. X. 271
macedonica *Griseb.* X. 275
macilenta *Dene* X. 271
macroura *MB.* X. 273
β Besseriana *Chav.* – –
γ hepatica *Bth.* – –
marginata *Desf.* X. 281
β *Bth.* – –
maritima Dc. X. 282
maritima Reich. X. 274
meonantha Hoffm. & *Link* X. 277
Michauxii *Chav.* X. 285
micrantha *Spr.* X. 279 592
microcalyx *Boiss.* X. 267
minor *Desf.* X. 287
minutiflora *C. A. Mey.* X. 280
monomotapensis Desf. X. 264 288
monspessulana Dum.-Cours. X. 278
multicaulis *Mill.* X. 283
multipunctata Hoffm. & *Link* X. 283
neglecta Guss. X. 274
nivea *Boiss.* & *Reut.* X. 278
ocymifolia *Spr.* X. 288
odora *Fisch.* X. 274
β minor *Bunge* – –
γ brachyceras – –
origanifolia *Dc.* X. 286
β grandiflora *Bth.* X. 287
pallida *Ten.* X. 266
palustris foeniculifolia Plum. VIII. 6
paniculata Peyer & *Vest* X. 272
parviflora Desf. X. 280
patens Spr. X. 288 264
pauciflora *Bonpl.* X. 283
pedunculata *Spr.* X. 285
Pelisseriana *Mill.* (*non Dc.*) X. 279 592
pensylvanica Scheele X. 273
Perezii Gay X. 284
persica *Chav.* X. 287
pilosa *Dc.* X. 267
β pauciloba *Bth.* – –
platycalyx *Boiss.* X. 281
polygonifolia *Spr.* X. 282
praecox Bunge X. 274
praecox Hoffm. & *Link* X. 277
praetermissa *Delastr.* X. 288
Prestandreae *Tin.* X. 592
procera Dc. X. 278
propinqua RBr. X. 270
pubescens Presl X. 267
purpurascens Horn. X. 278

Linaria
purpurea *Mill.* X.
pyramidata *Spr.* X
pyrenaica Dc. X.
Ramburei Boiss. X
ramosissima Boiss
ramosissima *Wall.*
β ovata *Bth.*
Raveti *Boiss.* X.
reflexa *Desf.* X.
β pumila *Chav.* –
repens Steud. X.
reticulata *Desf.* X.
reticulata Reich.
rhegina Spr. X.
Roylei Chav. X.
rubrifolia *Rob.* &
rupestris *C. A. M*
rytidosperma Boi
Salzmanni *Boiss.*
β violacea – –
γ flava – –
sapphirina *Hoffm.*
satureioides *Boiss.*
saxatilis Dc. X.
saxatilis *Hoffm.* &
scabra Spr. X.
scariosa *Desf.* X.
scoparia Brouss.
segetalis C. Koch
Sieberi Reich. X.
silenifolia Fisch.
simplex *Dc.* X.
spartea *Hoffm.* &
β ramosissima *Bth.*
spartioides *Brouss*
speciosa Jacq. X.
speciosa Ten. X.
sphaerocarpa *Bth.*
spinescens Spr. X.
spuria *Mill.* X.
striata *Dc.* X.
β confecta *Bth.* –
stricta Guss. X.
stricta Horn. X.
supina *Desf.* X.
β pyrenaica *Duby*
γ maritima –
tenella *Dc.* X.
tenuis *Spr.* X.
Thuilleri Merat X.
thymifolia *Dc.* X.
transtagana Spr.
triornithophora *W*
triphylla *Mill.* X.
tristis *Mill.* X.

·. X. 288 VIII. 20
. X. 284
Chav. X. 277
sf. X. 280
r. α Chav. X. 280
·. β Chav. X. 280
Dum.-Cours. X. 288
289
Reich. X. 273
i Bess. X. 273
, X. 277
Dum.-Cours. X. 284
alp. X. 279
Chav. X. 283 592
h. X. 270
rcs. X. 281
h. X. 270
K. 281 592
chsels X. 277
bot. mag. X. 278
Dum.-Cours. X. 278
hav. X. 284
r. X. 288
Steud. X. 288
othst. X. 269
ria & de Not. X. 286
nch X. 280
ussia. X. 288
Chav. X. 274
Mill. X. 277
nge X. 273
Reich. X. 275
Sweet X. 271
. X. 269
Lasm. X. 276
Bernh. X. 268
risch. X. 279
- - -
i Bth. X. 272
sf. X. 279
De. X. 287
sch. X. 285
Mill. X. 266
var. β & δ Chav. X.
267
i Tausch X. 278
Gill. X. 275
Reich. X. 275
ffm. & Link X. 268
Moench X. 278
i Gay X. 277
alia Bth. X. 270
m. & Link X. 283
by. X. 289
l. X. 289

Linaria
elatinoides Desf. X. 268
elongata Dumort. X. 273
fastigiata Chav. X. 272 592
β angustifolia Bth. - -
filifolia Lag. X. 288
filiformis Moench X. 282
flava Desf. X. 285
flexuosa Desf. X. 287
Fontanesiana Chav. X. 283
fruticans Spr X. 288
fruticosa Desf. X. 269
genistifolia Bth. X. 273
genistifolia Mill. X. 275
genistifolia Reich. X. 275
glabrata H. B. & Kth. X. 274
glacialis Boiss. X. 282
glandulifera Ten. X. 288
glauca Spr. X. 283
glauca γ multicaulis Chav. X.
283
glaucophylla Hoffm. & Link X.
282
glutinosa Hoffm. & Link X. 284
gracilis RBr. X. 269
β propinqua Bth. - 270
graeca Chav. X. 288
grandiflora Desf. X. 275
Griffithsii Bth. X. 272
Haelava Chav. X. 286
hastata RBr. X. 269
hederacea var. α & γ Chav. X.
267
hepatica Bunge X. 273
hepaticaefolia Duby X. 266
heterophylla Desf. X. 276
heterophylla Spr. X. 270
hians Fenzl X. 275
hians Spr. X. 273
hirta Moench X. 274
incana Wall. X. 270
incarnata Spr. X. 277
italica Trew. X. 272
juncea Chav. X. 277
juncea Desf. X. 277
juncea Reich. X. 274
kurdica Boiss. & Hohen. X. 272
lanigera Desf. X. 268 591
lanigera Hoffm. & Link X. 268
latifolia Desf. X. 271
laxiflora Desf. X. 285
linifolia Chav. X. 275
linifolia Rochel X. 272
linogrisea Hoffm. & Link X. 277
littoralis W. X. 287
Loeselii Schweig. X. 274

'tend. X. 268
indl. X. 274
r Moench X. 276
ta Bois. X. 269
c. X. 266 592
Kil. X. 274
lesf. X. 285
Moench X. 287
Juss.-Cours. X. 276
Mill. X. 273
a Viv. X. 271
m Chav. X. 271 (Linaria)
Dc. fl. VII. 440 (Wahlenbergia)
a Lehm. X. 342 376
a Hochst. X. 377 594
Bth. X. 377
a Bth. X. 376
chya Bth. X. 376
sia Bth. X. 377
Royle X. 377
th. X. 377
ia Lehm. X. 377
Mart. & Gal. XIII. 2. 457
bides Mart. & Gal. XIII. 2. 457
All. X. 343 418 RBr. X. 412 415 Auct. X. 418
RBr. X. 418 415
Mahl. X. 418 419
Thbg X. 418 419
Sw. X. 418 393
Ell. X. 418 419
a Nutt. X. 418 419
Thbg X. 418 575
G. Don X. 418
a Don X. 418 417
nsis Spr. X. 418 XIII. 1. 575 579
Nutt. X. 418 419
All. X. 418
Pursh X. 418 419
X. 418 419
RBr. X. 418 415
Spr. X. 418 400
RBr. X. 415 416
Bth. X. 343 407
XIII. 2. 579
Fisch. XIII. 1. 675
Poir. XIII. 1. 676
(Cymbaria)
VIII. 299 Bth. VIII. 299
Wall. VIII. 299

Linociera
alba Poit. h. VIII. 296
compacta RBr. VIII. 296
cotinifolia Vahl VIII. 297
dichotoma Wall. VIII. 297 298
flavicans Vahl VIII. 298
glomerata Pohl VIII. 297
latifolia Vahl VIII. 296
ligustrina Sw. VIII. 296
loranthifolia Wall. VIII. 298
macrophylla Wall. VIII. 297
malabarica Wall. VIII. 297
montana Dc. VIII. 297
nigra Poit. h. VIII. 296
oblonga Wall. VIII. 298
odorata Jacq. VIII. 297
purpurea Vahl VIII. 297
ramiflora Wall. VIII. 297
tenuiflora Wall. VIII. 298
ternifiora Wall. VIII. 297
tetrandra RBr. VIII. 298 299
Linophyllum Grisb. IX. 41
Linsecia Adans. XIII. 2. 20
Linum scandens &c. Sloan. IX. 414
sarmentosum &c. Pluk. IX. 414
Lipandra Meq. XIII. 2. 61
atriplicoides Meq. XIII. 2. 62
Lippia L. XI. 530 572 L. Gaertn. XI. 578 L. XII. 22
acutidens Mart. & Schauer XI. 590
adoensis Hochst. XI. 578
affinis Schauer XI. 576
alnifolia Schauer XI. 588
americana L. XI. 579
angustifolia Cham. XI. 588
argyrophylla Schauer XI. 581
aristata Schauer XI. 581
asperifolia Poepp. XI. 588
asperifolia Roem. XI. 583
asperifolia Rich. XI. 583
asperrima Cham. XI. 581
attenuata Mart. XI. 589
Berlandieri Schauer XI. 575
Berterii Spr. XI. 588
betulaefolia H. B. & Kth. XI. 583
bicolor Vah. XI. 592
bicolor Mart. & Schauer XI. 587
callicarpaefolia H. B. & Kth. XI. 591
calotaphota Endl. XI. 591
canescens H. B. & Kth. XI. 585
capensis Spr. XI. 588
chamaedrifolia Sieb. XI. 579

Stend. XI. 573
des Walp. XI. 594
chaver XI. 576
les Chav. XI. 589
epp. VIII. 673
oepp. VIII. 673
a Dc. fil. VIII. 673
Dc. fil. VIII. 673
Dc. fil. VIII. 673
r Gmel. IX. 70
P. Browne IX. 82
ubl. IX. 72 71 *Brown*
90 Cham. & Schlecht.
Kth. IX. 79 *R. & Pav.*
90 Lam. IX. 51 81 *L.*
Vell. XIII. 1. 593
Desr. IX. 78
Mart. IX. 73 562
R. & Pav. IX. 75
L. IX. 76
h. IX. 75
Mart. IX. 73
Mart. IX. 72
K'h. IX. 75
Mart. IX. 74
W. B. & Kth. IX. 78 79
Rum. IX. 78
IX. 75
Bth. IX. 76
Griseb. IX. 74
rt. IX. 78 83
L. & Pav. IX. 78 80
eus Desr. IX. 74
am. IX. 78 82
L. IX. 75
Aubl. IX. 78 72
L. IX. 78 83
R. & Pav. IX. 77
Bertol. IX. 78 83
Griseb. IX. 78
rt. IX. 73
us Cham. & Schl. - -
mplex Mart IX. 78 73
m. IX. 78 51
IX. 78 83
ir. IX. 76
IX. 78
IX. 77
Jacq. IX. 79 51
Kth. IX. 79 51
ch. IX. 76
Aubl. IX. 76
W. h. IX. 76
IX. 75

Liliocharis
Kunthii Don IX. 75
latifolius Sw. IX. 79 83
leucanthus Lyall IX. 79 82
longiflorus Boj. IX. 79 82
longifolius L. IX. 79 82
leranthoides *Griseb.* IX. 77
macrophyllus Cham. & Schl. IX. 77
macrophyllus *Kth.* IX. 77
macrophyllus W. h. IX. 77
Martii *Griseb.* IX. 74
Mathewsii *Griseb.* IX. 78
nigrescens Cham. & Schl. IX. 79 71
oblongifolius *Griseb.* IX. 74
obtusifolius *Griseb.* IX. 77
β coarctatus - 78
Ophiorhiza Vell. IX. 79 XIII. 1 594
ovalis *R. & Pav.* IX. 78
ovatifolius fl. flum. IX. 73
paniculatus Spr. IX. 79 72
parvifolius Desr. IX. 79 72
pendulus *Mart.* IX. 73
pratensis *Kth.* IX. 74
pulcherrimus *Mart.* IX. 73
purpurascens *Aubl.* IX. 76
purpurascens Kth. IX. 76
racemosus W. h. IX. 75
revolutus Poepp. IX. 77
revolutus *R. & Pav.* IX. 77
Russelianus Hook. IX. 79 51
saponarioides Cham. & Schl. IX. 79 71
scandens Spr. IX. 79 67
Schomburgkii *Griseb.* IX. 75
sempervirens Mill. IX. 24
spathulatus *Kth.* IX. 74
spathulatus W. h. IX. 75
speciosus *Cham. & Schl.* IX. 73
tenuifolius *Spr.* IX. 74
tetragono-alatus Stend. IX. 562
tetragonus *Bth.* IX. 76
trifidus *Kth.* IX. 75
trinervis Lam. IX. 79 82
tubiflorus Pet. Thouars. IX. 79 82
uliginosus *Griseb.* IX. 76
β grandiflorus - - -
uliginosus β guianensis Griseb. IX. 76
umbellatus Sw. IX. 79 83
virgatus Boj. IX. 79 82
viridiflorus *Mart.* IX. 74
viscosus *R. & Pav.* IX. 78
zeylanicus Spr. IX. 79 45

ides Bluntl. X. 85 78
lus Forsk. X. 85 IX. 533 549
m Bertol. X. 85 101
Mey. X. 77 (bis)
n. X. 78
um Lehm. X. 86 94
Sibth. & Sm. X. 81
brsk. X. 85
& Pav. X. 84
Spr. X. 85 IX. 542
forme Horn. X. 76
orme Schüs. X. 85
Spr. IX. 549
rst. IX. 559 X. 83 85
& Pav. X. 78
m. X. 85 87
Guss. X. 74
Dc. X. 73
n Turcz. X. 85 91
oiss. & Hohen. X. 80
Lx. X. 76
Steud. X. 85
'in. X. 587 588
n Goldie X. 79
hm. X. 79
Hart. & Gal. X. 84
Moç. & Sess. X. 68
Spr. X. 85 87
R. & Schult. X, 85 70
W. h. X. 85
Lehm. X. 118
Spr. X. 85 87
Spr. X. 85 88
Lehm. X. 85 86
e Dc. X. 76
cum Dc. X. 75
Vic. X. 85 95
Loris X. 75
X. 85 70
Dcne X. 85 51
R. & Pav. X. 85 132
Lehm. X. 85 132
v. X. 85
, X. 76
ar. α Lehm. X. 76
W. X. 76
Lapeyr. X. 81
X. 85 98
ntachy X. 86 98
ia. X. 86 102
ucafé folio Tourn. X. 45
Dcne X. 86 123

Lithospermum
Pallasii Ledeb. X. 86 89
paniculatum Lehm. X. 86 91
papillosum Thbg X. 74
β ambiguum Dc. – –
papillosum β E. Mey. X. 74
pentagonum Pers. X. 86
peruvianum Dc. fil. X. 77.
petraeum Dc. fil. X. 82
pilosum Nutt. X. 79.
plebejum Cham. & Schlecht. X. 86 134
prostratum Lois. X. 81
pulchrum Lehm. X. 86 88
pumilum Lehm. X. 84
purpureo-coeruleum Duf. h. X. 83
purpureo-coeruleum L. X. 82
purpureo-coeruleum Thore X. 81
pythicum Clarck X. 83
ramosum Lehm. X. 86 113
ramosum W. X. 132
retortum Pall. X. 86 176
retortum Pers. X. 176
riculare Turcz. X. 86 90
Rochelii Bertol. X. 74
rosmarinifolium Reich. X. 86 82
rosmarinifolium Ten. X. 81
ruderale Dougl. X. 79
rugosum Dc. X. 83
scabrum Thbg X. 77 78
β Dregei Dc. – –
scabrum var. E. Mey. X. 78
Schreberianum Spr. X. 83 91
secundiflorum Dcne X. 86 124
sericeum Lehm. X. 79
serrulatum Turcz. X. 86 89
setosum Fisch. & Mey. X. 86 96
sibiricum Ledeb. X. 86 90
sibiricum Lehm. X. 86 89
Sibthorpianum Griseb. X. 75
simplicissimum Lehm. X. 86 89
spathulatum Mart. & Gal. X. 78
Splitgerberi Guss. X. 75
strictum Lehm. X. 78
strigosum MB. X. 75
stylosum Turcz. X. 86
tenellum Nutt. X. 83
tenellum Raf. X. 86 109
tenuiflorum Jacq. X. 75
tenuiflorum L. fil. X. 75
β sibiricum Dc. X. 75
tetrastigma Lam. X. 86 95
tinctorium Auch. X. 86 101
tinctorium Bertol. X. 100
tinctorium L. X. 86 99
tinctorium R. & Pav. X. 86 132

Lithospermum
  tinctorium *Vahl* X. 86 95
  tingens *R. & Schult.* X. 86 132
  Torreyi *Nutt.* X. 79
  [illegible] *Bertol* X. 86
  tuberosum *Rugel* X. 76
  vesicarium *Lois.* X. 86 31
  vestitum *Wall.* X. 86 94
  villosum *Lehm.* X. 86 90
  villosum *G. Don* X. 86
  villosum *Spr.* X. 84
  violaceum *Lam.* X. 82
  virginianum *L.* X. 86 70
  viridiflorum *Roxb.* X. 86 IX. 516
  Zollingeri *Dc. fil.* X. 87
  Spec. Auct. X. 96
Littorella *L.* XIII. 1. 737
  lacustris *L.* XIII. 1. 737
    β [illegible] *Zurrh.* XIII. 1. 737
Llagunoa *Feuill.* VII. 775
Lobelia *L.* VII. 357 350 351 [illegible] 402 409 [illegible] 505 *L. fil.* VII. 396 *Plum.* VII. 357 505 *Thbg* VII. 355 498 *Sparm.* VII. 356 *Gaertn.* VII. 357 *R. & Schult.* VII. 349 *H. B. & Kth.* VII. 396 *Cham.* VII. 341 342 *Poepp* VII. 347 *Salzm.* VII. 420 *Presl* VII. 357 396 *hortul.* VII. 440 *Auctor* VII. 341 344 391 407
  acuminata *Sw.* VII. 387 396
  acutangula *Dc. fil.* VII. 369
  adenophora *R. & Schult.* VII. 387 349
  affinis *Wall.* VII. 360
  alata *Labill.* VII. 375
  alata *Leperv.* VII. 368
  alata var. *Hook.* VII. 376
  algoensis *Dc. fil.* VII. 369
  alsinoides *Lam.* VII. 378 351
  alyssifolia *Salisb.* VII. 370
  ambigua *Cham.* VII. 387 343
  americana *W. h.* VII. 387 507
  amoena *Mx.* VII. 377
  amygdalina *W.* VII. 385
  anceps *Thbg* VII. 375
    β [illegible] *RBr.* VII. 376
  Andropogon *Car.* VII. 387 345
  androsacea *Humb. Bth.* VII. 387 349
  angulata *Forst.* VII. 366
  angustifolia *Bth.* VII. 358
  angustifolia *Cham.* VII. 387 343
  appendiculata *Dc. fil.* VII. 376
  aquatica *Cham.* VII. 365
  arborea *Sparm.* VII. 357
  arenaria *Salzm.* VII. 387 421
Lobelia
  arenarioides *Dc. fil.*
  areolata *Rich.* VII.
  arguta *hortul.* VII.
  arguta *Lindl.* VII. 3
  asclepiadea *W.* VII.
  aspera *Spr.* VII. 38
  aspleniifolia *hortul.*
  assurgens *L.* VII. 3
  attenuata *Presl* VII
  ayavanensis *W. h.*
  barbata *Car.* VII. 3
  begoniifolia *Wall.* VI
  bellidiflora *L. fil.* VI
  bellidifolia *h. Kew.*
  bellidifolia *Thbg* VI
    [illegible] *Presl* -
    β hirta -
    γ [illegible] *Dc.* VII
  Bergiana *Cham.* VI
  Berlandieri *Dc. fil.*
  Berteriana *Spr.* VII
  beslerioides *H. B.*
  betulaefolia *Cham.*
  bicolor *Boj.* VII. 36
  bicolor *Sims* VII. 3
    β γ *Dc. fil.* -
  bicolor *W.* VII. 371
  bidentata *Donn.* VII
  bifida *Thbg* VII. 385
  biserrata *Car.* VII.
  biserrata *R. & Pav.*
  Bivonae *Tin.* VII. 3
  Bonplandiana *R. &*
  Boykinii *Torr. & Gr.*
  bracteolata *Dc. fil.*
  Brandtii *h. paris.* VI
  Brandtii *Vois.* VII. 3
  brevifolia *Nutt.* VII
  Breynii *Lam.* VII. 3
  Bridgesii *Hook.* VII.
  Broussonetii *Bory*
  Browniana *R. & Sch.*
  bryoides *W. h.* VII.
  bulbosa *L.* VII. 38
  caespitosa *Blum.* VII
  calycina *Cham.* VII.
  campanulata *Car.* VI
  campanulata *Lam.* VI
  campanuloides *Ker.*
  campanuloides *Thbg*
  camporum *Pohl* VII.
    β [illegible] *Dc. fil.*
  camtschatica *Pall.* VI

VII. 368. 403
h. patis. VII. 395
resl VII. 388 402
De. fil. VII. 362
rm. VII. 370
Thbg VII. 388 499
H. B. & Kth. VII. 402
. VII. 382
fil. VII. 382
Ulleri brit. flow. garden VII. 362
Presl VII. 388 404
V. VII. 388 402
na R. & Schult. VII. 383
Mart. VII. 383
De. fil. VII. 362 785
resl VII. 362
lia De. fil. VII. 364
Spr. VII. 388 356
Lam. VII. 362 784
na Presl VII. 388
L. VII. 388 X. 366
a Wall. VII. 372
ur. VII. 360
fil. VII. 388 445
VII. 385
De. fil. VII. 379
m. VII. 388 395
Mx. VII. 374
Cham. & Schl. VII. 373
Mx. VII. 372
W. VII. 372
t. VII. 377
k. VII. 369
De. fil. –
& Kth. VII. 379
VII. 377
VII. 390
fil. VII. 388 396
& Schult. VII. 362 375
VII. 388 404
II. 370
VII. 388 354
m. VII. 388 395
s. VII. 388 395
Cham. VII. 388 401
Presl VII. 401
VII. 388 400
VII. 391
II. 388 346

Lobelia
coronopifolia L. VII. 363
β uniflora De. fil. –
coronopifolia β Lam. VII. 363
corymbifera Presl VII. 388 404
corymbosa Berg VII. 370
corymbosa Grah. VII. 388 352
crassicaulis Mx. VII. 378
crenata Presl VII. 388 403
crenata Thbg. VII. 388 500
cretica Juss. A. VII. 388 410
crispa Grah. VII. 361
cuneifolia Link & Otto VII. 370 785
β hirsuta De. fil. VII. 785
cuneiformis Labill. VII. 376
Cyphia Gmel. VII. 388 499
Cyphia Thbg VII. 388 500
debilis Eckl. VII. 370
debilis L. VII. 388 351
decumbens Juss. b. VII. 388
decumbens R. & Schult. VII. 385
decumbens Sims. VII. 375
decurrens Cav. VII. 384
β De. fil. –
decurrens Sprot VII. 384
decurrens W. b. VII. 368
dentata Cav. VII. 364
dentata Sieb. VII. 364
dentata Torr. VII. 377
dentata W. VII. 388 346
dependens R. & Pav. VII. 385 399
depressa L. VII. 379 351
β Thunbergii De. fil. 379
depressa Thbg VII. 351 379
digitata Thbg VII. 388 500
dioica RBr. VII. 388 352
diversifolia Cham. VII. 441
diversifolia R. & Schult. VII. 385
Dombeyana Presl VII. 389
domingensis De. fil. VII. 359
Dortmanna L. VII. 376
Draba W. VII. 373
dracunculoides W. b. VII. 379
Dregeana De. fil. VII. 371
Ecklouiana De. fil. VII. 368
edulis L. VII. 346
edulis Presl VII. 388
elliptica W. VII. 385
ericetorum De. fil. VII. 784
erinoides L. VII. 388 408
erinoides Sieber. VII. 408
erinoides Thbg VII. 388 353
Erinus Lam. VII. 371

Lobelia
Erinus *L.* VII. 370
β Dc. fil. – 374
Erinus Sims VII. 371
Erinus Thbg VII. 388 353 371
exaltata *Pohl* VII. 380
excelsa Bonpl. VII. 389 393
excelsa *Leschen.* VII. 381
exigua Pers. VII. 386
Farsetia Vand. VII. 372
fastigiata *H. B. & Kth.* VII. 373
fenestralis *Cav.* VII. 360
ferruginea L. fil. VII. 389 403
fervens *Thbg* VII. 385
filiformis Cav. VII. 368
filiformis *Lam.* VII. 368
β luzoniensis R. & Schult. – –
filiformis Sieb. VII. 372
fissa W. h. VII. 383
flaccida *Dc. fil.* VII. 360 784
flexuosa *De. fil.* VII. 379
floribunda Bonpl. h. VII. 383
fluviatilis *RBr.* VII. 366
foetida H. B. & Kth. VII. 389
foliosa H. B. & Kth. VII. 384
formosa Roth VII. 382
frutescens Mill. VII. 389 507
fulgens *W.* VII. 382
fusca Presl VII. 389 403
Gasparrini Tin. VII. 389 410
Gaudichaudii *Dc. fil.* VII. 384
genistoides *Dc. fil.* VII. 358
gibbosa *Labill.* VII. 358
gigantea Cav. VII. 389
gigantea Sims VII. 389 393
glabrata H. B. & Kth. VII. 389 405
glabrifolia E. Mey. VII. 358
glandulosa *Walt.* VII. 378
β glabra Dc. fil. – –
γ obtusifolia – – –
glandulosa W. VII. 340
goodenioides W. VII. 374
gracilis *Andr.* VII. 364
gracilis Nutt. VII. 374
graminea *Lam.* VII. 382
grandidentata Schlecht. VII. 389
grandis L. fil. VII. 389 345
gratioloides *Roxb.* VII. 387
gruina *Cav.* VII. 373
Haenkeana *De. fil.* VII. 382
Hartwegi *Bth.* VII. 361
hederacea Hook. & Arn. VII. 340
hederacea *h. Kew.* VII. 370
heteromalla Schrad. VII. 370

Lobelia
heterophylla Cham.
heterophylla H. &
heterophylla *Labill.*
heterophylla W. h.
Heyniana R. &
Heyniana Spr. VII.
hirsuta Andr. VII.
hirsuta *L.* VII. 361
hirsuta Thbg VII. 3
hirta Cav. VII. 389
hirta *L.* VII. 360
hirta Roxb. VII. 38
hortensis *De. fil.* VI
Humboldtiana Presl
Humboldtiana R. &
hypocrateriformis
hyssopifolia Salm.
Jamesoniana Presl
japonica Dietr. VII.
javanica Thbg VII.
ilicifolia R. & Sch
ilicifolia Sims VII.
imbricata Cham. VI
imbricata Presl VII.
incana R. & Pav.
incisa *Dc. fil.* VII.
incisa Thbg VII. 38
inflata *L.* VII. 389
integrifolia *Nois.* VI
inundata Cunn. VII.
inundata *RBr.* VII
irrigua *RBr.* VII. 36
Kalmii Bart. VII. 3
Kalmii *L.* VII. 374
Kraussii *Grah.* VII.
Krebsiana *Dc. fil.* V
Kunthiana Presl VI
laciniata Lam. VII.
laciniata Presl VII.
laevigata L. fil. VII
lanceolata Hook. VI
laricina Spr. fil. VI
lasiantha *Dc. fil.* V
Laurentia L. VII. 3
Laurentia β W. VI
Laurentia nana H
laxiflora *H. B. & K*
β angustifolia Dc. fil.
leptocarpa *Griseb.*
leptostachys *De. fil.*

ides *W. h.* VII. 389 349
es *Dc. fil.* VII. 371
Thbg VII. 386
W. VII. 379
A. Cunn. VII. 785
R. Cunn. VII. 366
L. VII. 389
W. VII. 413
Dc. fil. VII. 382
Dc. fil. VII. 361
W. VII. 384
Dc. fil. VII. 383
VII. 389 354
Cham. VII. 389 400
Presl VII. 400
ylla Presl VII. 389 404
da Sw. Thbg VII. 389 507
chys Hook. VII. 386
mon Presl VII. 389 403
Dc. fil. VII. 364
– – –
ariensis R. & Schult. VII. 368
achiata P. Browne VII. 394
mica Spr. VII. 389 440
acea RBr. VII. 365
Nutt. VII. 372
a Hook. VII. 360
H. B. & Kth. VII. 373
Dc. fil. VII. 369
Sims VII. 389 410
Dc. fl. fr. VII. 410
L. VII. 389 410
Thbg VII. 410 411
rah. VII. 373
Blum. VII. 386
H. B. & Kth. VII. 373
ta Cav. VII. 389 392
ta Hook. VII. 392
na Cham. VII. 358
ta Cham. VII. 378
H. B. & Kth. VII. 389 402
B. & Kth. VII. 379
Dc. fil. VII. 369
R. & Schult. VII. 361
Moris VII. 389 393
folia Heyne VII. 381
rsel VII. 389 404
f. VII. 384
. VII. 389 408
is Lam. VII. 389 498
ria Lam. VII. 389 341

Lobelia
nummularioides Cham. VII. 365
Nuttalii R. & Schult. VII. 374
obliqua Hamilt. VII. 341
obtusifolia W. VII. 389 400
odorata Grah. VII. 389 340
oppositifolia Spr. VII. 390
Ottoniana Dc. fil VII. 370
pallida Muhl. VII. 374
palmaris W. VII. 373
paludosa *Nutt.* VII. 376 390
paniculata *L.* VII. 386
parvifolia Berg VII. 390 419
parvifolia *RBr.* VII. 359
patula *L. fil.* VII. 386
paucidentata *Dc. fil.* VII. 362
pauciflora *H. B. & Kth.* VII. 375
pedicellaris Presl VII. 390 401
pedunculata *RBr.* VII. 367
pedunculata Sims VII. 363
pendulifolia Presl VII. 390 396
persicaefolia Cav. VII. 383
persicaefolia Lam. VII. 390 395
persicifolia H. B. & Kth. VII. 383
physaloides *Cunn.* VII. 785
Phyteuma L. VII. 390 498
phyteu oides *W. h.* VII. 384
pinifolia *L.* VII. 362 784
pinnata Lam. VII. 390
pinnatifida Cham. VII. 390 343
Plumieri Burm. VII. 390 505
Plumieri L. VII. 390 507
Poeppigiana Kze VII. 393
polygalaefolia W. VII. 375
polymorpha W. h. VII. 368
polymorpha α & β Bory VII. 368
polymorpha γ Bory VII. 368
polyphylla Hook. & Arn. VII. 390 393
Preslii *Dc. fil.* VII. 358
procumbens *hort.* VII. 387
prunifolia Presl VII. 390 401
psilophylla Presl VII. 390 404
pteropoda *Dc. fil.* VII. 364
puberula *Mx.* VII. 377
β glabella Hook. – –
pubescens *Ait.* VII. 370 785
pubescens Dietr. VII. 355
pubescens Sieb. VII. 364
pubescens W. VII. 390 408
pulverulenta Hook. VII. 390 402
pulverulenta Pers. VII. 390 401
pumila *Burm.* VII. 360

Lychnidea &c. Feuill. XI. 553
veronicaefolia &c. Feuill. XI. 537
villosa &c. Burm. X. 358
Lychnitis Bth. XII. 537 (Phlomis)
Lychnitis Bth. X. 230 (Verbascum)
Lycianthes Dun. XIII. 1. 156 (Solanum)
LYCINEAE *Dun.* XIII. 1. 6. 492
Lyciobatos Dun. XIII. 1. 523 (Lycium)
Lycioides L. VIII. 189
Lycioplesium *Miers* XIII. 1. 6 491
Boissieri *Dun.* XIII. 1. 493 (*deletum; est* Paecilochroma Boissieri *Dun.* XIII. 1. 687)
Dombeyanum *Dun.* XIII. 1. 492
fasciculatum *Miers* XIII. 1. 494
horridum *Miers* XIII. 1. 493
Meyeninum *Miers* XIII. 1. 494
nitidum *Miers* XIII. 1. 492
obovatum *Miers* XIII. 1. 492
ovatum *Miers* XIII. 1. 493
pulchellum *Walp.* XIII. 1. 494
Lyciothamnos Endl. XIII. 1. 486 491
Lycium *L.* XIII. 1. 7 508 18 *Pluk.* VIII. 331 *Miers* X. 595 *Gaertn.* XIII. 1. 509 *B. & Pav. Hook.* XIII. 1. 496
acutifolium *Drege* XIII. 1. 518
α latifolium - - - 519
β angustifolium - - - -
acutifolium a E. Mey. XIII. 1. 519
acutifolium b E. Mey. XIII 1. 519
afrum Boiv. XIII. 1. 515
afrum bot. reg. XIII. 1. 522
afrum Drege XIII. 1. 518
afrum *L.* XIII. 1. 521
α brevifolium - 522
β longifolium - -
γ subulatum - -
afrum Martius XIII. 1. 524
afrum Thbg XIII. 1. 526
afrum α Drege XIII. 1. 518
afrum β parviflorum Drege XIII. 1. 518
afrum β Poir. XIII. 1. 522
aggregatum R. & Pav. XIII. 1. 527 493
angustifolium Mill. XIII. 1. 515
apiculatum *Dun.* XIII. 1. 517
α brevifolium - - 518
β longifolium - - -
Lycium
arborescens Hook. 1
barbarum *L.* XIII. 1
barbarum Lour. XII
barbarum α vulgare
barbarum β chinens
barbatum Thbg XIII.
Berlandieri *Dun.* XII
boerhaaviaefolium L.
brevipes *Bth.* XIII. 1
campanulatum Drege
canum *Gill.* XIII. 1. 5
capense Mill. XIII. 1
capsulare *L.* XIII. 1
carnosum b. Mant.
carnosum b. Tenell.
carnosum *Poir.* XIII.
carolinianum *Mx* XI
cerstroides Schlecht.
chilense *Bert.* XIII.
chinense Lam. XIII.
chinense *Mill.* XIII.
ciliatum *Schlecht.* XI
cinereum Krauss XII
cinereum *Thbg* XIII.
cochinchinense *Lour.*
cordatum *Mill.* XIII.
cornifolium H. B. &
distichum Mey. XIII.
Dunalianum Dubm.
echinatum *Dun.* XIII.
Edgeworthii *Dun.* XI
europaeum Audib. h.
europaeum Lam. XIII
europaeum L. XIII. 1.
europaeum Murat XII
europaeum Royl. XIII.
europaeum Schimp.
filifolium *Gill.* XIII. 1
floribundum *Dun.* XIII
floribundum H. B. &
foetidum L. XIII. 1. 5
fol. linearibus Trew.
fol oblongo-lanceolatis
fuchsioides hort. XIII
fuchsioides h. Monq

Blum. VII. 372
Raf. VII. 392
Schott VII. 390
Thbg VII. 391 355
Sweet VII. 393
L. VII. 363
Dc. fil. VII. 364
Camill. VII. 360
Wall. VII. 372
Berb. VII. 359 367
Kall. VII. 360 367
Presl VII. 391 405
L. VII. 370
Dc. fil. VII. 370
Reinw. VII. 367
Sieb. VII. 372
VII. 391 393
m. VII. 391 406
VII. 391 392
H. B. & Kth. VII. 391 406
Vest VII. 367
& Kaup. VII. 391 355
Cham. VII. 379
VII. 372
Sims VII. 391 354
Presl VII. 391 402
W. VII. 378
Cham. VII. 391 400
Kze VII. 391
Presl VII. 400
Presl VII. 391 403
Kopp. VII. 391 398
H. B. & Kth. VII. 391 400
Thbg VII. 391 500
Reich. VII. 405
Thbg VII. 391 405
Presl VII. 391 407
R. & Schult. VII. 391 349
H. B. & Kth. VII. 372
herb. ind. VII. 360
L. VII. 360
Berta L. VII. 360
Juss. VII. 339
Poir. VII. 497
Presl VII. 350
Dc. fil. VII. 440 (Wahlenbergia)
Labill. X. 4 *Buek* X. 13 15
Buek X. 6
Buek X. 7
Dc. X. 10

Lobostemon
capitatus *Buek* X. 12
capitiformis *Dc.* X. 12
caudatus Buek X. 13
cephalideus *Dc* X. 12
cinereus *Dc.* X. 10
curvifolius *Buek* X. 9
diversifolius *Buek* X. 9
Dregei *Dc.* X. 6
echioides *Lehm.* X. 9
Ecklonianus Buek X. 13 14
elongatus *Buek* X. 8
eriostachyus Buek X. 13 14
fastigiatus *Buek* X. 9
ferocissimus *Dc.* X. 7
formosus Buek X. 15
fruticosus *Buek* X. 6
β Burgianus - - -
glaber *Buek* X. 5
glaucophyllus *Buek* X. 5
hispidus *Dc.* X. 10
laevigatus *Buek* X. 5
lasiophyllus *Dc.* X. 10
latifolius Buek X. 13 14
Lehmannianus Buek X. 9
lucidus *Buek* X 10
microphyllus *Buek* X. 12
montanus Buek X. 13 15
obovatus *Dc.* X. 10
obtusifolius *Dc.* X. 7
oederiaefolius *Dc.* X. 7
paniculaeformis *Dc.* X. 8
paniculatus *Buek* X. 8.
rosmarinifolius *Dc.* X. 10
scaber *Dc.* X. 6
sphaerocephalus *Buek* X. 12
β herbaceus *Buek* X. 12
spicatus Buek X. 14
splendens Buek X. 13 15
Sprengelianus Buek X. 13 16
stachydeus *Dc.* X. 7
strigosus *Buek* X. 9
Swartzii *Buek* X. 5
Thunbergianus Buek X. 7
thymelaeoideus *Dc.* X. 11
β setulosus *Dc.* X. 12
γ longifolius - - -
trichotomus *Dc.* X. 11
trigonus *Buek* X. 9
verrucosus *Buek* X. 8.
β Dregei - - -
γ parciflorus - - 9
virgatus *Buek* X. 11
viridi-argenteus Buek X 13 14
Wurmbii *Dc.* X. 11
Zeyheri *Buek* X. 6

Lycium
tataricum Pall. XIII. 1. 514
tenue *W.* XIII. 1. 515
β Sieberi - - -
tetrandrum *Dun.* XIII. 1. 516
Thunbergii G. Don XIII. 1. 527
Trewianum R. & Schult. XIII. 1. 510
turbinatum Poir. XIII. 1. 509 511
umbellatum R. & Pav. XIII. 1. 528 500
umbrosum H. B. & Kth. XIII. 1. 528 487
vulgare *Dun.* XIII. 1. 509
№ 178 *Drege* XIII. 1. 160
„ 7865 *Drege* XIII. 1. 161
„ 7866 *a Drege* XIII. 1. 521
„ 7866 *b Drege* XIII. 1. 521
„ 7868 *Drege* XIII. 1. 518
„ 7868 *aa Drege* XIII. 1. 518
„ 7869 *Drege* XIII. 1. 516
„ 7870 *Drege* XIII. 1. 515
„ 7871 *Drege* XIII. 1. 515
„ 7872 *Drege* XIII. 1. 516
„ 37 *Pav.* XIII. 1. 609
Lycium sect. Eulycium Endl. XIII. 1. 509
Lycium sect. Lyciobatos Endl. XIII. 1. 523
Lycium sect. Lyciothamnon Endl. XIII. 1. 486 491
Lycopersicum *Tourn.* XIII. 1. 4 23
aethiopicum Mill. XIII. 1. 27 351
agrimoniaefolium h. Berol. XIII. 1. 27
agrimoniaefolium *Dun.* XIII. 1. 24
arborescens &c. Plum. XIII. 1. 352
cerasiforme *Dun.* XIII. 1. 26
α baccis rubris - - -
β baccis luteis - - -
γ leptophyllum - - -
chilense *Dun.* XIII. 1. 24
commutatum R. & Schult. XIII. 1. 24
dentatum Dun. XIII. 1. 24
diadelphum *Dun.* XIII. 1. 27
Dulcamara Medik. XIII. 1. 27
esculentum *Mill.* XIII. 1. 26
α baccis rubris *L.* - - -
β - pallescentibus *Tourn.* - -
γ - luteis *Tourn.* - - -
δ - albis *Tourn.* - - -
ε nanum - - -
ζ majus - - -

Lycopersicum
Galeni Mill. XIII
hirsutum *H. B. &*

Humboldtii *Dun.*
inodorum Juss. X
peruvianum *Mill.*
β dentatum -
peruvianum var.
Link &
philippinarum *Du*
pimpinellifolium *L*
pomum amoris

procumbens *Mill.*
pyriforme *Dun.* X
regulare *Dun.* XI
β grandiflorum -
tuberosum Mill. X
Lycopersicum & Sola

Lycopsis *L.* X. 54
27 Lehm. X. 27

aegyptiaca L. X.
alpestris Lehm. X.
arvensis *L.* X. 54
bullata Cyr. X. 5
calycina R. & Sch
capensis *Burm.* X.
caspica Lehm. X.
ciliata W. X. 55
Colsmanniana Le
confertiflora *Clark*
crispa Bertol. X.
cyrenaica Spr. X.
decurrens C. A. M
Dioscoridis Rauw.
echioides L. X. 56
elongata *Lehm.* X.
erecta *d'Urv.* X. 5
flavescens C. A. M
glomerata d'Urv.
longifolia Dreg X.
lutea Lam. X. 56
lutea Schult. X. 28
lutea β Lehm. X.
macrophylla Desr.
maroccana *W. A.*
microphylla Bertol.
Milleri Horn. X. 56
mollis *Vis.* X. 55
nigricans Hoffm. &
obtusifolia W. X.
orientalis *L.* X. 54
picta Lehm. X. 56

[illegible]. 56 30
[illegible] X. 55
[illegible]. 31
[illegible] 32
[illegible]. 56 29
[illegible]. X. 56 103
[illegible]. 56 28
[illegible]hm. X. 56
[illegible]. & Schult. X. 33
[illegible]. 54
[illegible]. X. 56 98
[illegible]. X. 56 32
[illegible]. 56 31
[illegible] X. 56 175
[illegible] X. 56 109
[illegible] XII. 149 177
[illegible]hl. XII. 179
[illegible]utt. XII. 179
[illegible]uch XII. 178
[illegible]sen XII. 179
[illegible] XII. 178
[illegible]l. XII. 179
[illegible]. XII 244
[illegible]ilt. XII. 180
[illegible]II. 178
[illegible] XII. 178
[illegible]h XII. 179
[illegible]rgutus Bth. XII. 178
[illegible]II. 179
[illegible] XII. 179
[illegible] - 180
[illegible] & Sm. XII. 179
[illegible]f. XII. 179
[illegible] XII. 179
[illegible]II. 178
[illegible]. XII. 177
[illegible] XII. 178
[illegible]II. 178
[illegible] XII. 179
[illegible]hl. XII. 179
[illegible] XII. 179
[illegible]II. 179
[illegible]. 177
[illegible] XII. 179
[illegible] 179
[illegible]II. 179
[illegible] - -
[illegible] - -
[illegible] 179
[illegible]. 177
[illegible] 177
[illegible] -
[illegible]rifolius Pursh XII. 177

Lycopus
vulgaris Nutt. XII. 179
vulgaris Pers. XII. 178
Lyncea Schlecht. X. 337
hispida Cham. & Schlecht. X. 338
Lyonia *Nutt.* VII. 599 *Don* VII. 599 601 *Raf.* VII. 599 *Reich.* VII. 599 610 *Ell.* VII. 599 VIII. 590
arborea D. & G. Don VII. 601
calyculata Reich. VII. 610
capreaefolia Wats. VII. 600
fasciculata *G. Don* VII. 600
ferruginea G. Don VII. 600
ferruginea *Nutt.* VII. 600
frondosa G. Don VII. 600
frondosa *Nutt.* VII. 600
jamaicensis *D. & G. Don* VII. 600
ligustrina *Dc.* VII. 599
β capreaefolia *Dc.* VII. 600
γ salicifolia - - -
marginata D. & G. Don VII. 601 602
Mariana D. & G. Don VII. 601 602
maritima Ell. VIII. 590
multiflora G. Don VII. 600
multiflora *Wats.* VII. 600
paniculata Nutt. VII. 599
racemosa D. & G. Don VII. 601 598
rhomboidalis D. & G. Don VII. 601 602
rigida *Nutt.* VII. 600
rubiginosa *G. Don* VII. 600
salicifolia Wats. VII. 600
Lyonsia *RBr.* VIII. 400
scabra *Dc. fl.* VIII. 401
straminea *RBr.* VIII. 401
Lyperia *Bth.* X. 341 357
amplexicaulis *Bth.* X. 358
argentea *Bth.* X. 359
argentea β Bth. X. 360
argentea γ Bth. X. 360
aspalathoides *Bth.* X. 362
atropurpurea Bth. X. 362
Burkeana *Bth.* X. 361
canariensis *Webb* X. 362 594
canescens *Bth.* X. 359
crassicaulis *Bth.* X. 360
crocea *Eckl.* X. 361
cuneata *Bth.* X. 361
filicaulis *Bth.* X. 361
foliolosa *Bth.* X. 361
fragrans *Bth.* X. 358
fruticosa *Bth.* X. 358

Lyperia
glutinosa *Bth.* X. 359
incisa *Bth.* X. 359
integerrima *Bth.* X. 359
Kraussiana *Bth.* X. 360
β latifolia – – –
macrocarpa *Bth.* X. 358
microphylla *Bth.* X. 362
mollis *Bth.* X. 360
multifida *Bth.* X. 361
pedunculata *Bth.* X. 360
phlogiflora *Bth.* X. 360
pinnatifida *Bth.* X. 361
racemosa *Bth.* X. 359
simplex *Bth.* X. 358
stricta *Bth.* X. 360
tenuiflora *Bth.* X. 358
tenuifolia *Bernh.* X. 362
tortuosa *Bth.* X. 362
tristis *Bth.* X. 358
violacea *Bth.* X. 359
Lysimachia *L.* VIII. 60 68 *Endl.* VIII. 60 *Bunge* VIII. 67 *Auct.* VIII. 60
adoensis Hochst. & Steud. VIII. 67 70
affinis *Bunge* VIII. 67
alternifolia *Wall.* VIII. 66
anagalloides *Sibth. & Sm.* VIII. 66
angustifolia *Mx.* VIII. 63
angustifolia W. VIII. 64
asperulaefolia *Poir.* VIII. 63
atropurpurea Hook. VIII. 61
atropurpurea *L.* VIII. 62
atropurpurea Murr. VIII. 62
azorica Hook. VIII. 66
barystachys *Bunge* VIII. 61
bulbifera Curt. VIII. 64
capitata Pursh VIII. 60
ciliata *L.* VIII. 64
Clementsoniana *Wall.* VIII. 67
clethroides *Duby* VIII. 61
cuspidata *Blum.* VIII. 67
davurica *W. h.* VIII. 63
debilis *Wall.* VIII. 66
decipiens Bertol. VIII. 65
decurrens *Forst.* VIII. 67
dubia *Ait.* VIII. 62
Ephemerum Burm. VIII. 61
Ephemerum *L.* VIII. 62
evalvis *Wall.* VIII. 66
Fraseri *Duby* VIII. 65
glauca Moench VIII. 62
glaucophylla *Hook. & Arn.* VIII. 65
Herbemonti *Ell.* VIII. 64
heterophylla Don VIII. 62
heterophylla *Mx.* VIII. 63
Lysimachia
hirsuta Mx. VIII. 64
Hochstetteri *Steud.* VII
hybrida *Mx.* VIII 64
japonica *Thbg* VIII. 67
javanica *Blum.* VIII. 6
lanceolata *Pursh* VIII.
Leschenaultii *Duby* VI
linearilobe *Hook. & Ar*
Linum stellatum L. VI
lobelioides *Wall.* VIII.
longifolia *Pursh* VIII.
maculata *RBr.* VIII. 6
media *W.* VIII. 67
multiflora *Wall.* VIII.
nemorum *L.* VIII. 66
Nummularia *L.* VIII. 6
nutans *Nees* VIII. 61
obovata *Wall.* VIII. 6
orientalis Lam. VIII.
Otani Asso VIII. 62
paludosa Baumg. VIII
pentapetala Bunge VII
punctata *Jacq.* VIII. 6
pyramidalis *Wall.* VII
quadrifolia bot. mag.
quadrifolia *L.* VIII. 6
quadrifolia β ciliata
racemosa Mx. VIII. 6
radicans *Hook.* VIII.
ramosa *Wall.* VIII. 6
revoluta Nutt. VIII. 6
secunda Hamilt. VIII.
serpyllifolia Poir. VII
spicata &c. Pluk. IX.
stricta *Ait.* VIII. 64
tenella L. VIII. 67 71
tenella Wall. VIII. 6
tetragona Don VIII. 6
thyrsiflora L. VIII. 67
tomentosa Presl VIII.
uliginosa *Blum.* VIII.
verticillata *MB.* VIII.
villosa Schm. VIII. 6
vulgaris *L.* VIII. 65
vulneraria *Nois.* VIII.
westphalica Weihe VI
LYSIMACHIACEAE E
DEAE Rei
LYSIMACHIEAE Juss.
LYSIMACHIIS AFFINE
Lysimastrum Duby VIII
Lysinema *RBr.* VII. 764
attenuatum Link VII.

. VII. 763
RBr. VII. 765
Br. VII. 765
RBr. VII. 764
. VII. 765
- -
- -
Kch. VII. 765 763
VII. 765
Dc. fil. IX. 263
IX. 263 (Lysionotus)
Blum. IX. 260 262
. IX. 264 262
Blum. IX. 264 262
lum. IX. 264 262
IX. 264
. IX. 264
ill. IX. 264
fil. VII. 349
& Kth. VII. 349
B. & Kth VII. 349
c. fil. VII. 349
I. B. & Kth. VII. 349
. B. & Kth. VII. 350
VII. 350
Don VII. 349
Dc. fil. VII. 348
VII. 349 Presl VII. 349
. VII. 516

M.

. 240
VIII. 240
VIII. 242
. fil. VIII. 241
VIII. 242
II. 242
VIII. 240
VIII. 240
VIII. 242
fil. VIII. 241
III. 242
II. 241
II. 242
Dc. fil. VIII. 241
II. 242
II. 241
VIII. 241

Maba
rufa Labill. VIII. 241
sandwicensis Dc. fil. VIII. 242
Smeathmanni Dc. fil. VIII. 241
Mabolo Blanco VIII. 235
Macaglia Vahl VIII. 396
Macbridea Ell. XII. 407 434
pulchella Ell. XII. 435
Maccasi Merian. XIII. 1. 298
Macfadyena Dc. fil. IX. 179
uncinata Dc. fil. IX. 180
Macielia Vand. X. 177
Mackenziea Nees XI. 303 308
sessilis Nees XI. 308
Macleania Hook. VII. 577
floribunda Hook. VII. 578
Macnabia Bth. VII. 612
montana Bth. VII. 612
Macranoplon Reut. XI. 42 (Anoplanthus)
Macrantha Bunge X. 581
Macranthera Torr. X. 507 513
fuchsioides Torr. X. 513
Lecontii Torr. X. 513
Macranthosebaea Griseb. IX. 54
Macreightia Dc. fil. VIII. 220
acapulcensis Dc. fil. VIII. 221
albens Dc. fil VIII. 221
caribaea Dc. fil. VIII. 221
conduplicata Dc. fil. VIII 221
inconstans Dc fil. VIII. 221
Pavonii Dc. fil. VIII. 222
psidioides Dc. fil. VIII. 221
Macria E. Mey. XII. 18 (Selago)
Macrocarpaea Griseb. IX. 77 (Lisianthus)
Macrocentron Boiss. XII. 674 (Armeria)
Macrochilus Presl VII. 341
superbus Presl VII. 341
Macrolinum Bth. VII. 707 (Syndesmanthus)
Macrolinum Klotzsch VII. 706 707
ciliatum Klotzsch VII. 707
Macromelissa Bth. XII. 226
Macromeria G. Don X. 68
cinerascens Dc. fil. X. 69
discolor Bth. X. 69
exserta D. Don X. 68 587
hispida Mart. & Gal. X. 68
longiflora D. Don X. 68
β hispida Dc. fil. - -
viridiflora Dc. X. 68
Macronepeta Bth. XII. 387 (Nepeta)
Macropetalum Burch. VIII. 626
Burchellii Dene VIII. 627

thiopicum Barr. XIII. 1. 351
tubl. XI. 647
ens Aubl. XI. 649
ubl. XI. 652
ubl. XI. 649
Jowdich VIII. 74
am Rheed. XII. 151
af. XIII. 2. 15
Lindl. VIII. 446
us Lindl. VIII. 452
a Tourn. XIII. 1. 5. 465
Gaertn. XIII. 1. 466
lis Bert. XIII. 1. 467
lis Spr. XIII. 1. 466
Barrel. XIII. 1. 466
arro &c. hort. Roman. XIII. 1. 466
minor autumnalis Mich. XIII. 1. 466
ernu &c. Mich. XIII. 1. 466
hs XIII. 1. 466
pa Bert. XIII. 1. 467
c. Till. XIII. 1. 467
s Moris XIII. 1. 467
im L. XIII. 1. 466
Bert. XIII. 1. 466
as Diosc. XIII. 1. 466
Marcgr. VIII. 325
va Rumph VIII. 353
Piso VIII. 325 *Marcgr.* VIII. 325
Banks. VIII. 352
Burm. VIII. 352 353 *Sims* VIII. 353
s &c. Burm. VIII. 353
album Rumph XI. 700
Rumph VIII. 143
m corniculatum Rumph VIII. 142
m var. parvifolia Rumph VIII. 143
rocerasi foliis &c. Sloan. XI. 699
Juss. VIII. 92 99 *R. & Schult.* VIII. 105
sis Nees & Mart. VIII. 103
sis R. & Schult. VIII. 105
a R. & Schult. VIII. 102
Pers. VIII. 99
leos Pers. VIII. 97
a Gmel. VIII. 99
R. & Schult. VIII. 104
Mangue amarello vel branco XI. 699
Manjack IX. 483
Manja Kurini Rheed. XI. 280
Manilkara Rheed. VIII. 201 206
Mansoa *Dc.* IX. 182.
hirsuta *Dc.* IX. 182
laevis *Dc.* IX. 182
Manuela XII. 9 (*lege Manulea*)
Manulea *L.* X. 341 363 *Thbg* X. 350 352 353 *L. & Auct.* X. 357
aethiopica Thbg X. 367 351
alternifolia Desf. X. 367
alternifolia Pers. X. 357
altissima *L. Thbg* X. 363
androsacea *E. Mey.* X. 363
angustifolia Link X. 365
antirrhinoides *L. fil.* X. 366
argentea L. X. 360
argentea Thbg X. 367
bellidifolia *Bth.* X. 364
capensis Thbg X. 367 351
capillaris L. Thbg X. 367 351
capitata L. fil. X. 352
capitata Thbg X. 367
Cephalotes *Thbg* X. 367 356
Cheiranthus *L.* X. 366
coerulea Thbg X. 367 353
cordata Thbg X. 367 357
corymbosa *Thbg* X. 363
crassifolia *Bth.* X. 364
crystallina Weinm. X. 367 359
cuneifolia L. fil. X. 352
cuneifolia Thbg X. 367
densiflora *Bth.* X. 365
divaricata Thbg X. 367 350
exaltata *Banks* X. 366
foetida Andr. X. 367
foetida Pers. X. 357
gariepina *Bth.* X. 366
heterophylla L. fil. X. 352
heterophylla Thbg X. 367
hirta Desr. X. 365
hirta Gaertn. XII. 17
hirta *Thbg* X. 367
hispida Thbg X. 367 356
incana *Thbg* X. 364
indica Lour. X. 367
integrifolia L. Thbg X. 367 356
juncea *Bth.* X. 366
leiostachys *Bth.* X. 365
linifolia Thbg X. 367 355
longifolia *Bth.* X. 364
lychnidea Desr. X. 367 358
microphylla L. Thbg X. 367 362
natalensis Bernh. X. 365

Boiss. XII. 451
um Boiss. & Heldr. XII. 449
lium Desr. XII. 454 518
um Don XII. 454 525
rants XII. 454 520
inum Pourr. XII. 451
Spr. XII. 454 521
um Desr. XII. 452
um Clus. XII. 452
um Fisch. & Mey. XII. 452
um Wallr. XII. 452
m L. XII. 452
m Reich. XII. 451
n Spr. XII. 452
C. A. Mey. XII. 449
Forsk. XII. 449
C. A. Mey. XII. 448
Boiss. XII. 453
um Fisch. & Mey. XII. 450
odium - - -
dictamnus L. XII. 454 517
dictamnus Steud. XII. 454 518
Dalil. XII. 452
Kit. XII. 452
ium Boiss. XII. 451
loth XII. 452
Desf. XII. 454 518
Russ. XII. 454 519
var. Buss. XII. 454 519
Biveb. XII. 454 519
Raf. XII. 454 519
riaefolium hortul. XII. 518
riaefolium Lag. XII. 454 519
Boiss. XII. 450
Desr. XII. 451
sum Mill. XII. 454 518
L. XII. 450 451
Vahlt. XII. 454 517
n Horn. XII. 451
n Sieb. Fresen XII. 454 517
Coss. & Germ. XII. 453
Sibth. & Sm. XII. 451
ion - - -
. XII. 453
n - -

Marsdenia *RBr.* VIII. 614
agglomerata *Dene* VIII. 614
Akkar *Blanco* VIII. 617
angustifolia *Wight* VIII. 614
Billardieri *Dene* VIII. 615
brasiliensis *Dene* VIII. 617
Brunoniana *Dene* VIII. 614
Calesiana *Wight* VIII. 616
cinerascens *RBr.* VIII. 614
clausa *RBr.* VIII. 615
elliptica *Dene* VIII. 616
erecta *RBr.* VIII. 616
flavescens *A. Cunn.* VIII. 614
Hamiltonii *Wight* VIII. 615
linearis *Dene* VIII. 617
mexicana *Dene* VIII. 617
nitida *Dene* VIII. 617
parasitica *Blanco* VIII. 617
picta *Dene* VIII. 615
rostrata *RBr.* VIII. 616
rotundifolia *Dene* VIII. 615
Roylei *Wight* VIII. 615
Schimperi *Dene* VIII. 616
suaveolens *RBr.* VIII. 614
syringaefolia Dene VIII. 624
Tagudinia *Blanco* VIII. 617
tenacissima *Wight* VIII. 616
tinctoria *RBr.* VIII. 615
tomentosa *Morr. & Dene* VIII. 617
urceolata *Dene* VIII. 617
velutina *RBr.* VIII. 614
verrucosa *Dene* VIII. 615
viridiflora *RBr.* VIII. 615
Marsypianthes *Mart.* XII. 31 84
foliolosa *Eth.* XII. 85
hyptoides *Mart.* XII. 84
β eriocephala - 85
γ bracteosa - -
δ arenosa - -
ε calycina - -
ζ elatior - -
γ umbrosa - -
montana *Eth.* XII. 85
secundiflora Mart. & Gal. XII. 85
sessiliflora Presl XII. 85
Martynia *L.* IX. 253 *Lour.* IX. 255 *Gloxin* IX. 253 *Auct.* IX. 254
alternifolia Lam. IX. 253
angulosa Lam. IX. 253
annua L. IX. 253 254
capensis Gloxin IX. 254 257
caulescens Desf. IX. 254
Craniolaria Sw. IX. 254
diandra *Gloxin* IX. 253

Martynia
fallax Kse IX. 254
fragrans *Lindl.* IX. 564
fruticosa Gloxin IX. 254 VII. 526
hirsuta Desf. IX. 254
integrifolia Steud. IX. 254 255
longiflora Meerb. IX. 254 257
Louisiana Mill. IX. 253
lutea *Lindl.* IX. 253
montevidensis *Cham.* IX. 254
perennis L. IX. 254 VII. 534
proboscidea *Gloxin* IX. 253 254
spathacea Lam. IX. 254
spathacea Spr. IX. 254
speciosa herb. amat. VII. 534
triloba *Cham. & Schl.* IX. 253
sanguebarica Lour. IX. 254 256
M 114 *Macrae* XI. 232
Marum aegyptiacum Vesl. XII. 281
Mascarenhasia *Dc. fil.* VIII. 487
angustifolia *Dc. fil.* VIII. 488
arborescens *Dc. fil.* VIII. 488
Havetii *Dc. fil.* VIII. 488
lanceolata *Dc. fil.* VIII. 488
lusianthiflora *Dc. fil.* VIII. 487
Maschalanthus Dc. fil. X. 161 (Omphalodes)
Massassa XIII. 2. 230
Mastacanthus Endl. XI. 624
sinensis Endl. XI. 625
Mastichina Bth. XII. 197
Matoperro VIII. 645
Matelea *Aubl.* VIII. 591
laevis Ware VIII. 591
latifolia *Aubl.* VIII. 591
linearis Dene VIII. 603
palustris *Auhl.* VIII. 591
Mathea Vell. X. 192
apostolica Vell. X. 194
Matthissonia Radd. X. 590
Matourea Bth. X. 393
guianensis Aubl. X. 382
nigrescens Bth. X. 394
pratensis Aubl. X. 382
Mattia *Schult.* X. 167 *G. Don* X. 120
angustifolia *G. Don* X. 169
Aucheri *Dc. fil.* X. 169
caespitosa *Dc. fil.* X. 168
canescens *Dc. fil.* X. 168
Columnae G. Don X. 148
corymbiformis *Dc.* X. 169
β polystachya – – –
cristata *G. Don* X. 170
emarginata R. & Schult. X. 170
Mattia
glastifolia *G. Don* X.
graeca *Dc. fil.* X. 168
lanata *Schult.* X. 167
lateriflora G. Don X.
leptophylla *Dc. fil.* X.
magellensis G. Don X.
pilosa G. Don X. 120
punctata *Dc. fil.* X. 16
staminea R. & Schult.
umbellata C. Koch X.
umbellata *Schult.* X.
β armeniaca *Dc.* –
Spec. Kotschy X. 166
Mattuschkia Schreb. XI.
Maurandia *Ort.* X. 265
antirrhiniflora *W.* X.
Barclayana *Lindl.* X.
juncea *Bth.* X. 296
personata Lag. X. 296
scandens Pers. X. 297
semperflorens *Ort.* X.
stricta *Hook. & Arn.*
Maurella Dun. XIII. 1.
Maycockia *Dc. fil.* VIII.
Rauwolfiae *Dc. fil.* V
Mayepea *Aubl.* VIII. 29
guianensis *Aubl.* VIII.
Maytenus Molin. VIII. 2
Boaria Molin. VIII. 2
Mazus *Lour.* X. 342 375
bicolor Bth. X. 375
dentatus *Wall.* X. 375
laevifolius *Blum.* X. 3
pinnatus Wall. X. 376
Pumilio *RBr.* X. 375
rugosus *Lour.* X. 375
surculosus *Don* X. 37
Meadia Catesb. VIII. 55
Mecardonia Bth. X. 393
Mecardonia R. & Pav.
ovata *R. & Pav.* X.
pusilla Mart. X. 394
Medeola L. VIII. 149
aculeata L. VIII. 151
Medium Dc. fil. VII 45
Medium L. VII. 458
Dioscoridis Rauw. VII
Megalanthe Gaud. IX. 1
Megacista Dc. fil. VIII.
Megasanthes G. Don D
424 (Wal

ı *Dc. fil.* VIII. 471 (Echi-
tes)
Dc. fil. VIII 432 (Aga-
nosma)
Dc. fil. VIII. 414 (Ho-
larrhena)
ma *RBr.* X. 347
a *RBr.* X. 347
BAR *Bth.* X. 528
affinis tetraphylla Pluk.
XI. 267
cognata madraspatana
Pluk. XI. 239
m *L.* X. 528 562
Pers. X. 584
um *Mx.* X. 584
L. X. 583
var. *chlorostachys Hohen.*
X. 583
ı *W. & Kit.* X. 583
ı *L.* X. 583
a *Nutt.* X. 584
Lam. X. 584
um *L.* X. 583
L. X. 583
Bth. X. 584
Baumg. X. 584
m *L.* X. 584
ı *Lam.* X. 583
ı *Pers.* X. 583
m &c. *Burm.* XII. 14
x *Endl.* VII. 494
nigra Rauw. XIII. 1.
356
ıs *Pohl* XI. 561 566
Pohl XI. 569
itus Pohl XI. 569
atus Pohl XI. 566
lalis Pohl XI. 569
s *Pohl* XI. 569
Pohl XI. 570
erg. X. 336 337
ı *Bth.* X. 338
E. Mey. X. 338
oides Bth. X. 338
Berg. X. 338
Hook. X. 338 521
a *Salisb. Bth.* VII. 683
(Erica)
RBr. VII. 740
a *A. Cunn.* VII. 740
A. Cunn. VII. 740
A. Cunn. VII. 740
RBr. VII. 740
RBr. VII. 740

Melidora Salisb. VII. 732
pellucida Salisb. VII. 733
Melikeni XIII. 1. 283
Melinia *Dene* VIII. 588
Candolleana *Dene* VIII. 589
Commersoniana *Dene* VIII. 589
Meliotis viminalis Sw. VIII. 540
Meliphyllum Bth. XII. 240
Melissa *Tourn.* XII. 150 240 *Jacq.*
XII. 259 *L. Auct.* XII. 226
abyssinica Hochst. XII. 224
Acinos Bth. XII. 241 230
Aetheos hort. XII. 242 228
alba W. & Kit. XII. 242 225
alpina Bth. XII. 242 232
alpina var. simensis Hochst. XII
231
altissima Sibth. & Sm. XII. 241
arborescens *Desf.* XII. 241
arundana Boiss. XII. 233
atrorubens &c. Dill. XII. 353
Calamintha L. XII. 242 228
candidissima Munby XII. 227
carolinlana Bth. XII. 242 229
Clinopodium Bth. XII. 242 233
coccinea Spr. XII. 242 229
cordifolia Pers. XII. 241
cretica Lam. XII. 242 225
cretica L. XII. 242 227
cretica Russ. XII. 242 226
debilis Bth. XII. 242 232
flava *Bth.* XII. 241
foliosa Opiz XII. 240
fruticosa L. XII. 242 225
glandulosa Bth. XII. 242 227
grandiflora L. XII. 242 229
graveolens Bth. XII. 242 231
graveolens Host XII. 240
hirsuta Balb. XII. 241
hirsuta *Bhim.* XII. 241
incana Bth. XII. 242 226
inodora *Hassk.* XII. 698
longicaulis Bth. XII. 234
longicaulis Vall. XII 242
lotoria Rumph XII. 242 74
macrostema Bth. XII. 242
majoranaefolia Mill. XII. 242 231
marifolia Pers. XII. 242 225
maxima Ard. XII. 242 163
microphylla Bth. XII. 242 231
nepalensis Bth. XII. 242 244
Nepeta L. XII. 242 228
obtusifolia Pers. XII. 242 228
officinalis *L.* XII. 240
origanifolia Bth. XII. 242 214

Melissa
parviflora *Bth.* XII. 241
patavina Bth. XII. 242 231 395
perennis Forsk. XII. 242 355
pulegioides L. XII. 242 244
Pulegium Roch. XII. 242 224
purpurascens Bth. XII. 242 231
pyrenaica Jacq. XII. 242 259
repens Bth. XII. 242 233
repens var. Hook. & Arn. XII. 233
romana Mill. XII. 241
rotundifolia Bth. XII. 242 232
rugosa *Lour.* XII 241
subnuda W. & Kit. XII. 242 224
sylvestris Lam. XII. 242 433
taurica hort. XII. 241
teucrioides Boiss. XII. 242 380
thymifolia Bth. XII. 242 227
turcica Tabern. XII. 401
umbrosa MB. XII. 242 233
veronicaefolia *Pers.* XII. 241
MELISSEAE *Bth.* XII. 150
MELISSINEAE Bth. XII. 148
Melissoides Bth. XII. 62 (Plectranthus)
Melissophyllum Riv. XII. 432
MELITTEAE *Bth.* XII. 407
Melittis *L.* XII. 407 432
albida Guss. XII. 433
caroliniana Spr. XII. 433 435
grandiflora Sm. XII. 432
japonica Thbg XII. 433
Melissophyllum Jacq. XII. 433
Melissophyllum *L.* XII. 432
Mella Vand. X. 392 394 396
Melloca *Lindl.* XIII. 2. 221 224 (*delendum; est* Ullucus *Lozan.* XIII. 2. 462)
peruviana *Moq.* XIII. 2. 225 (Ullucus tuberosus *Lozan.* XIII. 2. 462)
tuberosa *Lindl.* XIII. 2. 224 (Ullucus Kunthii *Moq.* XIII. 2. 462)
Melodinus *Forst.* VIII. 329
Baueri *Endl.* VIII. 329
Cumingii *Dc. fil.* VIII. 330
eugenifolius Wall. VIII. 330 331
monogynus *Carey* VIII. 329
β macranthus *Dc. fil.* – 330
monogynus Lindl. VIII. 330
orientalis *Blum.* VIII. 330
parvifolius *Lodd.* VIII. 330
philippinensis *Dc. fil.* VIII. 330
phyllireoides Labill. VIII. 330

Melodinus
scandens *Forst.* VIII. 3
undulatus *Lodd.* VIII. 3
Melongena Dun. XIII. 1.

Melongena Tourn. XIII. 1
fructu incurvo Tourn.

fructu rotundo &c. To

spinosa &c. Tourn. X

Melosperma *Bth.* X. 342
andicola *Bth.* X. 374
Memecylum Mitch. VII. 5
Menais *Loeffl.* IX. 512
blanda Blanco IX. 512
mollis Blanco IX. 512
topiaria *L.* IX. 512
Mendoncia *Vell.* XI. 49 5
albida Vell. XI. 52 53
angustifolia Poepp. XI.
aspera Nees XI. 51
aspera *R. & Pav.* XI.
β rotundifolia –
coccinea Vell. XI. 52
glabra *Poepp. & Endl.*
hirsuta *Poepp. & Endl.*
Hoffmanseggiana *Nees*
Meyeniana *Nees* XI. 51
β glabra – – 52
multiflora *Poepp. &*

Perrottetiana *Nees* XI.
pilosa *Mart.* XI. 50
puberula *Mart.* XI. 53
β micropus – – –
pubescens Poepp. &

racemosa *R. & Pav.* X
Riedeliana *Nees* XI. 51
rotundifolia Poepp. &

Schomburgkiana *Nees*
Schottiana *Nees* XI. 51
α villosa – – –
β glabrescens – – –
Sellowiana *Nees* XI. 53
speciosa *Nees* XI. 54
squamuligera *Nees* XI.
strigosa Poepp. XI. 52
tomentosa *Poepp.* XI.
Velloziana *Mart.* XI. 5
α Sprengelia – – –
β Ephilogeia – – –

. & *Pav.* XI. 50
Poepp. XI. 51
Hoffmans. XI. 50
a *Pohl* XI. 51
AE Meisn. XI. 49
Endl. X. 94
X. 30
chauer XIII. 2. 233 270
Moq XIII. 2. 270
Schauer XIII. 2. 271
Moq. XIII. 2. 271
Rchr. VII. 518
l. & Bompl. VIII. 300 316
noides *M. B. & Bth.* VIII. 316
lla *Meriq.* VIII. 346
a *Steud.* VIII. 316 315
ud. VIII. 316 315
XII. 149 164 156 *L.*
II. 164 *Roxb.* XII. 151 159
Reich. XII. 172
Sm. XII. 172
ta Opiz XII. 170
Moench XII. 171
ola XII. 172
a *Host* XII. 176
. XII. 170
a *Fries* - -
W. - -
- -
ta - -
- 171
ola XII. 170
ativa Fresen XII. 172
nuavifolia Fries XII. 172
varticillata Fries XII. 172
is XII. 172
. XII. 171
- -
- 172
- -
- -
- -
- -
- 173
- -
ola XII. 172
Host XII. 173
L. XII. 176 157
ata XII. 170
Br. XII. 174

Mentha
austriaca Host XII. 173
austriaca Jacq. XII. 172
badensis Gmel. XII. 172
ballotaefolia Opiz XII. 170
balsamea Reich. XII. 168
balsamea W. XII. 168 (*bis*)
blanda Dc. XII. 176 161
blanda Wall. XII. 176 160
borealis Mx. XII. 173
brachiata Weihe XII. 170
brevispicata Lehm. XII. 168
bugulaefolia Weihe XII. 170
Cablin Blanco XII. 176 156
canadensis Auct. XII. 173
canadensis *L.* XII. 173
α villosa - -
β glabrata - -
canariensis Lam. XII. 176
canariensis L. XII. 176 194
candicans Crantz XII. 166
candicans Mill. XII. 167
canescens Roth XII. 166
canescens Sieb. XII. 165
capensis Burch. XII. 167
capensis Thbg XII. 168
capitata Opiz XII. 170
carinthiaca Host XII. 172
carniolica Host XII. 172
cervina L. XII. 176 164
chalepensis Mill. XII. 166
ciliata Opiz XII. 168
citrata Ehrh. XII. 171
coccinea *Roxb.* XII. 176
coerulea Opiz XII. 172
cordifolia Opiz XII. 168
corymbosa Lam. XII. 176
crenata Becker XII. 172
cretica hort. XII. 165
crispa Auct. XII. 173
crispa L. XII. 170
crispa Roth XII. 168
crispa Ten. XII. 167
crispata Schrad. XII. 168
Cunninghamii *Bth.* XII. 174
dahurica Fisch. XII. 173
dalmatica Tausch XII. 172
dentata W. XII. 168
diemenica Spr. XII. 174
diffusa Lejeune XII. 172
divaricata Host XII. 172
divaricata Lag. XII. 169
dubia Schreb. XII. 172
dubia Vill. XII. 170
dulcissima Dumort. XII. 167
dumetorum Schult. XII. 167 170

Martynia
fallax Kse IX. 254
fragrans *Lindl.* IX. 564
fruticosa Gloxin IX. 254 VII. 526
hirsuta Desf. IX. 254
integrifolia Steud. IX. 254 255
longiflora Meerb. IX. 254 257
Louisiana Mill. IX. 253
lutea *Lindl.* IX. 253
montevidensis *Cham.* IX. 254
perennis L. IX. 254 VII. 534
proboscidea *Gloxin* IX. 253 254
spathacea Lam. IX. 254
spathacea Spr. IX. 254
speciosa herb. amat. VII. 534
triloba *Cham. & Schl.* IX. 253
zanguebarica Lour. IX. 254 256
№ 114 *Macrae* XI. 232
Marum aegyptiacum Vesl. XII. 281
Mascarenhasia *Dc. fil.* VIII. 487
angustifolia *Dc. fil.* VIII. 488
arborescens *Dc. fil.* VIII. 488
Havetii *Dc. fil.* VIII. 488
lanceolata *Dc. fil.* VIII. 488
lisianthiflora *Dc. fil.* VIII. 487
Maschalanthus Dc. fil. X. 161 (Omphalodes)
Massassa XIII. 2. 230
Mastacanthus Endl. XI. 624
sinensis Endl. XI. 625
Mastichina Bth. XII. 197
Mataperro VIII. 645
Matelea *Aubl.* VIII. 591
laevis Ware VIII. 591
latifolia *Aubl.* VIII. 591
linearis Dene VIII. 603
palustris *Aubl.* VIII. 591
Mathea Vell. X. 192
apostolica Vell. X. 194
Matthissonia Radd. X. 590
Matourea Bth. X. 393
guianensis Aubl. X. 382
nigrescens Bth. X. 394
pratensis Aubl. X. 382
Mattia *Schult.* X. 167 *G. Don* X. 120
angustifolia *G. Don* X. 169
Aucheri *Dc. fil.* X. 169
caespitosa *Dc. fil.* X. 168
canescens *Dc. fil.* X. 168
Columnae G. Don X. 148
corymbiformis *Dc.* X. 169
β polystachya – – –
cristata *G. Don* X. 170
emarginata R. & Schult. X. 170

Mattia
glastifolia *G. Don* X.
graeca *Dc. fil.* X. 16
lanata *Schult.* X. 167
lateriflora G. Don X.
leptophylla *Dc. fil.* X
magellensis G. Don X
pilosa G. Don X. 12
punctata *Dc. fil.* X. 1
staminea R. & Schult
umbellata C. Koch X
umbellata *Schult.* X.
β armeniaca *Dc.* –
Spec. Kotschy X. 16
Mattuschkia Schreb. XI
Maurandia *Ort.* X. 265
antirrhiniflora *W.* X.
Barclayana *Lindl.* X.
juncea *Bth.* X. 296
personata Lag. X. 29
scandens Pers. X. 29
semperflorens *Ort.* X.
stricta *Hook. & Arn.*
Maurella Dun. XIII. 1.
Maycockia *Dc. fil.* VIII.
Rauwolfiae *Dc. fil.*
Mayepea *Aubl.* VIII. 29
guianensis *Aubl.* VIII.
Maytenus Molin. VIII.
Boaria Molin. VIII.
Mazus *Lour.* X. 342 37
bicolor Bth. X. 375
dentatus *Wall.* X. 37
laevifolius *Blum.* X.
pinnatus Wall. X. 37
Pumilio *RBr.* X. 375
rugosus *Lour.* X. 375
surculosus *Don* X. 37
Meadia Catesb. VIII. 5
Mecardonia Bth. X. 383
Mecardonia R. & Pav.
ovata R. & Pav. X.
pusilla Mart. X. 394
Medeola L. VIII. 149
aculeata L. VIII. 151
Medium Dc. fil. VII.
Medium L. VII. 458
Dioscoridis Rauw. VI
Megalanthe Gaud. IX.
Megacista Dc. fil. VII
Megasanthes G. Don 424 (W

le XII. 170
ll. XII. 170
oench XII. 172 (bis)
le XII. 170
Roxb. XII. 176 161
Host XII. 172
chult XII. 173
pis XII. 172
ch. Pall. XII. 176 163
Pers. XII. 170
am. XII. 176 163
. XII. 177 127
XII. 172
. XII. 172
lees XII. 169
XII. 169
– –
cinalis Sole XII. 169
estris Sole XII. 169
garis Sole XII. 169
m. XII. 170
XII. 172
XII. 177 185
Host XII. 172
e XII. 173
le XII. 168
– –
Thuill. XII. 172
ost XII. 172
eich. XII. 169
. XII. 169 170
ilt. XII. 168
st XII. 173
Reich. XII. 175
. XII. 175
– –
– – –
le XII. 175
b. XII. 177 158
XII. 172
oench XII. 177 164
ost XII. 170
Ten. XII. 170
Dan XII. 177 157
Roxb. XII. 177 157
Roth XII. 177 158
s Opiz XII. 167
Opiz XII. 167
h. XII. 175
– –
is XII. 173
rab. XII. 170
XII. 170 171
XII. 167
XII. 172

Mentha
rotundata Opiz XII. 172
rotundifolia L. XII. 167
rotundifolia Sm. XII. 167
Royleana Bth. XII. 169
rubra Huds. XII. 168
rubra Sm. b. XII. 173
rubra Sm. XII. 172
rubra oxymodera Reich. XII. 172
rugosa Lam. XII. 167
salicina Burch. XII. 168
sapida Tausch XII. 167
sativa Becker XII. 172
sativa L. XII. 171
sativa Nees XII. 173
sativa Sm. XII. 171
sativa Sm. b. XII. 172
sativa Sole XII. 172
satureioides RBr. XII. 174
secunda Roxb. XII. 177 152
serotina Host XII. 172
serotina Ten. XII. 167 (bis)
serpyllifolia Bth. XII. 174
β latifolia – – –
simplex Host XII. 175
Speckmuseriana Opiz XII. 172
spicata Crantz VII. 168
stachyoides Host XII. 172
stellata Hamilt. XII. 177 158
stellata Lour. XII. 177 158
suaveolens Ehrh. XII. 167
suaveolens Host XII. 172
suavis Guss. XII. 169
suavis Hoffm. XII. 167
subspicata Wethe XII. 170
sylvatica Host XII. 172
sylvestris L. XII. 166
α mollissima L. XII. 166
β sandicens – – –
γ glabrata – – –
δ vulgaris – – 167
ε nemorosa – – –
ζ – – – –
η crispa – – –
sylvestris Oed. XII. 167
sylvestris α Sm. XII. 167
sylvestris β Sm. XII. 167
sylvestris glabra Koch XII. 168
tenuifolia Host XII. 172
tenuifolia Opiz XII. 168
tenuis Frank. XII. 169
tenuis Mx. XII. 168
tomentella Hoffm. & Link XII. 175
tomentosa Borkh. XII. 167

Melissa
parviflora *Bth.* XII. 241
patavina Bth. XII. 242 231 395
perennis Forsk. XII. 242 355
pulegioides L. XII. 242 244
Pulegium Roch. XII. 242 224
purpurascens Bth. XII. 242 231
pyrenaica Jacq. XII. 242 259
repens Bth. XII. 242 233
repens var. Hook. & Arn. XII. 233
romana Mill. XII. 241
rotundifolia Bth. XII. 242 232
rugosa *Lour.* XII. 241
subnuda W. & Kit. XII. 242 224
sylvestris Lam. XII. 242 433
taurica hort. XII. 241
teucrioides Boiss. XII. 242 380
thymifolia Bth. XII. 242 227
turcica Tabern. XII. 401
umbrosa MB. XII. 242 233
veronicaefolia *Pers.* XII. 241
MELISSEAE *Bth.* XII. 150
MELISSINEAE Bth. XII. 148
Melissoides Bth. XII. 62 (Plectranthus)
Melissophyllum Riv. XII. 432
MELITTEAE *Bth.* XII. 407
Melittis *L.* XII. 407 432
albida Guss. XII. 433
caroliniana Spr. XII. 433 435
grandiflora Sm. XII. 432
japonica Thbg XII. 433
Melissophyllum Jacq. XII. 433
Melissophyllum *L.* XII. 432
Mella Vand. X. 392 394 396
Melloca *Lindl.* XIII. 2. 221 224 (*delendum; est* Ullucus *Lozan.* XIII. 2. 462)
peruviana *Moq.* XIII. 2. 225 (Ullucus tuberosus *Lozan.* XIII. 2. 462)
tuberosa *Lindl.* XIII. 2. 224 (Ullucus Kunthii *Moq.* XIII. 2. 462)
Melodinus *Forst.* VIII. 329
Baueri *Endl.* VIII. 329
Cumingii *Dc. fil.* VIII. 330
eugenifolius Wall. VIII. 330 331
monogynus *Carey* VIII. 329
β macranthus *Dc. fil.* – 330
monogynus Lindl. VIII. 330
orientalis *Blum.* VIII. 330
parvifolius *Lodd.* VIII. 330
philippinensis *Dc. fil.* VIII. 330
phyllireoides Labill. VIII. 330

Melodinus
scandens *Forst.* VIII
undulatus *Lodd.* VII
Melongena Dun. XIII.

Melongena Tourn. XII
fructu incurvo Tou

fructu rotundo &c.

spinosa &c. Tourn.

Melosperma *Bth.* X. 3
andicola *Bth.* X. 37
Memecylum Mitch. VII
Menais *Loefl.* IX. 512
blanda Blanco IX. 5
mollis Blanco IX. 5
topiaria *L.* IX. 512
Mendoncia *Vell.* XI. 4
albida Vell. XI. 52
angustifolia Poepp.
aspera Nees XI. 51
aspera *R. & Pav.* X
β rotundifolia
coccinea Vell. XI. 5
glabra *Poepp. & En*
hirsuta *Poepp. & En*
Hoffmanseggiana *Ne*
Meyeniana *Nees* XI.
β glabra – –
multiflora *Poepp.* 5

Perrottetiana *Nees* X
pilosa *Mart.* XI. 50
puberula *Mart.* XI.
β micropus – –
pubescens Poepp.

raeemosa *R. & Pav.*
Riedeliana *Nees* XI.
rotundifolia Poepp.

Schomburgkiana *Nee*
Schottiana *Nees* XI.
α villosa – –
β glabrescens – –
Sellowiana *Nees* XI.
speciosa *Nees* XI. 5
squamuligera *Nees*
strigosa Poepp. XI.
tomentosa *Poepp.* X
Velloziana *Mart.* XI
α Sprengelii – –
β Sphagnalis – –

[redacted]

X. 89
G. Don X. 92
Don X. 89
Don X. 91
Don X. 88
90
X. 90
X. 90
Roth X. 88
X. 89
X. 89
X. 89
on X. 89
G. Don X. 89
91
Don X. 90
X. 88
Dcne XIII. 1. 701
(Plantago)
XII. 20 46
XII. 46
XII. 46
XII. 122 (Hyptis)
hirsutum P. Beauv.
XII. 126
Arg. X. 175
X. 176
Don IX. 528 (Tournefortia)
(Mesonaeschmidia)
L. IX. 513 514 528
IX. 528
IX. 544
IX. 544
Don IX. 521
Don IX. 527
IX. 528
IX. 528
Don IX. 517
IX. 527
sseq. IX. 530
& Schult. IX. 522
Schult. IX. 522
Gurke IX. 520
Schult. IX. 521
& Schult. IX. 520
Don IX. 521
Don IX. 521
& Schult. IX. 518
G. Don IX. 525
Don IX. 526
IX. 525
W. IX. 544
IX. 520
& Schult. IX. 522
Schult. IX. 524

Messerschmidtia
subulata Gürke IX. 526
syringaefolia R. & Schult. IX. 526
tomentosa G. Don IX. 524
umbellata G. Don IX. 524
velutina G. Don IX. 524
volubilis R. & Schult. IX. 523
Metaplexis RBr. VIII. 510
chinensis Dcne VIII. 511
fimbriata Spr. VIII. 511
mucronata Spr. VIII. 511 520
Stauntoni R. & Schult. VIII. 511
Metastelma RBr. VIII. 512
acuminatum Dcne VIII. 514
aphyllum Dcne VIII. 515
Berterianum Dcne VIII. 515
calcaratum Dcne VIII. 513
campanulatum Dcne VIII. 514
album Dcne VIII. 515
cuspidatum Dcne VIII. 516
diffusum Dcne VIII. 516
Fraseri Dcne VIII. 512
gracile Dcne VIII. 515
hernandifolium Dcne VIII. 516
hirsutum Kl. VIII. 513
latipes Dcne VIII. 512
Martinum Dcne VIII. 513
mucronatum Dcne VIII. 514
myrtifolium Dcne VIII. 514
odoratum Dcne VIII. 513
Parallas Dcne VIII. 514
parviflorum RBr. VIII. 512
pedunculatum Dcne VIII. 514
rotundifolium Dcne VIII. 515
Schlechtendalii Dcne VIII. 513
stenolobum Dcne VIII. 515
tomentosum Dcne VIII. 514
venosum Dcne VIII. 514
virgatum Dcne VIII. 515 516
Metheca XIII. 2. 69
Metrosideros ... VIII. 206
Metternichia Mikan XIII. 1. 8 593
IX. 443 X. 596
affinis Pohl XIII. 1. 594
... Don XIII. 1. 595
Principis Mikan XIII. 1. 594
Principis Mikan XIII. 1. 594
METTERNICHIA ... XIII. 1. 8 593
Meyenia Nees XI. 69 Schlecht. XIII. 1. 598
corymbosa Schlecht. XIII. 1. 600
fascicularis Schlecht. XIII. 1. 599
Hawtayneana Nees XI. 69

XII. 226 174
XII. 214 215
– –
– –
lia *Webb* XII. 215
. & *Heldr.* XII. 215
alcon. XII. 224
Webb XII. 216
XII. 217
XII. 213
– –
Webb XII. 216
Webb XII. 216
XII. 215
Webb XII. 216
XII. 216
. XII. 224
Bth. XII. 219
– – –
– – –
XII. 225
ch. XII. 226 209
oiss. & *Hohen.* XII. 214
XII. 218
. XII. 222
– –
r. & *Gr.* XII. 230
XII. 222
Bth. XII. 214
II. 219
ich. XII. 214
s. XII. 219
. XII. 221
– –
ope XII. 218
ebb XII. 216
ebb XII. 216
h. XII. 224
– –
. XII. 220
ich. XII. 226 210
fil. XII. 226 174
. XII. 225
Bth. XII. 226 174
ha Webb XII. 217
XII. 129
Boiss. & *Heldr.* XII. 220
h. XII. 226 210
Koch XII. 221
iss. & *Hohen.* XII. 221
th. XII. 223
th. XII. 221

Micromeria
subcordata Vis. XII. 221
Teneriffae *Bth.* XII. 220
tenuifolia *Reich.* XII. 215
tenuis *Webb* XII. 215
thymoides *de Notar.* XII. 219
thymoides Webb XII. 216
trogothymus Webb XII. 216
varia *Bth.* XII. 215
variegata Reich. XII. 226 209
xalapensis *Bth.* XII. 223
xylorrhiza *Boiss.* & *Heldr.* XII. 217
Micronepeta Bth. XII. 394 (Nepeta)
Micropsyllium Dene XIII. 1. 696 (Plantago)
Micropyxis *Duby* VIII. 71
elongata *Duby* VIII. 71
pumila *Duby* VIII. 72
β ovalis – –
rubricaulis *Duby* VIII. 72
M 748 *d'Orbigny* VIII. 71
Microstemma Wall. VIII. 646
Microtea *Sw.* XIII. 2. 4. 16 424
H. B. & *Kth.* XIII. 2. 16
celosioides Moq. XIII. 2. 18
debilis *Sw.* XIII. 2. 17
α ovata – – –
β rhombifolia – – –
glochidata *Moq.* XIII. 2. 18
lanceolata Delil. XIII. 2. 17
maypurensis *G. Don* XIII. 2. 17
β angustifolia – – 18
ovata Delil. XIII. 2. 17
paniculata *Moq.* XIII. 2. 18
β linifolia – – –
Sprengelii *Moq.* XIII. 2. 19
tenuifolia *Moq.* XIII. 2. 18
MICROTEAE *Moq.* XIII. 2. 4. 16
Microtrema Klotzsch VII. 613
opulentum Klotzsch VII. 667
Millefolium C. Bauh. VIII. 3
aquaticum Lob. VIII. 6
Millingtonia *L. fil.* IX. 182
Clematis *Schrad.* IX. 182
hortensis *L. fil.* IX. 182
pinnata *Blanco* IX. 182
quadripinna *Blanco* IX. 183
Miltitzia *Dc. fil.* IX. 296
lutea *Dc. fil.* IX. 296
Miltus Lour. XIII. 2. 26
africana Lour. XIII. 2. 28
Mimuloides Bth. X. 394 (Hespestes)
Mimulus *L.* X. 341 368 *Bth. Auct.* X. 368 *Hook.* & *Arn.* X. 374 *H. B.* & *Kth.* X. 335
alatus *Soland.* X. 369

. *Don* VIII. 206
Dc. fil. – –
illem. VIII. 207
am. VIII. 202 201
Wall. VIII. 195
Br. VIII. 208
n. VIII. 207
e. fil. VIII. 205
– – –
chst. VIII. 672
il. VIII. 204
ert. VIII. 206
co VIII. 207
II. 195
ex. IX. 337
& Lex. IX. 337
ed. XIII. 2. 411
s Adans. VII. 457
th. XII. 127 130 (Hyptis)
Eth. XII. 185 (Bystropogon)
IX. 278
. IX. 278
hois. XIII. 2. 427
. 2. 427 *Cav.* XIII.
ph XIII. 2. 427
2. 429
. XIII. 2. 429 433
v. XIII. 2 426
. XIII. 2. 428
. XIII. 2. 429 431
er XIII. 2. 427
(III. 2. 428
: XIII. 2. 428
– – –
XIII. 2. 428
2. 427
– 428
– –
– –
II. 2. 428
. 2. 428
: XIII. 2. 428
XIII. 2. 428
n. XIII. 2. 428
XIII. 2. 428
XIII. 2. 427
P. & Kth. XIII. 2. 428
I. 2. 429
XIII. 2. 428
II. 2. 429 430
III. 507
s VIII. 507

Mitragyne Endl. IX. 10 (Mitrasacme)
Mitraria *Cav.* VII. 537
coccinea *Cav.* VII. 537
Mitrasacme *Labill.* IX. 9
alsinoides *RBr.* IX. 11
ambigua *RBr.* IX. 12
cinerascens *RBr.* IX. 10
capillaris *Wall.* IX. 11
chinensis *Griseb.* IX. 569
cinerascens *RBr.* IX. 10
connata *RBr.* IX. 11
elata *RBr.* IX. 11
laricifolia *RBr.* IX. 10
multicaulis *RBr.* IX. 10
nudicaulis *Reinw.* IX. 12
paludosa *RBr.* IX. 11
paradoxa *RBr.* IX. 11
phascoides *RBr.* IX. 11
pilosa *Labill.* IX. 11
polymorpha *RBr.* IX. 10
prolifera *RBr.* IX. 10
prolifera Sieb. IX. 10
pygmaea *RBr.* IX. 11
ramosa *RBr.* IX. 10
serpyllifolia *RBr.* IX. 11
Siebert *Dc.* IX. 10
squarrosa *RBr.* IX. 10
stellata *RBr.* IX. 11
trinervis *Spenn.* IX. 560
M 1 *RBr.* IX. 10
„ 2 *RBr.* IX. 11
„ 4 *RBr.* IX. 12
„ 5 *RBr.* IX. 11
Mitreola *L.* IX. 8
oldenlandioides *Wall.* IX. 9
ophiorrhizoides A. Rich. IX. 9
paniculata *Wall.* IX. 9
petiolata *Torr. & Gr.* IX. 8
sessilifolia *Torr. & Gr.* IX. 9
β angustifolia – – –
Swartzii G. Don IX. 9
Mitsa maculata Chap. XII. 72
Mitschertlichia Eth. XIII. 2. 447
spectabilis Eth. XIII. 2. 448
Mniarum Forst. XIII. 2. 219
Modira-caniram Rheed. IX. 14
Mogalinga-marum VIII. 675
Mogenophum Dun. XIII. 1. 335 (Solanum)
Mogiphanes Endl. XIII. 2 328 (Telanthera)
Mogiphanes Mart. XIII. 2. 378
brasiliensis Mart. XIII. 2. 378
diffusa Mart. XIII. 2. 382

XII. 363
XII. 361
ia Grah. XII. 362
XII. 362
itt. XII. 361
Bart. XII. 361
Raf. XII. 363
ot. rep. XII. 363
. XII. 363
ns Wender. XII. 361
Lam. XII. 361
Pursh XII. 361
XII. 363
. XII. 361
Nutt. XII. 362
Sims XII. 362
k XII. 362
Vausch XII. 361
rt. XII. 362
esf. XII. 362
f. XII. 362 363
Turm. XII. 363 456
Bth. XII. 29 260
Bth. XII. 150 190
Bth. XII. 191 362
Bth. XII. 190
t. XII. 190
Bth. XII. 191 190
a Bth. XII. 190
Bth. XII. 190
. XII. 190
ochst. XI. 307 411
ost. XI. 411
m Nees XI. 412
Hochst. XI. 411 731
– – –
ochst. XI. 411
s XI. 411
Hochst. XI. 384
Nees XI. 412
Nees XI. 411
isb. VII. 774
Salisb. VII. 774
erit. IX. 2
Browne X. 392
Pers. X. 400
tis Mx. X. 398
ers. X. 400
Mx. X. 400
a Pers. X. 400
a Mx. X. 397
n Schimperi Hochst. IX. 563
e. VII. 516 (Goodenia)
a Schauer XI. 524 526

Monochilus *Fisch. & Mey.* XI. 526
gloxiniaefolius *Fisch. & Mey.* XI. 526
MONOCHLAMYDEAE *Dc.* XIII. 2. 1
MONOCHLAMYDEAE Meisn. XIII. 2. 1
Monodynamis Gmel. IX. 22
guineensis Poir. IX. 22
Iserti Gmel. IX. 22
Monolepis *Schrad.* XIII. 2. 43 85
asiatica *Moq.* XIII. 2. 86
chenopodioides *Moq.* XIII. 2. 85
β trifida – – – 86
trifida Schrad. XIII. 2. 86
Monolobos Dc. IX. 228 (Jacaranda)
Monophyllaea *RBr.* IX. 274
Horsfieldii *RBr.* IX. 274
Monoporus *Dc. fil.* VIII. 112
paludosus *Dc. fil.* VIII. 113
β parvifolius – –
Monopsis *Salisb.* VII. 351 408 *Presl* VII. 352 *Endl.* VII. 352
conspicua Salisb. VII. 351
conspicua gracilis Presl VII. 352
corymbosa Presl VII. 352
debilis *Presl* VII. 351
dioica Presl VII. 352
gracilis *Dc. fil.* VII. 352
inconspicua Salisb. VII. 352 408
Speculum *Dc. fil.* VII. 351 785
Monostictides Dc. IX. 203 *Mart.* IX. 143
Monotheca *Dc. fil.* VIII. 152
mascatensis *Dc. fil.* VIII. 152
MONOTHECEAE *Dc. fil.* VIII. 152
Monothecium *Hochst.* XI. 303 310
glandulosum *Hochst.* XI. 310
Monothylaceum Don VIII. 664
Gordoni Don VIII. 665
Monotoca *RBr.* VII. 755 *Spr.* VII. 755
albens *RBr.* VII. 755
elliptica *RBr.* VII. 755
empetrifolia *RBr.* VII. 756
ledifolia *A. Cunn.* VII. 756
lineata *RBr.* VII. 755
β pauciflora *Dc.* – 756
patens *A. Cunn.* VII. 756
propinqua *A. Cunn.* VII. 756
Pumilio Spr. VII. 756 759
scoparia *RBr.* VII. 756
Monotropa *Nutt.* VII. 781 *L. & Auct.* VII. 780 781
Hypophegea Wallr. VII. 781 780

n *Dc.* XI. 709
·tl. XI. 708
r. XI. 710
Br. XI. 708
st. XI. 709
n *De. fil.* XI. 711
RBr. XI. 708
nm *De.* XI. 706
Endl. XI. 707
ides *Steud.* XI. 712
um *RBr.* XI. 710
RBr. XI. 710
Cunn. XI. 708
n *RBr.* XI. 711
Forst. XI. 711
Br. XI. 709
m – –
unn. XI. 709
Cunn. XI. 708
n *Nees* XI. 709
i *De. fil.* XI. 709
Forst. XI. 711
Forst. & RBr. XI. 706
Hook. & Arn. XI. 712 706
m *RBr.* XI. 710
Br. XI. 710
d VII. 350
Presl VII. 350
L. X. 104 *Tourn.* X.
es. *Endl.* X. 128 *Ell.*
135 *Asct.* X. 104 122
X. 114 132
B. & Kth. X. 113
chmidt X. 108
yr. X. 108
Hook. X. 114
. 114 75
chrad. X. 109
Cham. X. 114 125
hm. X. 108
ink X. 109
nch. X. 109
sylvatica Pers. X. 107
rsicolor *Koch* X. 109
Br. X. 110
ts. X. 106
B. X. 114 137
Lam. X. 114 151
Schult X. 105
. – –
a – 106
grandiflora Gaud. X. 105
Fisch. & Mey. X. 114 130

Myosotis
campestris Godet X. 108
capitata *Hook.* X. 114
chinensis *Dc.* X. 106
choristana Cham. X. 114 130
choristana Hook. X. 114 131
ciliata Rud. X. 114 127
ciliata Turcz. X. 114 126
clavata Blum. X. 128
clavata Ledeb. X. 114
collina Reich. X. 108
collina var. Wallr. X. 107
commutata R. & Schult. X. 105
compressa *Turcz.* X. 114
corymbosa *R. & Pav.* X. 113
cynoglossoides Lam. X. 114 138
dahurica Pall. X. 114 127
decumbens Host X. 107
deflexa Wahl. X. 114 135
diffusa Dougl. X. 114 143
drabaefolia Turcz. X. 115 126
echinophora Pall. X. 115 144
echinosperma fl. coro. X. 115 136
filiformis Schleich. X. 109
flaccida *Dougl.* X. 113
foliosa *Lehm.* X. 114
Forsteri *Lehm.* X. 110
fruticosa L. X. 115 IX. 547
fruticosa Rottl. IX. 547
fulva Hook. & Arn. X. 115 132
glomerata Nutt. X. 115 131
gracilis R & Pav. X. 115 120
graminifolia *Dc.* X. 110
β – –
γ trinervis *Dc. fil.* – –
grandiflora *H. B. & Kth.* X. 114
granulosa R. & Pav. X. 115 131
hispida *Schlecht.* X. 108
humilis R. & Pav. X. 115 133
javanica Sw. X. 115 143
incana Turcz. X. 115 127
incrassata *Guss.* X. 107
intermedia Lechart X. 109
intermedia *Link* X. 108
involucrata *Stev.* X. 107
Lappula Bouton X. 115 152
Lappula L. X. 115 136
Lappula var. Pall. X. 115 137
latifolia *Poir.* X. 110
laxa Lehm. X. 105
laxiflora Reich. X. 105
laxiflora parviflora Gerh. X. 105
leucophaea Dougl. X. 115 129
linearis Colla X. 115 131
lingulata Fries X. 105
lingulata R. & Schult. X. 105

Tarr. X. 114
offm. X. 107 388
Koch - 108
- -
pa - -
pestris var. Koch X. 108
Vis. X. 116 75
Hacq. X. 116 124
chrad. X. 105
ngkis X. 108
X. 109
. *h.* X. 107
Reich. X. 109
. - -
- -
ar. Hook. X. 109
n. X. 110 125
b. X. 116 126
Wahlenb. X. 155
X. 116 155
n. X. 116 142
Dc. fil. X. 49 (Anobassi)
Bth. VII. 640 (Erica)
Bth. XII. 88 (Hyptis)
ies. XII. 607 (Stachys)
el. IX. 80
. IX. 80
l. IX. 80
Vaill. XI. 594
& Lindl. VIII. 75
II. 92 *Spr.* VIII. 105
Schult. VIII. 105 107
togl. VIII. 104
fil. VIII. 96
VIII. 93 669
. fil. - -
n - - -
hamp. VIII. 93
Distr. VIII. 104 84
Hook. & Arn. VIII. 104
H. B. & Kth. VIII. 104 126
Wall. VIII. 104 88
fil. VIII. 96
fil. VIII. 99
nar. VIII. 669
. & Schult. VIII. 104 109
fil. VIII. 99
L VIII. 93
. fil. VIII. 93
Dc. fil. VIII. 103

Myrsine
canariensis Spr. VIII. 104 105
capitellata Wall. VIII. 94
β parvifolia Dc. fil. - 95
γ grandifolia - - -
Capororeca Casar. VIII. 669
ciliata H. B. & Kth. VIII. 102
cochinchinensis Dc. fil. VIII. 95
coriacea Dc. fil. VIII. 98
coriacea R. & Schult. VIII. 99
coriacea Sieb. VIII. 99
crassa Distr. VIII. 104 109
crassifolia RBr. VIII. 98
cubana Dc. fil. VIII. 98
daphnites Mart. VIII. 100
daphnites var. acutifolia Mart. VIII. 101
dentata Spr. VIII. 103
dependens Spr. VIII. 102
divaricata A. Cunn. VIII. 95
excelsa Dow VIII. 94
excelsa Link VIII. 104 106
ferruginea Spr. VIII. 102
floridana Dc. fil. VIII. 98
floscaloma Mart. VIII. 102
β glabrescens - -
fragilis Casar. VIII. 669
Gardneriana Dc. fil. VIII. 98
Gaudichaudii Dc. fil. VIII. 98
glabra Gaertn. VIII. 93
glauca Casar. VIII. 669
glomeriflora Mart. VIII. 101
Heberdenia R. & Schult. VIII. 103 106
Hookeriana Steud. VIII. 104
Icacorea R. & Schult. VIII. 104 119
ilicifolia Ledd. VIII. 104
insularis Distr. VIII. 104 109
Kellaw Hochst. VIII. 104 289
laeta Dc. fil. VIII. 103
lanceolata Wall. VIII. 95
lancifolia Mart. VIII. 100
latifolia Spr. VIII. 102
laurifolia Casar. VIII. 670
Lessertiana Dc. fil. VIII. 98
leuconeura Mart. VIII. 101
linearis Poir. VIII. 94
lucida Wall. VIII. 95
Lundiana VIII. 114
madagascariensis Dc. fil. VIII. 97
Mauglilla R. & Schult. VIII. 99
marginata Hook. & Arn. VIII. 101
maritima Casar. VIII. 670
Martiana Dc. fil. VIII. 101

[illegible] 606
[illegible]rda. IX. 274
Gardn. IX. 275
[illegible]. VII. 550
B. VII. 550
Dc. – –
[illegible]E *PB.* VII. 550
[illegible] *Vell.* IX. 15
[illegible]arum IX. 482
[illegible]*st.* VIII. 281 674
[illegible]. VIII. 281
Belladonna Matth.
Belius XIII. 1. 464
[illegible]oench VIII. 60
[illegible]ack VIII. 60
[illegible]uby VIII. 60
VIII. 509
Dcne VIII. 310
[illegible] *Pav.* IX. 309 *Endl.* IX. 309
Hook. & Arn. IX. 310
Hook. & Arn. IX. 309
Bth. IX. 309
[illegible]ook. IX. 309
B. & Pap. IX. 309
[illegible]ook. & *Arn.* IX. 309
[illegible]. IX. 310
[illegible]ook. & *Arn.* IX. 310
[illegible]*bric.* XII. 436
[illegible]*ric.* XII. 440
II. 2. 447
[illegible]. XIII. 2. 448
B. & Kth. XIII. 1. 6 480
XIII. 1. 687
B. & Kth. XIII. 1. 480 687
[illegible]. XIII. 2. 447
[illegible]*pp. & Endl.* XIII. 2. 448
Poepp. & Endl. XIII. 2. 447
[illegible]*oepp. & Endl.* XIII. 2. 448
[illegible]*p. & Endl.* XIII. 2. 449
[illegible]*hots.* XIII. 2. 449
[illegible]. & *Endl.* XIII. 2. 448
Poepp. & Endl. XIII. 2. 448
R. & Pav. XIII. 2. 447
[illegible]*epp. & Endl.* XIII. 2. 449

Neea –
pubescens *Poepp. & Endl.* XIII. 2. 449
spectabilis *Choix.* XIII. 2. 449
verticillata *R. & Pav.* XIII. 2. 448
Needhamia *RBr.* VII. 759 *Cass.* VII. 759 *Scop.* VII. 759
Pumilio *Dc.* VII. 759
α Brownei – –
β Cunninghamii – –
Neemda Bth. X. 442 (Buddleja)
Nefflea Bth. X. 246 (Celsia)
Negundo arbor mas Bauh. XI. 685
Nelantajunda Rheed. XIII. 1. 57
Nelipa Rheed. VIII. 19.
Nella Carumbee XI. 63
Nelli-teher XI. 427
Nelsonia *RBr.* XI. 62 65
albicans H. B. & Kth. XI. 67
albicans W. h. XI. 67
campestris RBr. XI. 67
canescens *Nees* XI. 67 721
α β [illegible] – – –
canescens W. h. XI. 67
hirsuta R. & Schult. XI. 67
hirta W. XI. 148
lamiifolia Roxb. XI. 67
lamiifolia Spr. XI. 66
nummulariaefolia *R. & Schult.* XI. 66
origanoides Hochst. XI. 67
origanoides R. & Schult. XI. 66
Poblii *Nees* XI. 66
rotundifolia *RBr.* XI. 66
tomentosa *W.* XI. 65
β – *Nees* – 66
γ [illegible]ngoides – – –
δ – – –
NELSONIEAE *Nees* XI. 48 62
Nematanthus *Schrad.* VII. 544
chloronema *Mart.* VII. 544
corticola Schrad. VII. 544
ionema Mart. VII. 544
longipes *Dc.* VII. 544
Nematopogon Dc. IX. 232 (Jacaranda)
Nemesia *Vent.* X. 249 260
acuminata *Bth.* X. 263
affinis *Bth.* X. 262
affinis var. β & γ Bth. X. 262
anisocarpa *E. Mey.* X. 261
barbata *Bth.* X. 261
bicornis *Pers.* X. 262
calcarata *E. Mey.* X. 261

…r. & Kit. XII. 372
…h. XII. 390
… Bth. XII. 392
…
…l. XII. 385
…l. XII. 373
… XII. 378
…n. XII. 396 456
XII. 373
…l. XII. 373
…
XII. 388
Bth. XII. 371
Boiss. XII. 396 404
May. XII. 390
…. XII. 390
… Plum. XII. 87
…a XII. 396
XII. 399
…
…th. XII. 391
…
…
…Koutsr. & Auch. XII. 391
… Boiss. XII 379
…h. XII. 377
Bth. XII. 388
Bth. XII. 382
Boiss. XII. 376
MB. XII. 385
… 386
Lapeyr. XII. 386
Reich. XII. 385
tul. XII. 385
XII. 373
Vill. XII. 383
…ia Lam. XII. 393
XII. 376
… XII. 382
… XII. 396
…ag. XII. 378
XII. 383
… XII. 384
…l. XII. 385 (bis)
… XII. 396
…. XII. 396 527
II. 396 456
…iss. & Heldr. XII. 378
Boiss. XII. 394
…. XII. 377
…l. 377
…: XII. 399
…r & Sm. XII. 377

Nepeta
juncea Bth. XII. 379
Ketschyi Boiss. XII. 391
Lagopsis Bth. XII. 379
lamiifolia Hoffm. XII. 385
lamiifolia hortul. XII. 385
lamiifolia W. XII. 390
lanata Jacq. XII. 375
lanceolata Lam. XII. 393
lasiocephala Bth. XII. 380
latifolia Dc. XII. 396
lavandulacea L. fil. XII. 370
laxa Bth. XII. 390
laxiflora Bth. XII. 393
leucophylla Bth. XII. 381
linearis Royl. XII. 371
lobata Rudolph XII. 371
longibracteata Bth. XII. 392
longiflora Kotschy XII. 399
longiflora Sieb. XII. 385
longiflora Vent. XII. 399
lophantha Fisch. XII. 396 370
macrantha Fisch. XII. 397
macrostephon Boiss. XII. 389
macrura Fisch. XII. 395
madagascariensis Lam. XII. 396 65
malabarica L. XII. 396 456
marifolia Cav. XII. 396 225
marrubioides Boiss. & Heldr. XII. 397
marrubioides W. XII. 378
maxima &c. Hoam. XII. 396 87
melissaefolia Desf. XII. 396
melissaefolia Lam. XII. 396
melissaefolia Pers. XII. 395
Meyeri Bth. XII. 394
micrantha Bunge XII. 392
micrantha Ledeb. XII. 393
micrantha C. A. May. XII. 394
minor Mill. XII. 393
mollis Bth. XII. 378
mollissima Tausch XII. 394
multibracteata Desf. XII. 374
β Brussa
multifida L. XII. 370 371
Musaini Haskal XII. 395
Mussini Reich. XII. 395
mutabilis Rich. XII. 396 122
nepalensis Spr. XII. 395
nepetella All. XII. 393
Nepetella L. XII. 393
α major
β humilis
γ incana
nervosa Royl. XII. 372

[redacted]

milt. h. VIII. 421 407
Ait. VIII. 421
Jacq. VIII. 373
L. VIII. 421 373
Lour. VIII. 421
Di Spino VIII. 421
tis &c. L. VIII. 373
n Desf. VIII. 420
n Roxb. VIII. 492
Burm. VIII. 407
Herm. VIII. 420
Weinm. VIII. 420
Mill. VIII. 420
Lam. VIII. 420
Dc. fil. VIII. 421
L. VIII. 422 412
and. VIII. 420
Lam.
erg.
or VIII. 420
VIII. 420
Dc. fil.
our. VIII. 420
bum Lodd. VIII. 420
varieg. Lodd. VIII. 420
Roxb. VIII. 422 416
Wall. h. VIII. 613
Roxb. VIII. 422
Forsk. VIII. 421
n scandens P. Browne VIII. 449
chum. VIII. 421
our. VIII. 422 417
Medik. VIII. 422 440
ortul. VIII. 420
Paxton VIII. 421
Hamilt. h. VIII. 422 408
Rottl. VIII. 422
Roxb. VIII. 422 406
Roxb. VIII. 422 405
L. VIII. 422 407
fil. XI. 702 703
es Dc. fil. XI. 703
fil. VII. 426
ans. XIII. 1. 9
Adans. XIII. 1. 10
Nees XI. 223 248
Nees XI. 248
Wall. IX. 437
IX. 437
Wall. IX. 437
IX. 124 (Ophelia)

Nicandra Adans. XIII. 1. 5. 433
Schreb. IX. 36. Link Otto XIII. 1. 552 555
amara Gmel. IX. 36
amara W. XIII. 1. 434
anomala Link & Otto XIII. 1. 434 555
indica R. & Schult. XIII. 1. 434 444
minor hort. XIII. 1. 434
physaloides Bouton XIII. 1. 434
physaloides Gaertn. XIII. 1. 434
β latifolia
Nicotiana Tourn. XIII. 1. 7. 556
Lehm. XIII. 1. 523 Moench XIII. 1. 556 R. & Pav. XIII. 1. 572 Jacquem. XIII. 1. 552
acuminata Grah. XIII. 1. 567
β
acutiflora St. Hil. XIII. 1. 565
alata Link & Otto XIII. 1. 567
alba Mill. XIII. 1. 559
alpina Poepp. XIII. 1. 564
andicola H. B. & Kth. XIII. 1. 564
angustifolia Ehrh. XIII. 1. 559
angustifolia R. & Pav. XIII. 1. 568
β parviflora - - - 569
angustifolia R. & Pav. XIII. 1. 569
anisandra Vust XIII. 1. 566
anisoplota Sweet XIII. 1. 572
auriculata Bert. XIII. 1. 558
Australasiae R.Br. XIII. 1. 565
axillaris Lam. XIII. 1. 572 573
Bertiriana h. Monsp. XIII. 1. 568
bonariensis Lehm. XIII. 1. 570
brasiliensis h. Berol. XIII. 1. 567
breviflora Gill. XIII. 1. 588
breviflora Poir. XIII. 1. 560
Cavanillesii Dun. XIII, 1. 572
cerinthoides Horn. XIII. 1. 562
cerinthoides Vitm. XIII. 1. 569
chinensis Fisch. XIII. 1. 559
cirrhoides Miers XIII. 1. 567
commutata Fisch. & Mey. XIII. 1. 570
crispa Cav. XIII. 1. 572
crispa Pers. XIII. 1. 560
decurrens? Agardh XIII. 1. 567
decurrens Tausch XIII. 1. 562
dilatata Link XIII. 1. 560
diversifolia Nees XIII. 1. 572

lla *Dun.* XIII. 1. 562
XIII. 1. 566
bert. XIII. 1. 559
rt. XIII. 1. 564
Pav. XIII. 1. 561
. & *Rov.* XIII. 1. 560
ent. XIII. 1. 565
III. 1. 572
s. X. 184
Lag. XIII. 1. 566
guerdh XIII. 1. 559
Cav. XIII. 1. 561
im. XIII. 1. 570
data hort. XIII. 1. 567
H. B. & Kth. XIII. 1. 558
ing XIII. 1. 563
Dun. XIII. 1. 7 556
R. & Pav. XIII. 1. 8 562
H. B. & Kth. XIII. 1. 586
lers XIII. 1. 566
– – –
est XIII. 1. 567
Sweet XIII. 1. 574
ook. XIII. 1. 562
ill. XIII. 1. 585
Sers XIII. 1. 585
indl. XIII. 1. 566
ook. XIII. 1. 585
Bot. Hist. XIII. 1. 563
a *Miers* XIII. 1. 584
pilosa – – –
ta – – –
Grah. XIII. 1. 589 574
Grah. XIII. 1. 586
ers XIII. 1. 567
ta – – –
– – –
Domb. XIII. 1. 588
Sendtn. XIII. 1. 566
XIII. 1. 589
Dun. XIII. 1. 566
G. Don XIII. 1. 589 573
ers XIII. 1. 585
ia De. fil. XIII. 1. 566
pr. XIII. 1. 584
M. XIII. 1. 585
a XIII. 1. 589 573
Pav. XIII. 1. 563

Nierembergia
rigida *Miers* XIII. 1. 584
rivularis *Miers* XIII. 1. 584
scoparia *Sendtn.* XIII. 1. 586
spathulata *H. B. & Kth.* XIII. 1. 583
β pilosella – – –
staticaefolia *Sendtn.* XIII. 1. 587
stricta *Miers* XIII. 1. 584
subdentata Meyen XIII. 1. 569
viscidula *H. B. & Kth.* XIII. 1. 584
viscidula H. B. & Kth. XIII. 1. 575
Nigrina L. X. 337
viscosa L. X. 338
Nila Hummatu Rheed. XIII. 1. 542
Ninanga Raf. XIII. 2. 391 397 419
bicolor Raf. XIII. 2. 404
interrupta Raf. XIII. 2. 421
Nioka Niodam Valli Rheed. VIII. 643
Nirschuli Rheed. XI. 91 145
Niru-valli IX. 500
Nitrangium Endl. Dc. VII. 335 (Stylidium)
Nonea *Moq.* XIII. 2. 48 207
Ancheri *Moq.* XIII. 2. 207
canescens *Moq.* XIII. 2. 208
α glabriuscula – – –
malacophylla *Moq.* XIII. 2. 207
oppositiflora *Moq.* XIII. 2. 209
spinosissima *Moq.* XIII. 2. 209
β asaphoscamoides – – –
tomentosa *Moq.* XIII. 2. 208
β glaberrima – – –
Tournefortii *Moq.* XIII. 2. 208
Nolana *L.* XIII. 1. 3. 9 *Lindl.* XIII. 1. 9
acuminata *Miers* XIII. 1. 12
atriplicifolia G. Don XIII. 1. 11
atriplicifolia *hort.* XIII. 1. 11
β cuneifolia – – – 12
baccata *Don.* XIII. 1. 14
carnosa *Miers* XIII. 1. 14
Chastenayana *Gaudich.* XIII. 1. 14
coelestis *Miers* XIII. 1. 13
cordata *Don.* XIII. 1. 13
coronata *R. & Pav.* XIII. 1. 10
crassulifolia Poepp. XIII. 1. 17
ericifolia *Miers* XIII. 1. 14
glandulosa *Miers* XIII. 1. 14
grandiflora Lehm. XIII. 1. 11
inflata *R. & Pav.* XIII. 1. 10
lanceolata *Miers* XIII. 1. 12

a XIII. 1. 724 (Plumbago)
lactea major Rumph VIII. 632
r prima Rumph VIII. 632
secunda Rumph VIII. 633
h. X. 416 (Vandellia)
Rheed. IX. 206
X. 432 434 XI. 524
Bth. X. 435 595
Br. X. 435
th. X. 435 436
. X. 435
Bth. X. 435 436
X. 435
th. X. 435
. X. 435 436
Bth. X. 435
X. 435
Lam. X. 434
loyen XIII. 2. 427
ch. XIII 1. 556
EAE *Choix. Lindl.* XIII. 2. 425
B Juss. Bartl. Endl. XIII. 2. 425
Juss. RBr. XIII. 2. 425
ris. XIII. 2. 429
is. XIII. 2. 429
. XIII. 2. 429
hois. XIII. 2. 430
XIII. 2. 427
XIII. 2. 429
loç. & Sess. XIII. 2. 432
us. XIII. 2. 428
rt. XIII. 2. 427
XIII. 2. 427
s. VIII. 314 *L.* VIII. 314 *Lour.* VIII. 301
mel. VIII. 314
L. VIII. 314 303
L. VIII. 314
L. VIII. 314 303
VIII. 314 305
Lour. VIII. 314 302 303
III. 314 302
rm. VIII. 314 302
ta VIII. 314 302
III. 315 301
VIII. 315 306
VIII. 315 303

Nyctanthes
undulata L. VIII. 315 302
viminea Retz VIII. 315 303
Nyctalaca Scop. IX. 291
Nycterinia *Don* X. 341 348
africana *Don* X. 350
capensis *Bth.* X. 349
coriacea *Bth.* X. 348
dentata *Bth.* X. 349
β humilis – –
divaricata *Bth.* X. 350
β parviflora – –
longiflora *Bth.* X. 349
lychnidea *Don* X. 349
maritima *Bth.* X. 348
natalensis *Bernh.* X. 348
ovata *Bth.* X. 349
pedunculariis *Bth.* X. 350
pumila *Bth.* X. 349
pusilla *Bth.* X. 350
selaginoides *Bth.* X. 349
β parviflora – – 350
spathacea *Bth.* X. 348
villosa *Bth.* X. 350
Nycteristition R. & Pav. VIII. 156
argenteum H. B. & Kth. VIII. 157
ferrugineum R. & Pav. VIII. 159 160
lanceolatum Blum. VIII. 162
Nycterium Dun. XIII. 1. 331 (Solanum)
Nycterium Vent. XIII. 1. 27
amazonicum bot. mag. XIII. 1. 335
cardamintefolium Vent. XIII. 1. 328
cordifolium Vent. XIII. 1. 332
triphyllum Lowe XIII. 1. 36
Nymphaeanthe Grisb. IX. 139 (Limnanthemum)
Nymphaea lutea minor C. Bauh. IX. 138
Nymphoides Tourn. IX. 138
Nysimi Motsy Kaempf. VIII. 293
Nyssanthes *RBr.* XIII. 2. 234 308
diffusa *RBr.* XIII. 2. 308
erecta *RBr.* XIII. 2. 309
media *RBr.* XIII. 2. 309

O.

Obesia Dene VIII. 661 (Stapelia)
Obesia Haw. VIII. 661
decora Haw. VIII. 661

um *Bth.* XII. 36
um *Mill.* XII. 40
s XII. 32
Roth XII. 43 47
s *L.* XII. 43 47
Link & Otto XII. 36
tum *Roxb.* XII. 33
ra. XII. 33
Br. XII. 43 71
Vis. XII. 39
h. Paris. XII. 33
. XII. 43 58
Hochst. XII. 43 51
Boj. XII. 35
bg XII. 42
oxb. XII. 35
Roth XII. 43 59
s *Hochst.* XII. 39
th. XII. 43 50
Schum. XII. 43 48
Roth XII. 43 365
Lindl. XII. 34
m *Forsk.* XII. 36
hort. XII. 33
Blanco XII. 43
Vell. XII. 32
anks h. XII. 43 66
Bth. XII. 33
Burm. XII. 38
L. XII. 43 163
Mill. XII. 34
s *Bursk.* XII. 34
. XII. 39
m *Blum.* XII. 43 53
m *L'Herit.* XII. 36
s *Forsk.* XII. 43 65
s *Jacq.* XII. 34
s *Lam.* XII. 35
. *L.* XII. 34
ilum. XII. 34
rsk. XII. 43 66
'olium *Hochst.* XII. 36
B. XII. 34
XII. 36
th. XII. 38
ks h. XII. 44 68
Schum. XII. 32
um. XII. 33
s *Brest.* XII. 35
Mart. XII. 32
h XII. 35
bg XII. 43 62
um. XII. 36
s *W.* XII. 33

Ocimum
lamiifolium *Hochst.* XII. 37
lanceolatum Schum. XII. 33
laxum Vahl h. XII. 33
longistylum Hochst. XII. 34
macrostachyum Poir. XII. 44 45
madagascariense Pers. XII. 44 66
majus hort. XII. 33
mayuranse Roth XII. 44 66
medium Mill. XII. 33
membranaceum *Bth.* XII. 41
menthaefolium *Hochst.* XII. 34 35
menthoides Heyne XII. 42
menthoides Burm. L. XII. 44 45
micranthum *W.* XII. 40
minimum Burm. XII. 31
minimum *L.* XII. 33
molle Ait. XII. 44 66
monachorum L. XII. 38
monadelphum RBr. XII. 44 71
monadelphum Roth XII. 44 71
monostachyum PB. XII. 44 66
nigrum Thouin XII. 33
nudicaule *Bth.* XII. 37
obovatum *E. Mey.* XII. 35
obtusifolium *E. Mey.* XII. 38
ovatum *Bth.* XII. 40
paniculatum Boj. XII. 35
paniculatum Pers. XII. 44 74
peltatum Schweig. XII. 33
petiolare Lam. XII. 34
pilosum W. XII. 33
polyeladon Link XII. 44 697 698
polystachyon L. XII. 44 48
prostratum L. XII. 44 45
pubescens Boj. XII. 35
punctatum L. XII. 44 64
punctatum Thbg XII. 43
racemosum Thbg XII. 44 66
rariflorum Hochst. XII. 39
rigidum *Bth.* XII. 40
rigidum Hamilt. XII. 44 52
rugosum *Thbg* XII. 43
salinum Mokin. XII. 33
salvioides *Heyne* XII. 42
sanctum *L.* XII. 38
scabrum *Thbg* XII. 43
scutellarioides L. XII. 44 73
scutellarioides crispum Burm. XII. 33
Sellowii *Bth.* XII. 37
serpyllifolium *Forsk.* XII. 36
serpyllifolium β glabrius Bth. XII. 36

Lamk. b. VIII. 291
i. VIII. 284
ill. VIII. 287
chos VIII. 288
VIII. 287
coriacea Ait. VIII. 287
Ait. VIII. 287
t VIII. 285
Lam. VIII. 285 674
Don VIII. 288 289
Vall. VIII. 287
Mey. VIII. 286
Vall. VIII. 285
ll. VIII. 286
. VIII. 286
Dc. - -
Wight VIII. 286
Desf. VIII. 289 293
Lam. VIII. 288 298
VIII. 284
Dc. - -
- - -
bg VIII. 285
ahl VIII. 284
L. VIII. 284
L. VIII. 284
Jacq. VIII. 287
β E. Mey. VIII. 285
VIII. 288
ortul. VIII. 285
Royl. VIII. 285
th. VIII. 674
. Mey. VIII. 285
bg VIII. 288 292
. VIII. 284
Wall. VIII. 285
Desf. VIII. 285
Wall. VIII. 288 289
Vall. VIII. 288
l. VIII. 287
. VIII. 286
locnch VIII. 284
ell. VIII. 288
m. VIII. 287 674
Cels. VIII. 289
all. VIII. 288
, Wall. - -
Lour VIII. 288 293
Vahl VIII. 287
VIII. 287
Lam. VIII. 285
offm. & Link VIII. 284
Br. VIII. 279

Olea
paniculata Roxb. VIII. 286
paniculata Wall. VIII. 288
Posua Hamilt. b. VIII. 288 291
rigida Cels. VIII. 287
robusta Wall. VIII. 288 289
Roxburghiana R. & Schult. VIII. 286
Roxburghii Spr. VIII. 286
Roxburghii var. Wall. VIII. 288 289
salicifolia Wall. III. 286
sativa Hoffm. & Link VIII. 284
sativa verrucosa W. VIII. 285
sylvestris &c. Phuk. XI. 716
undulata Jacq. VIII. 287
verrucosa Link VIII. 285
β brachybotrys Dc. - -
Wightiana Wall. VIII. 286
OLACEAE Lindl. VIII. 273
Oleaster Endl. VIII. 284
OLEINAE Don & Loud. VIII. 294
OLEINEAE Dc. VIII. 283
OLEINEAE Don & Loud. VIII. 283
OLEINEAE Hoffm. & Link VIII. 273
OLEINEAE Mart. VIII. 273
Oleoides L. VIII. 287
OLIEAE G. Don VIII. 283
Oligandra Less. XIII. 2. 61
atriplicoides Less. XIII. 2. 62
Oliganthera Endl. XIII. 2. 61 62
Oligarrhena RBr. VII. 759
micrantha RBr. VII. 760
Oligocista Dc. fil. VIII. 12 (Utricularia)
Oligotheca Dc. fil. VIII. 174 (Sapota)
Olisia Dumort. XII. 481 (Stachys)
Olus vagum Rumph IX. 349
Omalopsis Moq. XIII. 2. 33 (Phytolacca)
Ommatocaryum Dc. fil. X. 174 (Trichodesma)
Omphalium Wallr. X. 158
Omphalocarpum PB. VIII. 207
procerum PB. VIII. 208
Omphalocaryon Bth. VII. 709 (Scyphogyne)
Omphalocaryon Klotzsch VII. 709
capitatum Klotzsch VII. 710
eglandulosum Klotzsch VII. 710
muscosum Klotzsch VII. 709
Omphalococca W. XI. 647
cornifolia W. XI. 659

Omphalodes *Tourn.* X. 158
amplexicaulis *Lehm.* X. 160
brassicaefolia Boiss. X. 160
cappadocica *Dc.* X. 161
cariensis *Boiss.* X. 159
controversa *Dc.* X. 162
cornifolia Lehm. X. 162
cristata *Dc. fil.* X. 160
cristata Schrank X. 162 170
Fortisii *Dc.* X. 162
hirsuta *Dc.* X. 159
intermedia Dene X. 159
intermedia Schimp. X. 159
linifolia *Moench* X. 161
β obtusata *Dc.* – –
γ coerulescens – – –
littoralis *Lehm.* X. 160
longiflora *Dc. fil.* X. 158
Lucillae *Boiss.* X. 162
lusitanica Schrank X. 160
lusitanica cynoglossifolia Tourn. X. 161
micrantha *Dc.* X. 159
myosotoides Boiss. X. 160
myosotoides Schimp. X. 160
myosotoides *Schrank* X. 159
nitida *Hoffm. & Link* X. 161
orientalis cornifolia Tourn. X. 162
papillosa *Dc.* X. 159
repens Schrank X. 162
rugulosa *Dc.* X. 160
scorpioides *Schrank* X. 161
sempervirens D. Don X. 162 41
stricta *C. Koch* X. 160
verna *Moench* X. 162
Omphalospora Bess. X. 485 (Veronica)
Omphalostigma Griseb. IX. 71
Onchorrhynchus Lehm. X. 534 (*rect. Oncorrhynchus*)
Oncinema *Arn.* VIII. 526
Roxburghii *Arn.* VIII. 526
Oncinus *Lour.* VIII. 152
cochinchinensis *Lour.* VIII. 152
Oncogastra Mart. Dc. VII. 541 (Hypocyrta)
Oncoma Spr. XI. 676
pulchellum Spr. XI. 676
Oncorrhynchus Bth. X. 536 (Orthocarpus)
Oncorrhynchus Lehm. X. 534
pinnatifidus Lehm. X. 537
tenellus Fisch. & Mey. X. 537
Oncostemon *A. Juss.* VIII. 89
Bojeranum *Dc. fil.* VIII. 90
Oncostemon
Chapelieranum *A. Jus*
Commersonianum *A. Ju*
divaricatum *Dc. fil.* V
Goudotianum *Dc. fil.*
myrtifolium *Dc. fil.* V
nemorosum *Dc. fil.* V
pauciflorum *Dc. fil.* V
Onobrychis Lob. VII. 48
Onochilis Mart. X. 27
Onosma *L.* X. 57 *Wall.*
albo-rosea *Fisch. &*
angustifolia Lehm. X.
arenaria Reich. X. 6
arenaria Spr. X. 62
arenaria W. & Kit.
armena *Dc.* X. 59
Aucheriana *Dc.* X. 6
auriculata *Auch.* X. 6
bicolor Wall. X. 66
bifrons Stev. X. 65
bracteata *Wall.* X. 6
bulbotricha *Dc.* X. 64
β flavescens – – –
calycina *Stev.* X. 63
canescens Presl X. 5
caspica W. X. 66 3
ciliata *Dc.* X. 61
cinerea Sieb. X. 58
coerulea W. X. 66 7
concinna *Dc.* X. 64
congesta *Dc.* X. 61
divaricata Lehm. X.
echinata Auch. X. 5
echinata *Desf.* X. 64
echioides Desf. X. 5
echioides Gaud. X. 6
echioides *L.* X. 61
α *Desf.* – 62
β Sibthorpi – –
γ helvetica – –
δ arenaria – –
echioides Schkuhr X.
echioides Sibth. X. 6
echioides β. minore
elegans *C. Koch* X. 6
Emodi Wall. X. 67 7
erecta Lehm. X. 58
erecta Sibth. X. 58
frutescens *Lam.* X. 5
fruticosa *Labill.* X. 5
gigantea *Lam.* X. 60
gigantea Lehm. X. 6
Gmelini Ledeb. X. 6
hebebulba *Dc.* X. 60
heterophylla *Griseb.* X

ıll. X. 66 67
ı *Dc.* X. 58
Dc. X. 65
ıla Don X. 66
Pall. X. 67
Stev. X. 62
X. 61
ibth. & Sm. X. 58
:. 65
Habl. X. 59
:. X. 63
Pall. X. 67 95
ı. X. 66
Dc. X. 63
Ledeb. X. 65
ınk X. 67
b. X. 60
ehm. X. 57
c. X. 59
Urv. X. 59
B. X. 64
ehm. X. 67 103
X. 65
ıimeri C. Koch - -
r. X. 57
b. X. 63
m. X. 63
ieria. X. 63
ıa L. X. 63
sa Dc. - -
ıa Sims X. 63
edeb. X. 57
V. & Kit. X. 59
ar. α MB. X. 59
MB. Lehm. X. 59
. *B. & Kit.* X. 67 70
Fisch. X. 66
bill. X. 58
- -
ı. X. 59
ı *Dc.* - -
ns X. 59
W. X. 65
Tausch X. 59
B. X. 64
Griseb. - -
s Griseb. X. 62
ıa Lag. X. 66
ehm. X. 67 70
. & Schult. X. 70
Hochst. X. 66
ıll. X. 67 71
ım. X. 62
Mx. X. 69 *Dc.* X. 71
Dc. X. 70

Onosmodium
carolinianum *Dc. fil.* X. 70
eriocaulon *Dc. fil.* X. 70
hispidum Mx. X. 70
molle Mx. X. 70
scabrum R. & Schult. X. 70
strigosum *G. Don* X. 69
virginianum *Dc. fil.* X. 70
Onychacanthus *Nees* XI. 102 217
Berlandierianus *Nees* XI. 217
Cumingii *Nees* XI. 217
Oocephalus Bth. XII. 98 (Hyptis)
Oocha-Soa IX. 20
Operculina Silv. Mans. IX. 348
Convolvulus Silv. Mans. IX. 361
Turpethum Silv. Mans. IX. 360
Ophelia *Don* IX. 123
alata *Griseb.* IX. 127
angustifolia *Don* IX. 126
Baxteri *Griseb.* IX. 125
chinensis *Bunge* IX. 126
β dauricα - -
Chirata *Griseb.* IX. 127
Chirayta G. Don IX. 124
ciliata G. Don IX. 124
cordata *Don* IX. 124
β laxa *Griseb.* - -
corymbosa *Griseb.* IX. 125
β elatior - -
Dalhousiana *Griseb.* IX. 123
densifolia *Griseb.* IX. 125
fimbriata Hochst. IX. 563
florida *G. Don* IX. 125
japonica Griseb. IX. 127 134
lucida *Don* IX. 124
lurida G. Don IX. 124
minor *Griseb.* IX. 126
nervosa *Griseb.* IX. 125
paniculata *Don* IX. 124
β brachypetala *Griseb.* - -
porrigens G. Don IX. 126
pulchella *Don* IX. 126
β pumila *Griseb.* - -
pulchella β minor Don IX. 126
purpurascens *Don* IX. 124
β ciliata - -
racemosa *Griseb.* IX. 127
teres G. Don IX. 124
Wallichii G. Don IX. 124
zeylanica *Griseb.* IX. 124
Ophiorrhiza L. IX. 8
Croomii Curt. IX. 9
lanceolata Ell. IX. 9
Mitreola L. IX. 9
Mitreola Mx. IX. 9
ovalifolia Mühl. IX. 9

Vog. XII. 195
– –
Vog. XII. 196
– –
n XII. 193
Link XII. 193
. XII. 196
XII. 196
. XII. 196
ill. XII. 193
Koch XII. 194
d'Urv. XII. 194
Poir. XII. 197 187
Roth XII. 197
Boiss. & *Heldr.* XII. 192
. XII. 192
bth. & *Sm.* XII. 192
Sm. XII. 193
Bess. XII. 193
. XII. 196
eb. XII. 196
Reich. XII. 193
Ait. XII. 191
Vog. XII. 195
arke XII. 196
n. & *Link* XII. 193
– –
lan. XII. 170
k. XII. 193
XII. 193
– –
– –
– –
– –
um Bth. XII. 196
m. IX. 263
III. 76
Raf. IX. 341
f. IX. 341
II. 274 (Fraxinus)
II. 274 276 *Pers.* VIII. 274
Pers. VIII. 274
A. Dietr. VIII. 280
ers. VIII. 274
Dietr. VIII. 275
na Don VIII. 275
Pers. VIII. 275
et VIII. 275
. Don VIII. 275
des Don VIII. 275
CEAE *Lindl.* XI. 1
XI. 3. 15 *Arrab.* VII.
E. Mey. X. 523

Orobanche
L. Wallr. XI. 4 *L.* XI. 14 *Cham.* & *Schlecht.* XI. 39
abortiva Leyss. XI. 37
acaulis Roxb. XI. 37 44
adenostemon Reich. XI. 21
Aeginetia L. XI. 37 43
aegyptiaca Pers. XI. 10
alba Mutel. XI. 19
alba Reich. XI. 20
alba *Steph.* XI. 20
albo-lanata *Steud.* XI. 36
Alectra D. Dietr. XI. 37
Alexandri *Tin.* XI. 20
alpestris F. Schultz XI. 26
alsatica Kirschl. XI. 31
alsatica F. Schultz XI. 30
americana L. XI. 37 15
amethystea Maly XI. 718
amethystea *Thuill.* XI. 29
ammophila *C. A. Mey.* XI. 32
amoena *C. A. Mey.* XI. 31
β calycina – –
anatolica *Boiss.* & *Reut.* XI. 17
angustisepala *F. Schultz* XI. 35
antirrhina *Reut.* XI. 21
apiculata Griseb. XI. 31
apiculata Wallr. XI. 29
arachnoidea F. Schultz XI. 27
arcuata *F. Schultz* XI. 35
arenaria MB. XI. 33
arenaria Borkh. XII. 37 6
Artemisiae campestris Gaud. XI. 27
atrorubens F. Schultz XI. 21
attica *Reut.* XI. 28
australis *Moris* XI. 29
Avellanae *Pfund* XI. 24
barbata *Poir.* XI. 23 718
barbata Reich. XI. 29
Bartlingii Griseb. XI. 31
Berberidis Facch. XI. 23
Berthelotii *Webb* XI. 33
bicolor C. A. Mey. XI. 32
biflora Nutt. XI. 37 41
bipontina F. Schultz XI. 21
borealis *Turcz.* XI. 32 5
Borkhauseni Bess. XI. 37 6
Bovei *Reut.* XI. 24
brachysepala *F. Schultz* XI. 30
bracteata *Viv.* XI. 36
brasiliensis Vell. XI. 37 VII. 540
breviflora *F. Schultz* XI. 35
Buekiana *Koch* XI. 30
Bueckii A. Dietr. XI. 25

Vell. XI. 38 VII. 540
XI. 17
XI. 17
. XI. 18 717
mp. XI. 18
tanica Brot. XI. 717
. XI. 38
Schultz XI. 38 7
iseb. XI. 27
ch XI. 34
a Bertol. XI. 718
eut. XI. 23 718
. XI. 32
XI. 20 718
. XI. 21
Reut. XI. 15
tr. XI. 21
uss. XI. 719
. XI. 38 39
4. Mey. XI. 33
. XI. 21
XI. 15
Bory & Chaub. XI. 9
Presl XI. 18
F. Schultz XI. 35
Schultz XI. 32
teut. XI. 28
Reut. XI. 22
y XI. 28
1. 38 VII. 527
iss. XI. 32
m. XI. 24
Reut. XI. 20
XI. 38 8
1. 38 X. 501
XI. 33
rs. XI. 38
& Regel XI. 24
ultz XI. 718
. XI. 33
ietr. XI. 21
XI. 38
1. 38
d. XI. 25
ris Rapin XI. 25 718
. XI. 719
Bertol. XI. 717
Hohen. XI. 38 8
Reich. XI. 38 7
. XI. 21
eb. XI. 20
ultz XI. 35
XI. 34

Orobanche
longiflora Pers. XI. 38 5
longiflora Sprun. XI. 10
loricata *Reich.* XI. 27 23
lucorum *A. Braun* XI. 23
β Rubi – –
ludoviciana Nutt. XI. 38 11
lycica *F. Schultz* XI. 35
macrantha A. Dietr. XI. 21
macrosepala *F. Schultz* XI. 31
major Dc. fl. fr. XI. 17
major L. XI. 25
major Loefft. XI. 29
major Poll. XI. 21
major Reich. XI. 17
media *Desf.* XI. 36 24
Medicaginis F. Schultz XI. 25
melancholica Vell. XI. 38 VII. 541
minor fl. dan. XI. 27 37
minor *Sutt.* XI. 29
β flavescens – –
monantheos Vell. XI. 38 VII. 541
montana Rudb. XI. 38 40
Muteli F. Schultz XI. 38 8
nana Noe XI. 38 9
nebrodensis *Tineo* XI. 19
nudiflora *Wall.* XI. 37 36
palaestina *Reut.* XI. 718
pallens F. Schultz XI. 26
pallidiflora *Wimm. & Grabowsk.* XI. 22 20
parviflora E. Mey. XI. 38 X. 340
parviloba *F. Schultz* XI. 35
pedunculata Roxb. XI. 38 43
pedunculata Vell. XI. 38 VII. 533
pedunculata Viv. XI. 38 10
perianthomega Vell. XI. 38 VII. 541
petraea fl. flum. VII. 533
Phelipaea MB. XI. 42
Phelipaea Waltr. XI. 48
Phelipaea W. XI. 38 12
Picridis *F. Schultz* XI. 26
platystigma *Reich.* XI. 37
pogonanthera *Reut.* XI. 33
procera *Koch* XI. 16
pruinosa *Lapeyr.* XI. 19 717
pubescens *d'Urv.* XI. 27 718
β pallida – – –
pumila Graaf XI. 29
punctata *F. Schultz* XI. 36
purpurascens Gmel. XI. 38
purpurea Harv. XI. 38

. X. 550 (Odontites)
ight VIII. 626
ht VIII. 626
fil. VIII. 217 (Euclea)
fil. IX. 293 (Entoca)
Chois. IX. 348 353 (Ipomaea)
th. X. 535 (Orthocarpus)
itt. X. 526 534
X. 537
th. X. 536
Bth. X. 537
th. X. 536
– 537
. X. 535
th. X. 535
X. 535
X. 535
Bth. X. 535
. 536
Bth. X. 536
X. 535
h. X. 536
& Arn. X. 536
c. fil. X. 28 (Nonnea)
c. fil. VIII. 468 (Echites)
IX. 399 (Convolvulus)
oq. XIII. 2. 332 (Pupalia)
. XII. 524 (Leucas)
eb. XII. 224
XII. 386 (Nepeta)
h. XII. 573 (Trichostemma)
III. 526
VIII. 527
VIII. 527
VIII. 527
ene VIII. 527
VIII. 527
VIII. 527
XII. 31 49
XII. 53
t XII. 52
II. 50
XII. 50
– 51
XII. 50
XII. 52
XII. 50

Orthosiphon
rubicundus *Bth.* XII. 51
α mollissimus – 52
β canescens – –
γ rigidus – –
scapiger *Bth.* XII. 52
Schimperi *Bth.* XII. 51
spicatus *Bth.* XII. 53
stamineus *Bth.* XII. 52
β angustifolius – 53
tenuiflorus *Bth.* XII. 50
tomentosus *Bth.* XII. 51
β parviflorus – –
virgatus *Bth.* XII. 52
viscosus *Bth.* XII. 51
Orthosiphon Bth. XII. 50 (Orthosiphon)
Orthosporum Moq. XIII. 2. 81 (Blitum)
Orthosporum Nees XIII. 2. 82 84
Orthostachys Dc. fil. IX. 539 (Heliotropium)
Orthostachys RBr. IX. 539 *Dc.* IX. 539
Orthostemon *RBr.* IX. 63
erectus *RBr.* IX. 63
Hugelii *Griseb.* IX. 63
Orthotactus Nees XI. 335 355 357 (Amphiscopia)
aequilabris Nees XI. 358
Arnottianus Nees XI. 343
ciliatus Nees XI. 359
felisbertianus Nees XI. 406
glandulosus Nees XI. 406
montanus Nees XI. 359
oblongus Nees XI. 343
Pohlianus Nees XI. 359
roseus Nees XI. 358
strobilaceus Nees XI. 358
venosus Nees XI. 358
Orvala Dumort. Bth. XII. 504 (Lamium)
Orvala L. XII. 503 504
garganica L. XII. 504
lamioides Dc. fl. XII. 504
Oscaria chinensis Lilia VIII. 667
Osisia IX. 207
Oskampia (Oscampia) Moench X. 27 97
trichotoma Moench X. 28 98
Osmanthus *Lour.* VIII. 291
fragrans *Lour.* VIII. 291 292
Osmodium Raf. X. 69
Osmothamnus *Dc.* VII. 715
fragrans *Dc.* VII. 715
pallidus *Dc.* VII. 715
Osproleon Wallr. XI. 15
Ostreocarpus Rich. VIII. 396

. VIII. 588
ene VIII. 587
Dene VIII. 585
Hook. & Arn. VIII. 584
Mart. & Zucc. VIII. 587
Dene VIII. 585
m Dene VIII. 588
Dene VIII. 585
ght VIII. 582
Dene VIII. 584
n Dene VIII. 583
rt. & Zucc. VIII. 586
Dene VIII. 584
Dene VIII. 586
Mart. & Zucc. VIII. 586
R. & Schult. VIII. 583
um Dene VIII. 582
te VIII. 587
Dene VIII. 584
e VIII. 587
Dene VIII. 585
Hook. & Arn. VIII. 581
cum Spr. VIII. 583
& Arn. VIII. 584
Dene VIII. 584
Mart. & Zucc. VIII. 588
n Dene VIII. 585
Dene VIII. 583
Dene VIII. 585
Dene VIII. 583
Dene VIII. 587
Dene VIII. 582
Dene VIII. 582
ene VIII. 584
B. & Kth. VIII. 582
Dene 583
art. VIII. 583
e VIII. 588
Hook. & Arn. VIII. 586
Mart. & Zucc. VIII. 586
Wight VIII. 589
Gardn. VIII. 584
Hook. & Arn. VIII. 581
th. XII. 540 (Phlomis)
r. VIII. 542
VIII. 543

Oxystelma
bornuense RBr. VIII. 543
carnosum RBr. VIII. 543
esculentum RBr. VIII. 543
esculentum Wall. VIII. 543
Hooperianum Blum. VIII. 543
senegalense Dene VIII. 543
Wallichii Wight VIII. 543
Zippelianum Blum. VIII. 543
Oxystemon Dc. fil. VIII. 156 (Chrysophyllum)
Oxytosperma Dc. fil. VIII. 380 (Malonetia)

P.

Pachycalyx Bth. VII. 705 (Simocheilus)
Pachycalyx Klotzsch VII. 702 705
glaber Klotzsch VII. 705
hispidus Klotzsch VII. 705
inaequalis Klotzsch VII. 705
pubescens Klotzsch VII. 705
Pachycarpus Dene VIII. 562 (Gomphocarpus)
Pachycarpus E. Mey. VIII. 558
albens E. Mey. VIII. 559
appendiculatus E. Mey. VIII. 563
concolor E. Mey. VIII. 563
coronarius E. Mey. VIII. 562
dealbatus E. Mey. VIII. 563
gomphocarpoides E. Mey. VIII. 519
grandiflorus E. Mey. VIII. 562
humilis E. Mey. VIII. 561
ligulatus E. Mey. VIII. 563
marginatus E. Mey. VIII. 560
orbicularis E. Mey. VIII. 519
reflectens E. Mey. VIII. 559
rigidus E. Mey. VIII. 563
vexillaris E. Mey. VIII. 563
viridiflorus E. Mey. VIII. 562
Pachyderma Blum. VIII. 290
Pachyglossum Dene VIII. 584 (Oxypetalum)
Pachyphylla Dun. XIII. 1. 397
Pachypodium *Lindl.* VIII. 423 *Endl.* VIII. 411
bispinosum *Dc. fil.* VIII. 424
glabrum G. Don VIII. 424
obesum G. Don VIII. 424 412
succulentum *Dc. fil.* VIII. 424
tomentosum G. Don VIII. 424
tuberosum *Lindl.* VIII. 424
β Loddigesii *Dc. fil.* – –
tuberosum Lodd. VIII. 424

Pachyptera *Dc.* IX. 175
dasyantha *Dc.* IX. 176
foveolata *Dc.* IX. 175
Perrottetii *Dc.* IX. 176
puberula *Dc.* IX. 175
striata *Dc.* IX. 176
umbelliformis *Dc.* IX. 175
Pachysa Bth. VII. 658 (Erica)
Pachysa D. & G. Don VII. 613 658
ardens D. & G. Don VII. 660
aristata G. Don VII. 660
baccans D. & G. Don VII. 656
formosa G. Don VII. 659
glomiflora G. Don VII. 659
Lambertiana G. Don VII. 660
physodes G. Don VII. 660
vernix G. Don VII. 660
vesicularis G. Don VII. 661
Pachystachys *Nees* XI. 304 319
asperula *Nees* XI. 320
coccinea *Nees* XI. 319
latior *Nees* XI. 320 729
lutea *Nees* XI. 320
nutans *Nees* XI. 320
Riedeliana *Nees* XI. 319
Pachystemonum Dun. XIII. 1. 28 31 (Solanum)
Pacouria *Aubl.* VIII. 322
guyanensis *Aubl.* VIII. 323
Padri Rheed. IX. 210
Paederia owariensis Spr. VIII. 320
Paederota *L.* X. 456 457 *RBr. Endl.* X. 463 *Lam.* XII. 24
Ageria *L.* X. 457
Amherstiana Wall. X. 458 456
bonae spei L. X. 458
Bonarota Jacq. X. 457
Bonarota *L.* X. 457
β major Bth. - -
borealis Lam. XII. 25
chamaedrifolia R. & Schult. X. 457
cochlearifolia Koen. X. 458 422
coerulea L. fil. X. 457
humilis W. X. 458
lutea L. X. 457
minima Koen. X. 433
minima Retz X. 458 426
minima Wight X. 458
nudicaulis Lam. X. 458 455
obliqua Dietr. X. 458
sibirica Walp. X. 458 464
tubiflora Walp. X. 458 464
urticaefolia Brign. X. 457
virginica Walp. X. 458 464

Paederota
Wulfenia Lam. X. 4
Zanichellii Brign. X.
Paederotoides Bth. X.

Pagaea *Griseb.* IX. 70
Poeppigii *Griseb.* IX
Pagamea *Aubl.* IX. 19
guianensis *Aubl.* IX.
Pajaneli Rheed. IX. 2
Pajanelia *Dc.* IX. 227
multijuga *Dc.* IX. 2
Pala Juss. VIII. 408

Palaquium Blanco VII
lanceolatum Blanco
latifolium Blanco V
oleiferum Blanco V
Palavia Cav. & Ort.
Palega Pajanelli Rhee
Paletuvier rouge XI. 6
Paliavana Vand. VII.
Paladia Moench VIII.
atropurpurea Moen
Pallavia Vell. XIII.

aculeata Vell. XIII.
Pallavicinia de Notar
fragrans de Notar.
Palmia Endl. IX. 435
Pal-modecca Rheed.
Palo blanco XI. 413
Palura Dc. fil. VIII.

Palura Hamilt. VIII.
odorata Hamilt. VII
Pal-valli Rheed. VIII.
Pamphilia *Mart.* VIII.
aurea *Dc. fil.* VIII.
styracifolia *Dc. fil.*
№ 135 *Claussen* V
„ 184 *Claussen* V
PAMPHILIEAE *Dc. f*
Pandaca Pet. Thouars
Pandacaqui Sonn. VI
Panderia *Fisch. & Me*

pilosa *Fisch. & Mey*
PANDERIEAE *Meg.*

Pandiaka Meg. XIII.

Pandorea Endl. IX.

Panitzjika Maram Rh

. 777
W. VII. 778
iniana Gmel. XIII. 1. 513
XII. 501 (Leonurus)
sch XII. 499 501
unge XII. 502
. XII. 502
oench XII. 501
loench XII. 502
loench XII. 501
je IX. 475
na XIII. 1. 36 40
anum J. Bauh. XIII. 1. 31
Besl. XIII. 1. 31
Dc. fil. X. 159 (Omphalodes)
. 2. 407
VIII. 222 224 Endl. VIII. 224
. Mey. VIII. 511
Mey. VIII. 512
G. Don VII. 354 355
:. fil. VII. 354 786
:. fil. VII. 354 786
s Dc. fil. VII. 355 786
l. VII. 785
il. VII. 354 785
Dc. fil. VII. 785
Don VII. 354
:. fil. VII. 354
G. Don VII. 355
'. Don VII. 354 786
:. fil. VIII. 120 (Ardisia)
2. 407
229
Fiv. X. 585
iv. X. 585
tn. VIII. 314
Gaertn. VIII. 314
:. IX. 244
X. 244
ynectaria Forsk. IX. 134
ss. XIII. 2. 424
Desf. XIII. 2. 359
R. & Schult. XIII. 2. 317
il. XIII. 2. 329
XIII. 2. 361
: XIII. 2. 363
esf. XIII. 2. 365
'oir. XIII. 2. 337
Paronychia
sessilis Desf. XIII. 2. 357
tenella hort. XIII. 2. 355
tetragona Moench XIII. 2. 357
Parqui Feuill. XIII. 1. 616
Parsonsia *RBr.* VIII. 401 436 *Wall.* VIII. 441 *Blum.* VIII. 402 *Endl.* VIII. 401 436
acuminata *Wall* VIII. 403
barbata *Blum.* VIII. 402
bracteata *Hook. & Arn.* VIII. 402
capsularis *Endl.* VIII. 401
corymbosa RBr. VIII. 403
Cumingiana *Dc. fil.* VIII. 402
floribunda RBr. VIII. 403
Forsteri G. Don VIII. 401
helicandra *Hook. & Arn.* VIII. 402
herbacea RBr. VIII. 403
heterophylla A. Cunn. VIII. 401
javanica *Blum.* VIII. 402
lanceolata *RBr.* VIII. 402
leptocarpa Hook. & Arn. VIII. 438
mollis *RBr.* VIII. 401
myrtifolia R. & Schult. VIII. 403 476
oblonga *Wall.* VIII. 402
ovata *Wall.* VIII. 403 442
pauciflora *Wall.* VIII. 403
prostrata Bert. h. VIII. 403
spicata RBr. VIII. 403
spiralis *Wall.* VIII. 402
velutina *RBr.* VIII. 401
PARSONSIEAE *Dc. fil.* VIII. 399
Parul IX. 211
Passerina pentandra Thbg XIII. 1. 581
Patagonula L. IX. 467 XI. 524
Paternostrera XIII. 1. 457
Patersonia caroliniensis Walt. XI. 154
Patoli IX. 211
Paulo-Wilhelmia *Hochst.* XI. 101 208
speciosa *Hochst.* XI. 208
Paulownia *Sieb. & Zucc.* X. 298 300
imperialis *Sieb. & Zucc.* X. 300
Pavonia lutea Domb. IX. 469
Payena *Dc. fil.* VIII. 196
lucida *Dc. fil.* VIII. 197
Peckia Vell. VIII. 670
verticillata Vell. VIII. 116
Pectinaria Bth. XII. 127 (Hyptis)
Pectinaria Dene VIII. 663 (Stapelia)

Pall. X. 569
h. X. 566
Steph. X. 562
zequem. X. 565
Houst. X. 567
Pall. h. X. 570
X. 569
X. 579
Mx. X. 582
Fisch. X. 565
Pall. X. 561
L. X. 576
Bunge X. 572
Griseb. X. 572
Rudolphi X. 565
Hoffm. & Link X. 566
Richards. X. 567
Don X. 561
des Bieb. X. 582 339
Bth. X. 563
Knoc. X. 575
L. X. 564
ch X. 570
Pall. X. 562
Bunge – –
X. 576
es. X. 577
r. X. 581
C. Koch X. 561
ants X. 574
Boiss. X. 579
th. X. 575
Cham. & Schlecht. X. 75
cha Bth. X. 577
Griseb. X. 579
sh X 582
. X. 566
Pall X. 567
Sm. X. 567
Vall. X. 560
wd. X. 576
Bth. X. 565
Gay X. 575
Bunge X. 571
Schrenk X. 562
Pall. X. 561
gii Saut. X. 578
Stev. X. 579
Poir. X. 582
ne X. 564
s Cham. X. 568
Royl. X. 560
Pall. X. 571
Hay X. 578

Pedicularis
racemosa *Dougl.* X. 580
ramosa Wormsk. X. 567
recutita *L.* X. 574
resupinata *L.* X. 581
rhinanthoides *Schrenk* X. 565
Romanzovii Cham. X. 561
rosea Friwald. X. 579
rosea Ten. X. 570
rosea *Wulf.* X. 578
rostrata Guss. X. 570
rostrata *L.* X. 577
β cymbaeformis *Bth.* – 578
rostrata var. Stev. X. 578
rubens Ledeb. X. 570
rubens *Steph.* X. 570
rubens α dahurica Bunge X. 570
rubens β desertorum Bunge X. 569
rubens γ alpina Bunge X. 569
rubens δ altaica Bunge X. 570
salina Turcz. X. 571
Sceptrum carolinum *L.* X. 581
Sceptrum marianum Vell. X. 582 XI. 210
serotina Mühl. X. 582
sessilis Vell. X. 582 XI. 88
Sibthorpii *Boiss.* X. 572
siphonantha *Don* X. 565
songarica *Schrenk* X, 571
spicata *Pall.* X. 563
Stevenii Bunge X. 563
striata *Pall.* X. 582
stricta Wall. X. 561
subnuda *Bth.* X. 577
subrostrata *C. A. Mey.* X. 562
sudetica *W.* X. 568
sulphurea Pall. X. 572
sumana Poll. X. 573
surrecta *Bth.* X. 566
sylvatica *L.* X. 567
tanacetifolia *Adams* X. 569
tenuirostris *Bth.* X. 561
teucriifolia *MB.* X. 580
tristis *L.* X. 580
tuberosa *L.* X. 577
tubiflora *Fisch.* X. 565
uliginosa *Bunge* X. 570
β glabrata *Bth.* – –
γ alpina – – –
uncinata *Steph.* X. 575
venusta *Schangin* X. 571
versicolor *Wahlenb.* X 578
verticillata *L.* X. 563
verticillata Pursh X. 561
violascens *Schrenk* X. 563

Pedicularis
Pentaglottis Sieb. & Zucc.
Pentaglottis Tausch X. 41
Pentaglottis Tabern. VII. 49
Pentagonium Schauer VIII.
Pentalophus De. fl. X. 86
longiflorus De. fl. X. 86
maydanensis De. fl. X. 87
Pentapera Klotzsch VII. 613
sicula Klotzsch VII. 613
Pentaphiltrum Reich. XIII. 1

'p. X. 329
'h. X. 329
Bth. X. 593
Lindl. X. 321
Schuttlew. X. 327
593
r. X. 325 593
L. X. 328 593
l. X. 330
. X. 327
X. 322
ok. X. 321
v. X. 326
as. X. 324
urch X. 326
L. X. 322
mb. X. 321
ok. X. 321
G. Don X. 323
Lindl. X. 323
X. 324
Lindl. X. 330
. X. 327
X. 327
Fras. X. 322
. X. 323
Lindl. X. 330
X. 327
. Don X. 324
X. 325
t. X. 593
id. X. 324
on X. 326
land. X. 327
th. X. 324
ook. X. 321
X. 321 593
Knowl. & Westc. X. 327
ok. X. 320
lockst. X. 331
utt. X. 328
err. X. 324
hapm. X. 327
look. X. 322
austv. X. 331 319
. X. 323
. – –
X. 328
Nutt. X. 593
Brogn. X. 326
m. X. 331
gl. X. 328
ugl. X. 328
lend. X. 327 593
Bth. – –

Pentstemon
pulchellus Lindl. X. 326
pumilus *Nutt.* X. 325
puniceus Lilj. X. 328
Richardsoni *Dougl.* X. 330
rivularis Dougl. X. 330
roseus G. Don X. 326
Sconlerii *Dougl.* X. 320
secundiflorus *Bth.* X. 325
sertulatus *Menz.* X. 330
speciosus *Dougl.* X. 322
staticaefolius *Lindl.* X. 329
strictus *Bth.* X. 324
suffruticosus Dougl. X. 330
tenuifolius *Bth.* X. 322
tenuiflorus Fras. X. 325
Tolmiei Hook. X. 328
Torreyi *Bth.* X. 324
triphyllus *Dougl.* X. 329
tubiflorus *Nutt.* X. 327
venustus *Dougl.* X. 330
Pentstemonacanthus *Nees* XI. 463 464
modestus *Nees* XI. 465
Pepino XIII. 1. 42
Peplidium *Delil.* X. 344 422
capense Spr. X. 422
humifusum *Delil.* X. 422
Peplonia *Dene* VIII. 545
nitida *Dene* VIII. 546
Perama Aubl. XI. 524
Pergularia *L.* VIII. 618 399 *Spr.* VIII. 614
accedens *Blum.* VIII. 619
angustifolia *Fisch.* VIII. 620
bifida *Zipp.* VIII. 619
campanulata Hamilt. VIII. 620
coromandeliana *Dene* VIII. 619
crocea *Zipp.* VIII. 619
divaricata Lour. VIII. 620 418
edulis Thbg VIII. 620 647
exilis Spr. VIII. 620 609
glabra L. VIII. 620 399
glandulosa *Blanco* VIII. 620
japonica Thbg VIII. 619
jasminiflora Burch. VIII. 630
limbata Wall. VIII. 619
lucida *Fisch.* VIII. 620
minor *Andr.* VIII. 618
minor bot. mag. VIII. 619
montana *Dene* VIII. 619
odoratissima *L.* VIII. 618
odoratissima Sm. VIII. 618
odoratissima Wight VIII. 619
pallida Ralph VIII. 619
pallida *Wight & Arn.* VIII. 619

L. VIII. 499
Thbg VIII. 499
ege VIII. 498
. Lob. VIII. 498
Retz VIII. 499
W. VIII. 621 623
Burm. VIII. 510
L. VIII. 499
W. VIII. 499
rb. Mudy. VIII. 528
ets VIII. 500 528
hst. VIII. 500 493
r. VIII. 499 515
& Schult. VIII. 515
dicifolia Burm. VIII. 500
RBr. VIII. 491
ees XI. 464 492
Nees XI. 496
esák. XI. 494
Nees XI. 494
s Hochst. XI. 497
s Nees XI. 496
497
Hasek. XI. 495
Nees XI. 498
s XI. 498
ées XI. 494
L. Herb. XI. 499 500
Nees XI. 497
Nees XI. 498
es XI. 499
Hasek. XI. 499 500
s XI. 495
a Nees XI. 494
Nees XI. 497
Nees XI. 496
Hochst. XI. 499 485
ees XI. 493
es XI. 499 444
s X. 494
ees XI. 496
ma Hochst. XI. 497
ees XI. 495
ees XI. 493
panogh. XI. 494
ees XI. 496
ers XIII. 1. 474 (Salpichroma)
nph XVII. 1. 674
ernettia) Gaudich. VII. 586
ana G. Don VII. 587
Bab VII. 587
Pernettya
elliptica De. VII. 587
empetrifolia Gaudich. VII. 586
leucocarpa De. VII. 586
β Gayana
microphylla Gaudich. VII. 587
mucronata Gaudich. VII. 587
myrsinites G. Don VII. 587
Pentlandii De. VII. 587
phillyreaefolia De. VII. 587
pilosa G. Don VII. 587
pumila Hook. VII. 586
purpurea D. Don VII. 587
racemulosa De. VII. 587
rigida De. VII. 587
serpyllifolia De. VII. 587
Pernettya Scop. VII. 422
Peroa Pers. VII. 743
microphylla Pers. VII. 749
Peroja Cav. VII. 743
microphylla Cav. VII. 749
Peronema Jack XI. 624 626
canescens Jack XI. 627
Perowskia Karel XII. 260
abrotanoides Karel XII. 264
atriplicifolia Bik. XII. 264
PERSONATAE Auct. X. 663
PERSONATAE Juss. Vent. G. Don X. 696 L. Adans Link IX. 142
Personatae Stev. X. 661 (Pedicularis)
PERSONATAE GESNERIACEAE Link VII. 523
PERSONATAE MARTYNIACEAE Link IX. 249
PERSONEES Adans XIII. 1. 1
Pervillaea ene VIII. 613
tomentosa Dene VIII. 613
Pervinca De. fl. VIII. 383 (Vinca)
Pervinca Tourn. VIII. 381 383
minor All VIII. 384
vulgaris latifolia Garid. VIII. 384
Pes anserinus Koch XIII. 2. 61
Peschiera De. fl. VIII. 360
echinata De. fl. VIII. 360
Hystrix De. fl. VIII. 360
muricata De. fl. VIII. 361
Petalochilos IX. 194
Petalidium Nees XI. 100 114
barlerioides Nees XI. 114
Petasites agrestis Rumph XI. 667
Petasostylis Griseb. IX. 71
nigrescens Griseb. IX. 71 562
saponarioides Griseb. IX. 71
Petesioides Jacq. VIII. 118
laurifolium Jacq. VIII. 118

art. XIII. 2. 390
c. XIII. 2. 389
XIII. 2. 375
(III. 2. 387 (Gom-
phrena)
IX. 297 *Mx.* IX. 296
Bth. IX. 296
Frank IX. 300 289
Mx. IX. 300
Bth. IX. 298
Dc. fl. –
ham. IX. 298
X. 299
cq. IX. 298
Dc. fl. – –
Don IX. 300
IX. 300
IX. 300 297
IX. 300
IX. 300
IX. 298
IX. 298
IX. 360
IX. 298
& *Schl.* IX. 298
IX. 360 297
IX. 298
IX. 300
IX. 299
IX. 299
IX. 300
& *Zucc.* XI. 720
& *Zucc.* XI. 720
XIII. 2. 381
(Pilularia)
XII. 555
XII. 556
Don VII. 577
Don VII. 577
Dc. X. 33 (Pyrenaea)
IX. 341
IX. 343
343
IX. 344
IX. 345 332
IX. 344
IX. 344
IX. 342 344
IX. 340
IX. 343
IX. 343

Pharbitis
eriocalyx *Mart.* IX. 342
Forskahlei Don IX. 344
fragrans *Boj.* IX. 341 371
githaginea Hochst. IX. 341
hederacea *Chois.* IX. 344
heterophylla *Chois.* IX. 344
hispida *Chois.* IX. 341
insularis *Chois.* IX. 341
Learii *Hook.* IX. 343
lilacina Schlecht. IX. 390
medians *Chois.* IX. 343
mollis *Chois.* IX. 342
mutabilis Boj. IX. 343
Nil *Chois.* IX. 343
β abbreviata – –
γ integrifolia – –
δ diversifolia – –
ostrina *Lindl.* IX. 344
Preauxii *Webb* IX. 344
pubescens *Chois.* IX. 344
punctata Don IX. 343
Pursbii Don IX. 343
rosea *Chois.* IX. 342
scabra Don IX. 343
scabrida Don IX. 344
serotina *Chois.* IX. 341 375
speciosa *Chois.* IX. 343
tomentosa *Choisy* IX. 342
tyrioides Wall. IX. 345 396
varia Don IX. 344
variifolia Dene IX. 343
villosa Don IX. 344
violacea *Boj.* IX. 344
Phornaceum occultum Forsk. XIII. 2. 27
Pharyngodon Bunge X. 565
Phaseolus indicus &c. Bont. VIII. 543
Phaylopsis W. XI. 261
glutinosa Don XI. 261
longifolia Sims XI. 262
parviflora W. XI. 261
Phebolithis Gaertn. VIII. 201 *(rectius Phlebolithis)*
Phelipaea *Tourn.* XI. 2. 4. 41
abbreviata Steud. XI. 14
aegyptiaca *Walp.* XI. 9
β Delilii – 10
γ Amolicetorum – 717
arenaria *Walp.* XI. 6
* rubull-arenaria – –
arinaria *C. Koch* XI. 13
Biebersteinii Meyer. XI. 14 62
biflora Spr. XI. 14 61
cassia Griseb. XI. 6
cretica Rehb. XI. 6
californica *G. Don* XI. 11

Phlebophyllum *Nees* XI. 99 102
Kunthianum *Nees* XI. 102
Phlogacanthus *Nees* XI. 304 320
asperulus *Nees* XI. 321 729
curviflorus *Nees* XI. 320
guttatus *Nees* XI. 321
thyrsiflorus *Nees* XI. 321
tubiflorus *Nees* XI. 321
β angustifolius – –
Phlomidopsis Link XII. 537 543 (Phlomis)
tuberosa Link XII. 544
Phlomis *RBr.* XII. 409 537 *L.* XII. 537 *L. Auct.* XII. 534 *Vahl* XII. 522 *L. RBr.* XII. 523
africana PB. XII. 546 535
agraria *Bunge* XII. 544
alba Blanco XII. 546 456
alba Forsk. XII. 546 521
alpina *Poll.* XII. 544
angustifolia *Mill.* XII. 539
β flavescens – –
anisodonta *Boiss.* XII. 540
armeniaca *W.* XII. 538
β [illegible] – –
aspera W. XII. 546 537
Aucheri Boiss. XII. 538
aurea Desf. XII. 540
bicolor *Bth.* XII. 541
biflora Roxb. XII. 527
biflora Royle XII. 546
biflora Vahl XII. 546 527
biloba Desf. XII. 538
bracteosa *Royle* XII. 545
breviflora *Bth.* XII. 543
Bruguieri *Desf.* XII. 537
cachemeriana Bth. XII. 542
calycina Roxb. XII. 546 516
caribaea Jacq. XII. 546 533
cashmeriana *Royle* XII. 542
Cephalotes Roth XII. 546 533
Cephalotis var. Blum. XII. 532
chinensis Blum. XII. 546
chinensis Retz XII. 546 525
clandestina Bory & Chaub. XII. 546 439
condensata *Mart.* XII. 546
cordata *Royle* XII. 545
cretica Presl XII. 541
crinita *Cav.* XII. 538
cymifera Boiss. XII. 543
decemdentata W. XII. 546 526
dimidiata Roth XII. 546 532
elliptica *Bth.* XII. 539
esculenta Roxb. XII. 546 532
ferruginea hortul. XII. 540

IX. 304
th. – –
ett. IX. 307
IX. 304
t IX. 306
. 304
. IX. 308
Sweet IX. 304
. 305
. IX. 307 314
Lehm. IX. 306
Sm. IX. 304
IX. 305
Hook. IX. 306
IX. 306
l. IX. 305
s IX. 303
X. 306
X. 307
son Siebmanni) Lehm. IX. 303
ok. IX. 305
rsh IX. 307
Hook. IX. 306
Sweet IX. 305
it. IX. 304
IX. 305
th. – 306
W. IX. 304
ney IX. 304
IX. 304
st IX. 304
. IX. 303
Fert. IX. 307 308
Mart. IX. 215
ns Griseb. X. 241
XI. 703 713
M. XI. 713
r. XI. 713
XIII. 1. 686
ers XIII. 1. 686
Miers XIII. 1. 686
rs XIII. 1. 687
Mart. IX. 198
ns Mart. IX. 199
Mart. IX. 207
Mart. IX. 204
Mart. IX. 214
IX. 181
Mart. IX. 209
Mart. IX. 214
. 520 Forsk. XI. 521 534
Walt. XI. 520
Bl. XI. 521 559
L. XI. 520

PHRYMACEAE Schauer XI. 520
Phtheirospermum Bunge X. 527 538
chinense Bunge X. 539
Phygelius E. Mey. X. 298 300
capensis E. Mey. X. 300
Phyllachne Forst. Schreb. VII. 338
uliginosa Forst. VII. 338
Phyllanthera Blum. VIII. 497
bifida Blum. VIII. 497
Phyllarthron Dc. IX. 243
Bojerianum Dc. IX. 243
β elongatum – 244
comorense Dc. IX. 244
Noronhianum Dc. IX. 243
Polyreanum Dc. IX. 243
Thouarsianum Dc. IX. 244
Phyllepidum Raf. XIII. 2. 235 423
scariosum R. & Schult. XIII. 2. 423
squamosum Raf. XIII. 2. 423
squarrosum Raf. XIII. 2. 423
Phyllocalyx Griseb. IX. 53 (Sebaea)
Phylloearpa spinosa Nutt. XIII. 2. 108
Phyllodoce Salisb. VII. 712
empetriformis D. & G. Don VII. 713
Pallasiana D. & G. Don VII. 713
taxifolia Salisb. VII. 713
Phyllopodium Bth. X. 341 352
bracteatum Bth. X. 353
capitatum Bth. X. 352
cuneifolium Bth. X. 352
diffusum Bth. X. 353
heterophyllum Bth. X. 352
Krebsianum Bth. X. 353
pumilum Bth. X. 353
Phyllopsis A. Kew. XI. 726
Phyllostegia Bth. XII. 550 553
Chamissonis Bth. XII. 553
clavata Bth. XII. 554
dentata Bth. XII. 553
floribunda Bth. XII. 555
glabra Bth. XII. 554
grandiflora Bth. XII. 553
hirsuta Bth. XII. 555
leptostachya Bth. XII. 554
Macraei Bth. XII. 554
macrophylla Bth. XII. 554
microphylla Bth. XII. 555
mollis Bth. XII. 554
parviflora Bth. XII. 554
racemosa Bth. XII. 554
vestita Bth. XII. 553
Phyllotheca parviflora Nutt. XIII. 2. 98

ıs XIII. 1. 448
– – –
– – 685
ıtt. XIII. 1. 447
. XIII. 1. 450
. XIII. 1. 451
os Zucc. XIII. 1. 450
ort. XIII. 1. 445
Link XIII. 1. 446
ge XIII. 1. 444
XIII. 1. 445
ll. XIII. 1. 449
Moç. & Sess. XIII. 1. 451
Dun. XIII. 1. 443
W. XIII. 1. 452
ndtn. XIII. 1. 441
Schlecht. XIII. 1. 451
. XIII. 1. 446
Do. fil. XIII. 1. 690
t. XIII. 1. 439
Dun. XIII. 1. 440
rr. & Fras. XIII. 1. 440
Mx. XIII. 1. 445
isseido-pubescens Mx. XIII. 1. 442
Lam. XIII. 1. 452 475
H. B. & Kth. XIII. 1. 452 455
ıum. XIII. 1. 452
. XIII. 1. 450
Br. XIII. 1. 444
Lag. XIII. 1. 445
W. XIII. 1. 446
. XIII. 1. 446
Mart. & Gal. XIII. 1. 451
L. XIII. 1. 435 447
– – –
W. h. XIII. 1. 439
Bert. XIII. 1. 440
Heyn. h. XIII. 1. 445
L. XIII. 1. 440 (*bis*)
– – –
– – –
– – –
– – –
Mill. XIII. 1. 452 434
Rosb. XIII. 1. 440 446
Wall. XIII. 1. 444 445 449

Physalis
philadelphica Lam. XIII. 1. 450
β minor – – –
prostrata L'Herit. XIII. 1. 449
pruinosa L. XIII. 1. 445
pseudo-angulata Blum. XIII. 1. 444
pubescens β. parva. XIII. 1. 440
pubescens Heyn. h. XIII. 1. 445
pubescens hort. XIII. 1. 439
pubescens Lam. XIII. 1. 446
pubescens L. XIII. 1. 446 685
β hygrophila – – –
pubescens L. h. XIII. 1. 440
pubescens Sendtn. XIII. 1. 446
pubescens Vahl XIII. 1. 445
pubescens W. h. XIII. 1. 445
pubescens b Nees XIII. 1. 445
pubescens α Droga XIII. 1. 440
pubescens β Sendtn. XIII. 1. 446
ramosa Forsk. XIII. 1. 451
ramosa Mill. XIII. 1. 446 456
ramosa Zuares. XIII. 1. 452 430
ramulissima Mill. XIII. 1. 449
Rothiana R. & Schult. XIII. 1. 446
Sancti Josephi Dun. XIII. 1. 451
Schiedeana Dun. XIII. 1. 452
Schraderiana Bernh. XIII. 1. 452
Sendtneri Dun. XIII. 1. 438
solanacea Mert. XIII. 1. 452 431
somnifera Link XIII. 1. 453
somnifera L. XIII. 1. 452 454
somnifera β Lam. XIII. 1. 454
stramonifolia Wall. XIII. 1. 452 555
suberifera Dun. XIII. 1. 442
suberosa Cav. XIII. 1. 452 457
subtriflora R. & Pav. XIII. 1. 452 445
Sugunda Hamilt. XIII. 1. 449 454
surinamensis Miq. XIII. 1. 444
tomentosa Heyne XIII. 1. 452 454
tomentosa Medik. XIII. 1. 440
tomentosa Thbg XIII. 1. 454
tomentosa Walt. XIII. 1. 436
tuberosa Zucc. XIII. 1. 439
urceolata Moç. & Sess. XIII. 1. 452 475
villosa Mill. XIII. 1. 451
villosa Moench XIII. 1. 452
villosa Roth XIII. 1. 446
virginiana Mill. XIII. 1. 438

ich. VII. 451
De. fil. - -
b. VII. 456 466
Kit. VII. 456
Hegetsch. VII. 451
Jan VII. 451
W. VII. 454
C. A. Mey. VII. 455
Sibth. & Sm. VII. 454
V. VII. 454
VII. 452
l. VII. 452 453 454
tsch. VII. 451
. VII. 453
eyr. VII. 451
fil. VII. 456
& Schult. VII. 456
. VII. 453
eq. VII. 452
. VII. 451
Do. fil. - 452
- - -
- - -
- - -
- - -
r. Gaud. VII. 452
ir. Schrad. VII. 451
. Lam. VII. 452
W. VII. 452
VII. 454
VII. 452
. VII. 453
Haenk. VII. 450
Johann. h. VII. 451
L. VII. 450
tuberosum Hegetsch. - -
Koch VII. 450
n Hoppe VII. 453
tsch. VII. 452
VII. 456
ich. VII. 456 416
Ftsch. & Mey. VII. 455
. VII. 455
Dufour VII. 456 416
VII. 454
duct. VII. 455
less. VII. 455
t. VII. 455
ill. VII. 452
Bth. VII. 452
Koch VII. 452
Lapeyr. VII. 451
Pers. VII. 452

Phyteuma
scorsonerifolia Lam. VII. 459
scorzonerifolium Vill. VII. 452
β Sims - -
serratum Vis. VII. 451
sibiricum R. & Schult. VII. 451
Sieberi Spr. VII. 451
Sinai Dc. fil. VII. 456
Sibthorpianum R. & Schult. VII. 455
spicatum L. VII. 453
β bracteatum Dc fil. - -
spicatum γ Pohl VII. 454
stricta Sims VII. 454
stylosum Schrank VII. 454
tenuifolium Dc. fil. VII. 454
tricolor Molin. VII. 456
veronicaefolium Schrad. VII. 453
virgatum Kotschy VII. 455
virgatum W. VII. 456 483
Phyteumoides Dc. fil. VII. 441 (Wahlenbergia)
Phytolacca Tourn. XIII. 2. 5. 31 Rtf. XIII. 2. 31 L. XIII. 2. 219 Hoffm. XIII. 2. 29 Endl. XIII. 2. 25 29 Poepp. & Endl. XIII. 2. 25
abyssinica Hoffm. XIII. 2. 34 30
acinosa Roxb. XIII. 2. 33
acuminata hort. XIII. 2. 33
arborea hort. XIII. 2. 34 31
bogotensis H. B. & Kth. XIII. 2. 33
bogotensis Miq. XIII. 2. 33
brachystachys Moq. XIII. 2. 31
chilensis Bridg. XIII. 2. 34 25
decandra Lam. XIII. 2. 32
decandra L. XIII. 2. 32
β acinosa - - 33
dioica L. XIII. 2. 34 31
dodecandra L'Herit. XIII. 2. 34 30
drastica Poepp. & Endl. XIII. 2. 34 25
esculenta van Houtt. XIII. 2. 460
gigantea Mart. XIII. 2. 34
gracilis herb. XIII. 2. 34 236
heptandra Retz XIII. 2. 34 30
var. latifolia Fenzl XIII. 2. 34 30
icosandra bot. mag. XIII. 2. 34
icosandra L. XIII. 2. 35
β Fraseri - - 34
littoralis Poepp. & Endl. XIII. 2. 34 25
longespica Moq. XIII. 2. 33

VIII. 28
VIII. 28
VIII. 28
II. 28
. VIII. 29
VIII. 30
A. VIII. 31
VIII. 29
Schl. VIII. 31
VIII. 29
VIII. 29
I. 29
VIII. 28
. 32
b. VIII. 30 31
b. VIII. 30
l. & Kth. VIII. 32
a. VIII. 30
. & Kth. VIII. 27
ra. L. VIII 31
VIII. 27
III. 30
fl. VIII. 27
. 31
III. 31
VIII. 30
II. 32
. VIII. 32
VIII. 32 667
. 28
II. 30
30
III. 29
28
22 (rect. Pinarda)
alk. XIII. 2. 212
XIII. 1. 387
III. 1. 393
iers XIII. 1. 402
rs XIII. 1. 396
II. 1. 401
XIII. 1. 401
s XIII. 1. 402 116
s XIII. 1. 390
s XIII. 1. 397
XIII. 1. 402 141
s XIII. 1. 390
XIII. 1. 391
XIII. 1. 387
XIII. 1. 401
XIII. 1. 402 116
III. 1. 393
XIII. 1. 395

Pionandra [illegible]
premnoefolia Miers XIII. 1. 382
pubescens Miers XIII. 1. 382
Togore Miers XIII. 1. 402 70
trachyphylla Miers XIII. 1. 402 117
viridiflora Miers XIII. 1. 400
Pionophyllum Do. fl. VIII. 28 (Pinguicula)
Piper baudiense Pis. XIII. 1. 412 414
calcuticum &c. J. Bauh. XIII. 1. 424
cerlatum &c. Greg. XIII. 1. 427
cum siliqua rotunda Greg. XIII. 1. 427
erectum minus Greg. XIII. 1. 412
indicum &c. G. Bauh. XIII. 1. 428
indicum &c. Besl. XIII. 1. 427
indicum &c. Camer. XIII. 1. 428
indicum &c. Greg. XIII. 1. 428
indicum aureum &c. Besl. XIII. 1. 424
indicum maximum Besl. XIII. 1. 424
indicum minus Besl. XIII. 1. 424
indicum rotundum Besl. XIII. 1. 427
indicum rotundum Greg. XIII. 1. 423
indicum siliquis curvatis &c. C. Bauh. XIII. 1. 412
indicum siliquis flavis Besl. XIII. 1. 424
medium indicum Besl. XIII. 1. 424
oblongum Greg. XIII. 1. 414
oblongum erectum Greg. XIII. 1. 412
oblongum racemis siliquis Greg. XIII. 1. 424
rotundum majus Greg. XIII. 1. 423
siliqua bifurcata Greg. XIII. 1. 426
siliquae parvae J. Bauh. XIII. 1. 420
Piperella Bth. XII. 213 (Micromeria)
Piperella Presl XII. 213
filiformis Presl XII. 220
Piptoclaina Endl. IX. 533 (Heliotropium)
Piptoclaina G. Don IX. 533
malabarica G. Don IX. 533
supina G. Don IX. 533

[illegible] VIII. 357 676
[illegible] De. C. VIII 338
[illegible] IX. 382
[illegible] IX. 382
[illegible] IX. 382
[illegible] IX. 382
[illegible] XIII 2 25 29
[illegible] 5 29 Bert XIII. 2. 25
[illegible] XIII. 2. 30
[illegible] XIII. 2. 29
[illegible] XIII. 2. 30
[illegible] XIII. 2. 31 25
[illegible] XIII. 2. 29
[illegible] XIII. 2. 30
[illegible]
[illegible]
Pircunia Meq. XIII. 2. 29 (Pircunia)
Pircunia Endl. X. 495
pinastris Endl. X. 497
Pinckneya virginiana Pers. VIII. 229
Pisonia Plum. XIII. 2. 440 Grah. XIII. 2. 437
aculeata L. XIII. 2. 440
alba Spanogh. XIII. 2. 446
Brunoniana Cham. XIII. 2. 441
Brunoniana Endl. XIII. 2. 441
buxifolia Roxb. XIII. 2. 447 VIII. 240
caffariana Casar. XIII. 2. 442
Calpidia Steud. XIII. 2. 442
coccinea Sw. XIII. 2. 446
comosa Chois. XIII. 2. 444
costata Chois. XIII. 2. 446
discolor Spr. XIII. 2. 443
excelsa Blum. XIII. 2. 441
ferruginea Klotzsch XIII. 2. 445
floribunda Hook. fil. XIII. 2. 447
florida Chois. XIII. 2. 443
Forsteriana Endl. XIII. 2. 441
fragrans Desf. XIII. 2. 447
fragrans Dum. - Cours. XIII. 2. 447
fragrans Link XIII. 2. 447
georgina Wall. XIII. 2 447
grandis RBr. XIII. 2. 441
heterophylla Chois. XIII. 2. 444
hirsuta Chois. XIII. 2. 445
hirtella H. B. & Kth. XIII. 2. 445
inermis Forster. XIII. 2. 441
inermis Jacq. XIII. 2. 442
lanceolata Chois. XIII. 2. 442
latifolia Desf. XIII. 2. 447

Pisonia
laxiflora Chois. XIII
Limonella Blum. XI
loranthoides H. B.
macrocarpa Presl
macrophylla Chois
macrophylla Link
malabarica Poir. X
mexicana Link XII
minor Chois. XIII.
mitis L. XIII. 2.
moringifolia Wall.
nigricans Sw. XIII
β oblonga -
nitida Desf. XIII.
nitida Link XIII.
obovata Link XIII.
obtusata Sw. XIII.
Olfersiana Link,
ovalifolia Chois. X
Pacurero H. B. &
palicureoides Ca
pernambucensis
procera Bert. XII
pubescens H. B.
racemosa Wall. X
subcordata Sw. X.
subovata Poir. XI
tomentosa Casar.
venosa Chois. XII
villosa Poir. XIII.
Pithecoctenium Mart
Aubletii Spitg. I
botryoides De. IX.
buccinatorium De.
α subinclusum
β exsertum
Catharinae De. IX.
cinereum De. IX.
cordifolium Mart.
cuneifolium De. IX
cynanchoides De.
frutescens De. IX.
hexagonum De. IX.
β brasilianum - -
laxiflorum De. IX.
Lundii De. IX. 196
muricatum Moç. IX
obovatum Mart. IX
parviflorum Mart.
reticulare De. IX.
scabriusculum Mart

194
X. 194
. IX. 197
196
Ram. - -
15 (Tournefortia)
. 613 H. B. &
Kth. IX. 515
Pium. IX. 499
XIII. 2. 359
: XIII. 2. 359
627 699
XI. 626
63 64 Rœmk. IX.
63. 64
IX. 64
IX. 64
IX. 64. 65
63
IX. 64
. 64
XI. 305 335
XI. 335
II. 677 (Armeria)
. de Mey. X. 134
de Mey. X. 134
VII. 703 (Simo-
chelius)
sch VII. 202 703
VII. 703
sh VII. 703
II. 530 (Leucas)
99 (Hyptis)
III. 1. 471
XIII. 1. 475
! Dcne XIII. 1.
dl. XIII. 1. 693
Rbr. XIII. 1. 693
s XIII. 1. 727
(Plantago)
ea. XIII. 1. 693
1. 694. Tourn.
XIII. 1. 694
ne XIII. 1. 730
II. 1. 722
XIII. 1. 699
XIII. 1. 734
XIII. 1. 735
1. 725
735
XIII. 1. 735
ne XIII. 1. 708
r. XIII. 1. 705
1. 705

Plantago
aliena Schrad. XIII. 1. 730
Alopecurus *Desf.* XIII. 1. 699
alpina *L.* XIII. 1. 731
β *incana Ram.* -
alpina Poetr. XIII. 1. 729
alpina Vill. XIII. 1. 718
alpina minima Mich. XIII. 1. 731
alpina var. a Barrel. XIII. 1. 730
altissima Jacq. XIII. 1. 715
altissima L. XIII. 1. 715
altissima Lois. XIII. 1. 699
ambigua Guss. XIII. 1. 715
amplexicaulis *Cav.* XIII. 1. 719
angustifolia Dod. XIII. 1. 730
angustifolia alia Clus. XIII. 1. 731
angustifolia albida Tourn. XIII. 1. 705
angustifolia albida altera Vaill. XIII. 1. 705
angustifolia major C. Bauh. XIII. 1. 714
angustifolia major Vaill. XIII. 1. 715
angustifolia minima &c. Tourn. XIII. 1. 716
angustifolia minor &c. Tabern. XIII. 1. 715
angustifolia serrata &c. C. Bauh. XIII. 1. 731
antarctica *Bose* XIII. 1. 703
apula laciniata Colum. XIII. 1. 731
arabica Boiss. XIII. 1. 733
arachnoidea Burnd. XIII. 1. 721
arachnoides *Schrenk* XIII. 1. 720
arborescens *Poir.* XIII. 1. 733
arborescens Webb XIII. 1. 733
arborescens var. a. Barrel. XIII. 1. 733
arctica *Dcne* XIII. 1. 700
arctica Trev. XIII. 1. 694
arenaria Hayne XIII. 1. 735
arenaria *W. & Kit.* XIII. 1. 735
argentea Barrel. XIII. 1. 718
argentea *Chaix* XIII. 1. 745
argentea Desf. XIII. 1. 706
argentea Lam. XIII. 1. 718
argentea Sieb. XIII. 1. 705
argentea Ten. XIII. 1. 705
argentea angustifolia Tourn. XIII. 1. 715
argyrophylla *Dcne* XIII. 1. 711
atistata *Mn.* XIII. 1. 714

. minor Barnd. XIII. 1. 732
. Boiss. XIII. 1. 733
. Kotschy XIII. 1. 732
. Schimp. XIII. 1. 732
Lam. XIII. 1. 732
crassifolia Jan XIII. 1. 732
latifolia Rap. XIII. 1. 732
III. 1. 695
wsk. XIII. 1. 730
th XIII. 1. 695
o XIII. 1. 696
. XIII. 1. 706
II. 1. 705
III. 1. 706
a &c. Tourn. XIII. 1. 706
XIII. 1. 695
CIII. 1. 734
II. 1. 695
Kar. XIII. 1. 702
. XIII. 1. 697
isch. & Mey. XIII. 1. 723
Dene XIII. 1. 702
XIII. 1. 732
XIII. 1. 715
sk. XIII. 1. 705
b. XIII. 1. 709
. fr. XIII. 1. 734
XIII. 1. 734
II. 1. 734
hult. XIII. 1. 735
ott XIII. 1. 715
XIII. 1. 703
CIII. 1. 701
III. 1. 702
III. 1. 701
d. XIII. 1. 709
d. XIII. 1. 731
sk. XIII. 1. 706
en XIII. 1. 706
a. XIII. 1. 714
r. viridior Webb XIII. 1. 706
XIII. 1. 729
d. XIII. 1. 729
k XIII. 1. 716
III. 1. 699
e. XIII. 1. 735
XIII. 1. 695
XIII. 1. 701
III. 1. 715

Plantago
echioides Dene XIII. 1. 722
elongata Pursh XIII. 1. 697
eriantha Dene XIII. 1. 707
eriophora Hoffm. & Link XIII. 1. 715
eriopoda Torr. XIII. 1. 736
eriostachya Ten. XIII. 1. 716
erirrhiza Barnd. XIII. 1. 710
erosa Wall. XIII. 1. 696
Eschscholtziana Fisch. & Mey. XIII. 1. 726
euphratica Dene XIII. 1. 733
exaltata Horn. XIII. 1. 699
exigua Murr. XIII. 1. 736
exilis Dene XIII. 1. 702
Fernandesia Barnd. XIII. 1. 704
Fernandezia Bert. XIII. 1. 704
filiformis Dene XIII. 1. 714
firma Kze XIII. 1. 724
floccosa Dene XIII. 1. 723
flore femineo sessili B. Juss. XIII. 1. 737
fol. lanceolatis ovatis Gron. XIII. 1. 722
fol. semicylindraceis Sauv. XIII. 1. 730
fol. subulatis L. XIII. 1. 737
fornicata C. Koch XIII. 1. 716
frigida Kze XIII. 1. 710
frigida W. XIII. 1. 711
fuscescens Jord. XIII. 1. 717
Galeottiana Dene XIII. 1. 726
garganica hort. XIII. 1. 735
Gaudichaudii Barnd. XIII. 1. 702
Gayana Dene XIII. 1. 709
genevensis Poir. XIII. 1. 734
gentianoides Sm. XIII. 1. 721
β scardica
Gerardi Pourr. XIII. 1. 715
Gerardi Schult. XIII. 1. 730
gigantea Dene XIII. 1. 724
glabra Nutt. XIII. 1. 736
glabrata Hook. fil. XIII. 1. 708
glauca C. A. Mey. XIII. 1. 716
gnaphalioides Nutt. XIII. 1. 713
Goudotiana Dene XIII. 1. 699
gracilis Poir. XIII. 1. 729
graminea Lam. XIII. 1. 729
graminea var. Rap. XIII. 1. 731
graminea ε Rap. XIII. 1. 737
graminea ν Rap. XIII. 1. 730 731
graminea ι Rap. XIII. 1. 730
gramineo folio &c. C. Bauh. XIII. 1. 730
grandiflora Meyen XIII. 1. 710

Plantago
Griffithsii *Dene* XIII. 1. 700
Guilleminiana *Dene* XIII. 1. 722
Gunnii *Hook. fil.* XIII. 1. 728
Halleri Rap. XIII. 1. 729
Hartwegii *Dene* XIII. 1. 724
Hasskarlii *Dene* XIII. 1. 700
heterophylla Nutt. XIII. 1. 697
hirsuta Gill. XIII. 1. 725
hirsuta R. & Pav. XIII. 1. 712
hirsuta Thbg XIII. 1. 729
hirsuta var. serrata E. Mey. XIII. 1. 729
hirtella Barnd. XIII. 1. 723 726
hirtella *Kth.* XIII. 1. 723
hispanica fol. crasso Tourn. XIII. 1. 729
hispida *RBr.* XIII. 1. 701
hispida R. & Schult. XIII. 1. 701
hispidula *R. & Pav.* XIII. 1. 712
holosericea Gaud. XIII. 1. 716
Holostea Lam. XIII. 1. 705
Holosteum Scop. XIII. 1. 730
Hookeriana Fisch. & Mey. XIII. 1. 713
humifusa Bernh. XIII. 1. 694
humilis *Dene* XIII. 1. 724
humilis Jan XIII. 1. 730
hungarica W. & Kit. XIII. 1. 715
Jacquini R. & Schult. XIII. 1. 732
incana R. & Schult. XIII. 1. 731
incana trinervia Mich. XIII. 1. 715
incisa *Hassk.* XIII. 1. 696
indica L. XIII. 1. 735
integralis Gaud. XIII. 1. 729
intermedia Gilib. XIII. 1. 695
intermedia C. Koch XIII. 1. 716
intermedia Lapeyr. XIII. 1. 716
interrupta Poir. XIII. 1. 705
irrigua Fisch. XIII. 1. 715
Ispaghul Roxb. XIII. 1. 707
Ispaghula *Roxb.* XIII. 1. 706
juncoides *Lam.* XIII. 1. 731
kamtschatica *Cham.* XIII. 1. 699
kentuckensis Mx. XIII. 1. 698
laciniata Willk. XIII. 1. 731
Lagascae Dufr. XIII. 1. 730
lagopoides Desf. XIII. 1. 719
lagopoides Schrank XIII. 1. 716
Lagopus Dc. fl. fr. XIII. 1. 716
Lagopus *L.* XIII. 1. 716
Lagopus Pursh XIII. 1. 713
Lagurus Roth XIII. 1. 716

Plantago
Lamarckii Jord.
lanata Delil. XIII
lanata Host XIII.
lanata Lag. XIII.
lanata Poir. XIII
lanceola Caesalp.
lanceola minor C
lanceolata Bauh.
lanceolata *L.* XII
α altissima
β irrigua
γ eriophylla
δ capitata
lanceolata W. X
lanceolata var.
lanceolata β Hoo
lanceolata γ Hoo
lanceolata var.
lanceolata var.
lanceolata var.
lanceolata var.
lanceolata var. p
lanceolata var. Dc. fl.
lanuginosa Dc. fl.
lasiothrix *Ksc* X
latibracteata *Tra*
latifolia &c. C.
latifolia incana
latifolia minor R
latifolia rosea &c
latifolia sinuata
latifolia spica
latifolia spiralis
latifolia tota gl
laxiflora *Dene* XI
leiopetala Lowe
leptophylla *Dene*
leptostachys Hook.

. Mey. XIII. 1. 720
d. XIII. 1. 707
h. & Mey. XIII. 1. 707
ene XIII. 1. 708
XIII. 1. 712
XIII. 1. 713
II. 1. 699
XIII. 1. 710
Kth. XIII. 1. 710
XIII. 1. 710
XIII. 1. 715
III. 1. 718
Mey. XIII. 1. 697
XIII. 1. 719
m. XIII. 1. 714
XIII. 1. 717
uem. XIII. 1. 696
XIII. 1. 720
Schult. XIII. 1. 701
XIII. 1. 722
XIII. 1. 716
III. 1. 716
XIII. 1. 710
d. XIII. 1. 710
XIII. 1. 709
m. XIII. 1. 717
XIII. 1. 717
XIII. 1. 732
XIII. 1. 732
ne XIII. 1. 724
XIII. 1. 733
1. 726
694
695
1. 701
1. 699
1. 694
XIII. 1. 695
I. 1. 695
stachya Wallr. XIII. 1. 695
arsa J. Bauh. XIII. 1. 695
Wallr. XIII. 1. 695
Bess. XIII. 1. 695

Plantago
major var. reclinata Wallr. XIII 1. 695
major runcinata Meyen XIII. 1. 704
major spica multiplex Dod. XIII 1. 695
marina Pet. XIII. 1. 719
marina magna J. Bauh. XIII. 1. 699
maritima Bart. XIII. 1. 697
maritima herb. XIII. 1. 729
maritima Hook. XIII. 1. 731
maritima L. XIII. 1. 729
maritima β & γ Koch XIII. 1. 729
maritima var. Poir. XIII. 1. 731
maritima incana &c. Bocc. XIII. 1. 705
maritima latifolia &c. Zann. XIII. 1. 699
maritima major tenuifolia Tourn. XIII. 1. 730
maritima minima Tourn. XIII. 1. 730
maritima minor C. Bauh. XIII. 1. 730
maritima var. pubescens Dc. fl. fr. XIII. 1. 726
matritensis Lag. XIII. 1. 716
mauritanica Boiss. & Reut. XIII. 1. 734
maxima Ait. XIII. 1. 697
maxima W. XIII. 1. 697
maxima hispanica Corn. XIII. 1. 699
media Auch. XIII. 1. 715
media Hook. & Arn. XIII. 1. 722
media L. XIII. 1. 697
β Versilleana Rap. - 698
media d'Urvill. XIII. 1. 698
media var. brutia Rap. XIII. 1. 698
mexicana Link XIII. 1. 713
mexicana var. Barnd. XIII. 1. 710
microcephala hort. XIII. 1. 719
microcephala Poir. XIII. 1. 706
microcephala Royl. XIII. 1. 715
minima Dc. fl. fr. XIII. 1. 695
minor Dod. XIII. 1. 715
minor Fries XIII. 1. 697
minuta MB. XIII. 1. 707
minuta Link XIII. 1. 706
minuta C. A. Mey. XIII. 1. 719
minuta Pall. XIII. 1. 707
Mitchelli Benth XIII. 1. 701

Plantago
Steinheilii Barnd. XIII. 1. 712
strieta Schousb. XIII. 1. 735
stricta Sieb. XIII. 1. 736
stricta W. XIII. 1. 735
Stocksii *Boiss.* XIII. 1. 720
Struthionis *A. Cunn.* XIII. 1. 702
stylosa Bess. XIII. 1. 699
subsinuata Horn. XIII. 1. 691
subulata *L.* XIII. 1. 730
α pungens *Lapeyr.*
β capitellata *Dc.*
subulata var. L. XIII. 1. 730
suffruticosa Lam. XIII. 1. 734
sylvatica Pers. XIII. 1. 714
syrtica *Viv.* XIII. 1. 706
Tabernaemontani Baumg. XIII. 1. 699
tasmanica *Hook. fil.* XIII. 1. 703
tatarica *Dene* XIII. 1. 690
tenuiflora *Kit.* XIII. 1. 697
tenuiflora MB. XIII. 1. 697
tenuis Hoffm. & Link XIII. 1. 706
terebrifolia Sieb. XIII. 1. 730
Thunbergii Poir. XIII. 1. 729
tomentosa Isabell. XIII. 1. 725
tomentosa Lam. XIII. 1. 725
tomentosa Poir. XIII. 1. 725
tomentosa Schkuhr. XIII. 1. 723
triandra Spr. XIII. 1. 723
trinervia latifolia Barr. XIII. 1. 716
triquetra Pers. XIII. 1. 730
truncata Barnd. XIII. 1. 727
truncata Cham. XIII. 1. 713
tubulosa *Dene* XIII. 1. 728
tumida *Link* XIII. 1. 712
uliginosa Baumg. XIII. 1. 721
uliginosa Jacquem. XIII. 1. 694
uncialis *Dene* XIII. 1. 727
uniflora L. XIII. 1. 727
uniglumis *Wallr.* XIII. 1. 727
Urvillei Barnd. XIII. 1. 723
Urvillei Delil. XIII. 1. 722
vaginata Vent. XIII. 1. 716
valparadisiaca *Dene* XIII. 1. 725
varia Barnd. XIII. 1. 701
varia *RBr.* XIII. 1. 701
varia Rap. XIII. 1. 701
variabilis Link XIII. 1. 715
velutina Ten. XIII. 1. 705
verātrifolia *Dene* XIII. 1. 701
vestita R. & Schult. XIII. 1. 710
victorialis Kotschy XIII. 1. 705(*bis*)
victorialis Poir. XIII. 1. 715
villosa Lam. XIII. 1. 706



Plantago
villosa Moench XIII. 1. 708
virescens *Bernd.* XIII. 1. 721
virginica *L.* XIII. 1. 722
virginica Mx. XIII. 1. 722
Webbii *Barnd.* XIII. 1. 733
Weddelliana *Done* XIII. 1. 712
Weldenii Reich. XIII. 1. 730
Wrightiana *Done* XIII. 1. 712
Wulfenii *W.* XIII. 1. 729
xorullensis Barnd. XIII. 1. 71
xorullensis *H. B. & Kth.* XII
xorullensis Rap. XIII. 1. 714
Spec. Raoul XIII. 1. 704
Plathymenium Boiss. XII. 640 (s
si
Platonia Raf. XI. 572
Platostoma *PB.* XII. 30 46
africanum *PB.* XII. 47
Platunium Juss. XI. 696
rubrum *Juss.* XI. 697
Platycarpum *H. B. & Kth.* IX.
(Platycarpum) *R. & Schult.* IX.
orenocense *H. B. & Kth.*
Platychilus Nees XI. 298 (Aphel
d
Platycodon *Dc. fl.* VII. 422
grandiflorum *Dc. fl.* VII. 422
homalianthinum Dc. fl. VII.
Platylana Bth. VII. 615 (Erica
Platyspora Salisb. Bth. VII.
(Eri
Platystegiae Nees XI. 289 (Ge
gamer
Platystemma *Wall.* IX. 279 *Ra*
X.
majus Wall. IX. 279
violoides *Wall.* IX. 279
Plechia Raf. XII. 368 *legend*
Vleckia Raf. XII.
Plecocalyx G. Don IX. 12. (Mi
neca
Plectanein *Pet. Thouars* VIII.
Thouarsii *Dc. fl.* VIII. 324
Plectranthus *L'Herit.* XII. 31
RBr. Auct. XII. 70 *Roxb.* X
amboinensis Spr. XII. 69 72
amethystoides *Bth.* XII. 61
arbuticus Roxb. XII. 69 72
asper Spr. XII. 69 71
australis *RBr.* XII. 67
australis Lindl. XII. 67

Plectranthus
strigosus Bth. XII. 68
β lucidus
strobiliferus Roxb. XII. 70 81
subincisus Bth. XII. 66
subspicatus Hochst. XII. 60
ternatus *Sims* XII. 65
ternifolius *Don* XII. 61
ternifolius Hook. XII. 61
Thunbergii *Bth.* XII. 67
thymiflorus Spr. XII. 70 50
tomentosus *Bth.* XII. 67
tristis Spr. XII. 70 51
tuberosus Blum. XII. 70 79
tuberosus Roxb. XII. 70
vestitus *Bth.* XII. 63
villosus *Sieb.* XII. 68
virgatus *Don* XII. 70 52
viscosus *Spr.* XII. 70 42
Walkeri *Arn.* XII. 58
Wightii *Bth.* XII. 56
β macrophyllus Perrot.
zeylanicus *Bth.* XII. 66
Pleiomeris *Dc. fil.* VIII. 105
canariensis *Dc. fil.* VIII. 105
PLEOSTICTIDES *Dc.* IX. 203 *Mart.* IX. 192
Plethiosphace *Bth.* XII. 289 (Salvia)
Pleurocallis *Salisb. Bth.* VII. 625 (Erica)
Pleurogyne *Eschsch.* IX. 121
carinthiaca *Griseb.* IX. 122
β gracilis
γ Stelleriana
carinthiaca γ Griseb. IX. 122
Purshii Steud. IX. 122
rotata G. Don IX. 122
rotata *Griseb.* IX. 122
β tenuifolia
γ americana
Stelleriana Don IX. 122
sulcata Don IX. 122
Pleuropetalum *Hook. fil.* XIII. 2. 463
Darwinii Hook. fil. XIII. 2. 463
Pleurostigma *Hochst.* XI. 557
Plocandra *E. Mey.* IX. 43
albens α E. Mey. IX. 43
albens β radicata E. Mey. IX. 43
palustris *Griseb.* IX. 43
β foliata
purpurascens *E. Mey.* IX. 44



PLUMBAGEAE *Spach* XII.

Plumbagella *Spach* XII. 621 (6
micrantha *Boiss.* XII. 690
Plumbagidium Boiss. XII. 691 (Pl
b
Plumbagidium Spach XII. 690
auriculatum Spach XII. 693
roseum Spach XII. 693
scandens Spach XII. 692
PLUMBAGINAGEAE *Boiss.*

PLUMBAGINACEAE Lindl.

PLUMBAGINEAE Vent. XII.
Reich. XII. 617 *Endl.* XII
PLUMBAGINEAE EPACRID
Reich. XII.
PLUMBAGINEAE VERAE B
XII.
PLUMBAGINES Juss. XII. 61
Plumbago Boiss. XII. 691 (P
b
Plumbago *Tourn.* XII. 621
Ledeb. XII. 690 *Spach*
690
angustifolia Spach XII. 691
aphylla Baj. XII. 694
auriculata Lam. XII. 693
capensis Thbg. XII. 693
capensis W. h. XII. 694
coccinea Boiss. XII. 693
coerulea H. B. & Kth. XII.
eglandulosa RBr. XII. 694 6
europaea L. XII. 691
β Tournefortiana – –
flaccida Moench XII. 693
glandulosa W. h. XII. 692
grandiflora Ten. XII. 693
Humboldtiana R. & Schult.
lapathifolia MB. XII. 691
lapathifolia W. XII. 691
Larpentae *Lindl.* XII. 694
mexicana H. B. & Kth.
micrantha Ledeb. XII. 694 (
occidentalis Sweet XII. 692
orientalis lapathi folio Tourn.
pulchella *Boiss.* XII. 692
rhomboidea Hook. XII. 692
rhomboidea Lodd. XII. 692
rosea L. XII. 693
sarmentosa Lam. XII. 692 6
scandens *L.* XII. 692

VIII. 390
Eth. VIII. 388
III. 392
Id. VIII. 395
VIII. 393
I. 392
VIII. 392
VIII. 395
Mart. VIII. 394
VIII. 394
Pav. VIII. 390
VIII. 392
VIII. 378 395
390
fil. VIII. 393
ar. VIII. 391
Id. VIII. 395
Pav. VIII. 390
odd. VIII. 393
Schlecht. VIII. 394
Dc. fil. VIII. 345
Neck. Griseb. IX. 109 (Gentiana)
Schm. IX. 86
IX. 116
Schm. IX. 110
IX. 111
Schm. IX. 116
Schm. IX. 112
Schm. IX. 113
Schm. IX. 117
Schm. IX. 113
IX. 109
IX. 111
IX. 113
IX. 111
IX. 114
IX. 114
IX. 110
IX. 113
IX. 99
IX. 114
IX. 110
Schm. IX. 117
IX. 112
IX. 117
IX. 99
Schm. IX. 112
IX. 111
IX. 114
IX. 111

Pneumonanthopsis Griseb. IX. 85 (Meyeria)
Poarium *Desv.* X. 585
veronicoides *Desv.* X. 585
Podanthes Bthn. VIII. 655 (Stapelia)
ciliata Haw. VIII. 655
irrorata Haw. VIII. 655
lepida Haw. VIII. 664
pulchella Haw. VIII. 655
ramosa Haw. VIII. 656
verrucosa Haw. VIII. 655
Podanthera G. Don. Dc. fil. VII. 454 (Phyteuma)
Poderemia Bth. VII. 699 (Eremia)
Podocarpus Dieffenbachii Mack. X. 462
Podostigma *Ell.* VIII. 521
pubescens *Ell.* VIII. 521
viridis Ell. VIII. 522
Poechia Endl. XIII. 2. 462
Poecilochroma *Miers* XIII. 1. 494
Boissieri *Dun.* XIII. 1. 687
frondosum *Miers* XIII. 1. 495
Funckiana *Dun.* XIII. 1. 687
guttatum *Miers* XIII. 1. 495
Lindenianum *Miers* XIII. 1. 496
Llobianum *Miers* XIII. 1. 496 (*recte* Lobbianum XIII. 1. 687)
maculatum *Miers* XIII. 1. 495
punctatum *Miers* XIII. 1. 495
quitoense *Miers* XIII. 1. 496
Poecilomeris Mart. XI. 221, 286, 295
cinctimata Mart. XI. 287
macrotachya Mart. XI. 298
Minarum Mart. XI. 71
multiflora Mart. XI. 287, 323
Spec. Mart. XI. 323
Poeppigia Berter. XI. 609
cyanocarpa Bert. XI. 610
Pogogyne *Bth.* XII. 150, 243
Douglasii *Bth.* XII. 249
multiflora *Bth.* XII. 243
parviflora *Bth.* XII. 243
Pogonandra Dc. VII. 511 (Scaevola)
Pogonanthera G. Don VII. 511
Pogonanthum G. Don. Dc. VII. 525 (Rhododendron)
Pogonatus Lindl. VIII. 512
Pogonia Andr. XI. 706
aspera Hort. XI. 710
debilis Andr. XI. 711



Pogostis
glabra Andr. XI. 707
integerrima Lag. XI. 707
ophioglossoides Ker XI. 712
pectinata Host. XI. 709
tetrandra Labill. XI. 709
tuberculata host XI. 710
Pogonospermum Hochst. XI. 39
ciliare Hochst. XI. 394
hispidum Hochst. XI. 394
Pogonostimon *vid.* Pogostemon
Pogostimon *Desf.* XII. 149 454 (*Pogostemon*) *Hassk.* XII. 151
amarantoides Bth. XII. 153
atropurpureus Bth. XII. 154
corollaris Hassk. XII. 156
brachystachyus Bth. XII. 156
Cablin Bth. XII. 156
cristatus Hassk. XII. 153
elsholtzioides Bth. XII. 153
glaber Bth. XII. 159
gracilis Hassk. XII. 456
Heyneanus Bth. XII. 153
β
hirsutus Bth. XII. 154
intermedius Bth. XII. 159
menthoides Blume XII. 156
mollis Bth. XII. 154
paludosus Bth. XII. 154
pubiculatus Bth. XII. 154
β *aequalifolius*
parviflorus Bth. XII. 462
β *hispidus*
γ *longipetiolatus*
Patchouly *Pollet* XII. 163
petiolaris *Bth.* XII. 154
plectranthoides Bot. mag. XII. 1
plectranthoides *Desf.* XII. 151
pubescens *Bth.* XII. 152
reflexus *Bth.* XII. 155
rotundatus *Bth.* XII. 155
rupestris *Bth.* XII. 154
speciosus *Bth.* XII. 155
strigosus *Bth.* XII. 155
suavis Teh. XII. 153
tomentosus *Hassk.* XII. 150
tuberculosus *Bth.* XII. 152
velutus *Bth.* XII. 155
vestitus *Bth.* XII. 155
villosus *Bth.* XII. 152
Wightii *Bth.* XII. 154
Pogostoma *Schrad.* X. 425 430
saxifragaefolia *Schrad.* X. 439
Poiretia Cav. VII. 768 *Gmel.* VI
768 *Sm.* VII. 768 *Vent.* VI

XII. 592
XII. 593
. XII. 592
XII. 593
X. 121 *Roth* XII. 503
. X. 173
V. XII. 593
M. XII. 512
. 172
XII. 512
III. 512
s. XII. 667 (Stictice)
XIII. 1. 66 (Silenum)
. 341 350
51
. 351
K. 351
351
. 351
X. 352
. X. 352
X. 351
. 352
X. 351
XIII. 2. 424
XII. 2.
. XII. 3
. XII. 3. 4
ey. XII. 2
y. XII. 3
i *Choix.* XII. 2
ley. XII. 3
II. 2.
(III. 2. 424
Dumort. XIII. 2. 234 334
III. 2. 234 334 209
i XIII. 2. 336 133
uli. XIII. 2. 336 198
r. XIII. 2. 336
. 2. 335
allr. - -
lur. - -
- -
- -
- -
XIII. 2. 236
. XIII. 2. 336 197
Schrank XIII. 2. 133

Polycnemum
camphoresmoides Schrank XIII. 2. 336
conjugatum MB. XIII. 2. 336. 197
crassifolium Pall. XIII. 2. 336 198
Heldreichi Moq. XIII. 2. 335
arinaceum Pall. XIII. 2. 336 200
Fontanesii *Dur. & Moq.* XIII. 2. 335
glaucum Pall. XIII. 2. 336 199
Heuffelii *Lang* XIII. 2. 336
inundatum Schrank XIII. 2. 335
juniperinum MB. XIII. 2. 336 200
majus A. Braun XIII. 2. 335
matucophyllum MB. XIII. 2. 336 196
monandrum Pall. XIII. 2. 336 199
nociferum Roth XIII. 2. 336. 195
oppositifolium Pall. XIII. 2. 336 198
oppositifolium R. & Schult. XIII. 2. 336 197
pumilum Mert. & Koch XIII. 2. 335
recurvum Lois. XIII. 2. 335
salsum MB. XIII. 2. 336 197
scleranthoides W. XIII. 2. 336
sclerospermum Pall. XIII. 2. 336 195
sibiricum Pall. XIII. 2. 336 197
triandrum Pall. XIII. 2. 336 197
verrucosum *Lang* XIII. 2. 335
vinticum Pall. XIII. 2. 335
volvox Pall. XIII. 2. 336. 197
Polycodon Bth. VII. 667 (Erica)
Polycoelium *Dc. fil.* XI. 703 705
bonticides *Dc. fil.* XI. 705
chinense *Dc. fil.* XI. 706
sandwicense *Dc. fil.* XI. 706
Polydesmia Bth. VII. 615 (Erica)
Polydesmia Bth. XII. 115 (Hyptis)
Polydiclis G. Don XIII. 1. 571 (Nicotiana)
Polydiclis Miers XIII. 1. 571
Polyechma *Hochst.* XI. 79 82
abyssinicum *Hochst.* XI. 83
coeruleum *Hochst.* XI. 82
micranthum *Nees* XI. 83
odorum *Nees* XI. 83
radicans *Nees* XI. 83
POLYGALEAE v. MYOPORINAE Reich. XII. 701
Polygalium L. XIII. 2. 229
sambucis L. XIII. 2. 230

Polymeria *RBr.* IX. 432
ambigua *RBr.* IX. 432
calycina *RBr.* IX. 432
lunata *RBr.* IX. 432
pusilla *RBr.* IX. 432
quadrivalvis *RBr.* IX. 432
Polymeuron Dene XIII. 1. 694 (Pl
ta
Polyotus Nutt. VIII. 521
angustifolius Nutt. VIII. 523
heterophyllus Nutt. VIII. 522
lanuginosus Nutt. VIII. 523
longifolius Nutt. VIII. 522
Polypremum *L.* IX. 12 X. 432
procumbens *L.* X. 434
procumbens Schlecht. IX. 560
Schlechtendahli *Walp.* IX. 560
Polyscalis Moq. XIII. 2. 329 (C
thu
Polyscalis Wall. XIII. 2. 325 3
capillata Wall. XIII. 2. 329
aequax Wall. XIII. 2. 327
Polystemma *Dene* VIII. 602
viridiflora *Dene* VIII. 602
Polythrix *Nees* XI. 280 285
Stenandrium *Nees* XI. 286
Poma hierochuntica Imper. XIII
Pometia Vell. VIII. 670
laetescens Vell. VIII. 671
Pomum de Hiericho &c. Bauh. X
1.
Pomum Sodomae Merian. XIII.
Ponceletia *RBr.* VII. 767
sprengelioides *RBr.* VII. 767
monticola *A. Cunn.* VII. 768
Pongeti Rheed. VII. 548
PONGATIEAE Endl. VII. 548
Pongatium Juss. VII. 548
indicum Lam. VII. 548
Ponticum G. Don VII. 721
Porana *Burm.* IX. 436
acuminata *PB.* IX. 436
cordifolia Ledeb. IX. 436
dichotoma Hamilt. IX. 436
grandiflora *Wall.* IX. 436
paniculata *Roxb.* IX. 436
racemosa *Roxb.* IX. 436
tomentosa Leschen. IX. 436
volubilis *Burm.* IX. 436
Porotillos XIII. 1. 579
Porphyra Lour. XI. 640
dichotoma Lour. XI. 646
Porphyranthus G. Don De. VII. 5
(Goodeni

h. VII. 340
b. ÷ –
L. VII. 340
ssi. VII. 340
. Don VII. 340 353
527 630
XI. 637
r. XI. 637
hauer XI. 630
'all. XI. 638
H. XI. 636
XI. 638 660
. XI. 637
XI. 636
Schauer XI. 638
o XI. 638
XI. 637
sb. XI. 632
ttl. XI. 632
chauer XI. 634
ll. XI. 631
b. XI. 636
s. XI. 634
XI. 630
Schauer XI. 631
XI. 638
b. XI. 637
XI. 632
. XI. 631
ll. XI. 633
. XI. 635
b. XI. 634
Vall. XI. 636
Schauer XI. 632
I. 637
auer XI. 635
th XI. 638
sb. XI. 635
co XI. 638
Br. XI. 637
o XI. 638
I. 637
m. XI. 633
b XI. 638 679
Vall. XI. 636
m. XI. 634
k XI. 637
all. XI. 633
m. & Thonn. XI. 633
ll. XI. 633
ser XI. 637
s. XI. 638 639
XI. 638 628
ll. XI. 631
XI. 632

Premna
serratifolia *L.* XI. 632
serratifolia Wall. XI. 632
spinosa Roxb. XI. 632
taitensis *Schauer* XI. 638
timoriana *Done* XI. 631
tomentosa *W.* XI. 634
vestita *Schauer* XI. 631
viburnoides *Wall.* XI. 635
Wightiana *Schauer* XI. 635
Premnos Hassk. XI. 633 *Schauer* XI. 633 (Premna)
Prepusa *Mart.* IX. 80
campanulata Griseb. IX. 81
connata *Gardn.* IX. 81
Hookeriana *Gardn.* IX. 81
montana *Mart.* IX. 81
Preslaea Mart. IX. 557 (*Preslea St. Hil.*)
linifolia St. Hil. IX. 558
paradoxa Mart. IX. 557
parviflora Mart. IX. 557
stenostachya St. Hil. IX. 558
Preslia *Opis* XII. 149 164
cervina *Fresen.* XII. 164
glabriflora Opis XII. 164
villiflora Opis XII. 164
Prestonia *RBr.* VIII. 428
annularis G. Don VIII. 430 428
glabrata H. B. & Kth. VIII. 430 427
hirsuta Spr. VIII. 430 463
ipomaeifolia *Dc. fil.* VIII. 429
latifolia *Bth.* VIII. 429
mexicana *Dc. fil.* VIII. 429
mollis H. B. & Kth. VIII. 430 427
peruviana Spr. VIII. 430 427
quinquangularis Spr. VIII. 430 468
tomentosa *RBr.* VIII. 429
Pretrea *Gay* IX. 255 *Lindl.* IX. 255
zanguebarica *Gay* IX. 256
Prevostea *Chois.* IX. 437
amazonica *Chois.* IX. 437
ferruginea *Chois.* IX. 438
glabra *Chois.* IX. 437
heterantha Don IX. 438 430
sericea *Chois.* IX. 438
umbellata *Chois.* IX. 437
Primula *L.* VIII. 34 45
acaulis Jacq. VIII. 37
alba Hoffm. VIII. 38
algida *Adam* VIII. 39
Allionii *Lois.* VIII. 38
alpina Schleich. VIII. 68
altaica *Lehm.* VIII. 43

Thom. VIII. 38
Flügge VIII. 36
Vall. VIII. 37
Hoffm. VIII. 36
Ferett. VIII. 40
ot. reg. VIII. 36
all. VIII. 34
acq. VIII. 38
gl. VIII. 40
ie VIII. 44
L VIII. 42
Vall. VIII. 41
ud. VIII. 38
VIII. 41
Pall. VIII. 43
Wall. VIII. 41
Lehm. VIII. 39
k. VIII. 44
lieb. VIII. 45 46
'cks VIII. 36
h. VIII. 45
p. VIII. 43
ook. - - -
leich. VIII. 37
chst. VIII. 667
Ledeb. VIII. 45
dl. VIII. 35 667
Jacquem. VIII. 44
n VIII. 41
Fratt. VIII. 40
. VIII. 44
ll. VIII. 41
Bertol. VIII. 36
Don VIII. 37
hm. VIII. 40
sch. VIII. 43
sch. VIII. 36
ge VIII. 37
VIII. 36
L. VIII. 36
bot. mag. VIII. 35
Forsk. VIII. 35 667
. VIII. 38
Duby - -
VIII. 38
. VIII. 38
. VIII. 45 46
dz. VIII. 37
E. Mey. VIII. 33
Duby VIII. 35 (Primula)
Endl. VIII. 34
. VII. 765 *Spr.* VII. 765 769
Hook. VII. 766

Prionotes
cerinthoides *RBr.* VII. 766
secunda Spr. VII. 770
Prionitis L. XI. 237 *Nees* XI. 237 (Barleria)
Prismatocarpus *Dc. fil.* VII. 442 *L'Herit.* VII. 442 489
altiflorus *L'Herit.* VII. 444 790
Bergianus *Cham. & Schl.* VII. 790
Candolleanus *Cham. & Schl.* VII. 789
confertus Moench VII. 445 490
crispus *L'Herit.* VII. 444 790
diffusus *Dc. fil.* VII. 442
Ecklonii *Dc. fil.* VII. 444 791
falcatus Ten. VII. 445 490
fastigiatus *Presl* VII. 442
fruticosus Eckl. VII. 444
fruticosus *L'Herit.* VII. 444 790
grandiflorus *E. Mey.* VII. 443
hirtus Ten. VII. 445 490
hirtus d'Urv. VII. 445 490
hybridus L'Herit. VII. 490
interruptus Eckl. VII. 443
interruptus *L'Herit.* VII. 443 790
junceus *Buek* VII. 790
laricinus Presl VII. 443
linariaefolius *Dc. fil.* VII. 444 790
lycopodioides *Dc. fil.* VII. 443
nitidus *L'Herit.* VII. 445 790
paniculatus *L'Herit.* VII. 443
β *Dc. fil.* - -
parviflorus *Dc. fil.* VII. 443
pedunculatus *Dc. fil.* VII. 443
pentagonius L'Herit. VII. 445 489
scaber Lowe VII. 445 490
sessilis *Eckl.* VII. 445
Speculum L'Herit. VII. 445 490
Speculum β *Lam.* VII. 490
strictus *Dc. fil.* VII. 444 790
subulatus *Dc. fil.* VII. 444
β penicillatus - - -
tenerrimus *Buek* VII. 790
Spec. Presl VII. 445
Priva *Adam.* XI. 529 532
aspera *H. B. & Kth.* XI. 534
bahiensis *Dc.* XI. 533
crenata Schrad. XI. 534
dentata *Juss.* XI. 533
echinata *Juss.* XI. 534
Forskalii E. Mey. XI. 534
hispida *Juss.* XI. 534
laevis *Juss.* XI. 533

Blum. XIII. 2. 233 279 462
Moq. XIII. 2. 280
oq. XIII. 2. 280
Moq. XIII. 2. 279
. XIII. 2. 280
. XIII. 2. 281
Blum. XIII. 2. 280
. Thouars X. 434
Pet. Thouars X. 434
pitata Sieb. IX. 33
VIII. 377
VIII. 363
Sieb. IX. 33
. VIII. 339
b. IX. 34
. IX. 35
Jaub. & Spach XII. 669 (Statice)
XIII. 1. 733 (Plantago)
n. XIII. 1. 694
th. XIII. 1. 735
. XIII. 1. 735
&c. C. Bauh. XIII. 1. 734
. J. Bauh. XIII. 1. 734
hii Boco. XIII. 1. 734
m C. Bauh. XIII. 1 35
um Taurn. XIII. 1. 734
auh. XIII. 1. 736
c. Lob. XIII. 1. 734
sk. XIII. 2. 424
hrenk XIII. 2. 168
Schrenk XIII. 2. 169
tt. XIII. 2. 106
. XIII. 2. 113
rr. & Frem. XIII. 2. 106
Torr. & Frem. XIII. 2. 113
Fisch. XIII. 2. 124
Poiss. XII. 635 (Statice)
Dun. XIII. 1. 28 38 (Solanum)
Dc. IX. 239
IX. 239
. IX. 239
tt. VII. 779
Nutt. VII. 779

Pterostoechas Ging. XII. 146 (Lavandula)
Pterostelma *Wight* VIII. 633
acuminata *Wight* VIII. 633
Pterostigma *Bth.* X. 342 379
capitatum *Bth.* X. 380
grandiflorum *Bth.* X. 380
macrophyllum *Bth.* X. 380
ovatum *Bth.* X. 380
rubiginosum Walp. X. 380
spicatum Bth. X. 380
villosum *Bth.* X. 380
Pterostyrax *Sieb. & Zucc.* VIII. 268
corymbosum *Sieb. & Zucc.* VIII. 269
Pterotropium Dc. IX. 552 (Heliotropium)
Pterygocarpus Hochst. VIII. 634
abyssinicus Hochst. VIII. 640
Ptilotus *RBr.* XIII. 2. 233 281
amabilis *Spanogh.* XIII. 2. 282
conicus *RBr.* XIII. 2. 282
corymbosus *RBr.* XIII. 2. 282
declinatus Nees XIII. 2. 282 293
distans Poir. XIII. 2. 282 297
erubescens Schlecht. XIII. 2. 282 293
exaltatus *Nees* XIII. 2. 281
fusiformis Poir. XIII. 2. 282 294
gracilis Poir. XIII. 2. 282 294
incanus Poir. XIII. 2. 282 285
lanatus *Cunn.* XIII. 2. 281
macrocephalus Poir. XIII. 2. 282 290
ovatus *Moq.* XIII. 2. 281
spathulatus Poir. XIII. 2. 282 288
Ptycanthera *Dene* VIII. 606
Berterii *Dene* VIII. 606
Ptyxanthus Don IX. 328
Puccoon X. 79
Puglionium *Guertn.* XIII. 2. 45 121
Puharee Chirata IX. 127
Pulassari Rumph. VIII. 346
Pulcolki Rheed. XI. 443
Pulegium Mill. XII. 161
angustifolium Riv. XII. 164
cervinum Mill. XII. 164
erectum Mill. XII. 175
latifolium Bauh. XII. 175
tomentella Presl XII. 175
vulgare Mill. XII. 175

m
ers. XII. 188
t. XII. 189
tt. XII. 188
itt. XII. 188
A. Gray - -
itt. XII. 186
Schrad. XII. 189
XII. 188
XII. 187
n *Pers.* XII. 190
n *Pursh* XII. 186
Nutt. XII. 188
Pers. XII. 189
. XIII. 2. 298 (Lachnostachys)
Bth. VII. 698 (Blaeria)
Bth. XII. 580 (Teucrium)
Bth. XII. 371 (Nepeta)
Dcne VIII. 532
Dcne VIII. 532
n *Dcne* VIII. 532
Bth. XII. 349 (Salvia)
Hook. XII. 31 83
Fresen XII. 83
ook. XII. 83
Bth. XII. 83
a - -
Bunge VIII. 512
unge VIII. 512
Bth. XII. 211 (Satureja)
Bth. XII. 61 (Plectranthus)
E Vent. XI. 522
VIII. 120
our. VIII. 126
. VII. 772 *L.* VII. 772
Sm. VII. 775 *Clayt.* VII. 776
. VII. 773
Lx. VII. 773
tad. VII. 773
look. VII. 773
Nutt. VII. 773
Sw. VII. 773
. h. VII. 773
Hart. VII. 773
Moench VII. 773
. VII. 773
itt. VII. 773

Pyrola
fruticosa Eschsch. VII. 732
grandiflora Rad. VII. 773
hybrida Vill. VII. 774
incarnata Fisch. VII. 773
maculata L. VII. 774 775
media *Sw.* VII. 774
Menziesii RBr. VII. 774 775
minor Gilib. VII. 773
minor *L.* VII. 774
minor Pursh VII. 773
minor Sm. VII. 774
noveboracensis Cold. VII. 773
occidentalis *RBr.* VII. 773
picta *Sm.* VII. 773
reticulata Raf. VII. 773
rosea Sm. VII. 774
rotundifolia *L.* VII. 772
β incarnata - - 773
γ grandiflora - - -
rotundifolia ß. dan VII. 774
rotundifolia Pall. VII. 774
rotundifolia β nummularia Mühl. VII. 773
rotundifolia var. Gold. VII. 773
secunda *L.* VII. 774
β hybrida *Dc.* - -
umbellata L. VII. 774 775
uniflora L. VII. 774 775
urceolata Poir. VII. 776
virens Schweig. VII. 773
virens Ser. VII. 773
PYROLACEAE *Lindl.* VII. 772
PYROLEAE *Dc.* VII. 772
PYROLEAE Lindl. VII. 772
Pyronium Salisb. Bth. VII. 666 (Erica)
Pyrostoma Mey. esseq. XI. 692 693
ternata Mey. esseq. XI. 694
Pyrostoma Schauer XI. 693 (Vitex)
Pyxidanthera *Mx.* XIII. 1. 692
barbulata *Mx.* XIII. 1. 692
spathulata Mühl. XIII. 1. 692
Pyxidaria Lind. X. 418
Pyxidium Moench XIII. 2. 262 273
gangeticum Moench XIII. 2. 261
graecizans Moench XIII. 2. 263
melancholicum Moench XIII. 2. 262
oleraceum Moench XIII. 2. 273
viride Moench XIII. 2. 274
Pyxidium Moq. XIII. 2. 262 (Amarantus)

kc. *Breyn.* VII. 361 363
VII. 373
VII. 375
·esl VII. 378
:c. *Plum.* VII. 395
&c. *Rob.* VII. 382
esl VII. 378
Presl VII. 385
VII. 375
resl VII. 366
'resl VII. 365
resl VII. 410
Presl VII. 367
Presl VII. 369
Presl VII. 393
VII. 371
! VII. 385
sl VII. 393
resl VII. 368
Presl VII. 394
! VII. 361
:sl VII. 394
Presl VII. 359
Presl VII. 366
:s *Presl* VII. 353
resl VII. 375
Presl VII. 362
·esl VII. 354
esl VII. 382
ium *Presl* VII. 383
n *Presl* VII. 362
lium *Presl* VII. 365
Presl VII. 362
ium *Presl* VII. 368
um *Presl* VII. 372
sl VII. 360
:sl VII. 385
Presl VII. 379
Presl VII. 395
n *Presl* VII. 374
·esl VII. 363
& γ *Presl* VII. 363
sl VII. 379
·esl VII. 377 380
esl VII. 358
Moench VII. 372
Presl VII. 381
montanum Column. VII. 452
n *Presl* VII. 363
Presl VII. 353
'resl VII. 376
esl VII. 384
:sl VII. 364
Presl VII. 376

Rapuntium
Dregeanum Presl VII. 371
Ecklonianum Presl VII. 368
ericoides Presl VII. 354
Erinus Moench VII. 371
euphrasioides Presl VII. 355
exaltatum Presl VII. 380
fastigiatum Presl VII. 373
fenestrale Presl VII. 361
fervens Presl VII. 385
filiforme Presl VII. 368
flaccidum Presl VII. 360
flavum Presl VII. 785
flexuosum Presl VII. 369 379
fluviatile Presl VII. 366
foliis Cirsii &c. Plum. VII. 395
foliis linearibus &c. Burm. VII. 386
foliis oblongis Burm. VII. 354 363
foliis oblongis villosis &c. Clayt. VII. 374
foliosum Presl VII. 364
fulgens Presl VII. 382
genistoides Presl VII. 358
gibbosum Presl VII. 358
glabrifolium Presl VII. 358
glandulosum Presl VII. 378
gracile Presl VII. 364
gramineum Presl VII. 382
gruinum Presl VII. 374
Haenkeanum Presl VII. 382
heteromallum Presl VII. 370
heterophyllum Presl VII. 359
hirsutum Mill. VII. 370
hirsutum Presl VII. 361
hyssopifolium Presl VII. 392
incisum Presl VII. 785
inflatum Mill. VII. 380
inundatum Presl VII. 367
irriguum Presl VII. 367
Kalmii Presl VII. 374
kamtschaticum Presl VII. 390
Krebsianum Presl VII. 385
Kunthianum Presl VII. 383
laciniatum Presl VII. 397
lasianthum Presl VII. 363
laxiflorum Presl VII. 383
Leschenaultianum Presl VII. 381
linarioides Presl VII. 372
longiflorum Mill. VII. 413
longifolium Presl VII. 382
Lucaeanum Presl VII. 383
luteum Presl VII. 354
maculare Presl VII. 364
maculare procerum Presl VII. 364
membranaceum Presl VII. 365

VIII. 338
I. 337
c. fil. VIII. 341
Bert. Spr. VIII. 342 367
Don VIII. 340
r. VIII. 340
. fil. – –
. fil. VIII. 340
th. VIII. 337
s H. B. & Kth. VIII. 338
VIII. 342
. VIII. 341
Dc. fil. VIII. 339
Dc. fil. VIII. 340
VIII. 342
VIII. 356
ck VIII. 337
B. & Kth. VIII. 339
. Bth. VIII. 338
ttifolia Plum. VIII. 337
eq. VIII. 338
VIII. 338
. VIII. 341
X. 525
Spr. X. 525
. XIII I. 60 (Solanum)
sch. IX. 275 X. 586
ch. & Mey. IX. 275
sch. IX. 275
nst. VIII. 361
X. 297
b. X. 180
Spr. X. 181
reb. X. 181
pr. XIII. 2. 439 Mart. XIII. 2. 457
rt. XIII. 2. 439 458
XIII. 2. 439
r. IX. 437
X. 437
IX. 438
VIII. 374 (Tabernaemontana)
. VIII. 361
ndlich. VIII. 374
212
t. IX. 136
tt. IX. 136
VIII. 281
l. VIII. 153
fil. VIII. 153
rege XIII. 2. 143

Resupinaria Bth. XII. 369 (Lophanthus)
Retzia *Thbg.* XIII. 1. 8. 581 *Klotzsch* XII. 605
campanuloides Spr. XIII. 1. 582
capensis *Thbg* XIII. 1. 582
pilosa Rottl. IX. 403
roelloides Spr. XIII. 1. 582
spicata Thbg XIII. 1. 582
RETZIACEAE Bartl. XIII. 1. 580
Endl. XIII. 1. 580
RETZIEAE *Dc. fil.* XIII. 1. 8. 580
Rhabdia *Mart.* IX. 512
lycioides *Mart.* IX. 512
Rhabdocalyx Dc. fil. IX. 474 (Cordia)
Rhabdocaulon Bth. XII. 248 (Keithia)
Rhabdothamnus *A. Cunn.* IX. 277
scabrosus *Steud.* IX. 277
Solandri Cunn. IX. 277
Rhagocarpium Schauer. XI. 557 (Bouchea)
Rhagodia *RBr.* XIII. 2. 43 49
baccata *Moq.* XIII. 2. 50
β angustifolia – – –
γ Candolleana – – –
δ parvifolia – – –
Billardieri RBr. XIII. 2. 50
Candolleana Moq. XIII. 2. 50
Candolleana β parvifolia Moq. XIII. 2. 50
chenopodioides *Moq.* XIII. 2. 52
congesta *Moq.* XIII. 2. 51
crassifolia *RBr.* XIII. 2. 52
dioica *Nees* XIII. 2. 50
Drummondii *Moq.* XIII. 2. 52
Gaudichaudiana *Moq.* XIII. 2. 53
hastata *RBr.* XIII. 2. 53
linifolia *RBr.* XIII. 2. 49
linifolia Nees XIII. 2. 49
nutans *RBr.* XIII. 2. 53
β parvifolia – – 54
obovata *Moq.* XIII. 2. 51
parabolica *RBr.* XIII. 2. 51
parvifolia *Moq.* XIII. 2. 52
Preissii *Moq.* XIII. 2. 49
prostrata *Cunn.* XIII. 2. 52
radiata *Nees* XIII. 2. 50
reclinata *Cunn.* XIII. 2. 51
spinescens *RBr.* XIII. 2. 53
Rhagrostis Buxb. XIII. 2. 139
fol. arundinaceis Buxb. XIII. 2. 139
Rhamnus Dod. XIII. 1. 523
cumanensis Loefl. IX. 508
primus alter Dod. XIII. 1. 522

D. Don VII. 720
D. Don - -
Lindl. - -
De. - -
De. - 721
tacleanse Hook. VII. 720
rgi VII. 723
esf. VII. 722
Don VII. 721
all. VII. 724
en VII. 728 717
n G. Don VII. 723
Don VII. 727
n Torr. VII. 728 717
n D. Don VII. 721
Don VII. 728 717
De. VII. 727
Mx. VII. 723
Sims VII. 722
ims VII. 723
Pall. VII. 723
Hook. - -
- -
Loud. - -
c. VII. 725
L. VII. 726
Pall. VII. 723
n Wall. VII. 720
VII. 725
s Hook. - -
- -
- -
all. VII. 725
atrovirens Ker VII. 725
). Don VII. 728 718
offmans. VII. 722
Dc. VII. 728
e VII. 725
L. VII. 724
De. - -
album Sweet VII. 724
on VII. 728 718
s Sweet VII. 718
marium Sweet VII. 718
all. VII. 721
ful. VII. 722
Don VII. 716
r. VII. 728
Sweet VII. 728

Rhododendron
hirsutum L. VII. 724
hispidum Torr. VII. 728 716
hybridum bigener Lindl. VII. 722
javanicum Benn. VII. 721
indicum Sweet VII. 726
α puniceum - - -
β purpureum De. - -
γ ignescens - - -
δ lateritium - - -
ε variegatum - - -
ζ incarnatum - - -
indicum pulchrum G. Don VII. 727
indicum Smithii Sweet VII. 727
indicum speciosum Sweet VII. 727
kamtschaticum Pall. VII. 726
lapponicum Wahlenb. VII. 724
latifolium Hoffmans. VII. 722
ledifolium De. VII. 727
α leucanthum - - -
β phoeniceum - - -
ledifolium G. Don VII. 727
lepidotum Wall. VII. 724
leucanthum Bunge VII. 727
Loureirianum G. Don VII. 728 718
Lowei gard. mag. VII. 722
macrophyllum G. Don VII. 723
malayanum Jack VII. 725
maximum L. VII. 722
β bigener De. - - -
γ hybridum Hook. - -
maximum Thbg VII. 721
maximum β album Pursh VII. 723
maximum γ purpureum Pursh VII. 722
maximum roseum Pursh VII. 722
Metternichii Sieb. & Zucc. VII. 721
micranthum Turcz. VII. 727
minus Mx. VII. 723
Morterii Sweet VII. 728 718
mucronatum G. Don VII. 727
mucronulatum Turcz. VII. 727
myrtifolium Lodd. VII. 722
nilagiricum Zenk. VII. 720
nitidum Torr. VII. 728 716
Nobleanum Lindl. VII. 723
nudiflorum Torr. VII. 728 716
nudiflorum Gowenianum Loud. VII. 728
nudiflorum scintillans bot. mag. VII. 716

Nees XI. 352
Nees XI. 346
– –
ides Nees XI. 347
XI. 335
Nees XI. 342
Nees XI. 355
Nees XI. 348
Nees XI. 351
– –
– –
s XI. 349
ees XI. 353
Nees XI. 336
Nees XI. 341
ees XI. 342
Nees XI. 344
XI. 342
Nees XI. 348
– –
s XI. 340
– –
ees XI. 345
ric. XI. 342
Nees XI. 349
XI. 350
Nees XI. 338
– – –
Nees XI. 341
– –
s XI. 353
lia Nees XI. 348
Nees XI. 343
Nees XI. 349
s XI. 349
es XI. 341
– – –
Nees XI. 354
– – –
XI. 341 730
Nees XI. 346
Nees XI. 345
Nees XI. 341
a Nees XI. 342
a Nees XI. 341
XI. 346
es XI. 343
es & Mart. XI. 348
Nees XI. 338
Nees XI. 336
XI. 336
Nees XI. 343
Nees XI. 347
Nees XI. 352 404
– –
aya – 353

Rhytigloss
pedunculosa *Nees* XI. 339
pisubiensis *Nees* XI. 347
Poeppigiana *Nees* XI. 347
polygonoides *Nees* XI. 353
β – – –
prolixa *Nees* XI. 336
ptychostoma *Nees* XI. 337
punctata *Nees* XI. 355
radicosa *Nees* XI. 344
repens *Nees* XI. 338
reptans *Nees* XI. 343
Ruiziana *Nees* XI. 345
sarmentosa *Nees* XI. 338
scabra *Nees* XI. 354
secunda *Nees* XI. 340
β intermedia – –
sessilis *Nees* XI. 345
speciosa *Nees* XI. 351
symphyantha *Nees* XI. 350
β obtusifolia – – –
γ subpaniculata – – –
tenuiflora *Nees* XI. 340
verticillaris *Nees* XI. 354
viridiflora *Nees* XI. 346
Rhytispermum Dc. X. 73 (Lithospermum)
Rhytispermum Link X. 73
arvense Link X. 74
Ribesioides L. VIII. 83 85
Richaia Pet. Thouars VII. 769
Richea *RBr.* VII. 769 *Labill.* VII. 769
dracophylla *RBr.* VII. 769
Richiea G. Don VII. 769
Riedelia Cham. XI. 572 580
hippioides Cham. XI. 580
Rindera *Pall.* X. 170 *Auct.* X. 120
canescens Dc. X. 168
Columnae R. & Schult. X. 171
cristata R. & Schult. X. 171 170
emarginata R. & Schult. X. 169
glastifolia R. & Schult. X. 171 169
glochidiata Wall. X. 171 136
graeca Boiss. & Heldr. X. 171 168
laevigata *R. & Schult.* X. 170
lateriflora R. & Schult. X. 171
magellensis R. & Schult. X. 171 154
ochroleuca *Kar. & Kir.* X. 170
pilosa R. & Schult. X. 171 120
tetraspis L'Herit. X. 171 168

Rindera
tetraspis Pall. X. 170
Spec. Dc. ms. X. 168
Riocreuxia *Dcne* VIII. 640
torulosa *Dcne* VIII. 640
Rjotsjo Kaempf. IX. 223
Rivea *Chois.* IX. 325
Argyreia *Mart.* IX. 327
bona nox *Chois.* IX. 326
brasiliana *Mart.* IX. 326
cordata *Chois.* IX. 326
cuneata Wight IX. 327
hypocrateriformis *Chois.* IX. 326
obtecta *Chois.* IX. 326
ornata *Chois.* IX. 326
subincana *Chois.* IX. 325
tiliaefolia *Chois.* IX. 325
Rivicoa Dc. fil. VIII. 170 (Lucuma)
Rivina *Plum.* XIII. 2. 4 10 21
R. & Pav. XIII. 2. 1
acuminata H. B. & Kth. XIII 2. 14 1
affinis Nees & Mart. XIII. 2. 1 1
apetala Schum. XIII. 2 14 15
brasiliensis *Nocc.* XIII. 2. 12
β viridis - -
dodecandra Jacq. XIII. 2. 11
Ehrenbergiana Klotzsch XIII. 2 1
glabrata *H. B. & Kth.* XIII. 2. 1
humilis bot. mag. XIII. 2. 13
humilis *L.* XIII. 2. 13
α puberula - - -
β canescens *L.* - - -
γ plumbaginifolia - - -
inaequalis Hook. XIII. 2. 14 16
laevis β. mex. XIII. 2. 14
laevis Lam. XIII. 2. 11
laevis *L.* XIII. 2. 11
β acuminata - - 12
lanceolata *W.* XIII. 2. 13 14 15
Lathenia Wall. XIII. 2. 14 29
latifolia Lam. XIII. 2. 14 16
mexicana *Moç. & Sess.* XIII. 2. 1
Moritziana Klotzsch XIII. 2. 11
Mutisii W. XIII. 2. 11
octandra *L.* XIII. 2. 11.
β obtusifolia - - -
orientalis *Moq.* XIII. 2. 12
paniculata L. XIII. 2. 14
peruviana *Moq.* XIII. 2. 10
plumbaginifolia W. h. XIII. 2. 1
portulacoides Nutt. XIII. 2. 11
procumbens Ruiz XIII. 2. 13
puberula H. B. & Kth. XIII. 2. 13

& Schlecht. X. 176 142
Do. fil. X. 175
III. 2. 234 323
Moq. XIII. 2. 323
5 446 Banks h. VII. 442 496
loxb. VII. 448 439
fil. VII. 446
VII. 791
nks h. VII. 447
. fil. VII. 447
. VII. 448 440
VII. 448 446 496
. 446
il. VII. 446
nks h. VII. 448
g VII. 496
ir. VII. 448 426
fil. VII. 447 448
fil. VII. 446
fil. VII. 446 790
uek VII. 791
h. VII. 448 444
k VII. 791
. VII. 448 443
n. VII. 447
r. VII. 448 418
Roy. VII. 446
erit. VII. 448 444
ks h. VII. 444
VII. 448 418
ks h. VII. 446
VII. 791
. fil. VII. 447
VII. 790
il. VII. 445
nks h. VII. 448 443
nks h. VII. 448 496
il. VII. 447
. VII. 448 438
II. 791
VII. 447
h. VII. 448 445
oxb. VII. 448 438
Berg. VII. 448 444
ks h. VII. 448
VII. 496
Mey. VII. 447
nks h. VII. 448 418
fil. VII. 447
h. VII. 418
h. amat. VII. 446
VII. 446

Roella
rigidula Banks h. VII. 447
secunda Buek VII. 791
squarrosa Berg. VII. 447
Thunbergii De. fil. VII. 446
Roellopsis Banks h. VII. 442
Roemeria Dennst. VII. 505 Thbg VIII. 177 Roem. VIII. 92 Moench XIII. 2. 269
inermis Thbg VIII. 183
melanophlea Thbg VIII. 97
polygonoides Moench XIII. 2. 270
Roeslinia Griseb. IX. 41 (Chironia)
Roeslinia Moench IX. 39 41
angustifolia Don IX. 43
tetragona Moench IX. 41
Rogeria Gay IX. 256
adenophylla Gay IX. 256
brasiliensis Gay IX. 257
longiflora Gay IX. 257
Rollandia Gaudich. VII. 344
ambigua G. Don VII. 344 343
calycina G. Don VII. 343
crispa Gaudich. VII. 344
lanceolata Gaudich. VII. 344
β grandifolia De. fil. – –
pinnatifida G. Don VII. 344 343
Romana Vell. X. 436
campestris Vell. X. 443
Romanzoffia Cham. & Schlecht. X. 185 586 IX. 565
sitchensis Cham. X. 185
unalaschkensis Cham. X. 185
Rompa ropa IX. 498
Ropal deda VIII. 631
Ropourea Aubl. IX. 467
Roscoea Roxb. XI. 623
pentandra Roxb. XI. 622
tomentosa Roxb. XI. 624
villosa Roxb. XI. 624
Rosea Mart. XIII. 2. 339 343
elatior Mart, XIII. 2. 343
Rosea Moq. XIII. 2. 343 (Iresine)
Rosmarinus Tourn. XII. 260 360
chilensis Molin. XII. 360 255
latifolius Mill. XII. 360
officinalis L. XII. 360
officinalis Sibth. & Sm. XII. 360
Rospidios Do. fil. VIII. 220
vaccinioides Dc. fil. VIII. 220
Rostellaria Gaertn. VIII. 208 Nees XI. 368
glandulosa Nees XI. 310
Lessertiana Gaertn. VIII. 208
Schimperi Hochst. XI. 397
sexangularis Hochst. XI. 397

ßl. VIII. 216
. VIII. 213
Mey. VIII. 212
y. VIII. 212
VIII. 213
II. 213
ge VIII. 216
II. 408 516
. XII. 516
n. VIII. 19
100 143 163 197
262 *Vell.* XI. 294
l. 465 *Nees* XI. 219
I. 217 *H. & Bonpl.*
is XI. 218 *Thbg L.*
th *Wall. Heyn.* XI.
XI. 168 171 *Roxb.*
Roth *Wall.* XI. 722
XI. 154
XI. 282
n *Desf.* XI. 154 724
h XI. 154 513
'art. XI. 154
ees XI. 210
rsk. XI. 154
ti *Schlecht.* XI. 133
nat. XI. 154 193
152
. XI. 724
't. XI. 154 141
Vahl XI. 154 263
m. XI. 149
XI. 203
'all. cat. XI. 154 191
ew. XI. 193
hort. XI. 154 176
m. XI. 155
XI. 155 511
ke. XI. 155 467
ook. XI. 155 176
XI. 155
'av. XI. 217
. *cat.* XI. 155 105
'l. XI. 155 190
, XI. 462
XI. 155 251
eb. XI. 155 127
II. 147
Wall. cat. XI. 155
195
'all. XI. 155
ll. XI. 155 168
ll. *cat.* XI. 155 193
Vall. cat. XI. 155
164 191

Ruellia
australis *RBr.* XI. 151 155 198
australis Cav. XI. 155 125
axillaris Steud. XI. 155
axillaris Wall. XI. 127
balsamea L. XI. 155 68
balsamica Vahl XI. 155 68
barbata Sieb. XI. 155
barbata Vahl XI. 155 85 90
barbata Wall. cat. XI. 155
barlerioides Roth & Wall. cat. XI. 155 114
biceps Steud. XI. 155
bicolor *Blum.* XI. 148
bicolor Ruiz XI. 155 136
biflora Balb. XI. 122
biflora Boj. XI. 726
biflora Bosc XI. 155 108
biflora L. XI. 155 107
biflora Pav. XI. 133
biflora Schreb. h. XI. 122
biflora W. h. XI. 155 108
bilabiata Reinw. XI. 155 98
blechioides Juss. XI. 156
blechioides Sw. XI. 467
Blechum L. XI. 155
Blechum Sw. XI. 155 466
Blumeana *Nees* XI. 149
β - - 150
Blumei Steud. XI. 154
brachyopoda Boj. XI. 726
bracteata RBr. XI. 155 143
bracteata Roxb. XI. 155 114
bracteata Vahl h. XII. 155 466
bracteata Wall. cat. XI. 155 174
bracteata W. h. XI. 155
brasiliensis herb. XI. 155
brasiliensis Mart. XI. 119
brasiliensis Spr. XI. 155
Brunoniana Wall. cat. XI. 155 168
callosa Wall. cat. XI. 155
calycina Wall. cat. XI. 155 168
candida β. peruv. XI. 155 134
capitata Don XI. 156 175
capitata Wall. cat. XI. 156 173
carolinensis *Steud.* XI. 154
cayennensis Spr. XI. 156
Cephalotes Wall. cat. XI. 156 175
cernua Heyn. h. XI. 156 69 106
cernua h. Madr. XI. 156 108
cernua Roxb. XI. 156
cernua Wall. XI. 156
cheloniotdes Wall. cat. XI. 156 164
chenopodifolia *Poir.* XI. 70 153



Ruellia
chinensis Lam. XI. 475
chinensis Lyall XI. 476
chinensis *Nees* XI. 147
ciliaris Hamilt. XI. 156
ciliaris L. XI. 156 274
ciliaris Pers. XI. 156 114
ciliata Hornem. XI. 156 120
ciliata h. Madr. XI. 156 66
ciliata Ruiz XI. 156 110
ciliata Wall. cat. XI. 156 18
ciliata Wall. supl. XI. 156
ciliatiflora bot. mag. XI.

ciliosa Lecomt. XI. 156 123
ciliosa herb. monac. XI. 123
ciliosa Pursh XI. 156 122
cirsioides Nees XI. 156 163
clandestina Hook. h. XI. 153
clandestina L. XI. 156 197
clandestina Pav. XI. 198
coccinea Vahl XI. 156 217
collina Wall. cat. XI. 156 19
colorata *Blum.* XI. 145
colorata Vell. XI. 156 294
colorata Wall. cat. XI. 156
commutata Steud. XI. 156
comosa Roxb. XI. 156 196.
comosa Vell. XI. 156 300
comosa Wall. cat. XI. 156 7
concavifolia Ort. XI. 156 12
confinis *Nees* XI. 148
α β - - -
contorta Blanco XI. 156
cordata Thbg XI. 156 114
cordifolia Vahl XI. 156 105
coromandeliana h. Madr. XI.

coromandeliana herb. monac.

coromandeliana Wall. XI. 165
corymbosa Wall. XI. 167
crispa *L.* XI. 146
β - -
Crossandra Steud. XI. 722
Crucis Steud. XI. 152
cuculiata Boj. XI. 726
Cumingiana *Nees* XI. 148
curviflora Nees & Mart. XI.

Cusia Wall. cat. XI. 156 175
cuspidata Wall. cat. XI. 156
cyanea Boj. XI 121
Decaisniana *Nees* XI. 150
α β - - -

ık. XI. 157 141
XI. 157
. 116
L. XI. 465
evolatis &c. Forsk.
XI. 140
n. XI. 157 122
(L. 215
XI. 157
Bonpl. XI. 157 302
. XI. 154
. XI. 215
t. XI. 157
XI. 157 212
(I. 157 466
B. & Kth. XI. 157 136
es XI. 157 220
j. XI. 157 107
Boj. XI. 157 125 262
ll. XI. 157 284
. & Bonpl. XI. 157 218
XI. 153
d. XI. 157
strop. XI. 119
l. cat. XI. 157 184
th XI. 153
all. cat. XI. 157 178
Madr. XI. 261
ll. cat. XI. 157 172
173 174
b. XI. 157 261
ll. cat. XI. 157 194
s XI. 171
ll. XI. 157 171
ers. XI. 157
ptr. XI. 158
nis XI. 158 134
ism. XI. 158 119 (bis)
ffmans XI. 154
ys XI. 149
, XI. 158
XI. 140
Stend. XI. 145
I. 122
(I. 148
XI. 158 91
XI. 158 136
158 174
A. XI. 146
I. 146
. 145 183
146
XI. 158 108
XI. 158 87

Ruellia
hispida Vahl b. XI. 157 (bis)
hispidosa Boj. XI. 158 262
Hochstetteri Stend. XI. 158
Hoffmannseggii Stend. XI. 158 198
homonyma Stend. XI. 158
Humboldtiana Klotzsch XI. 158 207
humifusa Juss. XI. 154
humilis Hook. b. XI. 126
humilis Pohl XI. 158 139
humistrata Mx. XI. 158 108
hybrida Pursh XI. 158 123
hygrophila Mart. XI. 151
hyssopifolia Hochst. XI. 158 111
Jacquemontiana Nees XI. 145
japonica Thbg XI. 158
Japurensis Mart. XI. 120
imbricata Forsk. XI. 158 262
imbricata Hook. b. XI. 159 181
imbricata b. Madr. XI. 261
imbricata Roxb. XI. 159
imbricata Vahl XI. 158 261
imbricata Wall. cat. XI. 159 186
inepeta Spr. XI. 154
insana Blum. XI. 158 259
inflata Rich. XI. 158 215
infundibuliformis Andr. XI. 280
infundibuliformis Roxb. XI. 158
infundibuliformis Wall. XI. 261
intrusa Forsk. XI. 158
intrusa Vahl XI. 166
inundata H. B. & Kth. XI. 159 141
involucrata Vahl XI. 150
involucrata Wall. cat. XI. 159 184
isophylla Stend. XI. 158
justicioides Schlecht. XI. 159 213
justiciaeflora Hook. XI. 158 96
justicioides Wall. cat. XI. 159 261
Kunthiana Wall. cat. XI. 2367 XI. 159 106
Kunthiana Wall. cat. XI. 2449 XI. 159 168
lactea Cav. XI. 158 199
lactea W. b. XI. 197
lacustris Schlecht. XI. 158 96
lagopodes Ryan XI. 158 263
lanifolia Wall. cat. XI. 159 172
lanceifolia Cor. XIII 176
latebrosa Roth XI. 723
latebrosa Roxb. XI. 158
latebrosa Wall. XI. 146
latifolia Roth XI. 146

Ruellia
leptostachya Wall. XI. 158 379
hlacina Hook. XI. 158 119
litteralis Heyn. XI. 158
littoralis L. XI. 106
liturata hort. XI. 158 119
longiflora Dc. h. XI. 216
longiflora Drumm. XI. 158 123
longiflora PB. XI. 158 140
longiflora Rich. XI. 159 214
longiflora Salzm. XI. 210
longiflora Vahl XI. 159 117
longifolia h. Madr. XI. 159 92
longifolia Rich. XI. 214
longifolia Roth XI. 159
longifolia Roxb. XI. 159
longifolia Thbg XI. 159 182
lupulina Hassk. XI. 159
lupulina Wall. cat. XI. 159 184
lupulina Wight h. XI. 184
Lusona *Nees* XI. 151
Lysimachia h. Monsp. XI. 198
macrantha Mart. XI. 118
macrocalyx Ruiz XI. 218
macrocarpa Wall. cat. XI. 159 164 190
macrophylla H. B. & Kth. XI. 212
macrophylla Vahl XI. 159 205
macrophylla W. h. XI. 159 207 212
macrophylla β pubescens Moritzi XI. 205
maculata Tafalla XI. 159 290
maculata Wall. XI. 159 190
maderensis hort. XI. 159
madurensis Vahl h. XI. 159 106
magnifica Mart. XI. 159 118
Maranhonis Pohl XI. 159 142
matutina Hochst. XI. 159 127
Methia Wall. cat. XI. 159 126
microphylla Cav. XI. 159 113 143
microphylla Vahl h. XI. 159 106
modesta Mart. XI. 465
mollissima Klein XI. 159 91
mollissima Vahl XI. 159 91 505
monadelpha Wall cat. XI. 159
monanthos Boj. XI. 125
montana Wall. cat. XI. 159 232 494
Moritziana Klotzsch XI. 159 137
mucronata Wall. cat. XI. 159 250 253
multicaulis Hochst. XI. 159 126
mysourensis Roth XI. 159 192

) *Wall. cat.* XI. 160 175
affinis Wall. XI. 175
XI. 160 274
dl. XI. 160
XI. 160 262
(I. 726
ll. cat. XI. 160 90
60 114
127
160 117 142
nd. XI. 200
h XI. 160 80
XI. 137
ces XI. 144
I. XI. 160 94
XI. 160 198
XI. 160 124
XI. 160 114
t XI. 160
I. 199
(I. 160 125
XI. 147
mag. XI. 724
131
ov. XI. 160
Vell. XI. 160 299
ll. XI. 147
Vall. cat. XI. 160 90
m. XI. 160 166
Kth. XI. 160 110
ht. XI. 160 111
XI. 160 78
lt. h. XI. 160 255
t. XI. 160 106
cat. XI. 160 92
l h. XI. 160
es XI. 144
XI. 194
l. cat. XI. 160 361
XI. 150
144
XI. 150
XI. 153
I: 154
60 124
XI. 124
109
I. 121
I. 125
I. 145

Ruellia
rhamnifolia W. h. XI. 160 142
rhytiphylla *Nees* XI. 150
ringens L. XI. 160 69
ringens Roxb. XI. 160 126
rivinaefolia Wall. XI. 407
rivularis Schlecht. XI. 161 87
Rohrii Vahl h. XI. 161 466
rosea Mart. XI. 215
rosea Wall. cat. XI. 161 177
retundifolia Don XI. 161 172
rubicaulis Cav. XI. 161 116
rubicunda Wall. cat. XI. 161 170
rubra Aubl. XI. 161 209
rubra Nees XI. 161 211
rubra W. h. XI. 161 209
rufescens Roth XI. 161 196
rupestris Sw. XI. 161 283
Russeliana Wall. cat. XI. 161 105
Sabiniana Lodd. XI. 161 190 197
Sabiniana Wgh. XI. 190
salicifolia Bert. XI. 161 92
salicifolia Boj. XI. 511
salicifolia h. Madr. XI. 161 90
salicifolia Roxb. XI. 161
salicifolia Salsm. XI. 98
salicifolia Vahl XI. 161 92
salicifolia Wall. XI. 94
sarmentosa Nees XI. 146
saxicola Boj. XI. 161 503
scabra Gaudich. XI. 150
scabra Juss. h. XI. 153
scabra Wall. cat. XI. 161 147 178
scabrida Wall. cat. XI. 161 178
scabrosa Sw. XI. 161 284
scariosa Wall. cat. XI. 161 250 252
secunda Blanco XI. 161 259
secunda Klein XI. 165
secunda Vahl XI. 161 165
secunda Wall. XI. 165
secunda Wight XI. 161 104
secunda var. Heyn. h. XI. 167
secundiflora Boj. XI. 166
semitetrandra *Jacq.* XI. 154
serpens *Nees* XI. 145
serrata Thbg XI. 161
sesamoides Wall. cat. XI. 161 104 *(bis)* 106
sessilis Balb. XI. 161 198
setigera Pers. XI. 161 462
setigera Wight XI. 106

XI. 469
ees & W. Arn. XI. 471
XI. 470
Vees XI. 471
es XI. 469
– –
– 470
– –
– –
– –
es XI. 470
Nees XI. 471
– – –
es XI. 473
XI. 472
– –
– –
W. Arn. XI. 472
es XI. 472
var. W. Arn. XI. 472
IX. 509
III. 149
ill. VIII. 151
. XI. 249
XI. 255
X. 299 331
& Schl. X. 332
ers. X. 333 296
Pth. X. 332
Cham. & Schl. X. 332
. B. & Kth. X. 332
X. 332
rt. X. 332
e. X. 332
Zav. X. 332
ucq. X. 332
Ith. – –
Cham. & Schl. X. 332
B. & Kth. X. 332
H. B. & Kth. X. 332
. XI. 534
XIII. 1. 560 Dun.
. 1. 560 (Nicotiana)
De. X. 130 (Erithichium)
. fil. IX. 555 (Heliophytum)
I. 303 309
XI. 309
– –

Ruyschiana Mill. XII. 396 Boerh. XII. 402
laciniata Mill. XII. 403
spicata Mill. XII. 403
verticillata Mill. XII. 402
Rymia Dc. fil. VIII. 216 (Euclea)
Rymia Endl. VIII. 215 216
Rynchopha Blum. X. 573
Rytidophyllum Mart. VII. 524
auriculatum Hook. VII. 525
Berteroanum Mart. VII. 524
crenulatum Dc. VII. 524
grande Mart. VII. 524
petiolare Dc. VII. 524
Plumerianum Dc. VII. 524
tomentosum Mart. VII. 524

S.

Sabaghah XIII. 2. 32
Sabbatia Adans. IX. 49 Cham. & Schl. IX. 51 Spr. IX. 55 Moench XII. 212
amoena G. Don IX. 50
angularis Pursh IX. 50
australis Cham. & Schl. IX. 50 51
brachiata Ell. IX. 50
calycosa Pursh IX. 50
campanulata Torr. IX. 49
campestris Nutt. IX. 50
chloroides Pursh IX. 50
β stricta Griseb. – –
corymbosa Baldw. IX. 49
corymbosa Moench XII. 213
cymosa Don IX. 49
Elliottii Steud. IX. 49
gentianoides Ell. IX. 50 48
gracilis Ell. IX. 50
gracilis Pursh IX. 49
gracilis Salisb. IX. 49
macrophylla Hook. IX. 50
paniculata Ell. IX. 49
paniculata Pursh IX. 49
pulchella Raf. IX. 49
pulchella Spr. IX. 50 62
stellaris Pursh IX. 50
stellaris β pumila A. Gray IX. 50
verticillaris Spr. IX. 50 56
SABBATIRAE Griseb. IX. 49
Saccanthera Bth. X. 329 (Pentstemon)

Sacrellum *H. & Bonpl.* IX. 501
lanceolatum *H. & Bonpl.* IX. 502
Sagina L. IX. 121
virginica L. IX. 121
Sagonea Aubl. X. 180
palustris Aubl. X. 181
Sairanthus Don XIII. 1. 556
glutinosus G. Don XIII. 1. 560
Sairocarpus californicus Nutt. X. 592
SALAXIDEAE *Bth.* VII. 699
Salaxis *Salisb.* VII. 710 *W.* VII. 695 *Klotzsch* VII. 710 711
abietina W. VII. 712
arborescens W. VII. 712 696
artemisioides *Klotzsch* VII. 711
axillaris *Salisb.* VII. 711
ciliata *Bth.* VII. 711
flexuosa *Klotzsch* VII. 711
hexandra *Klotzsch* VII. 711
mauritiana Boj. VII. 696
micrantha *Bth.* VII. 711
montana W. VII. 712
octandra *Klotzsch* VII. 711
puberula *Klotzsch* VII. 711
rugosa *Bth.* VII. 711
Sieberi *Bth.* VII. 711
Salicornia *Moq.* XIII. 2. 46 144 *Tourn.* XIII. 2. 144 150 *L. Pall.* XIII. 2. 146 147 149 150
acutiria Pall. XIII. 2. 145
Alpini Lag. XIII. 2. 146 151
ambigua Mx XIII. 2. 146 151
amplexicaulis Vahl XIII. 2. 146 148
anceps Lag. XIII. 2. 146
annua Sav. XIII. 2. 145
arabica L. XIII. 2. 146 147
arabica Radd. XIII. 2. 146 157
arbuscula De. XIII. 2. 146 151
arbuscula RBr. XIII. 2. 146 152
brachiata Roxb. XIII. 2. 145
californica Nutt. XIII. 2. 146 151
caspica L. XIII. 2. 146 150
cruciata Forsk. XIII. 2. 146 149
europaea W. XIII. 2. 145
europaea β annua Gouan XIII. 2. 145
europaea β perennis Gouan XIII. 2 146 151
fruticosa Pall. XIII. 2. 146 147
fruticosa R. & Schult. XIII. 2. 146 147

Dun. XIII. 1. 476
m *Miers* XIII. 1. 473
m *Miers* XIII. 1. 474
n - - 475
- - -
XIII. 1. 473
Dun. XIII. 1. 475
CAE *Bth.* X. 188
DEAE *Bth.* X. 188 190
L. & *Pav.* X. 191 201
a *Grah.* X. 201
Sw. X. 202
Hook. X. 202 XIII. 1. 573
ok. X. 202 XIII. 1. 574
Don X. 202
. 202
ook. & *Arn.* X. 202 XIII. 1. 578
k. & *Arn.* XIII. 1 575
& *Pav.* X. 201
son staminea X. 591) *Hook.* XI. 202
ook. X. 280 289
ok. XI. 290
t. X. 729
XIII. 2. 155
. XIII. 2. 47 179 *L.* 30 155 159 179 *Pall.* 34 230 204 *Moq.* XIII.
orsk. *Pall.* XIII. 2.
esf. *Spr Schult.* XIII.
and. XIII. 2. 169 *C. Meyer.* XIII. 2. 170
Dietr. XIII. 2. 191 162
Mey. XIII. 2. 186
t. XIII. 2. 191 176
Guss. XIII. 2. 181
s *Delil.* XIII. 2. 191 210
w. XIII. 2. 191 158
yand. XIII. 2. 191 170
XIII. 2. 191 157
oir. XIII. 2. 191 157
A. Mey. XIII. 2. 191 170
oir. XIII. 2. 191 164
. XIII. 2. 191 176
XIII. 2. 191 131

Salsola
arborescens *L. fil.* XIII. 2. 184
α rugosiuscula - - 185
β glabrescens - - -
γ Bichleri - - -
arbuscula Pall. XIII. 2. 185
arenaria W. & Kit. XIII. 2. 191 133
articulata Cav. XIII. 2. 191 175
articulata Forsk. XIII. 2. 191 212
atriplicifolia Spr. XIII. 2. 191 60
atriplicis R. & Schult. XIII. 2. 191 60
auricula Moq. XIII. 2. 191 172
auricula β acutifolia Moq. XIII. 2. 191 173
australis *RBr.* XIII. 2. 188
baccata Poir. XIII. 2. 191 154
baccifera Pall. XIII. 2. 184
baccifera Schrad. XIII. 2. 191 160
brachiata *Pall.* XIII. 2. 185
brachyphylla Spr. XIII. 2. 191 131
brachypteris *Moq.* XIII. 2. 189
brevifolia Desf. XIII. 2. 181
buxifolia *h. Paris.* XIII. 2. 191
caesia *Fisch. & Mey.* XIII. 2. 183
Calluna *Fensl* XIII. 2. 191
camphorosmoides Desf. XIII. 2. 191 209
candida *Fensl* XIII. 2. 191
canescens Desf. XIII. 2. 191 137
carinata *C. A. Mey.* XIII. 2. 182
carinata Spr. XIII. 2. 191 82
carnosa hort. XIII. 2. 191 161
caroliniana Walt. XIII. 2. 188
Caroxylon Moq. XIII. 2. 191 176
celtifolia R. & Schult. XIII. 2. 191
chenopodiana hort. XIII. 2. 191 161
chenopodioides hort. XIII. 2. 191 60
ciliata *W.* XIII. 2. 191
cinerea W. & Kit. XIII. 2. 191 136
clavifolia Pall. XIII. 2. 184
clavifolia Unio itin. XIII. 2. 157
collina *C. A. Mey.* XIII. 2. 188
α glabra - - 189
β scabrescens *Moq.* - - -
γ subhirta *C. A. Mey.* - - -
collina Pall. XIII. 2. 189
coquimbana *Molin.* XIII. 2. 190
corniculata Dietr. XIII. 2. 192 166

[illegible]
[illegible] Meyen [illegible] 2. 190
[illegible] [illegible] 2. 192 (a
[illegible] M.B. [illegible] 196 bis)
[illegible] Eschw. - -
[illegible] Eschw. - -
[illegible] Pall. [illegible] 2. 192 123
[illegible] [illegible] 2. 185
[illegible] Jacq. à Sprengl XIII. 2. 192 173
[illegible] Pall. [illegible] 2. 192
[illegible] Forsk [illegible] 2. 191 164
[illegible] [illegible] 2. 192
[illegible] Poiret [illegible] 2. 192 137
[illegible] Spr. [illegible] 2. 192 133
[illegible] Moss [illegible] 2. 185
[illegible] Poir. [illegible] 2. 192 154
[illegible] Lamk. [illegible] 2. 192 209
[illegible] Wight XIII. 2. 191
[illegible] Jan XIII. 2. 191
crassifolia hort. [illegible] 2. 192 135
crassifolia Adams XIII. 2. 192
crassifolia Moss. XIII. 2. 191
crassoides MB. XIII. 2. 192
α genuina - 193
β [illegible] - -
cretophora Steph. XIII. 2. 192 135
crinitissima Schrad. XIII. 2. 189
cristata Poir. XIII. 2. 192 163
cuneata Lepp. XIII. 2. 192 219
curvescens Cav. XIII. 2. 181
curvifolia Poir. XIII. 2. 192 215
cyathiformis Desf. XIII. 2. 192 178
cyclocarpa Vest XIII. 2. 192 158
cylindrica Schrad. XIII. 2. 193
cymbiformis Cav. XIII. 2. 185
cymbiformis Drege XIII. 2. 192 131
cymbiformis Gmel XIII. 2. 185
cymbiformis à Mudr. XIII. 2. 191
cymbiformis L. XIII. 2. 192 156
pyramidalis Pall. XIII. 2. 190
pyramidales Jacq. XIII. 2. 192 174
glauca MB. XIII. 2. 192 173
glauca C. A. Mey. XIII. 2. 183
glauca β cinerascens Moq. XIII. 2. 192 173
glaucifolia Poir. XIII. 2. 192 155
glomerata Steph. XIII. 2. 192 206
glomerulata Lipp. XIII. 2. 192 210
glomerulata Meyen XIII. 2. 190
grandiflora Link XIII. 2. 190
Helenae Bory XIII. 2. 192 156
hirsuta L. XIII. 2. 192 137

Salsola
hortensis Desf. XIII.
Hostii Tratt. XIII. 2.
hyssopifolia Pall. XI
Jacquemontii Moq. XI
β [illegible]
imbricata Forsk. X
incanescens C. A. M
indica h. Madras. XI
indica W. XIII. 2. 1
inermis Forsk. XIII.
Kali L. XIII. 2. 187
Kali Tau. XIII. 2. 1
α hirta Tau. - - -
β Tragus - - -
γ rosacea - - 1
δ tenuifolia Moq - -
Kali α vulgaris Koc
Kali β brevimargina
Kali β glabra Tau.
Kali γ Pall. XIII. 2
Kali γ rubella Moq
lana Edgew. XIII. 2
lanata hort. XIII. 2.
lanata Mass. XIII.
lanata Pall XIII. 2.
lanata Poll. XIII. 2
lanata Vahl XIII. 2
laniflora S. G. G
luniflora hort. XIII.
laniflora L. fil XIII
lanuginosa hort.
lanuginosa Steud. X
laricina Pall. XIII.
latifolia hort. XIII.
latifolia h. Paris.
leiosperma Dietr.
leuroxylon Moq. XII
linearis Ell. XIII. 2
littoralis Moq. XIII.
longifolia Forsk. XI
β verticillata
longifolia Lam. XIII
lutea Delil. XIII. 2.
macrophylla RBr. X
marina hort. XIII.
maritima Poir. XIII
Marosteum Wall. XI

ts *Gill.* XIII. 2. 193 156
Cav. XIII. 2. 181
. XIII. 2. 193 138
. XIII. 2. 193 155
Pall. XIII. 2. 193 203
Forsk. XIII. 2. 193 134
ka Steud. XIII. 2. 187
ir. XIII. 2. 193 156
Wall. XIII. 2. 191
Jaub. & Spach XIII. 2. 193 173
Forsk. XIII. 2. 193 209
B. XIII. 2. 193 136
XIII. 2. 193 134
XIII. 2. 190
l. XIII. 2. 182
, XIII. 2. 193 155
Ledeb. XIII. 2. 191
Pall. XIII. 2. 193 205
Desf. XIII. 2. 185
Sieb. XIII. 2. 190
β verticillata Moq. XIII. 2. 185
Vest XIII. 2. 185
hort. XIII. 2. 193 60
unge XIII. 2. 190
Schrad. XIII. 2. 193 164
XIII. 2. 193 196
R. & Schult. XIII. 2. 193
Mx. XIII. 2. 193 60
. XIII. 2. 193
. XIII. 2. 193 132
chrad. XIII. 2. 193 161
f. XIII. 2. 193 60
ll. XIII. 2. 193 176
rel XIII. 2. 185
XIII. 2. 184
st. XIII. 2. 198
.. XIII. 2. 186
XIII. 2. 187
l. XIII. 2. 186
XIII. 2. 193 161
XIII. 2. 193 165
II. 2. 193 160
XIII. 2. 193 164
XIII. 2. 193 165

Salsola
sativa b. Madr. XIII. 2. 191
sativa hort. XIII. 2. 193 161
sativa L. XIII. 2. 193 206
sativa Zayh. XIII. 2. 193 131
scabra hort. XIII. 2. 193 161
sclerantha C. A. Mey. XIII. 2. 183
scoparia MB. XIII. 2. 193 130
sedoides Pall. XIII. 2. 193 136
sericea Ait. XIII. 2. 193 137
seriphioides Stev. XIII. 2. 190
setifera Lag. XIII. 2. 193 206
sibirica Koel. XIII. 2. 193 213
Sieberi *Presl* XIII. 2. 190
Soda Brot. XIII. 2. 190
Soda *L.* XIII. 2. 189 462
Soda Pall. XIII. 2. 189
songarica Siev. XIII. 2. 193 131
spicata Pall. XIII. 2. 193 173
spicata W. XIII. 2. 193 165
spinescens *Moq.* XIII. 2. 179
spinifex Pall. XIII. 2. 193 209
spinifex Poir. XIII. 2. 193 136
spinosa Lam. XIII. 2. 189
spissa *MB.* XIII. 2. 182
squarrosa *Stev.* XIII. 2. 190
stellata hort. XIII. 2. 193 60
stricta Spr. XIII. 2. 193 62
strobilifera hort. XIII. 2. 194 161
Suaeda Mart. XIII. 2. 194 163
suaedoides *Moq.* XIII. 2. 182
subaphylla C. A. Mey. XIII. 2. 194 174
subdecandra *Lag.* XIII. 2. 191
succulenta hort. XIII. 2. 194 161
tamariscifolia Falk XIII. 2. 194 174
tamariscifolia Lag. XIII. 2. 194 174
tamariscina Pall. XIII. 2. 194 174
tenuifolia MB. XIII. 2. 194 133
tetrandra Delil. XIII. 2. 194 176
tetrandra *Forsk.* XIII. 2. 180
tetragona Delil. XIII. 2. 194 177
tomentosa Spach XIII. 2. 194 208
Tournefortii Spach XIII. 2. 194 209
Tragus L. XIII. 2. 187
triandra Poir. XIII. 2. 194 135
trigyna W. XIII. 2. 194 158

g. XII. 289
III. 269
& Bess. XII. 313
H. B. & Kth. XII. 346
ag. XII. 302
. XII. 338
XII. 302
– –
l. XII. 266
XII. 293
hl XII. 328
Bth. XII. 313
XII. 274
l. XII. 296
rtul. XII. 290 292
s. XII. 289
ul. XII. 290
axh. XII. 358 262
*) Boiss. XII. 269
Gardn. XII. 328
). XII. 699
k Schult. XII. 304
Ettl. XII. 293 (bis)
Lam. XII. 294
ag. XII. 288
XII. 288
XII. 277
Pav. XII. 325
rt. & Gal. XII. 335
h. XII. 312
Dietr. XII. 338
q. ßl. XII. 338
XII. 338
th. XII. 334
ob. XII. 355
r. XII. 301
s. XII. 266
s XII. 281
pr. XII. 330
h. XII. 309
r. & Bess. XII. 315
XII. 320
Bth. XII. 285
II. 298
ob. XII. 293
XII. 327
Presl XII. 300
t. XII. 294
s. XII. 358
XII. 268
:
—
aldreichiana Boiss. conf. XIIb. t. 738

Salvia
cacaliaefolia Bth. XII. 343
cadmica Boiss. XII. 267
caduca Horn. XII. 290
caesia H. B. & Kth. XII. 308
caespitosa Montb. & Auch. XII. 268
calaminthaefolia Vahl XII. 313
calycina Sibth. & Sm. XII. 272
camaraefolia Bth. XII. 342
campanulata Wall. XII. 276
campestris MB. XII. 292
cana Walk. XII. 286
canariensis L. XII. 275
Candelabrum Boiss. XII. 263
candicans Mart. & Gal. XII. 315
candidissima MB. XII. 285
candidissima Guss. XII. 285
candidissima Vahl XII. 280
β coppidocica – – –
canescens C. A. Mey. XII. 287
cardinalis H. B. & Kth. XII. 334
cardiophylla Bth. XII. 317
carduacea Bth. XII. 349
carnea H. B. & Kth. XII. 317
caucasica hortul. XII. 292
caucasica Schrank XII. 290
Cedronella Boiss. XII. 269
ceratophylla L. XII. 287
ceratophylla C. A. Mey. XII. 295
ceratophylla Ten. XII. 289
ceratophylloides L. XII. 289
ceratophylloides W. XII. 295
chamaedrifolia Andr. XII. 314
chamaedryoides Cav. XII. 314
chamaedryoides Sims XII. 314
Chamaedrys W. XII. 314
chamaeclaeagnea Berg XII. 275
chinensis Bth. XII. 355
chionantha Boiss. XII. 285
chromatica Hoffmans. XII. 264
chrysantha Mart. & Gal. XII. 326
ciliata Bth. XII. 343
ciliata Poir. XII. 301
cinnabarina Mart. & Gal. XII. 342
circinnata Cav. XII. 317
clandestina L. XII. 294
β multifida – 295
γ angustifolia – –
clandestina L. b. XII. 295
clandestina Vahl XII. 295

Salvia
Humboldtii Spr. XII. 315
humilis *Bth.* XII. 298
Hydrangea *Dc.* XII. 271
hyemalis Boose XII. 333
hypoleuca Andrs. XII. 292
hypochionaea *Boiss.* XII. 286
hypoleuca *Bth.* XII. 279
hypoleuca Hochst. XII. 282
hyptoides *Mart. & Gal.* XII. 300
janthina *Otto & Dietr.* XII. 699
japonica *Thbg* XII. 354
illyrica R. & Schult. XII. 294
inamoena *Vahl* XII. 288
incana *Mart. & Gal.* XII. 344
incarnata Cav. XII. 343
incarnata *Ettl.* XII. 267
β lilacnotica
iacica *Bth.* XII. 332
inconspicua *Bth.* XII. 298
incurvata *R. & Pav.* XII. 311
indica Jacq. XII. 278
indica *L.* XII. 278
integerrima Mill. XII. 274
integrifolia Hardw. XII. 286
integrifolia *R. & Pav.* XII. 326
intermedia Schult. XII. 350
interrupta hort. XII. 285
interrupta Jacq. XII. 268
interrupta *Schousb.* XII. 266
involucrata bot. reg. XII. 333
involucrata *Cav.* XII. 333
Karwinskii *Bth.* XII. 345
Keerlii *Bth.* XII. 316
Kochiana *Kse* XII. 698
kurdica *Boiss. & Hohen.* XII. 268
lachnostachys *Bth.* XII. 319
lacinlata W. XII. 295
laevigata H. B. & Kth. XII. 333
laevis *Bth.* XII. 303
lamiifolia *Jacq.* XII. 337
lanata *Roxb.* XII. 286
lanata Wall. XII. 286
lanceaefolia Poir. XII. 299
lanceolata Jacq. fil. XII. 299
lanceolata Lam. XII. 274
lanceolata *W.* XII. 299
lanigera Poir. XII. 295
lantanaefolia *Mart. & Gal.* XII. 322
lasiantha *Bth.* XII. 321
lasiocephala *Hook. & Arn.* XII. 800
lasiostachys *Bth.* XII. 350
latens *Bth.* XII. 329

Pav. XII. 328
l. 295
XII. 356
l. XII. 276
ld XII. 294
– –
. 293
Kit. XII. 293
ch XII. 292
ch. XII. 295
ld XII. 294
ert. & Gal. XII. 305
XII. 353
XII. 297
& Gal. XII. 334
XII. 295
XII. 351
ho. XII. 296
ib. XII. 344
fl. XII. 280
II. 280
XII. 264
– –
l. XII. 265
natifolia Link XII. 263
pinnatis hort. XII. 265
ch. XII. 279
R. & Pav. XII. 325
h. XII. 298
. XII. 338
l. XII. 268
Hil. XII. 318
– 319
B. & Kth. XII. 299
. XII. 282
XII. 305
. Am. XII. 295
XII. 275
Cav. XII. 307
mans. XII. 264
Moq. & Bess. XII. 322
k XII. 295
ib. XII. 355
ld XII. 280
II. 348
XII. 295
B. & Kth. XII. 315
tK. XII. 338
XII. 326
Boiss. & Heldr. XII. 357

Salvia
pendula Bess. XII. 293
pendula *Vahl* XII. 293
peregrina Rauwolfii Gesn. XII. 272
persicifolia *St. Hil.* XII. 329
petiolaris *H. B. & Kth.* XII. 347
phlomoides *Asso* XII. 297
phlomoides Cav. XII. 301
phlomoides Roem. XII. 297
phoenicea *H. B. & Kth.* XII. 344
pichinchensis *Bth.* XII. 344
pilantha Link XII. 271
pilifera *Mouth. & Auch.* XII. 268
pilosa Vahl XII. 310
pinifolia Pall. XII. 270
pinnata *L.* XII. 266
pisidica *Boiss. & Heldr.* XII. 269
Pitcheri *Torr.* XII. 302
plebeja *R.Br.* XII. 355
plumosa *R. & Pav.* XII. 329
polyadenia Boiss. XII. 279
polychlaena Boiss. XII. 284
polymorpha Hoffmans. XII. 291
polymorpha Hoffm. & Link XII. 294
polystachya Cav. XII. 309
polystachya Mart. & Gal. XII. 308
polystachya *Ort.* XII. 308
polystachya var. Bth. XII. 309
pomifera *L.* XII. 272
pomifera Sibth. & Sm. XII. 272
potentillaefolia *Boiss. & Heldr.* XII. 270
praecox Savi XII. 295
praecox Vahl XII. 291
prasiifolia *Bth.* XII. 310
pratensis *L.* XII. 299
prismatica Cav. XII. 308
privoides *Bth.* XII. 297
procumbens R. & Pav. XII. 296
procurrens *Bth.* XII. 318
propinqua *Bth.* XII. 318
prostrata *Hook. fl.* XII. 297 699
protracta *Bth.* XII. 309
proxima Mart. & Gal. XII. 348
prunelloides Bth. XII. 304
prunelloides *H. B. & Kth.* XII. 305
pseudo-coccinea *Jacq.* XII. 343
pubescens *Bth.* XII. 332
pulchella Colla XII. 304

XII. 266
ss. XII. 267
XII. 321
l XII. 323
. B. & Kth. XII. 348
Bth. XII. 337
Schult. XII. 348
rop. XII. 277
'. XII. 294
s MB. XII. 294
XII. 281
I. 281
mtb. & Auch. XII. 283
oise. & Heldr. XII. 269
reg. XII. 330
low XII. 330
B. & Kth. XII. 345
Bth. XII. 311
I. B. & Kth. XII. 303
rt. & Gal. XII. 348
ster. & Auch. XII. 283
urch. XII. 353
A. XII. 333
II. 343
ok. XII. 325
. XII. 303
. Hil. XII. 332
h. XII. 352
brank XII. 266
loustr. & Auch. XII. 269
q. XII. 292
XII. 292
. XII. 289
ch. XII. 350
A. XII. 279
A. 279
XII. 311
XII. 270
l. XII. 290 292
L. XII. 290 292
H. 297
XII. 289
ch. XII. 351
. XII. 263
XII. 264
auch XII. 308
XII. 338
h. XII. 314

Salvia
thyrsiflora Bth. XII. 316
tiberina Mauri XII. 290
tiliaefolia Jacq. XII. 299
tiliaefolia Vahl XII. 299
tingitana Etl. XII. 282
tmolea Boiss. XII. 282
tolimensis H. B. & Kth. XII. 339
tomentella Pohl XII. 324
tomentosa Mill. XII. 265
tortuosa H. B. & Kth. XII. 340
triangularis Thbg XII. 351
trichocalycina Bth. XII. 336
trichoclada Bth. XII. 267
trichotomoides Pursh XII. 299
tricolor hortul. XII. 299
tricuspidata Mart. & Gal. XII. 311
triloba L. fil. XII. 265
triloba Sibth. & Sm. XII. 266
truncata W. XII. 277
tubaeformis Link H. & Otto XII. 324
tubifera Cav. XII. 344
tubiflora Sm. XII. 325
β glabrata
uliginosa Bth. XII. 306
β villosissima 306
undulata Bth. XII. 275
undulata Wendl. XII. 338
urticifolia L. XII. 307
uruguayensis St. Hil. XII. 336
valentina Vahl XII. 292
varia Vahl XII. 289
variabilis var. Lois. XII. 295
variegata W. & Hit. XII. 289
velutina Bth. XII. 323
venusta H. B. & Kth. XII. 337
verbascifolia MB. XII. 265
verbenaca Curt. XII. 294
verbenaca L. XII. 294
β oblongifolia
γ lanata
verbenaca Vahl XII. 294
verbenaeoides Brot. XII. 294
versicolor Lag. XII. 338
verticillata L. XII. 357
β latifolia
γ pallida
verticillata var. Duro. XII. 357
vestita Bth. XII. 336
villosula Bth. XII. 335
violacea Ham XII. 338
violacea R. & Pav. XII. 312
virgata Ait. XII. 290
virgata hortul. XII. 292

na *G. Don* XIII. 1. 430
- - -
- - -
Nees XIII. 2. 219
: XIII. 2. 31
s *G. Don Dc.* VII. 505 (Scaevola)
Laf. XIII. 2. 26
Cham. XI. 595
Schauer XI. 595 (Lantana)
RBr. VIII. 625
& Schult. VIII. 625
Wall. VIII. 625
Wall. VIII. 625
s *Boj.* XIII. 2. 179
Boj. XIII. 2. 180
Dum. XIII. 1. 531 (Juanulloa)
Miers XIII. 1. 528 531
Miers XIII. 1. 532
RBr. VIII. 537
Roth VIII. 542 532
RBr. VIII. 538
Hochst. VIII. 538
Don VIII. 539
Br. VIII. 538
ne VIII. 541
Hook. & Arn. VIII. 539
a *Wight & Arn.* VIII. 538
Meyer essq. VIII. 540
ma *Wight & Arn.* VIII. 538
. *& Schult.* VIII. 539
a *Don* VIII. 540
M. B. & Kth. VIII. 539
les *Don* VIII. 540
ma *Don* VIII. 539
- -
Don VIII. 542
ne VIII. 541
ne VIII. 540
ne VIII. 542
ma *R. & Schult.* VIII. 539
B. & Kth. VIII. 540
ne VIII. 539
a *Don* VIII. 541
Don VIII. 541
ne VIII. 542
ne VIII. 542
a *Don* VIII. 539

Sarcostemma
Lindenianum *Done* VIII. 541
lineare *Done* VIII. 539
lineare Spr. VIII. 539
marsupiferum *Done* VIII. 541
ovatum E. Mey. VIII. 542 531
pannosum *Done* VIII. 540
pyrotechnicum RBr. VIII. 629
pyrotechnicum R. & Schult. VIII. 542 629
quadrifidum *Done* VIII. 542
riparium *Done* VIII. 540
rotundifolium *Done* VIII. 540
solaniodes *Done* VIII. 541
stipitacea R. & Schult. VIII. 539
stipitaceum *RBr.* VIII. 538
variifolium *Done* VIII. 541
viminale *RBr.* VIII. 538
viminale Wall. VIII. 538
viminale Wight VIII. 538
viminale W. VIII. 540
SARCOSTEMMAE *Done* VIII. 535
Sarmienta *R. & Pav.* VII. 547 X. 586 *R. & Schult.* VII. 547
repens *R. & Pav.* VII. 547
scandens Pers. VII. 547
Sarong Burung XI. 443
Saretheca *Nees* XI 306 382
elegans *Nees* XI. 382
rostrata *Nees* XI. 383
salviaeflora *Nees* XI. 382
scabra *Nees* XI. 383
Sarratia *Moq.* XIII. 2. 223 268
Berlandieri *Moq.* XIII. 2. 268
polygonoides Moq. XIII. 2 269 270
scariosa *Moq.* XIII. 2. 269
urceolata *Moq.* XIII. 2. 269
Satureia Bth. XII. 209 (Satureia)
Satureia *L.* XII. 150 208 212
americana Poir. XII. 211 128
angustifolia Presl XI. 211 214
approximata Bio. XII. 212 217
approximata Friwald. XII. 209
Campanella *Ehrenb.* XII. 211
canescens Guss. XII. 212 218
capitata L. XII. 212 204
condoea Juss. XII. 212 128
congesta Horn. XII. 211 215
consentina Ten. XII. 212 214
cuneifolia *Ten.* XII. 210
α β
cuneifolia γ angustifolia Bth. XII. 210
fasciculata Raf. XII. 212 217
fasciculata Tausch XII. 210

VII. 505
. VII. 510
De. VII. 506
VII. 510
l. 505 507
VII. 507
VII. 512
e. VII. 511
. VII. 509
Bth. VII. 511
Ham. VII. 507
- -
st VII. 507
ro. VII. 509
k Arn. VII. 506
tch. VII. 507
L. VII. 506
II. 509
liae A. Cunn. VII. 794
VII. 512
Lamb. VII. 507
. VII. 509
Dc. - -
- - -
- - -
VII. 510
. VII. 511
II. 511
. VII. 505
. VII. 507
VII. 506
c. VII. 508
VII. 510
ulia Dc. VII. 509
Presl VII. 507
VII. 506
VII. 509
r. VII. 512
II. 511
Schult. VII. 511
r. VII. 510
. VII. 505
. VII. 508
ht. & Zeyh. VII. 507
idish. VII. 506
II. 512
VII. 506
E Lindl. VII. 502
VII. 513 (Scaevola)
Lbr. VII. 502 Lindl. VII. 502
ngolicus G. Bunk. VIII. 547
Chun. VIII. 542

Scoura Forsk. XI. 696 709
Schanginia C. A. Mey. XIII. 2. 46 153
altissima C. A. Mey. XIII. 2. 154 158
arbuscula Kar. & Kir. XIII. 2. 153
baccata Moq. XIII. 2. 154
hortensis Moq. XIII. 2. 153
linifolia C. A. Mey. XIII. 2. 153
linifolia Moq. XIII. 2. 154
SCHANGINIEAE Moq. XIII. 2. 46 153
Schaueria Nees XI. 304 314 Hassk. XII. 85
calycotricha Nees XI. 316
capitata Nees XI. 316
decipiens Nees XI. 318
gonyostachya Nees XI. 318
β - 319
graveolens Hassk. XII. 126
hirsuta Nees XI. 315
humiliflora Nees XI. 315
lachnostachya Nees XI. 317
Lophura Nees XI. 317
macrophylla Nees XI. 317
malifolia Nees XI. 315
marginata Nees XI. 315
Maximiliani Nees XI. 318
paniculata Nees XI. 318
Schottii Nees XI. 319 729
sulphurea Nees XI. 316 729
virginea Nees XI. 317 729
Schaffneldia Forst. VIII. 72
insana Labill. VIII. 73
repens Forst. VIII. 73
Scheiveria Nees & Mart. X. 251
argyrea Nees & Mart. X. 252
Scheruschunda Rheed. XIII. 1. 310
Schistanthe Ese X. 249 251
pedunculosa Ese X. 251
Schistocalyx Dun. XIII. 1. 508 (Lycium)
Schistocodon Schauer VIII. 677
Schistogyne Hook. & Arn. VIII. 588
sylvestris Hook. & Arn. VIII. 588
Schistophragma Bth. X. 343 392
pusilla Bth. X. 392
β major - -
Schizanthus R. & Pav. X. 191 202 Don IX. 332
alpestris Poepp. X. 202
candidus Lindl. X. 203
Grahami Gill. X. 203

rt. & Zucc. VIII. 534
a VIII. 535
lart. & Zucc. VIII. 534
indl. VIII. 535
art. & Zucc. VIII. 535
art. & Zucc. VIII. 534
art. IX. 55 Don IX. 56
. IX. 56
. IX. 56
IX. 56
IX. 56
. IX. 56
IX. 55
X. 56
IX. 56
IX. 56
. IX. 67 Roth VII.
hrad. XIII. 2. 391
riseb. IX. 68
IX. 68
IX. 68
eb. IX. 68
Cham. IX. 68
ad. XIII. 2. 397
art. IX. 67
IX. 68
riseb. IX. 67
ry IX. 68
lart. IX. 67
XI. 365 Raf. XI. 44
ees XI. 366
XIII. 1. 359
XI. 307 383
I. 384
e XI. 384
XI. 384
XI. 384
526 537
X. 526
adl. X. 526
. VII. 780
II. 780
. 190 192 569
. A. X. 195
B. & Kth. X. 195
X. 194
th. X. 195
dr. X. 193
m. X. 590

Schwenkia
browallioides H. B. & Kth. X. 194
curviflora Bth. X. 196
discolor Kze X. 193
divaricata Bth. X. 193 590
fasciculata Bth. X. 195
glabrata H. B. & Kth. X. 195
grandiflora Bth. X. 193
guianensis Bth. X. 195
guineensis Schum. X. 590
Hilariana Dc. X. 194
hirta Klotzsch X. 194
β Bth.
γ angustifolia 195
hyssopifolia Bth. X. 195
longiseta Casar. X. 590
micrantha Bth. X. 195
mollissima Gardn. X. 193
molissima Nees & Mart. X. 194
patens H. B. & Kth. X. 195
pubescens Nees & Mart. X. 196
Tweediana Bth. X. 196
volubilis Bth. X. 193
Schweykerta Gmel. IX. 138
nymphoides Gmel. IX. 138
Sclarea Tourn. XII. 262
aethiopis Mill. XII. 284
argentea Mill. XII. 285
ceratophylla Mill. XII. 287
decidua Moench XII. 294
distans Moench XII. 289
glutinosa Mill. XII. 276
indica Mill. XII. 278
lanata Moench XII. 284
lusitanica Mill. XII. 290
mexicana Dill. XII. 337
nemorosa Mill. XII. 292
pratensis Mill. XII. 289
punctata Moench XII. 292
sylvestris Mill. XII. 292
syriaca Mill. XII. 292
tomentosa Mill. XII. 275
tuberosa Mill XII. 289
vulgaris Mill. XII. 281
Scleranthus L. XIII. 2. 424
Sclerocalyx Nees XI. 102 219
mexicana Nees XI. 219
Sclerocaryum Dc. & De. fl. X. 142 (Echinospermum)
Sclerochiton Harv. XI. 265 279
Harveyana Nees XI. 279
Sclerolaena R.Br. XIII. 2. 44 123
bicornis Lindl XIII. 2. 123
biflora R.Br. XIII. 2. 123
coriacea Moq. XIII. 2. 123

17 332
. 316
. X. 302
X. 313
306
316
s. X. 314
314
(. 314
X. 305
303
& Link X. 309
X. 304
304
. 593
. 312
Boiss. X. 312
X. 317 339
312
316
–
X. 316
& Sm. X. 593
X. 305
306
X. 309
X. 308
ks X. 317
Kit. X. 308
310
Sm. X. 312
. 311
. X. 308
(. 306
. 312
–
317
& Link X. 306
X. 310 593
Krock X. 304 593
X. 304
308
6
309
315
317
M. X. 316
X. 310
. 311
310
th. X. 315
X. 303
Kit. X. 312
X. 309
593
X. 310

Scrophularia
lucifolia Prest X. 317
latifolia Host X. 313
lepidota *Boiss.* X. 318
livida Sibth. & Sm. X. 312
longiflora *Bth.* X. 313
longifolia *Bth.* X. 309
lucida All. X. 318
lucida *L.* X. 312
β Micifolia *Bth.* – –
γ Balbisiæ – – –
luridiflora *Fisch. & Mey.* X. 305
lyrata W. X. 309
marginata *Boiss.* X. 314
marylandica L. X. 310
melissæfolia *d'Urv.* X. 311
melliferæ All. X. 306
meridionalis L. fil. X. 317 250
meridionalis Prest X. 315
micrantha Hamilt. X. 317
micrantha d'Urv. X. 311
minima *MB.* X. 303
multicaulis *Turcz.* X. 313
multifida Lam. X. 315
multifida *W.* X. 313 593
β dentata *Bth.* –
Necsii *Wirtg.* X. 593
nepetæfolia Prest X. 309 593
nepetæfolia Sm. X. 309 309
nervosa *Bth.* X. 303
nodosa *L.* X. 309
nudicaulis Wydl. X. 317 247
oblongifolia *Lois.* X. 317
obtusifolia *Kit.* X. 593
Olivieriana Wydl. X. 311
olympica *Boiss.* X. 312
orientalis *L.* X. 303
pallida *Fisch.* X. 303
Patriniana *Wydl.* X. 311
pauciflora *Bth.* X. 302
peregrina *L.* X. 305
persica *Bth.* X. 314
Pinardi *Boiss.* X. 315
pinnata Ker. & Kit. X. 593
pinnata Mill. X. 315
pinnatifida Brot. X. 315
polyantha *Royl.* X. 304
procumbens Vell. X. 317. 393
pyramidalis Wydl. X. 315
pyrenaica *Bth.* X. 316
racemosa *Lowe* X. 308
ramosissima *Lois.* X. 315
rivularis Moris X. 309
rivulorum Moris X. 317
rugosa W. X. 308
rupestris *MB.* X. 315
sambucifolia Fisch. X. 307

[illegible]
[illegible] X. 309
[illegible] X. 310
[illegible] X. 312
[illegible] X. 313
[illegible] X. 310
[illegible] X. 307
[illegible] X. 314
[illegible] X. 305
[illegible] X. 313
[illegible] X. 315
[illegible] X. 307
[illegible] X. 311
[illegible] X. 308
[illegible] X. 309
[illegible] X. 312
[illegible] X. 310
[illegible] X. 307
[illegible] X. 309
[illegible] X. 308
[illegible] X. 306
[illegible] X. 311
[illegible] X. 314
[illegible] X. 311
[illegible] X. 306
[illegible] X. 308
[illegible] X. 306
[illegible] X. 306
[illegible] X. 310
[illegible] X. 309
[illegible] X. 306
[illegible] X. 311
[illegible] X. 306
[illegible] X. 308
[illegible] X. 303
[illegible] X. 306
SCROPHULARIACEAE *Bth.* X. 186 569
SCROPHULARIACEAE *Lindl.* X. 186
SCROPHULARIEAE *Juss.* X. 186
SCROPHULARINAE *RBr.* X. 186
Scutellaria L. XII. 407 412
S. alpina A. Hamilt. XII. 424
S. altissima Sav. XII. 424 425
S. angustifolia Hochst. XII. 420
S. [illegible] Bth. XII. 417
S. [illegible] A. Hamilt. XII. 420
S. [illegible] L. XII. 420
S. [illegible] L. XII. 412
S. [illegible] L. XII. 412
β [illegible] –
S. [illegible] Fisch. XII. 412
S. [illegible] A. Hamilt. XII. 419
altissima L. XII. 420
ambigua Nutt. XII. 427
Scutellaria
angustifolia Bth. XII. 420
angustifolia Adams XII
angustifolia Pursh XII
ramosissima Bth. XII
serpyllifolia Bth. XII.
barbata Don XII. 426
brevel r Hochst. XII. 4
brevi flora Bth. XII. 4
breviflora Torr. XII.
cana Wall XII. 429
canescens Nutt. XII.
cardiophylla Engelm.
carthusiana Lam. XII
carolinians Walt. XII
caucasica A. Hamilt.
ceiltidifolia A. Hamilt
Chamaedrys Skuttlew
coccinea H. B. & K
coerulea Moç. & Ses
β
Colebrookiana Merit
Colebrookiana *Wall.*
Columnae *All.* XII.
β S.hirsuta –
Columnae Sweet XII
commutata Guss XI
compressa A. Hamilt
cordifolia bot mag.
cordifolia Mühlenb.
cretica L. XII. 431
cretica Mill. XII 42
cumanensis *H. B. & K*
decumbens Sieb. XII.
diffusa *Bth* XII. 42
discolor *Colebr.* XII.
Drummondii *Bth* X
dumetorum Schlecht.
elliptica Mühlenb X
epilobiifolia A. Ham
Felisberti Nees & M
floribunda *Bth.* XII.
fruticosa *Desf.* XII.
galericulata *L* XII.
α pubescens –
β vulgaris –
γ glaberrima –
galericulata Sm XII
gerdoquioides *Boiss*
glechomoides *Bth.*
glutinosa *Bth.* XII.
gracilis Nutt XII. 4
grandiflora Adams
grandiflora *Sims* XII
grossa *Wall.* XII. 4

II. 415
I. 425
XII. 426
& *Bouché* XII. 426
tbr. & *Auch.* XII. 421
n. XII. 420
420
. 427
II. 423
XII. 431 58 241
. XII. 426
& *Dene* XII. 417 422
II. 416
– –
Vent. XII. 415
I. 418
417
7
. 418
I. 423
–
. 430
XII. 421
423
II. 414
412
& *Mey.* XII. 431
XII. 424
. & *Kth.* XII. 430
& *Sess.* XII. 427
5
7
27
II. 430
428
XII. 414
– –
I. 415
XII. 414
I. 4 8
II. 420
lt. XII. 418
Hook. fil. XII. 428
418
–
–
413
–
k *Sm.* XII. 413

Scutellaria
ovalifolia Pers. XII. 423 *(bis)*
pallida Guss. XII. 419
pallida MB. XII. 420
parviflora Raf. XII. 428
parvula Hook. XII. 427
parvula *Mx.* XII. 427
pectinata *Montbr.* & *Auch.* XII. 414
peregrina *L.* XII. 420
peregrina Roxb. XII. 426
peregrina Sibth. & *Sm* XII. 419
peregrina W. & *Kit.* XII. 420
pilosa *Mx.* XII. 423
β ovalifolia – –
pilosiuscula Nutt. XII. 429
pinnatifida *A. Hamilt.* XII. 414
polymorpha A. Hamilt. XII. 423
polymorpha C. Hamilt. XII. 423
prostrata *Jacquem.* XII. 413
pubescens Mühlenb. XII. 428
pulchella Bunge XII. 413
purpurascens *Sw.* XII. 416
β heterophylla – –
racemosa Pers. XII. 426
repens *Hamilt.* XII. 429
resinosa *Torr.* XII. 427
rivularis *Wall.* XII. 426
robusta *Bth.* XII. 418
β Perrottetii – –
rubicunda Horn. XII. 420
rumicifolia *H. B.* & *Kth.* XII. 426
rupestris *Boiss.* & *Heldr.* XII. 421
salviaefolia *Bth.* XII. 421
saxatilis *Riddell* XII. 422
β pilosior – 423
scandens Don XII. 430
scordifolia *Fisch.* XII. 425
β Adamsii – –
serrata *Andr.* XII. 422
serrata Spr. XII. 422
Sieberi *Bth.* XII. 420
Sieversii Bunge XII. 413
splendens *Link Otto* & *Kl.* XII. 415
squamulosa A. Hamilt. XII. 426
teucriifolia Sm. XII. 428
tomentosa Bertol. XII. 414
Tournefortii *Bth.* XII. 419
tuberosa *Bth.* XII. 429
tubiflora *Bth.* XII. 416
uliginosa *St. Hil.* XII 416
utriculata Labill. XII. 420
variegata Spr. fil. XII. 412
Ventenatii *Hook.* XII. 415
verna Bess. XII. 412

Mey. VIII. 501
ia VIII. 502
VIII. 503
VIII. 504 506
ld. VIII. 445
fil. VIII. 445
fil. VIII. 446
VIII. 446
– –
& *Steud.* IX. 440
XIII. 2. 325
IX. 441
chst. & *Steud.* IX.
440 XIII. 2. 325
st. & *Steud.* IX. 440
t. & *Steud.* IX. 440
XIII. 2. 4 6 *Poir.*
XIII. 2. 6
XIII. 2. 7
XIII. 2. 7
XIII. 2. 7
. XIII. 2. 7
III. 2. 7
loq. XIII. 2. 6
. XIII. 2. 6
tth. XIII. 2. 6
. XIII. 2. 7
. XIII. 2. 7
Meq. XIII. 2. 4 6
Kaempf. VII. 721
Choix. XII. 1
E Lindl. XII. 1
E Lindl. XII. 609
duct. XII. 1
. 8 *Eckl.* XII. 22
2 L. Pers. XII. 23
dans. XIII 2. 125 334
h. XI. 256
s XII 8
XII. 18
leb. XII. 19
hbg XII. 21 23
Mey. XII. 16
. & *Zeyh* XII. 9
y. XII. 15
g XII. 21
Mey. XII. 17
XII. 12
g XII. 21 22
ds. XII. 15
XII. 10
– –
g XII. 9 19
XII. 21 23
hbg XII. 17

Selago
Cholsyana *E. Mey.* XII. 18
ciliata *Thbg* XII 20
cinerascens *E. Mey.* XII. 9
cinerea Eckl. & Zeyh. XII. 18
cinerea Krauss XII. 9
cinerea *L. fil.* XII. 10
β villosa – –
coccinea *L.* XII. 14
coerulea Krauss XII. 9
comosa *E. Mey.* XII. 12 20
cordata *Thbg* XII. 16
corymbosa *L.* XII. 10
β polystachya – –
corymbosa β Poir. XII. 10
decipiens *E. Mey.* XII. 19
decumbens *Thbg* XII. 18
densifolia Hochst. XII. 14
dentata Poir. XII. 14
diffusa Sieb. XII. 11
diffusa *Thbg* XII. 12
diffusa Zeyh. XII. 11
distans *E. Mey.* XII. 11
divaricata Thbg XII. 11
dubia L. XII. 21 23
Eckloniana *Chois.* XII. 13
elata *Chois.* XII. 12
elegans *Chois.* XII. 14
ericina *E. Mey.* XII. 12
ericoides L. XII. 21 607
fasciculata *L.* XII. 15
β minor – –
γ sordida – –
fasciculata var. arguta Drege XII. 15
fasciculata β lanceolata Walp. XII. 15
fasciculata γ hirta Walp. XII. 15
fruticosa *L* XII. 19
fruticosa Thbg XII. 9
fulvo maculata Link XII. 14
geniculata Chois. XII. 8
geniculata *Thbg* XII. 9
geniculata β Chois. XII. 9
Gillii *Hook.* XII. 20
glabrata *Chois.* X I. 9
glabrata β Chois. XII. 9
glabrata Krauss XII. 9
glandulosa *Chois.* XII. 20
glomerata *Thbg* XII. 9
glutinosa *E. Mey.* XII. 13
guttata *E. Mey.* XII. 16
hamulosa *E. Mey.* XII. 16
herbacea *Chois.* XII. 17
hermannioides *E. Mey.* XII. 16
heterophylla *Thbg* XII. 17
hirta Chois. XII. 15
hirta *Thbg* XII. 16

III. 2. 308
. XIII. 2. 307
angustifolia Moq. XIII. 2. 308
XIII. 2. 308
sl XIII. 2. 306
VII. 494 (*rectius* ocodon VII. 791)
XI. 360 360
XI. 361
–
Nees XI. 362
XI. 340
ees XI. 363
I. 364
. 361
Nees XI. 730
ees XI. 362
es XI. 365
365
II. 361
XII. 361
XII. 364
XI. 363
s XI. 343
XI. 363
– –
– –
. 962
–
–
. 360 730
– –
XI. 362
s XI. 364
s XI. 364
. 364
XI. 425 444
. 444
5
. XIII. 1. 730
XII. 197 *Bth.* XII. 197 (Thymus)
VIII. 177
. VIII. 197
VIII. 177
VIII. 177
dl. XIII. 2. 383 (Gomphrena)
. XIII. 2 383
XIII. 2. 384
art. XIII. 2. 383
fart. XIII. 2. 384
. IX. 249

SESAMEAE *De.* IX. 249 564
Sesamopteris *De.* IX. 251 *Endl.* IX. 251
alata *De.* IX. 251
pentaphylla *De.* IX. 251
radiata *De.* IX. 251
Sesamum *L.* IX. 249 *Schum.* IX. 251 252
alatum Schum. IX. 251
brasiliense *Vell.* IX. 250
gracile Endl. IX. 251
javanicum Bl. m. IX. 251
indicum *De.* IX. 250
α grandidentatum – –
β subdentatum – –
γ subindivisum – –
inclicum Endl. IX. 250
indicum L IX. 250
indicum Sims IX. 250
laciniatum *Klein* IX. 250
luteum *Retz* IX. 250
occidentale *Heer & Regel* IX. 250
oleiferum Moench IX. 250
orientale Cham. IX. 250
orientale Kotschy IX. 250
orientale L IX. 250
pentaphyllum E. Mey. IX. 251
prostratum Retz IX. 251
pterospermum RBr. IX. 251 252
radiatum Schum. IX. 251
rostratum. Hochst. IX. 251
trifoliatum Mill. IX. 250
veterum C. Bauh. IX. 250
.M 349 *Salzm.* IX. 250
Sessea *R. & Pav.* XIII. 1. 8 595
corymbosa *Goudot* XIII. 1. 597
dependens *R. & Pav.* XIII. 1. 596
Dombeyi *Dun.* XIII. 1. 596
petiolaris Spr. XIII. 1. 596
stipulata *R. & Pav* XIII. 1. 595
vestita *Miers* XIII. 1. 597
Sestinia Boiss. XII. 496
calycina Boiss. XII. 496
Seutera *Reich.* VIII. 590
maritima *Dene* VIII. 590
Sevada *Moq.* XIII. 2. 47 154
Schimperi *Moq.* XIII. 2. 154
Seymeria *Pursh* X. 507 511
auriculata Spr. X. 512
decurva *Bth.* X. 512
macrophylla *Nutt.* X. 512
pectinata *Pursh* X. 511
tenuifolia *Pursh* X. 511
virgata *Bth.* X. 511

. & *Sm.* XII. 446
b. XII. 440
. XII. 445
ou. XII. 447 482
I. 442
XII. 447 494
. *B.* & *Kth.* XII. 447 256
n. XII. 447
XII. 441
& *Heldr.* XII. 440
XII. 447 492
. XII. 447
. XII. 440
XII. 443
ot XII. 445
tress. XII. 443
r. XII. 443
XII. 446
XII. 440
I. 445
II. 446
XII. 440
XII. 447 493
l. B. & *Kth.* XII. 447 256
b. XII. 439
m. XII. 444
. XII. 442
XII. 443
– –
– –
– –
– –
– –
. – –
ss. – –
oir. XII. 443
r. lanata Bth. XII. 444
r. latifolia Bth. XII. 444
XII. 444
XII. 442
XII. 439
XII. 438
m. XII. 445
XII. 443
XII. 442
& *Heldr.* XII. 441
e. XII. 443
il. XII. 443
I. 439
XII. 439
. XII. 439
III. 439

Sideritis
teucriifolia *Juss.* XII. 447
theezans *Boiss.* & *Heldr.* XII. 440
tomentosa Pourr. XII. 444
tomentosa *Ucria* XII. 447
Tragoriganum Lag. XII. 444
virgata Desf. XII. 444
Sideritis &c. *Sloan.* XII. 107
Sideroxylon *L.* VIII. 177 92 *Spr.* VIII. 177 *Wall.* VIII. 187 *Duham.* VIII. 189
Acouma *Dc. fil.* VIII. 184
argenteum Spr. VIII. 177
argenteum Thbg VIII. 186
armatum Roth VIII. 186 175
attenuatum *Dc.* VIII. 178
β acuminatum – –
atrovirens Lam. VIII. 183
Auzuba *Plum.* VIII. 184
Bilitbitan *Blanco* VIII. 186
Bojerianum *Dc. fil.* VIII. 179
borbonicum *Dc. fil.* VIII. 179
Boutonianum *Dc. fil.* VIII. 179
cantoniense *Lam.* VIII. 184
chrysophylloides Mx. VIII. 190
cinereum *Lam.* VIII. 184 183
cinereum Wall. VIII. 186 179
cuneatum *Dc. fil.* VIII. 181
cuspidatum *Dc. fil.* VIII. 183
cymosum L. VIII. 186
decandrum *L.* VIII. 184
dulcificum *Dc. fil.* VIII. 183
Dulitan *Blanco* VIII. 185
egense *Dc. fil.* VIII. 182 672
elegans *Dc. fil.* VIII. 183
ferrugineum *Hook.* & *Arn.* VIII. 178
foetidissimum *L.* VIII. 180
Gardnerianum *Dc. fil.* VIII. 182
β parvifolium –
grandiflorum *Dc. fil.* VIII. 180
grandifolium *Wall.* VIII. 178
β rezium – 179
guadalupense *Spr.* VIII. 180
guyanense *Dc. fil.* VIII. 182
imbricarioides *Dc. fil.* VIII. 180
inerme *L.* VIII. 182 184
laeve Walt. VIII. 186 189
lanuginosum Mx. VIII. 186 190
laurifolium Commers. VIII. 180
laurifolium Lam. VIII. 186 97
longifolium *Boj.* VIII. 180
lucidum *Soland.* VIII. 185
lycioides Duham. VIII. 189
lycioides L. VIII. 186
lycioides Wangenh. VIII. 186 189
lycioides W. VIII 189
Manglillo Lam. VIII. 186 99

I. 383
l. VII. 397
– –
c. fil. VII. 401
l. VII. 402
. 403
ohl VII. 404
Don VII. 402
G. Don VII. 397
Dc. fil. VII. 407
Don VII. 407 395
Don VII. 398
n VII. 404
G. Don VII. 401
ohl VII. 404
hl VII. 403
. h. VII. 397
on VII. 399
ohl VII. 405
. fil. VII. 406
fil. VII. 397
Don VII. 403
VII. 406
VII. 403
on VII. 406
n VII. 405
D. fil. VII. 407
VII. 407 345
VII. 407 346
Dc. fil. VII. 398
c. fil. VII. 402
on VII. 400
on VII. 397
l. VII. 397
fil. VII. 399
us Pohl VII. 401
n VII. 400
hl VII. 409 345
. Don VII. 404
Don VII. 407
c. fil. VII. 403
VII. 405
Don VII. 402
l. 404
. fil. VII. 405
. fil. VII. 398
fil. VII. 401
fil. VII. 401
hl VII. 404
G. Don VII. 398
VII. 399
VII. 399
n VII. 400
fil. VII. 407
Don VII. 407 345

Siphocampylus
surinamensis G. Don VII. 407 345
umbellatus G. Don VII. 406
β Willdenowianus Dc. fil. – –
γ Chamissonianus – – 407
verbascifolius Dc. fil. VII. 402
verticillatus G. Don VII. 400
villosulus Pohl VII. 403
virgatus Dc. fil. VII. 398
volubilis G. Don VII. 400
Westinianus Pohl VII. 405
β brevipedicellatus Dc. fil. – –
γ δ ε – – –
Westinianus β Pohl VII. 405
Siphonacanthus Nees XI. 101 199
densus Nees XI. 201
diffusus Nees XI. 200
erythropus Nees XI. 201
pubens Nees XI. 200
repens Nees XI. 201
β major – –
rubiginosus Nees XI. 200
villosus Nees XI. 200 725
Siphonantha Boiss. XII. 668 (Statice)
Siphonanthe Bth. X. 564 (Pedicularis)
Siphonanthus L. XI. 658 670
angustifolia W. XI. 670
indica W. XI. 670
Siphonanthus Schauer XI. 670 (Clerodendron)
Siphonostegia Bth. X. 527 538
chinensis Bth. X. 538
Siphotoxis Boj. XII. 457
rosea Boj. XII. 458
Siponima Aubl. VIII. 246
Sisyranthus E. Mey. VIII. 649
virgatus E. Mey. VIII. 649
Skinneria Chois. IX. 435
caespitosa Chois. IX. 435
Skytalanthus Schauer VIII. 677
Skytanthus Meyen VIII. 677
Slevogtia Reich. IX. 65
occidentalis Griseb. IX. 65
orientalis Griseb. IX. 65
verticillata Don IX. 65
Smithia Gmel. IX. 334
Thouinia Gmel. IX. 334
Soda Dumort. XIII. 2. 188 (Salsola)
SODEAE Moq. XIII. 2. 46 169
Soladi Tirtava Rheed. XII. 33
Solana Halicacaba XIII. 1. 386 438

) XIII. 1. 310 361
dium R. & Pav. XIII. 1. 385 25
n. XIII. 1. 372
XIII. 1. 234
ch XIII. 1. 52 56
. & Schmidt XIII. 1. 257
tschy XIII. 1. 204
. XIII. 1. 280
XIII. 1. 361
– – –
– – –
– – 362
hlecht. XIII. 1. 98
Bernh. XIII. 1. 385 432
m Dun. XIII. 1. 73
m. XIII. 1. 69
agua – – 70
lling. XIII. 1. 49
s Dun. XIII. 1. 55
– – – 56
Ker XIII. 1. 335
Dun. XIII. 1. 220
m Hook. XIII. 1. 157
Dun. XIII. 1. 374
n Dun. XIII. 1. 294
n Vell. XIII. 1. 375
&c. Dill. XIII. 1. 303
&c. Houst. XIII. 1. 218 375
Mill. XIII. 1. 48
&c. Rand. XIII. 1. 48 57
perenne Pluk. XIII. 1. 368
tth. XIII. 1. 269
riç. XIII. 1. 263
alum – – 264
ungh. XIII. 1. 373
e Sendtn. XIII. 1. 75
um Steud. XIII. 1. 89
arpum Dun. XIII. 1. 59
Dun. XIII. 1. 183
& Pav. XIII. 1. 155
Dun. XIII. 1. 165
. XIII. 1. 310
n. XIII. 1. 308
nb. h. XIII. 1. 308
Barcl. XIII. 1. 352
(conf. XIII. 1. 682)

Solanum
angulatum R. & Pav. XIII. 1. 682
angulosum h. Madr. XIII. 1. 175
Angurium *Dun.* XIII. 1. 375
angustiflorum *Mart.* XIII. 1. 219
angustifolium *Lam.* XIII. 1. 90
β macrophyllum – – –
γ brevifolium – – –
angustifolium Mill. XIII. 1. 375
angustifolium R. & Pav. XIII. 1. 100
angustifolium Sendtn. XIII. 1. 137
annuum hirsutius Dill. XIII. 1. 58
anoacanthum *Sendtn.* XIII. 1. 251
anomalum *Thonn.* XIII. 1. 259
anonaefolium *Dun.* XIII. 1. 95
anoplocladum *Dun.* XIII. 1. 346
apalophyllum *Dun.* XIII. 1. 42
apiculatum Dun. XIII. 1. 99
apiculatum *Sendtn.* XIII. 1. 217
apodum *Dun.* XIII. 1. 139
appendiculatum *Dun.* XIII. 1. 39
appendiculatum Mart. & Gal. XIII. 1. 82
Aquara guiva Pis. XIII. 1. 52
Aquartia *Dun.* XIII. 1. 193
aquaticum *Dum.-Cours* XIII. 1. 375
arabicum *Dun.* XIII. 1. 374
Aracatscha *Bess.* XIII. 1. 376
arborescens Moench XIII. 1. 348
arborescens &c. Plum. XIII. 1. 165 166
arborescens &c. Vaill. XIII. 1. 281
arboreum *H. B. & Kth.* XIII. 1. 145
arcuatum *Sendtn.* XIII. 1. 238
ardisioides *Blum.* XIII. 1. 140
arenarium *Sendtn.* XIII. 1. 129
argenteum Blanch. XIII. 1. 135
argenteum *Dun.* XIII. 1. 136
β lucidum – – –
γ angustifolium – – –
δ parvifolium – – –
argenteum Heyne XIII. 1. 258
argenteum Mart. XIII. 1. 135 136
argillicolum *Dun.* XIII. 1. 236
argyracantha *Dum.-Cours* XIII. 1. 358
armatum Forsk. XIII. 1. 374

. XIII. 1. 188
XIII. 1. 344
adum – – 345
. fil. XIII. 1. 679
n. XIII. 1. 43
ks h. XIII. 1. 271
q. XIII. 1. 102
q. fil. XIII. 1. 103
c. Dill. XIII. 1. 348
. XIII. 1. 348
Dun. XIII. 1. 227
. XIII. 1. 227
m H. B. & Kth. XIII. 1. 224
– – 225
Dan. XIII. 1. 212
Dun. XIII. 1. 385 411
Dun. XIII. 1. 128
hbg XIII. 1. 103
Jacq. XIII. 1. 326
um. XIII. 1. 372
H. B. & Kth. XIII. 1. 139
. XIII. 1. 203
Dun. XIII. 1. 199
n. XIII. 1. 199
XIII. 1. 337
XIII. 1. 282
Dun. XIII. 1. 115
Sendtn. XIII. 1. 187
m Dun. XIII. 1. 43 679
um Dun. XIII. 1. 236
XIII. 1. 134
n Dun. XIII. 1. 292
n. XIII. 1. 291
ll. XIII. 1. 147
H. B. & Kth. XIII. 1. 385 401
. XIII. 1. 37
. & Kth. XIII. 1. 37
– – –
Dun. XIII. 1. 86
Dun. XIII. 1. 178
um Kth. & Bouché XIII. 1. 107
un. XIII. 1. 226
Monsp. XIII. 1. 385 431

Solanum
calycinum Moç. & Sess. XIII. 1. 354
calycinum Nees XIII. 1. 128
calygnaphalum R. & Pav. XIII. 1. 127
campaniforme R. & Schult. XIII. 1. 143
campanulatum RBr. XIII. 1. 297
campanulatum W. XIII. 1. 143
campechiense Ait. XIII. 1. 244
campechiense Banks h. XIII. 1. 241
campechiense &c. Dill. XIII. 1. 312
campechiense L. XIII. 1. 312
campechiense h. Paris. XIII. 1. 260
campylacanthum Hochst. XIII. 1. 336
campylocladum Dun. XIII. 1. 173
β Magdalenae – – –
candicans Dun. XIII. 1. 162
candidum Lindl. XIII. 1. 247
canescens Blum. XIII. 1. 310
canescens Pav. XIII. 1. 343
canescens Rich. XIII. 1. 107
cano-cinereum Dun. XIII. 1. 213
capense Thbg XIII. 1. 288
capense β Drege XIII. 1. 288
capoerum Dun. XIII. 1. 112
capsicastrum Link XIII. 1. 151
capsicoides Mart. XIII. 1. 156
capsicoides h. Paris. XIII. 1. 241
capsicum dictum Weinm. XIII. 1. 422
caracasanum Steud. XIII. 1. 385
cardiophyllum Dun. XIII. 1. 89 (est boldoense Dc. fil. XIII. 1. 679)
cardiophyllum Lindl. XIII. 1. 678
carense Dun. XIII. 1. 105
Cari Molin. XIII. 1. 41
caribaeum Dun. XIII. 1. 48
caripense H. B. & Kth. XIII. 1. 41
β piloso-hirsutum – – –
carolinense L. XIII. 1. 304
β Pohlianum – – 305
carolinense Sendtn. XIII. 1. 305
caroliniense Mill. XIII. 1. 335
caudatum Dun. XIII. 1. 140
caule arboreo &c. Burm. XIII. 1. 352

m *Gmel.* XIII. 1. 74
Banks h. XIII. 1. 347
a *Jacq.* XIII. 1. 73
Wight XIII. 1. 116
Dun. XIII. 1. 158
Dun. XIII. 1. 139
Schott XIII. 1. 147
Lam. XIII. 1. 77
Ort. XIII. 1. 385 393
m *Wall.* XIII. 1. 385 409
ntatum *Dun.* XIII. 1. 54
um - - -
um. XIII. 1. 317
m. XIII. 1. 316
rt. XIII. 1. 92
& *Pav.* XIII. 1. 91
m - - 92
lium - - -
m. XIII. 1. 200
m *H. B.* & *Kth.* XIII. 1. 116
Dun. XIII. 1. 196
Lam. XIII. 1. 196
Mich. XIII. 1. 260
Sieb. XIII. 1. 661
hermaphroditum Dun. XIII. 1. 196
m. XIII. 1. 379
R. & *Schult.* XIII. 1. 371
um. XIII. 1. 363
Moench XIII. 1. 310
Dun. XIII. 1. 200 681
h. *Hoen.* XIII. 1. 53
W. h. XIII. 1. 374
Dun. XIII. 1. 205
Dun. XIII. 1. 111
Dun. XIII. 1. 231
H. B. & *Kth.* XIII. 1. 173
Dun. XIII. 1. 316
- - -
ium *Blum.* XIII. 1. 362
ium - - -
ium *Dun.* XIII. 1. 209
Vell. XIII. 1. 385 399
Banks h. XIII. 1. 78
rt. XIII. 1. 347
peruv. XIII. 1. 74

Solanum
cynanchoides Dun. XIII. 1. 82
cyrtopodium *Dun.* XIII. 1. 195
darfurense Delil. XIII. 1. 284
dasyphyllum *Thonn.* XIII. 1. 313
dasypus *Drege* XIII. 1. 161
daturaefolium *Dun.* XIII. 1. 261
β albescens - - -
dealbatum Lindl. XIII. 1. 738
debile *Dun.* XIII. 1. 74
decemdentatum Banks h. XIII. 1. 179
decemdentatum *Roxb.* XIII. 1. 179
decemfidum Pav. XIII. 1. 173
decemfidum Roxb. XIII. 1. 179
decipiens *Opiz* XIII. 1. 51
decompositiflorum *Sendtn.* XIII. 1. 211
decorticans Sendtn. XIII. 1. 136
decorticatum *Dun.* XIII. 1. 135
decorum *Sendtn.* XIII. 1. 228
β lanuginosum - - -
decurrens Bald. XIII. 1. 326
decurrens Banks h. XIII. 1. 200
decurrens Vell. XIII. 1. 284
decurrens Wall. XIII. 1. 50
decurrens praegrande Mart. XIII. 1. 326
delagoense *Dun.* XIII. 1. 349
Delilei *Dun.* XIII. 1. 81
demararense *Dun.* XIII. 1. 257
β inerme - - -
demissum *Lindl.* XIII. 1. 678
densiflorum Dun. XIII. 1. 209
densiflorum *Mart.* & *Gal.* XIII. 1. 213
densiflorum Sendtn. XIII. 1. 265
denticulatum *Blum.* XIII. 1. 181 681
α - - 182
β - - -
depauperatum *Dun.* XIII. 1. 227
Deppei hort. XIII. 1. 92
Desveauxii *Dun.* XIII. 1. 16
diantherum Vell. XIII. 1. 119
dianthophorum *Dun.* XIII. 1. 192
dichotomum *Lour.* XIII. 1. 122
dichotomum Mart. & *Gal.* XIII. 1. 140
dichotomum Pav. XIII. 1. 233
dichotomum β. peruv. XIII. 1. 114 *(bis)*
dichotomum C. Rich. A. XIII. 1. 163
dichotomum Vand. XIII. 1. 217

Solanum
dichroandrum *Dun.* XIII. 1.
β glabriusculum
dichrophyllum *Dun.* XIII. 1.
dictyoticum *R. & Schult.* XIII.
didymanthum *Dun.* XIII. 1. 2
β pluriflorum
didymum *Dun.* XIII. 1. 125
α subglabrum
β tomentosum
didymum Sendtn. XIII. 1. 125
diffusum h. Beng. XIII. 1. 25
diffusum Link XIII. 1. 154
diffusum Roxb. XIII. 1. 302
diffusum *R. & Pav.* XIII. 1.
diffusum Vell. XIII. 1. 52
diffusorum Vell. XIII. 1. 151
Dillenii *Schult.* XIII. 1. 47
dimidiatum *Sendtn.* XIII. 1. 2
diphyllum Banks h. XIII. 1. 1
diphyllum Forsk. XIII. 1. 153
diphyllum *L.* XIII. 1. 144
diphyllum Osbeck XIII. 1. 179
diphyllum Sw. XIII. 1. 170
discolor *RBr.* XIII. 1. 293
discolor Dun. XIII. 1. 111
dispar Lois. XIII. 1. 69
distichophyllum *Sendtn.* XIII.
β gracile
distichum *Thonn.* XIII. 1. 130
divaricatum Dun. XIII. 1. 12
divaricatum *Mart. & Gal.* X
1.
divergens Dun. XIII. 1. 385
diversifolium H. B. & Kth. X
1. 386
diversifolium *Schlecht.* XIII. 1.
Dombeyi *Dun.* XIII. 1. 162
domingense *Dun.* XIII. 1. 80
domingense W. XIII. 1. 373
Donianum Walp. XIII. 1. 186
Douglasii *Dun.* XIII. 1. 48
Doqvillei *Møric.* XIII. 1. 271
Dregei *Dun.* XIII. 1. 288
dryadeum *Dun.* XIII. 1. 196
dubium Dun. XIII. 1. 200
dubium *Fresen* XIII. 1. 332
α longipetiolatum
β longipetiolatum inerme 333
γ brevipetiolatum
δ cisternianum
dubium b Fresen XIII. 1. 333
dubium c Fresen XIII. 1. 332

. XIII. 1. 189
. XIII. 1. 128
. XIII. 1. 124 (legen-
ichocalyx XIII. 1.
679)
. XIII. 1. 379
. XIII. 1. 131
. XIII. 1. 249 211
. XIII. 1. 300
Bef. XIII. 1. 201
. XIII. 1. 371
May. viscos. XIII.
1. 57
ton XIII. 1. 356
ge XIII. 1. 367
. XIII. 1. 355
- - -
- - -
- - -
k. XIII. 1. 31
Dun. XIII. 1. 358
Dun. XIII. 1. 356
accis nigris Dun.
XIII. 1. 356
d. XIII. 1. 128
XIII. 1. 373
dl. XIII. 1. 32
. XIII. 1. 257
ndin. XIII. 1. 96
ge XIII. 1. 104
l. XIII. 1. 110
. XIII. 1. 258 259
ht XIII. 1. 259
Schult. XIII. 1. 376
d. XIII. 1. 376
art. h. XIII. 1.
396 406
Vell. XIII. 1. 396
408
XIII. 1. 348
- - -
III. 1. 70
ndl. XIII. 1. 373
II. 1. 256
. 255 692
III. 1. 299
. XIII. 1. 266
XIII. 1. 260
XIII. 1. 350
XIII. 1. 166
II. 1. 396 431
ro. XIII. 1. 123
. 1. 136
ch. XIII. 1. 49
III. 1. 66

Solanum
flagellare Sendtn. XIII. 1. 96
flavescens Ten. XIII. 1. 141
flavescens Dun. XIII. 1. 254
β hastatum
flavescens β fol. acutis Sieb. XIII.
1. 254
flavidum Torr. XIII. 1. 375
flavum Kit. XIII. 1. 56
flexicaule Bth. XIII. 1. 219
flexuosum Banks h. XIII. 1. 170
flexuosum h. Madr. XIII. 1. 175
flexuosum Pav. XIII. 1. 173
flexuosum Vahl XIII. 1. 223
flexuosum W. XIII. 1. 371
floccosum Dun. XIII. 1. 133
floccosum Mart. & Gal. XIII. 1.
263
floribundum Dun. XIII. 1. 92
floribundum Sendtn. XIII. 1. 248
floridanum Shuttlew. XIII. 1. 306
fluminalae Steud. XIII. 1. 392
396
foetidum R. & Pav. XIII. 1. 147
foetidum Hostb. XIII. 1. 376
foetidum &c. C. Bauh. XIII. 1.
540
fol. quercus Pauill. XIII. 1. 70
foliosum Link XIII. 1. 51
Fontanesianum Dun. XIII. 1. 329
formosum h. Derp. XIII. 1. 326
formosum H. B. & Kth. XIII.
1. 342
Forskalii Dun. XIII. 1. 372
fossarum Dun. XIII. 1. 145
fragrans Hook. XIII. 1. 396 391
fraxinifolium Dun. XIII. 1. 30
fructu tecto Cav. XIII. 1. 347
frutescens &c. Houst. XIII. 1. 270
frutex rotundifolium &c. Barrel.
XIII. 1. 457
fruticosum Mill. XIII. 1. 166
fruticosum &c. Plum. XIII. 1.
184 185
fugax Bert. XIII. 1. 170
fugax Jacq. XIII. 1. 167
fultum Schrank XIII. 1. 76
furcatum Dun. XIII. 1. 51
furcatum β Dun. XIII. 1. 51
furfuraceum RBr. XIII. 1. 393
fuscatum α Dun. XIII. 1. 359
fuscatum L. XIII. 1. 364
fuscatum R. & Schult. XIII. 1.
376
fuscum Heyne herb. XIII. 1. 267
Galeottii Dun. XIII. 1. 89

...m. XIII. 1. 331
...rt. XIII. 1. 52
... Dun. XIII. 1. 80
Balb. XIII. 1. 260
Lam. XIII. 1. 215
W. h. XIII. 1. 386
388
Dun. XIII. 1. 199
... XIII. 1. 205
... XIII. 1. 319
...inax Sendtn. XIII.
1. 318
...hult. XIII. 1. 310
Dun. XIII. 1. 369
- - -
... XIII. 1. 300
- - -
...h. XIII. 1. 291
...ts h. XIII. 1. 198
XIII. 1. 58
- - -
XIII. 1. 287
...rb. Pueraz. XIII.
1. 252
... XIII. 1. 44
...II. 1. 197
XIII. 1. 275
Sendtn. XIII. 1. 62
...pr. fil. XIII. 1. 159
XIII. 1. 296
- - 297
... XIII. 1. 184
XIII. 1. 218
...l. 1. 311
... XIII. 1. 216
XIII. 1. 386 25
... XIII. 1. 237
XIII. 1. 56
...III. 1. 302
XIII. 1. 298
...klecht. XIII. 1. 150
...II. 1. 296
...un. XIII. 1. 287
... XIII. 1. 682
...M. 1. 303
... XIII. 1. 200
XIII. 1. 199
...III. 1. 40
XIII. 1. 174
...us - - -
...endtn. XIII. 1. 81
... reg. XIII. 1. 82
...st. XIII. 1. 82
Dun. XIII. 1. 246
...XIII. 1. 176

Solanum
javitense *H. B. & Kth.* XIII. 1. 225
igneum *L.* XIII. 1. 184
β parvifolium - - -
γ inerme - - -
igneum parvifolium Vahl XIII. 1. 184
ilicifolium *Dun.* XIII. 1. 199
immane *Dun.* XIII. 1. 85
β grandiflorum - - -
immite *Dun.* XIII. 1. 39
impediens *Weinm.* XIII. 1. 204
inaequale Presl XIII. 1. 681
inaequale *Vell.* XIII. 1. 141
inamoenum *Bth.* XIII. 1. 269
incanum Kit. XIII. 1. 59
incanum *L.* XIII. 1. 368
incanum Pav. h. XIII. 1. 369
incanum R. & Pav. XIII. 1. 280
incarceratum *R. & Pav.* XIII. 1. 249
incertum *Dun.* XIII. 1. 57
incompletum *Dun.* XIII. 1. 311
incurvum *R. & Pav.* XIII. 1. 155
indicum Bout. XIII. 1. 359
indicum h. Cels. XIII. 1. 366
indicum L. XIII. 1. 260 368
indicum L. herb. XIII. 1. 310
indicum *Nees* XIII. 1. 309
α sinuato-lobatum - - -
β croso-pinnatifidum *Nees* 310
γ parvifolium - - -
δ pubescens - - -
indicum Sieb. XIII. 1. 310
indicum Wall. XIII. 1. 310
indicum &c. hort. Paris. XIII. 1. 184
indicum spinosum &c. Robert XIII. 1. 368
indigoferum *Sc. Hil.* XIII. 1. 142
inflatum Horn. XIII. 1. 326
inodorum Vell. XIII. 1. 136
inopa *Dun.* XIII. 1. 55
Ipomaea *Sendtn.* XIII. 1. 84
insanum L. XIII. 1. 355
insidiosum *Mart.* XIII. 1. 207
β pubescens - - -
γ armatissimum - - -
insulanum *Dun.* XIII. 1. 373
integerrimum *Vell.* XIII. 1. 108
integrifolium *Poir.* XIII. 1. 360 682
intermedium Dun. XIII. 1. 311
intermedium *Sendtn.* XIII. 1. 142
involucratum *Blum.* XIII. 1. 235
Isabelli *Dun.* XIII. 1. 153
isodynamum *Sendtn.* XIII. 1. 154

Solanum
[illegible] Bess XIII. 1. 132
β [illegible] – – 133
[illegible] W. XIII. 1. 346
[illegible] Vell. XIII. 1. 307 278
[illegible] Mart. XIII. 1. 235
[illegible] Bess. XIII. 1. 53
[illegible] Pluk. XIII. 1. 52
[illegible] Stochs XIII. 1. 53
[illegible] Schult. XIII. 1. 49
juglandifolium Dun. XIII. 1. 41
Jurgebu Rich. XIII. 1. 214 681 738
β [illegible] – – –
γ [illegible] – – –
Jussiaei Dun. XIII. 1. 202
kaiticis Dun. XIII. 1. 157
Karstenii Dun. XIII. 1. 151 680
Kieseritzkii C. A. Mey. XIII. 1. 78
Kitaibelii herb. XIII. 1. 58
Kitaibelii Schultz XIII. 1. 59
laciniatum Ait. XIII. 1. 69
laciniatum Dun. XIII. 1. 68
laciniatum β. peruv. XIII. 1. 219
lacteum Vell. XIII. 1. 155
lactum Kze XIII. 1. 92
lactum Miq. XIII. 1. 679
lacve Dun. XIII. 1. 386 408
laevigatum H. B. & Kth. XIII. 1. 140
lagenarium Dun. XIII. 1. 368
Lalandi Dun. XIII. 1. 210
β subcarnatum – –
γ leptacanthum – –
Lamberti Dun. XIII. 1. 268
lanicrestitum Dun. XIII. 1. 273
lanatum Dun. XIII. 1. 277
lanceaefolium Jacq. XIII. 1. 221
β punctato-maculatum – – 222
lanceaefolium β tetrandrum Dun. XIII. 1. 223
lanceolatum Cav. XIII. 1. 343
β sinuatum – – –
lanceolatum β. peruv. XIII. 1. 95
laniflorum Sendtn. XIII. 1. 313
β spathulatum – – 314
lanigerum Dun. XIII. 1. 273
Lantana Sendtn. XIII. 1. 113
lanuginosum H. B. & Kth. XIII. 1. 177
lasianthum Dun. XIII. 1. 204 681
lasiocarpum Dun. XIII. 1. 252
β velutinum – – 253

Solanum
laxiocarpum Wall. XIII.
lasiophyllum H. B. & K
laxiophyllum Poir. XIII.
lasiopodium Dun. XIII.
latiflorum Dun. XIII. 1.
latifolium Parkins. XIII.
latifolium Poir. XIII. 1.
laurifolium Dun. XIII.
laurifolium Dries. & X
laurifolium hort. XIII.
laurifolium L. XIII. 1.
laurifolium Mill. XIII.
laurifolium Sieb. XIII.
laurinum Dun. XIII. 1.
laxiflorum Dun. XIII.
laxiflorum Sendtn. XIII
laxum Dun. XIII. 1. 1
laxum Spr. XIII. 1. 32
Leiboldianum Dun. X
leiophyllum Bth. XIII.
leiophyllum Dun. XIII.
lentum Cav. XIII. 1.
β echinatum – –
lentum Kth. XIII. 1.
leontopodium Sendtn
lepidotum H. B. & K
leprosum Ort. XIII. 1
leptanthum Moç. &
β parvifolium
leptopodium Dun. X
leptostachys Dun. XI
lethale Clus. Dod. X
leucocarpon C. Rich.
β multiflorum –
Leucodendron Sendtn
leucophaeum Dun. XI
leucophyllum Dun. XI
leucosporum Dun. XI
Leycesterianum Sen
Lhotskyanum Dun. XI
Lichtensteinii W. XII
lignosum Ruy XIII. 1.
lignosum variegatum
ligustrinum Lodd. XII

h. XIII. 1. 107
num *Schoele* XIII. 1. 203
& *Pav.* XIII. 1. 182
m. XIII. 1. 152
R. & *Schult.* XIII. 1. 154
m XIII. 1. 373
Dun. XIII. 1. 238
t XIII. 1. 303
XIII. 1. 310
XIII. 1. 682
nd XIII. 1. 337
ulatum *Bert.* XIII. 1. 171
Vahl XIII. 1. 221
Dun. XIII. 1. 344
Pav. XIII. 1. 186
n. XIII. 1. 85
Kth. XIII. 1. 101
rt. & *Gal.* XIII. 1. 109
rio. XIII. 1. 386 407
Raf. XIII. 1. 371
Dun. XIII. 1. 270
. XIII. 1. 88
. XIII. 1. 113
Dun. XIII. 1. 373
Dun. XIII. 1. 64
lium – – –
Dun. XIII. 1. 121
ns *Dun.* XIII. 1. 238
ns *Gmel.* XIII. 1. 56
. XIII. 1. 58
mb. XIII. 1. 162
XIII. 1. 161
– – 162
dl. XIII. 1. 162
. & *Pav.* XIII. 1. 162
omentosum Dun. XIII. 1. 162
St. Hil. XIII. 1. 338
h. *Panorm.* XIII. 1. 103
les *Dun.* XIII. 1. 38
n *Blanco* XIII. 1. 386 27
n α *L.* XIII. 1. 386 26
n β *L.* XIII. 1. 386 26
g XIII. 1. 79
ns *Wall.* XIII. 1. 181
Dun. XIII. 1. 264

Solanum
Maccai Bert. XIII. 1. 260
Maccai *C. Rich.* h. XIII. 1. 268
macrantherum *Dun.* XIII. 1. 87
macranthum Bert. XIII. 1. 167
macranthum *Dun.* XIII. 1. 315
macranthum Mart. & Gal. XIII. 1. 244
macranthum Hook. XIII. 1. 318
macrobotryon Dun. XIII. 1. 277
macrocalyx *Dun.* XIII. 1. 337
β angustifolium – – –
macrocarpon *L.* XIII. 1. 353
macrocarpon Pav. XIII. 1. 352
macrodon *Wall.* XIII. 1. 180
macronema *Sendtn.* XIII. 1. 340
macrophyllum h. *Monsp.* XIII. 1. 347
macropus *Dun.* XIII. 1. 134
madagascariense *Dun.* XIII. 1. 99
Maglia *Molin.* XIII. 1. 33
Maglia Schlecht. XIII. 1. 34
majus Camer. XIII. 1. 386 464
majus vesicarium Barrel. XIII. 1. 454
malacoxylon *Sendtn.* XIII. 1. 89
mammosum herb. XIII. 1. 260
mammosum *L.* XIII. 1. 250 140
mammosum Lour. XIII. 1. 252
mammosum Mart. XIII. 1. 381
mammosum Pav. herb. XIII. 1. 140
Manoelli Moric. XIII. 1. 278
manicum Auct. XIII. 1. 386 464
manicum Col. XIII. 1. 386 464
marginatum *L.* XIII. 1. 370
marginatum argyracantha Pers. XIII. 1. 358
Marionnae *Dun.* XIII. 1. 307
maritimum *Meyen* XIII. 1. 64
maroniense *Poit.* XIII. 1. 318
β luxandrum – – 319
marsilianum Ten. XIII. 1. 141
Martensii *Dun.* XIII. 1. 140
Martii Dun. XIII. 1. 386 399
Martii *Sendtn.* XIII. 1. 117
mauritianum Scop. XIII. 1. 115
mauritianum mus. Paris. XIII. 1. 326
megalochiton *Sendtn.* XIII. 1. 124
β villoso-tomentosum – – –
megalonyx *Sendtn.* XIII. 1. 320
melanandrum *Moric.* XIII. 1. 241
melaniferum Moric. h. XIII. 1. 42

[illegible]
[illegible]etum *Bert.* XIII. 1. 170
[illegible]etum *Dun.* XIII. 1. 166
[illegible]ni *Dun.* XIII. 1. 123
[illegible]topus *Sendtn.* XIII. 1. 206
[illegible]rpose *Dun.* XIII. 1. 219
[illegible]linearifolium *Lag.* XIII. 1. 342
[illegible]scens *Mart. & Gal.* XIII. 1. 49
[illegible]canis *Mart. & Gal.* XIII. 1. 129
[illegible]um *Acerb.* XIII. 1. 59
[illegible]um *Auct.* XIII. 1. 50
[illegible]um *A. Gray* XIII. 1. 54
[illegible]um *Kotschy* XIII. 1. 53
[illegible]um *Leschen.* XIII. 1. 177
[illegible]um *L.* XIII. 1. 50
[illegible]rulgatum – – –
[illegible]melanocerasum – –
[illegible]striplicifolium – – –
[illegible]tigidum – – –
[illegible]um *Mart. h.* XIII. 1. 51
[illegible]um *Nees* XIII. 1. 50
[illegible]um *Requien h.* XIII. 1. 53
[illegible]um *Tausch* XIII. 1. 53
[illegible]um *Vell.* XIII. 1. 49
[illegible]um *Willk.* XIII. 1. 47 50
[illegible]um *var Auct.* XIII. 1. 56
[illegible]um *b Sendtn.* XIII. 1. 55
[illegible]um *c Sendtn.* XIII. 1. 52
[illegible]um *d Sendtn.* XIII. 1. 55
[illegible]um *e L.* XIII. 1. 52
[illegible]um *β Dc.* XIII. 1. 54
[illegible]um *γ W.* XIII. 1. 58
[illegible]um *β aspergilliforum Sendtn.* XIII. 1. 55
[illegible]um *β guineense W.* XIII. 1. 49
[illegible]um *β judaicum Pers.* XIII. 1. 53
[illegible]um *β patulum W.* XIII. 1. 47
[illegible]um *γ angulosum Sendtn.* XIII. 1. 49
[illegible]um *γ villosum W.* XIII. 1. 58
[illegible]um *δ rubrum W.* XIII. 1. 57
[illegible]um *ε virginicum L.* XIII. 1. 52
[illegible]um *&c. Dill.* XIII. 1. 52
[illegible]um *hirsutum Vahl* XIII. 1. 58
[illegible]rt *Notou* XIII. 1. 259
[illegible]u *Opis* XIII. 1. 47
[illegible]um *Pav. h.* XIII. 1. 127
[illegible]um *R. & Pav.* XIII. 1. 93
[illegible]ungustifolium – – –
[illegible]um *All.* XIII. 1. 370
[illegible]um *Vahl* XIII. 1. 258
[illegible]florum *h. Aven.* XIII. 1. 34
[illegible]florum *Desv.* XIII. 1. 46
[illegible]florum *Dun.* XIII. 1. 46
[illegible]um III.

Solanum
nodiflorum *Jacq.* XIII. 1. 46
α macrophyllum – – –
β puberulum – – –
γ acuminatum – – – 678
δ pellolatum – – –
noli-tangere *Salsm.* XIII. 1. 230
β ochraceo-ferrugineum – – –
novemlobum *Dun.* XIII. 1. 70
β pauciflorum – – 71
novogranatense *Dun.* XIII. 1. 680
nudum *H. B. & Kth.* XIII. 1. 144
β longifolium – – –
nudum Sieb. XIII. 1. 144
nutans Poepp XIII. 1. 137
nutans *R. & Pav.* XIII. 1. 128
nyctaginoides *Dun.* XIII. 1. 172
oaxacanum *Dun.* XIII. 1. 204
obliquum Bert. XIII. 1. 386 393
obliquum R. & Pav. XIII. 1. 386 393
oblitum *Dun.* XIII. 1. 126
oblongifolium *H. B. & Kth.* XIII. 1. 96
oblongum f. peruv. XIII. 1. 97
oblongum *R. & Pav.* XIII. 1. 148
obovatum *H. B. & Kth.* XIII. 1. 156
obscurum Sieb. XIII. 1. 224
obscurum Vahl XIII. 1. 214
obtusifolium Dun. XIII. 1. 291
obtusifolium Hartw. XIII. 1. 261
obtusifolium Schlecht. XIII. 1. 335
obtusifolium W. XIII. 1. 350
obtusilobum Dun. XIII. 1. 294
obtusilobum *Mart. & Gal.* XIII. 1. 334
occidentale *Dun.* XIII. 1. 309
ochrandrum *Dun.* XIII. 1. 110
ochranthum *H. B. & Kth.* XIII. 1. 38
ochroleucum *Bast.* XIII. 1. 56
β flavum – – –
ochroneurum *Link* XIII. 1. 230
α microcanthum – –
β armatum – – –
γ gracile – – –
odoriferum *Vell.* XIII. 1. 76
oleraceum *Dun.* XIII. 1. 50
β macrocarpum – – –
oleraceum Rich. h. XIII. 1. 50
oleraceum Vell. XIII. 1. 235

Hart. & Gal. XIII. 1. 166
. XIII. 1. 265
– – –
Mill. XIII. 1. 386 25
L. XIII. 1. 386 23
Aoen. XIII. 1. 69
m. XIII. 1. 68
th XIII. 1. 310
& *Pav.* XIII. 1. 65
Dun. XIII. 1. 40
XIII. 1. 70
XIII. 1. 61
. XIII. 1. 376
m. XIII. 1. 285
ook. XIII. 1. 243
Sendtn. XIII. 1. 245
B. & *Kth.* XIII. 1. 290 738
. 1. 305
XIII. 1 368
. *Sol.* XIII. 1. 371
XIII. 1. 352
Dun. XIII. 1. 195
Sendtn. XIII. 1. 231
ic. XIII. 1. 3-6 459
III. 1. 340
1. 345
Herit. XIII. 1. 244
hl XIII. 1. 191
Hochst. XIII. 1. 94
s.h. XIII. 1. 334
XIII. 1. 197
ic. XIII. 1. 323
– – 324
– – –
– – –
– – –
andifolium Dun. XIII. 1. 324
XIII. 1. 386 26
Bunk. XIII. 1. 351
Herrm. XIII. 1. 366

Solanum
pomiferum &c. Lobel. XIII. 1. 351
pomiferum &c. Moris XIII. 1. 356 360 366
pomiferum &c. Pluk. XIII. 1. 358
pomiferum spinosum Breyn. XIII. 1. 375
pomo spinoso rotundo C. Bauh. XIII. 1. 543
pomo spinoso &c. Raj. XIII. 1. 540
porphyranthum *Dun.* XIII. 1. 244
portoricense *Dun.* XIII. 1. 374
praealtum Sendtn. XIII. 1. 110
Preslei *De. fil.* XIII. 1. 691
pressum *Dun.* XIII. 1. 362
prinophyllum *Dun.* XIII. 1. 296
procerius patulum &c. Dill. XIII. 1. 47
procumbens Dc. XIII. 1. 386 431
procumbens *Lour.* XIII. 1. 281
pronaefolium Dun. XIII. 1. 386 392
propinquum *Mart. & Gal.* XIII. 1. 330
pruinosum *Dun.* XIII. 1. 58
β pilosulum – – – 59
pruniifolium *W.* XIII. 1. 63
pruriens *Dun.* XIII. 1. 120
pseudo-capsicum *L.* XIII. 153
pseudo-capsicum microcarpum Pers. XIII. 1. 153
pseudo-lycopersicum Jacq. XIII. 1. 386 25
pseudo-lycopersicum Lind & Shakesp. XIII. 1. 386 26
pseudo-melongena *Ten.* XIII. 1. 682
pseudo-quina *St. Hil.* XIII. 1. 152
pseudo-saponaceum *Blum.* XIII. 1. 274
pseudo-undatum Blum. XIII. 1. 360
psychotrioides *H. B. & Kth.* XIII. 1. 150
pteleaefolium *Sendtn.* XIII. 1. 68
pterocaulon *Dun.* XIII. 1. 52
β dichotomiflorum – – –
γ heterogonum – – –
δ Deppei – – –
ε Aquarequigo – – –
pterópodum *H. B. & Kth.* XIII. 1. 198

[III. 1. 383
n *Dun.* XIII. 1. 376
Moric. XIII. 1. 301
un. XIII. 1. 57
in. XIII. 1. 304
Vahl XIII. 1. 228
: XIII. 1. 77 85
. XIII. 1. 56
XIII. 1. 57
. XIII. 1. 371
XIII. 1. 58
XIII. 1. 57
XIII. 1. 57
Dun. XIII. 1. 264
. XIII. 1. 228
dtn. XIII. 1. 112
- - -
III. 1. 213
h. XIII. 1. 229
XIII. 1. 321
XIII. 1. 108
. *h.* XIII. 1. 387 406
XIII. 1. 57
. & *Pav.* XIII. 1. 70
Vendl. XIII. 1. 304
. XIII. 1. 85
ltn. XIII. 1. 201
- - 202
[III. 1. 74
& *Schult.* XIII. 1. 376
. XIII. 1. 206
Dun. XIII. 1. 187
m. XIII. 1. 107
Sendtn. XIII. 1. 118
inae *Dun.* XIII. 1. 109
Dun. XIII. 1. 274
ae *Dun.* XIII. 1. 678
III. 1. 260
I. 1. 333 369
sp. XIII. 1. 333 369
ook. & *Arn.* XIII. 1. 269
un. XIII. 1. 268
Dun. XIII. 1. 311
t. XIII. 1. 243
un. XIII. 1. 274 738
dtn. XIII. 1. 62

Solanum
sarmentosum Lam. XIII. 1. 221
sarmentosum *Nees* XIII. 1. 357
sarmentosum Pav. h. XIII. 1. 87
ativum *Dun.* XIII. 1. 360
α albiflorum - - -
ζ atropurpureum - - -
γ leucocarpon - - 361
scaberrimum Dun. XIII. 1. 349
scabridum *Dun.* XIII. 1. 253
scabrum H. B. & Kth. XIII. 1. 216
scabrum Jacq. XIII. 1. 351
scabrum Lam. XIII. 1. 41
scabrum Mill. XIII. 1. 49
scabrum R. & Pav. XIII. 1. 274
scabrum *Vahl* XIII. 1. 216 738
scabrum Zucc. XIII. 1. 350
scandens Cels. XIII. 1. 78
scandens Comm. XIII. 1. 88
scandens *L.* XIII. 1. 178
scandens Mill. XIII. 1. 371
scandens Moç. & Sess. XIII. 1. 87
scandens Schomb. XIII. 1. 84
scandens Sw. XIII. 1. 220
scandens &c. Tourn. XIII. 1. 78 79
scandens &c. Plum. XIII. 1. 171 214
Schiedeanum Schlecht. XIII. 1. 263
Schimperianum *Hochst.* XIII. 1. 94
Schiru-schuna *Mill.* XIII. 1. 376
schizandrum *Sendtn.* XIII. 1. 229
schizopodium *Sendtn.* XIII. 1. 97
Schlechtendalianum *Walp.* XIII. 1. 109
schoenbrunnense *Dun.* XIII. 1. 365
Schomburgkii *Sendtn.* XIII. 1. 189
Schrankii *Steud.* XIII. 1. 200
Schreberianum *Sendtn.* XIII. 1. 218
Schuchii *Sendtn.* XIII. 1. 322
Schultesii *Opiz* XIII. 1. 52
sclareaefolium Dun. XIII. 1. 118
Seaforthianum *Andr.* XIII. 1. 67
Sellowianum Sendtn. XIII. 1. 118
Sellowii *Dun.* XIII. 1. 134
sempervirens *Dun.* XIII. 1. 88
semperrirens Mill. XIII. 1. 160
senecioides *Domb.* XIII. 1. 65
senegambicum *Dun.* XIII. 1. 194
sepicula *Dun.* XIII. 1. 283
septemlobum *Bung.* XIII. 1. 71

um *Vell.* XIII. 1. 340
Schrank XIII. 1. 327
n *Schousb.* XIII. 1. 53
usch. XIII. 1. 376
n. XIII. 1. 299
Sendtn. XIII. 1. 213
Steud. XIII. 1. 150
n *Don* XIII. 1. 135
n *R. & Schult.* XIII. 1. 135
lum - - -
lum - - -
Sendtn. - - -
γ *tomentosum Sendtn.* XIII. 1. 134
Mart. & Sendtn XIII. 1. 387 389
Dun. XIII. 1. 357 682
H. B. & Kth. XIII. 1. 169
dib. XIII. 1. 32
lis *Pav. h.* XIII. 1. 106
Sendtn. XIII. 1. 158
m *Kth. & Bouché* XIII. 1. 83
Salsm. XIII. 1 261
m - - 262
Vell. XIII. 1. 115
Dun. XIII. 1. 284
is XIII. 1. 53
h. h XIII. 1. 328
. XIII. 1. 327
. XIII. 1. 79
m. XIII. 1. 248
. XIII. 1. 35
m - - -
escens Sendtn. XIII. 1. 35
Steud. XIII. 1. 49
Dun. XIII. 1. 87
Sendtn. XIII. 1. 189
rsk. XIII. 1. 105 *(bis)*
ll. XIII. 1. 152 341
all. XIII. 1. 384
peruv XIII. 1. 68
& Pav. XIII. 1. 67
Dun. XIII. 1. 681
h. Buttens. XIII. 1. 140
Br. XIII. 1. 194
h. XIII. 1. 205

Solanum
texanum *Dun.* XIII. 1. 359
thelopodium *Sendtn.* XIII. 1. 97
thomesiaefolium *Sendtn.* XIII. 1. 310
β calycinum - - 311
γ lobatum - - -
Thouinii Gmel. XIII. 1. 326
Thonningianum *Jacq.* XIII. 1. 354
thymifolium *W.* XIII. 1. 371
tomatiforme hort. XIII. 1. 684
tomentosum *L.* XIII. 1. 299
tomentosum β coccineum W. XIII. 1. 298
Topiro *H. B. & Kth.* XIII. 1. 353
torvum Schlecht. XIII. 1. 263
torvum *Sw.* XIII. 1. 260
β ochraceo-ferrugineum - - -
γ inerme - - -
δ rubiginosum - - -
ε lanatum - - -
torvum genuinum Sendtn. XIII. 1. 260
β rubiginosum - - 261
γ lanatum - - -
torvum β inerme Nees XIII. 1. 261
torvum b ferrugineum Sendtn. XIII. 1. 266
c Hartwegianum Sendtn. XIII. 1. 261
d fructipendulum Sendtn. XIII. 1. 264
e Schiedeanum Sendtn. XIII. 1. 263
f brasiliense Sendtn. XIII. 1. 262
β lanuginosum - - -
toxicarium *Rich.* XIII. 1. 254
trachyphyllum *H. B. & Kth.* XIII. 1. 117
triangulare *Lam.* XIII. 1. 53
tribulosum *S. Schauer* XIII. 1. 329
trichocalyx *Dun.* XIII. 1. 679
trichocarpum *Miq.* XIII. 1. 691
tricolor *Moç. & Sess.* XIII. 1. 169
tricuspidatum *Dun.* XIII. 1. 267
tridynamum *Moç. & Sess.* XIII. 1. 333
β stylosum - -
γ anoplocladum - -
triferum *Poepp.* XIII. 1. 376
trifiorum *Nutt.* XIII. 1. 45
trifoliatum Burm. XIII. 1. 387

& *Gke* XV. 2. 68
Kl. & *Gke* XV. 2. 68
& *Gke* XV. 2. 69
Boiss. XV. 2. 9 68 (Euphorbia)
erifolius Wall. XV. 1. 431
L. XV. 2. 1, XVI. 1. 7
Scop. XV. 1. 266
night & *Salisb.* XIV. 447
Knight & *Salisb.* XIV. 447
Knight & *Salisb.* XIV. 448
night & *Salisb.* XIV. 448
r. XV. 2. 512 1255
r. XV. 2. 1256
our. XV. 2. 588 667
Bert. XIV. 24
Müll. Arg. XV. 2.
Bl. XV. 2. 1105 1108
üll. Arg. XV. 2. 1107
Thwait. XV. 2. 1108
Müll. Arg. XV. 2. 1107
R. Wight XV. 2. 1109
Müll. Arg. XV. 2. 1109
L. Arg. XV. 2. 1107
XV. 2. 1109
Arg. XV. 2. 1109
Müll. Arg. XV. 2. 1111
Müll. Arg. XV. 2. 1105
Baill. XV. 2. 1108
s Müll. Arg. XV. 2. 1106
Müll. Arg. XV. 2. 1110
Thwait. XV. 2. 1108
s Müll. Arg. XV. 2. 1110
XV. 2. 1110
Müll. Arg. XV. 2. 1106
sect. Anisotaxis *Müll. Arg.* XV. 2. 1107
Cheilosopsis *Müll. Arg.* XV. 2. 1106
Dimorphocalyx *Müll. Arg.* XV. 2. 1105
Trigonostemon *sect.* Eutrigonostemon *Müll. Arg.* XV. 2. 1108
Silvaea *Müll. Arg.* XV. 2. 1110
Telogyne *Müll. Arg.* XV. 2. 1107
Tritaxis *Müll. Arg.* XV. 2. 1107
Trilobaria *Dc. fil.* XV. 1. 327 (Begonia)
Trimeriza Lindl. XV. 1. 429 430
piperina Lindl. XV. 1. 430
Trimeriza *Duchart.* XV. 1. 430 (Bragantia)
TRIPLARIDEAE *C. A. Mey.* XIV. 4 171
Triplaris *Loefling* XIV. 171, *Auctor.* XIV. 178
americana Aubl. XIV. 175
americana H. B. & Kth XIV. 173
americana *L.* XIV. 178
americana Pav. XIV. 175
americana Rottb. XIV. 175
americana Vahl XIV. 176
Arnottiana *Meisn.* XIV. 176
auriculata *Meisn.* XIV. 174
Bonplandiana *Wedd.* XIV. 174
brachystachya Endl. XIV. 182
brasiliana *Cham.* XIV. 174
caracasana *Cham.* XIV. 172
β genuina *Meisn.* – –
γ Vargasii – – –
colombiana *Meisn.* XIV. 175
crenata *Casar.* XIV. 178 183
Cumingiana Benth. XIV 175
Cumingiana *Fisch.* & *Mey.* XIV. 175
felipensis *Wedd.* XIV. 173
Gardneriana *Wedd.* XIV. 174
guayaquilensis *Wedd.* XIV. 173
laurifolia Cham. & *Schl.* XIV. 180
Lindeniana *Wedd.* XIV. 176
macrocalyx *Casar.* XIV. 178 180
Martiana *Fisch.* & *Mey.* XIV. 177
β oblongifolia *Meisn.* – 178
Noli tangere *Wedd.* XIV. 177
Pachau *Mart.* XIV. 177
β longipetala *Meisn.* – –
Pavonii *Meisn.* XIV. 172
peraviana *Fisch.* & *Mey.* XIV. 174

m *Rheed.* XIV. 519
XVI. 2. 508
XV. 1. 313
XVI. 2. 377 427
Carr. XVI. 2. 429
Carr. XVI. 2. 428
arr. XVI. 2. 430
Carr. XVI. 2. 430
Roezl XVI. 2. 430
Carr. XVI. 2. 429
rr. XVI. 2. 428
XVI. 2. 428
XVI. 2. 427 (Pinus)
XVI. 2. 428
Spach XVI. 2. 129 133 (Corylus)
Kl. XVI. 1. 26
XVI. 1. 27
I. 2. 419
601
ht XVII. 46
ht XVII. 47
t XVII. 47
Wight XVII. 47
Wight XVII. 47
Vight XVII. 46
XVI. 2. 359
ud. XVI. 2. 360
XIV. 630
na Bl. XIV. 631
l. XIV. 630
264
I. 2. 418
II. 240
0
37
V. 116
11
S. Kurz. XV. 2. 1116 1117
S. Kurz. XV. 2. 1118
Müll. Arg. XV. 2. 1117 (Codiaeum)
IETAE Mart. XVI. 2. 345
XV. 2. 729, *Kl.* XV. 2. 915 916
Scheele XV. 2. 729
rg. XV. 2. 916 (Bernardia)
2. 539

U.

XV. 2. 489
Müll. Arg. XV. 2. 491

Uapaca
ferruginea *Baill.* XV. 2. 490
guineensis *Müll. Arg.* XV. 2. 490
Heudelotii *Baill.* XV. 2. 490
Kirkiana *Müll. Arg.* XV. 2. 491
nitida *Müll. Arg.* XV. 2. 491
Thouarsii *Baill.* XV. 2. 489
UAPACEAE *Müll. Arg.* XV. 2. 218 489
Uge-Jabba XVII. 26
Ula Rheed. XVI. 2. 348
ULMACEAE Endl. XVII. 151
ULMACEAE Mirb. XVII. 151
ULMACEAE *Planch.* XVII. 151
ULMACEAE CELTEAE Lindl. XVII. 168
ULMACEAE ULMEAE Lindl. XVII. 153
ULMACEES ULMIDEES Spach XVII. 153
ULMEAE *Planch.* XVII. 152 153
ULMIDEAE Dumort. XVII. 153
Ulmo XV. 1. 67
Ulmus *Tourn.* XVII. 152 154, *Roxb.* XVII. 163, *Ait.* XVII. 167, *Spach* XVII. 154
Abelicea Sibth. & Sm. XVII. 163 166
alata *Mx* XVII. 155
alba Kit. XVII. 155 156
americana L. herb. XVII. 161
americana *W.* XVII. 155
americana α & β Spach XVII. 155
americana β alata Spach XVII. 155
campestris Auct. XVII. 156
campestris fl. danic. XVII. 155
campestris *L.* XVII. 156 (*bis*) 159
1 pubescentes (vulgaris) *Auct.* – – 157
2 glabrae – – 158
A a fastigiatae *Planch.* – –
b horizontales – – –
c pendulae – – –
d refractae – – –
B incisae – – 158
C coloratae – – –
a albo-variegatae – – –
b aureo-variegatae – – –
c aeneo-variegatae – – –
campestris α Koch XVII. 160
campestris α & β Spach XVII. 157
campestris γ laevis Spach XVII. 157
campestris var. aurea hort. XVII. 158
campestris betulaefolia hort. XVII. 158

Ulmus
campestris corylifolia Willk. (
Lang. XVII.
campestris crispa Desf. XV

campestris incisa hort. XVII.
campestris latifolia Desf. XV

campestris d latifolia argente
maculata Audib. XVII.
campestris macrophylla Spac
XVII.
campestris oxoniensis Desf. X

campestris parvifolia Loud. X

campestris suberosa Wahlenb
XVII.
campestris urticaefolia hort. X

campestris α vulgaris Planch
XVII.
campestris α vulgaris Spach X

carpinifolia Lindl. XVII. 157
cebennensis Audib. XVII. 160
chinensis Loud. XVII. 161
chinensis Pero XVII. 161
ciliata Ehrh. XVII. 155
cinerea hort. XVII. 160
corylifolia Boreau XVII. 160
corylifolia Host XVII 157
crassifolia *Nutt.* XVII. 162
crispa W. XVII. 160
Davidiana *Planch.* XVII. 158
effusa W. XVII. 155
elliptica *C. Koch* XVII. 163
erosa *Roth* XVII. 163
erosa Wall. XVII. 158
expansa Rota XVII. 159 160
floridana Chapm. XVII. 155
foliis maculatis hort. XVII. 1
foliis marginatis hort. XVII.
foliis variegatis hort. XVII. 1
folio glabro &c. Duham. X

folio glabro Gerard XVII. 15
folio latissimo Goodw. XVII.
fulva *Mx* XVII. 161
glabra Lindl. XVII. 157
glabra Mill. XVII. 157
glabra var. α Bromfield XV

hollandica Mill. XVII. 160
Hookeriana *Planch.* XVII. 162
horizontalis hort. XVII. 157

ris. XVII. 160
II. 158
. XVII. 160
I. 159
I. 159
II. 156
h. XVII. 158
Coptelea Liebm. XVII. 154
telea *Spach*, *anch.* XVII. 156
telea *Planch.* XVII. 161
telea *Spach*, *anch.* XVII. 154
IV. 8 (Eriogonum) XVI. 2. 629
. 1. 88, *Wedd.* XVI. 1. 99
. XVI. 1. 96
VI. 1. 90
h. XVI. 1. 89
VI. 1. 87 98
I. 1, 94
XVI. 1, 90
. XVI. 1. 93
– – – 94
– – –
dd. XVI. 1. 97
VI. 1, 91
– – 92
XVI. 1. 89
dd. – – 90
– – – –
– – – –
– – – –
Tedd. XVI. 1. 85 98
VI. 1. 90
VI. 1. 90
XVI. 1. 95
. XVI. 1. 85
VI. 1. 85
VI. 1. 85 98
I. 1. 90
VI. 1. 94
1. 91
I. 1. 82 98
VI. 1. 91
XVI. 1. 70
Hensl. XVI. 1. 72 98
Wedd. XVI. 1. 86 98

Urera
gigantea Gaudich. XVI. 1. 85
girardinioides Seem. XVI. 1. 93
glabra Wedd. XVI. 1. 93
horrida Miq. XVI. 1. 94
Hypselodendron *Wedd.* XVI. 1. 96
Jacquini Wedd. XVI. 1. 89
Jacquini var. corallina Wedd. XVI. 1. 90
Jacquini var. ulmifolia Wedd. XVI. 1. 90
javaensis Gaudich. XVI. 1. 85 98
laciniata *Wedd.* XVI. 1. 93
lamiifolia Gaudich. XVI. 1. 98
Leichardiana Wedd. XVI. 1. 98
longifolia *Wedd.* XVI. 1. 95
madagascariensis Gaudich. XVI. 1. 70 98
microcarpa *Wedd.* XVI. 1. 95
microstigma Wedd. XVI. 1. 85 98
mitis Miq. XVI. 1. 90
oblongifolia Benth. XVI. 1. 97
obovata *Benth.* XVI. 1. 97
β longifolia *Wedd.* – – –
palmata Gaudich. XVI. 1. 98
parietarifolia Gaudich. XVI. 1. 98
platycarpa Wedd. XVI. 1. 84
Punu *Wedd.* XVI. 1. 94
rotundifolia Wedd. XVI. 1. 82 98
sandwicensis *Wedd.* XVI. 1. 92
β glabra – – – 93
γ mollis – – – –
simplex *Wedd.* XVI. 1. 90
sinuata Bl. XVI. 1. 85
sinuata Wedd. XVI. 1. 91
spicata Wedd. XVI. 1. 99
stimulans Wedd. XVI. 1. 98
subpeltata Miq. XVI. 1. 90
URERBAE (*non Ureaceae* XVI. 1. 492) *Gaudich.* XVI. 1. 35 39
Uromorus *Bureau* XVII. 214 236
anthropophagorum *Bureau* XVII. 236
philippinensis *Bureau* XVII. 237
tahitensis *Bureau* XVII. 237
Urostigma Gaspar. XVII. 288
Urtica *Tourn.* XVI. 1. 39, *Wall.* XVI. 1. 218 235[62], *Wedd.* XVI. 1. 67, *Endl.* XVI. 1. 70, *Roxb.* XVI. 1. 235[14], *Auct.* XVI. 1. 69 70 88 100 104 195 235[14] 235[16] 235[20] 235[23] 235[30] 235[36] 235[49] 235[53] 235[57] 235[59], *L.* XV. 2. 792, *Roxb.* XV. 2. 988 1008, *Thbg* XVII. 255, *Korth.* XVII. 9

'av. XVI. 1. 61
. XVI. 1. 61
aem. XVI. 1. 49
ebm. XVI. 1. 61 90
d. XVI. 1. 61 72
uss. herb. XVI. 1. 61 72
'oir. XVI. 1. 61 116
V. XVI. 1. 61 143
xb. XVI. 1. 61 85
Rich. XVI. 1. 61 73
c. XVI. 1. 119
Poir. XVI. 1. 61 133
. XVI. 1. 61 130
. XVI. 1. 61 202
c. XVI. 1. 61
Vall. XVI. 1. 61
k. XVI. 1. 61 73
ok. fil. XVI. 1. 47
Poepp. XVI. 1. 61 107
Pav. XVI. 1. 61 138
. XVI. 1. 61 235[45]
amph XVI. 1. 61 80
. XVI. 1. 61 159
l. XVI. 1. 61 235[25]
pp. XVI. 1. 61
XVI. 1. 61 154
VI. 1. 50
Wedd. - - -
a - - - -
- - - -
- - - 51
to-serrata- - - -
a - - - -
na - - - -
dla - - - -
is - - - -
folia Kanitz- - -
s Trautv. - - -
Wedd. - - -
ha - - - -
a - - - 52
i - - - -
olia - - - -
a - - - -
- - - -
to-serrata- - - -
- - - -
XVI. 1. 56
ustifolia Schlecht.
XVI. 1. 52
ovirens Gren. & Godr.
XVI. 1. 46
monoica Trautv. XVI.
1. 51
Philipp. XVI. 1. 52

Urtica
distachya Spr. XVI. 1. 61
divaricata Forsk. XVI. 1. 61 72
divaricata L. XVI. 1. 61 78
divergens G. F. W. Meyer XVI. 1. 61 7
diversifolia Bl. XVI. 1. 61 235[32]
diversifolia Lk XVI. 1. 61 101
diversifolia Plum. XVI. 1. 143
Dodartii L. XVI. 1. 49
dubia Forsk. XVI. 1. 56
echinata *Benth.* XVI. 1. 41
α foliis ovatis &c. *Wedd.* - - -
β echinata - - - 42
γ Berteroana - - - -
δ trichantha - - - -
echinata Wedd. XVI. 1. 42
Ecklioniana Bl. XVI. 1. 51
elata Sw. XVI. 1. 61 91
elevata Lowe XVI. 1. 55
elongata Bl. XVI. 1. 61 128
evitata Wall. XVI. 1. 61 79
excelsa Bert. XVI. 1. 61
expansa Sw. XVI. 1. 91
falcicrenata Liebm. XVI. 1. 44
fasciculata Poir. XVI. 1. 61 159
fastigiata *Bl.* XVI. 1. 59 235[63]
fatua Burm. XVI. 1. 61 74
fernandeziana Steud. XVI. 1. 61
ferocissima Sweet XVI. 1. 61
ferox *Forst.* XVI. 1. 56
ficifolia Poir. XVI. 1. 61 70
filiformis Walt. XVI. 1. 61
Finlaysoniana Wall. XVI. 1. 61
flabellata *H. B. & Kth* XVI. 1. 41
floribunda H. B. & Kth XVI. 1. 61 145
foliolosa Wall. XVI. 1. 61
foliosa *Bl.* XVI. 1. 58
freireaeformis Steud. XVI. 1. 61 235[46]
frutescens Poir. XVI. 1. 61
frutescens Thbg XVI. 1. 62
fruticosa Wight XVI. 1. 62
furialis Boj. XVI. 1. 62
galeopsifolia Wierzb. XVI. 1. 51
Gaudichaudii Steud. XVI. 1. 62
gemina Lour. XVI. 1. 62 XV. 2. 866
gigantea Poir. XVI. 1. 62 85
Gigas Cunn. XVI. 1. 62 82
Girardiana Steud. XVI. 1. 62
glaberrima Bl. XVI. 1. 62 110
glabrata Clement. XVI. 1. 51
glandulifera *Liebm.* XVI. 1. 43
globosa Pav. XVI. 1. 62 107

linearifolia Hook. fil. XVI. 1. 52
L. XVI. 1. 63 235[12]
Thbg XVI. 1. 63 213
ya Wall. XVI. 1. 63 210
ya var. canescens Wall. XVI. 1. 213
oir. XVI. 1. 63
iensis Juss. XVI. 1. 63 70
Poir. XVI. 1. 47
cens Wedd. - - -
liflora - - - -
ta - - - -
ta XVI. 1. 50
ensis Kanitz XVI. 1. 51
Wall. XVI. 1. 63 203
Walp. XVII. 256
Poepp. XVI. 1. 63 146
ill. XVI. 1. 63 202
Philipp. XVI. 1. 42
les H. B. & Kth XVI. 1. 63 145
les Lam. XVI. 1. 63
les Vahl XVI. 1. 127
ea Bourgeau XVI. 1. 54
ea Poir. XVI. 1. 56
Wedd. - - -
- - - 57
- - - -
- - - -
ea Sw. XVI. 1. 63
ll. XVI. 1. 52
iebm. XVI. 1. 58
Walp. XVI. 1. 63 86
dd. XVI. 1. 44
te cordato-ovatis &c. - - - -
a - - - -
Kth & Bouché XVI. 1. 58
Sw. XVI. 1. 63 106
ok. & Arn. XVI. 1. 63
eb. XVI. 1. 63
. XVI. 1. 40
ey. XVI. 1. 63 76
XVI. 1. 63
Bl. XVI. 1. 63
Sm. XVI. 1. 63
Bl. XVI. 1. 63
Sm. herb. XVI. 1. 235[18]
oir. XVI. 1. 54
rosse crenatis *Wedd.* - - -
- - - 55
m. XVI. 1. 48
unning. XVI. 1. 64 88
Poir. XVI. 1. 64 145

Urtica
muralis Vahl XVI. 1. 64
muricata Heyn. XVI. 1. 64 235[24]
Mutisiana Spr. XVI. 1. 64 145
nana Hamilt. XVI. 1. 64 221
naucleiflora Griff. XVI. 1. 235[63]
naucliflora Roxb. XVI. 1. 64
neglecta Guss. XVI. 1. 57
nemorosa Kth XVI. 1. 64 72
nicaraguensis *Liebm.* XVI. 1. 58
nitida Vell. XVI. 1. 64
nivea L. XVI. 1. 64 206
nudicaulis Sw. XVI. 1. 64 111
nummularifolia Sw. XVI. 1. 64 158
nutans Poepp. XVI. 1. 64 119
obesa Wall. XVI. 1. 64 134
oblongata Koch XVI. 1. 235[63]
obtusata Vahl herb. XVI. 1. 64 153
orbiculata Rich. XVI. 1. 64
oreophila Miq. XVI. 1. 64 128
Orizabae Liebm. XVI. 1. 43
ovalifolia Bl. XVI. 1. 64
ovalifolia Bucking XVI. 1. 64
palmata Forsk. XVI. 1. 64 101
palmata Leschen. XVI. 1. 64 101
palustris Juss. XVI. 1. 64 202
paniculata Roxb. XVI. 1. 64
paniculata Steud. XVI. 1. 64
parasitica Bl. XVI. 1. 64
parasitica Forsk. XVI. 1. 64
Parietaria L. XVI. 1. 64 114
Parietaria Poir. XVI. 1. 64
Parietaria β Poir. XVI. 1. 109
parietariaefolia herb. berol. XVI. 1. 235[46]
parva Bl. XVI. 1. 64
parviflora *Roxb.* XVI. 1. 55 64
parvifolia Hamilt. XVI. 1. 64 229
parvula Bl. XVI. 1. 40
pauciflora Hochst. XVI. 1. 235[59]
peduncularis E. Mey. XVI. 1. 64 75
peduncularis Sm. XVI. 1. 64 127
pellucida Labill. XVI. 1. 64 235[19]
peltata Bl. XVI. 1. 64 80
pendula W. XVI. 1. 64 124
penduliflora Wall. XVI. 1. 64 209
pentandra Roxb. XVI. 1. 64
pentandra Wall. XVI. 1. 235[3]
peploides Steud. XVI. 1. 64
petiolaris Sieb. & Zucc. XVI. 1. 64 131
petiolata Steud. XVI. 1. 64
photiniphylla Cunning. XVI. 1. 64 83
pilosa Lour. XVI. 1. 64
pilosiuscula Bl. XVI. 1. 65 212
pilulifera Burm. XVI. 1. 65 74

Benth. XVI. 1. 43
ifolia Wedd. - - 44
inda - - - -
ta Wall. XVI. 1. 66 215
Salzm. XVI. 1. 66
a Roxb., Hamilt. XVI. 1. 66 220
Vall. XVI. 1. 66
Bory XVI. 1. 66 70
Bl. XVI. 1. 66 235[21]
F. Müll. XVI. 1. 66 235[60]
a Roxb. XVI. 1. 66 207
id. XVI. 1. 66 222
yne XVI. 1. 66 235[3]
Vall. XVI. 1. 235[4]
Hochst. XVI. 1. 66 136
ana Sieb. & Zucc. XVI. 1. 55
H. B. & Kth XVI. 1. 66 107
H. B. & Kth XVI. 1. 66 90
Juss. XVI. 1. 66
a Wedd. XVI. 1. 58
Bl. XVI. 1. 66 235[9]
ides Sw. XVI. 1. 66 107
Poir. XVI. 1. 66 129
Roxb. XVI. 1. 66 127
a Poir. XVI. 1. 66 130
a Rottl. XVI. 1. 66
Hamilt. XVI. 1. 66 127
Juss., Pers. XVI. 1. 67
Vahl XVI. 1. 130
Wall. XVI. 1. 67 220
a Anders. XVI. 1. 67 72
Roxb. XVI. 1. 67 222
H. B. & Kth XVI. 1. 67 90
Vahl XVI. 1. 67
Blanco XVI. 1. 67
Bory XVI. 1. 67 126
Wall. XVI. 1. 67 133
teud. XVI. 1. 67 212
XVI. 1. 40
olia Wedd. - - -
- - - -
XVI. 1. 41
a Commers. XVI. 1. 41
Wall. XVI. 1. 67 235[20]
XVI. 1. 207
Spr. XVI. 1. 67 147
all. XVI. 1. 67 207
lia Poir. XVI. 1. 67 132
XVI. 1. 42

Urtica
veronicaefolia Dietr. XVI. 1. 67
verrucosa Liebm. XVI. 1. 67 90
verrucosa Moon XVI. 1. 67 235[5]
verticillata Vahl XVI. 1. 40
vesicaria Roxb. XVI. 1. 67 222
villosa Salzm. XVI. 1. 67
villosa Thbg XVI. 1. 67
viminea Wall. XVI. 1. 67 228
virgata Forst. XVI. 1. 67 211
virulenta Wall. XVI. 1. 55
Wallichiana Steud. XVI. 1. 67
Whitlowi Mühlenb. XVI. 1. 67 78
zeylanica Burm. XVI. 1. 67 101
Spec. Hook. & Arn. XVI. 1. 58
Urtica a Endl. XVI. 1. 39
Urtica d Fleurya Endl. XVI. 1. 70
Urtica e Girardinia Endl. XVI. 1. 100
URTICACEAE Dumort. XVI. 1. 32, *Endl.* XVI. 1. 32 XVII. 211
URTICACEAE *Wedd.* XVI. 1. 32
URTICACEAE BATIDEAE Lindl. XVII. 34
URTICACEAE, CANNABINEAE & HUMULINEAE Dumort. XVI. 1. 28
URTICACEAE GUNNERACEAE Endl. XVI. 2. 596
URTICACEAE LACISTEMEAE Reichenb. XVI. 2. 590
URTICACEAE ULMACEAE CELTIDEAE Planch. XVII. 168
URTICACEAE ULMACEAE ULMIDEAE Planch. XVII. 153
URTICACEAE ULMEAE Reichenb. XVII. 153
URTICAE Juss. XVI. 1. 28 32 XVI. 2. 640 XVII. 211
URTICAE & CONIFERAE Juss. XVI. 2. 347
URTICARUM GENUS Juss. XV. 1. 32
URTICEAE R. Br. XVI. 1. 32, *Dc.* XVI. 1. 32, *Bl.* XVII. 211
URTICEAE CANNABINEAE Bl. XVI. 1. 28
URTICEAE CELTIDEAE Gaudich. XVII. 168, *Dumort.* XVII. 168, *Reichenb.* XVII. 168
URTICEAE MISANDREAE Gaudich. XVI. 2. 596
URTICEAE PIPERITAE Dc. XVI. 1. 235[65]
URTICEAE ULMACEAE Planch. XVII. 157
URTICINEAE Miq. XVII. 211

Steud. XVI. 2. 623 632
ertk. XVI. 2. 623 629
oi Blanco XVI. 2. 623
n Benth. & Hook. fil. XVI. 2. 617 623
fil. XVI. 2. 622
fil. XVI. 2. 622
. fil. XVI. 2. 621
Hook. fil. XVI. 2. 619
d. XVI. 2. 623 629
k. XVI. 2. 623 631
Bl. XVI. 2. 618
Dc. fil. XVI. 2. 621
XVI. 2. 619
lata - - - -
Dc. fil. XVI. 2. 620
fil. XVI. 2. 621
ud. XVI. 2. 623 629
na Bl. XVI. 2. 618
na Thwait. XVI. 2. 618
Dc. fil. XVI. 2. 620
anco XVI. 2. 623
liq. XVI. 2. 623
Miq. XVI. 2. 623
Dc. fil. XVI. 2. 621
Wight & Arn. XVI. 2. 623 630
l. XVI. 2. 623
. fil. XVI. 2. 620
na Dc. fil. XVI. 2. 618
. & Hook. fil. XVI. 2. 623
sauxis Benth. & Hook. fil. XVI. 2. 617
Müll. Arg. XV. 2. 897 (Conceveiba)
ll. XVI. 2. 431
e XV. 1. 471
ll. XV. 2. 627 (Croton) 2. 45
Bertol. XIV. 171
XVII. 290
AE L. XIV. 493
lson XVI. 2. 499
flora Dc. XVII. 296
q. XVI. 1. 391
Miq. XVI. 1. 392 398
C. Dc. XVI. 1. 391
q. XVI. 1. 391
ana C. Dc. XVI. 1. 391
seb. XVI. 1. 391
q. XVI. 1. 392
rmicia) Lour. XV. 2. 722 723
our. XV. 2. 724
Vibo Moench XIV. 40
spinosa Moench XIV. 40
Vicuiba s. Bicuiba XIV. 197
Villanova Pourr. XV. 2. 446 448
buxifolia Pourr. XV. 2. 452
Villaresia *R. & Pav.* XVII. 298
Villebrunea *Gaudich.* XVI. 1. 235[20]
appendiculata *Wedd.* XVI. 1. 235[20]
β pubescens - - - 235[21]
crenulata Gaudich. XVI. 1. 92 235[23]
frutescens *Bl.* XVI. 1. 235[21]
β pauciserrata *Wedd.* - - 235[22]
glomerata Bl. XVI. 1. 235[21]
integrifolia Gaudich. XVI. 1. 235[20]
murina *Bl.* XVI. 1. 235[23]
rhodopleura *Bl.* XVI. 1. 235[23]
rubescens *Bl.* XVI. 1. 235[21]
rufescens *Bl.* XVI. 1. 235[23]
β pubescens *Wedd.* - - 235[23]
scabra Wedd. XVI. 1. 235[21]
semicrenata *Bl.* XVI. 1. 235[21]
sylvatica *Bl.* XVI. 1. 235[21]
β integrifolia - - - -
γ sumatrana - - - -
δ serrulata - - - -
trinervis *Wedd.* XVI. 1. 235[22]
VILLEBRUNEAE *Wedd.* XVI. 1. 37 235[16]
Vinatico XV. 1. 52
VIOLARIEAE Batsch XVI. 2. 548
Vionaea Neck. XIV. 230
Virgata *Benth.* XIV. 14 (Eriogonum)
Virola Aubl. XIV. 194
sebifera Aubl. XIV. 195
Virola *Dc. fil.* XIV. 194 (Myristica)
Viscum Bl. XIV. 630
heteranthum Wall. XIV. 632
latifolium Hamilt. XIV. 632
platyphyllum Spr. XIV. 632
umbellatum Bl. XIV. 630
Visnea *L. fil.* XVII. 298
Voara vendsara Flacourt XV. 1. 110
Volutella Forsk. XV. 1. 252
aphylla Forsk. XV. 1. 255
Vorovoro XV. 1. 11
Voyara *Aubl.* XVII. 298

W.

Waelembilla XIV. 610
Wa-gawa XVI. 1. 354
Wageneria Kl. XV. 1. 278 360
brasiliensis Kl. XV. 1. 361
convolvulacea Kl. XV. 1. 365

ll. Arg. XV. 2. 276 328 (Phyllanthus)
ra Griseb. XV. 2. 328 (Phyllanthus)
ees XV. 1. 65
Vees XV. 1. 65
VI. 2. 389
d XVI. 2. 602
hl XVI. 2. 602
XV. 2. 90
XVI. 2. 404
ll. XV. 2. 274 413 414
Baill. XV. 2. 415

X.

m Roxb. XVII. 299
(Zanthoxylum) aculeatum Pluk. XVII. 230
Carpini foliis Pluk. XVII. 230
is &c. Jacq. XVII. 230
ndl. XIV. 679 (Leptomeria)
ndl. XIV. 272 (Petrophila)
Hernand. XVI. 2. 157
gla XV. 2. 80
Sm. XIV. 422
m Kippist XIV. 423
R. Br. XIV. 423
Knight & Salisb. XIV. 422
um Meisn. - -
A. Cunning. XIV. 423
XV. 2. 274 427, *Auct.* XV. 2. 448
a Sw. XV. 2. 431
a β linearis Sw. XV. 2. 430
Sw. XV. 2. 431
Controus. XV. 2. 436
Rumph XV. 2. 436
acq. XV. 2. 431
XV. 2. 428
t. magaz. XV. 2. 431
XV. 2. 431
e. XV. 2. 429
L. XIV. 691
W. XV. 2. 436
th XV. 2. 436 451
ot. regist. XV. 2. 431
XV. 2. 436 449
Willd. XV. 2. 433
Mit. XV. 2. 436 449
Xylophylla *Endl.* XV. 2. 278 427 (Phyllanthus)
Xylophyllos ceramica Rumph XIV. 691
XYLOPHYTA FAGINEAE Döll XVI. 2. 1
Xylosma *Forst.* XVII. 299

Y.

Yacca XVI. 2. 509
Yellow Cypress XVI. 2. 457
Yellow Pine XVI. 2. 380 392 396
Yerba de Coyunturas XVI. 2. 356
Yerba del Indio XV. 1. 440
Yerba de la virgen Maria XV. 1. 461
Yew XVI. 2. 500

Z.

Zamia *L.* XVI. 2. 525 538, *Jacq.* XVI. 2. 530, *Salisb.* XVI. 2. 534, *Miq.* XVI. 2. 538
angustifolia *Jacq.* XVI. 2. 544
angustifolia Miq. XVI. 2. 545
angustissima *Miq.* XVI. 2. 545
boliviana *Dc. fil.* XVI. 2. 540
Brongniartii Wedd. XVI. 2. 540
calocoma Miq. XVI. 2. 538 545
caracasana Lodd. XVI. 2. 541
Chigua *Seem.* XVI. 2. 539
corsoniana G. Don XVI. 2. 527 545
cycadifolia S. Brunn. XVI. 2. 535
cycadifolia Jacq. XVI. 2. 531 546
cycadifolia Lodd. XVI. 2. 532 546
Cycadis L. fil. XVI. 2. 532 546
debilis *Ait.* XVI. 2. 542 (*bis*)
debilis Lodd. XVI. 2. 543 545
Fischeri *Miq.* XVI. 2. 542
floridana *Dc. fil.* XVI. 2. 544
furfuracea *Ait.* XVI. 2. 540
β Trewii *Dc. fil.* - - 541
Galeotti *Vriese* XVI. 2. 545
horrida Jacq. XVI. 2. 532 546
integrifolia *Ait.* XVI. 2. 541 543
Integrifolia A. Gray XVI. 2. 544
integrifolia Pursh X41. 2. 543
integrifolia Rich. XVI. 2. 542 543
Kickxii *Miq.* XVI. 2. 542
lanuginosa Jacq. XVI. 2. 533
latifolia *Lodd.* XVI. 2. 541
Lehmanniana Eckl. & Zeyh. XVI. 2. 531 546
Leiboldii Miq. XVI. 2. 541

GENERA, SPECIES ET SYNONYMA
CANDOLLEANA

ALPHABETICO ORDINE DISPOSITA,

SEU

)EX GENERALIS ET SPECIALIS

AD

. P. DECANDOLLE ET ALPH. DECANDOLLE

PRODROMUM SYSTEMATIS NATURALIS
REGNI VEGETABILIS.

PARS IV.

MENS TOMOS OPERIS CANDOLLEANI DECIMUM QUARTUM, DECIMI PARTEM PRIOREM & POSTERIOREM, DECIMI SEXTI PARTEM PRIOREM & POSTERIOREM ET DECIMUM SEPTIMUM.)

AUCTORE

H. W. BUEK, M. D.

HAMBURGI,
SUMPTIBUS LUCAS GRÄFE.
1874.

PRAEFATIO.

dicis Candolleani, cujus partes tres priores annis 1840, 1842 1858 a me editae sunt, quartam eamque ultimam foras rus, pauca habeo praemittenda. Ac primum quidem, quod m 34 abhinc annis inchoatum tandem usque ad finem per- erim, tantum abest, ut verbis me defendendum putem, ut operis absolutione nonnisi officium botanicis omnibusque herbariae cultoribus debitum minimeque a me detrectan- persolvere mihi videar. Sera autem si cui videatur hujus mae partis emissio, is reputet rogo, me non prius opus um aggredi potuisse, quam post acceptum ultimum, septimum imum dico, Prodromi Candolleani Tomum, qui mense Octobri i proxime praeteriti editus et ad me allatus est; a quo e tempore non cessavi a labore nec viribus peperci.

Deinde laudanda mihi est insignis liberalitas erga me et nivolentia, qua Clarissimus Prodromi auctor, Alphons Decan- lle, in conficienda et edenda hac quarta Indicis parte et siliis per literas mecum communicatis et aliis optimis officiis adjuvit et sustentavit, pro qua eximia benignitate me Viro stri ad summas gratias devinctum sentio.

ochia sericea *Benth.* pag. 438 & Aristolochia sericea *Blanco* pag. 498
a cinnabarina *Hook.* pag. 285 & Begonia cinnabarina *hort. angl.* pag. 400
a parvifolia *Kl.* pag. 303 & Begonia parvifolia *Schott* pag. 395
a repens *Lam.* pag. 395 & Begonia repens *Vell.* pag. 401
a scandens *Sw.* pag. 362 & Begonia scandens *Vell.* pag. 401

Volum. XV. 2.

ha alnifolia *W.* pag. 843 & Acalypha alnifolia *Poir.* pag. 888
ha glandulosa *Cav.* pag. 814 & Acalypha glandulosa *Blanco* pag. 888
ha tomentosa *Sw.* pag. 837 & Acalypha tomentosa *Blanco* pag. 888
haec tria Clar. *Müll. Arg.* „absque cognitione rerum mutare noluit.“ conf. XV. II. 888.
aromaticus *L.* pag. 588 & Croton aromaticus *Miq.* pag. 693
rior, monente Clar. *Müll. Arg.* in litteris, dubius et forsan e genere excludendus.
Berlandieri *Torr.* pag. 587 & Croton Berlandieri *Müll. Arg.* pag. 688
prior: Croton subcapitatus *Müll. Arg.* in literis.
dioicus *Cav.* pag. 691 & Croton dioicus *Roxb.* pag. 692
fragilis *Müll. Arg.* pag. 642 & Croton fragilis *Schlecht.* pag. 694
laurifolius *Sw.* pag. 586 & Croton laurifolius *Baill.* pag. 633
prior est, monente Clar. *Müll. Arg.* in literis, Croton laurinus *Sw.* sphalmate laurifolius nuncupatus.
muricatus *Vahl* pag. 522, Croton muricatus *Blanco* pag. 693 & Croton muricatus *Zipp.* pag. 695
bia biglandulosa *Desf.* pag. 175 & Euphorbia biglandulosa *W.* pag. 179
bia cuneifolia *Guss.* pag. 135 & Euphorbia cuneifolia *Roxb.* pap. 177
bia tomentella *Engelm.* pag. 32 & Euphorbia tomentella *Zipp.* pag. 179
thus acidissimus *Müll. Arg.* pag. 417 & Phyllanthus acidissimus *Noronh.* pag. 434
thus albus *Müll. Arg.* pag. 306 & Phyllanthus albus *Noronh.* pag. 434
thus Epiphyllanthus *Müll. Arg.* pag. 428 & Phyllanthus Epiphyllanthus *Noronh.* pag. 434
thus ovatus *Poir.* pag. 323 & Phyllanthus ovatus *Desf.* pag. 434

Phyllanthus ruber *Spr.* pag. 419 &
Phyllanthus speciosus *Jacq.* pag.

Phyllanthus tomentosus *Müll. Arg.* p

Phyllanthus urceolatus *Baill.* pag

Phyllanthus Wightianus *Müll. Ar*

posterior: Phylla

Tom

Dipterocarpus grandiflorus *Bl.* pag

Frencla verrucosa *Cunn.* pag. 448
Reseda tomentosa *Boiss.* pag. 576
poste

Tom

Celtis caudata *Planch.* pag. 178 &

Genus Sarcostigma *Wight & Ar*
Hernandiacearum XV. 1 265
inter Phytocreneas XVII. 1

Librum, quem nunc pe
sociis ac peritissimis illa
non magni ad scientiam auge
gratum tamen et exoptatum
mum Candolleanum inter
numerant magnique aestima
eiusmodi, ex nominibus ta
praeter splendorem ex oper
illum relucentem, quum sit
adhibita diligentia, hanc ut

m quidem et studium fuit; si tamen optati hujus omni ex
e compotem fieri mihi non contigerit, non aliud habeo,
minus perfectam hujus quartae partis conditionem excusem
ndulgentiae lectorum commendem, quam senis 79. aetatis
m agentis vires jamjam deficientes et voluntati minus
aperantes.

Scripsi Hamburgi, mense Majo a. 1874.

H. W. Buek, Dr.



A.

: *Pav.* XVI. 2. 677
li XVII. 165 166
dl. XVII. 165 (Planera)
lance XVII. 165
› XVI. 2. 421
XVI. 2. 421
nia XVI. 2. 416
ia XVI. 2. 416
XVI. 2. 421
. 2. 416
lp. XVI. 2. 421, *Tourn.*
377, *L.* XVI. 2. 377,
VI. 2. 407 409, *Poir.*
374, *Lk.* XVI. 2. 377
ndl. XVI. 2. 412, *Desf.*
432, *Gord.* XVI. 2. 377,
Hochst. XVI. 2. 377,
VI. 2. 377, *Spach* XVI.
Don XVI. 2. 413.
Lindl. & Gord. XVI. 2. 418
XVI. 2. 414
XVI. 2. 414.
XVI. 2. 421
Murr. XVI. 2. 429.
Veitch XVI. 2. 417
Forb. XVI. 2. 426
Murr. XVI. 2. 427
Lk. XVI. 2. 422
Loud. XVI. 2. 428
Poir. XVI. 2. 370
unn. XVI. 2. 414
urr. XVI. 2. 414
Lindl. & Gord. XVI. 2. 408
Coss. XVI. 2. 423
Mill. XVI. 2. 423
β Fraseri Spach XVI. 2. 420
a Mx. XVI. 2. 423
. & Zucc. XVI. 2. 424
urr. XVI. 2. 426
lla Maxim. XVI. 2. 424
Hook. & Arn. XVI. 2. 419
Kellog XVI. 2. 429
a Lindl. XVI. 2. 429
z hort. XVI. 2. 430
Mill. XVI. 2. 414
Mx. XVI. 2. 428
Fisch. XVI. 2. 421
ir. XVI. 2. 408

Abies
cephalonica Loud. XVI. 2. 422
chilrowensis hort. XVI. 2. 425
cilicica Carr. XVI. 2. 422
coerulea hort. XVI. 2. 414
concolor Lindl. XVI. 2. 426
conis sursum spectantibus Bauh. XVI. 2. 421
Dammara Poir. XVI. 2. 374
densa Griff. XVI. 2. 425
denticulata Poir. XVI. 2. 413
Deodara Lindl. XVI. 2. 409
Douglasii Lindl. XVI. 2. 430
Douglasii Standishiana Gord. XVI. 2. 430
dumosa Loud. XVI. 2. 429
Engelmanni Parry XVI. 2. 417
excelsa Dc. XVI. 2. 416
excelsa Lk. XVI. 2. 421
Finhonnoskiana Rob. Neum. XVI. 2. 431
firma Sieb. & Zucc. XVI. 2. 424
foliis fasciculatis &c. Gron. XVI. 2. 409
foliis solitariis &c. Gmel. XVI. 2. 426
folliis solitariis &c. Gron. XVI. 2. 428
Fortunei Lindl. XVI. 2. 431
Fraseri Lindl. XVI. 2. 420
glaucescens Roezl XVI. 2. 420
Gmelini Rupr. XVI. 2. 410
Gordoniana Carr. XVI. 2. 427
grandis Lindl. XVI. 2. 427
grandis Murr. XVI. 2. 426
Griffithiana Lindl. & Gord. XVI. 2. 412
hirtella Lindl. XVI. 2. 420
hispanica de Chambr. XVI. 2. 423
holophylla Maxim. XVI. 2. 424
homolepis Sieb. & Zucc. XVI. 2. 424
Hookeriana Murr. XVI. 2. 430 *(bis)*
japonica Reg. XVI. 2. 431
jezoensis Lindl. XVI. 2. 431
jezoensis Sieb. & Zucc. XVI. 2. 418
Kaempferi Lindl. XVI. 2. 413
kamtschatica Rupr. XVI. 2. 431
lanceolata Desf. XVI. 2. 433
Larix Lam. XVI. 2. 411

Abies
lasiocarpa Lindl. & Gord. XV
2. 4
leptolepis Sieb. & Zucc. XVI.
4
Lowiana Murr. XVI. 2. 427
magnifica Murr. XVI. 2. 426
major sinensis &c. Pluk. XVI.
4
mariana Mill. XVI. 2. 413
Maximowiczii Rob. Neum. XVI.
4
Mensiesii Loud. XVI. 2. 418
Merkiana Fisch. XVI. 2. 418
Mertensiana Lindl. & Gord. XV
2. 4
microcarpa Lindl. & Gord. XV
2. 4
microsperma Lindl. XVI. 2. 418
Momi Siebold XVI. 2. 424
Morinda hort. XVI. 2. 417
nigra Engelm. XVI. 2. 417
nigra Mx. XVI. 2. 413
nigra var. Mx. XVI. 2. 414
nobilis Lindl. XVI. 2. 419
Nordmanniana Spach XVI. 2. 4
numidica de Lannoy XVI. 2. 4
obovata Loud. XVI. 2. 415
orientalis Poir. XVI. 2. 415
orientalis fol. brevi &c. Tour
XVI. 2. 4
panachaica Heldr. XVI. 2. 422
Pattoniana Jeffr. XVI. 2. 430
Pattoniana Murr. XVI. 2. 430
Pattonii Gord. XVI. 2. 430
Pattonii Jeffr. XVI. 2. 430
pectinata Dc. XVI. 2. 421
pendula Lindl. & Gord. XVI. 2. 4
peloponesiaca Hange XVI. 2. 42
Picea Lindl. XVI. 2. 421
Picea Mill. XVI. 2. 416
Picea foliis &c. Mill. XVI. 2. 4
Pichta Forb. XVI. 2. 426
Pindrow Spach XVI. 2. 425
Pinsapo Boiss. XVI. 2. 423
Pinsapo var. baborensis Coss. XV
2. 4
polita Sieb. & Zucc. XVI. 2. 41
Reginae Amaliae Heldr. XVI.
4
religiosa Schlecht. XVI. 2. 420
rubra Poir. XVI. 2. 414
Schrenkiana Lindl. & Gord. XVI
2. 41
sibirica Ledeb. XVI. 2. 426
sitkensis Lindl. & Gord. XVI. 2. 41

Wall. XV. 2. 843
V. XV. 2. 843
des Jacq. XV. 2. 882
da Müll. Arg. XV. 2. 882
duligera – – – –
des β glanduligera Kl. XV. 2. 882
is Benth. XV. 2. 806
Roxb. XV. 2. 822
H. B. & Kth. XV. 2. 886
Müll. Arg. XV. 2 886
na – – – –
dulosa – – – –
Blanco XV. 2. 805
Müll. Arg. XV. 2. 835
Sond. XV. 2. 847
a *Müll. Arg.* XV. 2. 837
na – – – –
ta – – – –
a Sw. XV. 2. 837
Müll. Arg. XV. 2. 818
losa – – – 819
icea – – – –
omm. XV. 2. 852
B. & Kth XV. 2. 882
Müll. Arg. XV. 2. 881
na – – – –
iana – – – –
oepp. & Endl. XV. 2 881
L. XV. 2. 816 866
Müll. Arg. XV. 2. 869
is *Müll. Arg.* XV. 2. 844
gyne – – – –
gyne – – – –
Müll. Arg. XV. 2. 862
a Sw. XV. 2. 862
etz XV. 2. 822
chweinf. XV. 2. 762 889
ond. XV. 2. 857
latifolia Sond. XV. 2. 857
Kl. XV. 2. 840
Pav. XV. 2. 854
a Kl. XV. 2. 854
Müll. Arg. XV. 2. 860
pr. XV. 2. 801
des *Miq.* XV. 2. 871
Baill. XV. 2. 805
Müll. Arg. XV. 2. 874
Müll. Arg. XV. 2. 875 *(bis)*
ena – – – –
a – – – –
Krauss XV. 2. 848

Acalypha
brachyandra *Baill.* XV. 2. 863
brachyclada *Müll. Arg.* XV. 2. 862
brachystachya *Hornem.* XV. 2. 870
bracteata *Miq.* XV. 2. 888
brasiliensis *Müll. Arg.* XV. 2. 859
α mollis – – – –
β asterotricha – – – –
a cordata – – – –
b obtusa – – – –
γ psilophylla – – – –
brevibracteata *Müll. Arg.* XV. 2. 855
brevicaulis *Müll. Arg.* XV. 2. 814
bullata *Müll. Arg.* XV. 2. 825
californica *Benth.* XV. 2. 822
callosa *Benth.* XV. 2. 813
calyciformis Wall. XV. 2. 870
cancana *Müll. Arg. XV.* 2. 809
canescens Wall. XV. 2. 868
capensis (rectius corensis) Dietr. XV. 2. 889
caperonioides Baill. XV. 2. 846
capillipes *Müll. Arg.* XV. 2. 823
capitata Wall. XV. 2. 843
capitata *W.* XV. 2. 843
* *ambigua Müll. Arg.* XV. 2. 843
capitata β ambigua Müll. Arg. XV. 2. 843
caroliniana Blanco XV. 2. 868
caroliniana *Ell.* XV. 2. 842
caroliniana hort. XV. 2. 868
caroliniana Walt. XV. 2. 869
carpinifolia *Müll. Arg.* XV. 2. 836
α genuina – – – –
β domingensis – – – 837
carpinifolia Poepp. XV. 2. 854
carpinifolia Poir. XV. 2. 837
carthagenensis *Jacq.* XV. 2. 826
Caturus *Bl.* XV. 2. 805
caudata H. B. & Kth. XV. 2. 810
chamaedrifolia *Müll. Arg.* XV. 2. 879
α pendula – – – –
β genuina – – – –
γ brevipes – – – –
δ fissa – – – –
ε glechomaefolia – – – –
ζ pygmaea – – – 880
η nana – – – –
Chibomboa *Baill.* XV. 2. 851
chinensis Roxb. XV. 2. 866
chorisandra *Baill.* XV. 2. 883
ciliata Forsk. XV. 2. 873
ciliata *Müll. Arg.* XV. 2. 873
α trichophora – – – –
β genuina – – – –

Baill. XV. 2. 859
ill. XV. 2. 888
. Arg. XV. 2. 872
Müll. Arg. XV. 2. 851
Boj. XV. 2. 852
Schlecht. XV. 2. 800
Poir. XV. 2. 852
Baill. XV. 2. 869 871
Schum. XV. 2. 873
ll. Arg. XV. 2. 829
XV. 2. 870
ook. fil. XV. 2. 879
Wight XV. 2. 872
Müll. Arg. XV. 2. 807
Müll. Arg. XV. 2. 838
Müll. Arg. XV. 2. 828
Forsk. XV. 2. 822
Raf. XV. 2. 888
Müll. Arg. XV. 2. 821
ll. Arg. XV. 2. 866
a – – – –
racteata – – – –
– – – –
r. XV. 2. 866
üll. Arg. XV. 2. 857
a – – – –
a – – – –
hbg XV. 2. 857
ahl XV. 2. 247 889
a Meisn. XV. 2. 847
Blanco XV. 2. 888
Cav. XV. 2. 814
olia *A. Rich.* XV. 2. 879
Baill. XV. 2. 852
. Gray XV. 2. 870
Baill. XV. 2. 849 850
ll. Arg. XV. 2. 841
losa – – – –
a – – – –
r. XV. 2. 841
ta *Müll. Arg.* XV. 2. 823
Poir. XV. 2. 785 889
nth. XV. 2. 806
ll. Arg. XV. 2. 806
– – – –
a – – – –
a – – – –
ensis – – – –
a Benth. XV. 2. 854
Müll. Arg. XV. 2. 881
Müll. Arg. XV. 2. 885
a – – – –
nta – – – 886
aris – – – –
Torr. XV. 2. 885

Acalypha
hernandiaefolia *Müll. Arg.* XV. 2. 808
α pubescens – – – –
β genuina – – – –
hernandifolia Sw. XV. 2. 808
heterodonta *Müll. Arg.* XV. 2. 811
α hirsuta – – – –
β trichoclada – – – –
γ psiloclada – – – –
hirsuta Hochst. XV. 2. 845
hirsutissima W. XV. 2. 810
hirta Cav. XV. 2. 876
hirta Spr. XV. 2. 840
hispida Bl. XV. 2. 872
hispida *Burm.* XV. 2. 815
hispida Wall. XV. 2. 872
hispida W. XV. 2. 880
Hochstetteriana *Müll. Arg.* XV. 2. 864
hystrix Spr. XV. 2. 882
japonica Houtt. XV. 2. 889
Jardini *Müll. Arg.* XV. 2. 857
indica *L.* XV. 2. 868
* *abortiva Müll. Arg.* – – –
indica Vell. XV. 2. 880
infesta Poepp. & Endl. XV. 2. 839
infestans *Müll. Arg.* XV. 2. 839
α rotundifolia – – – –
β stenoloba – – – –
insulana *Müll. Arg.* XV. 2. 818
α flavicans – – – –
β stipularis – – – –
γ villosa – – – –
δ pubescens – – – –
ε glabrescens – – – –
integrifolia W. XV. 2. 850
interrupta Schlecht. XV. 2. 916
interrupta W. XV. 2. 889
Klotzschiana Baill. XV. 2. 856
Kraussiana Buching. XV. 2. 864
laevifolia *Müll. Arg.* XV. 2. 853
laevigata *Sw.* XV. 2. 820
laevigata W. XV. 2. 837
lamiifolia Scheel. XV. 2. 864
lanceolata Wall. XV. 2. 866
lanceolata W. XV. 2. 872
Langiana *Müll. Arg.* XV. 2. 811
languida E. Mey. XV. 2. 847
languida *Müll. Arg.* XV. 2. 848
lantanaefolia Boj. XV. 2. 852
latifolia *Müll. Arg.* XV. 2. 817
laxiflora *Müll. Arg.* XV. 2. 830
leonensis Benth. XV. 2. 792 889
Lepinei *Müll. Arg.* XV. 2. 819
leptoclada *Benth.* XV. 2. 814

Acalypha
leptopoda *Müll. Arg.* XV. 2. 82
α mollis - - - -
β glabrescens - - - -
leptorhachis *Müll. Arg.* XV. 2. 8
leptostachya H. B. & Kth. XV.
8
leptostachya Müll. Arg. XV. 2. 8
leptostachya A. Rich. XV. 2. 83
leptostachya α popayanensis M
Arg. XV. 2. 8
β *genuina* - - - 8
γ *carpinifolia* - - -
Liebmanni *Müll. Arg.* XV. 2. 8
Lindeniana *Müll. Arg.* XV. 2. 8
Lindheimeri *Müll. Arg.* XV. 2. 8
Linostachys Baill. XV. 2. 802
Livingstoniana *Müll. Arg.* XV.
8
longespicata *Müll. Arg.* XV. 2.
longestipularis *Müll. Arg.* XV.
8
longifolia Baill. XV. 2. 816
longifolia Kl. XV. 2. 856
macrodonta *Müll. Arg.* XV. 2.
macrophylla H. B. & Kth. XV
8
macrosperma Müll. Arg. XV.
8
macrostachya Jacq. XV. 2. 810
macrostachya *Müll. Arg.* XV. 2.
α hirsutissima - - -
β sidaefolia - - -
γ genuina - - -
1 macrophylla - - -
2 puberula - - -
** androgyna - - -
3 tristis - - - 8
macrostachyoides *Müll. Arg.*
2. 8
macrostachyos Poir. XV. 2. 88
major Baill. XV. 2. 859
malabarica *Müll. Arg.* XV. 2. 8
Mandoni *Müll. Arg.* XV. 2. 860
Manniana *Müll. Arg.* XV. 2. 83
Mappa W. XV. 2. 889 1000
marginata *Spr.* XV. 2. 850
melochiaefolia *Müll. Arg.* XV.
8
membranacea *A. Rich.* XV. 2. 8
mexicana *Müll. Arg.* XV. 2. 868
micrantha Benth. XV. 2. 792 88
microcephala *Müll. Arg.* XV.
8
microgyne Poepp. & Endl. XV.
8

üll. Arg. XV. 2. 848
Hornem. XV. 2. 866
Müll. Arg. XV. 2. 882
ris Meisn. XV. 2. 846
ris E. Mey. XV. 2. 847
ris Müll. Arg. XV. 2. 846
onioides – – – –
na – – – –
yne – – – –
– – – –
ta – – – –
ulifolia – – – –
tata – – – 847
ris β glabrata Sond. XV. 2. 847
Wright & Griseb. XV. 2. 879
Müll. Arg. XV. 2. 842
orifolia – – – –
– – – –
Müll. Arg. XV. 2. 825
a Baill. XV. 2. 852
Krauss XV. 2. 847
Sond. XV. 2. 804
Cav. XV. 2. 876
Müll. Arg. XV. 2. 876
– – – –
na – – – –
Torr. XV. 2. 875
l. XV. 2. 840
. XV. 2. 814
Cav. XV. 2. 889
Poir. XV. 2. 933
a Müll. Arg. XV. 2. 800
üll. Arg. XV. 2. 855
pr. XV. 2. 880
a Müll. Arg. XV. 2. 835
ca – – – –
a – – – –
rifolia – – – 836
tifolia – – – –
perata – – – –
a Jacq. XV. 2. 841
sis H. B. & Kth. XV. 2. 853
sis *Müll. Arg.* XV. 2. 836
H. B. & Kth. XV. 2. 876
Nees & Mart. XV. 2. 856
Nees & Mart. XV. 2. 887
ya A. Rich. XV. 2. 865
Baill. XV. 2. 866
Meisn. XV. 2. 846
ens H. B. & Kth. XV. 2. 884
ens Müll. Arg. XV. 2. 884

Acalypha
α genuina *Müll. Arg.* XV. 2. 884
β eglandulosa – – – 885
pygmaea Griseb. XV. 2. 880
pygmaea A. Rich. XV. 2. 880
racemosa Baill. XV. 2. 802
radians *Müll. Arg.* XV. 2. 885
α geraniifolia – – – –
β genuina – – – –
radians Torr. XV. 2. 885
radicans *Müll. Arg.* XV. 2. 865
reflexa *Müll. Arg.* XV. 2. 861
reniformis Hook. fil. XV. 2. 878
repanda *Müll. Arg.* XV. 2. 819
reptans Sw. XV. 2. 879
reptans α genuina Müll. Arg. XV. 2. 879
β brevipes – – – –
γ glechomaefolia – – – 880
δ pygmaea – – – –
reticulata *Müll. Arg.* XV. 2. 851
α rubra – – – –
β genuina – – – –
γ arborea – – – 852
δ longifolia – – – –
* aberrans – – – –
ε urophylla – – – –
ζ Pervilleana – – – –
η ovalifolia – – – –
ϑ Goudotiana – – – –
rhombifolia Baill. XV. 2. 880
rhombifolia *Schlecht.* XV. 2. 880
Richardiana *Baill.* XV. 2. 855
Riedeliana *Baill.* XV. 2. 856
rivularis *Müll. Arg.* XV. 2. 817
rivularis Seem. XV. 2. 817
rottleroides *Baill.* XV. 2. 854
rotundifolia Vahl XV. 2. 839
rubra Roxb. XV. 2. 851
rubra Wall. XV. 2. 873
rubra W. XV. 2. 876
Ruiziana *Müll. Arg.* XV. 2. 825
salicifolia *Müll. Arg.* XV. 2. 800
salviaefolia *Baill.* XV. 2. 889
samydaefolia *Poepp. & Endl.* XV. 2. 853
scabra Vahl XV. 2. 785 889
scabrosa *Müll. Arg.* XV. 2. 862
α betulaefolia – – – –
β ovata *Griseb.* – – –
γ genuina *Müll. Arg.* – – –
scabrosa Sw. XV. 2. 862
scandens *Benth.* XV. 2. 809
Schiedeana *Müll. Arg.* XV. 2. 831
α genuina – – – –
a latifolia – – – 832

Acalypha
b angustifolia *Müll. Arg.* XV

β macrodonta - - -
γ Deppeana - - -
Schiedeana Schlecht. XV. 2. 8
Schlechtendaliana *Müll. Arg.*
2. 800
α mollis - - -
β genuina - - -
Schlumbergeri *Müll. Arg.* XV

Seemanni Kl. XV. 2. 810
segetalis *Müll. Arg.* XV. 2. 87
senensis *Kl.* XV. 2. 845
senilis *Baill.* XV. 2. 841
sericea Anders. XV. 2. 878
sessilis Poir. XV. 2. 866
sessilis var. brevibracteata
Arg. XV. 2.
- - *exserta* - - -
setosa *A. Rich.* XV. 2. 842
sidaefolia H. B. & Kth. XV. 2.
sidaefolia *A. Rich.* XV. 2. 844
Sonderiana *Müll. Arg.* XV. 2.
Spachiana *Baill.* XV. 2. 827
α latifolia - - - -
β acutifolia - - - 828
γ minor - - - -
spicata Anders. XV. 2. 878
spicata Forsk. XV. 2. 868
spiciflora *Burm.* XV. 2. 867
spiciflora Pet. Thouar. XV. 2.

spiciflora Poir. XV. 2. 785 88
spicigera Kl. XV. 2. 854
stipulacea *Kl.* XV. 2. 807
stricta *Poepp. & Endl.* XV. 2.
strobilifera Hook. fil. XV. 2. 8
subtomentosa *Lag.* XV. 2. 888
supera Forsk. XV. 2. 870
tarapotensis *Müll. Arg.* XV. 2.
tenuicaulis Baill. XV. 2. 887
tenuifolia *Müll. Arg.* XV. 2. 86
tenuiramea *Müll. Arg.* XV. 2. 8
tenuis *Müll. Arg.* XV. 2. 848
α glandulosa - - - -
β eglandulosa - - - -
tiliaefolia Poir. XV. 2. 889
tomentosa Boj. XV. 2. 850
tomentosa *Blanco* XV. 2. 888
tomentosa *Sw.* XV. 2. 837
tricholoba *Müll. Arg.* XV. 2. 82
triloba *Müll. Arg.* XV. 2. 838
tristis Poepp. & Endl. XV. 2. 8
ulmifolia Benth. XV. 2. 854

a Müll. Arg. XV. 2. 817
ata - - - -
Müll. Arg. XV. 2. 845
Baill. XV. 2. 847
Müll. Arg. XV. 2. 847
cens - - -
ata - - -
Müll. Arg. XV. 2. 867
ct. Euacalypha *Müll. Arg.* XV. 2. 803
Pleurostachyeae Müll. Arg. XV. 2. 803
Acrostachyeae Müll. Arg. XV. 2. 882
ct. Linostachys *Müll. Arg.* XV. 2. 800
CEAE Kl. XV. 2. 1
AE Kl. XV. 2. 511. 710. 1032
Bartl. XV. 2. 765
E Müll. Arg. XV. 2. 189 710
AE Aschers. XV. 2. 511
yllum Allem. XVII. 281. 284
on Kl. XV. 2. 913
mys Spach XVI. 2. 129 (Corylus)
Baill. XV. 2. 893
Baill. XV. 2. 893
ia Dc. fil. XIV. 678 (Leptomeria)
s Miq. XVI. 2. 343 (Casuarina)
li Rheed. XV. 1. 255
il. XV. 2. 773
St. Hil. XV. 2. 773
FINES Gaertn. XVI. 2. 604
Duchart. XV. 1. 495 (Aristolochia)
rn. XIV. 41. *Mill.* XIV. 37
Mill. XIV. 63
ll. XIV. 65
oench XIV. 42
Mill. XIV. 69
ll. XIV. 37
Moench XIV. 63
maxima Munting XIV. 65
Mill. XIV. 73
Mill. XIV 68
Mill. XIV. 63
n s. Indorum Lingat-Kamel XV. 1. 401

Acetosa
pratensis Mill. XIV. 65
pratensis Zannich. XIV. 694
rosea Mill. XIV. 71
scutata Mill. XIV. 70
tuberosa Mill. XIV. 66
Acetosa *Meisn.* XIV. 64 (Rumex)
Acetosella *Meisn.* XIV. 63 (Rumex)
Acharia *Thbg* XVII. 289
ACHLAMIDATAE S. LACIDEAE Tul. XVII. 49
Achudemia *Bl.* XVI. 1. 163
javanica *Bl.* XVI. 1. 163
Achymus pallens Soland. XVII. 219
Acidocroton *Griseb.* XV. 2. 1042
adelioides *Griseb.* XV. 2. 1042
ACIDOCROTONEAE *Müll. Arg.* XV. 2. 1032. 1042
Acidoton P. Browne XV. 2. 451
Acidoton *Sw.* XV. 2. 914
innocuus Baill. 2. 914
urens *Sw.* XV. 2. 914
ACLITHROPHYTA Neck. XIV. 493
Aconogonon *Meisn.* XIV. 84. 136 (Polygonum)
Acrandrae *Müll. Arg.* XV. 2. 805 (Acalypha sect. Euacalypha)
Acrocarpidium Miq. XVI. 1. 392
brevipes Benth. XVI. 1. 397
cordifolium Miq. XVI. 1. 421
exile Miq. XVI. 1. 397
guayaquilense Miq. XVI. 1. 400
Guildingianum Miq. XVI. 1. 434
hispidulum Miq. XVI. 1. 397
Jamesonianum Miq. XVI. 1. 412. 413
majus Miq. XVI. 1. 432
mexicanum Miq. XVI. 1. 417
molle Miq. XVI. 1. 438
nummularifolium Miq. XVI. 1. 421
pulicare Miq. XVI. 1. 434
repens Miq. XVI. 1. 434
rotundifolium Miq. XVI. 1. 421. 444
Sellowianum Miq. XVI. 1. 397
serpens Miq. XVI. 1. 392
tenellum Miq. XVI. 1. 396
urocarpum Miq. XVI. 1. 433
Acrocephalae *Meisn.* XIV. 230 (Protea)
ACRODICLIDIA Nees XV. 1. 67
Acrodiclidium *Nees* XV. 1. 6. 84. 510
anacardioides *Spruc.* XV. 1. 86
brasiliense *Nees* XV. 1. 87
Camara *R. Schomb.* XV. 1. 87. 510
chrysophyllum *Meisn.* XV. 1. 87
dominicense *Meisn.* XV. 1. 86

n
Müll. Arg. XV. 2. 1193
tus - - - -
typhyllus - - - -
silifolius - - - -
tifolius - - - -
seus - - - -
'olius - - - -
nedius - - - -
icus - - - -
nus - - - 1194
vii - - - -
ifolius - - - -
natus - - - -
'olius - - - -
natus - - - -
Baill. XV. 2. 1195. 1199
Müll. Arg. XV. 2. 1192
- - - -
- - - -
alatus - - - 1193
Kl. XV. 2. 1194
us Kl. XV. 2. 1194
Müll. Arg. XV. 2. 1195
nus Baill. XV. 2. 1195. 1196
ides Baill. XV. 2. 1195. 1198
s Baill. XV. 2. 1195. 1196
s Kl. XV. 2. 1193
Müll. Arg. XV. 2. 1195
Baill. XV. 2. 1195. 1199
us Müll. Arg. XV. 2. 1193
tus - - - -
nor - - - -
typhyllus - - - -
tatus - - - -
olius - - - -
nedius - - - -
cus - - - 1194
eri - - - -
vii - - - -
ifolius - - - -
natus - - - -
olius - - - -
simus - - - -
s Kl. XV. 2. 1193
Baill. XV. 2. 1195. 1197. 1199
us Baill. XV. 2. 1195. 1197
sect. Euactinostemon Baill. XV. 2. 1192
sect. Gymnarrhoea Baill. XV. 2. 1195

Actinostrobus *Miq.* XVI. 2. 366. 444
acuminatus *Parl.* XVI. 2. 445
pyramidalis *Miq.* XVI. 2. 444
Adamia Wall. XVII. 292
Adandasch XV. 2. 1266
Adelanthus Endl. XV. 2. 1257. XVII. 18
grandiflorus Harv. XVII. 19
scandens Endl. XVII. 18
Adelia L. XV. 2. 729. 916. *Baill.* XV. 2. 915. *Spr.* XV. 2. 919. *Blanco* XV. 2. 899. 904. 956. 957. *Poir.* XV. 2. 790. *Roth* XV. 2. 1022. *P. Browne* XV. 2. 732. *Roxb.* XV. 2. 988. 991. 1121. *Auct.* XV. 2. 446. 448
Acidoton Blanco XV. 2. 924
Acidoton L. XV. 2. 732. 924
anomala Poir. XV. 2. 732. 791. 924
barbata Blanco XV. 2. 732. 964
barbinervis Schlecht. XV. 2. 731 924
Bernardia Blanco XV. 2. 732. 924. 964
Bernardia L. XV. 2. 732. 917
caperoniaefolia Baill. XV. 2. 732. 920
castaneicarpa Roxb. XV. 2. 732. 924. 1122
celastrinea Baill. XV. 2. 732. 921
cordifolia Roxb. XV. 2. 732. 924. 1002
cuneata Wall. XV. 2. 732. 924. 1023
dodecandra Sessé XV. 2. 732. 916
ferruginea Poit. XV. 2. 732. 917
glandulosa Blanco XV. 2. 732. 906. 924
hirsutissima Baill. XV. 2. 732. 922
Houlletiana Baill. XV. 2. 732. 921 (*bis*)
Martii Spr. XV. 2. 732. 921
microphylla A. Rich. XV. 2. 732. 917
monoica Blanco XV. 2. 732. 925. 958
nereifolia Roxb. Roth XV. 2. 732. 925. 1023
papillaris Blanco XV. 2. 924
pedunculosa A. Rich. XV. 2. 730. 925
pulchella Baill. XV. 2. 732. 920
resinosa Blanco XV. 2. 924
retusa Wight XV. 2. 732. 925. 1023

m Griseb. XV. 2. 644 (Croton)
Kl. XV. 1. 446 (*Howardia*)
s Kl. XV. 1. 464
Kl. XV. 1. 446. 447
Kl. XV. 1. 468
Kl. XV. 1. 468
s Kl. XV. 1. 451
Kl. XV. 1. 448
Kl. XV. 1. 460
Kl. XV. 1. 450
us Kl. XV. 1. 459
ykii Kl. XV. 1. 447
sis Kl. XV. 1. 447
Kl. XV. 1. 456
Pohl XV. 2. 1076. 1082
ohl XV. 2. 1103
m Pohl XV. 2. 1077
Pohl XV. 2. 1092
ohl XV. 2. 1087
Pohl XV. 2. 1089
Pohl XV. 2. 1085
Pohl XV. 2. 1086
lium Pohl XV. 2. 1087
efolium Pohl XV. 2. 1077
Pohl XV. 2. 1087
um Pohl XV. 2. 1094
Pohl XV. 2. 1091
Pohl XV. 2. 1091
m Pohl XV. 2. 1091
Pohl XV. 2. 1090
Pohl XV. 2. 1103
olium Pohl XV. 2. 1095
Pohl XV. 2. 1092
Pohl XV. 2. 1087
Pohl XV. 2. 1083
m Pohl XV. 2 1105
n Pohl XV. 2. 1068
n Pohl XV. 2. 1084
Pohl XV. 2. 1091
n(Adenorhopium) Griseb. XV. 2. 1082 (Jatropha)
Spr. XV. 1. 67
m Pers. XV. 1. 5. 67. 507
ert. XV. 1. 67. 68. 75
ers. XV. 1. 68
nus Kl. XIV. 436
Meisn. XIV. 437
Meisn. XIV. 437
Endl. XIV. 436
. XIV. 436
Meisn. XIV. 437
sn. XIV. 437
Endl. XIV. 436
Kl. XIV. 436

Adenotrachelium Nees XV. 1. 111
Adenotragia *Müll. Arg.* XV. 2. 929 (Tragia)
Adike pumila Raf. XVI. 1. 159
Adisca Bl. XV. 2. 956. 961. *Zolling.* XV. 2. 987. 991
acuminata Bl. XV. 2. 967
albicans Bl. XV. 2. 760. 983
floribunda Bl. XV. 2. 962
subfalcata Zolling. XV. 2. 983. 1007
subpeltata Bl. XV. 2. 968
timoriana Spanogh XV. 2. 982
Zippelii Bl. XV. 2. 964
Adriana *Gaudich.* XV. 2. 889
acerifolia Hook. XV. 2. 890
acerifolia *Müll. Arg.* XV. 2. 890
α Cunninghami – – – –
β genuina – – – –
γ puberula – – – 891
δ heterophylla – – – –
Billardieri Baill. XV. 2. 892
Billardierii F. Müll. XV. 2. 892
glabrata Gaudich. XV. 2. 890
heterophylla Hook. XV. 2. 891
Hookeri *Müll. Arg.* XV. 2. 891
α velutina – – – –
β glabriuscula – – – –
Klotzschii *Müll. Arg.* XV. 2. 892
quadripartita *Müll. Arg.* XV. 2. 892
tomentosa *Gaudich.* XV. 2. 891
tomentosa F. Müll. XV. 2. 890 *(bis)* 891 *(bis)*
Adriana sect. Euadriana Baill. XV. 2. 890
sect. Trachycaryon Baill. XV. 2. 892
Adventure-Bay Pine XVI. 2. 499
Aegopicron L. XV. 2. 1190
betulinum L. XV. 2. 1191
Aetheopteryx *Dc. fil.* XV. 1. 271 (Casparya)
Aetheothesium *Dc. fil.* XIV. 660 (Thesium)
Aextoxicum Endl. XIV. 616
Aextoxicum *R. & Pav.* XIV. 616. XV. 2. 1258. XVI. 2. 640. 641
punctatum *R. & Pav.* XVI. 2. 641
Agallochum XIV. 601
Agallochum Rumph XIV. 601
secundarium Rumph XIV. 601
Agastachys *R. Br.* XIV. 328
odorata *R. Br.* XIV. 328
Agathis Salisb. XVI. 2. 374
australis Salisb. XVI. 2. 376
Dammara Rich. XVI. 2. 375

Agathis
loranthifolia Salisb. XVI. 2. 37
Agathophyllum *Juss.* XV. 1. 6. 1
511. *Bl.* XV. 1.
acuminatum *W.* XV. 1. 110
aromaticum *W.* XV. 1. 110
cupulare Bl. XV. 1. 104. 111
cymosum Bl. XV. 1. 111
heteromorphum Bl. XV. 1. 1
1
Lindleyanum Bl. XV. 1. 105. 1
marginatum Bl. XV. 1. 111
Neesianum Bl. XV. 1. 104. 111
obtusatum Bl. XV. 1. 105. 111
Persoonianum Bl. XV. 1. 105. 1
retusum *W.* XV. 1. 110
AGGREGATAE L. XIV. 209
Aggur XIV. 601
Agirta Baill. XV. 2. 927. 946
Boiviniana Baill. XV. 2. 946
Agirta *Müll. Arg.* XV. 2.
(Trag
Aglaia *Lour.* XVII. 295
Agnostus A. Cunn. XIV. 450
sinuatus Cunn. XIV. 451
Agriodaphne Nees. XV. 1. 111
AGROSTISTACHYDEAE *Müll. A*
XV. 2. 711.
Agrostistachys *Dalz.* XV. 2. 725
africana *Müll. Arg.* XV. 2. 725
Gaudichaudi *Müll. Arg.* XV.
indica Dalz. XV. 2. 726
indica *Müll. Arg.* XV. 2. 726
α genuina – – – –
β longifolia – – – –
Aguacate XV. 1. 53.
Aguacate cimaron XV. 1. 55
Aguacate oloroso XV. 1. 53
Aguacatillo XV. 1. 32
Aguaxima Piso XVI. 1. 333
Agyneia *Vent.* XV. 2. 237. *L.* X
2. 274. 278. *Moon* XV. 2. 4
Wall. XV. 2. 1105 *Miq.* XV.
234. *Auct.* XV. 2. 239
affinis *Kurz* XV. 2. 239
bacciformis Juss. XV. 2. 238
bacciformis *Müll. Arg.* XV. 2. 2
α genuina – – –
β oblongifolia – – –
γ angustifolia – – –
Berterii Spr. XV. 2. 239. 329
ciliata Wall. XV. 2. 239. 1110
coccinea Buchan. XV. 2. 239. 2
flexuosa Wall. XV. 2. 239. 284
glomerulata Miq. XV. 2. 239. 2

efolia Müll. Arg. XV. 2. 900
Benth. XV. 2. 908
Müll. Arg. XV. 2. 901. XVI. 1. 10
Müll. Arg. XV. 2. 908
Müll. Arg. XV. 2. 903
Müll. Arg. XV. 2. 900
Poepp. & Endl. XV. 2. 913
perma Kl. XV. 2. 910
Müll. Arg. XV. 2. 905 *(bis)*
dna - - - -
rata - - - -
Müll. Arg. XV. 2. 912
Müll. Arg. XV. 2. 911
niana - - - -
ina - - - -
a Poepp. & Endl. XV. 2. 911
a Poit. XV. 2. 908
a var. floribunda Benth. XV. 2. 765
sa var. parvifolia Benth. XV. 2. 910
Müll. Arg. XV. 2. 907
Benth. XV. 2. 909
Baill. XV. 2. 911
Benth. XV. 2. 904
is Casar. XV. 2. 909
Müll. Arg. XV. 2. 905
Müll. Arg. XV. 2. 906
ia Kl. XV. 2. 909
Casar. XV. 2. 910
Kl. XV. 2. 901
Sw. XV. 2. 908
ylla Mart. XV. 2. 901
ariensis Müll. Arg. XV. 2. 900
ylla Müll. Arg. XV. 2. 911
üll. Arg. XV. 2. 902
ata Müll. Arg. XV. 2. 903
Baill. XV. 2. 909
Mart. XV. 2. 909
β glandulosa Baill. XV. 2. 911
γ parvifolia - - - 909
δ psilorhachis (pilorhachis) Baill. XV. 2. 909
ε rotundifolia - - 910
ζ intermedia - - - 909
η lanceolata - - - 910
η floribunda - - - 765
Müll. Arg. XV. 2. 902
Kl. XV. 2. 909

Alchornea
parvifolia Miq. XV. 2. 910 *(bis)*
platyphylla *Müll. Arg.* XV. 2. 912
psilorhachis Kl. XV. 2. 909
rotundifolia Moric. XV. 2. 910
rugosa *Müll. Arg.* XV. 2. 905
scandens *Müll. Arg.* XV. 2. 906. XVII. 222
Schomburgkii Benth. XV. 2. 912
Schomburgkii *Kl.* XV. 2. 913
sidaefolia Baill. XV. 2. 904
sidaefolia *Müll. Arg.* XV. 2. 904
similis *Müll. Arg.* XV. 2. 908
subrotunda Baill. XV. 2. 911
tiliaefolia *Müll. Arg.* XV. 2. 903
trewioïdes *Müll. Arg.* XV. 2. 901
triplinervia *Müll. Arg.* XV. 2. 909
α genuina - - - -
a psilorhachis - - - -
b intermedia - - - -
β janeirensis - - - -
γ crassifolia - - - -
δ meridensis - - - 910
ε laevigata - - - -
ζ parvifolia - - - -
η lanceolata - - - -
villosa *Müll. Arg.* XV. 2. 902
α genuina - - - -
β lanceolata - - - -
Zollingeri Hassk. XV. 2. 902
Alchornea *sect.* Aparisthmium *Müll. Arg.* XV. 2. 900
- - Cladodes *Müll. Arg.* XV. 2. 904
- - Coelebogyne *Müll. Arg.* XV. 2. 906
- - Eualchornea *Müll. Arg.* XV. 2. 907
- - *Heteralchornea Müll. Arg.* XV. 2. 904
- - Lautembergia *Müll. Arg.* XV. 2. 903
- - Orfilea *Müll. Arg.* XV. 2. 903
- Palissya *Müll. Arg.* XV. 2. 899
- - Sidalchornea *Müll. Arg.* XV. 2. 904
- - Stipellaria *Müll. Arg.* XV. 2. 901
- - Wetria *Müll. Arg.* XV. 2. 900
Alchorneopsis *Müll. Arg.* XV. 2. 765
floribunda *Müll. Arg.* XV. 2. 765
α genuina - - - -
β sessiliflora - - - -

Alectoroctonum Raf. XV. 2. 7.
Schlecht. XV. 2. 7 59. *Kl. & Gke* XV. 2. 7. 59
caracasanum Kl. & Gke XV. 2. 61
cotinifolium Kl. & Gke XV. 2. 60
cotinifolium Schlecht. XV. 2. 60
cotinoides Kl. & Gke XV. 2. 60
dilatatum Kl. & Gke XV. 2. 18
nudiflorum Kl. & Gke XV. 2. 61
ovatum Schlecht. XV. 2. 60
petiolare Kl. & Gke XV. 2. 60
Riedelianum Kl. & Gke XV. 2. 60
scandens Kl. & Gke XV. 2. 63
scotanum Schlecht. XV. 2. 60
viride Kl. & Gke XV. 2. 62
Willdenowii Kl. & Gke XV. 2. 60
Wrightii Kl. & Gke XV. 2. 68
Yavalquahuitl Schlecht. XV. 2. 60
Alectoroctonum *Boiss.* XV. 2. 9. 59 (Euphorbia)
Alenda XVI. 2. 358
Alerse XVI. 2. 455. 463
Aleurites *Forst.* XV. 2. 722 *Geisel.* XV. 2. 956. 962. *Wall.* XV. 2. 715
Ambinux Pers. XV. 2. 723
commutata Geisel. XV. 2. 723
cordata *Müll. Arg.* XV. 2. 724
cordifolia Steud. XV. 2. 723
laccifera W. XV. 2. 588. 724
lanceolata Blanco XV. 2. 723
lobata Blanco XV. 2. 723
moluccana *W.* XV. 2. 723
peltata Geisel. XV. 2. 724. 962. 967
pentaphylla Wall. XV. 2. 716. 724
saponaria Blanco XV. 2. 724
triloba Forst. XV. 2. 723
trisperma *Blanco* XV. 2. 724
vernicia Hassk. XV. 2. 724
Aleurites *sect.* Camirium *Müll. Arg.* XV. 2. 723
Dryandra *Müll. Arg.* XV. 2. 723
Reutiales *Müll. Arg.* XV. 2. 724
Alevia Baill. XV. 2. 915
leptostachya Baill. XV. 2. 916
Alevia *Müll. Arg.* XV. 2. 915 (Bernardia)
Algernonia *Baill.* XV. 2. 1230
brasiliensis Baill. XV. 2. 1231
Algernonia
brasiliensis *Müll. Arg.* X
α obovata –
β cuneata –
Alicastrum Browne XVII.
Allaeanthus *Thwait.* XVI
zeylanicus *Thwait.* XVI
Allandoo vel Allandoo-g
Alligator-pear XV. 1. 53
Alnaster Spach XVI. 2.
fruticosus Ledeb. XV
viridis Spach XVI. 2
viridis Turcz. XVI. 2.
Alnaster *Endl.* XVI. 2. 1
Alnus *Tourn.* XVI. 2
acuminata Endl. XVI.
acuminata *H. B. & K*
α genuina *Regel* XVI
β Mirbelii – –
γ Spachii – –
δ ferruginea – –
acuminata Mirb. XVI.
acuminata α β γ Re
acuminata α genuina
acuminata β Mirbelii
acuminata γ jorullensis
alpina Borkh. XVI. 2
americana hort XVI
arguta Endl. XVI. 2. 1
arguta Regel XVI. 2. 1
arguta Schlecht. XVI
arguta Spach XVI. 2. 1
autumnalis Hartig XVI
badensis Lang XVI. 2
barbata C. A. Mey. XV
brembana Rota XVI. 2.
canadensis hort. XVI
castanifolia Mirb XVI
castanifolia Regel XVI
cerifera Hartig XVI. 2
cordifolia *Ten.* XVI. 2
α genuina *Regel* – –
β subcordata – – –
γ villosa – – –
cordifolia α genuina &
folia Regel
crispa Pursh XVI. 2. 1

ata C. A. Mey. XVI. 2. 186 187
Roxb. XV. 2. 472
leq. XVI. 2. 187
Req. XVI. 2. 186 187
ea Endl. XVI. 2. 183
ea H. B. & Kth. XVI. 2. 183 184
ieb. & Zucc. XVI. 2. 183 (*bis*)
ica Regel - - -
itinervis - - - -
a Rupr. XVI. 2. 182
Mx. XVI. 2. 188. 189
a W. XVI. 2. 186
garis Regel- - 187
ticulata - - - -
reifolia W. - - -
iniata - - - -
lsa - - - -
a W. XVI. 2. 187
a α γ ε Regel XVI. 2. 186
a α & β Regel XVI. 2. 187
a acutifolia Spach XVI. 2. 188
a var. aurea Lem. XVI. 2. 187
a β denticulata Ledeb. XVI. 2. 187
a imperialis asplenifolia Spach XVI. 2. 187
a β incisa Koch XVI. 2. 187
a ε oxyacanthaefolia Spach XVI. 2. 187
a δ pinnatifida Spach XVI. 2. 187
a ε pinnatifida laciniata Regel XVI. 2. 187
a ε pinnatifida quercifolia Regel XVI. 2. 187
a β pubescens Regel XVI. 2. 188
a δ serrulata Regel XVI. 2. 188
a δ serrulata genuina Regel XVI. 2. 188
a δ serrulata obtusifolia Regel XVI. 2. 188
a δ serrulata c rugosa & liformica Regel XVI. 2. 188
a β subrotunda Spach XVI. 2. 187
a α vulgaris Spach XVI. 2. 187

Alnus
Harinoki Siebold XVI. 2. 185 186
hirsuta Turcz. XVI. 2. 188 189
hybrida Reichenb. XVI. 2. 188 (*bis*)
japonica Sieb. & Zucc. XVI. 2. 185 186
incana Endl. XVI. 2. 188
incana *W.* XVI. 2. 188 189
α vulgaris *Regel* - - 189
β glauca *Ait.* - - -
γ hirsuta *Spach* - - -
δ sibirica *Ledeb.* - - -
ε parvifolia *Regel-* - -
ζ pinnatifida *Spach-* - -
η acuminata *Regel* - - -
incana γ genuina Regel XVI. 2. 189
incana β glabrescens Spach XVI. 2. 189
incana δ hirsuta Ledeb. XVI. 2. 189
incana pinnatifida Reichenb. XVI. 2. 189
incana pinnatifida acuminata Regel XVI. 2. 189
incana pinnatifida laciniata Regel XVI. 2. 189
incana pinnatifida parvifolia Regel XVI. 2. 189
incana pinnatifida vulgaris Regel XVI. 2. 189
incana γ rubra Regel XVI. 2. 186
incana γ sibirica Spach XVI. 2. 189
incana var. tirolensis Saut. XVI. 2. 189
incana α vulgaris Spach XVI. 2. 189
integrifolia Wall. XV. 2. 472
intermedia Schrad. XVI. 2. 189
jorullensis Benth. XVI. 2. 184
jorullensis *H. B. & Kth.* XVI. 2. 184 (*bis*)
α typica *Regel* - - -
β castanifolia- - - -
latifolia Hartig XVI. 2. 188
longifolia Bové XVI. 2. 185
maritima *Nutt.* XVI. 2. 185 186
α typica *Regel* - - 186
β japonica - - - -
γ arguta - - - -
Mirbelii Endl. XVI. 2. 183
Mirbelii Spach XVI. 2. 183 184
Mitchelliana Curtis XVI 2. 182 (*bis*)

Poepp. & Endl. XV. 2. 221 467
hwait. XV. 2. 221 504
a Müll. Arg. XV. 2. 220
ha Planch. XV. 2. 220
t. Euamanoa Baill. XV. 2. 219
t. Lebidiera Baill. XV. 2. 503
a Rheed. XV. 1. 414
mm. XV. 2. 722
Meisn. XIV. 84 123 (Polygonum)
s. XVI. 2. 658
ia Tul. XVI. 2. 660
Tul. XVI. 2. 659
Tul. XVI. 2. 660
XVI. 2. 659
a Tul. XVI. 2. 659
Tul. XVI. 2. 659
Tul. XVI. 2. 660
Tul. XVI. 2. 659
Poir. XVI. 2. 658
Tul. XVI. 2. 659
ul. XVI. 2. 660
ssa Tul. XVI. 2. 659
Tul. XVI. 2. 659
Bory XVI. 2. 661
Sieber XVI. 2. 660
ul. XVI. 2. 660
Tul. XVI. 2. 658
Marcg. XV. 1. 471
EAE Gisecke XVI. 2. 134, *Juss.* XVII. 151
EAE L. XVI. 2. 1, XVI. 2. 190
EAE CASUARINEAE Griseb. XVI. 2, 332
EAE CUPULIFERAE Agardh XVI. 2. 1
EAE FAGINEAE Reichenb. XVI. 2. 1
EAE PLATANEAE A. VI. 2. 156, *Mart.* XVI.
EAE SALICEAE Reichenb. XVI. 2. 190
EAE SECT. I. Juss. XVI. 2. 1
EARUM PARS. Juss. XVI. 2. 124 147 156 161
arch XVI. 2. 410
ies XVI. 2. 192 (Salix)
Torr. XVII. 37
Torr. XVII. 37

Amora de arvore XVII. 230
Amoreira XVII. 230
Ampali XVII. 251
Ampalis *Boj.* XVII. 214 250
madagascariensis *Boj.* XVII. 251
Ampelas XVII. 219
Ampelocera Kl. XVII. 152
Ampeloduphne *Meisn.* XV. 1. 5 81
aruncifolia *Meisn.* XV. 1. 81
dasyantha *Meisn.* XV. 1. 81
macrophylla *Meisn.* XV. 1. 81
Ampelygonum Lindl. XIV. 83
chinense Lindl. XIV. 130
Amperea *Müll. Arg.* XV. 2 213, *A. Juss.* XV. 2. 214
cuneiformis F. Müll. XV. 2. 214
ericoides *Juss.* XV. 2. 214
protensa *Müll. Arg.* XV. 2. 213
α tenuiramea - - - -
β genuina - - - 214
protensa Nees XV. 2. 214
rosmarinifolia Kl. XV. 2. 214
spartioides *A. Brongn.* XV. 2. 214
subnuda Nees XV. 2. 214
Amperea *sect.* Euamperea *Müll. Arg.* XV. 2. 214
Monotaxidium *Müll. Arg.* XV. 2. 213
AMPEREAE *Müll. Arg.* XV. 2. 189 211
Amphiandra Griseb. XV. 2. 329 (Phyllanthus)
Amphiderris *R. Br.* XIV. 424 (Orites)
Amphiloma *Endl.* XIV. 449 (Lomatia)
Amplas XVII. 219
Amramatico F.acourt XVII. 91 92
Anabaena A. Juss. XV. 2. 768 771
tamnoides J. Juss. XV. 2. 772
Anabaena Baill. XV. 2. 771 (Sajorium)
Anabaena *Müll. Arg.* XV. 2. 771 (Plukenetia)
Anacanthium Baill. XV. 2. 734 (Ditaxis)
Anaclissa *Endl.* XIV. 487 (Brachysiphon)
Anadenia R. Br. XIV. 349 385
anethifolia Cunn. XIV. 387
Aquifolium Liodl. XIV. 390
Caleyi R. Br. XIV. 389
filifolia Endl. XIV. 386
flexuosa Lindl. XIV. 389
gracilis Lindl. XIV. 390
hakeoides Lindl. XIV. 408
ilicifolia R. Br. XIV. 378
integrifolia Endl. XIV. 385

Anadenia
Manglesii Grah. XIV. 391
pulchella R. Br. XIV. 389
Roei Endl. XIV. 386
tenuiflora Lindl. XIV. 389
trifida R. Br. XIV. 389
triternata Cunn. XIV. 387
Anastrophea *Wedd.* XVII. 78
abyssinica *Wedd.* XVII. 79
Anaua Miq. XV. 2. 486 487
sumatrana Miq. XV. 2. 488
ANCISTROCLADEAE *Dc. fil.* XVI. 2. 601
ANCISTROCLADEAE Planch. XVI. 2. 601
Ancistrocladus *Wall.* XVI. 2. 602
extensus *Wall.* XVI. 2. 602
Griffithii *Planch.* XVI. 2. 603
Heyneanus *Wall.* XVI. 2. 602
pinangianus *Wall.* XVI. 2. 603
sagittatus *Wall.* XVI. 2. 603
stelligerus *Wall.* XVI. 2. 603
Vahlii *Arn.* XVI. 2. 602
Wallichii Planch. XVI. 2. 602
Ancylanthemum Kl. XV. 1. 455 (*Howardia*)
Chamissonis Kl. XV. 1. 462
cynanchifolium Kl. XV. 1. 455
erianthum Kl. XV. 1. 453
maximum Kl. XV. 1. 457
Raja Kl. XV. 1. 462
Sellowianum Kl. XV. 1. 458
Anda A. Juss. XV. 2. 715
brasiliensis Raddi XV. 2. 716
Gomesii A. Juss. XV. 2. 716
Andinia Wedd. XIV. 147 (Mühlenbeckia)
Andiphila *Dc. fil.* XV. 1. 271 (Casparya)
Andiscus Vell. XV. 2. 715
pentaphyllus Vell. XV. 2. 716
Andrachne *L.* XV. 2. 232, *Roxb.* XV. 2. 478
apetala Wall. XV. 2. 478
aspera *Spr.* XV. 2. 236
* microphylla - - - -
aspera var. glandulosa Hochst. XV. 2. 236
australis *Müll. Arg.* XV. 2. 235
α genuina - - - -
β angustifolia - - - -
australis Zolling. XV. 2. 235
Cadishaco Wall. XV. 2. 237 510
capensis Ball. XV. 2. 233
chinensis *Bung.* XV. 2. 234
cordifolia *Müll. Arg.* XV. 2. 234
Andrachne
Decaisneana Baill. XV.
Dookyboisca (Dookyb XV.
Dregeana Baill. XV. 2
elliptica Roth XV. 2.
fruticosa *Dene* XV. 2.
fruticosa L. XV. 2. 2
fruticulosa *Boiss.* XV.
microphylla *Baill.* XV
orbicularis Roth XV.
orbiculata Roth XV.
ovalis *Müll. Arg.* XV.
Roemeriana *Müll. Arg*
rotundifolia C. A.
Telephioides L. XV. 2
Telephioides *Müll. Ar*
α genuina -
β brevifolia -
γ rotundifolia -
tenera Miq. XV. 2. 2
trifoliata Roxb. XV.
Andrachne *sect.* Arachn
sect. Phylla *Ar*
sect. Phylla *Ar*
sect. Pseud *Müll. A*
sect. Scleran *Ar*
sect. Teleph
ANDRACHNEAE *Müll. Ar*
Andriapetalum Pohl. X
reticulatum Pohl XIV
rubescens Pohl XIV
Andrichnia Baill. XV
bracteata Baill. XV
Andripetalum *Schott* X
cayennense *Kl.* XIV.
ferrugineum *Meisn.* X
multiflorum *Schott* X
polystachyum *Schott*
rubescens Benth. XIV
rubescens *Schott* XIV
β acuminatum *Meis*
sessilifolium Benth. X
sessilifolium *Kl.* XIV
Sprucei *Meisn.* XIV.
suaveolens *Kl.* XIV.
nov. species Benth. X

Dc. fil. XVI. 2. 81 (Quercus)
AE EUPODOSTEMEAE Tul. XVII. 43
anthus Karst. XV. 2. 751
sus Karst. XV. 2. 754
Wedd. XVI. 1. 171 (Elatostema)
ngan XVI. 2. 341
tt. XVI. 1. 237
s (Anemopsis) Hook. & XVI. 1. 236 237, *Endl.* XVI. *l.*, XVII. 320
ca Hook. & Arn. XVI. 1. 237
n Dc. fil. XV. 1. 407 (Mezieria)
a Endl. XV. 2. 513 688
Baill. XV. 2. 689
n Müll. Arg. XV. 2. 514 688 (Croton)
divergentifolia Pohl XVI. 2. 654
Wedd. XVII. 300
Wedd. XVII. 300
lium Müll. Arg. XV. 2. 769 (Plukenetia)
Benth. XV. 2. 767
n Benth. XV. 2. 768
l. XVII. 289
sis Aubl. XV. 1. 121
sis herb. Dc. XV. 1. 511
Nimmo XV. 1. 411
iana Nimmo XV. 1. 412
Poland. XV. 1. 264
a Bl. XV. 1. 513 (Tetranthera)
m Müll. Arg. XV. 2. 277 351 (Phyllanthus)
A. Juss. XV. 2. 274 341 343
Bl. XV, 2. 344
osum Dene XV. 2. 345
Miq. XV. 2. 345
a Miq. XV. 2. 290
rum Miq. XV. 2. 402
lium Dene XV. 2. 345
rum Wight XV. 2. 344
um A. Juss. XV. 2. 344
ri Miq. XV. 2. 344
Baill. XV. 2. 343 (Kirganelia)
Griseb. XV. 2. 341 (Phyllanthus)
psis Baill. XV. 2. 346 (Kirganelia)

ANISOPHYLLEAE Kl. & Gke XV. 2. 11
Anisophyllum Haw. XV. 2. 7 11, *Kl. & Gke* XV. 2. 7, *Baill.* XV. 2. 513, *Boivin* XV. 2. 513 582
acutifolium Boiv. XV. 2. 522
affine Kl. & Gke XV. 2. 38
amoenum Kl. & Gke XV. 2. 49
arenarium Kl. & Gke XV. 2. 29
bahiense Kl. & Gke XV. 2. 24
Besseri Kl. & Gke XV. 2. 42
Burmannianum Kl. & Gke XV. 2. 47
californicum Kl. & Gke XV. 2. 12
Chamissonis Kl. & Gke XV. 2. 14
cheirolepis Kl. & Gke 2. 70
crassipes Kl. & Gke XV. 2. 52
densiflorum Kl. & Gke XV. 2. 49
emarginatum Kl. & Gke XV. 2. 32
Forskalei Kl. & Gke XV. 2. 34
β hirsutum - - - 35
Humboldtii Haw. XV. 2. 54
hypericifolium Kl. & Gke XV. 2. 23
hyssopifolium Kl. & Gke XV. 2. 23
inaequale Kl. & Gke XV. 2. 49
Ipecacuanhae Haw. XV. 2. 101
leiospermum Kl. & Gke XV. 2. 13
leucanthum Kl. & Gke XV. 2. 42
Lindenianum Kl. & Gke XV. 2. 49
macropus Kl. & Gke XV. 2. 52
mozambicense Kl. & Gke XV. 2. 36
Mundtii Kl. & Gke XV. 2. 34
Nageri Kl. & Gke XV. 2. 27
nanum Kl. & Gke XV. 2. 52
nodosum Kl. & Gke XV. 2. 11
ramosissimum Kl. & Gke XV. 2. 38
Ruizianum Kl. & Gke XV. 2. 31
scutelligerum Boiv. XV. 2. 583
Selloi Kl. & Gke XV. 2. 50
senile Kl. & Gke XV. 2. 41
tenuiflorum Kl. & Gke XV. 2. 40
tettense Kl. & Gke XV. 2. 50
thymifolium Kl. & Gke XV. 2. 47
Vahlii Kl. & Gke XV. 2. 16
velleriflorum Kl. & Gke XV. 2. 41
virgatum Kl. & Gke XV. 2. 12
Anisophyllum *Roeper* XV. 2. 8 11 (Euphorbia)
Anisophyllum Baill. XV. 2. 582 (Croton)

üll. Arg. XV. 2. 251
" - - - -
- - - -
- - - -
V. 2. 263
XV. 2. 268 490
Bl. XV. 2. 259
Presl XV. 2. 253
. & Zucc. XV. 2. 258
. Arg. XV. 2. 260
oj. XV. 2. 268
oritzi XV. 2. 266
wait. XV. 2. 266
Vall. XV. 2. 267
d. XV. 2. 266 (*bis*)
- - -
Müll. Arg. - - -
Müll. Arg. XV. 2. 250
üll. Arg. XV. 2. 253
- - - -
- - - -
- - - 254
. XV. 2. 254
ig. XV. 2. 250
. 2. 268
ll. Arg. XV. 2. 254
. XV. 2. 268
e XV. 2. 467
XV. 2. 251
e Lam. XV. 2. 265
am Müll. Arg. - - -
- - - -
ll. Arg. XV. 2. 246 268
Presl XV. 2. 261
Müll. Arg. XV. 2. 261
- - - -
- - - -
- - - -
rg. XV. 2. 257
2. 252
V. 2. 253
g. XV. 2. 248
XV. 2. 264
ait. XV. 2. 265
rg. XV. 2. 252
XV. 2. 268, XVII. 206
Miq. XV. 2. 253
XV. 2. 258
V. 2. 253
ll. Arg. XV. 2. 254

Antidesma
oblongifolium Bl. XV. 2. 264
oblongifolium *Müll. Arg.* XV. 2. 264 1269
α genuinum - - - -
β Wallichii *Tul.* - - -
pacificum *Müll. Arg.* XV. 2. 254
palembanicum *Miq.* XV. 2. 259
paniculatum Roxb. XV. 2. 251
petiolare *Tul.* XV. 2. 264
pleuricum *Tul.* XV. 2. 255
pubescens Moritz. XV. 2. 252
pubescens Roxb. XV. 2. 252
pubescens α Moritzii Tul. XV. 2. 252
pubescens β Menasu Tul. XV. 2. 257
puncticulatum *Miq.* XV. 2. 266
pyrifolium *Müll. Arg.* XV. 2. 265
refractum *Müll. Arg.* XV. 2. 257
rhamnoides *Tul.* XV. 2. 250
Ribes Raeusch. XV. 2. 268
rostratum *Müll. Arg.* XV. 2. 257
α genuinum - - - -
β barbatum - - - -
rostratum Tul. XV. 2. 257
rostratum var. Lobbiana Tul. XV. 2. 254
rotatum *Müll. Arg.* XV. 2. 256
rotundifolium *Boj.* XV. 2. 268
Roxburghii *Tul.* XV. 2. 261
rufescens Tul. XV. 2. 260
Rumphii *Tul.* XV. 2. 267
salaccense Zoll. & Mor. XV. 2. 255
salicifolium *Miq.* XV. 2. 267
salicifolium Presl XV. 2. 257
scandens Lour. XV. 2. 268
simile *Müll. Arg.* XV. 2. 259
sphaerocarpum *Müll. Arg.* XV. 2. 255
spicis geminis Burm. XV. 2. 256
stenopetalum Müll. Arg. XV. 2. 246 268
stipulare *Bl.* XV. 2. 249
sylvestre Lam. XV. 2. 263
sylvestre Wall. XV. 2. 266
tetrandrum *Bl.* XV. 2. 255
Thwaitesianum *Müll. Arg.* XV. 2. 263
tomentosum *Bl.* XV. 2. 248
tomentosum Miq. XV. 2. 248
tomentosum Wight XV. 2. 262
triplinervium Spr. XV. 2. 268 909
Tulasneanum *Baill.* XV. 2. 268
velutinosum *Bl.* XV. 2. 248

. XVII. 63
d. XVII. 61
l. XVII. 62
Tul. XVII. 61
seb. XVII. 64
Tul. XVII. 85
Blandowia Tul. XVII. 85
2. 612
Dc. XVI. 2. 144 (Carya)
R. Br. XVII. 113
Poit. XVII. 113, *Hook. fil.* XVII. 114
rdn. XVII. 115
Gardn. XVII. 115
Gardn. XVII. 115
Poit. XVII. 114
Karst. XVII. 114
es XV. 1. 4 (Apollonia) 64
es XV. 1. 65
Nees XV. 1. 64 506
lia *Meisn.* - - 65
- - - -
ta - - - -
Thwait. XV. 1. 62 65
Dc. XVI. 1. 366 (Piper)
l. Arg. XV. 2. 469, *Bl.* XV. 2. 469
Thwait. XV. 2. 473
l. XV. 2. 473
ll. Arg. XV. 2. 470
Müll. Arg. XV. 2. 470
l. XV. 2. 474
XV. 2. 472
Baill. XV. 2. 472
Arg. XV. 2. 472
Bl. XV. 2. 476
Müll. Arg. XV. 2. 475
Thwait. XV. 2. 471
Thwait. XV. 2. 475
wait. XV. 2. 470
a Benth. XV. 2. 472
Baill. XV. 2. 473
Müll. Arg. XV. 2. 473
tachya - - - -
- - - -
Müll. Arg. XV. 2. 470
Hassk. XV. 2. 472
Müll. Arg. XV. 2. 471
- - - -
is - - - 472
a Müll. Arg. XV. 2. 474
Müll. Arg. XV. 2. 474

Aporosa
oblonga *Müll. Arg.* XV. 2. 472
Planchoana Baill. XV. 2. 475
Planchoniana *Müll. Arg.* XV. 2. 475
quadrilocularis *Müll. Arg.* XV. 2. 476
Roxburghii Baill. XV. 2. 472
sinensis Baill. XV. 2. 472
sphaerocarpa *Müll. Arg.* XV. 2. 473
Thwaitesii Baill. XV. 2. 471
Tulasneana Baill. XV. 2. 474
villosa *Baill.* XV. 2. 471
APTERocARPAE *Meisn.* XIV. 39
Aquilaria *Lam.* XIV. 601
Agallocha Hook. XIV. 700
Agallocha *Roxb.* XIV. 601
chinensis *Spr.* XIV. 602
malaccensis *Lam.* XIV. 602
orata Cav. XIV. 602
pentandra *Blanco* XIV. 602
secundaria *Dc.* XIV. 601
AQUILARIACEAE Endl. XIV. 601
AQUILARIACEAE Lindl. XIV. 493
AQUILARINEAE R. Br. XIV. 493 601
AQUILARINEAE *Meisn.* XIV. 601
Arachne Neck. XV. 2. 234
Arachne *Endl.* XV. 2. 234 (Andrachne)
Araliacea Wight & Arn. XVII. 13
Kleinii Wight XVII. 14
ARALIACEAE Benth. & Hook. fil: XVI. 2. 680, *Lindl.* XVI. 2. 596
Arar XVI. 2. 452
Araraji XVI. 2. 502
Araucaria *Juss.* XVI. 2. 364 369, *Lk.* XVI. 2. 369 370
Bidwilli *Hook.* XVI. 2. 371
brasiliensis *A. Rich.* XVI. 2. 370
β Saviana *Parl.* - - 371
γ gracilis - - - -
brasiliensis Savi fil. XVI. 2. 371
brasiliensis gracilis Carr. XVI. 2. 371
chilensis Mirb. XV. 2. 370
columnaris Hook. XVI. 2. 373
Cookii *R. Br.* XVI. 2. 373
Cookii Lindl. XVI. 2. 373
Cunninghamii *Ait.* XVI. 2. 372
β longifolia *Parl.* - - 373
γ glauca - - - -
Dombeyi Rich. XVI. 2. 370
elegans hort. XVI. 2. 371
excelsa *R. Br.* XVI. 2. 373

Araucaria
glauca Antoin. XVI. 2. 373
gracilis van Houtt. XVI. 2. 371
imbricata *Pav.* XVI. 2. 370
intermedia Vieill. XVI. 2. 373
lanceolata hort. XVI. 2. 433
laurifolia hort. XVI. 2. 516
Lindleyana van Houtt. XVI. 2. 371
Ridolfiana Savi fil. XVI. 2. 371
Rulei *F. Müll.* XVI. 2. 371
Sariana Parl. XVI. 2. 371
subulata Vieill. XVI. 2. 373
Araucaria *sect. Colymbea Endl.* XVI. 2. 370
sect. Columbea *Parl.* XVI. 2. 364 372
sect. Eutacta *Parl.* XVI. 2. 364 372
ARAUCARIEAE *Parl.* XVI. 2. 363 369
ARAUCARIEAE, ABIETINEAE, CUNNINGHAMIEAE, CUPRESSINEAE & TAXINEAE Henk. & Hochst. XVI. 2. 361
ARAUCARIEAE, ABIETINEAE, CUNNINGHAMIEAE & CUPRESSINEAE Henk. & Hochst. XVI. 2. 368
Arbol santo XV. 1. 118
Arbor calappoides sinensis Rumph XVI. 2. 526
Arbor camphorifera japonica Breyn XV. 1. 24
Arbor ovigera Rumph XV. 1. 262
Arbor regis Rumph XV. 1. 263
Arbor Salamandra Rumph XV. 2. 267
Arbor spiculorum angustifolia Rumph XV. 1. 214
Arbor spiculorum latifolia Rumph XV. 1. 218
Arbor virginiana citreaefolia Commel. XV. 1. 244
Arbor vitae Clus. XVI. 2. 458
Arbuscula sinica &c. Pluk. XV. 2. 307
Arceuthos Antoin. XVI. 2. 475
drupacea Antoin. & Kotschy XVI. 2. 476
Archimedea Leand. XVII. 127
pyramidalis Leand. XVII. 128 129
Ardinghelia (Ardinghalia) Comm. XV. 2. 274 341
ARDISIACEAE & APOCYNEAE Bartl. XVII. 27
Arditsch XVI. 2. 484
Argothamnia Spr. XV. 2. 732 741
Argothamnia
candicans Spr. XV. 2
herbacea Spr. XV. 2
Argyra Noronh. XV. 2.
fasciculata Noronh.
Argyrocroton *Griseb.*
Argyrodendron Kl. XV
bicolor Kl. XV. 2. 5
oratum Boiv. XV. 2
Petersii Kl. XV. 2.
Argyrodendros Comm.
Argyroglossum Baill
Argyrothamnia *Müll.* 732. S
aphoroides *Müll.* A
Berteroana *Müll.* A
boliviensis *Müll.* Ar
brasiliensis *Mull.* A
breviramea *Müll.* A
candicans *Müll. Arg*
dioica *Müll. Arg.* N
fasciculata *Müll. Arg*
Fendleri *Müll. Arg.*
foliosa *Müll. Arg*
guatemalensis *Müll.*
heterantha *Müll. Ar*
humilis *Müll. Arg.*
illimaniensis *Müll*
laevis *Müll Arg* N
lanceolata *Mull. Arg*
lancifolia *Mull. Arg.*
melochiaeflora *Mull.*
mercurialina *Mull.*
mollis *Müll. Arg.* N
montevidensis *Müll.*
neo-mexicana *Mull.*
Pavoniana *Müll. Arg*
pilosissima *Müll Ar*
quinquecuspidata *M*
Ruiziana *Mull. Arg*
Schiedeana *Mull. Arg*
α major -
β minor -
sericea *Mull. Arg*
α genuina -
β lanceolata -
serrata *Müll. Arg.* N

ıia
Müll. Arg. XV. 2. 735
Müll. Arg. XV. 2. 742
Müll. Arg. XV. 2. 744
a *Müll. Arg.* XV. 2. 745
ılata - - - -
na - - - 746
a *Müll. Arg.* XV. 2. 734
ıia *sect.* Aphora *Müll. Arg.* XV. 2. 738
Chiropetalum *Müll. Arg.* XV. 2. 742
Ditaxis *Müll. Arg.* XV. 2. 734
Euargyrothamnia *Müll. Arg.* XV. 2. 741
Philyra *Müll. Arg.* XV. 2. 733
Speranskia *Müll. Arg.* XV. 2. 734
ı *Bernier* XV. 2. 489, *Sw.* XV. 2. 741
Sw. XV. 2. 741
ıill. XV. 2. 744
ill. XV. 2. 743
riseb. XV. 2. 742
ı *sect. Chiropetalum Baill.* XV. 2. 742
XIV. 626
a *Hombr. & Jacquinot* XIV. 627
ook. *fil.* XIV. 627
Poepp. XIV. 626
Cav. XIV. 626
onica *Dc. fil.* XIV. 627
ll. XIV. 626
le la Louisiane Robin XV. 1. 436
Tourn. XV. 1. 432, *Kl.* XV. 1. 432
ı *Mart.* XV. 1. 470
ı *Kl.* XV. 1. 478 (*bis*)
ı *Commers.* XV. 1. 481
Lam. XV. 1. 479 480
ı *Roxb.* XV. 1. 480
ı *Wall.* XV. 1. 480
Duchtre XV. 1. 465
chtre XV. 1. 483
Desf. XV. 1. 489
Boiss. XV. 1. 492
L. XV. 1. 464 (*bis*)
Pav. XV. 1. 443
Sieber XV. 1. 479
Boj. XV. 1. 497
Wall. XV. 1. 480

Aristolochia
angustifolia *Boj.* XV. 1. 498
angustifolia *Cham.* XV. 1. 463
α longifolia - - - 464
β brevifolia - - - -
antihysterica *Mart.* XV. 1. 477
appendiculata Vell. XV. 1. 443
arborea *Linden* XV. 1. 477
arborescens *L.* XV. 1. 498
arkansana *Lodd.* XV. 1. 498
asari folio &c. Plum. XV. 1. 449
attica Orphan. XV. 1. 487
Aucherii Jaub. & Spach XV. 1. 492
aurantiaca *Duchtre* XV. 1. 475
auricularia *Boiss.* XV. 1. 485
aurita *Duchtre* XV. 1. 482
baetica *L.* XV. 1. 490 (*bis*)
barbata *Jacq.* XV. 1. 446
Baueri *Duchtre* XV. 1. 484
Bernieri *Duchtre* XV. 1. 482
biflora W. XV. 1. 457
bilabiata *L.* XV. 1. 468
bilabiata Sw. XV. 1. 468
Billardieri *Jaub. & Spach* XV. 1. 491
bilobata *L.* XV. 1. 456 (*bis*)
birostris *Duchtre* XV. 1. 467
Bonplandi Ten. XV. 1. 454
Bottae *Jaub. & Spach* XV. 1. 492 493
brachyura *Duchtre* XV. 1. 446
bracteata Lam. XV. 1. 479
bracteata *Retz* XV. 1. 478 (*bis*)
bracteolata Lam. XV. 1. 478
bracteosa *Duchtre* XV. 1. 441
brasiliensis *Mart. & Zucc.* XV. 1. 471 470
α macrophylla *Duchtre* - - -
β parviflora - - - -
brevipes *Benth.* XV. 1. 441
β Wrightii *Duchtre* - - -
Bridgesii *Duchtre* XV. 1. 463
Bruguieri Jaub. & Spach XV. 1. 493
campanaeformis Dc. XV. 1. 432
caracasana Spr. XV. 1. 444
caudata herb. berol. XV. 1. 446
caudata Booth XV. 1. 443 444
caudata *L.* XV. 1. 445
caule infirmo &c. Gron. XV. 1. 492
Chamissonis *Duchtre* XV. 1. 462
chia longa &c. Tourn. XV. 1. 491
chilensis *Miers* XV. 1. 461 (*bis*)
chiquitensis *Duchtre* XV. 1. 452
ciliata Hook. XV. 1. 454
ciliosa Benth. XV. 1. 454

Aristolochia
Claussenii *Duchtre* XV. 1. 466
Clematitis *L.* XV. 1. 489 (*bis*)
Clematitis baetica Clus. XV. 1. 490
Clematitis recta C. Bauh. XV. 1. 489
Clematitis non vulgaris C. Bauh. XV. 1. 490
Clematitis serpens C. Bauh. XV. 1. 490
Clematitis vulgaris Clus. XV. 1. 489
Clematitis n. 5 Wheler XV. 1. 485
conduplicata Poit. XV. 1. 460
conferta *Mill.* XV. 1. 498
contorta *Bung.* XV. 1. 488
cordiflora *Mutis* XV. 1. 474
cordigera *W.* XV. 1. 455
costaricensis *Duchtre* XV. 1. 450
crenata Ehrenb. XV. 1. 478
cretica *Lam.* XV. 1. 493 494
cretica flore maximo &c. Tourn. XV. 2. 494
cretica sempervirens Moris XV. 1. 490
cubensis *Linden* XV. 1. 498
cucullata Pohl XV. 1. 432
cyclochilia Duchtre XV. 1. 448
cymbifera *Mart.* & *Zucc.* XV. 1. 469 470
α labiosa *Duchtre* - - 470
β genuina - - - -
γ abbreviata - - - -
cynanchifolia *Mart.* & *Zucc.* XV. 1. 455
debilis *Sieb.* & *Zucc.* XV. 1. 483
deltoidea *H. B.* & *Kth* XV. 1. 468
dictyantha *Duchtre* XV. 1. 446
β Schomburgkii - - - 447
ecaudata Dc. XV. 1. 446
egensis Poepp. XV. 1. 465
Ehrenbergiana *Cham.* XV. 1. 445
elliptica Duchtre XV. 1. 453
emarginata *Duchtre* XV. 1. 467
emarginata W. XV. 1. 466
eriantha *Mart.* & *Zucc.* XV. 1. 452
Eschscholtzii Ledeb. XV. 1. 481
eurystoma *Duchtre* XV. 1. 447
β microphylla - - - 448
fasciculata Lam. XV. 1. 486
filipendulina *Duchtre* XV. 1. 466
fimbriata *Cham.* XV. 1. 454
flexuosa *Duchtre* XV. 1. 442
flore e viridi flavescente Plum. XV. 1. 460
fluminensis Kl. XV. 1. 451

Aristolochia
foetens *Lindl.* XV. 1 47
foetida *H. B.* & *Kth* X
foliis cordato-oblongis
folio cordiformi &c. Pl
folio hederaceo &c. Pl
folio lunato &c. Vaill
Fontanesii *Boiss.* & *R*
fragrantissima *Ruiz* X
galeata *Mart.* & *Zucc.*
galeata Moritzi XV. 1
Galeottii *Duchtre* XV.
Gardneri *Duchtre* XV.
Gaudichaudii *Duchtre*
geminiflora H. B. &
gibbosa *Duchtre* XV.
Giberti *Hook.* XV. 1. 4
gigantea Hook. XV. 1.
gigantea *Mart.* & *Zucc*
Gigas Lindl. XV. 1 4
glandulosa *Kickx* XV.
β glabra *Duchtre* -
glauca Desf. XV. 1. 4
glauca Lam. XV. 1. 4
glaucescens *H. B.* &
Goudotii *Duchtre* XV.
gracilis *Duchtre* XV 1
grandiflora Gomez XV
grandiflora *Sw.* XV. 1
β Hookeri *Duchtre* -
grandiflora Vahl XV
Griffithii *Hook. fil.* & *T*
hastata H. B. & *Kth*
hastata *Jack* XV 1 4
hastata Kl. XV. 1. 48
hastata Nutt. XV. 1 4
hians *W.* XV. 1. 472
Hilariana *Duchtre* XV
hirsuta Mühlenb. XV.
hirta *L.* XV. 1 494
β poecilantha *Duchtr*
γ scabrida -
hirta W. herb XV. 1
hispida *Pohl* XV 1 4
hyperborea Paxton XV
Jackii Steud. XV 1. 4
iberica Fisch. & *Mey.*
incisa *Duchtre* XV. 1.
indica *L.* XV. 1. 479 (

ia
phylla *Duchtre* XV. 1. 479
colata - - - -
f. B. & Kth XV. 1. 458
ri *W.* XV. 1. 439 (*bis*)
kii *Duchtre* XV. 1. 442
Hochst. XV. 1. 478 (*bis*)
W. XV. 1. 471
Ker XV. 1. 470 (*bis*)
Sims XV. 1. 470
ta *Wight* XV. 1. 479
ii *Duchtre* XV. 1. 451
ra *Linden* XV. 1. 477
na *Duchtre* XV. 1. 453
Duchtre XV. 1. 439
lus. XV. 1. 486
esf. XV. 1. 487
. XV. 1. 486 (*bis*)
reviata *Duchtre* - - -
bg XV. 1. 483
Woodv. XV. 1. 490
tera &c. Clus. XV. 1. 486
t. angust. &c. Moris XV. 1. 492
ubhirsuta &c. *Tourn.* XV. 1. 494
ra C. Bauh. XV. 1. 486
ra Sabbati &c. hort. rom. XV. 1. 489
andens &c. Plum. XV. 1. 456
a *Engelm. & Gray* XV. 1. 441
a *Champ.* XV. 1. 438
a *Kl.* XV. 1. 438
a *Roxb.* XV. 1. 438 (*bis*)
esf. XV. 1. 487
grandiflora Mutel XV. 1. 487
s *Duchtre* XV. 1. 461
nia *Hook.* XV. 1. 452
rpa *Duchtre* XV. 1. 497
ozza *Jaub. & Spach* XV. 1. 491
ylla *Duchtre* XV. 1. 495
ylla *Lam.* XV. 1. 435
Duchtre XV. 1. 447
a *Gomez* XV. 1. 443
rifida *Duchtre*- - 444
ii *Duchtre* XV. 1. 497
na *Pers.* XV. 1. 478
m *C. Bauh.* XV. 1. 492
m *Kl.* XV. 1. 478
m *L.* XV. 1. 492 (*bis*) 493
heri *Duchtre* - - -
m *L. var. Boiss.* XV. 1. 492

Aristolochia
maxima *L.* XV. 1. 456
α maxima *Duchtre* - - -
β geminiflora - - - 457
γ angustifolia - - - -
maysorensis Fisch. XV. 1. 479
melastoma *Manso* XV. 1. 460
mexicana L. XV. 1. 457 (*errore pro* maxima)
mexicana ß. acutiore Moris XV. 1. 464
micrantha *Duchtre* XV. 1. 440
microphylla *W.* XV. 1. 498
microstoma *Boiss. & Sprunn.* XV. 1. 485
microura Pohl XV. 1. 496
moluccana *Duchtre* XV. 1. 438
moschata Wedd. XV. 1. 475
multiflora *Duchtre* XV. 1. 481
nervosa *Duchtre* XV. 1. 480
nova species Pav. XV. 1. 465
nummularifolia *H. B. & Kth* XVI. 1. 465
oblonga Vell. XV. 1. 454 459
oblongata *Jacq.* XV. 1. 460
obtusata *Sw.* XV. 1. 460
obtusifolia Moç. & Sessé XV. 1. 467
odora *Steud.* XV. 1. 451
odoratissima Benth. XV. 1. 459
odoratissima *L.* XV. 1. 474 475 (*bis*)
β grandiflora *Duchtre* - - 475
odoratissima Vell. XV. 1. 451
officinalis Nees XV. 1. 434
Olivieri *Collegn.* XV. 1. 493
orbicularis *Duchtre* XV. 1. 467
orbiculata Vell. XV. 1. 470
orientalis fol. lanceol. &c. Tourn. XV. 1. 492
orientalis humilis &c. Tourn. XV. 1. 493
ornithocephala Hook. XV. 1. 471
Ottonis Kl. XV. 1. 476
ovalifolia *Duchtre* XV. 1. 453
pallida *W.* XV. 1. 487 (*bis*)
β elongata *Duchtre* - - -
pallida var. Heldr. XV. 1. 487
pandurata *Jacq.* XV. 1. 475
β Warscewiczii *Duchtre* - - 476
pandurata Wall. XV. 1. 479
panduriformis W. XV. 476
paramaribensis *Duchtre* XV. 1. 496
pardina *Duchtre* XV. 1. 450
parvifolia *Sibth. & Sm.* XV. 1. 491
β macroglossa *Duchtre* - - -

Aristolochia
parvifolia Sprun. XV. 1. 485
passifloraefolia *A. Rich.* XV. 1. 448 (*bis*)
Pavoniana *Duchtre* XV. 1. 465
peltata *L.* XV. 1. 449 (*bis*)
peltata Sw. XV. 1. 449
pentandra *L.* XV. 1. 440
β hastata *Duchtre* - - -
peregrina fol. auricul. Moris XV. 1. 492
peregrina Rauwolfii Clus. XV. 1. 492
Petersiana *Kl.* XV. 1. 483
picta Karst. XV. 1. 476
pilosa *H. B. & Kth* XV. 1. 454
piperifolia *Griff.* XV. 1. 498
Pistolochia Auch. XV. 1. 491
Pistolochia *L.* X. 1. 485 486
Pistolochia dicta C. Bauh. XV. 1. 486
Pistolochia s. Serpentaria Pluk. XV. 1. 433
platanifolia *Duchtre* XV. 1. 437
platyloba *Garke* XV. 1. 469
podocarpa *Bertol.* XV. 1. 497
poecilantha Boiss. XV. 1. 494
Pohliana *Duchtre* XV. 1. 496
pohyrhizos Spr. XV. 1. 434
pontica *Lam.* XV. 1. 493 (*bis*)
β parviflora *Duchtre* - - -
praevenosa *F. Müll.* XV. 1. 496
prostrata *Duchtre* XV. 1. 473
pubera Bauer XV. 1. 484
puberula R. Br. XV. 1. 484
pubescens *Page* XV. 1. 498
pubescens *W.* XV. 1. 450
punctata Balbis XV. 1. 446
punctata *Lam.* XV. 1. 463 (*bis*)
pusilla Pohl XV. 1. 466
Raja *Mart. & Zucc.* XV. 1. 462
reniformis *W.* XV. 1. 449
reniformis Vell. XV. 1. 462
repens *Mill.* XV. 1. 498
reticulata Holton XV. 1. 457
reticulata *Nutt.* XV. 1. 434
Rhazut & Remigi Rauw. XV. 1. 492
rigida *Duchtre* XV. 1. 495
ringens Lk. & Otto XV. 1. 471
ringens *Vahl* XV. 1. 471 472
rotunda Bové XV. 1. 487 488
rotunda *L.* XV. 1. 487 488
β grandiflora *Duchtre* - - 488
rotunda Moç. & Sessé XV. 1. 442
rotunda α L. XV. 1. 488
rotunda β L. XV. 1. 487

Aristolochia
rotunda altera Clus. XV.
rotunda β. ex alba &c.
X
rotunda β. maxima Bau
rotunda β. purpurea Bau
rotunda prima Clus. XV
Roxburghiana *Kl.* XV. 1
β angustifolia *Duchtre*
rubro-marginata Fisch.
rufo-marginata Lepriei
rugosa Lam. XV. 1. 48
Ruiziana *Duchtre* XV. 1
rumicifolia *Mart. & Za*
rumicifolia Schumb. XV
saccata Hook. fil. & T
saccata *Wall.* XV. 1. 4
β angustifolia *Duchtre*
saccata var. glabrata Thoms.
sagittata Mühlenb. XV.
scabrida Boiss. XV. 1.
scabridula Boiss. XV. 1
scandens *Mill.* XV. 1. 4
scandens P. Brown. X
scandens fol. oblongis &c.
Sellowiana *Duchtre* XV.
sempervirens *L.* XV. 1.
sericea *Benth.* XV. 1. 4
sericea *Blanco* XV. 1. 4
Serpentaria Barton XV.
Serpentaria *L.* XV. 1. 4
β Bartonii *Duchtre* - -
γ laxa - - -
δ hastata - - -
Serpentaria W. XV. 1.
Serpentaria var. γ W.
sessiflora (sessiliflora?)
sessilifolia *Duchtre* XV.
setigera Kl. XV. 1. 461
setosa *Duchtre* XV. 1. 4
sicula *Tineo* XV. 1. 488
sinarum Lindl. XV. 1. 4
Sipho *L'Herit.* XV. 1. 4
smilacina *Duchtre* XV. 1.
spathulata *Duchtre* XV.
strictiflora *Duchtre* XV.
subcordata W. XV. 1. 4

Lam. XV. 1. 490
ata Blanco XV. 1. 481
nsis Miq. XV. 1. 447
usis W. XV. 1. 455 447
Cham. XV. 1. 480
Hook. & Arn. XV. 1. 452
Kl. XV. 1. 448
cha Lem. XV. 1. 443
ohl XV. 1. 466
Mart. XV. 1. 455
F. Müll. XV. 1. 484
ii Hook. XV. 1. 437
Rich. XV. 1. 453 (*bis*)
s Dene XV. 1. 481
Sims XV. 1. 435
herb. XV. 1. 458
rtii Jaub. & Spach XV. 1. 491
Duchtre XV. 1. 462
ris Cham. XV. 1. 461
B. & Kth XV. 1. 444
m. XV. 1. 444
Lam. XV. 1. 455
Lindl. XV. 1. 443
L. XV. 1. 444 (*bis*)
Raf. XV. 1. 436
Field. & Gardn. XV. 1. 456
is H. B. & Kth XV. 1. 497
Duchtre XV. 1. 465
Seem. XV. 1. 497
Duchtre XV. 1. 442
Duchtre XV. 1. 443
is Duchtre XV. 1. 458
uticosae foliis Pluk. XV. 1. 434
ana Schlecht. XV. 1. 457
Duchtre XV. 1. 469
Seem. XV. 1. 441
Miq. XV. 1. 482
sect. Acerostylis *Duchtre* XV. 1. 495
Asterolyles *Duchtre* XV. 1. 433
Diplolobus *Duchtre* XV. 1. 478 496
Euaristolochia Kl. XV. 1. 485
Gymnolobus *Duchtre* XV. 1. 439 495 498
Hexodon *Duchtre* XV. 1. 438
Podanthemum Kl. XV. 1. 478

Aristolochia *sect.* Siphisia *Duchtre* XV. 1. 435
Arkopoda Raf. XVI. 2. 555 583
luteola Raf. XVI. 2. 584
Aroy pietjunkelleng XVII. 11
Arsis Lour. XVII. 289
Artanthe Miq. XVI. 1. 240 251 326 336
abutilifolia Miq. XVI. 1. 372
abutiloides Miq. XVI. 1. 330
acutifolia Miq. XVI. 1. 269
adenandra Miq. XVI. 1. 273
adenophora Miq. XVI. 1. 274
adenophylla Miq. XVI. 1. 319
adunca Griseb. XVI. 1. 317
adunca Miq. XVI. 1. 285
affinis Miq. XV. 1. 287
alaris Miq. XVI. 1. 373
albida Miq. XVI. 1. 370
alnoides Miq. XVI. 1. 284
alpina Miq. XVI. 1. 328
amazonica Miq. XVI. 1. 272
ampla Miq. XVI. 1. 296
amplectens Miq. XVI. 1. 293
andicola Miq. XVI. 1. 320
angustifolia Miq. XVI. 1. 296
anonaefolia Miq. XVI. 1. 299
apiculata Kl. XVI. 1. 299
appendiculata Benth. XVI. 1. 369
arcuata Miq. XVI. 1. 369
areolata Miq. XVI. 1. 304
aspera Miq. XVI. 1. 276
asperifolia Miq. XVI. 1. 276 315
asperiuscula Miq. XVI. 1. 277
augusta Miq. XVI. 1. 309
auriculata Miq. XVI. 1. 372
aurita Miq. XVI. 1. 321
avellana Miq. XVI. 1. 302
baccans Miq. XVI. 1. 279
bahiensis Presl XVI. 1. 372
barbata Miq. XVI. 1. 320
Barclayana Miq. XVI. 1. 277
Bartlingiana Miq. XVI. 1. 257
Benthamiana Miq. XVI. 1. 264
berbicensis Miq. XVI. 1. 287
Blanchetii Miq. XVI. 1. 318
botrytis Miq. XVI. 1. 380
brachypoda Benth. XVI. 1. 327
brachystachya Miq. XVI. 1. 296
Bredemeyeri Miq. XVI. 1. 271
brevispicata Miq. XVI. 1. 379
Brongniartii Miq. XVI. 1. 327
Brunoniana Miq. XVI. 1. 263
caladiifolia Miq. XVI. 1. 330
calocoma Miq. XVI. 1. 264
Cambessedei Miq. XVI. 1. 271

Artanthe
caracasana Miq. XVI. 1. 306
cardiophylla Presl XVI. 1. 374
caripensis Miq. XVI. 1. 370
casapiensis Miq. XVI. 1. 367
cassinoides Miq. XVI. 1. 369
catalpaefolia Miq. XVI. 1. 246
caudata Miq. XVI. 1. 246
cearensis Miq. XVI. 1. 286
cernua Presl XVI. 1. 306
Chamissonis Miq. XVI. 1. 283
chavicoides Miq. XVI. 1. 307
chimonanthifolia Miq. XVI. 1. 279
Churumaya Miq. XVI. 1. 303
Clausseniana Miq. XVI. 1. 276
coccoloboides Miq. XVI. 1. 288
colubrina Miq. XVI. 1. 319
colubrina var. crassifolia Miq. XVI. 1. 301
concinna Miq. XVI. 1. 328
consanguinea Miq. XVI. 1. 296
controversa Miq. XVI. 1. 370
cornifolia Miq. XVI. 1. 323
coruscans Miq. XVI. 1. 292
corylifolia Miq. XVI. 1. 314
crassispicata Miq. XVI. 1. 374
crocata Miq. XVI. 1. 270
cumanensis Miq. XVI. 1. 315
cumanensis Schlecht. XVI. 1. 315
curvata Miq. XVI. 1. 368
cuspidata Miq. XVI. 1. 283
dasypoda Miq. XVI. 1. 304
dasyoura Miq. XVI. 1. 269
decipiens Miq. XVI. 1. 273
decurrens Miq. XVI. 1. 266
demerarana Miq. XVI. 1. 298
denudans Miq. XVI. 1. 324
dimidiata Miq. XVI. 1. 371
diospyrifolia Miq. XVI. 1. 301
divergens Presl XVI. 1. 371
dubia Miq. XVI. 1. 367
Durvilleana Miq. XVI. 1. 299
elongata Miq. XVI. 1. 286
enckeoides Miq. XVI. 1. 323
Endlicheriana Miq. XVI. 1. 286
eriopoda Miq. XVI. 1. 285
eucalyptifolia Miq. XVI. 1. 322
excavata Miq. XVI. 1. 368
eximia Miq. XVI. 1. 307
exserens Miq. XVI. 1. 323
flagellaris Miq. XVI. 1. 289 307
flexicaulis Miq. XVI. 1. 309
flexuosa Miq. XVI. 1. 278
formosa Miq. XVI. 1. 286
fuliginea Miq. XVI. 1. 316
fuscescens Miq. XVI. 1. 272

Artanthe
Gabrieliana Miq. XVI.
Gaudichaudiana Miq. X
geniculata Griseb. XVI.
geniculata Miq. XVI. 1
glabella Miq. XVI. 1. 3
glabrata Miq. XVI. 1.
glabrescens Miq. XVI.
gracilis Miq. XVI. 1.
grandifolia Miq. XVI.
granulosa Miq. XVI. 1
guianensis Kl. XV. 1.
Guilleminiana Miq. XV
Haenkeana Miq. XVI.
halesiaefolia Miq. XV
Hartwegiana Benth. X
heterophylla Miq. XVI
hexagyna Miq. XVI. 1
Hilariana Miq. XVI. 1
hirsuta Miq. XVI. 1.
hirtula Presl XVI. 1.
hispida Miq. XVI. 1.
Hookeriana Miq. XVI.
Hostmanniana Miq. X
hymenophylla Miq. XV
Jacquemontiana Miq.
jalapensis Miq. XVI.
jamaicensis Griseb. X
japurensis Miq. XVI.
javitensis Miq. XVI. 1
imperialis Miq. XVI.
insignis Miq. XVI. 1.
Jussiaeana Miq. XVI.
Karwinskiana Miq. X
Kegeliana Miq. XVI.
Kunthiana Miq. XVI.
lacunosa Miq. XVI. 1
lanceaefolia Miq. XVI
lanceata Miq. XVI. 1
lapathifolia Miq. XVI
laurifolia Miq. XVI. 1
Lehmanniana Miq. X

lentaginoides Miq X

leptura Miq. XVI. 1
Lessertiana Miq. XVI
leucophylla Miq. XVI
Lhotzkyana Miq. XVI.
Lindeniana Miq XVI.
lineata Miq XVI. 1.
linguaefolia Miq. XVI
Lucaeana Miq. XVI.
Luschnathiana Miq X
macrophylla Griseb X
macrophylla Miq. XVI.

ha Miq. XVI. 1. 263
ya Presl XVI. 1. 371
Miq. XVI. 1. 307
a Presl XVI. 1. 337
Miq. XVI. 1. 291
Miq. XVI. 1. 297
Miq. XVI. 1. 274
Miq. XVI. 1. 276
Kl. XVI. 1. 320
XVI. 1. 373
a Miq. XVI. 1. 373
g. XVI. 1. 278
Miq. XVI. 1. 330
XVI. 1. 338
q. XVI. 1. 275
Miq. XVI. 1. 317
XVI. 1. 262
Miq. XVI. 1. 289 305
XVI. 1. 275
q. XVI. 1. 375
g. XVI. 1. 270
XVI. 1. 368
XVI. 1. 312
Miq. XVI. 1. 369
Kl. XVI. 1. 273
XVI. 1. 268 319
XVI. 1. 308
Miq. XVI. 1. 265
Miq. XVI. 1. 276 277
Miq. XVI. 1. 271
Miq. XVI. 1. 290
Miq. XVI. 1. 373
XVI. 1. 369
XVI. 1. 294
Miq. XVI. 1. 291
olia Miq. XVI. 1. 313
levigata Miq. XVI. 1. 282
a Miq. XVI. 1. 298
olia Miq. XVI. 1. 369
Miq. XVI. 1. 374
Miq. XVI. 1. 330
Miq. XVI. 1. 278
Miq. XVI. 1. 263
Miq. XVI. 1. 321
Miq. XVI. 1. 289
Miq. XVI. 1. 308
umayu Miq. XVI. 1. 288
Miq. XVI. 1. 370
Miq. XVI. 1. 310
q. XVI. 1. 282
XVI. 1. 271
Miq. XVI. 1. 288
Miq. XVI. 1. 307

Artanthe
reticulosa Miq. XVI. 1. 374
rhododendrifolia α Miq. XVI. 1. 299
rhynchostachya Miq. XVI. 1. 326
richardiaefolia Miq. XVI. 1. 305
riparia Miq. XVI. 1. 310
ricinoides Miq. XVI. 1. 312
Rudgeana Miq. XVI. 1. 373
rudis Miq. XVI. 1. 284
rugosa Miq. XVI. 1. 296 373
Ruiziana Miq. XVI. 1. 368
rumicifolia Miq. XVI. 1. 298
salicariaefolia Miq. XVI. 1. 317
salicifolia Miq. XVI. 1. 373
salviaefolia Miq. XVI. 1. 270
sancta Miq. XVI. 1. 330
saururoides Miq. XVI. 1. 375
scabra Miq. XVI. 1. 276
scabra var. Miq. XVI. 1. 284
scabriuscula Miq. XVI. 1. 369
Schachii Miq. XVI. 1. 283
Schlechtendalii Miq. XVI. 1. 295
Schomburgkii Kl. XVI. 1. 291
Schottii Miq. XVI. 1. 315 372
scopulorum Miq. XVI. 1. 371
scutata Miq. XVI. 1. 321
secunda Miq. XVI. 1. 300
Seemanniana Miq. XVI. 1. 321
Sellowiana Miq. XVI. 1. 324
septuplinervia Miq. XVI. 1. 313
sororia Miq. XVI. 1. 295
spectabilis Miq. XVI. 1. 306
staminea Miq. XVI. 1. 267
stellipila Miq. XVI. 1. 262
stupposa Miq. XVI. 1. 270
subaequalis Presl XVI. 1. 371
subauriculata Miq. XVI. 1. 324
superba Miq. XVI. 1. 307
Swartziana Miq. XVI. 1. 265
tectoniaefolia Miq. XVI. 1. 302
tejucensis Miq. XVI. 1. 287
tenuicuspis Miq. XVI. 1. 304
trichostachya Miq. XVI. 1. 270
tricuspis Miq. XVI. 1. 264
trinervis Miq. XVI. 1. 292
tuberculata Miq. XVI. 1. 266
tumida Miq. XVI. 1. 322
ulmifolia Miq. XVI. 1. 314
umbrosa Miq. XVI. 1. 370
variegata Miq. XVI. 1. 316
Vellosiana Miq. XVI. 1. 285
velutina Miq. XVI. 1. 316
verbascifolia Miq. XVI. 1. 258
verrucosa Griseb. XVI. 1. 267
Wydleriana Miq. XVI. 1 375

ys *Forst.* XVI. 1. 478
r. XV. 1. 478, XVII. 295
s *Solms* XVI. 1. 478
l. XVI. 1. 475 478
a *pimelevides F. Müll.* XIV. 515
m *Duchtre* XV. 1. 426 (Asarum)
riff. XV. 1. 429
is *Griff.* XV. 1. 429
Hassk. XV. 2. 1258
Kl. XV. 2. 274 329
Kl. XV. 2. 329
Kl. XV. 2. 329
Müll. Arg. XV. 2. 276 329 (Phyllanthus)
Duchtre XV. 1. 433 (Aristolochia)
XV. 2. 513 666
Kl. XV. 2. 670
a *Kl.* XV. 2. 670
Kl. XV. 2. 667
Diedrs. XV. 2. 670
ok. & *Benth.* XV. 2. 668
XV. 2. 669
Kl. XV. 2. 668
Kl. XV. 2. 668
iedrs. XV. 2. 668
Kl. XV. 2. 670
Kl. XV. 2. 669
Kl. XV. 2. 667
l. XV. 2. 514 666 (Croton)
Baill. XV. 2. 561 (Croton)
Griseb. XV. 2. 550 561 (Croton)
AE *Müll. Arg.* XVI. 2 550 552
Neck. XVI. 2. 552
Gay XVI. 2. 553
erectus Boiss. XVI. 2. 553
prostratus Boiss. XVI. 2. 553
scaber Gay XVI. 2 553
pathulatus Godr. & Gren. XVI. 2. 553
olius Nyman XVI. 2. 553
s *Boreau* XVI. 2. 554
ens *Raf.* XVI. 2. 553
s *Duby* XVI. 2. 552
rascens - - - -
latus - - - 553
Müll. Arg. - - -
us *Duby* - - 554
is *Salis* - - -

Astrocarpus
sesamoides J. Gay XVI. 2. 554
sesamoides Reichenb. XVI. 2. 553
sesamoides β Gayanus Müll. Arg. XVI. 2. 554
Astrococcus *Müll. Arg.* XV. 2. 766, *Benth.* XV. 2. 766
coriaceus *Baill.* XV. 2. 767
cornutus *Benth.* XV. 2. 766
Astrococcus *sect.* Euastrococcus *Müll. Arg.* XV. 2. 766
Haematostemon *Müll. Arg.* XV. 2. 767
Astrogyne Benth. XV. 2. 513 689
crotonoides Benth. XV. 2. 691
Astylis Wight XV. 2. 486 487
venusta Wight XV. 2. 488
Astylis *Müll. Arg.* XV. 2. 487 (Hemicyclia)
Asufi XVI. 2. 460
Asuparo XVI. 2. 460
Atherosperma *Labill.* XVI. 2. 642 675
integrifolium Cunn. XVI. 2. 676
micrantha *Tul.* XVI. 2. 676
moschata *Labill.* XVI. 2. 676
Sassafras Cunn. XVI. 2. 676 (*bis*)
ATHEROSPERMEAE R. Br. XVI. 2. 640
ATHEROSPERMEAE R. Br. XVI. 2. 674
ATHEROSPERMEAE *Tul.* XVI. 2. 661 674
ATHEROSPERMEAE S. ACHAENIOPHORAE Tul. XVI. 2. 674
Athroandra Hook. fil. XV. 2. 775 776
Athroandra *Müll. Arg.* XV. 2. 776 (Claoxylon)
Athroisma Griff. XV. 2. 1105 1108
Athymalus Neck. XV. 2. 7
Atoto XV. 2. 14
Atraphaxis *L.* XIV. 74 75
afghanica *Meisn.* XIV. 76
angustifolia *Jaub. & Spach* XIV. 79
Aucherii *Jaub. & Spach* XIV. 79
Billardieri *Jaub. & Spach* XIV. 77
β graeca *Meisn.* - -
buxifolia *Jaub. & Spach* XIV. 77
canescens *Bung.* XIV. 76
compacta *Ledeb.* XIV. 76
crassifolia Agardh XIV. 75
crassifolia β Fisch. XIV. 75
cuneifolia Poir. XIV. 79

Nees XV. 1. 92
tum Meisn. - - -
Nees XV. 1. 88 89 95 103
ar. Nees XV. 1. 90
m Meisn. XV. 1. 88 510
Meisn. XV. 1. 89
Kl. & Karst. XV. 1. 90
Meisn. XV. 1. 94
anum Nees XV. 1. 93
m Meisn. XV. 1. 89
Meisn. XV. 1. 88
es XV. 1. 94
lum Meisn. XV. 1. 92
um Nees XV. 1. 85 95
XV. 1. 88
leisn. XV. 1. 95
m Nees XV. 1. 94
um Meisn. XV. 1. 95 510
Meisn. XV. 1. 93
Meisn. XV. 1. 89
Meisn. XV. 1. 90
Nees XV. 2. 88
Meisn. XV. 1. 93
Nees XV. 1. 89
Kl. & Karst. XV. 1. 90
Nees XV. 1. 91
leisn. XV. 1. 88
Griseb. XV. 1. 95 174
Nees XV. 1. 94
β Nees XV. 1. 95 101
Meisn. XV. 1. 93
Meisn. XV. 1. 91
Nees XV. 1. 91
atum Meisn. - - -
tum - - -
m Meisn. XV. 1. 91
XVII. 29
Dc. fil. XVII. 29
Lam. XVII. 30
Lam. XVII. 29
eo XVII. 29
nus Monetia Baill. XVII. 29
Wight & Gardn. XVII. 27
e XV. 2. 226

B.

XVII. 243
Müll. Arg. XV. 2. 456, *Lour.* XV. 2. 456

Baccaurea
acuminata *Müll. Arg.* XV. 2. 463
affinis *Müll. Arg.* XV. 2. 459
Barteri *Müll. Arg.* XV. 2. 464
borneensis *Müll. Arg.* XV. 2. 460
bracteata *Müll. Arg.* XV. 2. 466
cauliflora *Lour.* XV. 2. 458
costulata *Müll. Arg.* XV. 2. 464
courtallensis *Müll. Arg.* XV. 2. 459
dasystachya *Müll. Arg.* XV. 2. 458
deflexa *Müll. Arg.* XV. 2. 462
dulcis *Müll. Arg.* XV. 2. 460
flaccida *Müll. Arg.* XV. 2. 459
Griffoniana *Müll. Arg.* XV. 2. 464
javanica *Müll. Arg.* XV. 2. 465
lanceolata *Müll. Arg.* XV. 2. 457
macrocarpa *Müll. Arg.* XV. 2. 459
macrophylla *Müll. Arg.* VX. 2. 460
minutiflora *Müll. Arg.* XV. 2. 463
Motleyana *Müll. Arg.* XV. 2. 461
parviflora *Müll. Arg.* XV. 2. 462
propinqua *Müll. Arg.* XV. 2. 463
pubera *Müll. Arg.* XV. 2. 458
pyrrhodasya *Müll. Arg.* XV. 2. 462
racemosa *Müll. Arg.* XV. 2. 461
ramiflora *Lour.* XV. 2. 458
sapida *Müll. Arg.* XV. 2. 459'
Seemanni *Müll. Arg.* XV. 2. 462
stylaris *Müll. Arg.* XV. 2. 465
sumatrana *Müll. Arg.* XV. 2. 466
sylvestris *Lour.* XV. 2. 457
taitensis *Müll. Arg.* XV. 2. 463
tetrandra *Müll. Arg.* XV. 2. 465
Wilkesiana *Müll. Arg.* XV. 2. 461
Baccaurea *sect.* Adenocrepis *Müll. Arg.* XV. 2. 465
Calyptroon *Müll. Arg.* XV. 2. 466
Hedycarpus *Müll. Arg.* XV. 2. 457
Isandrion *Müll. Arg.* XV. 2. 464
Pierardia *Müll. Arg.* XV. 2. 457
Bagassa *Aubl.* XVII. 281 285
Baitaria R. & Pav. XVII. 289
Balanophora *Forst.* XVII. 121 143
abbreviata *Bl.* XVII. 148
affinis Griff. XVII. 145
alutacea Jungh. XVII. 148
alveolata Griff. XVII. 145
Burmanniana Griff. XVII. 145
capensis Eckl. & Zeyh. XVII. 125 149

Balanophora
dioica *R. Br.* XVII. 145
dioica Unger XVII. 147
elongata *Bl.* XVII. 147
β maxima *Hook. fil.* - -
elongata Schott & Endl. XV
1
fungosa *Forst.* XVII. 145
gigantea Wall. XVII. 147
globosa *Jungh.* XVII. 146
Harlandi *Hook. fil.* XVII. 144
indica *Wall.* XVII. 145 146
β minor *Eichl.* - 146
involucrata *Hook. fil.* XVII. 144
α rubra - - -
β flava - - -
γ gracilis - - -
δ Carthcartii - - -
Lowii *Hook. fil.* XVII. 148
maxima Jungh. XVII. 147
picta Griff. XVII. 145
picta Miq. XVII. 146
polyandra *Griff.* XVII. 149
reflexa *Beccari* XVII. 148
Spec. Chatin XVII. 146
sur Cinchona Chatin XVII. 13
Thwaitesii *Eichl.* XVII. 146
typhina Wall. XVII. 145
BALANOPHORACEAE *Eichl.* XV
1
BALANOPHORACEAE L. C. Ri
XVII. 1
BALANOPHOREAE & CYNOM
RIACEAE Eichl. XVII. 1
BALANOPHOREAE *Hook. fil.* XVII.
121 1
BALANOPHOREAE L. C. Rich.
XVII. 1
BALANOPHORIDAE *Hook. fil.* XVII. 1
Balanti Ray XV. 1. 263
Balantine umbilicato folio Pet
XV. 1. 2
Bald-Cypress XVI. 2. 440
Baliospermum *Bl.* XV. 2. 1125
angulare Dene XV. 2. 1125
axillare Bl. XV. 2. 1125
calycinum *Müll. Arg.* XV. 2. 11
indicum Dene XV. 2. 1125
micranthum *Müll. Arg.* XV. 2. 11
montanum *Müll. Arg.* XV. 2. 11
Moritzianum Baill. XV. 2. 1125
polyandrum R. Wight XV. 2. 11
sinuatum *Müll. Arg.* XV. 2. 11
Ballezerda Comm. XIV. 675
Ballota XVI. 2. 39
Baloghia Endl. XV. 2. 1116

V. 466
. 401
. 457
IV. 466 516
IV. 463
Dum-Cours XIV. 464
464
IV. 456
t. XIV. 466
XIV. 464
n. XIV. 458
XIV. 466
nanns. XIV 455 466
XIV. 466
XIV. 456
r. XIV. 456
- 457
- -
- -
kew. XIV. 457
ill. XIV. 456
l. XIV. 457
lecht. XIV. 456
XIV. 458
XIV. 460
n. XIV. 454
sn. XIV. 462
n. XIV. 455
XIV. 454
XIV. 454
XIV. 466
XIV. 466 461
Thib. XIV. 461
XIV. 457
Br. XIV. 461
r. XIV. 455
Meisn. - -
- - -
- - -
XIV. 455
ll. XIV. 456
IV. 457
XIV. 452
XIV. 459
av. XIV. 455
rt. XIV. 453
rt. cantabr. XIV. 466
Salisb. XIV. 461
Gaertn. XIV. 466
IV. 466 472
XIV. 453
v. XIV. 461

Banksia
oblongifolia Lodd. XIV. 455
occidentalis *R. Br.* XIV. 454
oleaefolia Cav. XIV. 457
oleaefolia Salisb. XIV. 415 467
ornata *F. Müll.* XIV. 460
paludosa *R. Br.* XIV. 457
patula *R. Br.* XIV. 456
pilosa Forst. XIV. 467 516
pinifolia *Meisn.* XIV. 453
pinifolia Salisb. XIV. 402 467
pinnata hort. XIV. 467
polypodiifolia Knight & Salisb. XIV. 463
praemorsa Andr. XIV. 461
praemorsa Dum-Cours XIV. 455
prionophylla F. Müll. XIV. 455
Prionotes *Lindl.* XIV. 459
prostrata *R. Br.* XIV. 462
prostrata Forst. XIV. 467 517
pulchella *R. Br.* XIV. 452
pyriformis Gaertn. XIV. 422 467
quercifolia *R. Br.* XIV. 462
repens *Labill.* XIV. 463
reticulata *Hoffmanns.* XIV. 466
rubra *Don* XIV. 466
salicifolia Cav. XIV. 461
Sceptrum *Meisn.* XIV. 459
serraefolia Knight & Salisb. XIV. 462
serrata *L. fil.* XIV. 461
serrata White XIV. 461
serratifolia Salisb. XIV. 462
Solandri *R. Br.* XIV. 463
β major *Meisn.* - 464
speciosa *R. Br.* XIV. 464
speciosa Lindl. XIV. 699
sphaerocarpa *R. Br.* XIV. 452
β glabrescens *Meisn.* - -
spicata Gaertn. XIV. 457
spinulosa *Sm.* XIV. 453
tenuifolia Salisb. XIV. 401 467
teretifolia Salisb. XIV. 398. 467
tomentosa Forst. XIV. 467 516
tomentosa hort. XIV. 454
tomentosa *F. Müll.* XIV. 699
tricuspis *Meisn.* XIV. 453
uncigera Knight & Salisb. XIV. 460
undulata Lindl. XIV. 461
verticillata *R. Br.* XIV. 457
Victoriae *Meisn.* XIV. 464
villosa *hort.* XIV. 466
virens *Don* XIV. 466
Banksia *sect.* Eubanksia *Endl.* XIV. 452
Isostylis *R. Br.* XIV. 466

Banksia *sect. Banksiae verae R.* XIV.
Banksiae verae R. Br. XIV. 452 (Bank
BANKSIRAE *Meisn.* XIV. 211 451
Banquilia XV. 2. 417
Barbenia *Pet. Thouar.* XVII. 289
Barhamia Kl. XV. 2. 513 648 6
essequiboensis Kl. XV. 2. 654
hispida Kl. XV. 2. 653
macrostachya Kl. XV. 2. 654
ovalifolia Kl. XV. 2. 649
panamensis Kl. XV. 2. 653
urticaefolia Kl. XV. 2. 655
Barhamia Baill. XV. 2. 652 (Cro
Barinka XVII. 219
Barreria W. XVII. 296
Barya Kl. XV. 1. 278 286
monadelpha Kl. XV. 1. 287
Barya *Dc. fil.* XV. 1. 286 (Bego
Baryandra *Dc. fil.* XV. 1. 287 go
Batatinha XV. 1. 466
BATIDACEAE *Dc. fil.* XVII. 34
BATIDEAE Mart. XVII. 34
BATIDEAE Meisn. XVII. 34
Batis *P. Browne* XVII. 35, *R* XVII. 233
californica Torr. XVII. 35
fruticosa Roxb. XVII. 35
hermaphrodita Blanco XVII.
maritima Auct. XVII. 35
maritima *L.* XVII. 35
spinosa Roxb. XVII. 233
Bdallophyton *Eichl.* XVII. 301
Begonia *Plum.* XV. 1. 278, *L. fil.* 1. 269, *Bl.* XV. 1. 275 316. *H* XV. 1. 353 389, *Hook. fil Thoms.* XV. 1. 314, *Vell.* X 388, *Kl.* XV. 1. 278 292, *L'H* XV. 1. 393, *Roxb.* XV. 1. *Auctor.* XV. 1. 283 289 290 292 305 315 318 326 327 334 346 354 355 357 360 372 374 376 383 384 385 391
acerifolia *H. B. & Kth* XV. 1.
acetosa *Vell.* XV. 1. 400
acida *Mart.* XV. 1. 364
aconitifolia *Dc. fil.* XV. 1. 31
aculeata Meyen XV. 1. 318
acuminata *Dryand.* XV. 1. 294
acutifolia Balb. XV. 1. 295
acutifolia herb. vindob. XV.
acutifolia Jacq. XV. 1. 295

h. XV. 1. 316
fil. XV. 1. 331
XV. 1. 299
XV. 1. 301
fil. XV. 1. 350
il. XV. 1. 329
Lem. XV. 1. 400
lia Dc. fil. XV. 1. 340
Dc. fil. XV. 1. 380
berol. XV. 1. 311
. XV. 1. 400
. & Otto XV. 1. 311
riç. XV. 1. 310
k XV. 1. 397
V. 1. 384
XV. 1. 384
XV. 1. 356
h. XV. 1. 400
o XV. 1. 397
. XV. 1. 325
ebm. XV. 1. 337
Regel XV. 1. 334
ebm. XV. 1. 332
hort. Boiss. XV. 1. 374
Schott XV. 1. 374
k. fil. & Thoms. XV. 1. 349
& Kth XV. 1. 299
V. 1. 331
ina Kl. XV. 1. 299
ook. XV. 1. 285
rt. angl. XV. 1. 400
. XV. 1. 359
XV. 1. 273
XV. 1. 273 274 403
nth. XV. 1. 274 403
v. XV. 1. 273 274
is XV. 1. 273 403
. fil. XV. 1. 399
c. fil. XV. 1. 314
Dietr. XV. 1. 337
tt XV. 1. 368
Gardn. XV. 1. 377 (bis)
Dc. fil. XV. 1. 365
XV. 1. 400
fil. XV. 1. 328
– – – 329
il. XV. 1. 286
k. XV. 1. 390
ndl. XV. 1. 335
XV. 1. 356

Begonia
crenata Dryand. XV. 1. 356
crenata herb. Finlays. XV. 1. 401
crenatiflora Dc. fil. XV. 1. 306
crenulata Schott XV. 1. 358
cruenta Grah. XV. 1. 400
cubensis Hassk. XV. 1. 295 297
cubincola Dc. fil. XV. 1. 296
cucullata Ruiz XV. 1. 274 403
cucullata W. XV. 1. 292
cucullifolia Hassk. XV. 1. 293
Cumingiana Dc. fil. XV. 1. 320
Cumingii A. Gray XV. 1. 320
cyathophora Poepp. & Endl. XV. 1. 333
daedalea Lem. XV. 1. 342
dasycarpa Dc. fil. XV. 1. 290
dasypoda Meisn. XV. 1. 299
dealbata Liebm. XV. 1. 310
decandra Dc. fil. XV. 1. 288
declinata Vell. XV. 1. 400
dentata Pav. XV. 1. 307
dentatiloba Dc. fil. XV. 1. 378
denticulata H. B. & Kth XV. 1. 394
depauperata Schott XV. 1. 388
derycxiana Lem. XV. 1. 343
dichotoma Jacq. XV. 1. 367
digitata Raddi XV. 1. 371
dimidiata Vell. XV. 1. 377
dioica Don XV. 1. 328
dipetala Grah. XV. 1. 391
diptera Dryand. XV. 1. 325
discolor Ait. XV. 1. 313
discolor Bl. XV. 1. 313
disticha Lk. XV. 1. 294
diversifolia Grah. XV. 1. 299 310
diversifolia Knowl. & Westc. XV. 1. 394
diversifolia var. nana Walp. XV. 1. 299
domingensis Dc. fil. XV. 1. 296
dominicalis Dc. fil. XV. 1. 366
Donkelaariana Lem. XV. 1. 394
Dregei Otto & Dietr. XV. 1. 384
β sinuata Dc. fil. – – –
γ caffra – – – –
dubia Vell. XV. 1. 400
echinata Royl. XV. 1. 312
elata Kl. XV. 1. 301
elegans H. B. & Kth XV. 1. 291
elliptica H. B. & Kth XV. 1. 362
elongata Wall. XV. 1. 354
Epibaterium Mart. XV. 1. 361
β angustialata Dc. fil. – – –
erecta Vell. XV. 1. 400
eriocaulis Vis. XV. 1. 373

Begonia
Ermani Kl. XV. 1. 302
Erminea *L'Herit.* XV. 1. 393
β obtusa *Dc. fil.* - - -
erosa Bl. XV. 1. 276 403
erosa *Wall.* XV. 1. 400
erythrocarpa *Dc. fil.* XV. 1. 2
Evansiana *Andr.* XV. 1. 313
eximia *Lem.* XV. 1. 399
fagifolia *Fisch.* XV. 1. 361
fagopyroides *Kth* & *Bouché*
1.
β Fendleriana *Dc. fil.* - - -
falcifolia *Liebm.* XV. 1. 310
fallax *Dc. fil.* XV. 1. 329
fasciculata *Jack* XV. 1. 322
ferruginea L. fil. XV. 1. 269
filipes *Benth.* XV. 1. 300
fimbriata *Liebm.* XV. 1. 346
Finlaysoniana *Wall.* XV. 1. 4
Fischeri *Otto & Dietr.* XV. 1.
Fischeri Schrank XV. 1. 300
flexuosa *Dc. fil.* XV. 1. 382
foliosa *H. B. & Kth* XV. 1.
foliosa Poepp. XV. 1. 376
frigida *Dc. fil.* XV. 1. 387
Franconis *Liebm.* XV. 1. 383
fruticosa *Dc. fil.* XV. 1. 374
fuchsioides *Hook.* XV. 1. 291
β miniata *Dc. fil.* - - -
fusca *Liebm.* XV. 1. 334
Galleottiana *Lem.* XV. 1. 401
Galeottii hort. berol. XV. 1.
Gardneri *Dc. fil.* XV. 1. 364
Gaudichaudii *Walp.* XV. 1. 2
gemmipara *Hook. fil.* & *Th*
XV. 1.
geniculata Jack XV. 1. 321
geniculata Vell. XV. 1. 365
geraniifolia *Hook.* XV. 1. 2
gigantea Wall. XV. 1. 403 4
glabra Aubl. XV. 1. 362
glandulosa *Dc. fil.* XV. 1. 33
glauca *R. & Pav.* XV. 1. 330
Goudotii *Dc. fil.* XV. 1. 325
gracillima *Dc. fil.* XV. 1. 282
gracilis *H. B. & Kth* XV. 1.
β depauperata *Dc. fil.* - -
γ membranacea - - -
δ nervipilosa - - -
ε annulata - - -
η Martiana - - -
ζ diversifolia - - -
gracilis var. Kth XV. 1. 309
Grahamiana Wight XV. 1. 38

XV. 1. 392
l. XV. 1. 297
fil. XV. 1. 376
rt. berol. XV. 1. 335
XV. 1. 306
XV. 1. 344
- - -
. 1. 326
c. fil. - - 327
Otto XV. 1. 308
fil. - - 309
V. 1. 273
XV. 1. 332
. 1. 321
fil. XV. 1. 371
XV. 1. 399
V. 1. 309
XV. 1. 395
XV. 1. 351
. XV. 1. 339 340
XV. 1. 313
- - 314
XV. 1. 320
q. XV. 1. 390
c. fil. XV. 1. 341
XV. 1. 319
XV. 1. 348
V. 1. 347 340
c. fil. - - 348
- - - -
XV. 1. 348
XV. 1. 340
van Houtt. XV. 1. 400
fil. XV. 1. 378
fil. XV. 1. 379
l. XV. 1. 327
. 1. 292
V. 1. 347
XV. 1. 399
. 317
XV. 1. 342
l. XV. 1. 345
l. XV. 1. 296
. XV. 1. 336
. 1. 372
XV. 1. 355
V. 1. 390
. 1. 355
XV. 1. 339
XV. 1. 362
. 1. 398
V. 1. 365
c. fil. - - -

Begonia
longipila Lem. XV. 1. 385
longirostris Benth. XV. 1. 372 403
longovillosa *Dc. fil.* XV. 1. 324
lucida Haw. XV. 1. 298
lucida Kth & Bouché XV. 1. 319
lucida Otto & Dietr. XV. 1. 362
ludicra *Dc. fil.* XV. 1. 340
luxurians *Chr. Lem.* XV. 1. 370
Lyallii *Dc. fil.* XV. 1. 394
macra *Dc. fil.* XV. 1. 284
macrophylla Lam. XV. 1. 294
macroptera *Kl.* XV. 1. 300
β Pohliana *Dc. fil.* - - 301
γ paludum - - - -
maculata *Raddi* XV. 1. 318
β argentea *Dc. fil.* - - -
magnifica Warsz. XV. 1. 269 403
malabarica *Lam.* XV. 1. 392 (*bis*)
β Rheedii *Dc. fil.* - - -
malabarica Roxb. XV. 1. 399
malabarica Wall. XV. 1. 392
malvacea *Kl.* XV. 1. 302
manicata *Rrongn.* XV. 1. 341
manillensis *Dc. fil.* XV. 1. 323
Mannii *Hook.* XV. 1. 517
marmorea hort. van Houtt. XV. 1. 400
martabanica *Dc. fil.* XV. 1. 354
Martiana Lk & Otto XV. 1. 309
Martiana Schlecht. XV. 1. 309
martinicensis *Dc. fil.* XV. 1. 294
Maurandiae *Dc. fil.* XV. 1. 279
maxima *hort. berol.* XV. 1. 334
maynensis *Dc. fil.* XV. 1. 310
megaphylla *Dc. fil.* XV. 1. 341
megaptera *Dc. fil.* XV. 1. 348
Meisneri *Wall.* XV. 1. 401
membranacea *Dc. fil.* XV. 1. 369
meridensis *Dc. fil.* XV. 1. 292
Meyeniana *Walp.* XV. 1. 395
Meyerii Otto & Dietr. XV. 1. 373
micrantha Steud. XV. 1. 370
microcarpa *Dc. fil.* XV. 1. 311
microphylla *Dc. fil.* XV. 1. 375
microphylla herb. W. XV. 1. 375 (*bis*)
microptera *Hook.* XV. 1. 398
miniata Planch. XV. 1. 291
minor Jacq. XV. 1. 293
modesta *Liebm.* XV. 1. 383
mollis *Dc. fil.* XV. 1. 391
monadelpha *R. & Pav.* XV. 1. 286

Begonia
monophylla *Pav.* XV. 1. 284
monophylla Pourr. XV. 1. 403
monoptera *Lk & Otto* XV. 1.
Moritziana Kl. XV. 1. 292 30
Moritziana Kth & Bouché XV

multangula Bl. XV. 1. 275 40
multibulbillosa *Mart.* XV. 1.
multiflora *Benth.* XV. 1. 395
multinervia *Liebm.* XV. 1. 343
muricata Bl. XV. 1. 323
muricata *Scheidw.* XV. 1. 370
nana *L'Herit.* XV. 1. 393
natalensis *Hook.* XV. 1. 385
neglecta *Dc. fil.* XV. 1. 369
β caulescens - - - -
nelumbiifolia *Cham. & Schl.*
1.
neocomensium *Dc. fil.* XV. 1.
nigritarum *Steud.* XV. 1. 401
nigro-venia hort. Linden XV

nitida *Ait.* XV. 1. 293
β pilosula *Dc. fil.* - - 294
Nossibea *Dc. fil.* XV. 1. 324
novogranatae *Dc. fil.* XV. 1.
oaxacana *Dc. fil.* XV. 1. 312
β pilosula - - - -
obliqua L'Herit. XV. 1. 293
obliqua Kl. XV. 1. 293
obliqua L. XV. 1. 295
obliqua Ruiz XV. 1. 333
obliqua Thbg XV. 1. 313
obliqua *Vell.* XV. 1. 401
obliqua δ L. XV. 1. 396
octopetala *L'Herit.* XV. 1. 28
odorata W. XV. 1. 294
oligophylla *Bl.* XV. 1. 398
opuliflora *Putz.* XV. 1. 395
orbiculata *Jack* XV. 1. 398
Ottoniana *Regel* XV. 1. 399
Ottonis hort. amstelod. XV.

Ottonis *Walp.* XV. 1. 292
ovatifolia *Dc. fil.* XV. 1. 328
oxyphylla *Dc. fil.* XV. 1. 377
oxysperma *Dc. fil.* XV. 1. 287
paleata *Dc. fil.* XV. 1. 363
palmaris *Dc. fil.* XV. 1. 307
β Jürgensenii - - - -
palmata Don XV. 1. 348
palmata Pav. XV. 1. 307
palustris *Benth.* XV. 1. 303
papillosa Grah. XV. 1. 309
parviflora Liebm. XV. 1. 383

s *Dc.* XV. 1. 295
s *Moore* XV. 1. 400
. *fil.* XV. 1. 382
rt. *berol.* XV. 1. 357
ra *Dc. fil.* - - -
etzkoi *Lem.* XV. 1. 400
pa *Hook.* XV. 1. 389
Wall. XV. 1. 352
Vell. XV. 1. 401
c. *fil.* XV. 1. 353
. *fil.* XV. 1. 338
addi XV. 1. 359
rb. *Schreb.* XV. 1. 293
k & *Otto* XV. 1. 335
Dc. *fil.* XV. 1. 297
c. *Plum.* XV. 1. 294
w. XV. 1. 293
fil. XV. 1. 282
iebm. XV. 1. 345
Dc. fil. XV. 1. 375
Dc. fil. XV. 1. 321
ack XV. 1. 322
zh. XV. 1. 335
ll. XV. 1. 401
Paxt. XV. 1. 357
ort. *berol.* XV. 1. 384
Dryand. XV. 1. 365
Hook. XV. 1. 366
Pav. XV. 1. 308
Vell. XV. 1. 401
. XV. 1. 320
XV. 1. 391
. XV. 1. 395
& *Par.* XV. 1. 333
tt XV. 1. 365
. XV. 1. 400
th. XV. 1. 346
bm. XV. 1. 345
finis *Benth.* XV. 1. 345
XV. 1. 350
Fisch. XV. 1. 388
hort. berol. XV. 1. 340
Dc. fil. XV. 1. 323
- - - -
ietr. XV. 1. 400
. *fil.* XV. 1. 358
XV. 1. 373
XV. 1. 275 403
ling. XV. 1. 275
den XV. 1. 330
(V. 1. 507 *est B. novo-granatae*)
ts. XV. 1. 284
il. XV. 1. 299
XV. 1. 273

Begonia
roseo flore &c. Plum. XV. 1. 296 395 (*bis*)
Rossmanniae *Dc. fil.* XV. 1. 333
rotata Liebm. XV. 1. 335
rotundifolia *Lam.* XV. 1. 395
rotunda *Vell.* XV. 1. 401
Roxburghii *Dc. fil.* XV. 1. 398
rubella *Don* XV. 1. 399
rubella Miq. XV. 1. 356
rubicunda hort. turic. XV. 1. 384
rubra Bl. XV. 1. 275 403
rubricaulis *Hook.* XV. 1. 283
rubro-pilosa *Dc. fil.* XV. 1. 304
rubro-setulosa *Dc. fil.* XV. 1. 390
rubro-venia *Hook.* XV. 1. 347
rubro-venia-xanthina *hort. van Houtt.* XV. 1. 400
rufa *Thbg* XV. 1. 396
rupicola *Miq.* XV. 1. 352
rutilans *hort. van Houtt.* XV. 1. 373
salicifolia *Dc. fil.* XV. 1. 319
Sandersii *hort. kew.* XV. 1. 400
sanguinea *Raddi* XV. 1. 358
sarcophylla *Liebm.* XV. 1. 337
Sartorii Liebm. XV. 1. 337
saxatilis *Bl.* XV. 1. 351
saxicola *Dc. fil.* XV. 1. 396
saxifraga *Dc. fil.* XV. 1. 367
scabrida *Dc. fil.* XV. 1. 367
scandens *Sw.* XV. 1. 362 (*bis*)
β amplifolia *Dc. fil.* - - -
scandens *Vell.* XV. 1. 401
schizolepis Liebm. XV. 1. 342
Schlumbergeriana *Lem.* XV. 1. 356
Schottiana *Dc. fil.* XV. 1. 378
scutata *Wall.* XV. 1. 328
scutellata Liebm. XV. 1. 338
Seemanniana *Dc. fil.* XV. 1. 332
β longistipulacea - - - -
Selloi *Lodd.* XV. 1. 401
Sellowii hort. angl. XV. 1. 293
Sellowii hort. monac. XV. 1. 293
Sellowii Kl. XV. 1. 293
semiovata *Liebm.* XV. 1. 382
semperflorens bot. magaz. XV. 1. 293
semperflorens *Lk & Otto* XV. 1. 293
β Hookeri *Dc. fil.* - - -
γ Sellowii - - - -
sericoneura *Liebm.* XV. 1. 336
sericoneura Seem. XV. 1. 337
serotina *Dc. fil.* XV. 1. 285
setaria hort. angl. XV. 1. 293
setifera *Dc. fil.* XV. 1. 338

sect. Baryandra *Dc. fil.* XV. 1. 287
Begoniastrum *Dc. fil.* XV. 1. 292
Begoniella *Dc. fil.* XV. 1. 281
Bracteibegonia *Dc. fil.* XV. 1. 316
Cyathocnemis *Dc. fil.* XV. 1. 332
Dasystyles *Dc. fil.* XV. 1. 387
Diploclinium *Dc. fil.* XV. 1. 322
Donaldia *Dc. fil.* XV. 1. 290
Doratometra *Dc. fil.* XV. 1. 383
Dysmorphia *Dc. fil.* XV. 1. 355
Erminea *Dc. fil.* XV. 1. 393
Eubegonia Walp. XV. 1. 292
Eupetalum *Dc. fil.* XV. 1. 280
Ewaldia *Dc. fil.* XV. 1. 372
Filicibegonia *Dc. fil.* XV. 1. 392
Gaerdtia *Dc. fil.* XV. 1. 318
Gireoudia *Dc. fil.* XV. 1. 334
Gobenia *Dc. fil.* XV. 1. 279
Haagea *Dc. fil.* XV. 1. 391
Hoffmannella Kl. XV. 1. 297
Huszia *Dc. fil.* XV. 1. 283
Hydristyles *Dc. fil.* XV. 1. 329
Knesebeckia *Dc. fil.* XV. 1. 305
Latistigma *Dc. fil.* XV. 1. 315
Lauchea *Dc. fil.* XV. 1. 353
Lepsia *Dc. fil.* XV. 1. 374
Loasibegonia *Dc. fil.* XV. 1. 389
Magnusia *Dc. fil.* XV. 1. 333

Begonia *sect.* Meionanthera *Dc. fil.* XV. 1. 379
Mitscherlichia *Dc. fil.* XV. 1. 389
Monophyllon *Dc. fil.* XV. 1. 353
Moschkowitzia *Dc. fil.* XV. 1. 289
Muscibegonia *Dc. fil.* XV. 1. 387
Nerviplacentaria *Dc. fil.* XV. 1. 393
Parvibegonia *Dc. fil.* XV. 1. 354
Petermannia *Dc. fil.* XV. 1. 319
Philippomartia *Dc. fil.* XV. 1. 369
Pilderia *Dc. fil.* XV. 1. 379
Platycentrum *Dc. fil.* XV. 1. 346
Plurilobaria *Dc. fil.* XV. 1. 356
Podandra *Dc. fil.* XV. 1. 288
Poecilia *Dc. fil.* XV. 1. 380
Pritzelia *Dc. fil.* XV. 1. 357
Psathuron *Dc. fil.* XV. 1. 326
Putzeysia *Dc. fil.* XV. 1. 314
Quadrilobaria *Dc. fil.* XV. 1. 324
Rachia *Dc. fil.* XV. 1. 326
Reichenheimia *Dc. fil.* XV. 1. 385
Rossmannia *Dc. fil.* XV. 1. 333
Ruizopavonia *Dc. fil.* XV. 1. 330
Saueria *Dc. fil.* XV. 1. 288
Scheidweileria *Dc. fil.* XV. 1. 370
Sexalaria *Dc. fil.* XV. 1. 315
Solananthera *Dc. fil.* XV. 1. 317
Steineria *Dc. fil.* XV. 1. 376
Tetraphila *Dc. fil.* XV. 1. 517

Begonia *sect.* Tittelbachia *Dc. fil*
XV. 1.
Trachelocarpus *Dc*
XV. 1.
Trendelenburgia *D*
XV. 1.
Trilobaria *Dc. fil.*
1.
Wageneria *Dc. fil*
XV. 1.
Weilbachia *Dc. fil*
XV. 1.
BEGONIACEAE *Dc. fil.* XV. 1.
BEGONIACEAE Bonpl. XV. 1.
BEGONIAE Tratt. XV. 1. 266
Begoniastrum *Dc. fil.* XV. 1. 29
(Bego
Begoniella *Dc. fil.* XV. 1. 281
go
Beilschmiedia *Nees* XV. 1. 4 62
assamica *Meisn.* XV. 1. 64
fagifolia *Nees* XV. 1. 64
β Dalzellii *Meisn.* - - -
javanica *Miq.* XV. 1. 63
macrophylla *Meisn.* XV. 1. 63
Madang *Bl.* XV. 1. 63
Roxburghiana *Nees* XV. 1. 63
β malaccensis *Meisn.* - - -
undulata *Miq.* XV. 1. 64
Bejuco Carare XV. 1. 457
Bejuco de la Estrella XV. 1. 46
Belis Salisb. XVI. 2. 432
jaculifolia Salisb. XVI. 2. 433
lanceolata Sweet XVI. 2. 433
Bellendena *R. Br.* XIV. 347, *Bel*
denia Endl. XIV.
montana *R. Br.* XIV. 348
Bellonia *Plum.* XVII. 290
aspera *L.* XVII. 290
frutescens fol. melissae & Plu
XVII.
spinosa *Sw.* XVII. 290
Bellota Gay XV. 1. 67
Miersii Gay XV. 1. 57
nitida Philipp. XV. 1. 506
Bellota XV. 1. 67
Belore XV. 1. 12
Bembix *Lour.* XVII. 290
Bennettia *R. Br.* XV. 2. 1032 10
affinis *R. Br.* XV. 2. 1037
aristifera *Müll. Arg.* XV. 2. 1
filiformis *Müll. Arg.* XV. 2. 10
Finlaysoniana *R. Br.* XV. 2. 1
fulva *Müll. Arg.* XV. 2. 1037
Jackiana *R. Br.* XV. 2. 1039
javanica R. Br. XV. 2. 1038

s *Müll. Arg.* XV. 2. 919
ma *Müll. Arg.* XV. 2. 917
anina – – – –
osa – – – –
olia *Müll. Arg.* XV. 2. 918
aima *Müll. Arg.* XV. 2. 922
iana *Müll. Arg.* XV. 2. 919
dia *Griseb.* XV. 2. 916
pia *Müll. Arg.* XV. 2. 916
Müll. Arg. XV. 2. 917
phylla *Müll. Arg.* XV. 2. 918
na *Müll. Arg.* XV. 2 916
nuina – – – –
bbiflora – – – –
erascens – – – 917
hylla *Müll. Arg.* XV. 2. 917
ulis *Müll. Arg.* XV. 2. 923
ra *Müll. Arg.* XV. 2. 919
ularis *Müll. Arg.* XV. 2. 922
ii *Müll. Arg.* XV. 2. 923
s *Müll. Arg.* XV. 2. 924
ides *Müll. Arg.* XV. 2. 923
uana *Müll. Arg.* XV. 2. 920
jor – – – –
nuina – – – –
lchella – – – –
rvifolia – – – –
Griseb. XV. 2. 917
sect. Adenophaedra *Müll. Arg.* XV. 2. 918
Alevia *Müll. Arg.* XV. 2. 915
Passaea *Müll. Arg.* XV. 2. 923
Phyllopassaea *Müll. Arg.* XV. 2. 922
Polyboea *Müll. Arg.* XV. 2. 918
Tragonthus *Müll. Arg.* XV. 2. 924
Tyria *Müll. Arg.* XV. 2. 916
Klein XV. 1. 177 (*bis*)
Planch. XV. 2. 208
nghamii *Planch.* XV. 2. 211
ifera *Müll. Arg.* XV. 2. 210
nuina – – – –
iloclada – – – –
ifera Planch. XV. 2. 210
lli *Müll. Arg.* XV. 2. 210
gifolia *Müll. Arg.* XV. 2. 209
olia *Planch.* XV. 2. 209
lia *Planch.* XV. 2. 211

Bertya
pomaderroides *F. Müll.* XV. 2. 209
rosmarinifolia Hook. fil. XV. 2. 211
rosmarinifolia *Planch.* XV. 2. 210
rotundifolia *F. Müll.* XV. 2. 209
tasmanica *Müll. Arg.* XV. 2. 211
BERTYEAE *Müll. Arg.* XV. 2. 198 208
Bessera Spr. XV. 2. 446 448
inermis Spr. XV. 2. 449
Be-tangham XV. 2. 78
Betela Siri Boa Bont. XVI. 1. 359
Betula *Tourn.* XVI. 2. 161, *Spach* XVI. 2. 162
acuminata Ehrh. XVI. 2. 164
acuminata *Wall.* XVI. 2. 179
acuminata α β γ ε Regel XVI. 2. 180
acuminata δ genuina Regel XVI. 2. 180
acuminata δ genuina & ζ lanceolata Regel XVI. 2. 179
acuminata glabra Regel XVI. 2. 180
acuminata β pilosa & γ arguta Regel XVI. 2. 180
affinis *Endl.* XVI. 2. 180
alba Guimpel XVI. 2. 168
alba Hornem. XVI. 2. 167
alba Laestad. XVI. 2. 163
alba *L.* XVI. 2. 162 163
I. verrucosa
α vulgaris *Regel* XVI. 2. 163
1 expansa – – – –
2 pendula – – – –
3 microphylla – – – –
4 lobulata – – – –
5 lobata – – – 164
β sterilis – – – –
γ oycowiensis – – – –
δ resinifera – – – –
ε arbuscula – – – –
II. populifolia *Regel* XVI. 2. 164
III. mandshurica *Regel* XVI. 2. 165
IV. latifolia *Regel* XVI. 2. 165
α Tauschii – – – –
β kamtschatica – – – –
V. occidentalis *Regel* XVI. 2. 165
α typica – – – –
β commutata – – – 166
VI. papyrifera *Regel* XVI. 2. 166
α communis – – – –
β cordifolia – – – –
γ humilis – – – –

anaeformis Laestad. XVI. 2. 172
palustris Laestad. XVI. 2. 173
olycarpa Laestad. XVI. 2. 173
otundifolia Laestad. XVI. 2. 172
ubrotundifolia Laestad. XVI. 2. 172
rkh. XVI. 2. 181
lampe XVI. 2. 168
Forst. XVI. 2. 121
lecht. XVI. 2. 183
a hort. XVI. 2. 167
rkh. XVI. 2. 167
(Boipattra) Wall. XVI. 2. 177 (*bis*)
Regel - - -
n - - - -
lifera - - - -
montil- - - -
data - - - -
β *Regel* XVI. 2. 177
β *Jacquemontii Regel* XVI. 2. 178
pach XVI. 2. 173
gensis Bechst. XVI. 2. 167
Reichenb. XVI. 2. 169
Tausch XVI. 2. 167
Wald. & Kit. XVI. 2. 168
β *hercynica Reichenb.* XVI. 2 168
var. microphylla Kühlw. XVI. 2. 173
β *sudetica Reichenb.* XVI. 2. 167
α *Auct.* XVI. 2. 179
a Ehrh. XVI. 2. 179
Sieb. & Zucc. XVI. 2. 178
ois. XVI. 2. 185
Regel XVI. 2. 166
Tausch XVI. 2. 168
Regel & Maxim. XVI. 2. 178
autv. XVI. 2. 176 (*bis*)
XVI. 2. 182
XVI. 2. 182
a Laestad. XVI. 2. 168
Schrad. XVI. 2. 164
chys Wall. XVI. 2. 179

Betula
α typica *Regel* XVI. 2. 180
β pilosa - - - -
γ subglabra - - - -
dahurica Auct. XVI. 2. 175
dahurica *Pall.* XVI. 2. 174
α typica *Regel* - - 175
β americana - - - -
dahurica W. XVI. 2. 168
dahurica var. Maximowicziana (Maximowiczii) Trautv. XVI. 2. 174 175
davurica Ledeb. XVI. 2. 168
divaricata Ledeb. XVI. 2. 170
Ermani *Cham.* XVI. 2. 176 (*bis*)
α typica *Regel* - - -
β lanata - - - 177
γ tomentosa - - - -
Ermani Regel XVI. 2. 177
Ermani Trautv. & Mey. XVI. 2. 177
Ermani γ costata Regel XVI. 2. 176 (*bis*)
ethnensis Raf. XVI. 2. 163
excelsa Ait. XVI. 2. 169
excelsa Auct. XVI. 2. 179
excelsa Duham. XVI. 2. 166
excelsa Hook. XVI. 2. 179
fruticosa Auct. XVI. 2. 174
fruticosa Fries XVI. 2. 172
fruticosa *Pall.* XVI. 2. 169 173
fruticosa Wats. XVI. 2. 172
fruticosa β cuneifolia Regel XVI. 2. 169
fruticosa α Gmelini Regel XVI. 2. 170
fruticosa β humilis Reichenb, XVI. 2. 172
fruticosa Ruprechtiana Trautv. XVI. 2. 174
glandulosa A. Gray XVI. 2. 172
glandulosa Hook. XVI. 2. 172
β nana - - - -
glandulosa *Mx* XVI. 2. 172 (*bis*)
α typica *Regel* - - -
β rotundifolia - - - -
glandulosa Spach XVI. 2. 172
glauca Wender. XVI. 2. 167
glutinosa Fries XVI. 2. 167 168
glutinosa herb. succic. XVI. 2. 169
glutinosa Wallr. XVI. 2. 167 168
glutinosa W. XVI. 2. 187
glutinosa crassifolia Laestad. XVI. 2. 169
glutinosa fol. cordatis herb. succic. XVI. 2. 169

Betula
glutinosa forma prima Fries XV
2. 1
forma secunda - - -1
glutinosa var. pseudo-alpestris
Blomst. XVI. 2. 1
Gmelini Bunge XVI. 2. 170
grandis Schrad. XVI. 2. 166
Grayii *Regel* XVI. 2. 171
grossa *Sieb. & Zucc.* XVI. 2. 1
gummifera Bert. XVI. 2. 163
humilior palustris &c. Gmel. X
2. 1
humilis Auct. XVI 2. 174
humilis Fries XVI. 2. 172 (*bis*)
humilis *Schrank* XVI. 2. 173 17
α genuina - - 174
β Ruprechtii - - - -
γ kamtschatica- - - -
humilis Wats. XVI. 2. 172
humilis commutata Regel XVI.
humilis α genuina Regel XVI. 2.
humilis η ovalifolia Regel XVI
humilis ε Ruprechtii Regel XVI
humilis δ Socolowii Regel XVI
hybrida Bechst. XVI. 2. 167
hybrida Bloom XVI. 2. 164
hybrida α β γ Regel XVI. 2. 1
hybrida γ affinis Regel XVI. 2
169
hybrida ζ cuneata Regel XVI.
hybrida ε Kochii Regel XVI. 2.
hybrida δ macrophylla Regel X
2.
hybrida var. rhombifolia Reg
XVI. 2.
hybrida var. rotundifolia Reg
XVI. 2.
Jacquemontii *Spach* XVI. 2.
177 (*b*
incana L. XVI. 2. 188
incana Roth XVI. 2. 188
incana pinnatifida Regel XVI.
incana γ rubra Regel XVI. 2.
incana vulgaris Regel XVI. 2.
intermedia *Thom.* XVI. 2. 170
kamtschatica Regel XVI. 2. 17
laciniata Wahlenb. XVI. 2. 164
lagopina Hartm. XVI. 2. 173
lanulosa Mx XVI. 2. 175

n XVI. 2. 180
gel XVI. 2. 180
Ait. XVI. 2. 187
lis Hook. XVI. 2. 165 (*bis*)
Beehst. XVI. 2. 163 167
Henze XVI. 2. 168
Reichenb. XVI. 2. 163
Rupr. XVI. 2. 173 174
Koch XVI. 2. 168
estad. XVI. 2. 168
hrank XVI 2. 181 182
usch XVI. 2. 182
is Auct. XVI. 2. 174
is Bess. XVI. 2. 164
is Laestad. XVI. 2. 171
is Reichenb. XVI. 2. 173
Rupr. XVI. 2. 173
var. Rupr. XVI. 2. 174
a Auct. XVI. 2. 166
a W. XVI. 2. 166
a var. minor Tuck. XVI. 2. 166
a Auct. XVI. 2. 166
a Mx XVI. 2. 166
Hoffm. XVI. 2. 163
Sw. XVI. 2. 189
ybrida Lundm. XVI. 2. 175
ia W. XVI. 2. 164
Bert. XVI. 2. 167
Ehrh. XVI. 2. 166
herbar. XVI. 2. 167
Koch XVI. 2. 168
Ledeb. XVI. 2. 168
Mert. herb. XVI. 2. 169
Wallr. XVI. 2. 167
c asplenifolia Regel XVI. 2. 167
var. carpatica Hartig XVI. 2. 168
XVI. 2. 173
a Regel - - -
escens - - - -
tulifera - - - -
lis - - - -
accembergensis Duroi XVI. 2. 167
glabra Regel XVI. 2. 173
Laestad. XVI. 2. 169
Rupr. XVI. 2. 173 174
ia Tausch XVI. 2. 163 168
lia Regel & Tiling XVI. 2. 170
lia Spach XVI. 2. 172 (*bis*)

Betula
rubra hort. XVI. 2. 167
rubra Mx XVI. 2. 175
rugosa Ehrh. XVI. 2. 188 (*bis*)
rustica Laestad. XVI. 2. 168 (*bis*)
Schmidtii *Regel* XVI. 2 175
serrulata Mx XVI. 2. 188
sibirica Auct. XVI. 2. 174
sibirica Lodd. XVI. 2. 173
Socolowii Auct. XVI. 2. 174
Socolowii Jacq. fil. XVI. 2. 173
Sokolowii hort. petrop. XVI. 2. 163
subaequalis Laestad. XVI. 2. 168
subalpina Laestad. XVI. 2. 168
sylvatica Laestad. XVI. 2. 168
sylvestris Laestad, XVI. 2. 168
tiliaefolia Laestad. XVI. 2. 168 169
tomentosa Retz & Abel XVI. 2. 167
tortuosa Ledeb. XVI. 2, 168
tortuosa Regel XVI. 2. 168
tortuosa α genuina Regel XVI. 2. 169
tortuosa β Kusmischeffii Regel XVI. 2. 169
ulmifolia Auct. XVI. 2. 176
ulmifolia *Sieb. & Zucc.* XVI. 2. 176
α typica *Regel* - - -
β costata - - - -
urticaefolia hort. XVI. 2. 164
urticifolia *Regel* XVI. 2. 175
utilis Don XVI. 2. 177
verrucosa Ehrh. XVI. 2. 163 164
verrucosa laciniata Fries XVI. 2. 164
verrucosa pinnatifida herb. suecic. XVI. 2. 164
virgultosa Fries XVI. 2. 175
viridis Chaix XVI. 2. 181
Betula *sect. Betula Spach* XVI. 2. 162
Betulaster *Regel* XVI. 2. 162 179
Eubetula *Regel* XVI. 2. 162
BETULACEAE Bartl. XVI. 2. 161
BETULACEAE *Regel* XVI. 2. 161
Betulaster Spach XVI. 2. 179
acuminata Spach XVI. 2. 179
affinis Spach XVI. 2. 180
cylindrostachya Spach XVI. 2. 180
nitida Spach XVI. 2. 180

Betulaster *Regel* XVI. 2. 179 (Be
tula
BETULINAE Rich. XVI. 2. 161
Beyeria *Miq.* XV. 2. 201
Backhousii Hook. fil. XV. 2. 203
Drummondi *Müll. Arg.* XV. 2. 20
lasiocarpa *Müll. Arg.* XV. 2. 20
ledifolia *Müll. Arg.* XV. 2. 202
α Backhousii - - - 203
β genuina - - - -
γ angustifolia - - - -
ledifolia Sond. XV. 2. 203
lepidopetala F. Müll. XV. 2. 20
20
loranthoides Baill. XV. 2. 203
oblongifolia Sond. XV. 2. 202
opaca *F. Müll.* XV. 2. 203
viscosa Miq. XV. 2. 202
viscosa *Müll. Arg.* XV. 2. 202
α genuina - - - -
β oblongifolia - - - -
γ minor - - - -
δ amoena - - - -
viscosa b Preissii Sond. XV.
2
Beyeria *sect.* Discobeyeria *Müll. Ar*
XV. 1. 2
Eubeyeria *Müll. Arg*
XV. 1. 2
Beyeriopsis *Müll. Arg.* XV. 2. 19
brevifolia *Müll. Arg.* XV. 2. 201
cinerea *Müll. Arg.* XV. 2. 200
cyanescens *Müll. Arg.* XV. 2. 2
cygnorum *Müll. Arg.* XV. 2. 19
latifolia *Müll. Arg.* XV. 2. 200
lepidopetala *Müll. Arg.* XV.
2
similis *Müll. Arg.* XV. 2. 200
Bholu Swa XIV. 538
Bia Kl. XV. 2. 927 928
alienata Diedrichs. XV. 2. 928
Lessertiana Baill. XV. 2. 928
Lhotzkyana Kl. XV. 2. 928
Sellowiana Kl. XV. 2. 928
Bia *Müll. Arg.* XV. 2. 928 (Tragia)
BICARPIDIATAE S. WEDDELLINEAE Tul
XVII. 4
Bicuiba XIV. 197
Bigamea Endl. XVI. 2. 602
Bignai-pogo XIV. 519
Bihan XV. 1. 96
Bihania *Meisn.* XV. 1. 96
borneensis *Meisn.* XV. 1. 96
Bilderdykia Dumort. XIV. 135
Convolvulus Dumort. XIV. 135
dumetorum Dumort. XIV. 135

XV. 2. 1076 1096
f. XV. 2. 1101
V. 2. 915 918
. XV 2. 921
XV. 2. 1116 1118
ill. XV. 2. 1118
Arg. XV. 2. 1118 (Codiaeum)
positifolia Roxb. XVII. 31
XVI. 2. 440
I. 2. 61
is XV. 1. 73
XVI. 2. 413
ertn. XVII. 295
XVII. 85
d. XVII. 85
a XVII. 85
. XVII. 71
VII. 85 64
. XVII. 85 (Apinagia)
. XVII. 85 (Dicraea)
XVII. 290
XV. 2. 899 901
iq. XV. 2. 902
. XVII. 214 254
XVII. 255
nsis Bl. XVII. 255
a Bureau - -
ys Presl XVII. 124
sl XVII. 125
um &c. Pluk. XVI. 2. 598
Veig. XIV. 171
oepp. XIV. 173
Reichenb. XIV. 175
XVII. 290
Müll. Arg. XV. 2. 956 (Mallotus)
aill. XV. 2. 894
ll. Arg. XV. 2. 894
aill. XV. 2. 895
. XV. 2. 894
q. XVI. 1. 195, *Gau-* 1. 195, *Miq.* XVI. 1. XVI. 1. 218, XVI. 1. . XVI. 1. 191, *Auct.* 95 235[16] 235[20] 235[23] [49], *Korth.* XVII. 9 *Bl.* XVI. 1. 216 234 *Hook. & Arn.* XVI. 1. 216
ers. XVI. 1. 181
Vedd. XVI. 1. 209
. & *Arn.* XVI. 1. 235[17]

Boehmeria
alienata W. XVI. 1. 216 221
amplissima Bl. XVI. 1. 210
ampullacea H. B. & Kth XVI. 1. 201
angustata Hassk. XVI. 1. 216 235[24]
angustifolia H. B. & Kth XVI. 1. 216 235[41]
arachnoidea Walp. XVI. 1. 216 228
arborea Desf. XVI. 1. 216 235[50]
arborescens Gardn. XVI. 1. 202
argentea Guillem. XVI. 1. 216
arguta Mart. XVI. 1. 202
aspera Bl. XVI. 1. 233
aspera *Wedd.* XVI. 1. 198
australis *Endl.* XVI. 1. 206
ballotaefolia H. B. & Kth XVI. 1. 216 235[38]
bifida *Bl.* XVI. 1. 208
biloba *Wedd.* XVI. 1. 208
Blumei *Wedd.* XVI. 1. 204
Boiviniana Bl. XVI. 1. 216 224
boliviana Bl. XVI. 1. 216
brevirostris *Wedd.* XVI. 1. 200
bullata *H. B. & Kth* XVI. 1. 203
candicans Hassk. XVI. 1. 207
candidissima Hassk. XVI. 1. 216 235[28]
Candolleana Gaudich. XVI. 1. 216 235[19]
canescens Wedd. XVI. 1. 213
capensis Spr. XVI. 1. 216
castaneaefolia Cunn. XVI. 1. 216, XVII. 250
caudata Poir. XVI. 1. 211
caudata *Sw.* XVI. 1. 201
β arborescens *Wedd.* - - 202
γ arguta - - - -
caudigera Wedd. XVI. 1. 212
celtidifolia *H. B. & Kth* XVI. 1. 198
Cephalida Pers. XVI. 1. 192 216
chinensis Pers. XVI. 1. 216
cinerascens Bl. XVI. 1. 230
cinerascens Hassk. XVI. 1. 216
clidemioides Miq. XVI. 1. 212
cochinchinensis Pers. XVI. 1. 216
cochinchinensis Spr. XVI. 1. 216 221
coerulea Bl. XVI. 1. 216 235[12]
comosa *Wedd.* XVI. 1. 205
β strigosa - - - 206
γ canescens- - - -
δ neglecta - - -

XVI. 1. 217
ssk. XVI. 1. 217
Vedd. XVI. 1. 205 235[59]
l. XVI. 1. 217 235[59]
ld. XVI. 1. 198
lin- - - 199
- - - -
Wedd. XVI. 1. 209
l. XVI. 1. 202
. B. & Kth. XVI. 1. 201
a Miq. XVI. 1. 202
Hassk. XVI. 1. 212
Don XVI. 1. 210
Wedd. - - -
na - - - 211
chya- - - -
ca - - - -
stachya- - - -
- - - - -
scula- - - -
pa - - - -
- - - - -
- - - - -
- - - - -
ima - - - 212
ides - - - -
- - - - -
- - - - -
cea - - - -
olia - - - -
s - - - 213
- - - - -
ylla - - - -
ana - - - -
ensis- - - -
- - - - -
niana- - - -
var. moluccana Wedd. XVI. 1. 211
Wedd. XVI. 1. 215
s Bl. XVI. 1. 217 231
Dene XVI. 1. 217 235[19]
l. XVI. 1. 217 235[13]
XVI. 1. 217 235[31]
Forst. XVI. 1. 217
ees & Mart. XVI. 1. 121 217
cq. XVI. 1. 196
a Wedd. - - 197
lina Bl. - - -
ssk. XVI. 1. 217 235[19]
& Mart. XVI. 1. 152 217

Boehmeria
repens *Wedd.* XVI. 1. 201
β major - - - -
rhyncophylla *Wedd.* XVI. 1. 199
rigida *Benth.* XVI. 1. 215
rotundifolia Hamilt. & Don XVI. 1. 212
rubescens Hassk. XVI. 1. 217 235[21]
rubescens Jacq. XVI. 1. 217 235[50]
rugosa Pers. XVI. 1. 217 235[38]
rugosissima Miq. XVI. 1. 212
rugulosa *Wedd.* XVI. 1. 207
salicifolia Don XVI. 1. 217
sanguinea Hassk. XVI. 1. 217 228
sanguinea β glabra Bl. XVI. 1. 219
ε minor - - - -
γ montana- - - -
δ rubra - - - -
scabra Hassk. XVI. 1. 218
scabrella Gaudich. XVI. 1. 212
sericea Bl. XVI. 1. 218 235[10]
Sieboldiana Bl. XVI. 1. 213
spicata Thbg XVI. 1. 213
spiciflora *Bl.* XVI. 1. 214
squamigera Wedd. XVI. 1. 218 (*bis*)
stipularis *Wedd.* XVI. 1. 209
strigosa Bl. XVI. 1. 199
strigosula Bl. XVI. 1. 218 229
sumatrana Miq. XVI. 1. 211
subperforata *Wedd.* XVI. 1. 215
sylvatica Hassk. XVI. 1. 218 235[21]
taitensis Wedd. XVI. 1. 211
tenacissima Gaudich. XVI. 1. 207
ternifolia Don XVI. 1. 213
tomentosa Wedd. XVI. 1. 212
trinervata Pers. XVI. 1. 100 218
trinervis Miq. XVI. 1. 218
uliginosa Moritz. XVI. 1. 235[37]
ulmifolia Wedd. XVI. 1. 198
urticaefolia Pers. XVI. 1. 218 235[38]
urticaefolia Spr. XVI. 1. 124
velutina Don XVI. 1. 218
velutina Dene XVI. 1. 235[18]
vestita Bl. XVI. 1. 218 235[11]
vialis Casar. XVI. 1. 218 235[37]
viminea Bl. Wall. XVI. 1. 218 228
virgata Guillem. XVI. 1. 211
Waitziana Bl. XVI. 1. 218 229
Wightiana Wedd. XVI. 1. 211
Zollingeriana *Wedd.* XVI. 1. 208 215
Boehmeria sect. Maoutia Miq. XVI. 1. 235[30]

BOEHMERIAE *Gaudich.* XVI. 1.
Bois d'Arc XVII. 227
Bois blanc XV. 1. 263
Bois Canelle XV. 1. 90 106
Bois de Canelle Aubl. XV. 1. 1(
Bois de Canelle blanc XV. 1. 1
Bois de Guillard XVII. 220
Bois jaune XVII. 228
Bois de Maillet XVII. 220
Bois de Natte XVII. 291
Bois de Natte de fer XVII. 291
Bois de Requin XVII. 220
Bois de rose XV. 1. 259
Bois de Sagaie XVII. 220
Boldea Juss. XVI. 2. 673
Boldo Grah. XV. 1. 67
Boldo XV. 1. 67
Boldo arbor olivifera Feuill. X

Boldoa Lindl. XVI. 2. 673
fragrans Gay XVI. 2. 674
Boldu *Feuill.* XV. 1. 5 67 506,
2
chilanum *Nees* XV. 1. 67
chilense Poepp. XV. 1. 67
nitidum *Meisn.* XV. 1. 506
Boldus chilensis Molin. XV.
Bonania A. Rich. XV. 2. 1201
cubensis A. Rich. XV. 2. 12
emarginata Griseb. XV. 2. 1
Bonania Baill. XV. 2. 1212 (S

Bonania *Müll. Arg.* XV. 2.
(Excoe
Bongium *Boiss.* XV. 2. 1264
ph
Borbonia Gaertn. XV. 1. 159
fructu oblongo &c. Plum. XV.
Borya distichophylla Nutt. XI
Boscia Vell. XIV. 525
Bosea L. XVII. 152 (*rectius B*
Bosqueia *Pet. Thouar.* XVII.

Bosscheria de Vries XVII. 288
Botryanthe Kl. XV. 2. 773
concolor Kl. XV. 2. 773
Botryceras W. XVII. 294
Boutonia Boj. XV. 2. 956 960
acuminata Baill. XV. 2. 961
mascariensis Boj. XV. 2. 96
Bowenia *Hook. fil.* XVI. 2. 525
spectabilis *Hook. fil.* XVI. 2.
Bowlesia Desv. XV. 2. 949
crenata Desv. XV. 2. 949
Bow-wood XVII. 227
Brabejum *L.* XIV. 344

Hook. fil. & *Thoms.* XV. 2. 305
. XV. 2. 279
. XV. 2. 284
Steud. XV. 2. 301
is Spr. XV. 2. 279
ud. XV. 2. 436
. XV. 2. 282
. XV. 2. 279
. XV. 2. 281
l. XV. 2. 425
l. XV. 2. 280
. XV. 2. 291
Wall. XV. 2. 279
Cav. XV. 2. 295
b. XV. 2. 287
b. XV. 2. 306
l. XV. 2. 279
. XV. 2. 298
tn. XV. 2. 307
paris. XV. 2. 414
Wall. XV. 2. 298
aertn. XV. 2. 281
abill. XV. 2. 294
Vall. XV. 2. 282
r. XV. 1. 429
Griff. XV. 1. 429 (*bis*)
eait. XV. 1. 430
Griff. XV. 1. 431
dl. XV. 1. 431
olia Presl XV. 1. 429
our. XV. 1. 429
R. Br. XV. 1. 431
l. XV. 1. 431 (*bis*)
. *Br.* XV. 1. 430 (*bis*)
– – – –
. Cyclodiscus *Duchart.* XV. 1. 431
Eubragantia *Endl.* XV. 1. 429
Trimeriza *Duchart.* XV. 1. 430
. *Duchart.* XV. 1. 427
. CYCLODISCINEAE *Kl.* XV. 1. 427
XVII. 298
oxb. XVII. 290
. 199
. XVII. 290
. XV. 2. 274 413 438
Müll. Arg. XV. 2. 442
r. XV. 2. 439
ipp. XV. 2. 442
. Arg. XV. 2. 439
– – – –

Breynia
β acutifolia *Müll. Arg.* XV. 2. 439
discigera *Müll. Arg.* XV. 2. 440
disticha Forst. XV. 2. 345 439
disticha *Müll. Arg.* XV. 2. 439
α neocaledonica – – – –
β genuina – – – –
microphylla *Müll. Arg.* XV. 2. 442
oblongifolia *Müll. Arg.* XV. 2. 440
paniculata Spr. XV. 2. 442
racemosa *Müll. Arg.* XV. 2. 441
α genuina – – – –
β concolor – – – –
rbamnoides *Müll. Arg.* XV. 2. 440
α hypoglauca – – – –
β genuina – – – –
γ pubescens – – – 441
rubra *Müll. Arg.* XV. 2. 438
stipitata *Müll. Arg.* XV. 2. 442
virgata *Müll. Arg.* XV. 2. 441
Bridelia *W.* XV. 2. 492, *Hook.* & *Arn.* XV. 2. 509
acuminata Wall. XV. 2. 311 503
alnifolia *Griff.* XV. 2. 502
amoena Baill. XV. 2. 493
angolensis *Müll. Arg.* XV. 2. 496
atroviridis *Müll. Arg.* XV. 2. 494
Bernieriana *Baill.* XV. 2. 497
Berryana Wall. XV. 2. 416 418 503
buxifolia *Baill.* XV. 2. 500
cathartica *Bertol.* XV. 2. 502
chartacea Wall. XV. 2. 503 507
collina Hook. & *Arn.* XV. 2. 509
collina Wall. XV. 2. 503
collina *Zipp.* XV. 2. 503
crenulata Roxb. XV. 2. 494
diversifolia Hook. & *Arn.* XV. 2. 503 509
diversifolia Miq. XV. 2. 509
elegans *Müll. Arg.* XV. 2. 496
exaltata F. Müll. XV. 2. 495
ferruginea Benth. XV. 2. 498
Gambecola Baill. XV. 2. 498
glauca *Bl.* XV. 2. 497
Hamiltoniana *Müll. Arg.* XV. 2. 500
α genuina – – – 501
β glabra – – – –
Hamiltoniana Wall. XV. 2. 501
heterantha Wall. XV. 2. 309 503
horrida Dillw. XV. 2. 503
lanceaefolia Roxb. XV. 2. 502
lanceolata Kurz XV. 2. 503 507
laurina Baill. XV. 2. 503 507
Leichhardi *Müll. Arg.* XV. 2. 499

Bridelia
Loureirii Hook. & *Arn.* XV.

melanthesoides Kl. XV. 2. 5
micrantha Baill. XV. 2. 499
micrantha *Müll. Arg.* XV. 2.
α ferruginea – –
β Gambicola – – –
δ genuina – – –
montana Hamilt. XV. 2. 501
montana Wall. XV. 2. 493
montana *W.* XV. 2. 500
Moonii *Thwait.* XV. 2. 497
oblongifolia Hook. & *Arn.*
5
ovata Dene XV. 2. 495
ovata *Müll. Arg.* XV. 2. 49
α exaltata – – – –
β acutifolia – – – –
γ genuina – – – –
patula Hook. & *Arn.* XV.

Pervilleana *Baill.* XV. 2. 5
polystachya Baill. XV. 2. 5
retusa Baill. XV. 2. 497
retusa A. Juss. XV. 2. 499
retusa *Müll. Arg.* XV. 2. 4
α genuina – – – –
β squamosa – – – –
γ Roxburghiana – – – –
retusa Spr. XV. 2. 493
rhamnoides Griff. XV. 2. 5
rhomboidalis *Baill.* XV. 2.
rugosa *Miq.* XV. 2. 502
scandens Wall. XV. 2. 503
scandens W. XV. 2. 499
scleroneura *Müll. Arg.* XV.
speciosa *Müll. Arg.* XV. 2.
α trichoclada – – –
β psiloclada – – –
stenocarpa *Müll. Arg.* XV.
stipitata Baill. XV. 2. 503
stipularis *Bl.* XV. 2. 499
stipularis Hook. & *Arn.*
5
tenuifolia *Müll. Arg.* XV. 2.
tomentosa Bl. XV. 2. 501
tomentosa *Müll. Arg.* XV.
α trichadenia – –
β chinensis – –
γ genuina – –
* concolor – –
δ rhamnoides – –
ε lanceaefolia – –
Tulasneana *Baill.* XV. 2. 49
urticoides *Griff.* XV. 2. 502

a
Spr. XVII. 228
var. α H. B. & Kth XVII. 229
var. β H. B. & Kth XVII. 229
lon Mart. herb. XVII. 226 230
TIKAR *Bureau* XVII. 213 221
Trécul XVII. 282 288
Sw. XVII. 283 288
Rich. XVI. 2. 498
Bl. XVII. 112
car. XVII. 113
Bl. XVII. 113
Hook. fil. – –
isanus L. XIV. 216
CAE Dene XIV. 617, *Lindl.* XIV. 617
Banks XIV. 185
Banks XIV. 185
KAR *C. A. Mey.* XIV. 4 183
on Pluk. XVII. 3
lon Pluk. XVII. 3
L. XVII. 252
ecemoso &c. Plum. XVII. 252
n L. XVII. 252
orr. XIV. 623
hylla Torr. XIV. 624
R *Dc. fil.* XIV. 623
XV. 1. 452
l. 472
stis Rumph XV. 2. 267
mph XV. 2. 263
ya XVI. 2. 372
Baill. XV. 2. 1258
E Baill. XV. 2. 1 (*delend.* XV. 2. 1261)
Baill. XVI. 1. 9
E Kl. XVI. 1. 7, XV. 2. 215
E Müll. Arg. XVI. 1. 7
E F. Plee XVI. 1. 7
rtl. XV. 2. 215
ill. Arg. XVI. 1. 8 9
n. XVI. 1. 9 13 17, XV.
, Don XVI. 1. 11, *Lk* 22, *Auct.* XVI. 1. 13
Müll. Arg. XVI. 1. 15
us Lam. XVI. 1. 19
Cunn. XVI. 1. 20
W. XVI. 1. 18
a hort. XVI. 1. 20

Buxus
chinensis Lk XVI. 1. 20 23
citrifolia Baill. XVI. 1. 15
citrifolia *Spr.* XVI. 1. 15
α genuina *Müll. Arg.* – – –
β fuscescens – – – –
γ brevipes – – – –
cordifolia Spr. XVI. 1. 21
coriaceus Spr. XVI. 1. 12 20
cruciata L. C. Rich. XVI. 1. 16
cubana *Baill.* XVI. 1. 14
dioica Forsk. XVI. 1. 21
glomerata *Müll. Arg.* XVI. 1. 17
gonoclada *Müll. Arg.* XVI. 1. 16
japonica *Müll. Arg.* XVI. 1. 20
β microphylla – – – –
laevigata *Spr.* XVI. 1. 16
longifolia *Boiss.* XVI. 1. 18
longifolia Jacquem. XVI. 1. 18
madagascarica *Baill.* XVI. 1. 18
microphylla Sieb. & Zucc. XVI. 1. 20
mucronata hort. XVI. 1. 20
myrtifolia Lam. XVI. 1. 19
pulchella Baill. XVI. 1. 16
Purdiana *Baill.* XVI. 1. 15
retusa *Müll. Arg.* XVI. 1. 16
rosmarinifolius hort. XVI. 1. 20
saligna Don XVI. 1. 12 20
sempervirens Auct. XVI. 1. 19
sempervirens *L.* XVI. 1. 19
α grandifolia *Müll. Arg.* – – –
β rotundifolia *Baill.* – – –
γ arborescens *L.* – – –
argentea *Loud.* – – –
aurea *Loud.* – – –
aurea maculata *Baill.* – – –
aurea acuminata *Baill.* – – –
aurea puncticulata *Baill.* – – –
aurea marginata *Baill.* – – –
δ angustifolia *Loud.* – – –
variegata punctata *Baill.* – – –
variegata *Loud.* – – –
variegata maculata *Baill.* – – –
ε myrtifolia *Loud.* – – –
ζ rosmarinifolia *Baill.* – – –
major *Baill.* – – 20
minor *Bv.* – – –
η suffruticosa *L.* – – –
sempervirens Thbg XVI. 1. 20 (*bis*)
sempervirens c fruticosa Duham. XVI. 1. 19
sempervirens gigantea Duham. XVI. 1. 18
sempervirens c leptophylla Duham. XVI. 1. 19

Buxus
sempervirens tenuifolia Baill. X
1
stenophylla *Hance* XVI. 1. 20
subcolumnaris *Müll. Arg.* XV

suffruticosa Lam. XVI. 1. 20
tenuifolia hortul. XVI. 1. 19
Vahlii *Baill.* XVI. 1. 16
Wallichiana *Baill.* XVI. 1. 18
Wrightii *Müll. Arg.* XVI. 1. 1
Buxus *sect.* Eubuxus *Baill.* XV

Tricera *Baill.* XVI.

C.

Caa-apia Marcg. & Piso XVII.

Caa-apia XVII. 264
Cabob-bog XIV. 519
Caicolten Rheed. XV. 2. 47
Caidbeja Forsk. XVI. 1. 235[54]
adhaerens Forsk. XVI. 1. 235
Caju-Besaar XVII. 243
Cajucara XV. 2. 637
Caju Meddambulu XVI. 2. 508
Calambac XIV. 601
Calceolastrum *Boiss.* XV. 2. 12
(Pedilan
Caldasia Mutis XVII. 134
cayennensis Mutis XVII. 136
fungiformis Mutis XVII. 136
Caletia *Müll. Arg.* XV. 2. 193, *L*
XV. 2.
divaricatissima *Müll. Arg.* X
194
β genuina – – – –
γ orbicularis – – – –
hexandra *Müll. Arg.* XV. 2. 1
linearis *Müll. Arg.* XV. 2. 194
micrantheoides Baill. XV. 2.
ovalifolia *Müll. Arg.* XV. 2. 1
Wilhelmi F. Müll. XV. 2. 194
Caletia *sect.* Eucaletia *Müll. Ar*
XV. 2.
Microcaletia *Müll.*
XV. 2.
CALETIEAE *Müll. Arg.* XV. 2.

Caletiopsis *Müll. Arg.* XV. 2. 1
(Pseudant
Californian Hemlock Spruce X
2.

chya hort. XVI. 2. 450 453
tich. XVI. 2. 450 453
i F. Müll. XVI. 2. 447 453
Miq. XVI. 2. 451 453
iort. vindob. XVI. 2. 449
R. Br. XVI. 2. 451 453
lis Sweet XVI. 2. 451 453
vis Rich. XVI. 2. 452
vis Vent. XVI. 2. 452
a R. Br. XVI. 2. 447
t. Br. XVI. 2. 451 453
chrad. XVI. 2. 443 453
ta R. Br. XVI. 2. 451 453
R. Br. XVI. 2. 453
Kurz XV. 2. 1272
Kurz XV. 2. 1272
Lour. XV. 1. 252
nense Lour. XV. 1. 255
1. 207
Dc. fil. XIV. 192 695 (Myristica)
Augia *Steud.* XVII. 289
R. Br. XIV. 371 (Grevillea)
Meisn. XIV. 371 (Grevillea Aphanoptera)
Bl. XV. 2. 1255
Bl. XV. 2. 1255
is Hombr. & *Jacquinot* XVI. 2. 117
a Hombr. & *Jacquinot* XVI. 2. 120
Hombr. & *Jacquinot* XVI. 2. 120
sus Hombr. & *Jacquinot* XVI. 2. 117
Hombr. & *Jacquinot* XVI. 2. 121
Hombr. & *Jacquinot* XVI. 2. 121
mm. Gaertn. XVII. 291
Gaertn. XVII. 291
ris Gaertn. XVII. 291
ertn. XVII. 291
is de fer XVII. 291
is Planch. XV. 2. 7 175
les Planch. XV. 2. 175
is Boiss. XV. 2. 11 175 (Euphorbia)
ne Boj. XV. 1. 104

Calyptropetalum (*Calypteriopetalum*) *Hassk.* XV. 2. 513
brasiliense Hassk. XV. 2. 655
Calyptroon Miq. XV. 2. 456 466
sumatranum Miq. XV. 2. 466
Calyptroon *Müll. Arg.* XV. 2. 466 (Baccaurea)
Calyptrosolen *Müll. Arg.* XV. 2. 1102 (Jatropha)
Calyptrospatha pubiflora Kl. XV. 2. 867
Calyptrostegia C. A. Mey. XIV. 496 515, *Endl.* XIV. 497
angustifolia C. A. Mey. XIV. 499
argentea C. A. Mey. XIV. 513
brevifolia C. A. Mey. XIV. 497
cluytioides Walp. XIV. 511
cornucopiae Endl. XIV. 496
curviflora C. A. Mey. XIV. 512
Drummondii Turcz. XIV 503 505
flava Endl. XIV. 510
glauca C. A. Mey. XIV. 501
graciliflora Endl. XIV. 506
gracilis Endl. XIV. 512
hypericina C. A. Mey. XIV 505
lanata Endl. XIV. 501
latifolia Endl. XIV. 514
Lehmanniana Endl. XIV. 504
ligustrina C. A. Mey. XIV. 505
linifolia C. A. Mey. XIV. 498
linoides Endl. XIV. 497
longiflora Endl. XIV. 507
macrocephala Walp. XIV. 505
Menkeana Endl. XIV. 503
microcephala Endl. XIV. 515
myriantha Endl. XIV. 514
nana Endl. XIV. 508
nervosa Walp. XIV. 500
phylicoides Walp. XIV. 507
punicea Endl. XIV. 497
Schlechtendaliana Walp. XIV. 500
spathulata C. A. Mey. XIV. 497
spicata Endl. XIV. 514
suaveolens Endl. XIV. 504
sulphurea Walp. XIV. 506
sylvestris C. A. Mey. XIV. 506
trichostachya Walp. XIV. 514
villifera Walp. XIV. 508
villosa Turcz. XIV. 508
Calyptrostegia sect. Thecanthes C. A. Mey. XIV. 496
Calyptrostigma Kl. XV. 2. 201
ledifolium Kl. XV. 2. 203
oblongifolium Kl. XV. 2. 202
viscosum Kl. XV. 2. 202

Calyserícos Eckl. & Zeyh. XIV. 573 580
argentea Eckl. & Zeyh. XIV. 582
canaliculata Eckl. & Zeyh. XIV. 573
grandiflora Eckl. & Zeyh. XIV. 573
linarifolia Eckl. & Zeyh. XIV. 583
parviflora Eckl. & Zeyh. XIV. 574 579
subulata Eckl. & Zeyh. XIV. 574
tabularis Eckl. & Zeyh. XIV. 574
typica Eckl. & Zeyh. XIV. 581 582
uniflora Eckl. & Zeyh. XIV. 573
Camagnoc Aubl. XV. 2. 1057
Camax Schreb. XVII. 297
Camirium Rumph XV. 2. 722 723
cordifolium Gaertn. XV. 2, 723
oleosum Reinw. XV. 2. 723
Camirium *Müll. Arg.* XV. 2. 723 (Aleurites)
Camolito XV. 2. 74
Campderia *Benth.* XIV. 170
floribunda *Benth.* XIV. 170
gracilis *Meisn.* XIV. 170
mexicana *Meisn.* XIV. 171
Camphora Nees XV. 1. 9 24, *ten Rhyne* XVI. 2. 606
chinensis Nees XV. 1. 26
glandulifera Jenkins XV. 1. 26
glandulifera Nees XV. 1. 25
inodora Bl. XV. 1. 26
inunctia Nees XV. 1. 25
officinarum Bauh. XV. 1. 24
Parthenoxylon Nees XV. 1. 26
pseudo-sassafras Miq. XV. 1. 24 27
sumatrana Miq. XV. 1. 25
sumatrensis ten Rhyne XVI. 2. 606
Camphora *Meisn.* XV. 1. 24 (Cinnamomum)
camphorifera Nees XV. 1. 9
Camphoromea Nees XV. 1. 7 143
divaricata Nees XV. 1. 144
hirta Nees XV. 1. 144
lanceolata Meisn. XV. 1. 145
ovalifolia Meisn. XV. 1. 144
rhamnoides Meisn. XV. 1. 145
subspicata Nees XV. 1. 144
verticillata Meisn. XV. 1. 145
viridiflora Meisn. XV. 1. 144
vulgaris Nees XV. 1. 226 145
xylopioides Meisn. XV. 1. 145
β *major* – – – –

Camphorosma pale
Campylus *Lour.* XVI
Canada make root
Canalia F. V. Schm
daphnoides F. V.
Candelabria Planch.
Hoo
micrantha Hochst.
polystachya Planc
Candjera Dene XIV.
Canela do Mato XV.
Canela novogranate
Canella XV. 1. 103
Canella amarella XV
Canella branca XV.
Canella de folha mi
Canella fordorente X
Canella preta XV. 1.
Canella Sassafras
Canella zeylanica He
CANNABACEAE A
Cannabina Tourn. XV
CANNABINEAE *De.*
CANNABINEAE E.
Cannabis *Tourn.* XV
XVI. 1. 29, *P. Al*
chinensis Delil. XV
chinensis Del. & C.
erratica Siev. XVI.
indica Lam. XVI. 1.
Lupulus Scop. XVI.
orientalis herb. Nee
sativa L. XVI. 1. 30
α Kif *De. fil.* – –
β vulgaris – – –
γ pedemontana– – –
δ chinensis – – –
CANNABISACEAE Ser. X
Cannella Sassafras S
Cansjera Juss. XIV. 51
grossularioides *Blan*
leptostachya *Benth.*
madagascariensis Sp
malabarica Lam. XIV
pentandra *Rheede* XIV
Rheedii *Gmel.* XIV. 5
scandens Roxb. XIV. 5

heed. XV. 2. 954
ra Rumph XVII. 91 97
Rich. XV. 2. 716
St. Hil. XV. 2. 751
a Müll. Arg. XV. 2. 752
ima Kl. XV. 2. 755
efolia St. Hil. XV. 2. 754
efolia H. B. & Kth XV. 2. 754 (*bis*)
efolia Miq. XV. 2. 753
ides Müll. Arg. XV. 2 753
St. Hil. XV. 2. 753
tala Diedrichs. XV. 2. 752
tala Müll. Arg. XV. 2. 751
ifolia - - - 752
colata - - - -
ina - - - -
tala α elliptica Müll. Arg. XV. 2. 752
taloides Müll. Arg. XV. 2. 752
lia St. Hil. XV. 2. 753
A. Rich. XV. 2. 754
Kl. XV. 2. 755
H. B. & Kth XV. 2. 754
St. Hil. XV. 2. 754
sis Kl. XV. 2. 755
nsis Müll. Arg. XV. 2. 756
Baill. XV. 2. 756
Presl XV. 2. 755
sect. Eucaperonia Baill. XV. 2. 754
Lepidococca Baill. XV. 2. 754
Lepidocroton Baill. XV. 2. 754
EAE Müll. Arg. XV. 2. 712 751
de Corazon XV. 1. 497
AE Adans. XVI. 2. 548
IS affines Juss. XVI. 2. 548
Breynii hort. XIV. 610
Gaspar. XVII. 288
CEAE Spr. XVI. 1. 472
, XIV. 543
ta L. XIV. 544
Wedd. XVII. 84
pa Wedd. XVII. 85
Tul. XVII. 84 (Castelnavia)
XVI. 2. 423
XVII. 264
ronh. XV. 2. 722

Cardiocaryon *Endl.* XIV. 304 (Sorocephalus)
Cardiogyne *Bureau* XVII. 213 232
africana *Bureau* XVII. 233
CARDIOPTERIDEAE *Baill.* XVII. 25
Cardiopteris Bl. XV. 2. 1258
Cardiopteris *Wall.* XVII. 9 25
moluccana Bl. XVII. 26 (*bis*)
Rumphii *Baill.* XVII. 26
α integrifolia - - -
β Blumeana - - -
γ lobata - - -
δ subhamata - - -
subhamata Wall. XVII. 26
Cardon XV. 2. 83
Carelu-vagon Rheed. XV. 1. 479
Carica L. XV. 1. 414, *Auct.* XV. 1. 419, *Miq.* XVII. 288
candicans A. Gray XV. 1. 417
cauliflora Jacq. XV. 1. 415
citriformis Hook. XV. 1. 418
citriformis Jacq. XV. 1. 414
digitata Poepp. XV. 1. 419
dodecaphylla Vell. XV. 1. 420
glandulosa Pav. XV. 1. 417
heptaphylla Vell. XV. 1. 420
heterophylla Poepp. & Endl. XV. 1. 417
Mamaya Vell. XV. 1. 414
microcarpa Jacq. XV. 1. 418
monoica Desf. XV. 1. 418
nana Benth. XV. 1. 415
Papaya L. XV. 1. 414
Posoposa L. XV. 1. 420
pyriformis Hook. & Arn. XV. 1. 416
pyriformis W. XV. 1. 420
spinosa Aubl. XV. 1. 419
CARICACEAE Dumort. XV. 1. 413
CARICEAE Turp. XV. 1. 413
CARPINEAE *Dc. fil.* XVI. 2. 124
CARPINEAE Döll XVI. 2. 124
Carpinus *Tourn.* XVI. 2. 125, *L.* XVI. 2. 124, *Bl.* XVI. 2. 127
americana Mx XVI. 2. 127
Betulus *L.* XVI. 2. 126
β quercifolia *Desf.* - - -
caroliniana *Walt.* XVI. 2. 126
Carpinizza Kit. XVI. 2. 126
cordata Bl. XVI. 2. 128
duineensis Bertol. XVI. 2. 127
duinensis *Scop.* XVI. 2. 127
edentula Rochel XVI. 2. 126
erosa Bl. XVI. 2. 127 128
faginea *Lindl.* XVI. 2. 127
japonica Bl. XVI. 2. 127 128

Carpinus
intermedia Wierb. XVI. 2. 126
laxiflora Bl. XVI. 2. 127 128
orientalis Lam. XVI. 2. 127
Ostrya L. XVI. 2. 125 (*bis*)
triflora Moench XVI. 2. 125
viminea *Wall.* XVI. 2. 127
virginiana Lam. XVI. 2. 125
virginiana florescens Pluk. XVI. 2. 125
Carpunya Presl XVI. 1. 240 326
Lessertiana Presl XVI. 1. 329
oblongata Presl XVI. 1. 369
peruviana Presl XVI. 1. 329
Carpunya *C. Dc.* XVI. 1. 326 (Piper)
CARUMBIBAR *Müll. Arg.* XV. 2. 1034 1142
Carumbium *Müll. Arg.* XV. 2. 1143, *Reinw.* XV. 2. 1143
acuminatum *Müll. Arg.* XV 2. 1144
amboinicum *Miq.* XV. 2. 1143
fasmosum *Müll. Arg.* XV. 2. 1144
giganteum *Miq.* XV. 2. 1145
Meerenhoutianum *Müll. Arg.* XV. 2. 1146
nutans *Müll. Arg.* XV. 2. 1146
α genuinum - - - -
β rhombifolium- - - -
pallidum Müll. Arg. XV. 2. 1145
pedicellatum Miq. XV. 2. 1146
platyneuron *Müll. Arg.* XV. 2. 1145
polyandrum *Müll. Arg.* XV. 2. 1146
populifolium Reinw. XV. 2. 1144
populneum *Müll. Arg.* XV. 2. 1144
* minus - - - 1145
Sieberi *Müll. Arg.* XV. 2. 1145 (*bis*)
stillingifolium F. Müll. XV. 2. 1147
Carumbium *sect.* Eucarumbium *Müll. Arg.* XV. 2. 1143
Pimeleodendron *Müll. Arg.* XVI. 2. 1143
Carya *Nutt.* XVI. 2. 142
alba *Nutt.* XVI. 2. 142 143
amara *Nutt.* XVI. 2. 144 (*bis*)
aquatica *Nutt.* XVI. 2. 144
glabra Gray XVI. 2. 144
microcarpa *Nutt.* XVI. 2. 143
myristicaeformis *Nutt.* XVI. 2. 145
olivaeformis *Nutt.* XVI. 2. 144
porcina *Nutt.* XVI. 2. 143 144
ovata *Nutt.* XVI. 2. 143
Carya
tetraptera *Lieb.* X
texana *C. Dc.* XVI
tomentosa *Nutt.* X
β maxima -
Carya *sect.* Apocarya
Eucarya
Carya sect. 1 *C. Dc.*
- *sect.* 2 *C. Dc.*
Caryocedrus Endl. X
Caryodaphne *Bl.* XV
australis *A. Braun*
Browniana *Nees* X
β ferruginea *Mei*
costata Miq. XV.
densiflora *Bl.* XV.
laevigata *Bl.* XV.
β angustifolia *M*
Caryodendron *Karst.*
orinocense *Karst.*
Caryolobis Gaertn. X
Caryotaxus Zucc. XV
grandis Henk. &
Myristica Henk.
nucifera Zucc. XV
taxifolia Henk. &
Casca de Maranhao
Casca preciosa XV.
Cascarilla Griseb.
Cascaria coriacea W
Casia Camer. XIV. 6
hispanica proceria
Casparya *Dc. fil.* XV
Kl.
antioquensis *Dc. fil.*
brevipetala *Dc. fil.*
coccinea Kl. XV. 1.
columnaris *Dc. fil.*
β glabra -
columnaris Kl. XV.
cordifolia *Dc. fil.* X
β hirta - -
crassicaulis *Dc. fil.*
erosa *Dc. fil.* XV. 1.
ferruginea *Dc. fil.* X
β Holtonis - -
fuchsiaeflora *Dc. fil.*
grewiaefolia *Dc. fil.*
β Jamesoniana -

iana *Dc. fil.* XV. 1. 271
XV. 1. 273
is *Dc. fil.* XV. 1. 272
Dc. fil. XV. 1. 272
a *Dc. fil.* XV. 1. 275
ata - - - 276
Dc. fil. XV. 1. 276
Dc. fil. XV. 1. 277
c. fil. XV. 1. 275
uscula - - - -
Hassk. - - -
Dc. fil. XV. 1. 277
iana *Dc. fil.* XV. 1. 276
a *Dc. fil.* XV. 1. 274
Dc. fil. XV. 1. 271
ta *Dc. fil.* XV. 1. 271
Dc. fil. XV. 1. 277
Dc. fil. XV. 1. 270
. fil. XV. 1. 274
a - - - -
ct. Aetheopteryx *Dc. fil.* XV. 1. 271
Andiphila *Dc. fil.* XV. 1. 271
Holoclinium *Dc. fil.* XV. 1. 277
Isopteryx *Dc. fil.* XV. 1. 270
Polyschisma *Dc. fil.* XV. 1. 278
Sassea *Dc. fil.* XV. 1. 272
Sphenauthera *Dc. fil.* XV. 1. 275
Stibadotheca *Dc. fil.* XV. 1. 269
amomea *Herm.* XV. 1. 13
ea *Myrrhae odore Pluk.* XV. 1. 226
rm. XV. 1. 14
XV. 1. 9 252
herb. berol. XV. 1. 256
Nees XV. 1. 256
ata *Meisn.* - - -
iensis - - - -
ystachya- - - -
Benth. XV. 1. 256
is *Mart.* XV. 1. 256
Meisn. XV. 1. 254
a - - - -
Meisn. XV. 1. 252
e *Nees* XV. 1. 253
a *Meisn.* XV. 1. 257
Nees XV. 1. 254

Cassytha
corniculata L. XV. 1. 258
coronata *Nees* XV. 1. 254
cuscutiformis F. Müll. XV. 1. 255
digitata *Nees* XV. 1. 257
dispar *Schlecht.* XV. 1. 253
filiformis Jacq. XV. 1. 256
filiformis Labill. XV. 1. 253
filiformis *L.* XV. 1. 255
β subpubescens *Meisn.* - - -
filiformis Miq. XV. 1. 516
flava *Nees* XV. 1. 253
glabella *R. Br.* XV. 1. 254
glabella Hook. fil. XV. 1. 253
glabella Sieber XV. 1. 256
guineensis *Schum. & Thonn.* XV. 1. 255
β Livingstonii *Meisn.* - 256
melantha *R. Br.* XV. 1. 254
micrantha *Meisn.* XV. 1. 256
microcephala *Meisn.* XV. 1. 253
Mülleri *Meisn.* XV. 1. 257
multiflora *Nees* XV. 1. 253
nodiflora *Meisn.* XV. 1. 252
paniculata *R. Br.* XV. 1. 256
piligera Schlecht. XV. 1. 255
pomiformis *Nees* XV. 1. 253
pubescens *R. Br.* XV. 1. 255
β fasciculata *Meisn.* - - -
racemosa *Nees* XV. 1. 257
remotiflora *F. Müll.* XV. 1. 256
robusta *Meisn.* XV. 1. 255
rugulosa *Meisn.* XV. 1. 255
subcapitata *Meisn.* XV. 1. 253
tasmannica *Meisn.* XV. 1. 252
triflora E. Mey. XV. 1. 254
umbellata *Meisn.* XV. 1. 257
CASSYTHACEAE Lindl. XV. 1. 1
CASSYTHACEAE Lindl. XV. 1. 252
CASSYTHEAE Lindl. XV. 1. 252
CASSYTHEAE *Meisn.* XV. 1. 9 252
Castanea *Tourn.* XVI. 2. 113, *Roxb. Lindl.* XVI. 2. 109
acuminatissima Bl. XVI. 2. 103 116
alnifolia Nutt. XVI. 2. 116
americana Raf. XVI. 2. 115
argentea Bl. XVI. 2. 112 116
argyrophylla Wall. XVI. 2. 112
armata Spach XVI. 2. 112
banica vide martabanica
brevicuspis Miq. XVI. 2. 110 116
Bungeana Bl. XVI. 2. 114
chinensis Hassk. XVI. 2. 115

Castanea
chinensis Seem. XVI. 2. 116
chinensis *Spr.* XVI. 2. 116
chrysophylla Hook. XVI. 2. 110
concinna Champ. & Benth. 2. 110
costata Bl. XVI. 2. 110 116
crenata Sieb. & Zucc, XV

echidnocarpa Hook. fil. & T XVI. 2. 11
Fagus Scop. XVI. 2. 116 118
furfurella Miq. XVI. 2. 90 1
glomerata Bl. XVI. 2. 102 1
Hystrix Hook. fil. & Thoms. 2. 11
japonica Bl. XVI. 2. 114
japonica var. canescens Bl.
elongata
Kusakuri
longispina
Oakasi
obtecta
Sibakuri
vulgaris
javanica Bl. XVI. 2. 111 11
indica Roxb. XVI. 2. 109 1
inermis *Lindl.* XVI. 2. 116
latifolia *Bl.* XVI. 2. 116
martabanica (banica) Wall. 2. 1
microcarpa *Lindl.* XVI. 2. 1
mollissima *Bl.* XVI. 2. 116
montana Bl. XVI. 2. 111 11
nana Mühlenb. XVI. 2. 116
pumila Hassk. XVI. 2. 115
pumila *Nutt.* XVI. 2. 115
β nana
pumila virginiana Catesb. X

pumilae forma Chapm. XVI.
regia Hance XVI. 2. 104
Roxburghii Lindl. XVI. 2.

sativa Mill. XVI. 2. 114
sessilifolia Bl. XVI. 2. 103 1
spectabilis Miq. XVI. 2. 110
sphaerocarpa Lindl. XVI. 2.
sphaerocarpa Wall. XVI. 2.
stricta Sieb. & Zucc. XV

tribuloides Lindl. XVI. 2.

Tungurrut Bl. XVI. 2. 110 1
vesca L. XVI. 2. 115

a *Tul. & Wedd.* XVII. 81
tita *Tul. & Wedd.* XVII. 81
pa *Tul. & Wedd.* XVII. 82 85
Tul. & Wedd. XVII. 80
a *Tul. & Wedd.* XVII. 81
Tul. & Wedd. XVII. 81
sect. Carajaea Tul. XVII. 84
Castelnella *Wedd.* XVII. 81
Eucastelnavia *Wedd.* XVII. 80
Wedd. XVII. 81 (Castelnavia)
a R. & Pav. XV. 2. 1076 1080
. & Pav. XV. 2. 1081
Servant. XVII. 282 286
Noronh. XIV. 438
CEAE Lindl. XVI. 2. 332
Rumph XVI. 2. 333
F. Müll. XVI. 2. 344
Lour. XVI. 2. 335 339
na Miq. XVI. 2. 338
na Miq. XVI. 2. 344
Rumph XVI. 2. 341
Miq. XVI. 2. 335
hamiana *Miq.* XVI. 2. 335
– – – –
ana *F. Müll.* XVI. 2. 340
heana *Miq.* XVI. 2. 342
Hook. fil. XVI. 2. 337
Schlecht. XVI. 2. 334
Vent. XVI. 2. 336
ndiana *Miq.* XVI. 2. 343
A. Cunning. XVI. 2. 338
olia *Forst.* XVI. 2. 338
iflora *Miq* – – 339
olia hort. XVI. 2. 334
olia var. microcarpa F. Müll. XVI. 2. 335
Dehnh. XVI. 2. 344
Salisb. XVI. 2. 336
na Miq. XVI. 2. 337
ieber XVI. 2. 334
Hook. fil. XVI. 2. 335
na Miq. XVI. 2. 335
hort. XVI. 2. 337
Otto & Dietr. XVI. 2. 340
ocarpa Miq. – – –
erbar. XVI. 2. 339

Casuarina
Junghuhniana Miq. XVI. 2. 335
lateriflora Poir. XVI. 2. 339
Lehmanniana Miq. XVI. 2. 340
leptoclada *Miq.* XVI. 2. 339
littoralis Salisb. XVI. 2. 339
littorea Rumph XVI. 2. 339
macrocarpa A. Cunning. XVI. 2. 335
Mertensiana Rupr. XVI. 2. 339
microstachya *Miq.* XVI. 2. 343
Miquelii Hook. fil. XVI. 2. 337
moesta F. Müll. XVI. 2. 339
montana Jungh. XVI. 2. 335
montana *Miq.* XVI. 2. 335
α tenuior – – – –
β validior – – – –
montana Rumph XVI. 2. 341
Muelleriana Miq. XVI. 2. 338
muricata herb. paris. XVI. 2. 335
muricata Roxb. XVI. 2. 339
nana Schlecht. XVI. 2. 337 338
nana *Sieber* XVI. 2. 340
nodiflora *Forst.* XVI. 2. 342
β robusta *Miq.* – – –
nodiflora Miq. XVI. 2. 341
obesa Miq. XVI. 2. 334
obtusa hort. XVI. 2. 334
oxyclada *Miq.* XVI. 2. 344
paludosa *Sieber* XVI. 2. 338
pauper F. Müll. XVI. 2. 334
Preissiana Miq. XVI. 2. 340
pumila Otto & Dietr. XVI. 2. 338
quadridentata hort. XVI. 2. 334
quadrivalvis *Labill.* XVI. 2. 334
α macrocarpa *Miq.* – – 335
β cristata – – – –
γ spectabilis – – – –
quadrivalvis Sieber XVI. 2. 336
quadrivalvis var. spectabilis Hook fil. XVI. 2. 335
ramuliflora *Otto & Dietr.* XVI. 2. 344
repens hort. XVI. 2. 338
rigida *Miq.* XVI. 2. 337
rigida F. Müll. XVI. 2. 337
Rumphiana *Miq.* XVI. 2. 341
selaginoides Miq. XVI. 2. 340
sparsa Tausch XVI. 2. 344
stricta *Ait.* XVI. 2. 336
stricta W. XVI. 2. 344
stricta var. Miq. XVI. 2. 337
stricta var. rigida Miq. XVI. 2. 337
suberosa Graeff. XVI. 2. 338
suberosa *Otto & Dietr.* XVI. 2. 337

Casuarina
β Muelleriana *Miq.* XVI.
γ Baxteriana – –
sumatrana *Jungh.* XVI. 2. 3
tenuissima Sieber XVI. 2. 3
tephrosperma hort. hamb.

thuyoides *Miq.* XVI. 2. 343
tortuosa hort. XVI. 2. 344
torulosa *Ait.* XVI. 2. 341
torulosa W. XVI. 2. 334 3
trichodon *Miq.* XVI. 2. 336
truncata W. XVI. 2. 344
verticillata Lam. XVI. 2. 3
Webbiana Miq. XVI. 2. 342
Casuarina *sect.* Acanthopitys XVI.
Eucasuarina XVI.
CASUARINEAE *Miq.* XVI. 2.
CASUARINEAE Mirb. XVI.
Catalina XV. 2. 71
Cataputia major Ludw. XV.
Catas parviflora Juss. XIV.
Catastylium *Griseb.* XV. 2. 2 (Phyll
Cathetus fasciculata Lour.

Cathetus *Müll. Arg.* XV. 2. 2 (Phyll
Catinga branca XV. 1. 259
Catonia *P. Browne* XVII. 291
Cattimandou XV. 2. 83
Cuttu Tirpoli Rheed. XVI. 1.
Caturus L. XV. 2. 799, *Lou* 2. 899 904, XV
pedunculatus Pet. Thouar.

ramiflorus L. XVI. 1. 197
scandens Lour. XV. 2. 906,

sessilis Pet. Thouar. XV. 2
spiciflorus Roxb. XV. 2. 81
spiciflorus Jacq. fil. XVI. 1.
Caulanthium *Boiss.* XV. 2. (Eup
Caulobryon Kl. XVI. 1. 240
Cavanilla Vell. XV. 2. 751, XV
spinosa Vell. XV. 2. 753
Cayapia vel Carapia XVII. 2
Caylusea *St. Hil.* XVI. 2. 550
abyssinic *Fisch. & Mey.*

canescens *St. Hil.* XVI. 2.
α rigida *Müll. Arg.* – –

Zucc. XVII. 207,
II. 209
XVII. 180
XVII. 186
Planch. - 187
XVII. 187
I. 177
rongn. XVII. 198
. XVII. 193 199
t. paris. XVII. 176
indl. XVII. 193 202
anch. XVII. 186
E. Mey. XVII. 193 210
cy. XVII. 210
pach XVII. 174
- - 175
- - -
. XVII. 170
paris. XVII. 170
VII. 169 170 179
ich. XVII. 173
ch. XVII. 183
XVII. 178
Pav. XVII. 187
nch. XVII. 192
Planch. XVII. 190
anch. XVII. 188 189
na - - -
anch. XVII. 183
XVII. 171
nch. XVII. 173
B. & Kth XVII. 193 204
VII. 174 (*bis*)
enack. XVII. 171
XVII. 170
Planch. - -
XVII. 193
. XVII. 178
XVII. 193 199
& Pav. XVII. 193 203 204
. XVII. 171
indl. XVII. 181
Brongn. XVII. 193 198
h. XVII. 183
- - -
- 184
XVII. 176
n. XVII. 175
rtii Planch. XVII. 176
r. eucalyptifolia Spach XVII. 176

Celtis
crassifolia var. morifolia Spach XVII. 176
crassifolia var. tiliaefolia Spach XVII. 176
crenata *Wedd.* XVII. 191
Curiandiuba Gomez XVII. 193 204
Davidiana *Carr.* XVII. 172
dichotoma *R. & Pav.* XVII. 187 (*bis*)
diffusa *Planch.* XVII. 188 189
discolor Brongn. XVII. 193 201
Djungiel *Planch.* XVII. 185
Douglasii *Planch.* XVII. 178
dumosa Casar. XVII. 188
dysodoxylon Thwait. XVII. 181
epiphylladena Orteg. XVII. 187
eriocarpa *Done* XVII. 179
ferruginea *Planch.* XVII. 188
ferruginea Walp. XVII. 193
flagellaris Casar. XVII. 189
flexuosa *Wedd.* XVII. 192
foliis subrotundis &c. Burm. XVII. 173
fructu nigricante Tourn. XVII. 170
fructu obscure purpurascente Tourn. XVII. 174
Gardneri *Planch.* XVII. 190
glabra Planch. XVII. 179
glabrata *Stev.* XVII. 170
glomerata Hochst. XVII. 197
grandidentata *Ten.* XVII. 177
hamata *Bl.* XVII. 180
Hamiltonii *Planch.* XVII. 179
Hasseltii *Planch.* XVII. 185
Hilariana *Planch.* XVII. 189
hypoleuca *Planch.* XVII. 183
jamaicensis *Planch.* XVII. 176
japonica*Planch.* XVII. 172
ingens F. Müll. XVII. 182
integrifolia *Lam.* XVII. 192 193
integrifolia Nutt. XVII. 176
Kraussiana *Bernh.* XVII. 173
laevigata W. XVII. 176
Lamarckiana R. & Schult. XVII. 204
lancifolia *Planch.* XVII. 192
latifolia *Planch.* XVII. 186
laurifolia *Planch.* XVII. 185
Lima Blanco XVII. 193 199
Lima Lam. XVII. 204
Lima Sw. XVII. 193 204
Limae Bert. herb. XVII. 176
Limae Sw. XVII. 176
littoralis Liebm. XVII. 178

Celtis
longifolia *Raf.* XVII. 177
macrophylla H. B. & Kth
193 2
mauritiana *Planch.* XVII. 1
membranacea *Planch.* XVI
micrantha Sw. XVII. 193 2
microcarpa rugosa W. XV
microphylla Kolmann XVI
mississipiensis *Bosc* XVII

mollis H. B. & Kth XV

mollis *Wall.* XVII. 179 (*b*
montana Jungh. XVII. 193
morifolia *Planch.* XVII. 18
Muku Dc. herb. XVII. 209
Muku Siebold XVII. 193 2
nepalensis Planch. XVII. 1
occidentalis Guimp. & Hay

occidentalis hort. genev. X
occidentalis *L.* XVII. 174
occidentalis β Lam. XVII.
occidentalis β integrifoli
XV
occidentalis var. cordata
XV
occidentalisβ tenuifolia Per

opegrapha Planch. XVII. 1
orientalis Lam. XVII. 198
orientalis L. XVII. 193 20
orientalis Mill. XVII. 171
orientalis Thbg XVII. 172
orientalis minor &c. Tourn

orthacanthos Planch. XVII
pacifica *Planch.* XVII. 184
pallida Torr. XVII. 191
paniculata *Planch.* XVII. 1
du Paraguay Durando XVI
Pavonii Planch. XVII. 187
philippinensis *Blanco* XVII
politoria Wall. XVII. 202
procera fol. ovato-lanceola
Gron. XV
pubescens *H. B. & Kth*

pumila *Pursh* XVII. 177
reticulata Hook. fil. & Thom
1
reticulata *Torr.* XVII. 178
reticulosa Miq. XVII. 181
rhamnoides Dc. herb. XVII
rhamnoides W. XVII. 187

en. Euceltis *Planch.* XVII. 169
Momisia *Planch.* XVII. 186
sect. Eumomisia – 186
– Momisiopsis– 192
Solenostigma *Planch.* XVII. 182
Sponioceltis *Planch.* XVII. 180
dl. XVI. 2. 402 (Pinus)
rl. XVI. 2. 402 (Pinus)
ach XVI. 2. 402 (Pinus)
s Labill. XIV. 328
abill. XIV. 328
Karst. XV. 2. 700
s Karst. XV. 2. 704
Bauh. XIV. 85
um Burch. XIV. 40
a A. Gray XIV. 27
A. Gray XIV. 27
s Baill. XV. 2. 760 762
Baill. XV. 2. 763
ton Baill. XV. 2. 760,
Hochst. XV. 2. 760 761
Müll. Arg. XV. 2. 760
α genuinus Müll. Arg. XV. 2. 761
β virens Müll. Arg. XV. 2. 761
us Müll. Arg. XV. 2. 762
inus – – – –
linus – – – –
as Hochst. XV. 2. 762
Müll. Arg. XV. 2. 761
inus – – – –
us – – – –
halus Baill. XV. 2. 762
l. XV. 2. 761
is Baill. XV 2. 763
ton sect. Adenochlaena *Müll. Arg.* XV. 2. 762
Chloradenia *Müll. Arg.* XV. 2. 760
Eucephalocroton *Müll. Arg.* XV. 2. 761
ROTONEAE *Müll. Arg.* XV. 2. 712 759
lon Meisn. XIV. 84 127 (Polygonum)
us Sieb. & Zucc. XVI. 2. 368 502
Sieb. & Zucc. XVI. 2. 504

Cephalotaxus
Fortunei *Hook.* XVI. 2. 503
Fortunei femina hort. XVI. 2. 504
pedunculata *Sieb. & Zucc.* XVI. 2. 503
sumatrana *Miq.* XVI. 2. 504
tardiva Siebold XVI. 2. 502
umbraculifera *Siebold* XVI. 2. 504
Cephalotrophis Bl. XVII. 221
javanica Bl. XVII. 221
javanica Miq. XVII. 222
puberula Miq. XVII. 222
Cepo de Coraçao XV. 1. 455
Ceramanthus Hassk. XV. 2. 274 350
gracilis Hassk. XV. 2. 350
Ceramanthus *Baill.* XV. 2. 277 350 (Phyllanthus)
Ceramium Bl. XV. 1. 429
tomentosum Bl. XV. 1. 431
Ceramocarpium Nees XV. 1. 111
cubense Nees XV. 1. 31
lanatum Nees XV. 1. 102
marginatum Nees XV. 1. 106
Maximilianeum Nees XV. 1. 108
obtusatum Nees XV. 1. 105
polyanthes Nees XV. 1. 133
psychotrioides Nees XV. 1. 124
semicompletum Nees XV. 1. 133
umbrosum Nees XV. 1. 129
Ceramophora Nees XV. 1. 111
cymosa Nees XV. 1. 105
Ceratasarum *A. Braun.* XV. 1. 425 (Asarum)
Ceratiola *Mx* XVI. 1. 27
ericoides *Mx* XVI. 1. 27
CERATOGONEAE *Meisn.* XIV. 4 39
Ceratogonum *Meisn.* XIV. 39
atriplicifolium Hochst. XIV. 39
atriplicifolium *Meisn.* XIV. 39
atriplicifolium A. Rich. XIV. 40
cordofanum *Meisn.* XIV. 39
sinuatum Hochst. XIV. 142
sinuatum *Hochst. & Steud.* XIV. 40
Ceratogynum *Müll. Arg.* XV. 2. 243 (Sauropus)
Ceratogynum Wight XV. 2. 239 243
rhamnoides Wight XV. 2. 243
Ceratolacis *Wedd.* XVII. 66
erythrolichen *Wedd.* XVII. 66
Ceratolacis Tul. XVII. 66 (Dieraea)
Ceratophorus Sond. XV. 2. 1126
africanus Sond. XV. 2. 1129
Ceratozamia *Brongn.* XVI. 2. 525 546
boliviana Brongn. XVI. 2. 540 547

Ceratozamia
brevifrons Miq. XVI. 2. 546
intermedia Miq. XVI. 2. 547
Küsteriana *Regel* XVI. 2. 546
latifolia *Miq.* XVI. 2. 547
lougifolia *Miq.* XVI. 2. 547
β minor - - - -
mexicana *Brongn.* XVI. 2. 54
Miqueliana *H. Wendl.* XVI. 2
robusta *Miq.* XVI. 2. 547
Cerbera neriifolia Zipp. XVI. 2
Cercanthemum (*Cerianthemum*)
XV. 1. 445 (*Howo*
fragrantissimum Kl. XV. 1.
punctatum Kl. XV. 1. 463
Cerium *Lour.* XVII. 291
Cerroides Spach XVI. 2. 3 (Que
Cervantesia *R. & Pav.* XIV. 69
bicolor Cav. XIV. 692
tomentosa *R. & Pav.* XIV. 6
Cestrum umbellatum E. Mey.

Cevallia Lag. XIV. 622, XVII.
Chachito XIV 40
Chadsura XVI. 2. 426
Chaetacme *Planch.* XVII. 209
aristata *Planch. & Harv.* XVII
CHAETOCARPEAE *Müll. Arg.* X
1033
Chaetocarpus *Thwait.* XV. 2. 1
castaneaecarpus *Thwait.* XV

α genuina *Müll. Arg.* - -
β pubescens *Thwait.* - -
coriaceus Thwait. XV. 2. 112
pungens Thwait. XV. 2. 1122
Chaetocladus Nelson XVI. 2. 35
Chaetoptelea Liebm. XVII. 154
mexicana Liebm. XVII. 156
Chamabainia *Wight* XVI. 1. 218
cuspidata Wight XVI. 1. 218
squamigera *Wight* XVI. 1. 21
Chamaecyparis *Spach* XVI. 2.
463, *Endl.* XVI. 2.
Boursierii Carr. XVI. 2. 465
Boursierii Dcne XVI. 2. 467
ericoides hort. XVI. 2. 467
excelsa Fisch. XVI. 2. 465
Keteleri Standish XVI. 2. 466
kewensis hort. XVI. 2. 464
Lawsoniana *Parl.* XVI. 2. 464
β variegata - - - 465
leptoclada *Henk. & Hochst.* X
2.
nana hort. XVI. 2. 464
nutkaensis *Spach* XVI. 2. 465

hya Miq. XVI. 1. 346 (*bis*) 390
q. XVI. 1. 360 390
a Miq. XVI. 1. 378 390
Miq. XVI. 1. 388
Miq. XVI. 1. 354 376 390
Miq. XVI. 1. 348
ieri Miq. XVI. 1. 356 390
Miq. XVI. 1. 349 355 390
a Miq. XVI. 1. 351 370 390
chya Miq. XVI. 1. 355 390
Miq. XVI. 1. 347 390
ariensis Miq. XVI. 1. 379 390
Miq. XVI. 1. 350 390
Miq. XVI. 1. 356
Miq. XVI. 1. 361 390
ma Miq. XVI. 1. 351 390
Miq. XVI. 1. 355 390
8 hirtella Miq. XVI. 1. 355
Miq. XVI. 1. 379 390
ia Miq. XVI. 1. 376 390
Miq. XVI. 1. 389
m Miq. XVI. 1. 356 390
Hassk. XVI. 1. 376
es Miq. XVI. 1. 389
is Miq. XVI. 1. 353 358 390
C. Dc. XVI. 1. 389
Miq. XVI. 1. 351 390
lamiris Miq. XVI. 1. 361 390
Miq. XVI. 1. 379 390
Miq. XVI. 1. 349
tiana Miq. XVI. 1. 354 390
a Miq. XVI. 1. 378 390
ii Miq. XVI. 1. 355 390
Miq. XVI. 1. 354 390
a Miq. XVI. 1. 352 (*bis*) 390
Champ. XVI. 1. 361 390
Miq. XVI. 1. 359 390
achya Miq. XVI. 1. 388
a Miq. XVI. 1. 353 390
nervia Miq. XVI. 1. 378 390
Miq. XVI. 1. 378 390

Chavica
sundaica Miq. XVI. 1. 352 399
sylvatica Miq. XVI. 1. 356 391
syringaefolia Miq. XVI. 1. 378 391
Teysmannii Miq. XVI. 1. 345 391
thermalis Miq. XVI. 1. 378 391
Thomsonii *C. Dc.* XVI. 1. 389
viminalis Miq. XVI. 1. 377 391
Wallichii Miq. XVI. 1. 357 391
Wallichii β glabra Miq. XVI. 1. 357
Cheer-Pine XVI. 2. 391
Cheilosa *Bl.* XV. 2. 1122
montana *Bl.* XV. 2. 1123
CHEILOSSAE *Müll. Arg.* XV. 2. 1033 1122
Cheilosopsis *Müll. Arg.* XV. 2. 1106 (Trigonostemon)
Cheirolepidium *Boiss.* XV. 2. 9 70 (Euphorbia)
Chêne castillan Bosc XVI. 2. 39
Chêne d'Exester Bosc XVI. 2. 108
Chêne Lezermien Bosc XVI. 2. 108
Chêne male Secondat XVI. 2. 8
Chêne noir Dc. XVI. 2. 9
Chêne noir Secondat XVI. 2. 12
Chêne Roure à large feuille Lam. XVI. 2. 8
CHENOPODEAE *Dc.* XVII. 32
CHENOPODEAE H. B. & Kth XVII. 34
CHENOPODIACEAE *Lindl.* XVII. 32
Chibaea *Bert.* XV. 1. 516
salutaris *Bert.* XV. 1. 516
Chibomboa XV. 2. 851
Chichape XVII. 191
Chigua *Dc. fil.* XVI. 2. 539 (Zamia)
Chilrow XVI. 2. 425
Chilurus *R. Br.* XIV. 324 (Conospermum)
China-grass XVI. 1. 207
Chiropetalum A. Juss. XV. 2. 732 742
Berterianum Schlecht. XV. 2. 744
lanceolatum Gay XV. 2. 745
lanceolatum A. Juss. XV. 2. 744
lineatum Kl. XV. 2. 744
molle Kl. XV. 2. 743
ovatum Philipp. XV. 2. 745
peruvianum A. Juss. XV. 2. 745
tricuspidatum A. Juss. XV. 2. 746
Chiropetalum Baill. XV. 2. 742 (*Argythamnia*)
Chiropetalum *Müll. Arg.* XV. 2. 742 (Argyrothamnia)

Chlamydanthus. C. A. Mey.

argenteus C. A. Mey. XIV.
canescens C. A. Mey. XIV.
ellipticus C. A. Mey. XIV. 5
hirsutus Griseb. XIV. 557
Tartonraira C. A. Mey. XIV
thesioides C. A. Mey. XIV.
Thymelaea C. A. Mey. XIV.
tinctorius C. A. Mey. XIV.
villosus C. A. Mey. XIV. 5
virgatus C. A. Mey. XIV. 5
Chlamydanthus *C. A. Mey.* XI
(Thym
Chlamydobalanus *Endl.* XVI.
(Qu
Chlamydocarya *Baill.* XVII. 9
capitata Baill. XVII. 21
Thomsoniana *Baill.* XVII. 2
Chloradenia Baill. XV. 2. 760
discolor Baill. XV. 2. 761
Chloradenia *Müll. Arg.* XV.
(Cephaloc
***CHLORANTHACEAE** Bl.* XV

CHLORANTHACEAE *Solms* X

***CHLORANTHEAE** R. Br.* X

Chloranthus *Sw.* XVI. 1. 473,
XVI. 1. 4
Blumeanus Cord. XVI. 1. 47
brachystachys *Bl.* XVI. 1.
ceylanicus Miq. XVI. 1. 476
denticulatus Cord. XVI. 1.
elatior R. Br. XVI. 1. 474
erectus Sweet XVI. 1. 474
Fortunei *Solms* XVI. 1. 476
grandifolius *Miq.* XVI. 1. 47
japonicus *Siebold* XVI. 1. 47
inconspicuus *Sw.* XVI. 1. 47
indicus Wight XVI. 1. 474
mandshuricus Rupr. XVI. 1.
monander R. Br. XVI. 1. 47
monostachys *R. Br.* XVI. 1

obtusifolius Miq. XVI. 1. 47
officinalis *Bl.* XVI. 1. 474
officinalis Schnitzl. XVI. 1.
Oldhami *Solms* XVI. 1. 476
Pernyanus *Solms* XVI. 1. 47
salicifolius Presl XVI. 1.

serratus *R. & Schult.* XVI

sumatranus Miq. XVI. 1. 47

Fries XVI. 2. 273 (Salix)
ron Vaill. XIV. 230
a Vaill. herb. XIV. 239
on Kl. XV. 2. 197
Kl. XV. 2. 197
on (Crysostemon) Müll. XV. 2. 197 (Pseudanthus)
um Jaub. & Spach XIV. 638 (Thesium)
. 1. 207
Hassk. XIV. 83 131
a Meisn. XIV. 565
les Meisn. XIV. 565
V. 2. 274 413
a Blanco XV. 2. 417
Baill. XV. 2. 418
A. Juss. XV. 2. 415
var. glaucescens Griseb. XV. 2. 416
var. virens Griseb. XV. 2. 415
Wright XV. 2. 415
is Baill. XV. 2. 415
Baill. XV. 2. 414
Blanco XV. 2. 344
Baill. XV. 2. 416
L. XV. 2. 414
Sieb. & Zucc. XV. 2. 324
ana Baill. XV. 2. 416
chya Benth. XV. 2. 436
oa Benth. XV. 2. 344
Lam. XV. 2. 414
a Baill. XV. 2. 415
a Blanco XV. 2 434 449
Lour. XV. 2. 417
alis Baill. XV. 2. 417
Griseb. XV. 2. 416
ill. XV. 2. 414
sis Miq. XV. 2. 414
right & Griseb. XV. 2. 415
Ciccoides Baill. XV. 2. 418
Prosorus Baill. XV. 2. 416
Arg. XV. 2. 278 413 (Phyllanthus)
aill. XV. 2. 418 *(Cicca)*
Müll. Arg. XV. 2. 418 (Phyllanthus sect. Cicca)
dra Müll. Arg. XV. 2. 277 334 (Phyllanthus)
VI. 2. 645
E Nees XV. 1. 9
ideae Meisn. XV. 1. 29 (Phoebe)

Cinnamomum *Burm.* XV. 1. 4 9, *Nees Endl. Miq.* XV. 1. 10, *Blackw.* XV. 1. 13 *Nees Bl.* XV. 1. 9 24
albiflorum Hook. fil. & Thoms. XV. 1. 21
albiflorum Nees XV. 1. 18 (*bis*)
aromaticum Nees XV. 1. 12
aromaticum Zolling. XV. 1. 20
Basania Nees XV. 1. 12
borneense *Meisn.* XV. 1. 19
brevifolium *Miq.* XV. 1. 24
Burmanni *Bl.* XV. 1. 16 17
α chinense *Meisn.* - - 17
β angustifolium - - - -
γ Kiamis - - - -
calophyllum Nees XV. 1. 11
calyculatum *Miq.* XV. 1. 503
Camphora *Nees* XV. 1. 24 504
β glaucescens *A. Braun* - - -
γ rotundata *Meisn.* - - -
δ cuneata *Bl.* - - 25
Camphora var. procera Bl. XV. 1. 24
camphoratum *Bl.* XV. 1. 11
β Fitlana *Meisn.* - - -
Capparu-coronde Bl. XV. 1. 20
Cassia *Bl.* XV. 1. 12
Cassia Don XV. 1. 18
Cassia Siebold XV. 1. 503
Cassia var. Zolling. XV. 1. 16
Cathia *D. Don* XV. 1. 23 38
caudatum *Nees* XV. 1. 23
Cecicodaphne *Meisn.* XV. 1. 25
chinense Bl. XV. 1. 17 503
chinense var. Bl. XV. 1. 17
citriodorum *Thwait.* XV. 1. 22
Culilawan *Bl.* XV. 1. 14
β rubrum *Meisn.* - - -
Culitlawan Hayn. XV. 1. 14
curvifolium *Nees* XV. 1. 23
cyrtopodum *Miq.* XV. 1. 21
daphnoides *Sieb. & Zucc.* XV. 1. 22 504
dubium Nees XV. 1. 15 20
dubium Thwait. XV. 1. 15
dubium Walk. XV. 1. 15
dulce herb. lugd. XV. 1. 18
dulce Nees XV. 1. 16 503
eucalyptoides Miq. XV. 1. 20. 503
glanduliferum *Meisn.* XV. 1. 25
β caniflora - - - -
Griffithii *Meisn.* XV. 1. 19
Heyneanum Nees XV. 1. 20
japonicum Siebold XV. 1. 16 503

Cinnamomum
javanicum *Bl.* XV. 1. 10
β neglectum *Meisn.* - - -
impressinervium *Meisn.* XV.
iners Bl. XV. 1. 20
iners *Reinw.* XV. 1. 19
α triplinerve *Meisn.* - -
β trinerve - - -
γ subvenosum - - -
δ dubium - - -
iners Wight XV. 1. 20 (*bis*
inodorum *Meisn.* XV. 1. 26
inunctum *Meisn.* XV. 1. 25
Kiamis Hassk. XV. 1. 503
Kiamis Nees XV. 1. 17
Lampongum *Miq.* XV. 1. 5
laxiflorum *Meisn.* XV. 1. 2
litseaefolium *Thwait.* XV. 1
Loureirii *Nees* XV. 1. 16
β scrobiculatum *Meisn.* -
Malabathrum Batka XV. 1
(*Laurus Malabathrum*

Malabathrum Bl. XV. 1, 2
Malabathrum Miq. XV. 1.
malaccense *Miq.* XV. 1. 27
Maruba herb. Jungh. XV.
Maruba *Meisn.* XV. 1. 15
montanum Nees XV. 1. 27
multiflorum *Wight* XV. 1.
β elongatum *Meisn.* - - -
multiflorum β Wight XV. 1
Neesianum *Meisn.* XV. 1. 2
β petiolaris - - - -
neglectum Bl. XV. 1. 10
nitidum Bl. XV. 1. 20
nitidum Hook. XV. 1. 20
nitidum Nees XV. 1. 20
nitidum var. oblongifolium

nitidum var. subcuneatum

obscurum *Meisn.* XV. 1. 26
obtusifolium *Nees* XV. 1. 1
β macrophyllum *Meisn.* -
γ birmanicum - -
obtusifolium Wight XV. 1.
ochraceum Bl. XV. 1. 20
ovalifolium Gardn. XV. 1.
ovalifolium *Wight* XV. 1. 2
paraneuron *Miq.* XV. 1. 11
Parthenoxylon *Meisn.* XV.

β pruinosum - -
pauciflorum *Nees* XV. 1. 17
β Tazia *Meisn.* - - 50

m
n optimum Thwait. XV. 1. 13
m β ovalifolium Thwait. XV. 1. 22
n vulgare Hayn. XV. 1. 13
m sect. Camphora *Meisn.* XV. 1. 24
Malabathrum *Meisn.* XV. 1. 10
I. 2. 468
aschio, Cipresso femina XVI. 2. 468
IV. 443
rea Forsk. XVII. 28
T. 2 Adans. XVII. 1
T. 3 Adans. XVI. 1. 24
Tul. XVI. 2. 642, *Auct.* 643, *Dc.* XVI. 2. 643, *ma) R. & Pav.* XVI. 2. 642
ia Spr. XVI. 2. 656
n Tul. XVI. 2. 647
ul. XVI. 2. 648
Tul. XVI. 2. 652
Tul. XVI. 2. 645
. & Pav. XVI. 2. 645
Tul. XVI. 2. 647
Poepp. & Endl XVI. 2. 653
is Spr. XVI. 2. 656
olia Tul. XVI. 2. 652
olium Benth. XVI. 2. 652
Tul. XVI. 2. 654
Tul. XVI. 2. 649
Tul. XVI. 2. 655 (*bis*)
R. & Pav. XVI. 2. 655
Tul. XVI. 2. 644
Tul. XVI. 2. 655
Tul. XVI. 2. 643
Poepp. XVI. 2. 653
l. & Pav. XVI. 2. 646
Poepp. & Endl. XVI. 2. 646
Sello XVI. 2. 656
Poepp. & Endl. XVI. 2. 656
l. B. & Kth XVI. 2. 653
Tul. XVI. 2. 652
H. B. & Kth XVI. 2. 652
Tul. XVI. 2. 646
rpa Mart. XVI. 2. 645
rpa Tul. XVI. 2. 644
is Tul. XVI. 2. 645
d. XVI. 2. 650

Citriosma
gesnerioides H. B. & Kth XVI. 2. 646
glabra Spr. XVI. 2. 656
glabrescens Presl XVI. 2. 648
Gudotiana Tul. XVI. 2. 651
grandiflorum H. B. & Kth XVI. 2. 649
guianensis Tul. XVI. 2. 654 (*bis*)
guianensis var. nuda Tul. XVI. 2. 653 654
Kunthii Tul. XVI. 2. 649
Lagopus Tul. XVI. 2. 648
lanceolata Tul. XVI. 2. 644
laurifolia H. B. & Kth XVI. 2. 651
lepidota H. B. & Kth XVI. 2. 651
limoniodora R. & Pav. XVI. 2. 646
Lindeni Seem. XVI. 2. 656
macrophylla Mart. XVI. 2. 655
macrophyllum H. B. & Kth XVI. 2. 646
molle H. B. & Kth XVI. 2. 653
mollicoma Mart. XVI. 2. 653
mollis Tul. XVI. 2. 653
muricata R. & Pav. XVI. 2. 652
Mutisii H. B. & Kth XVI. 2. 650
neglecta Tul. XVI. 2. 647
oblongifolia R. & Pav. XVI. 2. 651 656
obovata Gardn. XVI. 2. 644
oligandra Tul. XVI. 2. 644 (*bis*)
oligocarpa Mart. herb. XVI. 2. 654
ovalis R. & Pav. XVI. 2. 650
paniculata Spr. XVI. 2. 656
pauciflorum Beurl. XVI. 2. 656
pellita Tul. XVI. 2. 645
petiolare H. B. & Kth XVI. 2. 651
petiolaris Tul. XVI. 2. 651
plebeja Tul. XVI. 2. 644
Poeppigii Tul. XVI. 2. 653
polyantha Tul. XVI. 2. 646
pyricarpa R. & Pav. XVI. 2. 646
pyricarpa W. herb. XVI. 2. 653
radiatum Poepp. & Endl. XVI. 2. 656
reginae Tul. XVI. 2. 654
riparia Tul. XVI. 2. 648
ruficeps Tul. XVI. 2. 645
Schottiana Spr. XVI. 2. 663
Selloi Spr. XVI. 2. 666

Citriosma
sessiliflora Tul. XVI. 2. 64
sessiliflorum H. B. & Kth

suaveolens Tul. XVI. 2. 64
subinodora R. & Pav.

Thea Seem. XVI. 2. 657
thecaphorum Poepp. & En

tomentosa R. & Pav. XVI.

triflora Spr. XVI. 2. 665
umbellata Spr. XVI. 2. 66
Citriosma *Dc. fil.* XVI. 2. 64

Citronella Don XVII. 298
Citrus decumana Benth. &
XV
Claoxylon *Müll. Arg.* XV.
A. Juss. XV. 2. 775
Wight XV. 2. 988 991
affine Baill. XV. 2. 784
affine *Zolling.* XV. 2. 783
africanum *Müll. Arg.* XV.
angolense *Müll. Arg.* XV.
angustifolium *Müll. Arg.* XV
australe *Baill.* XV. 2. 788
Barteri Hook. fil. XV. 2. 7
capense *Baill.* XV. 2. 786
columnare *Müll. Arg.* XV.
cordifolium Benth. XV. 2.
coriaceum Baill. XV. 2. 78
crassifolium Baill. XV. 2.
digynum R. Wight XV. 2

echinospermum *Müll. Arg.*

erythrophyllum *Miq.* XV. 2
fallax *Müll. Arg.* XV. 2. 7
glabrifolium *Miq.* XV. 2. 7
glandulosum *Baill.* XV. 2.
graciliflorum Miq. XV. 2. 7
grandidentatum Boiv. XV.
grandifolium *Müll. Arg.* XV.
α genuinum – –
β submembranaceum – –
hexandrum *Müll. Arg.* XV.
hirtellum *Baill.* XV. 2. 787
indicum Hassk. XV. 2. 782
indicum *Müll. Arg.* XV. 2.
α macrophyllum – – –
β genuinum – – –
1 molle – – –
2 pubescens – – –
γ spathulatum – – –

Müll. Arg. XV. 2. 779
anum Müll. Arg. XV. 2. 781
chianum Müll. Arg. XV. 2. 776
sect. Adenoclaoxylon *Müll. Arg.* XV. 2. 775
Athroandra *Müll. Arg.* XV. 2. 776
Discoclaoxylon *Müll. Arg.* XV. 2. 779
Enclaoxylon *Müll. Arg.* XV. 2. 781
Gymnoclaoxylon *Müll. Arg.* XV. 2. 780
Micrococca *Müll. Arg.* XV. 2. 789
Baill. XV. 2. 781 (Mercurialis)
Lour. XV. 2. 899 904
Lour. XV. 2. 905
Müll. Arg. XV. 2. 904 (Alchornea)
os Zipp. XV. 2. 895
is Zipp. XV. 2. 895
chus Kl. XV. 1. 278
t. & Pav. XVI. 2. 155
Müll. Arg. XV. 2. 983, *Baill.* 2. 983 988 991, *Bl.* XV. 2. 987
acfolium Müll. Arg. XV. 2. 985
oides Müll. Arg. XV. 2. 986
um Baill. XV. 2. 987 1006
um Bl. XV. 2. 987
hyllum Baill. XV. 2. 985
olium Zipp. XV. 2. 987
atum Baill. XV. 2. 986
um Baill. XV. 2. 985
ium Müll. Arg. XV. 2. 984
latum Baill. XV. 2. 986
rdi Baill. XV. 2. 986
di Müll. Arg. XV. 2. 985
crophyllum – – – –
anum – – – 986
atifolium – – – –
dense – – – –
sect. Discocleidion *Müll. Arg.* XV. 2. 984
Eucleidion *Müll. Arg.* XV. 2. 987
Cleidion *sect.* Redia *Müll. Arg.* XV. 2. 984
Cleistanthus *Hook. fil.* XV. 2. 503
acuminatus *Müll. Arg.* XV. 2. 508
angolensis *Müll. Arg.* XV. 2. 505
Boivinianus *Müll. Arg.* XV. 2. 505
chartaceus *Müll. Arg.* XV. 2. 507
Cunninghamii *Müll. Arg.* XV. 2. 506
diversifolius *Müll. Arg.* XV. 2. 509
ferrugineus *Müll. Arg.* XV. 2. 507
lanceolatus *Müll. Arg.* XV. 2. 507
malabaricus *Müll. Arg.* XV. 2. 508
monoicus *Müll. Arg.* XV. 2. 508
oblongifolius *Müll. Arg.* XV. 2. 506
α scaber – – – –
β genuinus – – – –
pallidus *Müll. Arg.* XV. 2. 508
patulus *Müll. Arg.* XV. 2. 505
polystachyus *Hook. fil.* XV. 2. 504
robustus *Müll. Arg.* XV. 2. 504
stipitatus *Müll. Arg.* XV. 2. 506
α laurinus – – – 507
β hypoleucus – – – –
γ stipitatus – – – –
stipularis *Müll. Arg.* XV. 2. 509
sumatranus *Müll. Arg.* XV. 2. 504
Clementea Cav. XVII. 291
Cleodora Kl. XV. 2. 513 591
Sellowiana Kl. XV. 2. 591
Cleodora Baill. XV. 2. 591 (Croton)
Clethropsis Spach XVI. 2. 181
nepalensis Spach XVI. 2. 181
nitida Spach XVI. 2. 181
Clethropsis *Endl.* XVI. 2. 181 (Alnus)
Cliftonia *Gaertn. fil.* XVII. 291
Clistanthus Poit. XV. 2. 1025 1029 1031
Clomplanus *Aubl.* XVII. 291
Clonostachys Kl. XV. 2. 1164 1177
Clusiophyllum Müll. Arg. XV. 2. 1123
Sprucei Müll. Arg. XV. 2. 1123
Clutia L. XV. 2. 224 239 492 1043, *Thbg* XV. 2. 224, *Wall.* XV. 2. 763
acuminata L. XV. 2. 1056
acuminata Thbg XV. 2. 225 1056
africana Poir. XV. 2. 1050
alaternoides Thbg XV. 2. 1047

Clutia
androgyna L. XV. 2. 241 10
Cascarilla L. XV. 2. 616

daphnoides Lam. XV. 2. 105
Eluteria L. XV. 2. 516 517
ericoides Thbg XV. 2. 1055
heterophylla Thbg XV. 2. 10
hirta L. XV. 2. 224 1056
lanceolata Forsk. XV. 2. 104
monoica Lour. XV. 2. 508 1
polifolia Poir. XV. 2. 1049
polygonoides L. XV. 2. 1054
polygonoides Thbg XV. 2. 10
pubescens Thbg XV. 2. 1054
pulchella L. XV. 2. 1045
pulchella Sparm. XV. 2. 105
retusa L. XV. 2. 493 1056
sempervirens Wall. XV. 2. 7
squamosa L. XV. 2. 493 10
stipularis L. XV. 2. 499 105
tomentosa L. XV. 2. 1053
tomentosa Thbg XV. 2. 1050
Cluytia *Martyn* XV. 2. 1043,
XV. 2. 492 509 1105 1110
abyssinica *Jaub. & Spach*

acuminata E. Mey. XV. 2.
acuminata W. XV. 2. 225 1
affinis *Müll. Arg.* XV. 2. 10
α genuina – – – –
β phyllanthifolia – – – 10
affinis Sond. XV. 2. 1050
alaternoides bot. magaz. X

alaternoides Krauss XV. 2.
alaternoides *Müll. Arg.* XV. 2.
α latifolia – – –
β major *Krauss* – –
γ genuina *Müll. Arg.* – –
a obovata – – –
b oblongata – – –
c brevifolia – – –
d elliptica – – –
e imbricata – – –
δ microphylla – – –
ε angustifolia – – –
a longifolia – – –
b brachyphylla – – –
c leptophylla – – –
ζ lanceolata *Sond.* – –
alaternoides Sond. XV. 2. 104
alaternoides W. XV. 2. 1048
alaternoides γ lanceolata So
XV. 2.
benguelensis *Müll. Arg.* XV. 2.

lia Wall. XV. 2. 507 1056 1110
heel. XV. 2. 233
nd. XV. 2. 1047
oxb. XV. 2. 505 1056
Vall. XV. 2. 509 1056
ifolia Baill. XV. 2. 1051
Jacq. XV. 2. 1049
Müll. Arg. XV. 2. 1049
ina – – – –
folia – – – –
ascens – – – –
folia – – – –
Sond. XV. 2. 1049
ides *Müll. Arg.* XV. 2. 1054
ina – – – –
ata *Sond.* – – –
des Sond. XV. 2. 1048
des W. XV. 2. 1048
des var. angustifolia Krauss XV. 2. 1049
grandifolia – – – 1048
heterophylla – – – 1049
Müll. Arg. XV. 2. 1048
uta – – – 1049
ophylla – – – –
Eckl. & Zeyh. XV. 2. 1050 *(bis)*
Sond. XV. 2. 1053
β glabrata Sond. XV. 2. 1054
W. XV. 2. 1050
Müll. Arg. XV. 2. 1045
ina – – – –
erophylla – – – –
ata *Sond.* – – 1046
Müll. Arg. – – –
W. XV. 2. 1045
oon XV. 2. 497 1056
Vall. XV. 2. 509 1056
na *Müll. Arg.* XV. 2. 1044
scens – – – –
phora – – – –
Eckl. XV. 2 1048
Roxb. XV. 2. 499 1056
rens Roxb. XV. 2. 1056 1110
rens Wall. XV. 2. 1056 1110
Müll. Arg. XV. 2. 1053

Cluytia
similis *Müll. Arg.* XV. 2. 1046
Sonderiana *Müll. Arg.* XV. 2. 1051
α pubescens – – – –
β glabra – – – –
spinosa Roxb. XV. 2. 493 1056
tabularis Eckl. & Zeyh. XV. 2. 1054
tenuifolia *W.* XV. 2. 1055
teretifolia Sond. XV. 2. 1049
Thunbergii Sond. XV. 2. 1050
tomentosa E. Mey. XV. 2. 1050
tomentosa *Müll. Arg.* XV. 2. 1053
α marginata – – – –
β elliptica – – – –
γ genuina – – –
tomentosa W. XV. 2. 1053
Cluytiandra *Müll. Arg.* XV. 2. 225
trichopoda *Müll. Arg.* XV. 2. 225
CLUYTIEAE *Müll. Arg.* XV. 2. 1032 1043
Cluytiopsis Müll. Arg. XV. 2. 350 (Phyllanthus)
Clypea Bl. XVII. 297
Cnemidostachys Mart. XV. 2. 1164 1166, *Boj.* XV. 2. 1201 1213
acalyphoides Mart. XV. 2. 1172
bidentata Kl. XV. 2. 1173
bidentata Mart. XV. 2. 1174
campestris Mart. XV. 2. 1169
Chamaelea Spr. XV. 2. 1175
coriacea Mart. XV. 2. 1167
crotonoides Mart. XV. 2. 1170 1171
daphnoides Mart. XV. 2. 1168
ditassoides Diedrichs. XV. 2. 1174
glabra Mart. XV. 2. 1177
glabrata Mart. XV. 2. 1172
glandulosa Mart. XV. 2. 1168
hispida Mart. XV. 2. 1172
linearifolia Miq. XV. 2. 1175
longifolia Mart. XV. 2. 1171
madagascariensis Boj. XV. 2. 1214
marginata Mart. XV. 2. 1166
myrtilloides Mart. XV. 2. 1167
oleoides Mart. XV. 2. 1168
patula Mart. XV. 2. 1172
prostrata Mart. XV. 2. 1173
salicifolia Mart. XV. 2. 1171
scoparia Mart. XV. 2. 1174
Sellowiana Kl. XV. 2. 1169
serrulata Kl. XV. 2. 1167
serrulata Mart. XV. 2. 1167
stipulacea Kl. XV. 2. 1176
tragioides Mart. XV. 2. 1173
Vahlii Spr. XV. 2. 1173
velutina Kl. XV. 2. 1168

Cnemidostachys Baill. XV. 2. 1166 (Stillingia)
Cneoroides Spach XIV. 532 (Daphne)
Cnesmone *Bl.* XV. 2. 926
javanica *Bl.* XV. 2, 926
Cnesmosa Bl. XV. 2. 926
Cnidoscelus Pohl XV. 2. 1076 1096
angustidens Torr. XV. 2. 1102
fragrans Pohl XV. 2. 1099
hamosus Pohl XV. 2. 1097
lobatus Pohl XV. 2. 1098
Maregravii Pohl XV. 2. 1101
Michauxii Pohl XV. 2. 1101
Michauxii Schlecht. XV. 2. 1101
napaeifolius Pohl XV. 2. 1100
neglectus Pohl XV. 2. 1101
obtusifolius Pohl XV. 2. 1097
osteocarpus Pohl XV. 2. 1101
palmatus Pohl XV. 2. 1100
pubescens Pohl XV. 2. 1097
quercifolius Pohl XV. 2. 1098
quinquelobus Pohl XV. 2. 1099
repandus Pohl XV. 2. 1098
stimulosus Engelm. & Gray XV. 2. 1102
stimulosus A. Gray XV. 2. 1101
surinamensis Miq. XV 2. 669
vitifolius Pohl XV. 2. 1097
Cnidosculus *Müll. Arg.* XV. 2. 1096 (Jatropha)
Coccobryon Kl. XVI. 1. 240 336, *Miq.* XV. 1. 240
capense Kl. XVI. 1. 339
capense Miq. XVI. 1. 379
Coccobryon *C. De.* XVI. 1. 336 (Piper)
Coccifera Spach XVI. 2. 3 (Quercus)
Coccoceras *Miq.* XV. 2. 949
muticum *Müll. Arg.* XV. 2. 950
plicatum *Müll. Arg.* XV. 2. 950
sumatranum *Miq.* XV. 2. 950
Coccoloba *Jacq.* XIV. 150, *Orteg.* XIV, 145
acrostichoides *Cham.* XIV. 160
acuminata *H. B. & Kth* XIV. 168
acuminata Kl. XIV. 169
alagoensis *Wedd.* XIV. 163
β major *Meisn.* – –
alnifolia Casar. XIV. 153
australis Forst. XIV. 146 170
barbadensis *Jacq.* XIV. 153
β mexicana *Meisn.* – –
barbadensis W. XIV. 157
Blanchetiana Wedd. XIV. 153
bracteolosa *Meisn.* XIV. 164

Coccoloba
brasiliensis *Mart. &*
brasiliensis Spr. XIV.
bullata hort. paris XI
calobotrys *Meisn.* XIV
Candolleana *Meisn.* XI
caracasana *Meisn.* XIV
carinata Ruiz XIV. 1
cordata *Cham.* XIV. 1
cordifolia *Meisn.* XIV.
coriacea W. XIV. 155
coronata *Jacq.* XIV.
costata Mart. XIV. 1
crescentiaefolia *Cham.*
β obtusata *Meisn.*
crispata Burkea XIV.
cubensis *Meisn.* XIV.
cujabensis *Wedd* XIV
declinata *Mart.* XIV.
α minor *Meisn.* –
β Velloziana – –
γ major – –
densifrons *Mart.* XIV.
diversifolia *Jacq.* XIV
emarginata *Jacq.* XIV
excelsa *Benth.* XIV. 1
excoriata *L.* XIV. 168
excoriata var. Poir.
fagifolia *Jacq.* XIV. 1
fasciculata *Wedd.* XIV
fastigiata *Meisn.* XIV.
β glabrata – –
flavescens *Jacq.* XIV.
floridana *Meisn.* XIV.
Gardneri *Meisn.* XIV.
Goudotiana *Wedd.* XI
gracilis *H. B. & Kth*
grandifolia Jacq. XIV.
grandis Benth. XIV.
guianensis *Meisn.* XIV
α vulgaris – –
β angustifolia – –
γ major – –
δ macrostachya –
Humboldti *Meisn.* XIV.
japurana *Meisn.* XIV.
ilheensis *Wedd.* XIV.
indica Wight herb. XI
Klotzschiana *Meisn.* XI
Kunthiana *Meisn.* XIV.
laevis *Casar.* XIV. 15
latifolia *Lam.* XIV. 15
latifolia Poepp. XIV.
laurifolia *Jacq.* XIV 1
leoganensis Jacq. XIV.

a *Benth.* XIV. 163
la *Mart.* XIV. 167
nth. XIV. 161
a *hort. paris.* XIV. 152
hort. paris. XIV. 152
Benth. XIV. 161
n. XIV. 154
Meisn. XIV. 163
ya *W.* XIV. 162
lia *Meisn.* - -
ata - - -
ya *W. herb.* XIV. 162
ar. XIV. 151
is XIV. 149 170
. XIV. 167
Meisn. - -
- - -
. & *Kth* XIV. 159
ata *Meisn.* - -
- - -
t. XIV. 164
. XIV. 168
B. & *Kth* XIV. 155
B. & *Kth* XIV. 155
Jacq. XIV. 161
W. herb. XIV. 162 (*bis*)
Wedd. XIV. 153
h. XIV. 164
Meisn. - -
- - -
ata - - -
Meisn. XIV. 166
Meisn. XIV. 151
Meisn. XIV. 159
Benth. XIV. 156
burgkii *Meisn.* - -
anni - - -
Poir. XIV. 162
ott XIV. 154
leisn. XIV. 154
dzm. XIV. 159
Wedd. XIV. 161
W. XIV. 163
Mart. XIV. 161
Wedd. XIV. 169
Wedd. XIV. 151
Meisn. - -
Wedd. XIV. 153
L. XIV. 152
V. XIV. 166
V. herb. XIV. 166
Meisn. XIV. 164
a *Wedd.* XIV. 156
n. XIV. 169

Coccoloba
rigida W. XIV. 163
rosea *Meisn.* XIV. 157
rotundifolia *Meisn.* XIV. 154
rubiginosa Mart. XIV. 160
rugosa *Desf.* XIV. 152
rugosa hort. paris. XIV. 152
sagittata Poir. XIV. 148 170
sagittifolia Orteg. XIV. 148 170
salicifolia *Wedd.* XIV. 169
scandens *Casar.* XIV. 162
scandens Poepp. XIV. 154
Schomburgkii *Meisn.* XIV. 160
sticticaulis *Wedd.* XIV. 161
striata *Benth.* XIV. 158
stricta Kl. XIV. 161
strobilulifera *Meisn.* XIV. 169
Swartzii *Meisn.* XIV. 159
β portoricensis - - 160
tenuifolia *L.* XIV. 162
Totnea *Hamilt.* XIV. 170
uvifera *Jacq.* XIV. 152
β ovalifolia *Meisn.* - -
γ leoganensis *W.* - -
Vellosiana Casar. XIV. 158
virens *Lindl.* XIV. 169
COCCOLOBEAE *C. A. Mey.* XIV. 4 144
Cochlospermum Kth XVII. 294
Coddingtonia *Bowd.* XVII. 291
Codiaeum *Müll. Arg.* XV. 2. 1116, *Rumph* XV. 2. 1116 1119
alternifolium *Müll. Arg.* XV. 2. 1117
aurantiacum *Müll. Arg.* XV. 2. 1118
caruncnlatum *Müll. Arg.* XV. 2. 1117
chrysosticton Spr. XV. 2. 1119
chrysosticton angustifolium Rumph XV. 2. 1120
latifolium Rumph XV. 2. 1119
medium Rumph XV. 2. 1120
crispum Rumph XV. 2. 1120
cuneifolium Zipp. XV. 2. 1119
Inophyllum *Müll. Arg.* XV. 2. 1120
lucidum *Müll. Arg.* XV. 2. 1116
medium Baill. XV. 2. 1119
moluccanum Dcne XV. 2. 1119
obovatum Zolling. XV. 2. 1119
Pancheri *Müll. Arg.* XV. 2. 1117
Pentzii *Müll. Arg.* XV. 2. 1118
pictum Hook. XV. 2. 1119
sylvestre Rumph XV. 2. 1120

Codiaeum
taeniosum Rumph XV. 2. 112
timorense A. Juss. XV. 2. 11
umbellatum *Müll. Arg.* XV.

variegatum Bl. XV. 2. 1120
variegatum *Müll. Arg.* XV. 2.
α pictum – – –
β moluccanum – – –
a latifolium – – –
b longifolium – – –
c minus – – –
γ genuinum – – –
a lanceolatum – – –
b angustifolium– – –
c medium – – –
d crispum – – –
e taeniosum – – –
Codiaeum *sect.* Baloghia *Müll.* XV. 2.
Blachia *Müll.* XV. 2.
Eucodiaeum *Müll. Arg.*

Synapisma *Mül* XV. 2.
Tylosepalum *Müll. Arg.*

Codocoypu XIV. 627
Codonocalyx Kl. XV. 2. 513 5
divaricatus Kl. XV. 2. 564
lanatus Kl. XV. 2. 564
longifolius Kl. XV. 2. 563
montevidensis Kl. XV. 2. 563
polymorphus Kl. XV. 2. 563
velleriflorus Kl. XV. 2. 563
Codonocalyx Baill. XV. 2. 5 (Cr
Coelebogyne J. Smith XV. 2.

ilicifolia J. Smith XV. 2. 90
Coelebogyne *Müll. Arg.* XV. 2 (Alcho
Coelitlawan boom Valent. XV.
Coelodepas *Hassk.* XV. 2. 759
bantamense *Hassk.* XV. 2. 7
COELODISCEAE *Müll. Arg.* XV 712
Coelodiscus *Baill.* XV. 2. 758
montanus *Müll. Arg.* XV. 2.
speciosus *Müll. Arg.* XV. 2.
Thunbergianus *Müll. Arg.* XV

Coilophyllum Moris. XVII. 3

Eucomandra *Dc. fil.* XIV. 636
XV. 2. 444
XV. 2. 445
l. XV. 2. 445 (*bis*)
V. 2. 1201 1218
Lour. XV. 2.1220
rg. XV. 2. 1218
sect. Euexcoecaria)
q. XVII. 291
fil. XIV. 199 697
(Myristica)
s XVI. 2. 147 151,
2. 147
anks XVI. 2. 151
XVI. 2. 151
(Myrica)
ndl. XVI. 2. 361
nsis Aubl. XV. 2. 583
Arg. XV. 2. 895, 895 896, *Kl.* XV.
Arg. XV. 2. 897
bl. XV. 2. 896
th. XV. 2. 897
XV. 2. 897
l. XV. 2. 898 901
XV. 2. 896
Müll. Arg. XV. 2. 896
l. Arg. XV. 2. 897
Convecibea *Müll. Arg.* XV. 2. 897
Euconceveiba *Müll. Arg.* XV. 2. 896
Veconcibea *Müll. Arg.* XV. 2. 897
Juss. XV. 2. 899
2. 890 904
Juss. XV. 2. 901
XV. 2. 906
. XV. 2. 906
XV. 2. 896
anogh XV. 2. 895
IV. 393
. XIV. 401
Sm. XIV. 410
XIV. 417
n. XIV. 401
ort. XIV. 402
im. XIV. 398
tn. fil. XIV. 402
nt. XIV. 415
ertn. fil. XIV. 402 419

Conchium
ellipticum Sm. XIV. 412
epiglottis W. XIV. 395
gibbosum Sm. XIV. 402
longifolium Sm. XIV. 398
mucronatum Cels. XIV. 406
nervosum Sims XIV. 415
nervosum W. XIV. 415
oleifolium Sm. XIV. 416
pubescens W. XIV. 402 461 (*bis*)
pugioniforme Sm. XIV. 398
pyriforme W. XIV. 422
ruscifolium W. XIV. 419
salicifolium Gaertn. fil. XIV. 416
salignum Sm. XIV. 416
sphaeroideum Sm. XIV. 402
teretifolium Gaertn. fil. XIV. 395
trifurcatum Sm. XIV. 404
CONIFERAE Juss. XVI. 2. 332
CONIFERAE L. XVI. 2. 347 361
CONIFERAE *Parl.* XVI. 2. 361
CONIFERAE, CUPRESSINEAE & ABIETINEAE Rich. XVI. 2. 368
CONIFERAE EMPETREAE Nutt. XVI. 1. 24
CONIFERAE, TAXINEAE, CUPRESSINEAE & ABIETINEAE Rich. XVI. 2. 361
CONIFERARUM TRIB. GNETACEAE Lemout & Dcne XVI. 2. 347
Conocarpodendri species spuriae Boerh. XIV. 253
Conocarpodendron Boerh. XIV 212 235 255
Conocarpodendron fol. argent. Boerh. XIV. 213
Conocarpodendron *Boerh.* XIV. 253 (Leucospermum)
Conocarpns Adans. XIV. 212
CONOCEPHALEAE *Trecul* XVII. 280 283
Conocephalus Bl. XVII. 280 284
Conocephalus niveus Wight XVI. 1. 235[24]
Conoclinium *Meisn.* XIV. 577 (Lachnaea)
Conodaphne *Bl.* XV. 1. 182 (Tetranthera)
Conogyne R. Br. XIV. 385 (Grevillea)
Conogyne *Meisn.* XIV. 385 (Grevillea)
Conophorus Petiv. XIV. 211 262
capensis Petiv. XIV. 212

Conosapium *Müll. Arg.* XV.
madagascariense *Müll. Ar*

CONOSPERMEAE *Endl.* XI

Conospermum *Sm.* XIV. 31
acerosum *Lindl.* XIV. 31
acinacifolium *Grah.* XIV.
acinaciforme Grah. XIV.
affine R. & Schult. XIV.
amoenum *Meisn.* XIV. 31
brachyphyllum *Lindl.* XI
bracteosum *Meisn.* XIV.
Brownii *Meisn.* XIV. 324
canaliculatum *Meisn.* XI
capitatum *R. Br.* XIV. 32
coeruleum *R. Br.* XIV. 3
commutatum R. & Schu

crassinervium *Meisn.* XI
Dallachii F. Müll. XIV.
debile *Kippist* XIV. 322
densiflorum *Lindl* XIV. 3
distichum *R. Br.* XIV. 31
ellipticum *Sm.* XIV. 322
ephedroides *Kippist* XI
erectum Fraser XIV. 320
erectum hort. kew. XIV.
ericifolium *Sm.* XIV. 319
falcifolium Knight & Sa

filifolium *Meisn.* XIV. 31
flexuosum *R. Br.* XIV. 3
α laevigatum *Meisn.* –
β asperulum – –
glumaceum *Lindl.* XIV. 3
Hügelii *R. Br.* XIV. 323
imbricatum *Sieber* XIV. 3
incurvum *Lindl.* XIV. 318
intricatum Lindl. XIV. 3
lanceolatum *R. Br.* XIV.
laniflorum Endl. XIV. 317
lavandulifolium *A. Cunn*

linifolium *A. Cunn.* XIV.
longifolium *Sm.* XIV. 321
α lingulatum *Meisn.* –
β intermedium – –
γ angustifolium – –
lupulinum Endl. XIV. 323
marginatum *Meisn.* XIV. 3
Mitchellii *Meisn.* XIV. 320
β Dallachii – – 321
nervosum *Meisn.* XIV. 321
α malifolium – – 32
β subspathulatum – –

. *Arg.* XV. 2. 960
(Mallotus)
XVI. 1. 26
XVI. 1. 27
XVI. 1. 27
'*av.* XVII. 292
orata Pluk. XV. 1.
171
545
lloides albus Rumph
XV. 1. 14
lloides ruber Rumph
XV. 1. 15
Dc. fil. XVI. 2. 124
Hartig XVI. 2. 124
Lindl. XVI. 2. 1
Mirb. XVI. 2. 124
fil. XVI. 2. 128
XVI. 2. 129
hl XVI. 2. 132
bold XVI. 2. 130
lt. XVI. 2. 132
is Dc. fil. - - -
nilis Wangenh. XVI.
2. 132
rtul. XVI. 2. 131
hort. XVI. 2. 132
m. XVI. 2. 130
VI. 2. 130
hort. - - 131
- - - -
- - - -
Dochm. - - -
- - - -
t. - - -
c. fil. - - -
. XVI. 2. 130
h XVI. 2. 132
XVI. 2. 130
llonensis hort. XVI.
2. 131
rica Ledeb. XVI. 2.
130
anica hort. XVI. 2.
131
emontana Dochm.
XVI. 2. 131
ila byzantina Clus.
XVI. 2. 132
urea Loud. XVI. 2.
132
erocarpa Reichenb.
XVI. 2. 131
t. XVI. 2. 131
h. XVI. 2. 131
g XVI. 2. 132

Corylus
Colurna *L.* XVI. 2. 131
β lacera - - - -
γ Jacquemontii - - - -
δ glandulifera - - - 132
Colurna Reichenb. XVI. 2. 132
cornuta Duroi XVI. 2. 133
ferox *Wall.* XVI. 2. 129
filicifolia hort. XVI. 2. 131
Hasibami Siebold XVI. 2. 130
heterophylla *Fisch.* XVI. 2. 130
β Thunbergii - - - - -
γ Sieboldiana - - - - -
heterophylla hort. XVI. 2. 131
humilis W. XVI. 2. 132
Jacquemontii Dene XVI. 2. 131
Indiae orientalis Seba XVI. 2. 131
intermedia Fingerh. XVI. 2. 130
lacera Wall. XVI. 2. 131
laciniata hort. XVI. 2. 131
latifolia hort. XVI. 2. 131
mandschurica Maxim. XVI. 2. 133
pontica Dochm. XVI. 2. 130
pontica C. Koch XVI. 2. 131
pontica glandulifera C. Koch XVI.
2. 132
purpurea hort. XVI. 2. 132
quercifolia hort. XVI. 2. 131
rostrata *Ait.* XVI. 2. 133
β californica *Dc. fil.* - - -
γ mandschurica *Regel* - - -
rostrata Benth. XVI. 2. 133
serenyana Plusk. XVI. 2. 130
Sieboldiana Bl. XVI. 2. 130
stipulis linearibus L. XVI. 2. 131
tetraphylla Ledeb. XVI. 2. 130
tubulosa Dochm. XVI. 2. 132
tubulosa *W.* XVI. 2. 132
β atropurpurea *Dochm.* - - -
Turtschaninowii Bess. XVI. 2. 133
Corylus *sect.* Acanthochlamys *Spach*
XVI. 2. 129
Avellana *Dc. fil.* XVI.
2. 129
Avellana & *Tuboavel-*
lana Spach XVI. 2.
129
Tuboavellana Spach
XVI. 2. 133
Corymbocephalon *Meisn.* XIV. 130
(Polygonum)
Corymbosa *Benth.* XIV. 17 (Erio-
gonum)
Corynaea *Hook. fil.* XVII. 120 137
crassa *Hook. fil.* XVII. 137
Purdiei *Hook. fil.* XVII. 138

Corynaea
sphaerica *Hook. fil.* XVI
Sprucei *Eichl.* XVII. 137
Corynocarpus *Forst.* XVII.
Corynopodes Nees XV. 1. 5
Coryzadenia Griff. XV. 1.
trifoliata Griff. XV. 1.
Cosaria Forskahlii Gmel.
Cottampala Rheed. XV. 2.
Courimari *Aubl.* XVII. 292
Coussapoa *Aubl.* XVII. 28
Covellia Gaspar. XVII. 28
Coygue XVI. 2. 121
Crantzia Sw. XVI. 1. 14

laevigata Sw. XVI. 1. 1
laevigata Vahl XVI. 1.
Solandri Vahl XVI. 1.
Cremocarpium lanatum N

Cremophyllum Scheidw. X
spathulatum Scheidw. X
Cremostachys Tul. XV. 2.
filiformis Tul. XV. 2. 1
fulva Tul. XV. 2. 1037
Lindlaeana Tul. XV. 2.
Crenias Spr. XVII. 76
Creodus Lour. XVI. 1. 47
odorifer Lour. XVI. 1. 4
Crepidaria Haw. XV. 2. 4
cordellata Haw. XV. 2.
myrtifolia Haw. XV. 2.
Crossadenia *Boiss.* XV. 2.

Croton *Müll. Arg.* XV. 2. 51
2. 512 751 792 927 95
1016 1116 1119 1201
XV. 2. 915 916 1118,
2. 228 230 955 1255,
2. 513, *Wall.* XV. 2,
1105 1108, *Wight* XV
Lamb. XV. 2. 956, *Ge*
2. 512 1022 1125, *Gr*
2. 756, *Spr.* XV. 2. 122
XV. 2. 201 890, *Poepp*
729, *Cav. Bung.* XV. 2.
Cav. XV. 2. 742, *Hook*
708, *Forst.* XV. 2. 1
1144, *Hassk.* XV. 2. 111
XV. 2. 988 991, *Burm*
480, *Sieber* XV. 2. 93
Nimmo XV. 2. 1105, *A*
2. 700 746
abaitensis *Baill.* XV. 2. 6
abnormis Baill. XV. 2. 64
abutiloides *H. B. & Kth* X

iticus *Mart.* XV. 2. 593
iticus *Müll. Arg.* XV. 2. 593
- - - -
ellianus - - - -
- - - -
nus - - - -
lius - - - -
iticus α echiifolius Müll. Arg. XV. 2. 593
β angustifolius - - - -
γ perdicipes - - -
ε cordiaefolius - - - 594
Forsk. XV. 2. 697 750
L. XV. 2. 697 704
noides Bert. XV. 2. 697
noides Steud. XV. 2. 737
Vall. XV. 2. 619
emus *Mx* XV. 2. 576
Bl. XV. 2. 526
Müll. Arg. XV. 2. 526
eucus - - - -
nus - - - -
lis - - - 527
pes - - - -
hne *Baill.* XV. 2. 565
ssum *Baill.* XV. 2. 554
lloides *Müll. Arg.* XV. 2. 555
llus *H. B. & Kth* XV. 2. 555
llus *α genuinus Müll.Arg.* XV. 2. 555
β pubescens - - - 554
γ villosus - - - -
s *Müll. Arg.* XV 2. 599
s *Gaertn.* XV. 2. 599
s *L.* XV. 2. 588
s *Miq.* XV. 2. 693
s *Wall.* XV. 2. 601
s *W.* XV. 2. 588
s *β Geisel.* XV. 2. 588
v. XV. 2. 554
n. XV. 2. 748
s *Benth.* XV. 2. 683
sper) *Wall.* XV. 2. 697 747 (*bis*)
s *Baill.* XV. 2. 670
s *Baill.* XV. 2. 591
Müll. Arg. XV. 2. 560
nus - - - -
latus - - - -

Croton
Astroites W. XV. 2. 613
atrovirens Wall. XV. 2. 697 978
Augustinianus Baill. XV. 2. 631
auriculatus Müll. Arg. XV. 2. 558
avenius Geisel. XV. 2. 561
axillaris *Müll. Arg.* XV. 2. 627
bahiensis *Müll. Arg.* XV. 2. 654
Baillonianus *Müll. Arg.* XV. 2. 536
α pachyphyllus - - - -
β submembranaceus - - - -
baliospermum Spanogh XV. 2. 697 1119
balsameus *Müll. Arg.* XV. 2. 589
balsamifer Jacq. XV. 2. 613
barbatus *H. B. & Kth* XV. 2. 624
Benzoe L. XV. 2. 700
Berlandieri *Müll. Arg.* XV. 2. 688
Berlandieri *Torr.* XV. 2. 587 671
Bernieri *Baill.* XV. 2. 566
betaceus Baill. XV. 2. 626
betaceus *Müll. Arg.* XV. 2. 626
α genuinus - - - -
β lanceolatus - - - -
betulinus *Vahl* XV. 2. 595
bicolor *Roxb.* XV. 2. 572
bidentatus *Müll. Arg.* XV. 2. 686
bifurcatus Baill. XV. 2. 584
bifurcatus *Müll. Arg.* XV. 2. 584
α Emeliae - - - -
β genuinus - - - -
Billbergianus *Müll. Arg.* XV. 2. 582
birmanicus *Müll. Arg.* XV. 2. 601
bixoides *Vahl* XV. 2. 552
Blanchetianus *Baill.* XV. 2. 553
Blanchetianus Müll. Arg. XV. 2. 553
Bocquilloni *Baill.* XV. 2. 571
Bojerianus *Baill.* XV. 2. 567
Boissieri *Müll. Arg.* XV. 2. 677
Boivinianus *Baill.* XV. 2. 623
boliviensis *Müll. Arg.* XV. 2. 540
Bonplandianus Baill. XV. 2. 661
Boragatch Wall. XV. 2. 573
Boutonianus *Müll. Arg.* XV. 2. 520
brachiatus Mart. XV. 2. 647
brachybotryus *Müll. Arg.* XV. 2. 571
bracteatus *Lam.* XV. 2. 520
bractiferus Roxb. XV. 2. 697 1119
brasiliensis Mart. XV. 2. 557

Croton
brasiliensis *Müll. Arg.* XV. 2. 526
brevifolius Anders. XV. 2. 605
brevispicatus Baill. XV. 2. 571
Bridgesii *Müll. Arg.* XV. 2. 635
Brocchianus Vis. XV. 2. 750
buxifolius *Müll. Arg.* XV. 2. 676
Cajucara *Benth.* XV. 2. 637
californicus *Müll. Arg.* XV. 2. 691
callicarpaefolius *Müll. Arg.* XV. 2. 532
α genuinus
β pubescens
callicarpaefolius Vahl XV. 2. 532
calocephalus *Müll. Arg.* XV. 2. 629
calycinus *Spr.* XV. 2. 694
campestris *Müll. Arg.* XV. 2. 632
α laetifolius
β nigricans
γ subacutus
δ Dupraei *Baill.* 633
ε genuinus *Müll. Arg.*
ζ angustifolius
campestris St. Hil. XV. 2. 633
campestris β grandivelum Baill. XV. 2. 631
δ *atratus* 630
canescens Boj. XV. 2. 520
capensis L. fil XV. 2. 697 1084
capitatus Mx XV. 2. 687
capitatus *Müll. Arg.* XV. 2. 687
α Lindheimeri
β genuinus
cardiospermus Gaertn XV. 2. 695
carinatus *Müll. Arg.* XV. 2. 638
Cariophyllus *Benth.* XV. 2. 525
Casarettoanus *Müll Arg* XV. 2 628
Cascarilla *Bennett* XV. 2. 616
Cascarilla Lam. XV 2. 555 613
Cascarilla L. XV. 2. 616
cascarilloides *Geisel.* XV. 2. 555 616
cascarilloides Raeusch XV. 2. 697 980
cassinioides *Lam.* XV 2. 585
castaneaefolius L XV 2. 697 754
castanifolius Wall. XV. 2 697 980
Catariae *Baill.* XV. 2 658
caudatus Geisel. XV 2 599
caudatus *Müll Arg* XV 2. 599
α denticulatus
β genuinus

Croton
γ Klotzschianus *Müll.*
δ oblongifolius
ceanothifolius *Baill* XV
* itabirensis
cearensis *Baill* XV 2.
cearensis Müll. Arg XV
celtidifolius *Baill.* XV
cerinus *Müll Arg.* XV
chaetocalyx *Müll Arg*
chaetophorus *Müll Arg*
chamaedryfolius *Geisel*
chamaedryfolius Lam
Chamaepitys Baill XV
Chapelieri *Baill.* XV 2.
Chamala Wall. XV. 2
chilensis *Müll Arg.* XV
chinensis Benth. XV 2.
chinensis Geisel XV 2
chlorocalyx *Müll. Arg.*
chloroleucus *Müll Arg*
chrysodaphne *Baill* XV
ciliato-glandulosus *Orte*
cinerellus *Müll Arg* XV
citrifolius *Lam.* XV 2.
cladotrichus *Müll. Arg.*
Claussenianus *Baill* XV
Claussenianus latifolius
Claussenianus β hirsutus
Claussenianus γ tomentosus Müll Arg
clavuliger *Müll. Arg.* XV.
cluytioides Forst. XV.
coeurifolius *Müll Arg.*
α longifolius
β genuinus
γ lanceolatus
coccineus *Vahl* XV 2.
codonocalyx Baill XV.
coelebogyne Baill XV
Colliguaya Spr. XV. 2.
collinus *H. B. & Kth* XV
collinus Pancher XV 2
comatus *Vell.* XV. 2. 6

Müll. Arg. XV. 2. 667
r – – – –
r – – – –
us *Lam.* XV. 2. 557
catus *H. B. & Kth* XV. 2. 634
Lour. XV. 2. 696
ineus *Müll. Arg.* XV. 2. 619
atus *Schlecht.* XV. 2. 697 705
us *Baill.* XV. 2. 574
olius *Geisel.* XV. 2. 684
psis *Baill.* XV. 2. 639
Vell. XV. 2. 697 705
lius *Baill.* XV. 2. 625
H. B. & Kth XV. 2. 533
sianus *Baill.* XV. 2. 651
Soland. XV. 2. 205 697
us *H. B. & Kth* XV. 2. 627
us *Griseb.* XV. 2. 549
us *Lam.* XV. 2. 549
H. B. & Kth XV. 2. 551
ter *Müll. Arg.* XV. 2. 592
trichus *Griseb.* XV. 2. 607
ius *Geisel.* XV. 2. 588
neus *Müll. Arg.* XV. 2. 591
chyus *Baill.* XV. 2. 632
Müll. Arg. XV. 2. 649
Müll. Arg. XV. 2. 549
Müll. Arg. XV. 2. 566
Kl. XV. 2. 525
Miq. XV. 2. 525
rmus *Gaertn.* XV. 2. 416 697
cum *Baill.* XV. 2. 531
Müll. Arg. XV. 2. 647
Müll. Arg. XV. 2. 523
Baill. XV. 2. 651
Rees XV. 2. 1273
tus *Bl.* XV. 2. 599
tus *Griseb.* XV. 2. 101 697
tus *Wall.* XV. 2. 590
s *Baill.* XV. 2. 664
s *Baill.* XV. 2. 636
us *Steud.* XV. 2. 642
Miq. XV. 2. 619
us *W.* XV. 2. 697 917

Croton
dichrous *Müll. Arg.* XV. 2. 575
diffusus Geisel. XV. 2. 649
digitatus Fisch. XV. 2. 697
digitatus hort. kew. XV. 2. 696
digitatus Salzm. XV. 2. 668
digitifolius Baill. XV. 2. 667
dioicus *Cav.* XV. 2. 691
dioicus Isert XV. 2. 615
dioicus *Roxb.* XV. 2. 692
dioicus W. XV. 2. 691
discolor Griseb. XV. 2. 617
discolor *W.* XV. 2. 615
disjunctiflorus Mx XV. 2. 690
distans Wall. XV. 2. 697 976
divaricatus Sw. XV. 2. 684
domingensis A. Rich. XV. 2. 606
domingensis Vahl XV. 2. 560
doratophyllus Baill. XV. 2. 697 702
Draco *Schlecht.* XV. 2. 546
Draco genuinus Müll. Arg. XV. 2. 546
Draco α hibisciformis – – – –
β cordatus – – – –
γ rhombifolius – – – –
draconoides *Müll. Arg.* XV. 2. 545
Draconopsis *Müll. Arg.* XV. 2. 522
dracunculoides *Baill.* XV. 2. 637
drupaceus Roxb. XV. 2. 599
echioides *Baill.* XV. 2. 542
echinocarpus Baill. XV. 2. 631
echinocarpus *Müll. Arg.* XV. 2. 544
Ehrenbergii *Schlecht.* XV. 2. 636
elaeagnifolius Vahl XV. 2. 692
elaeocarpifolius Wall. XV. 2. 573
elegans H. B. & Kth XV. 2. 611
Elliottii *Champ.* XV. 2. 688
ellipticus Geisel. XV. 2. 696
ellipticus *Nutt.* XV. 2. 688
ellipticus A. Rich. XV. 2. 597
Eluteria *Bennett* XV. 2. 516
Eluteria Sw. XV. 2. 517
Emeliae Baill. XV. 2. 584
erianthus Rees XV. 2. 693
ericoideus *Baill.* XV. 2. 675
eriospermus Lam. XV. 2. 700
erythrochilus *Müll. Arg.* XV. 2. 548
erythroxyloides *Müll. Arg.* XV. 2. 596
erythroxyloides α & β buxifolius Baill. XV. 2. 676

Croton
erythroxyloides β sordid
X
erythroxyloides γ cneori
Baill.
δ sordid
ε longif
essequiboensis Kl. XV. 2
fallax *Müll. Arg.* XV. 2
farinosus *Lam.* XV. 2. 5
fastuosus *Baill.* XV. 2.
ferrugineus H. B. & Kt

ferrugineus *Müll. Arg.*

α elegans – –
β collinus – –
γ peltoideus – –
δ genuinus – –
flavens L. XV. 2. 613
flavens *Müll. Arg.* XV.
α pallidus – –
β rigidus – –
γ mucronatus – –
δ genuinus – –
ε balsamifer – –
flavens W. XV. 2. 613
flavens forma Richardi

flocculosus Geisel. XV.
floribundus Lund XV. 2
floribundus *Spr.* XV. 2.
foetens Anders. XV. 2.
fothergillaefolius *Baill.*
fragilis H. B. & Kth X
fragilis *Müll. Arg.* XV.
α sericeus – –
β genuinus – –
fragilis *Schlecht.* XV. 2.
fragrans *H. B. & Kth* X
Francavillanus *Müll. Ar*

Francoanus *Müll. Arg.*

Fraseri *Müll. Arg.* XV.
Friesianus *Müll. Arg.* X
fruticosus Mill. XV. 2.
fruticulosus *Müll. Arg.*
α pallescens –
β fuscescens –
fruticulosus Torr. XV.
fulvus *A. Rich.* XV. 2.
Funckianus *Müll. Arg.* X
α hibisciformis –
β rhombifolius –
furfuraceus Pers. XV. 2

nus *Müll. Arg.* XV. 2. 539
laris - - - -
ophyllus - - - -
lius *Vahl* XV. 2. 539
Baill. XV. 2. 521
s *Müll. Arg.* XV. 2. 658
ns *Müll. Arg.* XV. 2. 594
Baill. XV. 2. 544
H. B. & Kth. XV. 2. 691
Müll. Arg. XV. 2. 691
inus - - - -
radiatus - - - -
ius *Blanco* XV. 2. 697 1000
um *Baill.* XV. 2. 631
um *Müll. Arg.* XV. 2. 631
nus - - - -
ellii - - - -
noni - - - -
stinianus - - - -
oearpus - - - -
ostachyus - - - -
ides *Baill.* XV. 2. 584
ides *Boj.* XV. 2. 584
s *Burch.* XV. 2. 516
lius *Müll. Arg.* XV. 2. 537
s *Baill.* XV. 2. 681
ianus *Müll. Arg.* XV. 2. 586
is *Aubl.* XV. 2. 561
Griseb. XV. 2. 681
us *A. Cunn.* XV. 2. 210 697
Baill. XV. 2. 679
Roxb. XV. 2. 697 782
lenth. XV. 2. 574
ianus *Müll. Arg.* XV. 2. 573
Burm. XV. 2. 697 747
L. XV. 2. 697 944
um *Baill.* XV. 2. 562
is *Müll. Arg.* XV. 2. 552
ifolius *H. B. & Kth* XV. 2. 634
reus *Müll. Arg.* XV. 2. 524
Vell. XV. 2. 685
yx *Baill.* XV. 2. 534
pus *Müll. Arg.* XV. 2. 621
ous *Müll. Arg.* XV. 2. 630

Croton
heterodoxus *Baill.* XV. 2. 646
heteroneurus *Müll. Arg.* XV. 2. 607
heterophyllus H. B. & Kth XV. 2. 539
heterotrichus *Müll. Arg.* XV. 2. 620
Hialmarsonii *Griseb.* XV. 2. 562
hieronymoides Mühlenb. XV. 2. 556
Hilarii *Rec. d'observ.* XV. 2. 615
hippophaeoides A. Rich. XV. 2. 616
hircinus Vent. XV. 2. 653
hirsutus Pet. Thouar. XV. 2. 583
hirsutus Vell. XV. 2. 697 706
hirtus L'Herit. XV. 2. 684
hispidus H. B. & Kth XV. 2. 653
Hoffmanni *Müll. Arg.* XV. 2. 534
α incanus - - - -
β viridis - - - -
Holtonis *Müll. Arg.* XV. 2. 610
homolepidus *Müll. Arg.* XV. 2. 518
Hookerianus Baill. XV. 2. 562
Horminum *Baill.* XV. 2. 682
horridulus Baill. XV. 2. 632
horridulus *Müll. Arg.* XV. 2. 632
Hostmanni *Miq.* XV. 2. 622
humilis *L.* XV. 2. 670
humilis β origanifolius Griseb. XV. 2. 617
hypoleucus Dals. XV. 2. 581
hypoleucus *Schlecht.* XV. 2. 578
hypoleucus Thwait. XV. 2. 581
jacobinensis *Baill.* XV. 2. 558
jacobinensis Müll. Arg. XV. 2. 542
Jamalgota Hamilt. XV. 2. 601
Jamesoni *Müll. Arg.* XV. 2. 549
japirensis Müll. Arg. XV. 2. 633
japonicus Thbg XV. 2. 697 966
Jardini *Müll. Arg* XV. 2. 626
Jatropha *Müll. Arg.* XV. 2. 667
jatrophaefolius *Müll. Arg.* XV. 2. 600
Jennyanus *Baill.* XV. 2. 571
impetiginosus Poepp. XV. 2. 551
incanus Anders. XV. 2. 605
incanus Bl. XV. 2. 700 1260
incanus *H. B. & Kth* XV. 2. 659
incanus β microphyllus Anders. XV. 2. 605
incisus *Baill.* XV. 2. 585
indivisus *Vell.* XV. 2. 592

Croton
Inophyllum Forst. XV. 2. 6
insularis Baill. XV. 2. 527
insularis *Müll. Arg.* XV. 2
α genuinus - - -
β parvifolius - - -
inversus Baill. XV. 2. 630
Joufra *Roxb.* XV. 2. 519
Iserti *Geisel.* XV. 2. 694
Iserti Griseb. XV. 2. 586
Isabelli *Baill.* XV. 2. 677
itabirensis Baill. XV. 2. 6
Julopsidium *Baill.* XV. 2.
junceus *Baill.* XV. 2. 594
Kalkmanni *Müll. Arg.* XV.
Klotzschianus Thwait. XV
Klotzschii Baill. XV. 2. 68
Klotzschii *Müll. Arg.* XV.
α latifolius - -
β oblongifolius - -
γ genuinus - -
Klotzschii α latifolius Ba
β bahiensis -
γ Hilarii -
δ incanus -
ε microphyllus
Korthalsii *Müll. Arg.* XV.
lacciferus Blanco XV. 2.
lacciferus Gaertn. XV. 2.
lacciferus *L.* XV. 2. 588
lacciferus L. herb. XV. 2.
lacciferus Wall. XV. 2. 6
lacciferus C. Wight XV.
lacerus Desf. XV. 2. 696
lachnocarpus *Benth.* XV.
lachnostephanus Baill. XV
lachnostachyus *Baill.* XV.
laetifolius Baill. XV. 2. 6
laetus Wall. XV. 2. 697 1
laetus Wall. XV. 2. 698 9
laevifolius *Bl.* XV. 2. 619
laevigatus *Vahl* XV. 2. 52
laevigatus Wall. XV. 2. 2
6
lanatus Auct. XV. 2. 564
lanatus *Lam.* XV. 2. 679
lanatus Lour. XV. 2. 602
lanceolatus Cav. XV. 2. 6
lanceolatus Schum. XV.
lanuginosus *Baill.* XV. 2.
lanuginosus Schum. XV.
lasianthus *Pers.* XV. 2. 60
laurifolius *Baill.* XV. 2. 63

cosus *Müll. Arg.* XV. 2. 663
– – – –
– – – 664
ns – – – –
s – – – –
cens – – – –
ntus – – – –
yllus – – – –
hyllus – – – –
sel. XV. 2. 695
Müll. Arg. XV. 2. 624
ook. fil. XV. 2. 605
ys *Baill.* XV. 2. 547
Baill. XV. 2. 558
Ehrenb. XV. 2. 698 750
Mart. XV. 2. 558
Reichenb. XV. 2. 698
Müll. Arg. XV. 2. 656
Sw. XV. 2. 698 955
ys *A. Rich.* XV. 2. 528
Vahl XV. 2. 696
sis *Müll. Arg.* XV. 2. 542
nthus – – – –
us – – – –
lus Benth. XV. 2. 610
ius Müll. Arg. XV 2. 564
Tarst. XV. 2. 548
Müll. Arg. XV. 2. 532
Hill. XV. 2. 668
Walt. XV. 2. 689
Aubl. XV. 2. 550
Benth. XV. 2. 551
Müll. Arg. XV. 2. 550
us – – – –
mianus – – 551
glanus – – – –
s – – – –
Baill. XV. 2. 650
Lam. XV. 2. 520
Pet. Thouar. XV. 2. 587
Müll. Arg. XV. 2. 530
ys *Müll. Arg.* XV. 2. 598
Müll. Arg. XV. 2. 665
Boiv. XV. 2. 698 1214
eus *Müll.Arg.* XV. 2. 623

Croton
menthodorus *Baill.* XV. 2. 577
metallicus *Müll. Arg.* XV. 2. 572
mexicanus *Müll. Arg.* XV. 2. 603
α glandulosus – – – 604
β glabrescens – – – –
γ subintegrifolius – – – –
micans *Müll. Arg.* XV. 2. 554
α genuinus – – – –
β pubescens – – – –
γ argyrophyllus – – 555
micans Sw. XV. 2. 554
micranthus Müll. Arg. XV. 2. 661
microphyllus Lam. XV. 2. 237 698
microstachys *Baill.* XV. 2. 575
migrans *Casar.* XV. 2. 575
minarum Müll. Arg. XV. 2. 674
minutiflorus Müll. Arg. XV. 2. 675
miradorensis *Müll. Arg.* XV. 2. 627
mollis *Benth.* XV. 2. 683
mollissimus Geisel. XV. 2. 698 964
mollissimus herb. paris. XV. 2. 680
moluccanus L. XV. 2. 698 958
moluccanus W. XV. 2. 698 747
monanthogynus *Mx* XV. 2. 689
Mongue *Baill.* XV. 2. 521
montanus Geisel. XV. 2. 549
montanus Wall. XV. 2. 759
montanus Wight XV. 2. 698
montanus W. XV. 2. 698 980
montevidensis *Spr.* XV. 2. 563
monticola Steud. XV. 2. 549
Moonii *Thwait.* XV. 2. 590
morifolius *Müll. Arg.* XV. 2. 641
α lanatus – – – –
β obtusifolius – – – –
γ sphaerocarpus – – – –
δ genuinus – – – 642
morifolius W. XV. 2. 642
moritibensis Baill. XV. 2. 634
Mubango *Müll. Arg.* XV. 2. 514
mucronatus W. XV. 2. 613
multicostatus *Müll. Arg.* XV. 2. 517
multiglandulosus Reinw. XV. 2. 698 958
multispicatus Vell. XV. 2. 655
muricatus *Blanco* XV. 2. 693
muricatus Nutt. XV. 2. 692
muricatus *Vahl* XV. 2. 522
muricatus Wall. XV. 2. 698 972

Croton
muricatus *Zipp.* XV. 2, 6
Mutisianus *H. B. & Kth*

myriadenus Müll. Arg.

myriadenus α normalis M
X
myriadenus β parvifolius
X
myrianthus *Müll. Arg.* X
myricifolius *Griseb.* XV.
Myrsinites *Baill.* XV. 2.
neomexicanus *Müll. Arg.*
nepetaefolius *Baill.* XV.
nervosus L. C. Rich. XV.
nervosus Rottl. XV. 2. 6
nervosus α pubescens Kl

nervosus β villosus Kl. X
Neuwiedii Baill. XV. 2.
nigro-viridis *Thwait.* XV
niloticus *Müll. Arg.* XV
nitens Sw. XV. 2. 517
nitrariaefolius Baill. XV
nitrariaefolius *Müll. Arg*

α vellerifiorus
β genuinus
niveus Griseb. XV. 2. 55
niveus *Jacq.* XV. 2. 518
nobilis *Baill.* XV. 2. 565
Noronhae *Baill.* XV. 2.
nudatus *Baill.* XV. 2. 52
nudus W. XV. 2. 519
nummulariaefolius *A. Ric*

nummularius Baill. XV.
nutans Forst. XV. 2. 6

obliquifolius Vis. XV. 2.
obliquus Vahl XV. 2. 750
oblongifolius Delil. XV.

oblongifolius *Roxb.* XV.
oblongifolius Sieber XV.

oblongifolius Thwait. XV.
odontopetalus Müll. Arg.

Oerstedianus *Müll. Arg.*

oleoides Müll. Arg. XV.
oliganthus *Müll. Arg.*

olivaceus *Müll. Arg.* XV.

us Baill. XV. 2. 563
Hassk. XV. 2. 698 1113
us Vent. XV. 2. 643
is Scheel. XV. 2. 695
us Müll. Arg. XV. 2. 520
s St. Hil. XV. 2. 593
s α genuinus Baill. XV 2. 593
β minor - - - -
γ latifolius - - - 594
δ Weddellianus - - - 593
a Baill. XV. 2. 661
Müll. Arg. XV. 2. 618
inus - - - - -
atus - - - 619
is Griseb. XV. 2. 597
des Müll. Arg. XV. 2. 581
sis Lam. XV. 2. 698 980
es Pers. XV. 2. 560
es Salzm. XV. 2. 698 706
is Müll. Arg. XV. 2. 630
dd. XV. 2. 698 1119
'all. XV. 2. 698 1120
rius Noronh. XV. 2. 698 782
pr. XV. 2. 693
Baill. XV. 2. 679
us Müll. Arg. XV. 2. 586
Klein XV. 2. 748
Vahl XV. 2. 698 747
i Geisel. XV. 2. 690
Müll. Arg. XV. 2. 632
us Roxb. XV. 2. 699 1125
us Spr. XV. 2. 526
is Benth. XV. 2. 535
is Wall. XV. 2. 699 747
s Geisel. XV. 2. 696
s Jacq. XV. 2. 736
hus α velleriflorus Müll. Arg. XV. 2. 563
us γ glabrescens Müll. Arg. XV. 2. 564
yus Spr. XV. 2. 551
is Baill. XV. 2. 678
us Lam. XV. 2. 653
us Müll. Arg. XV. 2. 653
inus - - - - -
uiboensis - - - 654
üll. Arg. XV. 2. 561

Croton
procumbens Griseb. XV. 2. 570
procumbens *Jacq.* XV. 2. 516
prunifolius Vahl XV. 2. 699 955
Pseudo-china Schlecht. XV. 2. 518
Pseudo-populus *Baill.* XV. 2. 545
pubescens *Geisel.* XV. 2. 695
pulchellus *Baill.* XV. 2. 572
pulcher *Müll. Arg.* XV. 2. 644
pulcherrimus W. XV. 2. 643
pulegiodorus *Baill.* XV. 2. 682
punctatum Rich. XV. 2. 523
punctatus Anders. XV. 2. 549
punctatus Jacq. XV. 2. 576
punctatus *Lour.* XV. 2. 565
punctatus Moon XV. 2. 590
punctatus Retz XV. 2. 699 980
punctatus Rich. XV. 2. 523
pungens Jacq. XV. 2. 541
pungens *Müll. Arg.* XV. 2. 540
α genuinus - - - 541
β rhomboidalis - - - -
Purdiaei *Müll. Arg.* XV. 2. 535
pycnanthus *Benth.* XV. 2. 536
pycnocarpus Müll. Arg. XV. 2. 631
pycnocephalus Baill. XV. 2. 569
pycnocephalus *Müll. Arg.* XV. 2. 568
α lachnostephanus - - - -
β Chamaepitys - - - 569
γ intermedius - - - -
δ genuinus - - - -
pycnophyllus Salzm. XV. 2. 706
pycnotrichus α lanceolatus Müll. Arg. XV. 2. 632
pycnotrichus β angustifolius Müll. Arg. XV. 2. 636
pyrifolius *Müll. Arg.* XV. 2. 550
quadripartitus Labill. XV. 2. 699 892
quadrisetosus *Lam.* XV. 2. 531
quitensis Spr. XV. 2. 604
ramiflorus *Grah.* XV. 2. 693
reflexifolius *H. B. & Kth* XV. 2. 518
Regnellianus *Müll. Arg.* XV. 2. 635
repandus Rottl. XV. 2. 699
repandus W. XV. 2. 982
repens *Schlecht.* XV. 2. 594
reticulatus *Müll. Arg.* XV. 2. 580
reticulatus Wall. XV. 2. 581
reticulatus W. XV. 2. 979
rhamnifolius H. B. & Kth XV. 2. 635
rhamnifolius *Müll. Arg.* XV. 2. 634

Croton
α heliotropiifolius *Müll.*
β salviaefolius
γ moritibensis
δ antillanus
ε conduplicatus
ζ genuinus
rhamnifolius W. XV. 2.
Rheedii *Grah.* XV. 2. 69
rhexiaefolius *Baill.* XV.
rhodostachyus *Müll. Arg.*
rhombifolius W. XV. 2.
Richardi W. XV. 2. 613
Ricinocarpus L. XV. 2.
ricinoides Pers. XV. 2.
Riedelianus Müll. Arg.
riparius H. B. & *Kth*
rivinaefolius *H. B.* & *Kt*
rivularis *Müll. Arg.* XV.
rosmarinifolius Cunn.
rosmarinifolius Drumm.
rosmarinifolius *Griseb.*
rottleraefolius *Baill.* XV.
Rottleri Geisel. XV. 2.
Rudolphianus *Müll. Arg.*
rufescens Müll. Arg. XV.
rufidulus Baill. XV. 2.
Ruizianus *Müll. Arg.*
α podadenius
β cordatus
γ ovatus
Sagraeanus *Müll. Arg.*
salicifolius Geisel. XV.
salutaris *Casar.* XV. 2.
salviaefolius H. B. & *K*
salviaefolius Mill. XV. 2
Sampatik *Müll. Arg.* XV
sanguifluus H. B. & *Kt*
Sanguis draconis Mart.
santolinus *Baill.* XV. 2.
sapiifolius *Müll. Arg.* XV
saxosus Müll. Arg. XV.
scaber *Müll. Arg.* XV. 2.
α latifolius
β genuinus
γ viridis
δ lanceolatus
ε obscurus

nsis *Müll. Arg.* XV. 2. 560
us - - - -
Baill. XV. 2. 650
Müll. Arg. XV. 2. 649
- - - - -
- - - 650
- - - -
Arg. XV. 2. 663
& *Zucc.* XV. 2. 699 1217
ett XV. 2. 416 517
Geisel. XV. 2. 699 1125
am. & *Schl.* XV. 2. 660
Müll. Arg. XV. 2. 557
r. XV. 2. 695
üll. Arg. XV. 2. 609
us - - - -
ius - - - -
yus - - - -
ith. XV. 2. 533
ill. Arg. XV. 2. 528
us H. B. & *Kth* XV. 2. 641
Baill. XV. 2. 591
XV. 2. 682
g. XV. 2. 561
sk. XV. 2. 699 1083
XV. 2. 699 1018
Arg. XV. 2. 642
aill. XV. 2. 575
Benth. XV. 2. 603
Baill. XV. 2. 523
ius Müll. Arg. - - -
us - - - -
Vahl XV. 2. 517
Müll. Arg. XV. 2. 529
Müll. Arg. XV. 2. 530
Griseb. XV. 2. 638
us Müll. Arg. - - -
us - - - -
γ rosmarinifolius Müll. Arg. XV. 2. 616
Müll. Arg. XV. 2. 607
Müll. Arg. XV. 2. 577
Müll. Arg. XV. 2. 580
H. B. & *Kth* XV. 2. 534
ll. XV. 2. 553

Croton
Stoechadis *Baill.* XV. 2. 646
Storckii Seem. XV. 2. 621
strigosus *Spr.* XV. 2. 649
stylosus *Müll. Arg.* XV. 2. 655
suaveolens *Torr.* XV. 2. 659
suaveolens β oblongifolius Torr. XV. 2. 579
suavis *H. B.* & *Kth* XV. 2. 625
subcompressus *Müll. Arg.* XV. 2. 557
suberosus *H. B.* & *Kth* XV. 2. 539
subferrugineus *Müll. Arg.* XV. 2. 666
subfragilis *Müll. Arg.* XV. 2. 598
subincanus *Müll. Arg.* XV. 2. 680
sublucidus *Müll. Arg.* XV. 2. 655
subluteus Lam. XV. 2. 561
sumatranus *Miq.* XV. 2. 693
surinamensis Geisel. XV. 2. 685
surinamensis *Müll. Arg.* XV. 2. 525
sylvaticus *Hochst.* XV. 2. 602
sylvaticus Schlecht. XV. 2. 519
sylvestris Poepp. XV. 2. 699 730
syringaefolius H. B. & *Kth* XV 2. 518
tabacifolius Geisel. XV. 2. 696
tarapotensis *Müll. Arg.* XV. 2. 608
tenuissimus Baill. XV. 2. 576
tenuissimus *Müll. Arg.* XV. 2. 576
terminalis *Vell.* XV. 2. 587
tetradenius *Baill.* XV. 2. 657
Teucridium *Baill.* XV. 2. 665
texensis *Müll. Arg.* XV. 2. 692
Thouarsianus *Baill.* XV. 2. 583
thurifer *H. B.* & *Kth* XV. 2. 606
Thwaitesianus *Müll. Arg.* XV. 2. 621
thymelinus *Baill.* XV. 2. 580
tiglioides Bl. XV. 2. 619
Tiglium *L.* XV. 2. 600
tiliaefolius *Lam.* XV. 2. 587
tiliaefolius Pers. XV. 2. 653
tiliaefolius Pet. Thouar. XV. 2. 582
tiliaefolius β Lam. XV. 2. 699
tiliaefolius β aromaticus Lam. XV. 2. 588 969
Timandra Baill. XV. 2. 647
timandroides *Müll. Arg.* XV. 2. 645
tinctorius Burm. & *Forsk.* XV. 2. 699 748
tinctorius L. XV. 2. 699 749

sect. *Barkamia Baill.* XV. 2. 652
Cascarilla Griseb. XV. 2. 596
Cleodora Baill. XV. 2. 591
Codonocalyx Baill. XV. 2. 562
Crotonanthus Baill. XV. 2. 596
Cyclostigma Griseb. XV. 2. 524
Decalobium *Müll. Arg.* XV. 2. 513 523
Decapetalon *Müll. Arg.* XV. 2. 513 522
Decarinium *Müll. Arg.* XV. 2. 514 672
Drepadenium *Müll. Arg.* XV. 2. 514 689
Eluteria *Griseb.* XV. 2. 513 514
Eucroton *Müll. Arg.* XV. 2. 513 524
subsect. Cyclostigma - - - 524
Eutropia - - - 564
Lasiogyne - - - 550
Podostachys - - - 661
Eutropia Baill. XV. 2. 526
Furcaria Baill. XV. 2. 623
Geiseleria Baill. XV. 2. 672
Gonocladium Baill. XV. 2. 550 556
Gymnocroton Baill. XV. 2. 620
Gynamblosis A. Gray XV. 2. 688
Heptallon *Müll. Arg.* XV. 2. 514 687
Hesperidium Baill. XV. 2. 645
Klotzschiophyton Baill. XV. 2. 520
Lasiogyne Baill. XV. 2. 550
Leucadenia Baill. XV. 2. 645
Medea Baill. XV. 2. 645
Croton *sect. Micranthis Baill.* XV. 2. 595
Microcroton Griseb. XV. 2. 595
Monguia Baill. XV. 2. 514
Ocalia Baill. XV. 2. 593
Palanostigma Baill. XV. 2. 514 524 537
Pilinophyton A. Gray XV. 2. 687
Podostachys Baill. XV. 2. 661
Quadrilobus *Müll. Arg.* XV. 2. 514 672
Stolidanthus Baill. XV. 2. 524 534 586 591
Tiglium Baill. XV. 2. 600
Timandra Baill. XV. 2. 596 647
Velamea Baill. XV. 2. 627
Crotonanthus Kl. XV. 2. 513 596
padifolius Kl. XV. 2. 635
Crotonanthus Baill. XV. 2. 596 (Croton)
CROTONEAE *Bl.* XV. 2. 511 710
CROTONEAE *Endl.* XV. 2. 1032
CROTONEAE *Müll. Arg.* XV. 2. 511
CROTONEAE ACALYPHEAE *Griseb.* XV. 2. 765
CROTONEAE DITAXIDEAE *Griseb.* XV. 2. 726 751
CROTONEAE HIPPOMANEAE *Griseb.* XV. 2. 1142 1147
CROTONEAE JATROPHEAE *Griseb.* XV. 2. 1056 1075
CROTONEAE RICINEAE *Griseb.* XV. 2. 1016
CROTONIDEAE *Baill.* XV. 2. 512 710
Crotonogyne *Müll. Arg.* XV. 2. 720
Manniana *Müll. Arg.* XV. 2. 721
Crotonopsis *Mx* XV. 2. 512 707
abnormis Baill. XV. 2. 708
argentea Beck XV. 2. 707
argentea *Pursh* XV. 2. 707
α elliptica - - - -
* abnormis - - 708
β linearis - - - -
Crozophora *Neck.* XV. 2. 746, *Labill.* XV. 2. 1116 1120, *Spr.* XV. 2. 956 962
Brocchiana *Schweinf.* XV. 2. 750
α Hartmanni *Müll. Arg.* - - -
β genuina - - - -
Burmanni Spr. XV. 2. 747

Crozophora
hierosolymitana Spr. XV
integrifolia Bung. XV. 2
mollissima A. Juss. XV.
mollissima Spr. XV. 2.
obliqua *A. Juss.* XV. 2.
obliqua Schweinf. XV. 2.
oblongifolia A. Juss. XV
parvifolia Kl. XV. 2. 74
peltata Labill. XV. 2. 7
plicata A. Juss. XV. 2.
plicata *Müll. Arg.* XV.
α Rottleri – –
β genuina – –
γ prostrata – –
plicata A. Rich. XV. 2.
prostrata Dals. XV. 2.
Rottleri A. Juss. XV. 2.
Rottleri Spr. XV. 2. 747
sabulosa *Kar. & Kir.* X
senegalensis *A. Juss.* X
Sieberi Presl XV. 2. 749
tinctoria A. Juss. XV.
tinctoria Kl. XV. 2. 747
tinctoria *Müll. Arg.* XV
α verbascifolia – –
β hierosolymitana– –
* brachypetala – –
γ genuina – –
δ subplicata – –
verbascifolia A. Juss. X
CROZOPHOREAE *Müll. Arg*

Cryphaea Hamilt. XVI. 1.
erecta Hamilt. XVI. 1.
Cryptadenia *Meisn.* XIV. 5
breviflora *Meisn.* XIV. 5
ciliata *Meisn.* XIV. 574
filicaulis *Meisn.* XIV. 57
grandiflora *Meisn.* XIV.
β latifolia – –
uniflora *Meisn.* XIV. 573
Crypteronia *Bl.* XVI. 2. 67
affinis Endl. XVI. 2. 67
affinis Planch. XVI. 2.
Cumingii *Endl.* XVI. 2.
Cumingii Planch. XVI. 2
glabra *Endl.* XVI. 2. 678
Hookeri *Dc. fil.* XVI. 2.
leptostachys *Endl.* XVI.
leptostachys Planch. XV
lutea *Bl.* XVI. 2. 679
paniculata *Bl.* XVI. 2. 67
pubescens *Endl.* XVI. 2.
β affinis *Dc. fil.* – –
Wallichii *Dc. fil.* XVI. 2.

Bl. XV. 1. 76 77
art. XV. 1. 83
es XV. 1. 76
Sond. XV. 1. 74
. XV. 1. 70
Miq. XV. 1. 72
ana Meisn. XV. 1. 75
ncea Thwait. XV. 1. 72
Bl. XV. 1. 70
Meisn. XV. 1. 75
ra Meisn. XV. 1. 73
Mart. XV. 1. 76 100
ana Meisn. XV. 1. 74
Mart. XV. 1. 74
ta Spr. XV. 1. 258
Meisn. XV. 1. 73
ensis Meisn. XV. 1. 71
ilipp. XV. 1. 509
Bl. XV. 1. 71
lia Bl. XV. 1. 70
R. Br. XV. 1. 73 507
Bl. XV. 1. 70
a F. Müll. XV. 1. 508
Miq. XV. 1. 507
rvis F. Müll. XV. 1. 508
lia Dehnh. XV. 1. 76 231
Nees XV. 1. 75 508
Mart. XV. 1. 76 103
is Nees XV. 1. 76 108
Bl. XV. 1. 69
Meisn. XV. 1. 75
eisn. XV. 1. 508
Philipp. XV. 1. 508
Meisn. XV. 1. 71
niana Miq. XV. 1. 507
a Bl. XV. 1. 71
via F. Müll. XV. 1. 509
vis R. Br. XV. 1. 76 78
a Thwait. XV. 1. 70
ifolia Meisn. - - -
eolata - - - -
fithii - - - -
riana Miq. XV. 1. 69
REAE Meisn. XV. 1. 5 67
TEAE & ACRODICLIDEA Nees XV. 1. 67
um Müll. Arg. XV. 2. 243 (Sauropus)
s reticulata hort. XV. 2. 372
ia Don XVI. 2. 366 437
Don XVI. 2. 438
hort. XVI. 2. 438
ort. XVI. 2. 438

Cryptostomum Schreb. XVII. 292
Ctenomeria Harv. XV. 2. 925
cordata Harv. XV. 2. 926
Kraussiana Hochst. XV. 2. 926
Ctenomeria *Müll. Arg.* XV. 2. 925 (Leptorhachis)
Cubanthus *Boiss.* XV. 2. 7 (Pedilanthus)
Cubeba Miq. XVI. 1. 240 339
bantamensis Miq. XVI. 1. 362
borbonensis Miq. XVI. 1. 340
canina Miq. XVI. 1. 341
Clusii Miq. XVI. 1. 340 343
costulata Miq. XVI. 1. 340
crassipes Miq. XVI. 1. 344
hederacea Miq. XVI. 1. 366
lanata Miq. XVI. 1. 341
Lowong Miq. XVI. 1. 344
Neesii Miq. XVI. 1. 343
officinalis Miq. XVI. 1. 340
phyllosticta Miq. XVI. 1. 340
sumatrana Miq. XVI. 1. 343
venosa Miq. XVI. 1. 340
Wallichii Miq. XVI. 1. 342
CUCURBITACEAE DUBIAE Juss. XV. 1. 413
CUCURBITACEAE PAPAYACEAE Reichenb. XV. 1. 413
Cudrania *Trecul* XVII. 281 285
Cudranus Rumph XVII. 285
Culitlavan Rumph XV. 1. 14
Cunninghamia *R. Br.* XVI. 2. 365 432, *Zucc.* XVI. 2. 433
cupressoides Zucc. XVI. 2. 433 (*bis*)
lanceolata Lamb. XVI. 2. 433
selaginoides Zucc. XVI. 2. 433 434
sinensis *R. Br.* XVI. 2. 432
β glauca - - - 433
sinensis glauca hort. XVI. 2. 433
Cunuri XV. 2. 1123
Cunuria *Baill.* XV. 2. 1123
Spruceana *Baill.* XV. 2. 1123
Cupameni Adans. XV. 2. 799
CUPRESSEAE *Parl.* XVI. 2. 366 444
CUPRESSINEAE & ABIETINEAE Endl. XVI. 2. 368
CUPRESSINEAE & ABIETINEAE Spach XVI. 2. 361
CUPRESSINEAE, ABIETINEAE, PODOCARPEAE & TAXINEAE Endl. XVI. 2. 361
CUPRESSINEAE, ABIETINEAE & TAXINEAE Endl. XVI. 2. 361

Cupressoides Gord. XVI. 2

Cupresso-Pinolus &c. Kae

Cupressus *Tourn.* XVI. 2.
L. fil. XVI. 2. 437,
439 463, *Mill.* XVI. 2
africana Mill. XVI. 2.
americana Catesb. XV

americana Trautv. XV

arbor vitae Targ. Tozz

aromatica Gord. XVI.
attenuata *Gord.* XVI. 2.
australis Desf. XVI. 2.
australis Pers. XVI. 2.
bacciformis W. herb. X

Benthamii Carr. XVI. 2
Benthamii *Endl.* XVI. 2
californica Carr. XVI.
cernua hort. XVI. 2. 47
chesaunensis &c. Pluk.

chilensis Gill. XVI. 2.
columnaris Forst. XVI.
(*bis*)
conoidea Spad. XVI. 2.
corneyana *Knight* XVI.
cornuta Carr. XVI. 2. 4
Coulteri Forbes XVI. 2.
Cunninghamii hort. XVI
disticha L. XVI. 2. 440
Doniana hort. XVI. 2. 4
elegans hort. XVI. 2. 47
excelsa Scott XVI. 2. 47
expansa hort. XVI. 2. 4
fastigiata Dc. XVI. 2. 4
femina Caesalp. XVI. 2.
filiformis hort. XVI. 2. 4
Fothergilli Forbes XVI. 2
funebris *Endl.* XVI. 2. 47
glandulosa Hook. XVI. 2.
glauca *Lam.* XVI. 2. 470
globulifera Parl. XVI. 2.
Goveniana *Gord.* XVI. 2.
gracilis hort. XVI. 2. 47
Hartwegii Carr. XVI. 2.
horizontalis Mill. XVI. 2.
Hugelii hort. XVI. 2. 472
japonica L. fil. XVI. 2. 4
japonica Thbg XVI. 2. 43
juniperoides L. XVI. 2. 4
Karwinskyana *Regel* XVI.

ra *Parl.* XVI. 2. 469
– – – –
ta – – – –
α L. XVI. 2. 468
β L. XVI. 2. 468
horizontalis Gord. XVI. 2. 468
indica Royl. XVI. 2. 469
t. XVI. 2. 441 471 474
t. XVI. 2. 472
a Parl. XVI. 2. 469
hort XVI. 2. 474
B. & Kth XVI. 2. 473
ndl. XVI. 2. 471
hlecht. XVI. 2. 472
. Tozz. XVI. 2. 462 474
hort. XVI. 2. 468
XVI. 2. 464 474
rv. XVI. 2. 455 474
XVI. 2. 469
ight XVI. 2. 469
neyana Carr. XVI. 2. 470
gans hort. XVI. 2. 470
a hort. XVI. 2. 470
giosa hort. XVI. 2. 470
dis hort. XVI. 2. 470
Ten. XVI. 2. 469
rr. XVI. 2. 472
rd. XVI. 2. 471
t. XVI. 2. 472
Parl. XVI. 2. 469
ol. Acaciae Pluk. XVI. 2. 440
radescanti &c. Ray. XVI. 2. 440
hort. XVI. 2. 469
& Dc. fil. XVI. 2. 1
AE Endl. XVI. 2. 1,
. 2. 124, *Hartig* XVI. 2. 124
AE Lindl. XVI. 2. 1,
Rich. XVI. 2. 124
AE CORYLEAE Meisn. XVI. 2. 124
AE FALSAE Schacht XVI. 2. 124
AE VERAE Schacht XVI. 2. 1
CUPULIFERARUM, QUERCINEAE & FAGINEAE Meisn. XVI. 2. 1
Curcas Adans. XV. 2. 1076 1080
cuneifolium Baill. XV. 2. 1081
indica A. Rich. XV. 2. 1081
peltatum Baill. XV. 2. 1077
portoricensis Baill. XV. 2. 1077
purgans Medic. XV. 2. 1081
Curcas sect. Eucurcas & Mozinna Baill. XV. 2. 1076
Curcas *Griseb.* XV. 2. 1076 (Jatropha)
Cuscuta baccifera Barbadensium Pluk. XV. 1. 256
Rombut Rumph XV. 1. 255
Cyanodaphne *Bl.* XV. 1. 76
cuneata *Bl.* XV. 1. 76
glabra *Miq.* XV. 1. 509
tomentosa *Bl.* XV. 1. 77 509
Cyathocnemis Kl. XV. 1. 278 332 333
Cyathocnemis *Dc. fil.* XV. 1. 332 (Begonia)
Cyathodiscus Hochst. XIV. 528
umbellatus Hochst. XIV. 528
Cyathogyne *Müll. Arg.* XV. 2. 226
viridis *Müll. Arg.* XV. 2. 226
Cybele Knight & Salisb. XIV. 450
umbellifera Salisb. XIV. 451
CYCADACEAE *Dc. fil.* XVI. 2. 522
CYCADACEAE Endl. XVI. 2. 522
CYCADACEAE Lindl. XVI. 2. 522
CYCADACEAE Sm. XVI. 2. 530
CYCADEAE *Dc. fil.* XVI. 2. 525
CYCADEAE Pers. XVI. 2. 522
CYCADINEAE Miq. XVI. 2. 525
Cycas *L.* XVI. 2. 525
angulata *R. Br.* XVI. 2. 527
caffra Thbg XVI. 2. 529 532
celebica *Miq.* XVI. 2. 528
circinalis herbar. XVI. 2. 529
circinalis *L.* XVI. 2. 526 529
β javana *Miq.* – – 527
circinalis Moritz. XVI. 2. 527
circinalis Pet. Thouar. XVI. 2. 528
circinalis Roxb. XVI. 2. 527
circinalis var. angustifolia Miq. XVI. 2. 527
dilatata *Griff.* XVI. 2. 529
glauca hort. XVI. 2. 528
glauca *Miq.* XVI. 2. 528
gracilis *Miq.* XVI. 2. 528
hypoleuca Presl XVI. 2. 529
Jenkinsiana *Griff.* XVI. 2. 529
inermis *Lour.* XVI. 2. 526

Cycas
inermis Oudem. XVI. 2.
macrocarpa *Griff.* XVI.
madagascariensis Miq.

media *R. Br.* XVI. 2. 5
β inermis – – – 5
media Miq. XVI. 2. 528
pectinata *herb. angl.* X
revoluta *Thbg* XVI. 2. 5
revoluta inermis Miq. X
Riedleii Fisch. Gaudich

Riuminiana *Regel* XVI.
Rumphii *Miq.* XVI. 2.
β timorensis – – –
siamensis *Miq.* XVI. 2.
speciosa *Don* XVI. 2. 5
squarrosa *Lodd.* XVI. 2
Thouarsii *R. Br.* XVI.
undulata *Desf.* XVI. 2.
villosa herb. van Roy.

Wallichii Miq. XVI. 2.
Cyclobalanus *Endl.* XVI.

Cyclodiscus Kl. XV. 1. 4
tomentosus Kl. XV. 1
Cyclodiscus *Duchart.* XV.

Cycloptera R. Br. XIV.

Cyclostemon *Müll. Arg.*
480, *Bl.* XV. 2. 480
argutus *Müll. Arg.* X
coriaceus Baill. XV. 2
coriaceus *Müll. Arg.* X
Cumingii *Baill.* XV. 2.
cuspidatus Bl. XV. 2.

floribundus *Müll. Arg.*
glomeratus *Müll. Arg.*
indicus *Müll. Arg.* XV.
longifolius *Bl.* XV. 2. 4
macrophyllus *Bl.* XV. 2
mucronatus *Bl.* XV. 2.
natalensis *Müll. Arg.* X
occidentalis *Müll. Arg.*

parvifolius *Müll. Arg.*
principum *Müll. Arg.* X
racemosum Zipp. XV. 2
rhacodiscus *Müll. Arg.*

serratus *Bl.* XV. 2. 485
stipularis *Müll. Arg.* X

m. XV. 1, 205
– – – –
– – – –
m. XV. 1. 203
l. XV. 1. 208
Meisn. – – –
ees XV. 1. 515
XV. 1. 205
V. 1. 206
eisn. XV. 1. 205
XV. 1. 209
XV. 1. 201
V. 1. 202
l. XV. 1. 204
. 1. 202 515
XV. 1. 202
XV. 1. 515
ssiliflora?) *Meisn.* XV. 1. 206
iq. XV. 1. 206
Meisn. XV. 1. 207
– – –
Meisn. XV. 1. 208
– – – –
– – – –
– – – –
l. XV. 1. 204
1. 209
XV. 1. 209
m. XV. 1. 208
ees XV. 1. 200
Meisn. – – 201
– – – –
– – – 515
– – – –
isn. XV. 1. 201
ect. Eucylicodaphne *Meisn.* XV. 1. 200
Lepidadenia *Bl.* XV. 1. 201
XIV. 482
XIV. 482
Müll. Arg. XV. 2. 769 (Plukenetia)
Endl. XIV. 275 (Petrophila)
iosc. XVII. 33
arr. XVII. 33
ertn. XVII. 33
Dc. fil. XVII. 32
Nees XVII. 32, *Endl.* II. 32, *Miq.* XVII. 32
Michel. XVII. 119 122, 134, *Auctor.* XVII. 131
XVII. 123 145

Cynomorium
cayennense Sw. XVII. 123 136
coccineum Descourt. XVII. 123 134
coccineum *L.* XVII. 123
erectum breve &c. P. Browne XVII. 134
fungosum Raeusch. XVII. 123 145
jamaicense Sw. XVII. 123 134
philippense *Blanco* XVII. 123
purpureum Rupr. XVII. 123
purpureum officinarum Michel. XVII. 123
CYNOMORIACEAE *Eichl.* XVII. 121 123
CYNOMORIDEAE *Hook. fil.* XVII. 121
CYNOMORIEAE *Schott & Endl.* XVII. 119 121
Cynopsole Endl. XVII. 143
elongata Endl. XVII. 147
Cypholophus *Wedd.* XVI. 1. 235[9]
Blumeanus Wedd. XVI. 1. 235[12]
coeruleus *Wedd.* XVI. 1. 235[12]
ellipticus *Wedd.* XVI. 1. 235[12]
heterophyllus *Wedd.* XVI. 1. 235[11]
latifolius *Wedd.* XVI. 1. 235[11]
lutescens *Wedd.* XVI. 1. 235[11]
macrocephalus *Wedd.* XVI. 1. 235[10]
β mollis – – – –
γ sericea – – – –
δ crenata – – – 235[11]
macrocephalus β heterophyllus Wedd. XVI. 1. 235[11]
melanocarpus *Wedd.* XVI. 1. 235[12]
prostratus *Wedd.* XVI. 1. 235[13]
rufescens Wedd. XVI. 1. 235[12]
vestitus *Wedd.* XVI. 1. 235[11]
Cypres XVI. 2. 455
Cypres y Len XVI. 2. 455
Cyrtostigma *Endl.* XIV. 309 (Spatalla)
Cyphomanthemum Kl. XV. 1. 446 (*Howardia*)
Bridgesii Kl. XV. 1. 463
macradenium Kl. XV. 1. 452
peltatum Kl. XV. 1. 449
reniforme Kl. XV. 1. 449
Cyrilla *L.* XVII. 292
paniculata Nutt. XVII. 292
Cystogyne Gaspar. XVII. 288
CYTINACEAE *Hook. fil.* XVII. 106
CYTINACEAE Lindl. XVII. 106
CYTINEAE Brongn. XVII. 90 106
CYTINEAE *R. Br.* XVII. 106
CYTINEAE Lindl. XVII. 106

Cytinus *L.* XVII. 107
americanus *R. Br.* XVII. 108
dioicus *Juss.* XVII. 108
Hypocystis *L.* XVII. 107
β kermesinus *Guss.* - -
Hypocystis var. canariensis Webb. XVII. 108
Cyttarospermum *Boiss.* XV. 2. 9 53 (Euphorbia)

D.

Dacrycarpus *Endl.* XVI. 2. 520 (Podocarpus)
Dacrydium *Soland.* XVI. 2. 367 493, *Don* XVI. 2. 453
araucarioides *Brongn.* & *Gris* XVI. 2. 496
arthrotaxoides Carr. XVI. 2. 496
Beccarii *Parl.* XVI. 2. 494
Colensoi *Hook.* XVI. 2. 495
cupressinum *Soland.* XVI. 2. 494
distichum Don XVI. 2. 519
elatum *Wall.* XVI. 2. 494
elatum compactum Carr. XVI. 2. 521
elatum tenuifolium Carr. XVI. 2. 521
excelsum Don XVI. 2. 520
ferrugineum hort. XVI. 2. 520
Franklinii *Hook. fil.* XVI. 2. 495
fuscum hort. XVI. 2. 520
huonense A. Cunn. XVI. 2. 495
Junghuhnii Miq. XVI. 2. 494
Kirkii *F. Müll* XVI. 2. 495
laxifolium *Hook. fil.* XVI. 2. 495
Mai A. Cunn. XVI. 2. 519
plumosum Don XVI. 2. 454 496
taxifolium Banks & Soland. XVI. 2. 519
taxoides *Brongn.* & *Gris* XVI. 2. 496
tenuifolium Parl. XVI. 2. 521
tetragonum *Parl.* XVI. 2. 496
thuyoides Banks & Soland. XVI. 2. 520
ustum Vieill. XVI. 2. 496 521
Vieillardi Parl. XVI. 2. 521
Dacryodes *Vahl* XVII. 292
Dactylanthes Haw. XV. 2. 7 85 86
anacantha Haw. XV. 2. 87
globosa Haw. XV. 2. 87
hamata Haw. XV. 2. 91
patula Haw. XV. 2. 87
Dactylanthes tuberculata Haw. XV. 2. 86
Dactylanthus *Hook. fil.* XVII
Taylori *Hook. fil.* XVII. 149
Dactylostemon *Kl.* XV. 2. 11
angustifolius Kl. XV. 2. 11
brasiliensis *Müll. Arg.* X
communis Müll. Arg. XV
a obtusatus - -
* glabratus - -
b Weddellianus - -
c Hagendorfii - -
d cordatus - -
e petiolaris - -
* obovatus - -
** sphathulatus - -
f angustifolius - -
cuneatus *Müll. Arg.* XV.
α latifolius - -
β angustifolius - -
glabrescens Kl. XV. 2. 11
grandifolius Kl. XV. 2. 1
grandifolius *Müll. Arg*
Hagendorfii Kl. XV. 2. 11
Klotzschii Diedrichs. XV.
Klotzschii *Müll. Arg.* XV.
α obtusatus - -
ε glabratus - -
β Weddellianus - -
γ genuinus - -
δ cordatus - -
ε petiolaris - -
* obovatus - -
** sphathulatus - -
ζ angustifolius - -
lasiocarpoides Müll Arg
lasiocarpus Kl XV. 2. 1
lasiocarpus *Müll. Arg*
Lundianus *Diedrichs.* XV
obtusatus Kl. XV. 2. 11
oligandrus *Müll. Arg.*
Schomburgkii *Kl.* XV. 2
verticillatus *Kl.* XV. 2. 1
Dais *L.* XIV 528, *Roxb.* X
tact.
anthylloides Eckl. & Zey
argentea Eckl & Zeyh.
argentea β depressa Eckl
XIV

Bartl. XIV. 529
Gaudich. XIV. 530 603
L. XIV. 529
olia *Meisn.* – –
– – –
lia – – –
am. XIV. 530 599
Forst. XIV. 530 605
l. XIV. 530 604
cne XIV. 530 604
a Lichtenst. XIV. 529
s Dcne XIV. 529
Blanco XIV. 530 605
Jacq. XIV. 529
am. XIV. 530 595
riensis Boj. XIV. 529
riensis Lam. XIV. 530 597
Burm. XIV. 530 605
kl. & Zeyh. XIV. 530 595
Lam. XIV. 530 597
Gaudich. XIV. 530
m. XIV. 530 596
dl. XIV. 530 549
a hort. XIV. 530
chtenst. XIV. 530 561
Timor Dc. herb. XIV. 604
XVI. 2. 376
Plum. XV. 2. 1232
ll. Arg. XV. 2. 1249
XV. 2. 1238
. Arg. XV. 2. 1238
ill. XV. 2. 1250
aefolia *H. B. & Kth* XV. 2. 1252
Müll. Arg. XV. 2. 1247
Baill. XV. 2. 1249
Bl. XV. 2. 1243
Thwait. XV. 2. 1241
Baill. XV. 2. 1248
s Lam. XV. 2. 1244
Müll. Arg. XV. 2. 1236
hylla – – – –
lla – – – –
hylla – – – –
H. B. & Kth XV. 2. 1250
ond. XV. 2. 1243
pr. fl. XV. 2. 1243
les Baill. XV. 2. 1235
les *Müll. Arg.* XV. 2. 1235
a – – – –

Dalechampia
β lanceolata *Müll. Arg.* XV. 2. 1235
cissifolia Poepp. & Endl. XV. 2. 1239
Clausseniana Baill. XV. 2. 1240
clematidifolia *Baill.* XV. 2. 1242
colorata L. XV. 2. 1244
convolvuloides *Lam.* XV. 2. 1250
cordifolia Domb. XV. 2. 1251
cordofana Hochst. XV. 2. 1245
coriacea Kl. XV. 2. 1234
coriacea *Müll. Arg.* XV. 2. 1234
coromandeliana Wall. XV. 2. 1241
cujabensis Mart. XV. 2. 1252
cujabensis *Müll. Arg.* XV. 2. 1252
denticulata *Griseb.* XV. 2. 1251
digitata Leand. XV. 2. 1238
dioscoreaefolia *Müll. Arg.* XV. 2. 1248
α pubescens – – – –
β genuina – – – 1249
dioscoreaefolia Poepp. & Endl. XV. 2. 1249
ficifolia *Lam.* XV. 2. 1246
fimbriata H. B. & Kth XV. 2. 1245
francisceana *Baill.* XV. 2. 1235
glechomaefolia *Baill.* XV. 2. 1237
Granadilla *Baill.* XV. 2. 1242
grandiflora Mart. XV. 2. 1238
guyanensis Kl. XV. 2. 1244
heterophylla Boj. XV. 2. 1241
hibisciformis Spr. XV. 2. 1245
hibiscoides H. B. & Kth XV. 2. 1245
hispida *Poepp. & Endl.* XV. 2. 1249
Houlletiana *Baill.* XV. 2. 1253
humilis *Müll. Arg.* XV. 2. 1236
α adscendens – – – 1237
β procumbens – – – –
indica *R. Wight* XV. 2. 1241
ipomeaefolia *Benth.* XV. 2. 1248
latifolia Lam. XV. 2. 1244
Leandri *Baill.* XV. 2. 1251
leucophylla *Müll. Arg.* XV. 2. 1235
linearis *Baill.* XV. 2. 1235 1236
α Hilariana – – – 1236
β genuina – – – –
magnoliaefolia *Müll. Arg.* XV. 2. 1234
maxima Salzm. XV. 2. 1247
micrantha *Poepp. & Endl.* XV. 2. 1253

Dalechampia
macrocera *Baill.* XV. 2. 1239
microphylla *Müll. Arg.* XV. 2. 1237
[illegible] *Vahl* XV. 2. 1244
[illegible]phylla *Vahl* XV. 2. 1250
natalensis *Müll. Arg.* XV. 2. 1243
Oliveriana *Müll. Arg.* XV. 2. 1239
peppigiana *Endl.* XV. 2. 1244
pervillosa *Lam.* XV. 2. 1245
pentaphylla *Lam.* XV. 2. 1238
pernambucensis *Baill.* XV. 2. 1244
peruviana *Lam.* XV. 2. 1247
peruviana *Grisb.* XV. 2. 1247
pseudo-clematis *Baill.* XV. 2. 1245
Riedeliana *Müll. Arg.* XV. 2. 1236
Rocheana *Müll. Arg.* XV. 2. 1233
α rubra - - - -
β viridis - - - 1234
rosiformis *Spr.* XV. 2. 1244
rubicides *H. B. & Kth* XV. 2. 1244
scandens *L.* XV. 2. 1244
scandens *Müll. Arg.* XV. 2. 1244
α genuina - - - -
* latifolia - - - -
β brasiliensis - - - -
γ mollis - - - -
δ fimbriata - - - -
ε hibiscoides - - - 1245
ζ velutina - - - -
η parvifolia - - - -
θ corallodes - - - -
scandens *Vell.* XV. 2. 1246
schizoloba *Müll. Arg.* XV. 2. 1250
Sellowiana *Müll. Arg.* XV. 2. 1237
Sellowiana α *subintegra Müll. Arg.* XV. 2. 1239
Sellowiana β *serrata Müll. Arg.* XV. 2. 1237
senegalensis A. Juss. XV. 2. 1245
serrulata W. herb. XV. 2. 1247
sidaefolia H. B. & Kth XV. 2. 1244
sinuata *Baill.* XV. 2. 1246
smilacina H. B. & Kth XV. 2. 1250
spathulata *Baill.* XV. 2. 1233
stenosepala *Müll. Arg.* XV. 2. 1241
[illegible]ulacea *Müll. Arg.* XV. 2. 1242
[illegible]folia *Lam.* XV. 2. 1248

Dalechampia
tenuiramea *Müll. Ar*
ternata *Müll. Arg.* X
α zeylanica -
β madagascariensis-
tiliaefolia Lam. XV.
tiliaefolia *Müll. Arg.*
triloba Salzm. XV. 2.
tripartita R. Br XV.
triphylla Lam. XV.
triphylla *Müll. Arg.*
α cissifolia -
β villosa -
a Pohliana -
b Riedeliana -
γ Clausseniana -
δ subintegra -
ε mexicana -
ζ genuina -
Vahliana Steud. XV
variifolia *Müll. Arg.*
velutina R. Wight
villosa Lam. XV. 2.
volubilis E. Mey. X
vulpina Müll. Arg.
Weddelliana *Baill.*
Dalechampia *sect.* Ch
Mi
End
Mi

Dalechampia sect. A

DALECHAMPIEAE *Mull.*

Dalembertia *Baill.* XV.
populifolia *Baill.* XV
triangularis *Müll. A*

Dalzellia Wight XVII
foliosa Wight XVII.
Lawii Wight XVII.
pedunculosa Wight
ramosissima Wight
seylanica Wight XVII
Dammara *Rumph* XVI
alba *Rumph* XVI. 2.
alba Sherard XVI. 2
australis *Lamb.* XVI.
Brownii Catal. of N
hypoleuca *Moore* XVI
longifolia *Lindl.* XVI.
macrophylla *Lindl.* X

XVI. 2. 376
XVI. 2. 377
XVI. 2. 375
mb. XVI. 2. 375
XVI. 2. 375
t. XVI. 2. 376
e XVI. 2. 375
l XVI. 2. 375
s Rumph XVI. 2. 629
Rumph XVI. 2. 629
t. & Hochst. XVI. 2. 377
a. XVI. 2. 376 377
2. 375
XVI. 2. 375
XVI. 2. 375
saer XVI. 1. 80
E. C. A. Mey. XIV. 493
A. Mey. XIV. 532 (Daphne)
V. 530. *C. A. Mey. Sw.* XIV. 526, *Wall. H. B. & Kth* XIV. *r.* XIV. 520 542 551 593
iss. & Hohenack. XIV. 536
– – –
tocks XIV. 536
lf & Schoellenb. XIV. 531
l. XIV. 700
V. 532
XIV. 535
t. XIV. 534
XIV. 531
ill. XIV. 541
p. XIV. 524 541
C. Koch XIV. 536
B. & Kth XIV. 525 541
anco XIV. 541 544
m. XIV. 541 554 556
rk XIV. 535
th. & Sm. XIV. 541 556
XIV. 541
ill. XIV. 535
regist. XIV. 537
lt. XIV. 538
reyer XIV. 534
ort. XIV. 535
jana XIV. 700)
Cham. XIV. 521

Daphne
Bonplandiana Kth XIV. 521 541
brasiliensis Raddi XIV. 526 541
buxifolia Huet du Pav. XIV. 554
buxifolia Sibth. & Sm. XIV. 534
buxifolia *Vahl* XIV. 534
cachemireana *Meisn.* XIV. 535
calycina Berger XIV. 541 554
calycina Lam. XIV. 541
calycina Lapeyr. XIV. 541 555
candicans Lam. XIV. 541 556
candida Wittm. XIV. 532
canescens Wall. XIV. 541 547
cannabina Lour. XIV. 541 546
cannabina Schauer XIV. 541 544
cannabina Wall. XIV. 537
caracasana Kl. XIV. 521 541
caucasica MB. XIV. 533
caucasica *Pall.* XIV. 531
caucasica β cognata C. Koch XIV. 532
cestrifolia H. B. & Kth XIV. 523 541
Cneorum Bertol. XIV. 700
Cneorum Güldenst. XIV. 532
Cneorum *L.* XIV. 532
β Verloti *Meisn.* – 533
Cneorum Sieber XIV. 532
Cneorum Wahlenb. XIV. 533
collina *Sm.* XIV. 535
β neapolitana *Lindl.* – –
collina d'Urv. XIV. 534
comosa Adam XIV. 539
coridifolia Lam. XIV. 541 553
crassifolia Poir. XIV. 524 541
cretica Steud. XIV. 534
Dauphini hort. XIV. 537
decandra *Bl.* XIV. 541 (*bis*)
Delphini hort. XIV. 537
dioica Gouan XIV. 541 554
elaeagnoides Humb. XIV. 523
elaeagnoides W. XIV. 541
Elisae *Vis.* XIV. 535
emarginata Pav. XIV. 522 541
eriocephala Royl. XIV. 541 598
eriocephala Wall. XIV. 541 597
euphorbioides Muss. Pusk. XIV. 532
foetida Forst. XIV. 541
foetida L. fil. XIV. 544
Fortunei *Lindl.* XIV. 531
Gardneri Wall. XIV. 541 543
Genkwa *Sieb. & Zucc.* XIV. 531
glandulosa Bertol. XIV. 534
glomerata *Lam.* XIV. 538
β pauciflora *Meisn.* – 539

Daphne
γ nivalis *C. Koch* XIV
gnidioides *Jaub. & Spac*

gnidioides Szov. XIV. 53
Gnidium Boiss. XIV. 538
Gnidium *L.* XIV. 538
hybrida Lindl. XIV. 537
hypericifolia Wall. XIV
japonica *hort. lugd.* XIV
japonica Thbg XIV. 537
japonica γ Thbg XIV. 5
jasminea Sibth. & Sm.
javanica Thbg XIV. 540
imerica C. Koch XIV. 5
inamoena Gardn. XIV. 5
indica R. Br. XIV. 544
indica hort. herb. amat.
indica L. XIV. 541 543
indica Schang. XIV. 531
indica var. Benth. XIV.
indica var. L. XIV. 546
involucrata Wall. XIV.
Lagetto Bonpl. XIV 521
Lagetto Sw. XIV 526 54
lancifolia Wickst. XIV.
lanuginosa Lam. XIV. 5
Laureola *L.* XIV. 539
β latifolia *Coss.* - -
γ Philippi *Meisn.* - -
laurifolia W. XIV. 520
linifolia (tinifolia) Sw. XI
Liotardi Vill. XIV. 531
longifolia *Meisn.* XIV. 5
lucida Lois. XIV. 534
macrophylla H. B. & K

major Lam. XIV. 539
mexicana Spr. XIV. 523
Mezereum Güldenst. XIV.
Mezereum *L.* XIV. 530
β albida *Meisn.* - 531
microphylla *Meisn.* XIV.
β angustifolia - -
monostachya W. XIV. 51
montana Meisn. XIV. 540
mucronata *Royl.* XIV. 53
β affghanica *Meisn.* - -
multiflora Thore XIV. 53
myrtifolia Poir. XIV. 542
neapolitana Lodd. XIV. 5
nitida Vahl XIV. 542 554
obovata W. XIV. 521 542
occidentalis Sw. XIV. 522
odora Don XIV. 537
odora Lour. XIV. 537

ti Gren. & *Godr.* XIV. 533 700
culata Vahl XIV. 542 555
a L. XIV. 542 554
ta Wall. XIV. 542 547
flora Mor. & *Zolling.* XIV. 542
flora Wall. XIV. 542 546
chii Meisn. XIV. 540
sect. Cneoroides Spach XIV. 532
Daphnanthes *C. A. Mey.* XIV. 532
Eriosolena *Meisn.* XIV. 540
Eudaphne C. A. Mey. XIV. 538
Gnidium *Spach* XIV. 538
Laureola *Meisn.* XIV. 538
Laureola Spach XIV. 538
Laureoloides Spach XIV. 538
Mezereum *Spach* XIV. 530
AE Meisn. XIV. 495 496
AE HEMISTEMONEAE *Meisn.* XIV. 496
ISOSTEMONEAE *Meisn.* XIV. 518
DIPLOSTEMONEAE *Meisn.* XIV. 520
EAE Reichenb. XIV. 493
DEAE Meisn. XV. 1. 8 228
NEAE Nees XV. 1. 177 228
um Nees XV. 1. 8 228
patum Bl. XV. 1. 229
tifolium - - - -
teatum Nees XV. 1. 229
ratum Bl. - - -
m Nees XV. 1. 231
m Miq. XV. 1. 222 232
m Nees XV. 1. 229
m Zolling. XV. 1. 229
m var. Miq. XV. 1. 229
um Nees XV. 1. 230
x Nees XV. 1. 199 232 *(bis)*
itum Nees XV. 1. 231
florum Bl. XV. 1. 232
Nees XV. 1. 230
olium Sieb. & *Zucc.* XV. 1. 211 232 515

Daphnidium
lancifolium *Thwait.* XV. 1. 229
macrophyllum *Bl.* XV. 1. 231
melastomaccum *Nees* XV. 1. 228
Myrrha *Nees* XV. 1. 230
Myrrha Sieb. & *Zucc.* XV. 1. 230
oxyphyllum Nees XV. 1. 232 240
pendulifolium *Meisn.* XV. 1. 231
pulcherrimum *Nees* XV. 1. 229
sinense *Bl.* XV. 1. 230
strychnifolium *Sieb.* & *Zucc.* XV. 1. 230
β concolor *Meisn.* - - -
venosum *Meisn.* XV. 1. 231
DAPHNIPHYLLACEAE *Müll. Arg.* XVI. 1. 1
Daphniphyllum *Bl.* XVI. 1. 1, *Bl.* XV. 2. 1258
acutifolium *Müll. Arg.* XVI. 1. 5
africanum *Müll. Arg.* XVI. 1. 5
bancanum *Sulp. Kurz* XVI. 1. 4
Benthami Baill. XVI. 1. 4
Blumeanum Baill. XVI. 1. 3
Blumeanum *Müll. Arg.* XVI. 1. 3
Bürgeri *Müll. Arg.* XVI. 1. 3
Calleryanum Baill. XVI. 1. 4
calycinum *Benth.* XVI. 1. 4
Gaudichaudianum Baill. XVI. 1. 4
glaucescens *Bl.* XVI. 1. 3
* concolor - - - 4
himalayense *Müll. Arg.* XVI. 1. 4
laurinum *Baill.* XVI. 1. 4
macropodum *Miq.* XVI. 1. 5
majus *Müll. Arg.* XVI. 1. 2
neilgherrense Thwait. XVI. 1. 4
Roxburghii Baill. XVI. 1. 3
Teysmanni *Sulp. Kurz* XVI. 1. 3
Zollingeri *Müll. Arg.* XVI. 1. 2
Daphnitis Spr. XVII. 294
Daphnobryon *Meisn.* XIV. 566
ericoides *Meisn.* XIV. 566
tasmannicum *Meisn.* XIV. 566
DAPHNOIDEAE Vent. XIV. 493
DAPHNOIDEIS & THYMELACEIS AFFINES Lindl. XV. 1. 361
DAPHNOPHYTA Neck. XVII. 32
Daphnopsis *Mart.* & *Zucc.* XIV. 520
bogotensis *Meisn.* XIV. 521
Bonplandii *Meisn.* XIV. 521
β mollis - - -
brasiliensis *Mart.* & *Zucc.* XIV. 520
caracasana *Meisn.* XIV. 521
cestrifolia *Meisn.* XIV. 523
crassifolia *Meisn.* XIV. 524

Daphnopsis
cubensis *Meisn.* XIV. 5
dioica Mart. XIV. 520
Humboldtii *Meisn.* XIV.
β Boissieriana – –
Lindenii *Meisn.* XIV. 52
Martii *Meisn.* XIV. 520
Pavonii *Meisn.* XIV. 52
Purdiei *Meisn.* XIV. 52
salicifolia *Meisn.* XIV.
Swartzii *Meisn.* XIV. 5
tinifolia *Meisn.* XIV. 52
β Cumingii – – –
Darbya A. Gray XIV. 63
umbellulata A. Gray X
Darbya *Dc. fil.* XIV. 637
Darlingtonia *Torr.* XVII.
californica *Torr.* XVII.
Darwinia Dennst. XV. 1.
Dasus *Lour.* XVII. 292
Dasyanthera Presl XVII.
Dasystyles *Dc. fil.* XV. 1.

Datisca *L.* XV. 1. 410
cannabina *L.* XV. 1. 41
hirta L. XV. 1. 411
nepalensis Don XV. 1.
DATISCACEAE *Dc. fil.*
DATISCACEAE Lindl. X
DATISCEAE Presl XV.
Debregeasia *Gaudich.* XV
bicolor *Wedd.* XVI. 1.
dichotoma *Wedd.* XVI.
edulis *Wedd.* XVI. 1. 2
hypoleuca Wedd. XVI.
leucophylla *Wedd.* XVI
longifolia *Wedd.* XVI.
β virens – – –
γ foliis elliptico-lanceo
δ foliis lato ovatis –
velutina Gaudich. XVI.
Wallichiana Wedd. XV
Decalobium *Müll. Arg.* X
52
Decapetalon *Müll. Arg.* X
52
Decarinium Raf. XV. 2. 5
Decarinium *Müll. Arg.* XV
67
Dehaasia Bl. XV. 1. 76, *M*

caesia Bl. XV. 1. 62
cuneata Bl. XV. 1. 77
elongata Bl. XV. 1. 60
firma Bl. XV. 1. 60
media Bl. XV. 1. 60

ra Salisb. XIV. 259
Knight XIV. 266
XIV. 259 (Leucospermum)
l XV. 2. 1143 1144
d XV. 2. 1144
VII. 292
a Zipp. herb. XVII. 183
ipp. herb. XVII. 206
ichaelactina) *Hance* XV. 2. 274 351
nce XV. 2. 352
XV. 2. 9 58 (Euphorbia)
VII. 292
Kl. & *Gke* XV. 2. 7 63
Gke XV. 2. 64
l. & *Gke* XV. 2. 64
. & *Gke* XV. 2. 63
art. XVII. 292
EAE GYMNOSPER-
E *Dc. fil.* XV. 2. 345
ES GYMNOSPER-
Brongn. XVI. 2. 345
ouar. XVII. 67, *Gay*
ul. XVII. 66
eddome XVII. 70
(VII. 71
. XVII. 69 (*bis*)
racilibus &c. - - -
- - -
- - -
- - -
XVII. 70
Tul. XVII. 66
. XVII. 68
ght XVII. 69
XVII. 71
l. XVII. 68
Vedd. XVII. 71
VII. 69
Vedd. XVII. 68
XVII. 70
XVII. 70
XVII. 69
ul. XVII. 85
Vandowia Tul. XVII. 85
ratolacis Tul. XVII. 66
nch. XIV. 599
h. XIV. 599
Trécul XVII. 280 283
. XV. 1. 5 79
Meisn. XV. 1. 80

Dictyodaphne
cuneata *Miq.* XV. 1. 80 509
macrophylla *Bl.* XV. 1. 79
micrantha *Meisn.* XV. 1. 80
rubescens Miq. XV. 1. 80
rubescens *Bl.* XV. 1. 79
sumatrana *Miq.* XV. 1. 80
variabilis *Meisn.* XV. 1. 80
Dictyodaphne Bl. XV. 1. 79 (Endiandra)
Dictyoneura *Dc. fil.* XIV. 201 (Myristica)
DICYPELLIA *Nees* XV. 1. 111
Dicypellium *Nees* XV. 1. 7 170
caryophyllatum *Nees* XV. 1. 170
Diderotia Baill. XV. 2. 899 903
multispicata Baill. XV. 2. 904
Didymandra W. XVI. 2. 591
purpurea W. XVI. 2. 593
Didymanthus Kl. XIV. 436
incana Kl. XIV. 436
Sellowii Kl. XIV. 436
Didymeles *Pet. Thouar.* XVII. 292
Didymocephalon *Meisn.* XIV. 127 (Polygonum)
Didymodoxa *E. Mey.* XVI. 1. 235[61]
acuminata Wedd. XVI. 1. 235[62]
cuneata *Wedd.* XVI. 1. 235[61]
debilis *E. Mey.* XVI. 1. 245[61]
β lanceolata *Wedd.* - - -
integrifolia *Wedd.* XVI. 1. 235[61]
Didymogyne Wedd. XVI. 1. 235[57]
abyssinica Wedd. XVI. 1. 235[59]
boehmerioides Wedd. XVI. 1. 205
Didymomeles Spr. XVII. 292
Dieneckeria Vell. XIV. 436
legalis Vell. XIV. 436
Dilobeia *Pet. Thouar.* XVII. 292
Dimepate XVII. 234
Dimorphanthera *Müll. Arg.* XV. 2. 990 (Macaranga)
Dimorphocalyx Thwait. XV. 2. 1105
glabellus Thwait. XV. 2. 1106
Dimorphocalyx *Müll. Arg.* XV. 2. 1105 (Trigonostemon)
Dinde XVII. 230
Dingia Gardn. XIV. 593 (Gnidia)
Dioengitan XVII. 23
Dioon (*non* Dion) *Lindl.* XVI. 2. 525 537
aculeatum Lem. XVI. 2. 537
angustifolium Miq. XVI. 2. 537
edule *Lindl.* XVI. 2. 537
β imbricatum *Miq.* - - -
γ angustifolium - - - -
imbricatum Miq. XVI. 2. 537

Dioon
strobilaceum Lem XVI. 2. 537
Dioscorea sativa L. XVII. 26
Diospyros acuminata Wall. XV. 1. 209
Dipetalia Raf. XVI. 2. 584 586
capensis Raf. XVI. 2. 585
Diplarus Kl. XV. 1. 469 (*Howardia*)
brasiliensis Kl. XV. 1. 470
cymbifera Kl. XV. 1. 471
galeata Kl. XV. 1. 471
hians Kl. XV. 1. 472
ringens Kl. XV. 1. 472
DIPLOCHLAMYDEAE *Müll. Arg.* XV. 2. 1023
Diplochlamys *Müll. Arg.* XV. 2. 1023
Griffithianus *Müll. Arg.* XV. 2. 1024
Diplociinium Miq. XV. 1. 319 327 354. *Lindl.* XV. 1. 278, *Wight* XV. 1. 322
angustifolium Miq. XV. 1. 397
apterum Miq. XV. 1. 397
arcolatum Miq. XV. 1. 397
Arnottianum Wight XV. 1. 322
atrichum Miq. XV. 1. 321
biloculare Wight XV. 1. 354
bombycinum Kl. XV. 1. 321
bracteatum Miq. XV. 1. 316 (*bis*)
caespitosum Miq. XV. 1. 397
cordifolium Wight XV. 1. 328
Cumingianum Miq. XV. 1. 320
Evansianum Lindl. XV. 1. 313
fasciculatum Miq. XV. 1. 322
Hasskarlianum Miq. XV. 1. 329
Horsfieldii Miq. XV. 1. 398
lepidum Miq. XV. 1. 317
Lindleyanum Miq. XV. 1. 329
longifolium Miq. XV. 1. 398
orbiculatum Miq. XV. 1. 398
pilosum Miq. XV. 1. 398
racemosum Miq. XV. 1. 322
repandum Kl. XV. 1. 321
repens Miq. XV. 1. 391
Roxburghii Miq. XV. 1. 399
rubrum Miq. XV. 1. 275
sexetile Miq. XV. 1. 351
sublobatum Miq. XV. 1. 355
tenuifolium Miq XV. 1. 351
timorense Miq XV. 1. 407
tuberosum Miq. XV. 1. 323
Wallichianum Miq XV. 1. 383
Diplociinium *Dc. fil.* XV. 1 322 (Begonia)
Diplocos *Bureau* XVII. 212 215
Diplocos
macrophylla *Bureau* X
zeylanica *Bureau* XVII
Diplolobus *Duchart* XV
Diplomorpha *Griff.* XV.
herbacea Griff. XV. 2.
Diplomorpha Meisn XIV
Mi
canescens C. A. Mey.
Chamaedaphne C. A.
cirgata C. A. Mey. X
viridiflora C. A. Mey.
Diplomorpha *Meisn.* XI
(W
Diplophragma *B. Br* X
DIPLOSTEMONEAE *Meis*
Diplostylis Sond. XV. 2
angustifolia Sond. XV
bupleuroides Sond. X
caffra Sond. XV. 2.
serrata Sond. XV 2.
Dipsacozamia Lehm X
DIPTERACEAE Lind
DIPTEROCARPEAE
Hook. fil. XVI. 2.
DIPTEROCARPEAE
DIPTEROCARPEAE *D.*
DIPTEROCARPEAE
Perrot.
DIPTEROCARPINEAE
Dipterocarpus *Gaertn*
alatus Miq. XVI. 2.
alatus *Roxb.* XVI. 2.
alatus Wall. XVI. 2
angustifolius *Wight &*
balsamifer *Bl.* XVI 2
Baudii *Korth.* XVI. 2.
Blancoi Bl. XVI. 2.
cordatus *Wall.* XVI. 2
costatus *Gaertn* XVI
costatus Roxb. XVI 2.
Dryobalanops Steud. X
elongatus *Korth.* XVI.
eurbynchus *Miq.* XVI.

us
. XVI. 2. 613
us *Thwait.* XVI. 2. 612
us *Turcz.* XVI. 2. 612
Bl. XVI. 2. 609
us *Blanco* XVI. 2. 612
us *Wall.* XVI. 2. 614
us *Miq.* XVI. 2. 608
Miq. XVI. 2. 612
nco XVI. 2. 614 616
Bl. XVI. 2. 609
Korth. XVI. 2. 610
Thwait. XVI. 2. 608
Roxb. XVI. 2. 611
Thwait. XVI. 2. 612
milt. XVI. 2. 607 *(bis)*
urghii *Dc. fil.* - - -
s *Hook. fil.* XVI. 2. 611
Bl. XVI. 2. 609
ok. XVI. 2. 613
nan Blanco XVI. 2. 614 631
apoi Blanco XVI. 2. 614 616
us *Korth.* XVI. 2. 613
Blanco XVI. 2. 610
us *Hook. fil.* XVI. 2. 611
lius *Bl.* XVI. 2. 614
lius Thwait. XVI. 2. 608
Dc. fil. XVI. 2. 608
us *Miq.* XVI. 2. 608
s *Blanco* XVI. 2. 614
us *Dc. fil.* XVI. 2. 610
oxb. XVI. 2. 614
Blanco XVI. 2. 614 616
nus Blanco XVI. 2. 614
nus Bl. XVI. 2. 610
l. XVI. 2. 609
milt. XVI. 2. 611
Thwait. XVI. 2. 612
i *Bl.* XVI. 2. 609
Korth. XVI. 2. 609
id. XVI. 2. 606 614
Blanco XVI. 2. 614 615
Bl. XVI. 2. 608
ns - - - 609
ccns- - - -
tus *Roxb.* XVI. 2. 614 612
Gaertn. XVI. 2. 607
laris *Dc. fil.* - - -
s *Roxb.* XVI. 2. 607 (*bis*)
l. XVI. 2. 614
us *Blanco* XVI. 2. 610
Wall. XVI. 2. 614

Dipterocarpus
zeylanicus *Thwait.* XVI. 2. 610
Dirca *L.* XIV. 527
palustris *L.* XIV. 527
Discobeyeria *Müll. Arg.* XV. 2. 201 (Beyeria)
Discocarpus *Kl.* XV. 2. 223 1269
brasiliensis *Kl.* XV. 2. 223
essequeboensis *Kl.* XV. 2. 223
Spruceanus *Müll. Arg.* XV. 2. 223
Discocarpus Liebm. XVI. 1. 77
mexicanus Liebm. XVI. 1. 84
nicaraguensis Liebm. XVI. 1. 84
Discocarpus *Wedd.* XVI. 1. 84 (Laportea)
Discoclaoxylon *Müll. Arg.* XV. 2. 779 (Claoxylon)
Discocleidion *Müll. Arg.* XV. 2. 984 (Cleidion)
Discothesium *Dc. fil.* XIV. 661 (Thesium)
Diselma *Hook. fil.* XVI. 2. 367 462
Archeri *Hook. fil.* XVI. 2. 462
Disomene Forst. XVI. 2. 600
Distegocarpus *Sieb. & Zucc.* XVI. 2. 127
carpinoides Sieb. & Zucc. XVI. 2. 128
Carpinus *Sieb. & Zucc.* XVI. 2. 128
cordata *Dc. fil.* XVI. 2. 128
erosa *Dc. fil.* XVI. 2. 128
laxiflora *Sieb. & Zucc.* XVI. 2. 128
Distemon *Wedd.* XVI. 1. 235[62]
grossum *Wedd.* XVI. 1. 235[62]
indicum Wedd. XVI. 1. 235[62]
DITAXIDEAE Griseb. XV. 2. 726 751
Ditaxis A. Juss. XV. 2. 732 734, *Baill.* XV. 2. 732
brasiliensis Baill. XV. 2. 733
castaneaefolia Baill. XV. 2. 746 754
chiropetala Bert. XV. 2. 744
chrysantha Kl. XV. 2. 735
cordata Baill. XV. 2. 746 753
dioica H. B. & Kth XV. 2. 735
fasciculata Gardn. XV. 2. 735
fasciculata A. Juss. XV. 2. 738
glabella Griseb. XV. 2. 736
haemiolandra Griseb. XV. 2. 730 746
heterantha Zucc. XV. 2. 735
Hilariana Baill. XV. 2. 735
illimaniensis Baill. XV. 2. 738
lancifolia Schlecht. XV. 2. 736

Ditaxis
linearifolia Baill. XV. 2
melochiaeflora Baill. XV
polymorpha Baill. XV.
polymorpha brevifolia

polymorpha büttnerioides
polymorpha longifolia
Simoniana Casar. XV. 2
triplinervia Kl. XV. 2.
Ditaxis sect. Anacanthium
Caperonia

Serophyton

Ditaxis *Müll. Arg.* XV. 2.
(Argy
Dobera *Juss.* XVII. 30
coriacea *Dc. fil.* XVII. 3
glabra *Dc. fil.* XVII. 31
Roxburghii *Planch.* XVI
Dodecadenia *Nees* XV. 1.
Hook. fil. & Thoms.
grandiflora *Nees* XV. 1.

robusta Zolling. XV, 1.
Dodecadia *Lour.* XVII. 29
Dodecastemon Hassk. XV

Teysmanni Hassk. XV. 2
Teysmanni β timorensis

Dodecastemon *Müll. Arg.*
481 (Cyc
Dofia Adans. XIV. 527
Dombeya Lam. XVI. 2. 36
chilensis Lam. XVI. 2.
excelsa Lamb. XVI. 2. 3
Donaldia Kl. XV. 1. 278
Ottonis Kl. XV. 1. 292
ulmifolia Kl. XV. 1. 290
Donaldia *Dc. fil.* XV. 1.

Donia R. Br. XIV. 37
digyna R. Br. XIV. 37
sapida R. Br. XIV. 37
Doona *Thwait.* XVI. 2. 605
affinis *Thwait.* XVI. 2. 6
congestiflora *Thwait.* XV
cordifolia *Thwait.* XVI.
Gardneri *Thwait.* XVI. 2.
macrophylla *Thwait.* XVI
nervosa *Thwait.* XVI. 2.
ovalifolia *Thwait.* XVI. 2
trapezifolia *Thwait.* XVI.

idice &c. Houst. XVII. 260 (*bis*)
XVII. 260
. XVII. 270
josa Regel XVII. 270
reau XVII. 271
XVII. 267 (*bis*)
efolia - - -
- - -
- - -
Griseb. XVII. 265
b. vindob. XVII. 270
Moric. XVII. 263
ch. & Mey. XVII. 261
XVII. 261
reau XVII. 277
Walp. XVII. 262
rt. berol. XVII. 267
Schott XVII. 267 270
XVII. 267
e. XVII. 267
v. XVII. 267
o. XVII. 267
k. XVII. 267
. XVII. 267
XVII. 259
dd. XVII. 259
Mart. XVII. 263
. XVII. 272
rmis Lodd. XVII. 264
ureau XVII. 268
na Fisch. & Mey. XVII. 266
Bureau XVII. 269
Moric. XVII. 270
rt. herb. XVII. 262
. XVI. 1. 192, XVII. 277
mair. XVII. 260
Fisch. & Mey. XVII. 261
. *fil.* XVII. 271
enth. XVII. 260
. & *Mey.* XVII. 267
s Field & Gardn. XVII. 263
isch. & Mey. XVII. 262
Miq. XVII. 260
Bureau - 261
- - -
nthes- - -
- - -
A. α Miq. XVII. 261
A. β Miq. XVII. 262

Dorstenia
multiformis B. Miq. XVII. 261
nervosa α latifolia Desv. XVII. 266
nervosa β angustifolia Desv. XVII. 267
nervosa γ angustifolia Miq. XVII. 267
nervosa β latifolia Miq. XVII. 266
obovata *Hochst.* XVII. 275
ophioglossoides *Hochst.* XVII. 276
opifera Mart. XVII. 263
palmata Pohl herb. XVII. 262
palmata W. XVII. 259
paradoxa herb. berol. XVII. 261
peltata Fisch. & Mey. XVII. 277
peltata *Spr.* XVII. 265
pernambucana *Arrud.* XVII. 277
petraea *Griseb.* XVII. 265
picta *Bureau* XVII. 277
placentoides Comm. XVII. 263
plumeriaefolia *Fisch. & Mey.* XVII. 270
Psilurus *Welw.* XVII. 272
β scabra *Bureau* - 273
pubescens Forst. XVII. 277
quadrata Desv. XVII. 261
radiata *Lam.* XVII. 275
reniformis Pohl herb. XVII. 263
Riedeliana Fisch. & Mey. XVII. 261
rotundifolia *Arrud.* XVII. 277
scapis radicatis &c. L. XVII. 259
setosa Moric. XVII. 269
Sphondylii folio &c. Plum. XVII. 259
Sychinium Steud. XVII. 262
tenera *Bureau* XVII. 271
tentaculata Fisch. & Mey. XVII. 261
tenuis *Bonpl.* XVII. 264
tomentosa Fisch. & Mey. XVII. 263
tropaeolifolia *Bureau* XVII. 276
tuberosa *Griseb.* XVII. 264
tubicina *R. & Pav.* XVII. 264
turneraefolia *Fisch. & Mey.* XVII. 268
urceolata *Schott* XVII. 266
α latifolia *Bureau* - -
β variegata - - -
γ angustifolia - - 267
varroniaefolia Fisch. & Mey. XVII. 267
Vitella Paiva XVII. 263

Dorstenia
vitifolia Field & Gardn.

vivipara *Welw.* XVII. 273
volubilis Zolling. XVII. 2
DORSTENIBAR *Bureau* XV

Doryphora *Endl.* XVI. 2. 6
Sassafras *Endl.* XVI. 2. 6
Doryxylon Zolling. XV. 2.
spinosum Zoll. XV. 2. 72
Double Balsam fir XVI. 2.
Douglassia Schreb. XV. 1.
laurina Sm. XV. 1. 509
Douglas Spruce XVI. 2. 43
Dovyalis (Dovialis XVII.
Mey. XV.
Dracontium A. Cunn. XVI.
polyphyllum A. Cunn.

Drapetes *Lam.* XIV. 518, *H*
XIV.
Dieffenbachii Hook. XIV.
ericoides Hook. fil. XIV. 5
muscoides *Lam.* XIV. 51
muscosa Hook. fil. XIV.
muscosus R. & Schult. X
tasmannica Hook. fil. XI
Drepadenium Raf. XV. 2. 5
maritimum Raf. XV. 2. 6
Drepadenium *Müll. Arg.* X
689
Drimys granatensis Spr. X
Droguetia *Gaudich.* XVI. 1.
ambigua Wedd. XVI. 1. 2
cuneata Eckl. & Zeyh.

diffusa Wedd. XVI. 1. 23
elliptica Gaudich. XVI. 1.
leptostachys *Wedd.* XVI.
ovata Gaudich. XVI. 1. 2
ovata Wedd. XVI. 1. 235
pauciflora *Wedd.* XVI. 1.
Thouarsiana *Gaudich.* X

urticaefolia E. Mey. XVI.
urticaefolia *Wedd.* XVI. 1.
Dryandra *R. Br.* XIV. 46
481, *Thbg* XV. 2.
Arctotidis *R. Br.* XIV. 47
armata *R. Br.* XIV. 468
Baxteri *R. Br.* XIV. 471
bipinnatifida *R. Br.* XIV.
blechnifolia R. Br. XIV. 4
Brownii *Meisn.* XIV. 472
culophylla *R. Br.* XIV. 48

ndl. XIV. 470
. Br. XIV. 478
ppist XIV. 475
leisn. XIV. 479
unn. XIV. 478
rea XIV. 700, XV. 2. 724
ist XIV. 477
. Aphragma R. Br. XIV. 480
Diplophragma R. Br. XIV. 480
Eudryandra Meisn. XIV. 467
l. Arg. XV. 2. 723 (Aleurites)
AE Meisn. XIV. 603
Reinw. XIV. 603
leisn. XIV. 605
e XIV. 604
cne XIV. 605
eisn. XIV. 605
isn. XIV. 605
Dene XIV. 604
Zolling. XIV. 605
m Dene XIV. 605
isn. XIV. 604
. XIV. 604
Gaertn. XVI. 2. 605 606
Gaertn. XVI. 2. 606
Colebr. XVI. 2. 606
th. XVI. 2. 606 635
ach XVII. 156 (Ulmus)
UPHYLLANTHEAE Griseb. XV. 2. 215
t XV. 2. 453, Freire
l. 2. 244, Auct. XV. 2. 448
Arg. XV. 2. 455
– – – –
– – – –
XV. 2. 455
tifolia Griseb. XV. 2. 456
Spr. XV. 2. 449 456
eb. XV. 2. 456
l. Arg. XV. 2. 455
– – – 456
– – – –
– – – –
. XV. 2. 456
Müll. Arg. XV. 2. 454
eb. XV. 2. 456

Drypetes
glauca Vahl XV. 2. 455
glomerata Griseb. XV. 2. 454 455
glomerata Müll. Arg. XV. 2. 454
α genuina – – – –
β olivacea – – – 455
incurva Müll. Arg. XV. 2. 455
mucronata Griseb. XV. 2. 453
sessiliflora Baill. XV. 2. 456
sessiliflora Freire Allem. XV. 2. 245 456
Spruceana Müll. Arg. XV. 2. 454
triplinervia Müll. Arg. XV. 2. 456
Duania Noronh. XV. 2. 1143
Dubrueilia Gaudich. XVI. 1. 104
ciliaris Gaudich. XVI. 1. 114
inaequalis Gaudich. XVI. 1. 151
lucens Gaudich. XVI. 1. 130
melastomoides Gaudich. XVI. 1. 128
microphylla Gaudich. XVI. 1. 106
multiflora Gaudich. XVI. 1. 145
peploides Gaudich. XVI. 1. 109
pumila Gaudich. XVI. 1. 159
Riedlei Dene XVI. 1. 130
rupipendia Gaudich. XVI. 1. 124
sessilifolia Gaudich. XVI. 1. 125
Duchola Adans. XV. 2. 1134
Dufourea Bory XVII. 44
alternifolia W. XVII. 45
Boryi A. Rich. XVII. 45
hypnoides St. Hil. XVII. 44
Thouarsii A. Rich. XVII. 45
trifaria Bory XVII. 45
Dugagelia Gaudich. XVI. 1. 392 471
Dugagelia Endl. XVI. 1. 471 (Piper)
Dulongia H. B. & Kth XVII. 296
Dumartroya Gaudich. XVII. 221
fagifolia Gaudich. XVII. 222
Duretia Gaudich. XVI. 1. 195
cylindrica Gaudich. XVI. 1. 202
palustris Gaudich. XVI. 1. 202
Dutschmanns pipe XV. 1. 435
Duvaucellia Bowd. XVII. 292
Dysmorphia Dc. fil. XV. 1. 355 (Begonia)
DYSOPSIDEAE Baill. XV. 2. 213 766 1232
Dysopsis Baill. XV. 2 949
Gayana Baill. XV. 2. 949
glechomoides Müll. Arg. XV. 2. 949
α hirsuta – – – –
β genuina – – – –
γ paucidentata – – –

E.

Eai XIV. 686
Echinocaulon *Meisn.* XIV.
(Po
Echinocaulos Hassk. XIV.
perfoliatus Hassk. XIV.
Echinocroton F. Müll. XV

claoxyloides F. Müll. X
Echinosphaera Sieber XV

rosmarinoides Sieber XV
Echinus Lour. XV. 2. 956
trisulcus Lour. XV. 2. 9
Echtrus Lour. XVII. 293
Edgeworthia *Meisn.* XIV.
chrysantha *Lindl.* XIV. 5
Gardneri *Meisn.* XIV. 54
papyrifera Zucc. XIV. 5
Edokke Gaertn. XVII. 293
Ehrhardia Scop. XV. 1. 8
Eibenbaum XVI. 2. 500
Einomeia Raf. Kl. XV. 1.
Berlandieri Kl. XV. 1. 4
brevipes Kl. XV. 1. 441
pentandra Raf. XV. 1.
Elacalli Rheed. XV. 2. 80
Elachocroton F. Müll. XV

asperococcus F. Müll. X
Elachocroton Baill. XV. 2

ELAEAGNACEAE Lindl.
ELAEAGNACEAE *Schlecht*

ELAEAGNEAE R. Br. XI
ELAEAGNI Adans. XVII.
ELAEAGNIDEAE Dumor

ELAEAGNOIDEAE Vent.
ELAEAGNORUM PARS J

ELAEAGNORUM & CAPI
RUM PARS Adans.
ELAEAGNORUM & ONA
PARS Juss.
Elaeagnus *L.* XIV. 608
acuminata hort. angl. X
Alingaro *Schlecht.* XIV.
angustifolia Blanco XIV.
angustifolia L. XIV. 609
angustifolia songarica Fi

Schlecht. XIV. 613
hort. torin. XIV. 610
ll. XIV. 615
hbg XIV. 614
ne XIV. 612
XIV. 614
ssk. XIV. 614
hort. XIV. 615
Savi XIV. 610 611
ait. XIV. 610
. XIV. 609
Benth. XIV. 613
Schlecht. XIV. 611
Fisch. XIV. 615
Moench XIV. 609
xb. XIV. 610 (*bis*)
Thbg XIV. 614 612
Phytopol. XIV. 615
a *Schlecht.* XIV. 612
copalliferus Retz XVI. 2. 625
A. Juss. XV. 2. 723
l. XV. 2. 724
pr. XV. 2. 724
A. Juss. XV. 2. 724
n Roxburghii Benth. & Hook. XVII. 295
n W. XIV. 692
Miq. XV. 2. 1257
Miq. XV. 2. 1257
rum recentiorum Tourn. XVI. 2. 415
num *Bl.* XV. 2. 1130, XV.
hort. bourb. XV. 2. 983 984
. *bourb.* XV. 2. 985
XV. 2. 1131
Bl. XV. 2. 956
non Elatostemma) *Forst.* 171. *Gaudich.* XVI. 1.
dl. XVI. 1. 171, *Auctor.* 164 171
n *Brongn.* XVI. 1. 181
ld. XVI. 1. 173
tum *Wedd.* XVI. 1. 190
folium - - - -
ianum Wedd. XVI. 1. 173
Wedd. XVI. 1. 183
Wight XVI. 1. 190
Wight XVI. 1. 173
m Miq. XVI. 1. 179
folium Miq. XVI. 1. 173 175 176
Wedd. XVI. 1. 176

Elatostema
delicatulum Wedd. XVI. 1. 187
dissectum *Wedd.* XVI. 1. 182
diversifolium *Wedd.* XVI. 1. 189
β laetum - - - 190
ellipticum *Wedd.* XVI. 1. 186
eurhynchum *Miq.* XVI. 1. 182
fagifolium *Gaudich.* XVI. 1. 174
ficoidea *Wedd.* XVI. 1. 171
filicoides *Seem.* XVI. 1. 188
frutescens Hassk. XVI. 1. 191 192
glaucescens *Wedd.* XVI. 1. 187
glaucescens β delicatulum Wedd. XVI. 1. 187
Goudotianum *Wedd.* XVI. 1. 185
gracile *Hassk.* XVI. 1. 190
grande Wedd. XVI. 1. 173
hirsutum *Miq.* XVI. 1. 180
Hookerianum *Wedd.* XVI. 1. 180
japonicum Wedd. XVI. 1. 167 191
incisum *Wedd.* XVI. 1. 185
integrifolium *Wedd.* XVI. 1. 179
β semiserratum - - - 180
Junghuhnianum *Miq.* XVI. 1. 188
laetum Wedd. XVI. 1. 190
laevigatum Hassk. XVI. 1. 191 192
laevigatum β subcuneatum Bl. XVI. 1. 193
lancifolium *Wedd.* XVI. 1. 184
lepidotulum *Miq.* XVI. 1. 183
lineolatum *Wight* XVI. 1. 181
α majus *Wedd.* - - 182
β falcigerum - - - -
γ lineare - - - -
longifolium *Wedd.* XVI. 1. 184
lucidum Forst. XVI. 1. 191 192
macrophyllum *Brongn.* XVI. 1. 174
β paludosum *Wedd.* - - -
γ pedunculosum - - - -
maculatum *Gaudich.* XVI. 1. 176
madagascariense *Wedd.* XVI. 1. 185
manillense Wedd. XVI. 1. 179
Mannii *Wedd.* XVI. 1. 178
Miquelianum Wedd. XVI. 1. 179
molle *Wedd.* XVI. 1. 173
montanum Endl. XVI. 1. 191 193
monticolum *Hook. fil.* XVI. 1. 187
nemorosum *Seem.* XVI. 1. 177
nigrescens *Miq.* XVI. 1. 175
obovatum *Wedd.* XVI. 1. 188
oblusum *Wedd.* XVI. 1. 187

Elatostema
β delicatulum *Wedd.*

oppositifolium Dalz. XVI

ovatum Wight XVI. 1. 1
Paivaeanum *Wedd.* XVI.
paludosum Miq. XVI. 1.
papillosum *Wedd.* XVI.
parvifolium Brongn. XVI
parvum *Bl.* XVI. 1. 190
parvum β Miq. XVI. 1. 1
pedunculatum J. R. & G. F
1.
pedunculosum Miq. XVI.
platyphyllum *Wedd.* XVI
podophyllum *Wedd.* XVI
polycephalum Wedd. XV
procridioides *Wedd.* XV
pubescens Pers. XVI. 1.
radicans Wedd. XVI. 1.
reticulatum *Wedd.* XVI.
rigidum *Wedd.* XVI. 1.
rostratum Hassk. XVI. 1
rostratum *Miq.* XVI. 1. 1
β manillense - - -
rugosum *A. Cunning.* XV
rupestre *Wedd.* XVI. 1.
β salicifolium - - -
serratum Forst. XVI. 1.
sesquifolium Hassk. XVI
sessile *Forst.* XVI. 1. 17
β punctatum *Wedd.* - -
γ cyrtandraefolium- - -
δ angustifolium - - -
ε ulmifolium - - -
ζ cuspidatum - - -
η tomentosum - - -
ϑ grande - - -
ι Brongniartianum- - -
sinuatum *Hassk.* XVI. 1.
spectabile Miq. XVI. 1. 1
stipitatum *Wedd.* XVI. 1.
Stracheyanum *Wedd.* XV
strigosum *Hassk.* XVI. 1.
subincisum *Wedd.* XVI.
succosum Miq. XVI. 1. 1
surculosum Wight XVI. 1
thibaudiaefolium Wedd.

tomentosum Wedd. XVI.
trinerve Hochst. XVI. 1.
ulmifolium Miq. XVI. 1.
umbellatum Bl. XVI. 1. 1
umbrosum A. Gray XVI.
Urvilleanum *Brongn.* XVI.

um R. & Pav. XIV. 444 445
m Cav. XIV. 444 449
m Cav. XIV. 369 444
Meisn. XIV. 444
um Bonpl. XIV. 446
um Lam. XIV. 444 445
Lam. Cav. XIV. 444 448
Lam. XIV. 444 450
Poir. XIV. 444 447
m R. & Pav. XIV. 443
ndr. XIV. 355 444
um Cav. XIV. 355 444
m Poir. XIV. 444 447
ud. XIV. 444
mum R. & Pav. XIV. 432 444
um W. herb. XIV. 444 445
Gaertn. XIV. 444 447
m Poepp. XIV. 425 444
R. & Pav. XIV. 444 450
R. & Pav. XIV. 433 444
nb. XIV. 444 449
gum W. herb. XIV. 345 444
Giord. XIV. 444 451
mb. XIV. 444 450
m Vent. XIV. 416 445
m W. XIV. 699
Andr. XIV. 416 445
Sm. XIV. 355 445
γ angustifolium Sm. XIV. 355
β minus Sm. XIV. 354
n Sm. XIV. 445 448 449
um Cav. XIV. 445 446
imum Sm. XIV. 445 446
Salisb. XIV. 445 446
m Labill. XIV. 443 445
n Poepp. XIV. 445 449
Labill. XIV. 445 448
var. Labill. XIV. 448 (*bis*)
Labill. XIV. 445 446
m Forst. XIV. 445 450
ATAE SYNORHIZAE Rich. XVI. 2. 345 XIV. 40
Steinh. XIV. 40
lium Meisn. XIV. 40
Lampd. XIV. 40
capensis Steinh. XIV. 40

EMPETRACEAE *Dc. fil.* XVI. 1. 24
EMPETRACEAE Lindl. XVI. 1. 24
EMPETREAE Don XVI. 1. 24
EMPETRIDEAE S. F. Gray XVI. 1. 24
EMPETRIDIA Raf. XVI. 1. 24
EMPETRINEAE Dumort. XVI. 1. 24
EMPETRIS, ERICIS & ONAGRIS AFFINES Juss. XIV. 617
Empetrum *Tourn.* XVI. 1. 25, *L.* XVI. 1. 26
acetosum Rumph XVI. 1. 26, XV. 1. 323
aciculare Bertol. XVI. 1. 26 27
album L. XVI. 1. 27
andinum Philipp. XVI. 1. 26
Conradii Tuckerm. XVI. 1. 26 27
crassifolium Raf. XVI. 1. 25
medium Carmich. XVI. 1. 26
nigrum *L.* XVI. 1. 25
β purpureum *Dc. fil.* - - 26
γ andinum - - - -
δ rubrum - - - -
pinnatum Lam. XVI. 1. 26
procumbens L. XVI. 1. 25
purpureum Raf. XVI. 1. 26
rubrum Hohenack. XVI. 1. 26
rubrum Pet. Thouar. XVI. 1. 26
rubrum W. XVI. 1. 26 (*bis*)
ENCEPHALARTEAE *Dc. fil.* XVI. 2. 529 530
ENCEPHALARTEAE Miq. XVI. 2. 530
Encephalartos *Lehm.* XVI. 2. 525 530 534. *F. Müll.* XVI. 2. 534
Altensteinii *Lehm.* XVI. 2. 532
β eriocephalus *Vriese* - - 533
brachyphyllus Lehm. XVI. 2. 532
caffer Hook. XVI. 2. 531
caffer Lehm. XVI. 2. 533
caffer *Miq.* XVI. 2. 532
β brachyphyllus *Dc. fil.* - - -
caffra Miq. XVI. 2. 532
cycadifolius *Lehm.* XVI. 2. 531
Denisonii F. Müll. XVI. 2. 533 536
elongatus *Miq.* XVI. 2. 533
Fraseri Miq. XVI. 2. 533 535
Friderici Guilielmi Lehm. XVI. 2. 531
Ghellinckii Lem. XVI. 2. 533
van Hallii Vriese XVI. 2. 532
horridus *Lehm.* XVI. 2. 532
β latifrons *Miq.* - - -
horridus var. lanuginosus Miq. XVI. 2. 533

Encephalartos
horridus trispinosus Hoo

lanuginosus *Lehm.* XVI.
latifolius Steud. XVI. 2.
latifrons Lehm. XVI. 2.
Lehmanni *Lehm.* XVI. 2.
β spinulosus *Miq.* – –
longifolius *Lehm.* XVI.

β revolutus *Miq.* – –
γ angustifolius – – –
δ Hookeri – – –
Macdonellii F. Müll. XV

Marumii Vriese XVI. 2.
mauritianus Miq. XVI.
Miquelii F. Müll. XVI. 2
nanus Lehm. XVI. 2. 53
Oldfieldii Miq. XVI. 2. 5
Pauli Guilielmi F. Müll

Preissii F. Müll. XVI. 2
pumilus Steud. XVI. 2.
pungens hort. XVI. 2. 53
pungens *Lehm.* XVI. 2.
spinulosus Lehm. XVI. 2
spiralis Lehm. XVI. 2. 5
spiralis Miq. XVI. 2, 53
spiralis var. diplomera
XV
tridentatus *Lehm.* XVI.
villosus Lem. XVI. 2. 53
Encephalartos § *Lepidoza*
XV
§ 1 *Macroza*
XVI. 2
§ 2 *Miq.* XV
§ 3 *Paraden*
XV
Enchidion *Jack* XV. 2. 125
verticillatum Jack XV. 2
Enckea Kth XVI. 1. 240 243
Miq. XV
Amalago Griseb. XVI. 1.
Amalago β hirtella Gris

articulata Griseb. XVI. 1
blattarum Kth XVI. 1. 3
californica Kth XVI. 1.
californica Miq. XVI. 1.
ceanothifolia Kth XVI. 1
ceanothifolia Miq. XVI.
decrescens Miq. XVI. 1.
discolor Kth XVI. 1. 249
dubia Kth XVI. 1. 329

XV. 1. 434
Kl. XV. 1. 434
Raf. XV. 1. 433
Juss. XIV. 490
md. XIV. 491
l. Juss. XIV. 491
Dc. fil. XIV. 490
Benth. XV. 2. 1131
Müll. Arg. XV. 2. 1132
ith. XV. 2. 1131
Müll. Arg. XV. 2. 1132
eschen. XVI. 2. 140,
Auctor. XVI. 2. 140
. XVI. 2. 141
eud. XVI. 2. 141
Hance XVI. 2. 142
na Lindl. XVI. 2. 141
C. Dc. XVI. 2. 142
Miq. XVI. 2. 141
Dc. XVI. 2. 141
s C. Dc. XVI. 2. 141
VI. 2. 142
a Lindl. XVI. 2. 141
XVI. 2. 142 629
XVI. 2. 141
XVI. 2. 140 629
Lindl. XVI. 2. 141
pis C. Dc. - - 142
ct. Oreomunnea C. Dc. XVI. 2. 142
Pteriloma C. Dc. XVI. 2. 140
Kl. XV. 2. 513 688
Kl. XV. 2. 689
XIV. 593
Griff. XIV. 599
aempf. XIV. 614
. XIV. 511 (Pimelea)
. XVI. 2. 352
XVI. 2. 358
p. XVI. 2. 357
Mey. XVI. 2. 356
iss. XVI. 2. 356
vé XVI. 2. 358
sf. XVI. 2. 356
lerter. XVI. 2. 353
lumb. & Bonpl. XVI. 2. 354
p. XVI. 2. 353
Parl. - - -
a C. A. Mey. XVI. 2. 354
k. XVI. 2. 359
. XVI. 2. 355

Ephedra
arborea F. Müll. XVI. 2. 359
botryoides Fisch. & Mey. XVI. 2. 359
bracteata Miers XVI. 2. 353
campylopoda C. A. Mey. XVI. 2. 356
chilensis Miers XVI. 2. 353
ciliata Fisch. & Mey. XVI. 2. 357
Clusii Dufour XVI. 2. 356
cretica &c. Tourn. XVI. 2. 356
dissoluta Webb. XVI. 2. 356
distachya Brot. XVI. 2. 356
distachya L. XVI. 2. 355
distachya Vill. XVI. 2. 357
equisetiformis Webb. XVI. 2. 357
foliata Boiss. XVI. 2. 357
fragilis Desf. XVI. 2. 355
fragilis Moris XVI. 2. 357
Gerardiana Wall. XVI. 2. 359
graeca C. A. Mey. XVI. 2. 358
helvetica C. A. Mey. XVI. 2. 355
humilis Wedd. XVI. 2. 353
intermedia Schrenk & Mey. XVI. 2. 355
lomatolepis Schrenk XVI. 2. 358
major Heldr. & Kotschy XVI. 2. 358
major Host XVI. 2. 356
maritima major Tourn. XVI. 2. 356
maritima minor Tourn. XVI. 2. 355
minor Host XVI. 2. 355
monosperma Gmel. XVI. 2. 357
monostachya L. XVI. 2. 355
monostachya Turcz. XVI. 2. 357
nebrodensis Tin. XVI. 2. 357 685
occidentalis Torr. XVI. 2. 354
peruviana Berter. XVI. 2. 353
polygonoides Pall. XVI. 2. 355
polygonoides Siev. XVI. 2. 357
procera Fisch. & Mey. XVI. 2. 358
rupestris Benth. XVI. 2. 354
scoparia Lang XVI. 2. 357 685
stenosperma Schrenk & Mey. XVI. 2. 359
strobilacea Bung. XVI. 2. 358
triandra Tul. XVI. 2. 354
trifaria Torr. XVI. 2. 359
Tweediana Fisch. & Mey. XVI. 2. 354
Villarsii Godr. & Gren. XVI. 2. 357

Ephedra
vulgaris *Rich.* XVI. 2. 35
EPHEDRACEAE Dumort.
Ephippiandra *Dene* XVI. 2.
myrtoidea *Dene* XVI. 2.
Epicarpurus Thwait. XVII.
Raoul
asper Steud. XVII. 219
microphyllus Raoul XVI
orientalis Bl. XVII. 208
spinosus Wight XVII. 21
timorensis Don XVII. 21
zeylanica Thwait. XVII.
zeylanicus Wight XVII.
Spec. Bl. XVII. 217
Epicea XVI. 2. 416
Epichroxantha Eckl. & Ze

biflora Eckl. & Zeyh. XI
debilis Eckl. & Zeyh. XI
juniperifolia Eckl. & Ze

ovata Eckl. & Zeyh. XI
pungens Eckl. & Zeyh. X
simplex Eckl. & Zeyh.

villosa Eckl. & Zeyh. XI
EPICRINEAE *Müll. Arg.*

Epicrinus *Griff.* XV. 2. 10
malayanus *Griff.* XV. 2.
Epistylium Sw. XV. 2. 274
axillare Sw. XV. 2. 412
cauliflorum Sw. XV. 2.
cordifolium Baill. XV. 2.
floribundum Thwait. XV

glaucescens Baill. XV. 2.
latifolium Thwait. XV, 2
leptocladon Hance XV. 2.
montanum Thwait. XV. 2
phyllanthoides Baill. XV.
polyphyllum Thwait. XV.
pulchrum Baill. XV. 2.
Roxburghii Baill. XV. 2.
zeylanicum Baill. XV. 2.
Epistylium sect. Eriococcus
XV
Euepistyli
XV
Epistylium *Griseb.* XV. 2.
(Phy
Equisetum montanum creticu
Alpin. XV
nebrodense &c. Cupan.

rum *Benth.* XIV. 17
buryi - - -
Torr. XIV. 21
um *Benth.* XIV. 17
um *Benth.* XIV. 8
Benth. XIV. 19
s *Benth.* XIV. 14
n *Nutt.* XIV. 17
um *Dougl.* XIV. 14
e *Benth.* - -
m *Hook.* XIV. 22
Benth. XIV. 9
Nutt. XIV. 18
rinoides *Benth.* - -
ougl. XIV. 13
Nutt. XIV. 11
Benth. XIV. 14
Nutt. XIV. 10
um *Benth.* XIV. 12
tt. XIV. 8
folium *Benth.* - -
Torr. XIV. 18
m *Nutt.* XIV. 9
um *Nutt.* XIV. 21
les *Benth.* XIV. 10
enth. XIV. 20
nth. XIV. 17
nifolium *Benth.* XIV. 15
les *Nutt.* XIV. 11
Benth. - -
um *Benth.* XIV. 6
enth. XIV. 7
orr. XIV. 20
Benth. XIV. 17
um *Torr.* XIV. 8
Sm. XIV. 13
Nutt. XIV. 18
on *Benth.* XIV. 16
rianum *Scheel.* XIV. 19
m *Nutt.* XIV. 7
m *Nutt.* XIV. 19
a *Nutt.* XIV. 18
rum *Benth.* - -
erianum - - -
m *Benth.* XIV. 19
ougl. XIV. 14
ougl. XIV. 13
orum *Benth.* - -
amb. XIV. 10
lium *Benth.* XIV. 12
- - 13
Benth. XIV. 15
um *Torr.* XIV. 15 693
m *Benth.* XIV. 9
m *Nutt.* XIV. 10

Eriogonum
parviflorum Nutt. XIV. 10
parvifolium *Sm.* XIV. 12
pauciflorum *Pursh* XIV. 10
pharnaceoides *Torr.* XIV. 22 693
platyphyllum *Torr.* XIV. 20
polifolium *Benth.* XIV. 12
polyanthum *Benth.* XIV. 12
polycladon *Benth.* XIV. 16
purpureum *Nutt.* XIV. 10
β tenuius *Benth.* - -
pyrolaefolium *Murr.* XIV. 10
racemosum *Nutt.* XIV. 15
reniforme *Torr.* XIV. 21
rosmarinifolium Nutt. XIV. 12
rotundifolium *Benth.* XIV. 21
salsuginosum *Hook.* XIV. 22
sericeum Pursh XIV. 8
sericeum Torr. XIV. 7
Simpsoni *Benth.* XIV. 18
β floccoso-lanatum - - -
sphaerocephalum *Dougl.* XIV. 8
stellatum Benth. XIV. 11
strictum *Benth.* XIV. 16
β lachnostegia - - -
tenellum *Torr.* XIV. 19
β ramosissimum *Benth* - - 20
γ leptocladon - - - -
texanum Scheel. XIV. 7
thymoides *Benth.* XIV. 9
Tolmieanum *Hook.* XIV. 11
tomentosum *Mx* XIV. 7
trachygonum *Torr.* XIV. 15
trichopodum *Torr.* XIV. 20
β minus *Benth.* - -
umbellatum Benth. XIV. 11
umbellatum *Torr.* XIV. 11
β majus *Benth.* - -
undulatum *Benth.* XIV. 7
vimineum *Dougl.* XIV. 17
β erioclados *Benth.* - -
virgatum *Benth.* XIV. 16
Wrightii *Torr.* XIV. 15 693
β floccosum *Benth.* - -

Eriogonum
§ 1 *Alata Benth.* XIV. 6.
§ 6 *Corymbosa* - - 6 17
§ 4 *Desmocephala* - - 6 12
§ 2 *Eriantha* - - 6 7
§ 8 *Foliosa* - - 6 21
§ 7 *Pedunculata* - - 6 19
§ 9 *Substipulata* - - 6 22
§ 3 *Umbellata* - - 6 8
§ 5 *Virgata* - - 6 14

Eriolithis Gaertn. XVII. 293
Eriosolena Bl. XIV. 530 540
affinis Zolling. XIV. 542
montana Bl. XIV. 540
montana Zolling. XIV. 540
viridiflora Zoll. & Mor. XIV. 542 544
Wallichii Meisn. XIV. 540
Eriosolena *Meisn.* XIV. 540 (Daphne)
Eriostylis R. Br. XIV. 369 (Grevillea)
Eriostylis *Meisn.* XIV. 369 (Grevillea Eugrevillea *sect.* Aphanoptera)
Erismanthus *Müll. Arg.* XV. 2. 1138, *Wall.* XV. 2. 1138
obliquus *Müll. Arg.* XV. 2. 1138
Eriudaphus Clossianus Bartl. XV. 2. 1225
Erminea *De. fil.* XV. 1. 393 (Begonia)
Erodendron Salisb. XIV. 230
amplexicaule Salisb. XIV 246
bombycinum Salisb. XIV 235
eximium Knight & Salisb. XIV. 230
formosum Salisb. XIV. 238
hiqulaefolium Salisb. XIV. 239
longifolium Knight & Salisb. XIV. 242
magnificum Salisb. XIV. 231
mellifluum Salisb. XIV. 239
obtusum hort. XIV. 231
tenax Salisb. XIV. 244
turbiniflorum Salisb. XIV. 244
umbonale Salisb. XIV. 239
Erythranthe Baill. XV. 2. 789 (Mercurialis)
Erythrobalanus Spach XVI. 2. 3 (Quercus)
Erythrocarpus Bl. XV. 2. 1126
glomerulatus Bl. XV. 2. 1128
spicatus Bl. XV. 2. 1128
Erythrochilus Reinw. XV. 2. 775 781
indicus Reinw. XV. 2. 782
longifolius Bl. XV 2. 781
minor Bl. XV. 2. 782
mollis Bl. XV. 2. 782
multiflorus Zippel XV. 2. 789
Erythrococca *Benth.* XV 2. 790
aculeata *Benth.* XV 2. 791
Erythrogyne Vis. XVII. 288
Esculus Gay XVI. 2. 3 (Quercus)
Espinosa Lag XIV 5
Essoyr XVI. 2. 515
Esula Haw. XV. 2. 7 99
Esula
Dalechampii Haw. XV
juncoides Haw. XV 2.
multicorymbosa Haw. X
Euacalypha *Müll. Arg* X
EUACALYPHEAE *Müll.* A
Euactinodaphne *Meisn.* X (Ac
Euadriana Baill. XV. 2.
Eualchornea *Müll. Arg* (
Euampera *Müll. Arg* XV
EUAMPEREAE *Mull. Arg.*
Euapeiula *Meisn.* XV 1
Euargyrothamnia *Müll* 741 (Arg
Euaristolochia Kl. XV 1
EUARTOCARPEAE Trecul
Euasarum *A. Braun* XV
Euastrococcus *Müll. Arg*
Euatraphaxis *Jaub. & Sp* 75 (
Eubanksia *Endl.* XIV 4
Eubegonia Walp. XV. 1.
Eubetula *Regel* XVI. 2
Eubeyeria *Müll. Arg.* X
EUBOEHMERIEAE *Wedd.*
Eubrugantia *Endl* XV. 1
EUBUVACEAE Baill XVI.
EUBUXEAE *Müll Arg* X
Eubuxus *Baill.* XVI. 1.
Eucaletia *Mull. Arg.* XV
EUCALETIEAE *Mull. Ar*
Eucaperonia Baill. XV
Eucarpha *R. Br.* XIV. 44
Eucarumbium *Mull. Arg.* (
Eucarya *C. De.* XVI 2. 1
Eucastanopsis *De. fil* XV (Ca

ıvia *Wedd.* XVII. 80 (Castelnavia)
ıa *Miq.* XVI. 2. 334 (Casuarina)
lanch. XVII. 169 (Celtis)
croton *Müll. Arg.* XV. 2. 761 (Cephalocroton)
Müll. Arg. XV. 2. 413 (Phyllanthus *sect.* Cicca)
on *Müll. Arg.* XV. 2. 781 (Claoxylon)
Müll. Arg. XV. 2. 987 (Cleidion)
Endl. XIV. 487 (Rrachysiphon)
nlus *Müll. Arg.* XV. 2. 1096 (Cnidosculus)
m *Müll. Arg.* XV. 2. 1119 (Codiaeum)
ra *Dc. fil.* XIV. 636 (Comandra)
iba *Müll. Arg.* XV. 2. 896 (Conceveiba)
rmum *Endl.* XIV. 316 (Conospermum)
Müll. Arg. XV. 2. 513 524 (Croton)
AE *Griseb.* XV. 2. 512
KEAE *Müll. Arg.* XV. 2. 512
Baill. XV. 2. 1076 (*Curcas*)
Müll. Arg. XV. 2. 1080 (Jatropha *sect.* Curcas)
mon *Müll. Arg.* XV. 2. 482 (Cyclostemon)
aphne *Meisn.* XV. 1. 200 (Cylicodaphne)
mpia *Müll. Arg.* XV. 2. 1233 (Dalechampia)
C. A. Mey. XIV. 538 (Daphne)
a *Meisn.* XIV. 467 (Dryandra)
ria *Müll. Arg.* XV. 2. 1218 (Excoecaria)
us *Dc. fil.* XIV. 689 (Exocarpus)
c. fil. XVI. 2. 118 (Fagus)
HLBAE *Wedd.* XVI. 1. 235[54]
Dc. fil. XVI. 1. 487 (Garrya)
illosa Poir. XVI. 2. 661
on *Müll. Arg.* XV. 2. 275 278 (Phyllanthus)
Endl. XIV. 580 (Gnidia)
Eugrevillea *Meisn.* XIV. 349 (Grevillea)
Eugussonia *Müll. Arg.* XV. 2. 1182 (Sebastiania *sect.* Gussonia)
Eugymnanthes Müll. Arg. XV. 2. 1175 1176 (*Gymnanthes*)
Euhedyosmum *Solms* XVI. 1. 479 (Hedyosmum)
Euhemicyclia *Müll. Arg.* XV. 2. 487 (Hemicyclia)
Euhevea *Müll. Arg.* XV. 2. 719 (Hevea)
EUHIPPOMANEAE *Müll. Arg.* XV. 2. 1035 1147
Euhydnora *Dc. fil.* XVII. 109 (Hydnora)
Euiodes *Baill.* XVII. 22 (Jodes)
Eukirganelia Baill. XV. 2. 346 (*Kirganelia*)
Euknightia *Endl.* XIV. 442 (Knightia)
Eulasiocroton *Müll. Arg.* XV. 2. 955 (Lasiocroton)
Euleptorhachis (*non Euleptorhaphis* XV. 2. 1273) *Müll. Arg.* XV. 2. 925 (Leptorhachis)
Euleuca Raf. XVI. 1. 26 (*Colema*)
Euleucum Raf. XVI. 1. 26
album Raf. XVI. 1. 27
Eulinostoma Meisn. XIV. 599 (Linostoma)
Eulomatia *Endl.* XIV. 447 (Lomatia)
Eumacaranga *Müll. Arg.* XV. 2. 1008 (Macaranga)
Eumallotus *Müll. Arg.* XV. 2. 961 (Mallotus)
Eumappa Reichenb. fil. & Zoll. XV. 2. 991 (*Mappa*)
Eumecanthus Kl. & Gke XV. 2. 7 55
arenarius Kl. & Gke XV. 2. 56
ariensis Kl. & Gke XV. 2. 56
Benthamianus Kl. & Gke XV. 2. 56
triphyllus Kl. & Gke XV. 2. 56
Eumicrodesmis *Müll. Arg.* XV. 2. 1041 (Microdesmis)
Eumimetes *Endl.* XIV. 262 (Mimetes)
Eumomisia *Planch.* XVII. 186 (Celtis *subgen.* Momisia)
Eumühlenbeckia Endl. XIV. 148 (Mühlenbeckia)
Eumyristica *Dc. fil.* XIV. 189 (Myristica)
Eumyristica Hook. XIV. 189 200 (Myristica)
Euneolacis *Wedd.* XVII. 59 (Neolacis)

Eunepenthes *Hook.* XVII. 92 (Nepenthes)
Euochradenus *Müll. Arg.* XVI. 2. 589 (Ochradenus)
Euomphalea Baill. XV. 2. 1135 (Omphalea)
Euorites *Endl.* XIV. 423 (Orites)
Euostodes *Müll. Arg.* XV. 2. 1114 (Ostodes)
Euosiris (Euosyris) Dc. fil. XIV. 633 (Osyris)
Eupachystemon Miq. XV. 2. 988 (*Pachystemon*)
Eupedilanthus *Boiss.* XV. 2. 4 (Pedilanthus)
Eupenaea Endl. XIV. 484 (Penaea)
Eupera Baill. XV. 2. 1029 (Pera)
Eupera *Müll. Arg.* XV. 2. 1026 (Pera)
Eupetalum Lindl. XV. 1. 278 280
Kunthianum Kl. XV. 1. 281
Lindleyanum Gaudich. XV. 1. 281
petalodes Lindl. XV. 1. 281
tuberosum Kl. XV. 1. 281
Eupetalum *Dc. fil.* XV. 1. 280 (Begonia)
Euphoebe canescens Bl. XV. 1. 59
chartacea Bl. XV. 1. 58
cuneata Bl. XV. 1. 58
falcata Bl. XV. 1. 59
macrophylla Bl. XV. 1. 59
superba Bl. XV. 1. 59
umbelliflora Bl. XV. 1. 58
Euphorbia *L.* XV. 2. 7, XV. 2. 4, *L. Jacq.* XV. 2. 4, *Haw.* XV. 2. 7 78 85, *Kl. & Gke* XV. 2. 7, *Neck.* XV. 2. 7, *Auct.* XV. 2. 187
abortiva *Forsk.* XV. 2. 179
abyssinica *Raeusch.* XV. 2. 84
β mozambicensis *Boiss.* - - -
acalyphoides *Hochst.* XV. 2. 98
β arabica *Boiss.* - - -
acanthothamnos *Heldr. & Sartor.* XV. 2. 132
acaulis *Roxb.* XV. 2. 93
acaulon &c. Burm. XV. 2. 90
acerensis *Boiss.* XV. 2. 55 1264
aculeata *Forsk.* XV. 2. 83
aculeata E. Mey. XV. 2. 169
acuminata Lam. XV. 2. 140
acuta *Engelm.* XV. 2. 18
β stenophylla *Boiss.* - - -
adenochlora *Morr. & Dcne* XV. 2. 176 1266
adenophylla *hort.* XV. 2. 179

Euphorbia
adenopoda *Baill.* XV.
adenoptera *Bertol.* XV.
β indivisa *Engelm.* -
adianthoides *Lam.* XV.
aegyptiaca *Boiss.* XV.
β indica - - -
affinis Dc. XV. 2. 157
agowensis *Hochst.* XV.
agraria *MB.* XV. 2. 16
akenocarpa *Guss.* XV.
akenocarpa Roux & Bl
alata *Hook.* XV. 2. 76
alatavica *Boiss.* XV. 2.
albo-marginata *Torr. &*
aleppica *L.* XV. 2. 138
alexandrina Delil. XV.
algeriensis *Boiss.* XV.
alpina *C. A. Mey.* XV.
β baikalensis *Boiss.* -
alsinefolia *Boiss.* XV.
altaica *C. A. Mey.* XV
β sajanensis *Boiss.* -
altaica β pilosa Stech
altissima *Boiss.* XV. 2.
ambigua Waldst. & Ki
ammanioides *H. B. &*
ammatotricha *Boiss.* XV
ampla *Hook. fil.* XV. 2.
amplexicaulis *Hook. fil.*
amplexicaulis Ledeb. X
amygdaloides Lam. XV
amygdaloides *L.* XV. 2
β Chaixiana *Boiss.* -
γ ligulata - -
anacampseroides Lam.
Anacampseros *Boiss.* X
β minor - -
Anacampseros Boiss. S
anacantha *Ait.* XV. 2.
anceps Benth. XV. 2.
andina *Philipp.* XV. 2.
andrachnoides Schrenk
androsaemifolia Prsl
androsaemifolia *Schrenk*
androsaemifolia Steud.
androsaemoides Desst.

chy (non Kl.) XV. 2. 84
XV. 2. 127 1266
iss. - - 128 (*del.* XV. 2. 1266)
. XV. 2. 18
milt. XV. 2. 177
ckh. XV. 2. 73
. XV. 2. 59
sk. XV. 2. 82
XV. 2. 81
loiss. - - -
Mey. XV. 2. 91
. *β L.* XV. 2. 82
Zuccar. XV. 2. 69
iss. XV. 2. 39
. XV. 2. 96
Burm. XV. 2. 88
s. XV. 2. 17
2. 126
a Boiss. - - -
. XV. 2. 61
. & *Steud.* XV. 2. 33
Boiss. - - -
XV. 2. 161
nith XV. 2. 109
rt. angl. XV. 2. 82
rt. paris. XV. 2, 82
Mey. XV. 2. 187
Boiss. XV. 2. 76
lm. & *Gray* XV. 2. 29
& *Kth* XV. 2. 56
loiss. - - -
XV. 2. 28
XV. 2. 117
& *Kth* XV. 2. 56
. XV. 2. 34
lm. XV. 2. 48
yelm. & *Gray* XV. 2. 135
XV. 2. 90
XV. 2. 1268
Boiss. XV. 2. 47
oscos XV. 2. 1268
. XV. 2. 146
rs. XV. 2. 17
nst. XV. 2. 13
. XV. 2. 16
& *Heldr.* XV. 2. 144
ch. XV. 2. 140
XV. 2. 31
. 2. 124

Euphorbia
β serrata *Boiss.* XV. 2. 124
γ oligadenia - - - -
asperifolia Engelm. XV. 2. 74
astrachanica C. A. Mey. XV. 2. 159
astroites *Fisch.* & *Mey.* XV. 2. 57
astyla *Engelm.* XV. 2. 40
atlantica *Coss.* XV. 2. 130
β major *Boiss.* - - -
γ leiocarpa - - - -
atlantica Pers. XV. 2. 150
Atoto *Forst.* XV. 2. 12 1262
β minor *Boiss.* - - 13
γ imbricata - - - -
Atoto Guillem. XV. 2. 14
atropurpurea *Brouss.* XV. 2. 108
atrorubens Engelm. XV. 2. 101
atrosanguinea Poepp. XV. 2. 103
Aubryana *Baill.* XV. 2. 1262
aulacosperma *Boiss.* XV. 2. 140
β fossulata - - - 141
Aucheri Boiss. XV. 2. 154
auricularia *Boiss.* XV. 2. 50
australis *Boiss.* XV. 2. 36
β glaucescens - - - -
avenia Thib. XV. 2. 149
azorica Hochst. XV. 2. 146
azorica Welw. XV. 2. 144
baetica *Boiss.* XV. 2. 150
bahiensis *Boiss.* XV. 2. 24
Bailloni Boiss. XV. 2. 78
Balbisii *Boiss.* XV. 2. 38
balearica W. XV. 2. 149
balsamifera *Ait.* XV. 2. 107
bancana *Miq.* XV. 2. 1269
barbellata *Engelm.* XV. 2. 73
Barrelieri Savi XV. 2. 165
Baselicis *Ten.* XV. 2. 164
β rupestris *Boiss.* - - 165
Baueri *Engelm.* XV. 2. 27
begoniaefolia *Lehm.* XV. 2. 179
bejarensis Dc. XV. 2. 63
belgradica *Forsk.* XV. 2. 177
Benpala Rheed. XV. 2. 13
Berteriana *Balb.* XV. 2. 21
Bertheloti *Bolle* XV. 2. 109
berythea *Boiss.* & *Blanch.* XV. 2. 137
Besseri *Boiss.* XV. 2, 42
bialata Lk XV. 2. 136
bicephala Bertol. XV. 2. 21
bicolor *Engelm.* & *Gray* XV. 2. 64
bifida *Hook.* & *Arn.* XV. 2. 25
bifurcata *Engelm.* XV. 2. 54

Euphorbia
biglandulosa Boiss. XV
biglandulosa *Desf.* XV.
biglandulosa *W.* XV.
bilobata *Engelm.* XV.
bimensis Miq. XV. 2.
biumbellata *Poir.* XV.
biumbellata Unio itin.
Bivonae *Steud.* XV. 2.
β papillaris *Boiss.* –
Blancheti Miq. XV. 2.
blepharophylla *C. A.*

boerhavifolia *Boiss.* X
Bojeri *Hook.* XV. 2. 7
Boissieri *Baill.* XV. 2
Boivini *Boiss.* XV. 2.
bombensis Jacq. XV.
bongensis *Kotschy* &

bonifaciensis Req. XV.
Bonplandi Sweet XV.
borbonica *Boiss.* XV.
bothriosperma *Boiss.*

Bottae *Boiss.* XV. 2.
bounophila *Boiss.* XV.
β Aucheri – –
Bourgaeana *J. Gay* X
brachiata Jan XV. 2.
brachiata *E. Mey.* XV.
brachycera *Engelm.* X
bracteata Jacq. XV. 2
bracteolaris *Boiss.* XV
brasiliensis *Lam.* XV.
β pulchella *Boiss.* –
γ hyssopifolia – –
δ Blancheti – –
Breoni Ann. Fl. & P

Bridgesii Berter. XV.
Brittingeri Opiz XV.
Broussonetii W. XV.
bubalina *Boiss.* XV. 2.
buchtormensis *C. A.*

Buhsei *Boiss.* XV. 2.
β lasiostemon – – –
Bungei *Boiss.* XV. 2.
bupleurifolia *Jacq.* XV
bupleurifolia E. Mey.
bupleuroides *Desf.* XV.
bupleuroides W. herb.
Burmanni *E. Mey.* XV.
β Karroensis *Boiss.* –
Burmanniana *J. Gay*

Boiss. XV. 2. 154
ido &c. Burm. XV. 2. 91
Boiss. XV. 2. 11
des H. B. & Kth XV. 2. 45
Ten. XV. 2. 122
Hochst. XV. 2. 146
L. XV. 2. 88
a Salm-Dyck - - -
a Fisch. XV. 2. 123
s. & Dur. XV. 2. 138
Boiss. XV. 2. 90 1265
H. B. & Kth XV. 2. 106
Timb. Lagrav. XV. 2. 170
us Bernd. XV. 2. 132
Boiss. XV. 2. 162
lus Boiss. & Gaill. XV. 2. 141
Boiss. - - 142
los Boiss. XV. 2. 51
L. XV. 2. 34
ns Boiss. - - 35
fl. Alt. XV. 2. 30
s Boiss. XV. 2. 14
Host XV. 2. 172
. XV. 2. 172
Sibth. XV. 2. 172
Boiss. & Hohen. XV. 2. 152
Fisch. & Mey. XV. 2. 70
hylla Boiss. - - -
lia Boiss. XV. 2. 1264
oiss. XV. 2. 152
ay XV. 2. 103
a Kl. XV. 2, 104
XV. 2. 179
iss. XV. 2. 174
Engelm. XV. 2. 32
Jacq. XV. 2. 92
XV. 2. 89
Boiss. XV. 2. 91 1265
Boiss. XV. 2. 130
Bourg. XV. 2. 131
Gaill. XV. 2. 1265
Hook. & Arn. XV. 2. 11
oth XV. 2. 37
. XV. 2. 71
Dc. XV. 2. 133
Boiss. XV. 2. 112

Euphorbia
coerulescens Haw. XV. 2. 88
cognata *Boiss.* XV. 2. 120
colletioides *Benth.* XV. 2. 61
collina *Philipp.* XV. 2. 104
colorata *Engelm.* XV. 2. 73
Commelini Dc. XV. 2. 86
commutata Engelm. XV. 2. 142
comosa *Vell.* XV. 2. 66
compressa *Boiss.* XV. 2. 41
conceptionis Rupr. XV. 2. 102
condensata Fisch. XV. 2. 139
condylocarpa *MB.* XV. 2. 126
confusa Bl. XV. 2. 30
congenera *Bl.* XV. 2. 22
congesta W. XV. 2. 146
conifera Steph. XV. 2. 123
coniosperma *Boiss. & Buhs.* XV. 2. 134
connata *Boiss.* XV. 2. 112
consanguinea Engelm. XV. 2. 43
consanguinea Kl. XV. 2. 120
consanguinea *Schrenk* XV. 2. 100
convolvuloides *Hochst.* XV. 2. 46
copiapina *Philipp.* XV. 2. 103
coralloides *L.* XV. 2. 117
β denudata *Boiss.* - - -
coralloides Thbg XV. 2. 158
cordata *Meyen* XV. 2. 13
cordellata Haw. XV. 2. 7
cordifolia *Ell.* XV. 2. 30
cordifolia C. A. Mey. XV. 2. 171
coriacea C. Koch XV. 2. 111
coriariaefolia Boiss. XV. 2. 12
corifolia *Lam.* XV. 2. 168
cornigera *Boiss.* XV. 2. 122
cornuta *Pers.* XV. 2. 111 1265
corollata *L.* XV. 2. 66
α grandiflora *Boiss.* - - 67
β subpetiolata - - - -
γ paniculata - - - -
δ angustifolia *Ell.* - - -
corollata var. longipes Schuttlew. XV. 2. 67
coronata *Thbg* XV. 2. 89
corrigioloides *Boiss.* XV. 2. 32
corsica *Req.* XV. 2. 174
coscinosperma Reichenb. XV. 2. 146
Cossoniana *Boiss.* XV. 2. 135
cotinifolia H. B. & Kth XV. 2. 61
cotinifolia *L.* XV. 2. 59
cotinoides *Miq.* XV. 2. 60
β verrucosa *Boiss.* - - -
Cottampala Rheed. XV. 2. 22

Euphorbia
cotylifera *Spr.* XV. 2. 17
craspedia *Boiss.* XV. 2.
crenulata Engelm. XV. 2
cretica Mill. XV. 2. 172
crispata Hornem. XV. 2.
crispata Ch. Lemair. X
cristata Dietr. XV. 2. 1
cristata *Roth* XV. 2. 19
cristata β major Roth X
crotonoides *Boiss.* XV.
cruenta *Grah.* XV. 2. 17
cubensis *Boiss.* XV. 2. 1
cucumerina *W.* XV. 2.
Cumbrae *Boiss.* XV. 2.
cuneata Anders. XV. 2.
cuneata *Vahl* XV. 2. 97
β Perrottetii *Boiss.* –
γ Carpasus – –
cuneifolia *Guss.* XV. 2.
cuneifolia *Roxb.* XV. 2.
Cupani *Guss.* XV. 2. 149
β spartioides *Boiss.* –
Cupani Schultz XV. 2. 1
cuphosperma *Boiss.* XV.
cupularis Boiss. XV. 2.
curtifolia Bory & Chaub

Curtisii *Engelm.* XV. 2.
β longipes *Boiss.* – –
cuspidata Bernh. XV. 2.
cuspidata Bertol. XV. 2.
cyathophora Murr. XV.
cybirensis *Boiss.* XV. 2
β microcarpa – – –
γ dehiscens – – –
δ longifolia – – –
cymosa Poir. XV. 2. 61
Cyparissias *L.* XV. 2. 16
β major *Boiss.* – –
Cyparissias β Ledeb. XV.
cypria *Boiss.* XV. 2. 115
dalmatica Vis. XV. 2. 14
damascena Boiss. XV. 2.
Darlingtonii *A. Gray* XV.
β glabra *Boiss.* –
decipiens *Boiss.* & *Buhs.*

decumbens W. XV. 2. 22
decussata *E. Mey.* XV. 2.
deflexa *Sibth.* & *Sm.* XV.
delicatula *Boiss.* XV. 2. 5
dendroides *L.* XV. 2. 109
densa Schott & Kotschy

densa Schrenk XV. 2. 100

denia *Boiss.* XV. 2. 127
XV. 2. 127
herb. XV. 2. 129
gel XV. 2. 130
th. XV. 2. 131
Coss. & Dur. XV. 2. 131
oiss. XV. 2. 131
Mey. XV. 2. 168
Rich. XV. 2. 105
coq. & Lamot. XV. 2. 129
Salm-Dyck XV. 2. 88
a Broter. XV. 2. 179
a Sieber XV. 2. 119
ii Boiss. XV. 2. 120
r. XV. 2. 80
enb. XV. 2. 71
ii Sweet XV. 2. 157
r. XV. 2. 19
Boiss. - - -
Lam. XV. 2. 72
Thbg XV. 2. 93
ata Boiss. - - -
iss. XV. 2. 104
- - - -
Poir. XV. 2. 150
a Ait. XV. 2. 122
Boiss. XV. 2. 32
Lam. XV. 2. 38
ii Boiss. XV. 2. 42 43
sa Engelm. - - 43
Haw. XV. 2. 88
iss. XV. 2. 89
s E. Mey. XV. 2. 75
sias Krauss XV. 2. 168
sias E. Mey. XV. 2. 168
sias var. E. Mey. XV. 2. 169
les Broter. XV. 2. 177
les Jacq. XV. 2. 125
les L. XV. 2. 125
A. Cunn. XV. 2. 70 1264
ia Boiss. - - -
Lam. XV. 2. 168
Boiss. & Kotschy XV. 2. 132
lenth. XV. 2. 73
Bertol. XV. 2. 172
Boiss. & Heldr. XV. 2. 126
Boiss. XV. 2. 118
Kar. & Kir. XV. 2. 162

Euphorbia
erosa W. XV. 2. 88
erubescens Boiss. XV. 2. 172
erubescens *E. Mey.* XV. 2. 116
erythradenia *Boiss.* XV. 2. 152
β obovata - - - -
erythrantha *F. Müll.* XV. 2. 1263
Erythrina *Lk* XV. 2. 169
β Burchellii *Boiss.* - - -
erythroclada *Boiss.* XV. 2. 25 1262
erythrodon *Boiss. & Heldr.* XV. 2. 151
erythrophylla Bertol. XV. 2. 71
erythrorrhiza *Boiss.* XV. 2. 103
Esula Forsk. XV. 2. 155
Esula Kotschy XV. 2. 160
Esula *L.* XV. 2. 160
α genuina *Boiss.* - - 161
β mosana - - - -
γ latifolia *Ledeb.* - - -
δ pinifolia *Boiss.* - - -
ε cyparissioides - - - -
ζ caesia *Ledeb.* - - -
Esula Poll. XV. 2. 166
Esula var. lanceolata Gren. & Godr. XV. 2. 162
esulaeformis Schauer XV. 2. 147
esuloides Ten. XV. 2. 160
exigua *L.* XV. 2. 139
β retusa *Roth* - - -
γ tricuspidata *Koch* - - -
exigua β truncata Koch XV. 2. 139
exigua forma tertia Stev. XV. 2. 143
expansa Janka XV. 2. 128 1266
exstipulata *Engelm.* XV. 2. 53
falcata *L.* XV. 2. 140
β minor *Koch* - - -
γ rubra *Boiss.* - - -
δ galilaea - - - -
fasciculata *Thbg* XV. 2. 1265
fasciculata *Thbg* XV. 2. 177 (*del.* XV. 2. 1269)
Fendleri *Torr. & Gray* XV. 2. 38 1263
β chaetocalyx *Boiss.* - - 39
fidjiana *Boiss.* XV. 2. 110
filicina *Portensch.* XV. 2. 162
α alpina *Boiss.* - - 163
β montana - - - -
fimbriata *Boiss.* XV. 2. 19
β laxa - - - -
fimbriata hort. paris. XV. 2. 81

Euphorbia
fimbriata Roth XV. 2. 19
fimbriata Scop. XV. 2. 88
fimbriata Wall. XV. 2. 12
fimbrilligera Mart. XV. 2.
firma Ledeb. XV. 2. 167
Fischeriana Steud. XV. 2.
flabellaris *Anders.* XV. 2.
flavicoma *Dc.* XV. 2. 129
flavicoma var. γ Dc. XV.
Fleuroti Jord. XV. 2. 161
flexicaulis Scheel. XV. 2.
flexuosa H. B. & Kth XV
floribunda *Engelm.* XV. 2.
florida *Engelm.* XV. 2. 4
floridana Chapm. XV. 2.
foetida Hoppe XV 2. 133
foetida Schult. XV. 2. 13
foliata Hamilt. XV. 2. 47
foliolosa *Boiss.* XV. 2. 2
Fontanesii Steud. XV. 2.
Forskalei Bourg. XV. 2. 4
Forskalei var. α Gay XV
Forskalei var. β & γ Ga

Forskalei var. δ glabrata
X
fossulata Boiss. & Gaill.

fragifera *Jan* XV. 2. 125
fragilis Dene XV. 2. 34
frangulaefolia H. B. & K

Francoana *Boiss.* XV. 2.
Fraseri *Boiss.* XV. 2. 55
Friderichsthalii *Boiss.* XV
fruticosa Biv. XV. 2. 131
fruticosa Edgew. XV. 2.
fruticosa *Forsk.* XV. 2. 8
fruticosa var. β Guss. XV
fruticulosa *Engelm.* XV. 2
fulgens *Karwinsky* XV. 2.
furcillata *H. B. & Kth* XV
fusiformis *Hamilt.* XV. 2.
gaditana *Coss.* XV. 2. 134
Gaillardoti *Boiss. & Blan*

galilaea Boiss. XV. 2. 140
galioides *Boiss.* XV. 2. 36
gariepina *Boiss.* XV. 2. 91
Garkeana *Boiss.* XV. 2. 38
Gasparrinii *Boiss.* XV. 2.
Gaudichaudii *Boiss.* XV. 2.
Gayi *Salis* XV. 2. 158
Gayi var. γ Salis XV. 2.
gemella Lag. XV. 2. 21

a Boiss. XV. 2. 34
tima - - - -
β decumbens Forsk. XV. 2. 22
gelm. XV. 2. 147
elm. XV. 2. 41
lzar. XV. 2. 179
oiss. XV. 2. 71
l. Gray XV. 2. 158
Brot. XV. 2. 179
Boiss. XV. 2. 97
Boiss. & Reut. XV. 2. 138
a Boiss. XV. 2. 65
r Engelm. XV. 2. 62
a Boiss. XV. 2. 63
Boiss. XV. 2. 179
Miq. XV. 2. 13
eet XV. 2. 91
a Boiss. XV. 2. 31
tii Boiss. XV. 2. 1267
W. herb. XV. 2. 73
Sweet XV. 2. 89
Boiss. XV. 2. 160
Orphan. XV. 2. 173
Boiss. - - -
Ch. Lemair. XV. 2. 80
Haussk. XV. 2. 1267
L. XV. 2. 136 1267
ides Loscos XV. 2. 1267
L. XV. 2. 98
a Ch. Lemair. XV. 2. 82
olia W. XV. 2. 155 1268
rpa Boiss. - - -
es Nutt. XV. 2. 30
idd. XV. 2. 72
Boiss. & Buhs. XV. 2. 152
Jaub. & Spach XV. 2. 112
Nutt. XV. 2 52
a Desf. XV. 2. 157
a L. XV. 2. 72
a Boiss. - - -
phora - - - -
ifolia Engelm. - - 73
Boiss. - - -
Nutt. XV. 2. 52
Boiss. XV. 2. 35
a - - - 36
Spr. XV. 2. 30

Euphorbia
hieroglyphica *Coss. & Dur.* XV. 2. 144
hierosolymitana Boiss. XV. 2. 131
himalayensis *Kl.* XV. 2. 113
Hindsiana *Benth.* XV. 2. 68
hirsuta Kit. XV. 2. 116
hirta L. XV. 2. 21
hirtella *Boiss.* XV. 2. 24
hispida *Boiss.* XV. 2. 37
Hoffmanniana *Boiss.* XV. 2. 99
Hohenackeri Hochst. & Steud. XV. 2. 167
Hohenackeri Orphan. XV. 2. 165
homophylla Lang XV. 2. 167
Hookeri *Steud.* XV. 2. 12
horrida *Boiss.* XV. 2. 89
hortensis Engelm. XV. 2. 42
Huanchahana *Boiss.* XV. 2. 103 1265
Humboldtii W. XV. 2. 54
humifusa hort. XV. 2. 42
humifusa *W.* XV. 2. 30
humilis *C. A. Mey.* XV. 2. 153
humilis Royl. XV. 2. 94
humistrata *Engelm.* XV. 2. 44
hyberna *L.* XV. 2. 122
hyberna Viv. XV. 2. 122
Hydnorae *E. Mey.* XV. 2. 95
hypericifolia Auct. XV. 2. 23
hypericifolia Hochst. XV. 2. 22
hypericifolia *L.* XV. 2. 23 24
hypericifolia var. communis Engelm. XV. 2. 23
hypericifolia var. falciformis Kl. XV. 2. 24
hypericifolia var. micrantha Engelm. XV. 2. 23
hyssopifolia L. XV. 2. 24
hystrix *Jacq.* XV. 2. 90
Jacquemontii *Boiss.* XV. 2. 113
β lasiocarpa - - - -
Jacquini *Fenzl* XV. 2. 136
Jamesoni *Boiss.* XV. 2. 31
japonica Siebold XV. 2. 121
japonica *Siebold* XV. 2. 1266
japonica Zolling. XV. 2. 137
japygica Ten. XV. 2. 165
jacquiniaeflora Hook. XV. 2. 68
javanica *Jungh.* XV. 2. 157
iberica *Boiss.* XV. 2. 163
β intermedia - - - -
illyrica Lam. XV. 2. 116
imbricata *Vahl* XV. 2. 149
imperfoliata Vis. XV. 2. 163

Euphorbia
inaequilatera Engelm. XV. 2. 43
inaequilatera Sond. XV. 2. 35
incana Schur XV. 2. 162
inclinata hort. XV. 2. 42
incompta Cesat. XV. 2. 127
inderiensis Lessing XV. 2. 100
indica *Lam.* XV. 2. 22
β angustifolia *Boiss.* - - -
inermis *Pancic* XV. 2. 1266
ingens *E. Mey.* XV. 2. 87
insulana Vell. XV. 2. 59
insularis *Boiss.* XV 2. 122
intermedia Brebis. XV. 2. 161
intermedia Fisch. & Mey. XV. 2. 163
intermedia Hochst. XV. 2. 35
inundata *Torr.* XV. 2. 102
involucrata *E. Mey.* XV. 2. 168
β megastegia *Boiss.* - - -
Jolkini *Boiss.* XV. 2. 121 1266
Ipecacuanha *L.* XV. 2. 101
β portulacoides *Boiss.* - - -
γ gracilis - - - -
isatidifolia *Lam.* XV. 2. 115 1266
ispahanica Boiss. XV. 2. 111
italica Salzm. XV. 2. 144
italica Tineo XV. 2. 157
iteophylla *Boiss.* XV. 2. 171
juncea Jacq. XV. 2. 139
juncoides Steud. XV. 2. 139
juniperifolia Rich. XV. 2. 164 1267
kahirina Raeusch. XV. 2. 111
kanalensis *Boiss.* XV. 2. 1265
kanaorica *Boiss.* XV. 2. 154
Karwinskyi *Boiss.* XV. 2. 21
Khasyana *Boiss.* XV. 2. 120 1266
Klotzschiana Miq. XV. 2. 24
Kotschyana *Fenzl* XV. 2. 171
Kraussiana Bernh. XV. 2. 116
Kunzei Lehm. XV. 2 117
lacera *Boiss.* XV. 2. 53
lactea *Haw.* XV. 2. 82
lactiflua *Philipp.* XV. 2. 94
laeta Ait. XV. 2. 110
laeta Roth XV. 2. 156
laevigata *Lam.* XV. 2. 176
laevigata Vahl XV. 2. 13
laevis (*non levis*) *Poir.* XIV. 2. 13
β imbricata *Boiss.* - - -
Lagascae *Spr.* XV. 2. 117
Lamarckii Sweet XV. 2. 94
lanata *Sieber* XV. 2. 101
lanceolata Rottl. XV. 2. 140

Euphorbia
lancifolia *Schlecht.*
lanifera Haw. XV.
lanuginosa Lam.
lanuginosa Thuill.
larica *Boiss.* XV.
lasiocarpa *Kl.* XV.
β subprostrata
lasiocarpa C. Koc
lasiocaula *Boiss.*
lata *Engelm.* XV.
Latazi *H. B. & K*
lateriflora Jaub. &
lateriflora *Schum.*
Lathyris Georgi
Lathyris *L.* XV. 2
latifolia *C. A. Me*
β intermedia *Bo*
latifolia Salzm.
latifolia Unio itin
laurifolia *Juss.* X
Ledebourii *Boiss.*
leiosperma Sibth.
Lemaireana *Boiss.*
leptalea Schauer
leptocaula *Boiss.*
β praecox -
leptocera *Engelm.*
β crenulata -
leptophylla Vill.
leucantha *Boiss.*
leucoloma Raf. X
leuconeura *Boiss.*
leucophylla *Benth.*
leucotricha Boiss.
ligularia Roxb. X
ligulata Chaubard
ligustrina *Boiss.*
Linaria Lk XV. 2.
linariaefolia Desf.
linariaefolia Lam.
linarioides Poir.
Lindeniana A. Ric
Lindheimeriana E
linearifolia *Roth*
linearifolia W. X
linearis Heyn. XV.
linearis Mart. XV.
linearis *Retz* XV 2
lingulata *Heuff.* X
linifolia Jacq. XV.
linifolia Ten. XV.
linifolia Vahl XV.

XV. 2. 157
V. 2. 133
& *Kth* XV. 2. 15
. 2. 102
XV. 2. 14
. XV. 2. 73
Hochst. XV. 2. 85
1260
Dc. XV. 2. 145
el. XV. 2. 142
XV. 2. 78
XV. 2, 120
nst. XV. 2. 159
XV. 2. 108
peyr. XV. 2. 177
. XV. 2. 20
XV. 2. 78
XV. 2. 166
. 2. 161
V. 2. 90
Gallic. XV. 2.
162
& *Kit.* XV. 2.
163
Vimm. & *Grab.*
XV. 2. 163
Andrae - - -
aemifolia C. Koch
XV. 2. 163
XV. 2. 120
XV. 2. 30
XV. 2. 162
XV. 2. 65
XV. 2. 102
XV. 2. 177
2. 72
Dur. XV. 2. 150
Mey. XV. 2. 124
2. 172
XV. 2. 65
iss. XV. 2. 26
s. & *Buhs.* XV. 2.
124
h. & *Mey.* XV. 2.
171
s. XV. 2. 166
Lemair. XV. 2.
82
XV. 2. 52
A. Mey. XV. 2.
123
XV. 2. 114
s. XV. 2. 171
XV. 2. 17
XV. 2. 47

Euphorbia
maculata Lechl. XV. 2. 42
maculata *L.* XV. 2. 46 23
β detonsa *Engelm.* - - 47
madagascariensis Comm. XV. 2.
78
Maddeni *Boiss.* XV. 2. 141
Magdalenae *Benth.* XV. 2. 37
magnidens Haw. XV. 2. 83
magnimamma Haw. XV. 2. 179
malacophylla Clarke XV. 2. 101
malleata *Boiss.* XV. 2. 152
mammillaris *L.* XV. 2. 88
mammillaris Trem. XV. 2. 178
mammillosa *Ch. Lem.* XV. 2. 80
Mandoniana *Boiss.* XV. 2. 1264
marginata H. B. & Kth XV. 2. 64
marginata *Pursh* XV. 2. 63
β uloleuca *Engelm.* - - -
maritima W. herb. XV. 2. 28
Marschalliana *Boiss.* XV. 2. 174
Marschalliana Kotschy XV. 2.
173
Martiusiana Steud. XV. 2. 117
Masafuerae *Philipp.* XV. 2. 176
massiliensis Dc. XV. 2. 35
matritensis *Boiss.* XV. 2. 149
1266
mauritanica Lam. XV. 2. 94
mauritanica *L.* XV. 2. 94
mauritanica Webb XV. 2. 109
medicaginea *Boiss.* XV. 2. 144
medusae fol. α herb. Thbg XV. 2.
1265
medusae fol. γ herb. Thbg XV. 2.
1265
megalantha *Boiss.* XV. 2. 111
β hirtiflora - - - 112
γ gracilis - - - -
δ denticulata - - - -
mehadiensis *Kit.* XV. 2. 179
melanadenia *Torr.* XV. 2. 31
β subinappendiculata *Engelm.*
- - 32
melanocarpa *Boiss,* XV. 2. 41
melanostica *E. Mey.* XV. 2. 95
melapetala *Gasparr.* XV. 2. 172
β leiocarpa *Boiss.* - - -
mellifera *Ait.* XV. 2. 108
β canariensis *Boiss.* - - -
mellifera Seub. XV. 2. 108
meloformis *Ait.* XV. 2. 87
Mendezii *Boiss.* XV. 2. 41
mercurialina *Mx* XV. 2. 67
mesembryanthemifolia Jacq. XV. 2.
15

Euphorbia
Meyeniana *Kl.* XV. 2. 42
β viscidula *Boiss.* - - -
Meyeri *Boiss.* XV. 2. 146
Meyeri Steud. XV. 2. 114
micans Scheel. XV. 2. 170
micracantha *Boiss.* XV. 2. 80
micractina *Boiss.* XV. 2. 127
micradenia *Boiss.* XV. 2. 27
micrantha MB. XV. 2. 133
microcephala *Boiss.* XV. 2. 1262
micromera *Boiss.* XV. 2. 44
microphylla Lam. XV. 2. 47
microphylla Roth XV. 2. 30
microsciadia Boiss. XV. 2. 153
microsphaera *Boiss.* XV. 2. 118
Milii Desmoul. XV. 2. 79
minima hort. XV. 2. 141
minuta Loscos XV. 2. 1267
minutifolia *Boiss.* XV. 2. 1263
minutula *Boiss.* XV. 2. 1263
misera *Benth.* XV. 2. 69
Mitchelliana *Boiss.* XV. 2. 25
β hirta - - - -
γ oblongifolia - - - -
modesta Boiss. XV. 2. 158
Moenchiana *Steud.* XV. 2. 177
mohammerensis Boiss. XV. 2. 118
mollis Gmel. XV. 2. 116
monantha *Wright* XV. 2. 55
montana *Engelm.* XV. 2. 148 1267
Monteiri *W. Hook.* XV. 2. 1264
montevidensis Casar. XV. 2. 43
montevidensis Kl. XV. 2. 105
monticola Boiss. XV. 2. 154
monticola *Hochst.* XV. 2. 155
Morisoniana Kl. XV. 2. 73 (*bis*)
mosana Lejeun. XV. 2. 161
mozambicensis *Boiss.* XV. 2. 36
mucronata *Clarke* XV. 2, 177
mucronata Lam. XV. 2. 140
mucronata Lapeyr. XV. 2. 148
Muelleri *Boiss.* XV. 2. 27
multicaulis *Engelm.* XV. 2. 135
multicaulis Thuill. XV. 2. 165
multicorymbosa *Sweet* XV. 2. 177
multiformis *Gaudich.* XV. 2. 11
β tomentella *Boiss.* - - 12
γ microphylla - - - -
multiseta *Benth.* XV. 2. 57
muricata MB. XV. 2. 124
muricata Sm. XV. 2. 119
muricata Thbg XV. 2. 74
Myrsinites Broter. XV. 2. 165
Myrsinites *L.* XV. 2. 173

Euphorbia
myrtifolia Hook
myrtifolia Lam.
myrtifolia L. XV
myrtifolia E. M
myrtillifolia *L.*
myrtoides *Boiss.*
Nagleri *Boiss.*
β ballensis -
nana Kl. XV. 2.
nana *Royl.* XV.
natalensis *Bernh*
neapolitana Ten.
nemoralis Darlin
nemoralis *Kit.*
neocaledonica *B*
nepalensis *Boiss.*
nerifolia *L.* XV.
neriifolia Roxb.
nevadensis *Boiss*
β arragonensis
nicaeensis *All.*
nicaeensis var.
nicaeensis var.
nicaeensis var.
nicaeensis β gla
nicaeensis γ mi
nilagirica Miq.
nitens Trev. XV.
nivulia *Hamilt.*
β helicotheis
nodiflora Steud.
Noeana Boiss.
norfolkiana *Boiss*
notadaenia Boiss
notata Engelm.
notoptera *Boiss.*
nuda Steud. XV.
nudicaulis *Chapm*
nudiflora *Jacq.*
nudiflora Lam.
nummularia *Hook*
nummulariaefolia
nutans Lag. XV.
obconica *Boj.* X
obliqua *F. Baue*
β phyllantholde
obliquata Forsk.
obliquifolia Ksz

Jacq. XV. 2. 21
Griseb. XV. 2. 125
lora Boiss. - - 126
C. Koch XV. 2. 133
C. Koch XV. 2. 170
A. Rich. XV. 2. 80
cne XV. 2. 153
ng XV. 2. 160
is. XV. 2. 140
ursh XV. 2. 134
Lam. XV. 2. 157
Poir. XV. 2. 94 107
XV. 2. 69
urand. & Hilg. XV. 2. 28
ort. XV. 2. 179
L. XV. 2. 57
Hook. & Arn. XV. 2. 49
a Boiss. XV. 2. 148
la Boiss. XV. 2. 112
la W. XV. 2. 88
a Boiss. XV. 2. 59
Forsk. XV. 2. 85
Hochst. XV. 2. 96
L. XV. 2. 84
β Kolquall W. XV. 2. 84
teud. & Hochst. XV. 2. 142
Gouan XV. 2. 165
Boiss. XV. 2. 19
g XV. 2. 160
ca Pers. XV 2. 21
l. XV. 2. 12
H. B. & Kth XV. 2. 31
Miq. XV. 2. 30
Miq. XV. 2. 156
ens Boiss. - - -
iana - - - -
L. XV. 2. 121
Berter. XV. 2. 21
L. XV. 2. 15
Boiss. XV. 2. 147
Jacq. XV. 2. 87
Boiss. XV. 2. 165
Boiss. XV. 2. 107
Engelm. XV. 2. 43
epala - - - -
vidensis - - - -
Mey. XV. 2. 167
les Boiss. XV. 2. 36
Boiss. & Haussk. XV. 2. 1267

Euphorbia
oxyphylla *Boiss.* XV. 2. 1268
oxystegia *Boiss.* XV. 2. 90
pachyrrhiza *Kar. & Kir.* XV. 2. 123
Pallasii *Turcz.* XV. 2. 114 1265
β pilosa *Regel* - - 1266
pallens Dillw. XV. 2. 13
pallida W. XV. 2. 162 163
palustris *L.* XV. 2. 121
palustris var. β Ledeb. XV. 2. 121
panacea Webb XV. 2. 158
Pancheri *Baill.* XV. 2. 1262
paniculata Desf. XV. 2. 130
paniculata Ell. XV. 2. 67
paniculata Lois. XV. 2. 116
pannonica Host XV. 2. 166
papillaris Jan XV. 2. 131
papilligera Boiss. XV. 2. 20
papillosa *St. Hil.* XV. 2. 105
papillosa Pouz. XV. 2. 129
Paralias *L.* XV. 2. 167
parasitica h. Pavon. XV. 2. 5
parviflora Lam. XV. 2. 50
parviflora *L.* XV. 2. 20
parvifolia *E. Mey.* XV. 2. 34
β laxa *Boiss.* - - -
parvimamma *Boiss.* XV. 2. 86
parvula *Delil.* XV. 2. 139
parvula C. Koch XV. 2. 144
patula Mill. XV. 2. 87
pauciflora *Dufour* XV. 2. 1267
pauciflora *Dufour* XV. 2. 164 (*del.* XV. 2. 1268)
paucifolia *Kl.* XV. 2. 175
pediculifera *Engelm.* XV. 2. 48
pedunculata Kl. XV. 2. 74
pedunculosa A. Rich. XV. 2. 54
peganoides *Boiss.* XV. 2. 62
pekinensis *Boiss.* XV. 2. 121
peltata *Roxb.* XV. 2. 137
peltigera *E. Mey.* XV. 2. 91
pendula *Boiss.* XV. 2. 76
pentagona *Haw.* XV. 2. 89
pentagona Royl. XV. 2 83
Pentlandi *Boiss.* XV. 2. 69
peperomioides *Boiss.* XV. 2. 71
Peplidion *Engelm.* XV. 2. 142
Peplis *L.* XV. 2. 27
peploides *Gouan* XV. 2. 141
peploides Griseb. XV. 2. 141
peploides E. Mey. XV. 2. 66
peploides Nutt. XV. 2. 142
Peplus *L.* XV. 2. 141
β maritima *Boiss.* - - -

Euphorbia
Peplus β minor W. XV. 2. 141
pereskiaefolia *Houllet* XV. 2. 176 (*del.* XV. 2. 1269)
perforata Guss. XV. 2. 47
Perrottetii Jaub. & Spach XV. 2. 97
persepolitana Boiss. XV. 2. 153
persica C. A. Mey. XV. 2. 111
persica Stev. XV. 2. 160
Pervilleana *Baill.* XV. 2. 178
Pestalozzae *Boiss.* XV. 2. 151
petaloidea *Engelm.* XV. 2. 28
petaloidea α Nicolletii Engelm. XV. 2. 28
petaloidea β intermedia Engelm. XV. 2. 28
petaloidea γ flagelliformis Engelm. XV. 2. 29
petaloidea var. Nuttallii Engelm. XV. 2. 29
petiolaris *Sims* XV. 2. 60
Petitiana A. Rich. XV. 2. 146
petrophila *C. A. Mey.* XV. 2. 150
β armena *Boiss.* - - 1268
Philippiana *Boiss.* XV. 2. 117
philippina Gay XV. 2. 47
phosphorea *Mart.* XV. 2. 176
phyllanthoides Boiss. XV. 2. 13
phylloclada *Boiss.* XV. 2. 66
phymatoclada *Boiss.* XV. 2. 95
phymatosperma *Boiss. & Gaill.* XV. 2. 137
physalifolia *Boiss.* XV. 2. 56
physoclada *Boiss.* XV. 2. 77
picta Jacq. XV. 2. 54
pilosa Brot. XV. 2. 134
pilosa Bor. & Chaub. XV. 2. 126
pilosa engl. botan. XV. 2. 121
pilosa *L.* XV. 2. 116
β trigonocarpa *Boiss.* - - -
γ Reichenbachiana - - - -
pilosa Pursh XV. 2. 119
pilosa Vill. XV. 2. 129
pilosula *Engelm.* XV. 2. 39
pilulifera *L.* XV. 2. 21
β procumbens *Boiss.* - - -
pilulifera L. herb. XV. 2. 20
pinea *L.* XV. 2. 145
β azorica *Boiss.* - - 146
pinifolia Dc. XV. 2. 161
pinifolia W. XV. 2. 139
piscatoria *Ait.* XV. 2. 108
piscatoria Lk XV. 2. 109
pistiaefolia *Boiss.* XV. 2. 93
Pithyusa *L.* XV. 2. 148

Euphorbia
β procera *Gre*
Pithyusa β latif
platylepis Deue
platyphylla *L.* X
β literata *Koc*
platyphylla var.
platyphylla var.
platyphylla var.
platyphyllos var.
plebeja *Boiss.* X
plumerioides *Tey*
β homochroa *B*
plumosa *Loud.* X
podadenia *Boiss.*
Poeppigii *Boiss.*
β laxa -
polyacantha *Boi*
polycarpa *Benth.*
β hirtella *Boi*
polycaula *Boiss.*
polyclada *Boiss.*
polycnemoides *H*
polygalaefolia *Bo*
polygona *Haw.* X
polygona Lodd. X
polygonifolia For
polygonifolia Hoo
polygonifolia Jac
polygonifolia *L.*
polygonifolia Mx
polygonisperma G
pomiformis Thbg
portlandica *L.* X
portlandica Salis
portlandica Sm. X
portulacoides L.
portulacoides *Spr.*
β acutifolia *Boi*
γ Bridgesii -
δ trinervia -
potentilloides *Boi*
praecox Fisch. X
Preslii *Guss.* XV.
β glaberrima *Bo*
Prieuriana Baill.
procera MB. XV.
procumbens Dc. X

s hort. XV. 2. 42
i Meerb. XV. 2. 81
s Mill. XV. 2. 92
Don Hamilt. XV. 2. 157
Ehrenb. XV. 2. 153
R. Br. XV. 2. 179
Ait. XV. 2. 47
Engelm. - - -
hort. XV. 2. 42
Boiss. XV. 2. 92
s W. XV. 2. 157
Jacq. XV. 2. 72
maesyce Fisch. & Mey. XV. 2. 39
parissias Jord. XV. 2. 161
ida Schur XV. 2. 163
Brot. XV. 2. 136
na Mx XV. 2. 67
ta Boiss. - - -
XV. 2. 22
Vahl XV. 2. 134 129
bra Gren. & Godr.- - -
icha Boiss. - - -
a - - - 135
Triw. XV. 2. 126
s Boiss. XV. 2. 92
Brouss. XV. 2. 149
H. B. & Kth XV. 2. 24
a W. XV. 2. 71
ta Kit. XV. 2. 166
bth. & Sm. XV. 2. 155
delil. XV. 2. 143
Anders. XV. 2. 17
am. XV. 2. 132
. Mey. XV. 2. 170
e. XV. 2. 105
ns Schousb. XV. 2. 178
ns Schum. & Thonn. XV. 2. 22
Thuill. XV. 2. 127
. XV. 2. 178
a Engelm. XV. 2. 22
a C. Koch XV. 2. 155
a Boiss. XV. 2. 18
- - - 19
Fisch. & Mey. XV. 2. 99
edeb. XV. 2. 143
Philipp. XV. 2. 117
Jord. XV. 2. 133
am. XV. 2. 77
oiss. XV. 2. 43
. Mey. XV. 2. 75
Tausch XV. 2. 161

Euphorbia
radians *Benth.* XV. 2. 74
radiata *E.-Mey.* XV. 2. 90
radiata Thbg XV. 2. 81
radicans Moric. XV. 2. 30
radioloides *Boiss.* XV. 2. 45
ragusana Reichenb. XV. 2. 146
ramosissima *Hook. & Arn.* XV. 2. 14
ramosissima Lois. XV. 2. 157
Rapulum *Kar. & Kir.* XV. 2. 115
recta Kl. XV. 2. 61
recurva *Hook. fil.* XV. 2. 16
reflexa *Spr.* XV. 2. 178
refracta Lowe XV. 2. 23
Regis Jubae *Webb* XV. 2. 109
Reichenbachiana Willk. XV. 2. 116
Reinwardtiana Steud. XV. 2. 25
Remyi *A. Gray* XV. 2. 1262
reniformis *Bl.* XV. 2. 20
repanda *Sweet* XV. 2. 178
repetita *Hochst.* XV. 2. 156
restiacea *Benth.* XV. 2. 74
retusa Cav. XV. 2 140
retusa Forsk. XV. 2. 111
retusa Reichenb. XV. 2. 139
Reuteriana *Boiss.* XV. 2. 145
revoluta *Engelm.* XV. 2. 46
rhabdodes *Boiss.* XV. 2. 105
rhipsaloides Lemair. XV. 2. 96
rhombea W. XV. 2. 157
rhombifolia *Boiss.* XV. 2. 75
rhytidosperma *Boiss. & Balans.* XV. 2. 136
rhytisperma *Engelm.* XV. 2. 43
Richardiana Baill. XV. 2. 84
Riedeliana *Boiss.* XV. 2. 104
rigens Sweet XV. 2. 132
rigida Lois. XV. 2. 174
rigida MB. XV. 2. 175
rigidula Steud. XV. 2. 132
riparia Jord. XV. 2. 161
Roemeriana *Scheel.* XV. 2. 143
Roeseri Orphan. XV. 2. 173
rosea *Retz* XV. 2. 50
Rothiana Miq. XV. 2. 157
Rothiana *Spr.* XV. 2. 156
Rothiana Wight XV. 2. 156
rotundata Hochst. XV. 2. 174
rotundifolia *Hook. & Arn.* XV. 2. 31
rotundifolia Lois. XV. 2. 141
Royleana *Boiss.* XV. 2. 83
rubescens Lk XV. 2. 28
rubicunda Bl. XV. 2. 47

Euphorbia
rubra Cav. XV. 2. 140
rubra Dc. XV. 2. 139
rubricaulis Regel XV. 2. 131
ruderalis Scheel. XV. 2. 144
Ruegeliana Schuttlew. XV. 2. 67
rugosa *Kit.* XV. 2. 179
Ruiziana *Boiss.* XV. 2. 31
rumicifolia *Boiss.* XV. 2. 171
rupestris Friw. XV. 2. 165
rupestris *C. A. Mey.* XV. 2. 114
rupicola *Boiss.* XV. 2. 131
β major - - - -
rupicola Scheel. XV. 2. 39
rusciconensis *Boiss.* XV. 2. 129
sabulicola *Boiss.* XV. 2. 45
saccharata *Boiss.* XV. 2. 62
Sagraeana A. Rich. XV. 2. 105
salicetorum Jord. XV. 2. 162
salicifolia Dc. XV. 2. 162
salicifolia *Host* XV. 2. 162
β angustata *Rochel* - - -
salicifolia β latifolia Ledeb. XV. 2. 163
salina W. herb. XV. 2. 15
sanguinea *Hochst. & Steud.* XV. 2. 35
β intermedia *Boiss.* - - -
γ nilaghirica - - - -
δ setigera - - - -
ε natalensis - - - -
sanguinea hort. berol. XV. 2. 179
sarcodes *Boiss.* XV. 2. 64
sareptana *Becker* XV. 2. 159
saturcioides Lam. XV. 2. 50
Sauliana *Boreau* XV. 2. 1266
saxatilis *Jacq.* XV. 2. 164
β carnica *Boiss.* - - -
saxatilis Lois. XV. 2. 167
saxatilis MB. XV. 2. 150
scabrella *Boiss.* XV. 2. 55
scandens *H. B. & Kth* XV. 2. 63
Schimperi *Presl* XV. 2. 96
Schimperiana *Hochst.* XV. 2. 155
schisadenia Boiss. & Hohenack. XV. 2. 152
schisoceras Boiss. XV. 2 166
schizolepis *F. Müll.* XV. 2. 20 1262
schizoloba *Engelm.* XV. 2. 148
Schlechtendalii *Boiss.* XV. 2. 60
Schottiana *Boiss.* XV. 2. 132
scindophila *Boiss.* XV. 2. 57
sclerophylla *Boiss.* XV. 2. 169
β ruscifolia - - - -
γ myrtifolia - - - -

Euphorbia
scolopendria Don XV
scopiformis (*non scop*

Scopoliana *Steud.* X
scordifolia *Jacq.* XV
scotana *Boiss.* XV.
β Yavalquahuitl -
Seemanni Kl. XV. 2.
segetalis *L.* XV. 2.
β longibracteata *B*
segetalis Pall. XV.
segoviensis *Boiss.* X
Seguieri Vill. XV. 2
Selloi *Kl.* XV. 2. 5
β setosa *Boiss.* -
semiperfoliata *Viv.*
serotina Host XV.
serpens Balbis XV.
serpens Baill. XV.
serpens *H. B. & K*

β radicans *Engelm*
γ imbricata *Boiss*
δ indica *Engelm.*
scepiformis vid. sc
serpyllifolia Balbis
serpyllifolia *Pers.*
α genuina *Boiss.*
β consanguinea -
serrata *L.* XV. 2. 1
serrata var. β W.
serrula *Engelm.* XV
serrulata *Reinw.* XV
serrulata Thuill. X
serrulata Vell. XV.
sessiliflora Boiss.

sessiliflora E. Mey
sessiliflora *Roxb.* X
sessilifolia *Kl.* XV
seticornis Poir. XV
setigera E. Mey. X
setiloba *Engelm.* XV
β dentata -
sexangularis Henck
sibirica Fisch. XV.
Sibthorpii *Boiss.* X
Sieboldiana *Mor. &*

sikkimensis *Boiss.*
simplex C. Koch X
sinaica Hochst. XV.
Sinclairiana *Benth.*
socialis Zolling. XV
soliflora Vis. XV. 2

ub. XV. 2. 127
XV. 2. 121
2. 21
XV. 2. 100
. XV. 2. 14
. XV. 2. 149
eet XV. 2. 178
XV. 2. 136
lzm. XV. 2. 119
nth. XV. 2. 68
chuttlew. XV. 2. 102
XV. 2. 97
. 131
Boiss. - - 132
- - - -
V. 2. 132
lesf. XV. 2. 131
V. 2. 79
XV. 2. 99
. XV. 2. 53
. XV. 2. 131
. 2. 124
XV. 2. 81
s. XV. 2. 91
. XV. 2. 89
2. 81
XV. 2. 135
XV. 2. 136
. XV. 2. 104
lm. XV. 2. 41
m. XV. 2. 30
XV. 2. 112
- - -
XV. 2. 114
V. 2. 153
Zeyh. XV. 2. 169
2. 169
iss. - - 170
- - - -
XV. 2. 152
- - - 153
- - - -
133
Arn. XV. 2. 73
XV. 2. 19
XV. 2. 108
Kar. & Kir. XV. 2. 124
XV. 2. 133
Mey. XV. 2. 161
oiss. - - 162
XV. 2. 1268
m. XV. 2. 43

Euphorbia
subtuberculata *C. A. Mey.* XV. 2. 118
subumbellata Steud. XV. 2. 103
suffruticosa *Forsk.* XV. 2. 178
suffruticulosa Lecoq. & Lam. XV. 2. 129
sulcata *de Lens* XV. 2. 140
sulcata Lemair. XV. 2. 176
sumbavensis *Boiss.* XV. 2. 26
supina Raf. XV. 2. 47
sylvatica Jacq. XV. 2. 179
Synadenium Baill. XV. 2. 1269
syriaca Spr. XV. 2. 101
syrmiensis *Kit.* XV. 2. 179
syspirensis C. Koch XV. 2. 166
systyla *Edgew.* XV. 2. 98
Szowitsii *Fisch. & Mey.* XV. 2. 143
taitensis *Boiss.* XV. 2. 14
β stenhymenia - - - -
talyschensis Boiss. & Buhs. XV. 2. 124
tamanduana *Boiss.* XV. 2. 51
tanaicensis Guss. XV. 2. 149
tannensis ort. bot. XV. 2. 133
tannensis *Spr.* XV. 2. 176
tatarica Jacquem. XV. 2. 114
taurinensis *All.* XV. 2. 144
teheranica *Boiss.* XV. 2. 153
telephioides *Chapm.* XV. 2. 102
tenella H. B. & Kth XV. 2. 47
tenuifolia *Lam.* XV. 2. 159
tenuifolia MB. XV. 2. 159
tenuis *Hamilt.* XV. 2. 178
terracina Griseb. XV. 2. 145
terracina Lag. XV. 2. 117
terracina *L.* XV. 2. 157 1268
β ecarunculata *Boiss.* - - 158
γ modesta - - - -
terracina Reichenb. XV. 2. 144
tetraceras Szow. XV. 2. 166
tetragona *Haw.* XV. 2. 84
tetragona Hochst. XV. 2. 84
tetrapora *Engelm.* XV. 2. 142
β Berlandieri *Boiss.* - - -
tettensis *Boiss.* XV. 2. 49 1263
texana *Boiss.* XV. 2. 137
thamnoides *Boiss.* XV. 2. 131
β hierosolymitana - - - -
thelesperma Hochst. XV. 2. 98
Thomsoniana *Boiss.* XV. 2. 113
Thouarsiana *Baill.* XV. 2. 77
thymifolia *Burm.* XV. 2. 47
β suffrutescens *Boiss.* - - -
thymifolia Forsk. XV. 2. 37
thymifolia Lam. XV. 2. 47

Euphorbia
thymifolia Pursh XV. 2. 47
thymifolia var. β L. XV. 2. 47
thymifolia glauca hort. petropol. XV. 2. 35
thyrsiflora Griseb. XV. 2. 164
thyrsoidea *Boiss.* XV. 2. 164
tibetica *Boiss.* XV. 2. 114
Tigridis Boiss. XV. 2. 34
tinctoria *Boiss. & Reut.* XV. 2. 166 1268
β schizoceras - - - -
Tirucalli Forsk. XV. 2. 96
Tirucalli *L.* XV. 2. 96
Tirucalli Thbg XV. 2. 75
tithymaloides L. XV. 2. 5
tithymaloides var. β padifolia L. XV. 2. 5
tomentella *Engelm.* XV. 2. 32
tomentella *Zipp.* XV. 2. 179
tomentosa Pers. XV. 2. 37
Tommasiniana Bertol. XV. 2. 160
torrida *Dc.* XV. 2. 63
tortilis *Rottl.* XV. 2. 81
tovarensis *Boiss.* XV. 2. 59
toxicaria Afz. XV. 2. 80
trachyphylla A. Rich. XV. 2. 73
trachysperma *Engelm.* XV. 2. 33
transtagana *Boiss.* XV. 2. 149
transylvanica Schur XV. 2. 164
trapezoidalis *Boiss.* XV. 2. 1268
trapezoidalis *Viv.* XV. 2. 158
mutand. trapezoidalis Viv. XV. 2. 1268
triacantha *Ehrenb.* XV. 2. 85
triaculeata *Forsk.* XV. 2. 85
triangularis *Desf.* XV. 2. 179
tribuloides Lam. XV. 2. 83
trichogona Bertol. XV. 2. 47
trichotoma *H. B. & Kth* XV. 2. 105
tricuspidata Lapeyr. XV. 2. 139
tridentata Lam. XV. 2. 87
triflora *Schott* XV. 2. 165
trigona *Haw.* XV. 2. 82
trigonocarpa Fisch. XV. 2. 116
trinervia Boiss. XV. 2. 150
trinervia *Schum. & Thonn.* XV. 2. 15
trinervia integrifolia Baill. XV. 2. 15
trinervia β serrulata Baill. XV. 2. 14
trinervis Bertol. XV. 2. 23
triphylla W. herb. XV. 2. 56
tristis *Bess.* XV. 2. 161

Euphorbia
Triumfetti Ber
tuberculata *Ja*
tuberosa *L.* X
Tuckeyana *St*
turcomannica
β Tigridis
Turczaninowii

Turpini *Boiss.*
uliginosa *Wel*
umbellulata *Es*
umbrosa *Berte*
uncinata *Dc.* X
undulata *MB.*
undulata W. X
uniflora *Roxb.*
uralensis Fisch
Vachellii Hook
vaginulata *Gri*
valentina Ort.
valerianaefolia
variabilis *Cesa*
varians Haw.
variegata Roth
variegata Sim
Vauthieriana *B*
velleriflora *Boi*
velligera *Scha*
venefica *Trem.*
venenata Schle
veneta W. XV.
verrucosa Bert
verrucosa Desf
verrucosa Gus
verrucosa *Lam*
β velutina *B*
verrucosa *L.* X
verrucosa *L.* S
verrucosa var.

verticillata Fis
verticillata Or
verticillata Po
verticillata Vel
vestita *Boiss.* X
Vicillardi Baill
villifera *Scheel.*
β nuda *Engel*
villosa Frisc. X
villosa Waldst.
villosissima Kl.
viminalis Burm.
viminalis Mill.
viminea *Hook.*
virgata Desf. X

ldst. & Kit. XV. 2. 159
a Reichenb. - - 160
lis Boiss. - - -
is - - - -
Waldst. & Kit. XV. 2. 127
. XV. 2. 62
XV. 2. 83 1264
oiss. XV. 2. 51
oscos XV. 2. 1266
Boiss. XV. 2. 169
a Boiss. XV. 2. 30
i Boiss. & Reut. XV. 2. 130
Boiss. XV. 2. 156
Boiss. XV. 2. 115
orr. & Gray XV. 2. 68
oppe XV. 2. 172
H. B. & Kth XV. 2. 53
lm. XV. 2. 62
des A. Brongn. XV. 2. 176
oiss. XV. 2. 156
Boiss. XV. 2. 58
Boiss. XV. 2. 19
ides Boiss. XV. 2. 29
sa Engelm. - - -
formis - - - -
et. Alectoroctonum Boiss. XV. 2. 9 59
Anisophyllum Roeper XV. 2. 8 11
Arthrothamnus Boiss. XV. 2. 10 74
Bongium Boiss. XV. 2. 1264
Calycopeplus Boiss. XV. 2. 10 175
Caulanthium Boiss. XV. 2. 10 76
Chamaesyce Reichenb. XVI. 2. 11
Cheirolepidium Boiss. XV. 2. 9 70
Crossadenia Boiss. XV. 2. 9 64
Cyttarospermum Boiss. XV. 2. 9 53
Dimcanthium Boiss. XV. 2. 10 78
Euphorbia sect. Dichilium Boiss. XV. 2. 9 58
Eremophyton Boiss. XV. 2. 9 70
Euphorbiastrum Boiss. XV. 2. 9 98
Euphorbium Boiss. XV. 2. 10 85
Goniostema Baill. XV. 2. 10 77
Lyciopsis Boiss. XV. 2. 10 97
Nummulariopsis Boiss. XV. 2. 9 71
Petaloma Boiss. XV. 2. 9 63
Poinsettia Boiss. XV. 2. 10 71
Portulacastrum Boiss. XV. 2. 9 69
Pseudacalypha Boiss. XV. 2. 10 98
Rhizanthium Boiss. XV. 2. 10 92
Stachydium Boiss. XV. 2. 9 65
Tirucalli Boiss. XV. 2. 10 94
Tithymalopsis Boiss. XV. 2. 9 66
Tithymalus Boiss. XV. 2. 10 99
Tricherostigma Boiss. XV. 2. 9 68
Zygophyllidium Boiss. XV. 2. 9 52
EUPHORBIACEAE Baill. XV. 2. 1
EUPHORBIACEAE R. Br. XV. 2. 1
EUPHORBIACEAE *Müll. Arg.* XV. 2. 1 189
EUPHORBIACEAE BUXEAE Bartl. XVI. 1. 7
EUPHORBIACEAE BUXINEAE Dumort. XVI. 1. 7
EUPHORBIACEAE DISPOREAE Zolling. XV. 2. 190 215
EUPHORBIACEAE MONOSPOREAE Zolling. XV. 2. 190 215
EUPHORBIACEAE PLATYLOBEAE *Müll. Arg.* XV. 2. 189 215

EUPHORBIACHAE STENOLOBAE *Müll. Arg.* XVI. 2. 189 (*bis*)
EUPHORBIAE Juss. XVI. 1. 7
EUPHORBIAE GENUINAE *Boiss.* XV. 2. 11
ser. 1 Appendiculatae *Boiss.* XV. 2. 11
ser. 2 Exappendiculatae *Boiss.* XV. 2. 70
EUPHORBIAE SPURIAE *Boiss.* XV. 2. 175
EUPHORBIAE SPARSIFLORAE Engelm. XV. 2. 68
EUPHORBIAE STIGMATOSAE Engelm. XV. 2. 66
EUPHORBIAE ZYGOPHYLLAE Engelm. XV. 2. 52
Euphorbiastrum *Boiss.* XV. 2. 10 98 (Euphorbia)
Euphorbiastrum Kl. & Gke XV. 2. 7 98
Hoffmannianum Kl. & Gke XV. 2. 99
EUPHORBIEAE Baill. XV. 2. 1232
EUPHORBIEAE *Boiss.* XV. 2. 3 4
EUPHORBIEAE Juss. XV. 2. 1
EUPHORBIEAE *Müll. Arg.* XV. 2. 189
EUPHORBIOIDEAE Baill. XV. 2. 4
Euphorbium Isnard XV. 2. 7
erectum Burm. XV. 2. 87
humile procumbens &c. Burm. XV. 2. 92
polygonatum &c. Isnard XV. 2. 85
EUPHYLLANTHEAE Griseb. XV. 2. 215
EUPHYLLANTHEAE *Müll. Arg.* XV. 2. 217 272
Euphyllanthus Baill. XV. 2. 315 317 (Phyllanthus)
Euphyllanthus *Griseb.* XV. 2. 278 374 (Phyllanthus)
Eupimelea *Meisn.* XIV. 497 (Pimelea)
Eupiper *C. Dc.* XVI. 1. 240 241 339 (Piper)
Eupitys Spach XVI. 2. 378 (Pinus)
Euplassa Salisb. XIV. 436
meridionalis Salisb. XIV. 437
Euplukenetia *Müll. Arg.* XV. 2. 770 (Plukenetia)
Eupodocarpus *Endl.* XVI. 2. 509 (Podocarpus)
Eupodostemon *Wedd.* XVII. 72 (Podostemon)
EUPODOSTEMONEAE *Wedd.* XVII. 42 49

EUPOLYGONEAE (
Eupolygonella *Eu*
Eupseudanthus *M*
Euptelea Zucc. X
Euputranjiva *Müll*
Eupycnocoma *Mu*
Euricheria *Müll.*
EURICINOCARPEAE
Euricinocarpus *M*
Eurottlera Zolling
Euruprechtia Mei
Euryspermum Sali
frondosum Salis
grandiflorum Sa
salicifolium Sal
sericeum Salisb.
Eusantalum *Dc. f*
Eusapium Müll.
Eusarcocolla End
Eusauropus *Müll.*
Eusavia *Müll. Arg*
Eusebastiana *Müll*
Eusiphisia Kl. X
Euspathiostemon
Eustillingia Kl. X
Eustillingia *Müll.*
Eutacta Lk XVI.
Cookii Carr. X
Cunninghamii L
excelsa Lk XVI.
humilis Carr. X
minor Carr. XV
Mülleri Carr. X
Pancherii Carr.
Rulei Carr. XV
Rulei Verlot XV
Rulei polymorpha

Carr. XVI. 2. 373
l. XVI. 2. 372 (Araucaria)
isb. XVI. 2. 369 372
mii Spach XVI. 2. 372
la Salisb. XVI. 2. 373
Müll. Arg. XV. 2. 246 (Thecacoris)
ck XVII. 293
Dc. fil. XIV. 639 (Thesium)
ll. Arg. XV. 2. 932 (Tragia)
mon *Müll. Arg.* XV. 2. 1108 (Trigonostemon)
ill. XV. 2. 526 (Croton)
. XV. 2. 524 526
s Kl. XV. 2. 526
l. XV. 2. 526
ill. Arg. XV. 2. 564 (Croton *sect.* Eucroton)
lea *Dc. fil.* XV. 1. 416 (Vasconcellea)
rn. XVI. 2. 624 (Vateria)
mia *Meisn.* XIV. 543 (Wickstroemia)
. fil. XVI. 2. 540 (Zamia)
tn. XV. 1. 109
Lam. XV. 1. 110
A. Gray XVII. 295
Gaertn. XV. 1. 110
hne Nees XV. 1. 111
herb. berol. XV. 1. 138 139
Nees XV. 1. 139
tt. XV. 1. 170 243
tt. XV. 1. 171
utt. XV. 1. 244
Nutt. XV. 1. 244
Nutt. XV. 1. 182
XV. 1. 278 372
Kl. XV. 1. 372
XV. 1. 372
fil. XV. 1. 372 (Begonia)
nph XV. 1. 185
Müll. Arg. XV. 2. 1201, 2. 1201 1218, *Griseb.* 1192, *Ait. Kze* XV. 2. *Juss.* XV. 2. 1164 1175, . 2. 1195, *Blanco* XV. 2. 1144
Müll. Arg. XV. 2. 1214
Diedrichs. XV. 2. 1222

Excoecaria
acerifolia *Müll. Arg.* XV. 2. 1222
α genuina – – – –
β cuspidata – – – –
aerea *Müll. Arg.* XV. 2. 1207
affinis Endl. XV. 2. 1220
affinis *Griff.* XV. 2. 1223
africana *Müll. Arg.* XV. 2. 1215
Agallocha Hook. XV. 2. 1221
Agallocha L. XV. 2. 1220
Agallocha *Müll. Arg.* XV. 2. 1220
α genuina – – – –
β Camettia – – – 1221
γ ovalis – – – –
δ orthostichalis – – – –
albicans Griseb. XV. 2. 1183 1224
baccata *Müll. Arg.* XV. 2. 1211
bantamensis *Müll. Arg.* XV. 2. 1219
bicalcarata *Müll. Arg.* XV. 2. 1223
bicolor *Hassk.* XV. 2. 1220
biglandulosa *Müll. Arg.* XV. 2. 1204
α Hippomane – – – –
β Pavoniana – – – –
γ hamata – – – –
δ pallida – – – 1205
1 oblongifolia – – – –
2 angustifolia – – – –
ε Aubletiana – – – –
ζ Klotzchiana – – – –
1 obovata – – – –
2 oblongata – – – –
η prunifolia – – – –
ϑ daphnoides – – – –
ι cuneata – – – 1206
κ Sellowiana – – – –
a brevifolia – – – –
b longifolia – – – –
λ serrata – – – –
μ lanceolata – – – –
* squarrosa – – – –
** longifolia – – – –
ν aucuparia – – – –
ξ Moritziana – – – –
ο salicifolia – – – 1207
π stenophylla – – – –
ρ dracunculoides – – – –
brachyandra (*brachypoda*) *Griseb.* XV. 2. 1193 1224
brasiliensis Spr. XV. 2. 1199 1224
Bridgesii *Müll. Arg.* XV. 2. 1221
Camettia W. XV. 2. 1221
caribaea Griseb. XV. 2. 1193 1224

Excoecaria
cochinchinensis *Müll. Arg.* XV. 2. 1215
crenulata R. Wight XV. 2. 1215
cubensis *Müll. Arg.* XV. 2. 1212
cuneata *Müll. Arg.* XV. 2. 1208
discolor *Müll. Arg.* XV. 2. 1210
diversifolia *Müll. Arg.* XV. 2. 1211
eglandulosa *Müll. Arg.* XV. 2. 1209
* microphylla - - - -
emarginata *Müll. Arg.* XV. 2. 1212
erythrosperma *Griseb.* XV. 2. 1208
farinosa Griseb. XV. 2. 1184 1224
glandulosa Sw. XV. 2. 1186 1224
Goudotiana Müll. Arg. XV. 2. 1201 1224
guineensis *Müll. Arg.* XV. 2. 1215
haematosperma *Müll. Arg.* XV. 2. 1209
berbertiaefolia *Jacques* XV. 2. 1224
himalayensis Müll. Arg. XV. 2. 1222
β cuspidata - - - -
Hochstetteriana Müll. Arg. XV. 2. 1214
japonica *Müll. Arg.* XV. 2. 1217
ilicifolia *Spr.* XV. 2. 1222 893
indica *Müll. Arg.* XV. 2. 1216
insignis *Müll. Arg.* XV. 2. 1212
integrifolia *Roxb.* XV. 2. 1221
laevis Blanco XV. 2. 1145 1224
lanceolaria *Müll. Arg.* XV. 2. 1221
Lastellei *Müll. Arg.* XV. 2. 1218
Laurocerasus *Müll. Arg.* XV. 2. 1202
α genuina - - - -
β elliptica - - - 1203
γ laurifolia - - - -
leucogyna *Müll. Arg.* XV. 2. 1208
leucosperma *Müll. Arg.* XV. 2. 1209
Loureiroana *Müll. Arg.* XV. 2. 1217
lucida Sw. XV. 2. 1181 1224
macrocarpa *Müll. Arg.* XV. 2. 1207
madagascariensis *Müll. Arg.* XV. 2. 1219
Mannianа *Müll. Arg.* XV. 2. 1217

Excoecaria
marginata Kze
marginata *Müll*
α lanceolata
β spathulata
1 major
2 stenophy
melanosticta
myrcifolia Gri
oblongifolia *M*
obovata *Müll.*
obtusifolia *Mi*
obtusiloba *Mül*
oppositifolia *J*
oppositifolia M
ovalis Endl. X
pallens Griseb.
parvifolia *Müll.*
polyandra (Da
quadrangularis
reticulata *Müll*
riparia Schlech
Sagraei *Müll. A*
salpingadenia
sebifera *Müll.*
serrata Ait. X
sicca Blanco X
stylaris *Müll. A*
suberosa *Müll.*
subsessilis *Müll*
tenax Griseb.
Thouarsiana *M*
tinifolia Sw. X
venulosa C. Wr
virgata *Miq.* X
virgata Zoll. &
Excoecaria *sect.*

sect. Excoecariopsis Müll. Arg. XV. 2. 1213
Falconeria *Müll. Arg.* XV. 2. 1211
Gymnanthes Griseb. XV. 2. 1181
Gymnosapium Müll. Arg. XV. 2. 1212
Hypaspidia Griseb. XV. 2. 1181
Paragymnanthes Müll. Arg. XV. 2. 1218 1222
Parasapium Müll. Arg. XV. 2. 1213 1216
Protaxanthes Diedrichs. XV. 2. 1222
Sapium *Müll. Arg.* XV. 2. 1202
Sclerocroton *Müll. Arg.* XV. 2. 1213
subsect. Parasapium - - - 1216
- *Spirostachys* - - - 1213
Triadica *Müll. Arg.* XV. 2. 1210
s Baill. XV. 2. 1213 (Stillingia)
opsis Müll. Arg. XV. 2. 1213 (Excoecaria)
Labill. XIV. 687 (*Exo-s*) *Endl.* XIV. 687, *Bl.* XIV. 688
Behr XIV. 690
R. Br. XIV. 690 (*bis*)
Hook. fil. XIV. 691
Dc. fil. XIV. 691
formis *Labill.* XIV. 689
hys *Schlecht.* XIV. 690
audii *Dc. fil.* XIV. 690
cea *Miq.* XIV. 689
R. Br. XIV. 691
R. Br. XIV. 688
ioides *F. Müll.* XIV. 690
is *Presl* XIV. 688
Zipp. XIV. 688
ok. *fil.* XIV. 691

Exocarpos
odorata *Dc. fil.* XIV. 689
odorata Miq. XIV. 689
ovata Bl. XIV. 688
phyllanthoides *Endl.* XIV. 691
spartea *R. Br.* XIV. 690
spartea gracilis Miq. XIV. 689
spicata *Dc. fil.* XIV. 689
stricta *R. Br.* XIV. 690
stricta Sieber XIV. 692
Exocarpos *sect.* Euexocarpos *Dc. fil.* XIV. 689
Phyllodanthos *Dc. fil.* XIV. 691
Sarcocalyx *Dc. fil.* XIV. 688

F.

Fadyenia Endl. XVI. 1. 486 488
Hookeri Griseb. XVI. 1. 488
laurifolia Endl. XVI. 1. 487
macrophylla Endl. XVI. 1. 488
oblonga Endl. XVI. 1. 488
ovata Endl. XVI. 1. 487
Fadyenia *Dc. fil.* XVI. 1. 488 (Garrya)
FAGINEAE Döll XVI. 2. 1
Fagonia montana Hohenack. XVII. 29
Fagus *Tourn.* XVI. 2. 117, *L.* XVI. 2. 113, *Bl.* XVI. 2. 117 118
alba Raf. XVI. 2. 118
alpina *Poepp. & Endl.* XVI. 2. 121
alpina Poepp. XVI. 2. 120
americana latifolia Wangenh. XVI. 2. 118
antarctica *Forst.* XVI. 2. 120
α sublobata *Dc. fil.* - - -
β bicrenata - - - -
γ uliginosa - - - -
antarctica Lechl. & Germ. XVI. 2. 120
asplenifolia hort. XVI. 2. 119
betuloides *Mirb.* XVI. 2. 121
Castanea L. XVI. 2. 114 123
Castanea Lour. XVI. 2. 116 123
Castanea Thbg XVI. 2. 115
cliffortioides *Hook. fil.* XVI. 2. 122
cochinchinensis *Lour.* XVI. 2. 123 (*bis*)
comptoniaefolia hort. XVI. 2. 119

Fagus
crenata Bl. XVI. 2. 119
cristata hort. XVI. 2. 119
Cunninghami *Hook. fil.* XVI. 2. 122
β microphylla *Dc. fil.* - - 123
cuprea hort. XVI. 2. 119
Dombeyi *Mirb.* XVI. 2. 121
dubia Mirb. XVI. 2. 121
ferruginea *Ait.* XVI. 2. 118
ferruginea Siebold XVI. 2. 119
Forsteri Hook. fil. XVI. 2. 121
fusca *Hook. fil.* XVI. 2. 122
α Hookeri *Dc. fil.* - - -
β Colensoi - - - -
glauca *Philipp.* XVI. 2. 123
glutinosa Poepp. & Endl. XVI. 2. 123
Gunnii *Hook. fil.* XVI. 2. 120
heterophylla hort. XVI. 2. 119
heterophylla Raf. XVI. 2. 118
javanica Bl. XVI. 2. 123
incisa hort. XVI. 2. 119
laciniata hort. XVI. 2. 119
lutea Molin. XVI. 2. 123
Menziesii *Hook. fil.* XVI. 2. 122
Montagnei Philipp. XVI. 2. 120
Moorei F. Müll. XVI. 2. 684
nervosa *Philipp* XVI. 2. 123
nigra Raf. XVI. 2. 118
nitida *Philipp.* XVI. 2. 123
obliqua Germain XVI. 2. 120
obliqua *Mirb.* XVI. 2. 119
β valdiviana *Dc. fil.* - - - 684
γ macrocarpa - - - 120
δ macranthera - - - -
pendula hort. XVI. 2 119
procera Philipp. XVI. 2. 120
procera *Poepp. & Endl.* XVI. 2. 121
pumila L. XVI. 2. 115
Pumilio Poepp. & Endl. XVI. 2. 120
Pumilio Poepp. XVI. 2. 120
purpurea hort. XVI. 2. 119
rotundifolia Raf. XVI. 2. 118
salicifolia hort. XVI. 2. 119
Sieboldii *Endl.* XVI. 2. 119
β procera *Bl.* - - -
γ undulata - - - -
Solandri *Hook. fil.* XVI. 2. 122
sylvatica *L.* XVI. 2. 118 (*bis*)
β macrophylla *Hohenack.* - - -
γ asiatica *Dc. fil.* - - 119
δ quercoides *Pers.* - - -
ε colorata *Dc. fil.* - - -

Fagus
ζ heterophylla *Dc*
η cristata -
ϑ pendula -
sylvatica americana
sylvestris Gaertn.
sylvestris Mx XVI.
uliginosa Philipp.
valdiviana Philipp.
variegata hort. XVI
Fagus *sect.* Eufagus *L*
Nothofagus
Fagopyrum *Tourn.* XI
carinatum Moench
cymosum *Meisn.* XI
dentatum Moench X
Dryandri hort. leod
dumetorum Schreb.
emarginatum Babing
emarginatum *Meisn.*
β kunavurense -
esculentum *Moench*
β pyramidatum *M*
membranaceum Moe
rotundatum *Babingt.*
sagittatum Gilib. X
sarracenicum Dume
tataricum *Gaertn.* X
triangulare *Meisn.*
vulgare Erndl. XIV
Fagopyrum Meisn. XI
Fagotriticum J. Bauh.
sibiricum L. XIV.
Fahrenheitia *Reichenb.*
collina *Reichenb. fil.*
Falconeria Royl. XV.
insignis Royl. XV.
malabarica R. Wight
Wallichiana Royl.
Falconeria *Müll. Arg.*
Falkea tenera Koen. X
Fallopia Lour. XVII.
Fangama XV. 2. 77
Fatoua *Gaudich.* XVII
aspera Gaudich. XV
cordata Gaudich. XV

. XVII. 256
Dcne XVII. 256
lich. XVII. 256 *(bis)*
ata *Bureau* - -
ata - - -
- - 257
maefolia - - -
ifera - - -
Gaudich. XVII. 256
XIV. 344
v. XIV. 344
ée *Reynier* XIV. 49
VI. 2. 147 151
Vebb XVI. 2. 152
XVI. 2. 151 (Myrica)
XVII. 293
VI. 2. 416
l XVII. 282 287
. 416
URTICACEAE
Dumort. XVII. 211
XVII. 282 287
nferno XV. 2. 109
s. XVI. 2. 522
PALMAE Adans. XVI.
22, *Vent.* XVI. 2. 522
Dc. fil. XV. 1. 392
(Begonia)
UT PALMIS AFFINES
Juss. XVI. 2. 522
XVI. 2. 389
2. 462
XVI. 2. 428
Kaempf. XVI. 2. 461
. XIV. 348
ook. fil. XVI. 2. 367
463
Hook. fil. XVI. 2. 463
V. 1. 177
ermis Roxb. XVI. 1. 3
ich. XVI. 1. 70, *Miq.*
XVII. 256
udich. XVI. 1. 71 72
na Wedd. - - 72
osa - - - -
a - - - -
lata - - - -
a - - - -
iq. XVI. 1. 72
glandulosa Wedd. XVI.
1. 72
Benth. XVI. 1. 78
edd. XVI. 1. 75
Wedd. XVI. 1. 72
udich. XVI. 1. 72

Fleurya
cuneata *Wedd.* XVI. 1. 73
β grossa - - - -
γ ovata - - - -
δ subintegra - - - -
ε depauperata - - - 74
cymosa Hassk. XVI. 1. 73
cymosa *Wedd.* XVI. 1. 73
glandulosa Wedd. XVI. 1. 72
glechomaefolia Miq. XVI. 1. 77,
XVII. 257
globulifera Miq. XVI. 1. 77, XVII.
257
glomerata Gaudich. XVI. 1. 75
glomerata Griseb. XVI. 1. 74
grossa *Wedd.* XVI. 1. 76
humulifolia Kth XVI. 1. 77
ingrata Miq. XVI. 1. 72
interrupta *Gaudich.* XVI. 1. 74
(bis)
α interrupta *Wedd.* - - -
β spicata - - - 75
γ glomerata - - - -
lurida *Bl.* XVI. 1. 77
mitis Wedd. XVI. 1. 76
paniculata Gaudich. XVI. 1. 74
pedunculariis *Wedd.* XVI. 1. 75
β mitis - - - 76
petiolata Dcne XVI. 1. 73
photiniphylla (photinifolia) Kth
XVI. 1. 77 83
podocarpa *Wedd.* XVI. 1. 76
β Mannii - - - -
ruderalis *Gaudich.* XVI. 1. 74
rugosissima Miq. XVI. 1. 77, XVII.
257
scabra Miq. XVI. 1. 77
spicata Gaudich. XVI. 1. 75
umbellata Wedd. XVI. 1. 73
Floerkea *W.* XVII. 293
Flor de Alcatras de Monpox XV. 1.
474
Flor de Guaco XV. 1. 453
Flor de San Andrea XVII. 38
Florispinae Haw. XV. 2. 88
Flüggea W. XV. 2. 348 446 448
abyssinica Baill. XV. 2. 449
Acidothamnus Griseb. XV. 2. 451
angulata Baill. XV. 2. 449
arborescens Boj. XV. 2. 449
eglandulosa Baill. XV. 2. 418 453
elliptica Baill. XV. 2. 448
elliptica Wall. XV. 2. 449
flexuosa Müll. Arg. XV. 2. 450
glabra Kirk XV. 2. 347
Hilariana Baill. XV. 2. 1273

Flüggea
javanica Bl. XV. 2. 453
leucophylla Wall. XV. 2. 449
Leucopyrus Dalz. XV. 2. 449
Leucopyrus W. XV. 2. 451
major Baill. XV. 2. 418 453
Meineckia Müll. Arg. XV. 2. 448
melanthesoides F. Müll. XV. 2. 449
microcarpa Bl. XV. 2. 449
obovata Baill. XV. 2. 451
obovata Wall. XV. 2. 449
ovalis Baill. XV. 2. 449
phyllanthoides Baill. XV. 2. 452
senensis Kl. XV. 2. 449
serrata Miq. XV. 2. 452
sinensis Baill. XV. 2. 449
suffruticosa Baill. XV. 2. 449
trichogynis Baill. XV. 2. 447
virosa Baill. XV. 2. 449
virosa Dalz. XV. 2. 451
virosa Wall. XV. 2. 449
Wallichiana Baill. XV. 2. 451
xerocarpa A. Juss. XV. 2. 451
Flüggea sect. Gelfuga Baill. XV. 2. 447
Flüggea *Müll. Arg.* XV. 2. 448 (Securinega)
FLUEGGEAE *Müll. Arg.* XV. 2. 446
Flüggeopsis *Müll. Arg.* XV. 2. 277 348 (Phyllanthus)
Foetataxus Nelson XVI. 2. 504
montana Nelson XVI. 2. 506
Myristica Nelson XVI. 2. 506
nucifera Nelson XVI. 2. 505
Foliosa *Benth.* XIV. 21 (Eriogonum)
Folium calcosum Rumph XV. 2. 959
Folium Mappae Rumph XV. 2. 1000
Fon Gommi XIV. 614
Forchhammeria Liebm. XV. 2. 1258
Forestiera Poir. XV. 2. 1258
Formigueira XIV. 177
Forskohlea (*Forskolea Forskalea*) *L.* XVI. 1. 235[56], *Wight* XVI. 1. 235[57]
angustifolia *Retz* XVI. 1. 235[57]
candida *L. fil.* XVI. 1. 235[56]
β capitulis majoribus - - - -
γ virescens - - - -
candida C. Smith XVI. 1. 235[56]
Cossoniana Webb XVI. 1. 235[55]
fruticosa W. XVI. 1. 235[57]
latifolia Retz XVI. 1. 235[55]
procridifolia *Webb* XVI. 1. 235[56]
β umbrosa - - - 235[56]
γ microphylla - - -

Forskohlea
procridifolia var. Schmid
scabra Retz XVI. 1
tenacissima *L.* XVI
β Cossoniana - -
urticoides Wight X
viridis *Ehrenb.* XV
FORSKOHLEAE *Wed*

Fortunea Lindl. XVI.
chinensis Lindl. X
Foscarenia *Vand.* XV
Fragariopsis *St. Hil.*
discolor Baill. XV.
polyandra Baill. X
scandens *St. Hil.*
Fragiopsis Karst. X

Franklandia *R. Br.*
fucifolia *R. Br.* X
FRANKLANDIEAE *M*

Fraro-voqui XIV. 52

Frankincense Pine
Freirea Gaudich. X
alsinifolia Gaudic
australis Gaudich
erecta Philipp. X
fernandeziana St

humifusa Gay XV
ocymifolia Gaudic
Freireodendron *Mül*

sessiliflorum *Müll*

FREIREODENDREAE

Frenela *Mirb.* XVI.

arenosa *hort.* XVI
australis R. Br. X
australis Endl. XV
australis hort. XV
calcarata *Cunning.*
canescens *Parl.* X
columellaris *F. M*
crassivalvis Miq.
Drummondii *Parl.*
Endlicheri *Parl.* X
ericoides hort. XV
Fontanesii Mirb.

Fothergilli *hort.* X

Endl. XVI. 2. 449
var. arborea F. Müll. XVI. 2. 450
Mirb. XVI. 2. 451 449
Parl. XVI. 2. 449
ndl. XVI. 2. 450
onata - - - -
ort. XVI. 2. 451
des *Carr.* XVI. 2. 451
a *Parl.* XVI. 2. 446
chya *Gord.* XVI. 2. 450
arl. XVI. 2. 449 451
Parl. XVI. 2. 450
i *F. Müll.* XVI. 2. 447
a *Cunn.* XVI. 2. 451
lis *hort.* XVI. 2. 451
ea *Endl.* XVI. 2. 447 451
ula *Parl.* - - -
ea *hort.* XVI. 2. 449
rt. XVI. 2. 451
Cunn. XVI. 2. 450
dl. XVI. 2. 448
ta *Parl.* XVI. 2. 446
llata *Parl.* XVI. 2. 447
Parl. XVI. 2. 446
Spach XVI. 2. 447
ta *Mirb.* XVI. 2. 451 *(bis)*
a *Carr.* XVI. 2. 450
i *Mirb.* XVI. 2. 447
a *A. Cunn.* XVI. 2. 448
a *Endl.* XVI. 2. 451
var. laevis Moor. XVI. 2. 449
r. XV. 2. 707
Spr. XV. 2. 707 708
fil. XIV. 662 (Thesium)
henb. XIV. 662 (Thesium)
rt. XVII. 114
Karst. XVII. 115
rae *Karst.* XVII. 115
a *Karst.* XVII. 115
sarracenicum Acta Nat. curios. XVII. 144
l *Campo* XVI. 2. 353
V. 449
uritanicus verrucosus &c. *Petiv.* XVII. 123
coccineus melitensis Bocc. XVII. 123
liburnensis Tilli XVII. 123
and. XIV. 525
a *Meisn.* XIV. 526

Funifera
latifolia *C. A. Mey.* XIV. 526
utilis *Leand.* XIV. 525
Funis gnemoniformis Rumph XVI. 2. 351
Furcaria Boivin. XV. 2. 513 623
Boiviniana Baill. XV. 2. 623
Furcaria Baill. XV. 2. 623 (Croton)
Fusanus L. XIV. 681, *Juss.* XIV. 634, *Krebs* XIV. 634
acuminatus R. Br. XIV. 684
alternifolius R. Br. XIV. 633
compressus Murr. XIV. 634
crassifolius R. Br. XIV. 685
diversifolius Miq. XIV. 684
emarginatus Miq. XIV. 686
glaucus Gaudich. XIV. 685
pedatus Spr. XIV. 686
spicatus R. Br. XIV. 685
Fustete XVII. 228
Fustic, Fustiche Wood, Fustictree XVII. 228
Fustique XVII. 228

G.

Gaerdtia Kl. XV. 1. 278 318
argentea Kl. XV. 1. 318
Kunthiana Kl. XV. 1. 319
maculata Kl. XV. 1. 318
stenobotrys Kl. XV. 1. 318
undulata Kl. XV. 1. 318
Gaerdtia *Dc. fil.* XV. 1. 318 (Begonia)
Gagnedi Bruce XIV. 230
Gajanus Rumph XV. 1. 264
Galactodendron H. B. & Kth XVII. 288
Galarrhoeus Haw. XV. 2. 7 99
corollatus Haw. XV. 2. 66
rigidus Haw. XV. 2. 132
spathulaefolius Haw. XV. 2. 178
Gale Bauh. XVI. 2. 147, *Spach* XVI. 2. 147
Gale *Endl.* XVI. 2. 147 (Myrica)
Galearia Zoll. & Mor. XV. 2. 1036
angustifolia Miq. XV. 2. 1038
aristifera Miq. XV. 2. 1039
elliptica Miq. XV. 2. 1038
pedicellata Zoll. & Mor. XV. 2. 1038
sessilis Zoll. & Mor. XV. 2. 1038
splendens Miq. XV. 2. 1039
sumatrana Miq. XV. 2. 1038

Gallifera Spach XVI. 2. 3 (Quercus)
Galophychia Gaspar. XVII. 288
Galumpita Bl. XVII. 207
cuspidata Bl. XVII. 209
Galurus Spr. XV. 2. 799
Gambas Kaumag XVII. 26
Gambimar XVI. 2. 494
Ganitrocarpus Planch. XV. 2. 1041 (Microdesmis)
Gau-pi Hak XVI. 2. 460
Garcia Rohr XV. 2. 721
nutans Rohr XV. 2. 721
GARCIEAE *Müll. Arg.* XV. 2. 711 719
Garo de Malacca Lam. XIV. 602
Garrya Lindl. XVI. 1. 486, *Endl.* XVI. 1. 486 487, *Dougl.* XV. 2. 1258
elliptica Lindl. XVI. 1. 487
Fadyenii Hook. XVI. 1. 488
Fremontii Torr. XVI. 1. 487
laurifolia Benth. XVI. 1. 487
Lindheimeri Torr. XVI. 1. 488
Lindleyana Hartw. XVI. 1. 487
macrophylla Benth. XVI. 1. 487
oblonga Benth. XVI. 1. 488
ovata Benth. XVI. 1. 487
Wrightii Torr. XVI. 1. 487
Garrya *sect.* Eugarrya *Dc. fil.* XVI. 1. 487
Fadyenia *Dc. fil.* XVI. 1. 488
GARRYACEAE *Dc. fil.* XVI. 1. 486
GARRYACEAE Lindl. XVI. 1. 486
GARRYALES HELWINGIACEAE Lindl. XVI. 2. 680
Gatta-Nittol XVII. 219
Gavarretia Baill. XV. 2. 895 897
terminalis Baill. XV. 2. 897
Geblera Fisch. & Mey. XV. 2. 446 448
suffruticosa Fisch. & Mey. XV. 2. 449
Geelhout XVI. 2. 511
Geiseleria Kl. XV. 2. 513 672, *Miq.* XV. 2. 513 672
chamaedryfolia Kl. XV. 2. 686
corchorifolia Kl. XV. 2. 684 685
glandulosa Kl. XV. 2. 685
Geiseleria Baill. XV. 2. 672 (Croton)
Geissoloma *Lindl.* XIV. 492, *A. Juss.* XV. 2. 1043
laterißorum Drege XIV. 491 492
marginatum *A. Juss.* XIV. 492
Geissoloma
tomentosum A. Juss. XI
tomentosum Walp. XIV.
GEISSOLOMACEAE *Dc.*
GEISSOLOMACEAE La
GEISSOLOMEAE Endl.
Gelbholz XVII. 228
Gelfuga Baill. XV. 2. 48
Gelfuga *Müll. Arg.* XV.
Geloniastrum *Müll. Arg.*
GELONIEAE *Müll. Arg.*
Gelonium *Roxb.* XV. 2.
adenophorum *Müll. A*
africanum *Müll. Arg*
angustifolium *Müll. A*
α ellipticum - -
β lanceolatum - -
γ spathulatum - -
bifarium Dene XV. 2.
bifarium *Roxb.* XV. 2.
Boivinianum *Müll. Ar*
fasciculatum Roxb. X
glomerulatum *Hassk.*
lanceolatum Thwait. X
lanceolatum *W.* XV.
laurinum *Müll. Arg.*
multiflorum *A. Juss.* X
obtusum Miq. XV. 2.
oxyphyllum *Miq.* XV.
spicatum *Hassk.* XV.
zanzibariense *Müll. A*
Geminaria Raf. XV. 2.
Genesiphylla L'Herit. X
asplenifolia L'Herit.
Genista spicata Eckl. &
Geruma Forsk. XV. 2.
Gesnouinia *Gaudich.* XVI.
arborea *Gaudich.* XVI.
boehmericides Miq. XVI.
filamentosa *Wedd.* XVI.
Gesnouinia Endl. XVI. 1.
Gevina Lam. XIV. 609

lin. XIV. 698
. XVII. 293
mpf. XVI. 2. 368 506
XVI. 2. 507
mpf. XVI. 2. 507
Endl. XVI. 1. 100 (Urtica)
Gaudich. XVI. 1. 100
Wedd. XVI. 1. 103
Wedd. XVI. 1. 102
Wedd. XVI. 1. 103 (*bis*)
Wedd. XVI. 1. 103
ne XVI. 1. 102
Bl. XVI. 1. 103
lla Dcne XVI. 1. 100
a Miq. XVI. 1. 101
ltiana Dcne XVI. 1. 101
Gaudich. XVI. 1. 101
Wedd. XVI. 1. 101
Wedd. XVI. 1. 102
Dcne XVI. 1. 101
lia Wedd. - - 102
Kl. XV. 1. 278 334
Kl. XV. 1. 394
pa Kl. XV. 1. 337
rfolia Kl. XV. 1. 335
dia Kl. XV. 1. 338
lis Kl. XV. 1. 335
Kl. XV. 1. 337
Kl. XV. 1. 346
dia Kl. XV. 1. 335
difolia Kl. XV. 1. 344 (*bis*)
ta Kl. XV. 1. 339
Kl. XV. 1. 340
Kl. XV. 1. 339
lla Kl. XV. 1. 341
Kl. XV. 1. 342
olia Kl. XV. 1. 343
Regel XV. 1. 399
Kl. XV. 1. 337
l. XV. 1. 338
Kl. XV. 1. 338
is Kl. XV. 1. 341
l. XV. 1. 335
lla Kl. XV. 1. 337
ra Kl. XV. 1. 336
l. XV. 1. 338
Kl. XV. 1. 343
Kl. XV. 1. 343
a Kl. XV. 1. 342
Kl. XV. 1. 339
Kl. XV. 1. 336
icziana hort. berol. XV. 1. 338

Gireoudia *Dc. fil.* XV. 1. 334 (Begonia)
Gironniera *Gaudich.* XVII. 205
celtidifolia *Gaudich.* XVII. 207
β Hombroniana *Planch.* - -
chinensis Benth. XVII. 206
costata Miq. XVII. 206
nervosa *Planch.* XVII. 206
nitida *Benth.* XVII. 207
parvifolia *Planch.* XVII. 206
reticulata Thwait. XVII. 209
reticulosa Thwait. XVII. 207
rhamnifolia *Bl.* XVII. 206
subaequalis *Planch.* XVII. 206
β brevistylis *Bl.* - -
γ scabrida - - -
δ serrulata - - -
subaequalis β zeylanica Planch. XVII. 206
subaequalis β zeylanica Thwait. XVII. 207
Gissonia Salisb. XIV. 212
collina Salisb. XIV. 213
Givotia *Griff.* XV. 2. 1112
rottleriformis *Griff.* XV. 2. 1112
Glabraria L. XV. 1. 177 (*bis*)
cuneata Miq. XV. 1. 178
litoralis Miq. XV. 1. 180
mollis Miq. XV. 1. 178
nitens Miq. XV. 1. 180
tersa L. XV. 1. 178 179
vestita Miq. XV. 1. 178
Glabraria *Bl.* XV. 1. 177 (Tetranthera)
Glaucoreseda *Dc.* XVI. 2. 580 (Reseda)
Glischrocaryon Endl. XIV. 622
Glischrocolla *Dc. fil.* XIV. 490
Lessertiana *Dc. fil.* XIV. 490
Glischrocolla Endl. XIV. 490 (Sarcocolla)
Glochidion Forst. XV. 2. 274 278, *Müll. Arg.* XV. 2. 274
acuminatum Müll. Arg. XV. 2. 311
aeneum Müll. Arg. XV. 2. 319
arborescens Bl. XV. 2. 279
arboreum Wight XV. 2. 303
Arnottianum Müll. Arg. XV. 2. 279
baladense Müll. Arg. XV. 2. 319
bancanum Miq. XV. 2. 281
Billardieri Baill. XV. 2. 292
Blumeanum Müll. Arg. XV. 2. 287

Glochidion
Bourgeoisii Müll. Arg.
brachylobum Müll. Ar
bupleuroides Müll. Ar
cacuminum Müll. Arg.
caledonicum Müll. Ar
cataractarum Müll. Ar
Chamaecerasus Müll.
cinerascens Miq. XV.
coccineum Müll. Arg.
compressicaule S. Kur
concolor Müll. Arg. X
concolor β obovatum M
cordatum Seem. XV. 2.
coriaceum Thwait. X
cornutum Müll. Arg.
Cumingii Müll. Arg. X
cyrtophyllum Miq. XV.
cyrtostylum Miq. XV.
dasyanthum Kurz XV
dasyphyllum Miq. XV.
distichum Hance XV. 2
eleutherostylum Müll.
ellipticum Wight XV.
eriocarpum Champ. XV
eriocarpum Zipp. XV.
Fagueti Müll. Arg. XV
flavidum Kurz XV. 2. 3
Fortunei Hance XV. 2.
frondosum Baill. XV. 2
fulvirameum Miq. XV. 2
Gardneri Thwait. XV.
glaucifolium Müll. Arg
glaucum Bl. XV. 2. 287
glaucum Müll. Arg. XV
heterolobum Müll. Arg
Heyneanum Wight XV.
hirsutum Müll. Arg. X
hongkongense Müll. Arg
insulanum Müll. Arg. X
Jussieuanum Thwait. XV
kanalense Baill. XV. 2.

Bl. XV. 2. 298
um Müll. Arg. XV. 2. 316
um β dracunculoides Müll. Arg. XV. 2. 317
Hook. & Arn. XV. 2. 307
ens Zolling. XV. 2. 286
um Miq. XV. 2. 286
Baill. XV. 2. 292
Baill. XV. 2. 300
i Müll. Arg. XV. 2. 304
um Müll. Arg. XV. 2. 301
dium Müll. Arg. XV. 2. 322
Miq. XV. 2. 302
o Müll. Arg. XV. 2. 317
Müll. Arg. XV. 2. 320
Miq. XV. 2. 308
num Müll. Arg. XV. 2. 309
Benth. XV. 2. 298
n A. Juss. XV. 2. 281
Miq. XV. 2. 283
sect. Adenoglochidion Müll. Arg. XV. 2. 319
Chorizogynium Müll. Arg. XV. 2. 315
Euglochidion Müll. Arg. XV. 2. 278
Gomphidium Müll. Arg. XV. 2. 319
Hemiglochidion Müll. Arg. XV. 2. 287
Microglochidion Müll. Arg. XV. 2. 322
Pentaglochidion Müll. Arg. XV. 2. 315
Physoglochidion Müll. Arg. XV. 2. 318
psis Bl. XV. 2. 314
l. XV. 2. 314
is Müll. Arg. XV. 2. 275 314 (Phyllanthus)
a Wight XV. 2. 274
a Wight XV. 2. 282
af. XV. 1. 432

Glyptostrobus *Endl.* XVI. 2. 366 438 440
heterophyllus *Endl.* XVI. 2. 439
pendulus Endl. XVI. 2. 439 441
Gnemon Rumph XVI. 2. 348
domestica Rumph XVI. 2. 349
funicularis Rumph XVI. 2. 352
sylvestris Rumph XVI. 2. 349
Gnemon Gnemo XVI. 2. 349
Gnemon Tali XVI. 2. 352
Gnesiopersea *Nees* XV. 1. 51 (Persea)
GNETACEAE *Bl.* XVI. 2. 347
GNETACEAE *Parl.* XVI. 2. 347
Gnetum *L.* XVI. 2. 348
amazonicum *Tul.* XVI. 2. 350
Brunonianum *Griff.* XVI. 2. 352 349
cuspidatum *Bl.* XVI. 2. 350
dioicum Leybold XVI. 2. 350 351
edule Bl. XVI. 2. 351
funiculare *Bl.* XVI. 2. 351
funicularis Rumph XVI. 2. 352
Gnemon *L.* XVI. 2. 349
β sylvestris - - - -
Gnemon ovalifolium Bl. XVI. 2. 349
gnemonoides Brongn. XVI. 2. 351
Griffithii *Parl.* XVI. 2. 349
latifolium *Bl.* XVI. 2. 350
leptostachyum *Bl.* XVI. 2. 352
Leyboldi *Tul.* XVI. 2. 350
microcarpum Bl. XVI. 2. 350
microstachyum *Spruc. & Benth.* XVI. 2. 352
neglectum *Bl.* XVI. 2. 350
β microcarpum - - - -
nigrum *Carr.* XVI. 2. 352
nodiflorum *Brongn.* XVI. 2. 351
nodiflorum *Brongn.* XVI. 2. 352 (*delend.* XVII. 321)
nodiflorum Endl. XVI. 2. 352
ovalifolium Poir. XVI. 2. 349
paniculatum *Spruc.* XVI. 2. 350
pyrifolium Miq. XVI. 2. 350
scandens *Roxb.* XVI. 2. 351
sylvestre Brongn. XVI. 2. 349
Thoa Brongn. XVI. 2. 351
Thoa *R. Br.* XVI. 2. 351
Ula Brongn. XVI. 2. 351
venosum *Spruc. & Benth.* XVI. 2. 352
Gnidia *L.* XIV. 580, *Auct.* XIV. 574 593
acerosa Gmel. XIV. 587
acutifolia *Wickst.* XIV. 592

L. fil. XIV. 592 597
L. fil. XIV. 592 597
XIV. 596
XIV. 588
XIV. 585
XIV. 592 594
& Zeyh. XIV. 581
Meisn. XIV. 592 597
Ralph XIV. 592 598
L. fil. XIV. 575 592
Thbg XIV. 575 592
Lindl. XIV. 592
niflora E. Mey. XIV. 585
β brevifolia Meisn. - 586
stacfolia Eckl. & Zeyh. XIV. 574
Sims XIV. 592
ndiflora Meisn. XIV. 582
ndiflora W. XIV. 592

nodiflora Meisn.
obtusifolia Ber
obtusissima Mei
ochroleuca Lodd
oppositifolia Bu
oppositifolia L.
oppositifolia Thb
ovalifolia Meisn.
pallida Meisn. X
parviflora Meisn.
β debilis -
penicillata Lichte
pentandra Thbg X
philippinica Meis
phylicifolia Eckl.

pinifolia L. XIV. 5
β ochroleuca Mei
pinifolia L. fil. XIV
pinifolia Wendl. XI
polygalaefolia β lo
Lichte
polystachya Berg. X
priestleyaefolia Eckl.

ns *Berg.* XIV. 580
a *Meisn.* XIV. 593 594
a *Lam.* XIV. 581
a *Thbg* XIV. 590
L. XIV. 590
Thbg XIV. 585 581
a *Meisn.* XIV. 581
Lam. XIV. 583
L. XIV. 583
garis *Meisn.* - -
orescens - - -
ata - - -
Wickst. XIV. 590
Andr. XIV. 589
L. XIV. 587 588
Sims XIV. 587
xis *Gardn.* XIV. 593 598
na *Meisn.* XIV. 587
mi *Mill.* XIV. 587
ra *Bartl.* XIV. 591
s *Meisn.* XIV. 593 595
a *L.* XIV. 589
Eckl. & Zeyh. XIV. 590
Wickst. XIV. 592 582
a *Meisn.* XIV. 583
oides *Meisn.* XIV. 587
ata *Meisn.* XIV. 586
Lam. XIV. 587
Eckl. & Zeyh. XIV. 585
Meisn. XIV. 584
a *Eckl. & Zeyh.* XIV. 577 578 593
s *Meisn.* XIV. 590
- - - -
densata - - -
a *Eckl.* XIV. 593 596
a *Eckl. & Zeyh.* XIV. 584
a *Hook.* XIV. 585
a *L.* XIV. 581
vis *Meisn.* XIV. 593 595
a *Eckl. & Zeyh.* XIV. 559
Meisn. XIV. 593 594
s *Eckl. & Zeyh.* XIV. 585
s *Wickst.* XIV. 592 596
Berg. XIV. 587
eniana *Meisn.* XIV. 582
t. *Dingia Gardn.* XIV. 593
Eugnidia *Endl.* XIV. 580
Pentamerae Meisn. XIV. 593
Phidia *Endl.* XIV. 590

GNIDIEAE *Meisn.* XIV. 495 565
subtrib. 1 Isostemoneae *Meisn.* XIV. 565
- 2 Diplostemoneae *Meisn.* XIV. 573
Gnidium *Spach* XIV. 538 (Daphne)
Gobenia *Dc. fil.* XV. 1. 279 (Begonia)
Gobriasulla XVI. 2. 425
Goeppertia *Nees* XV. 1. 7 172
anomala *Nees* XV. 1. 173
argentea *Meisn.* XV. 1. 174
β L'Herminieri - - - -
cantagallana *Meisn.* XV. 1. 173
caudata *Meisn.* XV. 1. 175
chrysophylla *Meisn.* XV. 1. 174
dysodantha *Nees* XV. 1. 173
geminiflora *Meisn.* XV. 1. 175
hirsuta *Nees* XV. 1. 172
* mascula *Meisn.* - - -
** femina - - - -
β latifolia - - - -
γ hirsutior - - - -
δ coriacea - - - -
longifolia *Nees* XV. 1. 173
macrocalyx *Meisn.* XV. 1. 174
multiflora Miq. XV. 1. 81 175
panicularis Nees XV. 1. 513
polyantha *Meisn.* XV. 1. 175
reflectens *Nees* XV. 1. 173
sericea *Nees* XV. 1. 174
β opaca *Meisn.* - - -
γ bracteolata - - - -
Sprucei *Meisn.* XV. 1. 172
Golden-Pine XVI. 2. 413
Gomi XIV. 614
Gomortega R. & Pav. XV. 1. 67
nitida R. & Pav. XV. 1. 68
Gomphidium *Baill.* XV. 2. 276 319 351 (Phyllanthus)
Gomphidium Müll. Arg. XV. 2. 319 (*Glochidion*)
Gonatogyne Kl. XV. 2. 1269
lucens Kl. XV. 2. 1269
Goniostema *Baill.* XV. 2. 10 77 (Euphorbia)
Gonocladium Baill. XV. 2 550 556 (Croton)
Gonophylla Eckl. & Zeyh. XIV. 574
acuminata Eckl. & Zeyh. XIV. 578 (*bis*)
alpina Eckl. & Zeyh. XIV. 578
capitata Eckl. & Zeyh. XIV. 578 (*bis*)
coerulescens Eckl. & Zeyh. XIV. 576

Gonophylla
conglomerata Eckl. & Zeyh. XIV. 578 (*bis*)
ericoides Eckl. & Zeyh. XIV. 579
nana Eckl. & Zeyh. XIV. 577
nervosa Eckl. & Zeyh. XIV. 577
setosa Eckl. & Zeyh. XIV. 576
stricta Eckl. & Zeyh. XIV. 579
Gonopyrum C. A. Mey. XIV. 79
americanum Fisch. & Mey. XIV. 81
Gonopyrum *Fisch. & Mey.* XIV. 81 (Polygonella)
Gonostegia Turcz. XVI. 1. 235[2]
oppositifolia Turcz. XVI. 1. 235[7]
Goodallia *Benth.* XIV. 527
guyanensis *Benth.* XIV. 527
Go-siuso XVI. 2. 404
Goughia Wight XVI. 1. 1, XV. 2. 1259
Griffithiana Wight XVI. 1. 6
himalensis Benth. XVI. 1. 4
laurina Benth. XVI. 1. 4
neilgherensis Wight XVI. 1. 3
Gourmands XVII. 229
Govania Wall. XV. 2. 1112
nivea Wall. XV. 2. 1112
Goyono-matsu XVI. 2. 404
Greenheart XV. 1. 156
Grevillea *R. Br.* XIV. 349
acanthifolia *A. Cunn.* XIV. 377
acanthifolia var. quercifolia Cunn. XIV. 377
acicularis Cunn. XIV. 364
acicularis R. & Schult. XIV. 362
acifolia Spr. XIV. 362
aciphylla Sieber XIV. 362
acrobotrya *Meisn.* XIV. 391
acuminata *R. Br.* XIV. 358
acuminata Cunn. XIV. 358
agrifolia *Cunn.* XIV. 380
agrifolia hort. XIV. 378
alpestris *Meisn.* XIV. 361
β helianthemifolia - - -
Alphonsiana *F. Müll.* XIV. 699
alpina *Lindl.* XIV. 360
alpina α Lindl. XIV. 360
alpina β Lindl. XIV. 361
amplifica F. Müll. XIV. 355
anethifolia *R. Br.* XIV. 387
angulata *R. Br.* XIV. 380
angustata *R. Br.* XIV. 384
Aquifolium *Lindl.* XIV. 378 (*bis*)
α truncata *Meisn.* - -
β attenuata - - -

Grevillea
Aquifolium Meisn. XI
Aquifolium var. Lindl.
arenaria *R. Br.* XIV.
argyrophylla *Meisn.* X
armigera *Meisn.* XIV.
asparagoides *Meisn.*
aspera *R. Br.* XIV. 3
aspera β linearis

asplenifolia *Knight &*

attenuata A. Cunn. X
australis *R. Br.* XIV.
α planifolia *Hook.*
β brevifolia -
γ montana -
δ erecta -
ε linearifolia -
ζ subulata -
η tenuifolia *Meisn.*
autumnalis Lhotsk. XI
Banksii *R. Br.* XIV. 3
β stylo crassiore *Mei*
Baueri *R. Br.* XIV. 35
α pubescens *Meisn.*
β glabra - -
Baxteri *R. Br.* XIV. 3
Behrii Schlechl. XIV.
berberifolia *Colville* X
biformis *Meisn.* XIV.
bipinnatifida *R. Br.* XI
α vulgaris *Meisn.*
β glabrata - -
biternata *Meisn.* XIV.
blechnifolia A. Cunn.
brachyantha Lindl. XI
brachystachya *Meisn.*
brachystylis *Meisn.* XI
bracteosa *Meisn.* XIV.
brevicuspis *Meisn.* XI
Brownii *Meisn.* XIV. 3
buxifolia *R. Br.* XIV. 3
Caleyi *R. Br.* XIV. 37
callipteris *Meisn.* XIV.
Candolleana *Meisn.* XI
canescens *R. Br.* XIV.
capillaris *Meisn.* XIV. 3
capitellata *Meisn.* XIV.
carduifolia Cunn. XIV.
ceratophylla *R. Br.* XI
Chrysodendron *R. Br.*
chrysophaea *F. Müll.* X
cinerea *R. Br.* XIV. 35
β myrtacea *Meisn.* -
cinerea A. Cunn. XIV.

n. XIV. 376
. XIV. 367
. XIV. 367
. XIV. 367
Müll. XIV. 368
Br. XIV. 387
isn. XIV. 372
R. Br. XIV. 379
Meisn. XIV. 348
349
Müll. XIV. 361
ber XIV. 357
Br. XIV. 370
Meisn. XIV. 386
n. XIV. 356
XIV. 355
Müll. XIV. 353
Meisn. - -
- - -
tifolia F. Müll. XIV.
353
ugustifolia - - -
Br. XIV. 364
isn. XIV. 368
- - -
- - -
leisn. XIV. 350
r. XIV. 374
Cunn. XIV. 375
XIV. 354
eisn. XIV. 378
Meisn. XIV. 356
r. XIV. 365
isn. - -
. XIV. 392
ndl. XIV. 383
V. 352
Br. XIV. 369
- - 370
- - -
ber XIV. 359
XIV. 365
. XIV. 389
. XIV. 393
Br. XIV. 361
t. Br. XIV. 377
XIV. 385
. XIV. 352
. XIV. 364
. XIV. 391
t & Salisb. XIV.
385
XIV. 351
sn. XIV. 365
. *Br.* XIV. 380

Grevillea
heterophylla *A. Cunn.* XIV. 381
β velutina *Meisn.* - 382
Hewardiana *Meisn.* XIV. 366
Hookeriana *Meisn.* XIV. 374
Hügelii *Meisn.* XIV. 372
humifusa A. Cunn. XIV. 352
ilicifolia *R. Br.* XIV. 377
α attenuata - - 378
β dilatata - - -
γ quercina *Meisn.* - -
δ integrifolia *F. Müll.* - -
ilicifolia A. Cunn. XIV. 380
induta *F. Müll.* XIV. 393
insignis *Kippist* XIV. 379
integrifolia *Meisn.* XIV. 385
intricata *Meisn.* XIV. 387
juncifolia *Hook.* XIV. 351
juniperina *R. Br.* XIV. 363
lanigera *A. Cunn.* XIV. 383
α planifolia *Meisn.* - 364
β revoluta - - -
Latrobei *Meisn.* XIV. 364
α leiostylis - - -
β dasystylis - - -
γ scabrifolia - - -
Latrobei β montana F. Müll. XIV.
365
laurifolia *Sieber* XIV. 352
lavandulacea *Schlecht.* XIV. 362
α latifolia *Meisn.* - -
β lanceolata - - -
γ angustifolia - - -
lavandulacea var. F. Müll. XIV.
362
Lemanniana *Meisn.* XIV. 366
leptobotrys *Meisn.* XIV. 388
Leucadendron *A. Cunn.* XIV. 382
leucopteris *Meisn.* XIV. 382
Lindleyana Meisn. XIV. 373
linearis *R. Br.* XIV. 355
linearis Sieber XIV. 356
lineata *R. Br.* XIV. 385
lobata *F. Müll.* XIV. 379
β Sturtii *Meisn.* - -
longifolia *R. Br.* XIV. 376
longistyla *Hook.* XIV. 351
lorea R. Br. XIV. 393 394
Manglesii hort. XIV. 391
manglesioides *Meisn.* XIV. 368
β sericea - - -
Meisneriana *F. Müll.* XIV. 360
micrantha *Meisn.* XIV. 367
mimosoides *R. Br.* XIV. 385
Miqueliana *F. Müll.* XIV. 352
Mitchellii Hook. XIV. 383

Grevillea
Mitchellii *Meisn.* XIV. 383
montana *R. Br.* XIV. 358
monticola *Meisn.* XIV. 39
mucronifolia *Cunn.* XIV.
mucronulata *R. Br.* XIV.
myrtacea Sieber XIV. 358
myrtillifolia A. Cunn. XI
neglecta *R. Br.* XIV. 351
nudiflora *Meisn.* XIV. 366
nutans *Meisn.* XIV. 364
obliqua *R. Br.* XIV. 382
obtusiflora *R. Br.* XIV. 3
obtusifolia *Meisn.* XIV. 3
occidentalis *R. Br.* XIV.
α lanceolata *Meisn.* –
β linearis – –
oleoides *Sieber* XIV. 353
ornithopoda *Meisn.* XIV.
oreophila F. Müll. XIV. 3
oxystigma *Meisn.* XIV. 37
α heterophylla – –
β acerosa – –
γ tenella – – 5
paniculata *Meisn.* XIV. 39
parallela Knight & Salisb

parviflora *R. Br.* XIV. 36
parviflora F. Müll. XIV.
pauciflora *R. Br.* XIV. 35
pectinata *R. Br.* XIV. 372
petrophiloides *Meisn.* XIV
phylicoides *R. Br.* XIV. 3
phylicoides A. Cunn. XI

Pinaster *Meisn.* XIV. 367
pinifolia Hook. XIV. 383
pinifolia *Meisn.* XIV. 350
planifolia R. Br. XIV. 35
podalyriaefolia *Colvil.* XI
podocarpifolia *Sweet* XIV.
polybotrya *Meisn.* XIV. 3
polybotrya *F. Müll.* XIV.
polystachya *R. Br.* XIV.
Preissii *Meisn.* XIV. 371
pteridifolia Knight & Sali

pterosperma *F. Müll.* XI
pubescens Hook. XIV. 357
pulchella *Meisn.* XIV. 389
pungens *R. Br.* XIV. 372
punicea *R. Br.* XIV. 354
pyramidalis *A. Cunn.* XIV.
pyriformis hort. XIV. 393
quercifolia *R. Br.* XIV. 39
ramosissima *Meisn.* XIV.

n. XIV. 382
Br. XIV. 351
n. XIV. 381
n. XIV. 391
- - 392
a - - -
nata- - -
Müll. XIV. 353
Meisn. XIV. 380
Cunn. XIV. 373
en. Conogyne *Meisn.* XIV. 385
Eugrevillea *Meisn.* XIV. 349
sect. Aphanoptera *Meisn.* XIV. 351
1 Lissostylis - - -
2 Eriostylis - - 369
3 *Calothyrsus* - - 371
Cycloptera *R. Br.* XIV. 379
Plagiopoda *R. Br.* XIV. 349
Manglesia *Meisn.* XIV. 391
Calothyrsus R. Br. XIV. 371
Conogyne R. Br. XIV. 385
Eriostylis R. Br. XIV. 369
Grevillea stricte dicta R. Br. XIV. 371
Lissostylis R. Br. XIV. 352
Ptychocarpa R. Br. XIV. 352
Meisn. XIV. 211 348
EAE Endl. XIV. 348
I. 2. 381
dd. XVII. 74 (Podostemum)
it. XV. 2. 1259
XIV. 618, *Berg. Kl.* XIV. 618
ley. XIV. 618
a Berg. XIV. 618
ia Krauss. XIV. 618

Grubbia
stricta *Dc. fil.* XIV. 618
Grubbia *sect.* Ophira *Dc. fil.* XIV. 618
Strobilocarpus *Dc. fil.* XIV. 618
GRUBBIACEAE *Dc. fil.* XIV. 617
GRUBBIACEAE Endl. XIV. 617
Guaco XV. 1. 476
Guaguedi XIV. 237
Guajabara Plum. XIV. 150
racemosa Plum. XIV. 152
Guarania Baill. XV. 2. 466 467
Gardneriana Baill. XV. 2. 468
laurifolia Baill. XV. 2. 468
longifolia Baill. XV. 2. 467
purpurascens Baill. XV. 2. 467
ramiflora Baill. XV. 2. 467
Spruceana Baill. XV. 2. 468
Guardafuego XIV. 449
Guennechibe XV. 2. 96
Guevina *Molin.* XIV. 347
Avellana *Molin.* XIV. 347
Guiet koong XVI. 2. 391
Gumillea *R. & Pav.* XVII. 293
Gunapatu XV. 2. 60
Gunnera *L.* XVI. 2. 597, *Gaudich.* XVI. 2. 597, *Oerst.* XVI. 2. 597 598
bracteata *Benn.* XVI. 2. 597
chilensis *Lam.* XVI. 2. 598
commutata *Bl.* XVI. 2. 598
cordifolia *Hook. fil.* XVI. 2. 599
erosa Bl. XVI. 2. 599
falklandica Hook. fil. XVI. 2. 600
insignis *Dc. fil.* XVI. 2. 597
insularis Philipp. XVI. 2. 597
integrifolia *Bl.* XVI. 2. 600
lobata *Hook. fil.* XVI. 2. 599
macrophylla *Bl.* XVI. 2. 598
magellanica *Lam.* XVI. 2. 599
manicata *hort. Linden* XVI. 2. 600
monoica *Raoul* XVI. 2. 599
peltata *Philipp.* XVI. 2. 598
perpensa *L.* XVI. 2. 598
petaloidea *Gaudich.* XVI. 2. 597
β kauensis - - - -
pilosa H. B. & Kth XVI. 2. 598
plicata Vahl XVI. 2. 600
prorepens *Hook. fil.* XVI. 2. 599
scabra Berter. XVI. 2. 597
scabra Philipp. XVI. 2. 597
scabra R. & Pav. XVI. 2. 598
sonchifolia Mirb. XVI. 2. 600

GUNNERACEAE *Agardh* XVI. 2. 596, *Endl.* XVI. 2. 596
GUNNEREAE *Dc. fil.* XVI. 2. 596
Gunneropsis Oerst. XVI. 2. 597
Gurium XVI. 2. 611
Gurltia Kl. XV. 1. 278 372
Boucheana Kl. XV. 1. 373
Meyeri Kl. XV. 1. 373
rigida Kl. XV. 1. 373
strigulosa Hassk. XV. 1. 399
tomentosa Kl. XV. 1. 372
Gussonia *Müll. Arg.* XV. 2. 1175 (Sebastiania)
Gussonia Müll. Arg. XV. 2. 1175 (*Gymnanthes*)
Gussonia Spr. XV. 2. 1164 1185
concolor Spr. XV. 2. 1193 1194
discolor Spr. XV. 2. 1185
GUTTIFERAE Leprieur XVI. 2. 638
GUTTIFERIS AFFINES Juss. XVI. 2. 604
Gymnacranthera *Dc. fil.* XIV. 200 (Myristica)
Gymnalypha Griseb. XV. 2. 799
Jacquini Griseb. XV. 2. 802
Gymnanthes Sw. XV. 2. 1164 1175, *Baill.* XV. 2. 1182, *Müll. Arg.* XV. 2. 1164
actinostemoides Müll. Arg. XV. 2. 1184
albicans Griseb. XV. 2. 1183
angustifolia Müll. Arg. XV. 2. 1179
bahiensis Müll. Arg. XV. 2. 1183
brachyclada Müll. Arg. XV. 2. 1178
brasiliensis Müll. Arg. XV. 2. 1186
α robusta - - - -
β obovata - - - 1187
** rufescens* - - - -
*** microphylla* - - - -
γ spathulata - - - -
δ Sellowiana - - - -
a reticulata - - - -
b foveata - - - -
ε divaricata - - - -
ζ genuina - - - -
η erythroxyloides - - - 1188
brevifolia Müll. Arg. XV. 2. 1186
concolor Müll. Arg. XV. 2. 1194
discolor Baill. XV. 2. 1178
discolor Müll. Arg. XV. 2. 1185
β subconcolor - - - -
elliptica Sw. XV. 2. 1181
Gymnanthes
Gaudichaudii Müll. Arg.
glandulosa Müll. Arg.
granatensis Müll. Arg.
guyanensis Müll. Arg.
hypoleuca Benth. XV. 2
hypoleuca Müll. Arg.
α latifolia - - -
β intermedia - - -
γ angustifolia - - -
jacobinensis Müll. Arg.
Klotzschiana Müll. Arg.
ligustrina Müll. Arg. X
longipes Müll. Arg. XV.
lucida Sw. XV. 2. 1181
marginata Baill. XV. 2.
multiramea Müll. Arg.
multiramea v Luschnath
X
β genuina
X
nervosa Müll. Arg. XV.
obtusa Baill. XV. 2. 11
pachystachys Müll. Arg.
α pubescens - - -
β glabra - - -
pallens Müll. Arg. XV.
Pavoniana Müll. Arg.
pteroclada Müll. Arg.
rigida Müll. Arg. XV. 2
riparia Kl. XV. 2. 1181
riparia Müll. Arg. XV.
Schlechtendaliana Müll.
Schottiana Müll. Arg.
serrata Baill. XV. 2. 11
serrata Müll. Arg. XV.
serrata α pubescens Mü
XV.
β glabra - -
stipulacea Müll. Arg.
Treculiana Müll. Arg.
trinervia Müll. Arg. XV.

cs
ni Müll. Arg. XV. 2. 1178
ensis Müll. Arg. XV. 2. 1179
es sect. Ditrysinia Müll. Arg. XV. 2. 1165
Eugymnanthes Müll. Arg. XV. 2. 1175 1176
Gussonia Müll. Arg. XV. 2. 1175 1182
Stenogussonia Müll. Arg. XV. 2. 1185 1189
Stenogymnanthes Müll. Arg. XV. 2. 1185
Stillingiopsis Müll. Arg. XV. 2. 1165
s Baill. XVII. 23 (Jodes)
anus Nees XV. 1. 7 140
ana Nees XV. 1. 142 165
i Meisn. XV. 1. 142
sis Nees XV. 1. 141
Meisn. XV. 1. 141
n Nees XV. 1. 140
des Meisn. XV. 1. 141
a Meisn. XV. 1. 141
agata - - - -
Meisn. XV. 1. 140
hrys Wall. XV. 2. 1201 1211
pus Pet. Thouar. XV. 2. 489
oxylon Müll. Arg. XV. 2. 780 (Claoxylon)
ca Fisch. & Mey. XIV. 496 515
a Fisch. & Mey. XIV. 517
a Fisch. & Mey. XIV. 515
rpa Fisch. & Mey. XIV. 517
ca Meisn. XIV. 514 (Pimelea)
ton Baill. XV. 2. 620 (Croton)
ENS Lindl. XVI. 2. 345
us Duchart. XV. 1. 439 (Aristolochia)
ium Müll. Arg. XV. 2. 1212 (Excoecaria)
GYMNOSPERMAE Lindl. XVI. 2. 345
Gymnostillingia *Müll. Arg.* XV. 2. 1163
acutifolia *Müll. Arg.* XV. 2. 1163
macrantha *Müll. Arg.* XV. 2. 1163
Gymnotheca *Dene* XVI. 1. 236 237
chinensis *Dene* XVI. 1. 237
Gymnothyrsus Endl. XVI. 2. 184 (Alnus)
Gymnothyrsus *Spach* XVI. 2. 184 (Alnus)
Gynamblosis Torr. XV. 2. 513 688
maritima Baill. XV. 2. 690
monanthogyna Torr. XV. 2. 689
Gynamblosis A. Gray XV. 2. 688 (Croton)
Gynocardia *R. Br.* XVII. 293 291
Gynocephala Bl. XVII. 9
macrophylla Bl. XVII. 11
Gynocephalium Endl. XVII. 9
luzoniense Llanos XVII. 10
Gynocephalum Billardieri Planch. XVII. 12
bracteatum Trécul XVII. 12
giganteum Trécul XVII. 10
macrophyllum Trecul XVII. 11
oblongum Trécul XVII. 13
palmatum Trécul XVII. 12
Gynoon A. Juss. XV. 2. 274 278
Heyneanum Wight & Arn. XV. 2. 311
hirsutum Wight XV. 2. 313
Jussieuanum Wight XV. 2. 304
rigidum Juss. XV. 2. 305
tetrandrum Wight & Arn. XV. 2. 434
triandrum Wight XV. 2. 304
Gyrandra Wall. XV. 2. 1259, XVI. 1. 1
laurina Wall. XVI. 1. 4
GYRANDREAE *Baill.* XV. 2. 272
GYRINOPEAE *Meisn.* XIV. 601
Gyrinops *Gaertn.* XIV 602
Walla *Gaertn.* XIV. 602 700
Gyrinopsis *Dene* XIV. 602
Cumingiana *Dene* XIV. 603
GYROCARPEAE *Dumort.* XV. 1. 247
GYROCARPEAE *Meisn.* XV. 1. 9 247
Gyrocarpus *Jacq.* XV. 1. 9 247
acuminatus *Meisn.* XV. 1. 248
americanus *Jacq.* XV. 1. 247
β Pavonii *Meisn.* - - 248
asiaticus *W.* XV. 1. 248
β cordatus *Meisn.* - - -
γ zeylanicus - - - -

Gyrocarpus
δ javanicus *Meisn.* XV. 1
Jacquini Pav. XV. 1. 248
Jacquini Pers. XV. 1. 247
Jacquini Roxb. XV. 1. 248
Jacquini Thwait. XV. 1. 2
lobatus Blanco XV. 1. 249
rugosus *R. Br.* XV. 1. 248
β philippinensis *Meisn.* –
sphenopterus G. Müll. XV.
sphenopterus *R. Br.* XV. 1
Gyrolecana Bl. XVI. 2. 91 (Q
Gyrotaenia *Griseb.* XVI. 1. 9
myriocarpa *Griseb.* XVI. 1.
spicata *Wedd.* XVI. 1. 99
trinervata *Wedd.* XVI. 1.

H.

Haagea Kl. XV. 1. 278 391
dipetala Kl. XV. 1. 391
Haagea *Dc. fil.* XV. 1. 391

Haasia *Bl.* XV. 1. 4 59
borneensis *Meisn.* XV. 1.
caesia *Miq.* XV. 1. 62 506
cuneata Bl. XV. 1. 62
cuneata Nees XV. 1. 77
cyrtopoda *Miq.* XV. 1. 60
elongata *Bl.* XV. 1. 60
β angustifolia *Miq.* – –
firma *Bl.* XV. 1. 60
incrassata Nees XV. 1. 60
media *Bl.* XV. 1. 60
media Zolling. XV. 1. 62
microcarpa *Bl.* XV. 1. 60
nitida *Meisn.* XV. 1. 61
oppositifolia *Meisn.* XV. 1.
paradoxa *Miq.* XV. 1. 62
pauciflora *Miq.* XV. 1. 62
peduncularis *Nees* XV. 1.
peduncularis Teysm. & Bi
XV. 1
spectabilis *Miq.* XV. 1. 62
squarrosa *Miq.* XV. 1. 60
subcaesia *Miq.* XV. 1. 506
undulata Teysm. & Binnend.

Wightii *Nees* XV. 1. 61
β latifolia *Meisn.* – – –
Habhel XVI. 2. 476
Hachot XIV. 72
Hackmatac XVI. 2. 410
Haematospermum Wall. XV.

. Br. XIV. 408
conchifolia Meisn. XIV. 408
ii R. Br. XIV. 394
Lindl. XIV. 415
R. Br. XIV. 402
Cav. XIV. 415 (*bis*)
Meisn. - -
folia - - -
. Br. XIV. 401
Cunning. XIV. 321
R. Br. XIV. 407
G. Don XIV. 409
. & Schult. XIV. 419
ackay XIV. 419
Br. XIV. 412
abill. XIV. 395
Br. XIV. 417
cisn. XIV. 404
es Meisn. XIV. 413
Br. XIV. 414
ubuninervis Meisn. XIV. 397
Cunning. XIV. 419
Sweet XIV. 408
Meisn. XIV. 409
Müll. XIV. 396 699
Br. XIV. 396
Br. XIV. 405
Meisn. - -
XIV. 405
leisn. XIV. 416
Br. XIV. 394
. XIV. 401
bill. XIV. 403
ppist XIV. 399
Br. XIV. 407 (*bis*)
ntata Meisn. - -
ata - - -
rad. XIV. 398
ght & Salisb. XIV. 398
Hook. XIV. 405
hort. angl. XIV. 419
Meisn. XIV. 412
Br. XIV. 4 406
Meisn. - -
- - -
. Br. XIV. 411
Hook. XIV. 406
Br. XIV. 404
Meisn. XIV. 402
weet XIV. 419
. XIV. 419
Br. XIV. 411

Hakea
lasiocarpha *R. Br.* XIV. 403
latifolia *Lodd.* XIV. 419
laurina *R. Br.* XIV. 411
Lehmanniana *Meisn.* XIV. 398
Leucadendron *Meisn.* XIV. 411
leucocephala Dietr. XIV. 396
leucoptera *R. Br.* XIV. 396
ligustrina Knight & Salisb. XIV. 416
linearis *R. Br.* XIV. 405
lissocarpha *R. Br.* XIV. 403
lissosperma *R. Br.* XIV. 401
longicuspis *Hook.* XIV. 395
longifolia Cunning. XIV. 394
longifolia *Dum-Cours* XIV. 419
loranthifolia *Meisn.* XIV. 411
lorea *R. Br.* XIV. 394
macrocarpa *Cunn.* XIV. 411
macrocarpa *hort. Belved.* XIV. 419
marginata *R. Br.* XIV. 418
megalosperma *Meisn.* XIV. 417
Meisneriana *Kippist* XIV. 399
microcarpa *R. Br.* XIV. 400
α tasmanica *Meisn.* - -
β bathurstiana - - -
Milligani *Meisn.* XIV. 395
mimosoides *Cunn.* XIV. 416
Mitschellii *Meisn.* XIV. 398
mixta Lindl. XIV. 404
multilineata *Meisn.* XIV. 410
myricaefolia Ait. XIV. 410
myrtoides *Meisn.* XIV. 418
nervosa Knight & Salisb. XIV. 415
neurophylla *Meisn.* XIV. 413
nitida *R. Br.* XIV. 406
nodosa *R. Br.* XIV. 397
obliqua *R. Br.* XIV. 395
obtusa *Meisn.* XIV. 411
oleifolia *R. Br.* XIV. 416
pachyphylla Sieber XIV. 397
Pamplintana *Kippist* XIV. 395
pandanicarpa *R. Br.* XIV. 412
parilis Knight & Salisb. XIV. 398
patula *R. Br.* XIV. 401
pectinata Colla XIV. 403
pectinata *Dum-Cours* XIV. 419
petiolaris *Meisn.* XIV. 413
petrophiloides hort XIV. 403
petrophiloides *Mackay* XIV. 419
pilulifera Lindl. XIV. 370
pinifolia Salisb. XIV. 402
platysperma *Hook.* XIV. 394

Hakea
Preissii *Meisn.* XIV. 399
propinqua *Cunn.* XIV. 3
prostrata *R. Br.* XIV. 40
pubescens hort. Cels. XI

pubescens Schrad. XIV.
pugioniformis *Cav.* XIV
α sericea *Meisn.* –
β hirsuta – –
purpurea *Hook.* XIV. 40
pycnoneura *Meisn.* XIV.
pyriformis Cav. XIV. 4
recurva *Meisn.* XIV. 394
repanda *R. Br.* XIV. 40
rostrata *F. Müll.* XIV. 3
rubricaulis Cels. XIV. 4
rugosa *R. Br.* XIV. 397
ruscifolia *Labill.* XIV. 4
salicifolia Sweet XIV. 4
saligna *Knight* & *Sali*

scoparia *Meisn.* XIV. 39
semiplana *F. Müll.* XIV.
sericea hort. XIV. 414
sericea Schrad. XIV. 40
smilacifolia *Meisn.* XIV.
stenocarpa *R. Br.* XIV.
stenophylla *Cunning.* XI
stenophylla Baxt. XIV.
stricta *F. Müll.* XIV. 40
strumosa *Meisn.* XIV. 40
suaveolens *R. Br.* XIV.
subsulcata *Meisn.* XIV. 3
subulata *Cunning.* XIV.
sulcata *R. Br.* XIV. 399
sulcata Meisn. XIV. 399
tenuifolia *Dum-Cours* X
tephrosperma *R. Br.* XI
tephrosperma Meisn. XI
tricostata Hook. XIV. 41
tricruris Lindl. XIV. 404
triformis Lindl. XIV. 40
trifurcata *R. Br.* XIV. 40
α eriantha *Meisn.* – –
β sericantha – – –
trinervis *Meisn.* XIV. 414
tuberculata *R. Br.* XIV.
ulicina *R. Br.* XIV. 415
β angustifolia *Meisn.* –
γ macrocarpa – –
ulicina F. Müll. XIV. 40
undulata *R. Br.* XIV. 407
β subintegerrima *Meisn.*
varia *R. Br.* XIV. 405
Victoriae *Drumm.* XIV. 4

s Hassk. XV. 2. 768
772
us Hassk. XV. 2. 772
s Baill. XV. 2. 772
(*Sajorium*)
s Müll. Arg. XV. 2. 772
(Plukenetia)
m Müll. Arg. XV. 2.
278 418 (Phyllanthus)
Miq. XV. 2. 274 418
457, *Jack* XV. 2. 1259
Miq. XV. 2. 419 466
s Miq. XV. 2. 457
Müll. Arg. XV. 2. 457
(Baccaurea)
& *G. Forst.* XVI. 2.
Tul. XVI. 2. 657, *A.*
Cunning. XVI. 2. 669
a Cunn. XVI. 2. 673
& *G. Forst.* XVI. 2.
672
Dc. fil. - - 673
a Dc. fil. XVI. 2. 673
ifolia - - - -
mi Tul. XVI. 2. 673
Forst. XVI. 2. 673
r. australasica Sond.
XVI. 2. 673
les A. Gray XVI. 2.
673
ulata - - - -
r. XVI. 2. 673
la A. Cunning. XVI. 2.
669
rus F. Müll. XVI. 2. 673
(*bis*)
Tul. XVI. 2. 658 673
nn. XVI. 2. 673
Dc. fil. XVI. 2. 642
671
Sw. XVI. 1. 473 479
Cordem. XVI. 1. 484
um Solms XVI. 1. 485
s Cordem. XVI. 1. 483
484
s Griseb. XVI. 1. 479
s Sw. XVI. 1. 482
Solms XVI. 1. 485
Cordem. XVI. 1. 483
(*bis*)
num H. B. & *Kth* XVI.
1. 481
anum Mart. XVI. 1.
484
Mart. XVI. 1. 484
rratum Oerst. XVI. 1. 482

Hedyosmum
cumbalense *Karst.* XVI. 1. 481
Dombeyanum *Solms* XVI. 1. 482
elegans Cordem. XVI. 1. 483
glabratum Cordem. XVI. 1. 481
482
glabratum Kth XVI. 1. 482
glaucum Cordem. XVI. 1. 482 483
485
glaucum *Solms* XVI. 1. 485
Goudotianum *Solms* XVI. 1. 482
Grisebachii *Solms* XVI. 1. 479
hirsutum H. B. & *Kth* XVI. 1.
480
integrum *Cordem.* XVI. 1. 483
(*bis*)
laciniatum *Solms* XVI. 1. 485
latifolium Cordem. XVI. 1. 480
Lechleri *Solms* XVI. 1. 484
Mandoni *Solms* XVI. 1. 480
mexicanum *Cordem.* XVI. 1. 485
nutans *Sw.* XVI. 1. 479
parvifolium *Cordem.* XVI. 1. 481
pseudo-andromeda *Solms* XVI. 1.
481
racemosum Cordem. XVI. 1. 483
484
racemosum *G. Don* XVI. 1. 483
scabrum *Solms* XVI. 1. 480
β Pavonii - - - -
Sprucei *Solms* XVI. 1. 483
Weddellianum *Cordem.* XVI. 1.
484
Hedyosmum *sect.* Artocarpoides
Solms XVI. 1.
484
Euhedyosmum
Solms XVI. 1.
479
Tafalla *Solms*
XVI. 1. 480
Heliamphora *Benth.* XVII. 6
nutans *Benth.* XVII. 6
Helicia *Lour.* XIV. 438, *Pers.* XVII.
293
attenuata *Bl.* XIV. 439
australasica *F. Müll.* XIV. 699
castaneaefolia *Meisn.* XIV. 441
cochinchinensis *Lour.* XIV. 442
Cumingiana *Presl* XIV. 440
excelsa *Bl.* XIV. 441
β edentata *Meisn.* - -
glabrata *Meisn.* XIV. 442
javanica *Bl.* XIV. 440
lancifolia *Sieb.* & *Zucc.* XIV. 439
loranthoides *Presl* XIV. 438

Helicia
macrophylla Wall. XIV. 440
moluccana *Bl.* XIV. 438
oblongifolia *Bennett* XIV. 438
obovata *Bennett* XIV. 440
β minor *Meisn.* - -
ovata *Bennett* XIV. 439
petiolaris *Bennett* XIV. 438
philippinensis *Meisn.* XIV. 441
robusta *Wall.* XIV. 440
salicifolia *Presl* XIV. 439
serrata *Bl.* XIV. 441
serrata β Boissieriana Meisn. XIV. 441
Spec. Zolling. XIV. 442
zeylanica *Gardn.* XIV. 438
Helicostylis *Trécul* XVII. 282 287
Helittophyllum Bl. XIV. 438
javanicum Bl. XIV. 440
parviflorum Zipp. XIV. 441
Helix Fries XVI. 2. 306 (Salix)
Helixanthera Lour. XVII. 293
Helleria Nees & Mart. XVII. 298
Helminthospermum (Helminthosperma?) Thwait. XVII. 205
glabrescens Thwait. XVII. 209
scabridum Thwait. XVII. 207
HELOSIDEAE *Auct.* XVII. 131
HELOSIDEAE *Schott & Endl.* XVII. 120 134
Helosis *Rich.* XVII. 120 134, *Auct.* XVII. 131
aquatica Mutis XVII. 136
brasiliensis *Schott & Endl.* XVII. 135
guianensis *Rich.* XVII. 136
guianensis var. andicola Hook. fil. XVII. 136
guianensis var. brasiliensis Hook fil. XVII. 135
jamaicensis Rich. XVII. 134 136
mexicana *Liebm.* XVII. 136
β andicola *Endl.* - -
Helwingia *W.* XVI. 2. 680, XIV. 622
japonica *Dietr.* XVI. 2. 680
populifolia Spr. XVI. 2. 681
rusciflora W. XVI. 2. 680
HELWINGIACEAE *Dc. fil.* XVI. 2. 680
HELWINGIACEAE *Mor. & Dene* XVI. 2. 680
Helxine L. XIV. 83 135 143
Helxine *Req.* XVI. 1. 235[51]
Soleirolii *Req.* XVI. 1. 235[51]
Helxine Mutel XVI 1 235[51] (Parietaria)
Hemicicca Baill. XV.
japonica Baill. XV.
Hemicicca *Müll. Arg.* 324
Hemiclidia *R. Br.* XIV
Baxteri *R. Br.* XIV
Hemicyclia *Müll. Arg*
Wight & Arn.
australasica *Müll.*
Gardneri *Thwait.* X
lanceolata *Thwait.*
rhacodiscus (rhako
sepiaria *Wight &*
sumatranum (*sumat*
Müll. A
venusta *Thwait.* XV
Hemicyclia *sect.* Asty
Eub
M
Hemiglochidion Müll. 2
Hemiglochidion *Müll.* 275 287
Hemipapaya *Dc. fil.* X
Hemiphractum Turcz.
oxyandrum Turcz.
Hemiphractum *Benth.* 2
Hemiphyllanthus Müll. 3
Hemiphyllanthus *Müll.* 276 32
Hemiptelea *Planch.* X
Davidii *Planch.* XV
Hemisauropus *Müll.*
HEMISTEMONEAE *Mo*
Hemistylis *Benth.* XV
boehmerioides *Ben*
macrostachya *Wedd.*
odontophylla *Wedd.*
velutina *Wedd.* XV
Hemlock XVI. 2. 428
Hendecandra Eschsch. 689,
divaricata Kl. XV.
glabrescens Kl. XV.

l. XV. 2. 563
l. XV. 2. 690
is Kl. XV. 2. 563
Torr. XV. 2. 692
Kl. XV. 2. 563
Eschsch. XV. 2. 691
. XV. 2. 692
Kl. XV. 2. 563
esl XV. 1. 250
CEAE Lindl. XVI. 2. 677
. XIV. 630
l. XIV. 631
Bl. XIV. 631
Benth. XIV. 632
Hook. fil. & Thoms. XIV. 632 (*bis*)
nsis Dc. fil. - -
Hook. fil. XIV. 632
Dc. fil. XIV. 631
Bl. XIV. 630
is Dc. fil. XIV. 631
na Bl. XIV. 631
XIV. 630
XIV. 631
Bl. XIV. 630
ar. β Miq. XIV. 630
ar. γ Miq. XIV. 630
XIV. 631
lia - - -
all. XVI. 2. 677, *Lindl.* XVI. 2. 677
nch. XVI. 2. 678
Planch. XVI. 2. 678
ll. XVI. 2. 678
all. XVI. 2. 679
s Planch. XVI. 2. 679
Miq. XVI. 2. 679
Wall. XVI. 2. 678
ACEAE Mart. XVI. 2. 677, *Endl.* XVI. 2. 677
r. XVII. 293
eptalla) Raf. XV. 2. 513 687
Raf. XV. 2. 688
Raf. XV. 2. 687
ll. Arg. XV. 2. 514 687 (Croton)
Gaertn. XVII. 293
riae Rumph XVI. 1. 220
. XV. 2. 899 907, *Hook.* & *Arn.* XV. 2. 915 916
olia Kth XV. 2. 912
ia W. XV. 2. 912

Hermesia
mexicana Hook. & Arn. XV. 2. 916
salicifolia Baill. XV. 2. 912
Hernandia *Plum.* XV. 1. 262. *Vieill.* XV. 1. 264
cordigera Vieill. XV. 1. 264
cubensis *Griseb.* XV. 1. 262
guianensis *Aubl.* XV. 1. 262
Moerenboutiana *Guillem.* XV. 1. 264
ovigera Lam. XV. 1. 262
ovigera *L.* XV. 1. 262
β mascarenensis *Meisn.* - - 263
peltata *Meisn.* XV. 1. 263
sonora *L.* XV. 1. 263 *(bis)*
β guadeloupensis *Meisn.* - - 264
sonora Zolling. XV. 1. 262
HERNANDIACEAE *Bl.* XV. 1. 261
HERNANDIACEAE *Dumort.* XV. 1. 261
HERNANDIACEAE *Meisn.* XV. 1. 261
Hernandiopsis *Meisn.* XV. 1. 264
Vieillardi *Meisn.* XV. 1. 264
Herniaria lucida aquatica Sloan. XVI. 1. 106
Heruna XIV. 146
Hesperidium Baill. XV. 2. 645 (Croton)
Hesperocnide *Torr. & Gray* XVI. 1. 67
sandwicensis *Wedd.* XVI. 1. 68
tenella *Torr. & Gray* XVI. 1. 68
Heteralchornea Müll. Arg. XV. 2. 904 (Alchornea)
Heterochlamys Turcz. XV. 2. 700
quinquenervia Turcz. XV. 2. 704
Heteroglochidion *Müll. Arg.* XV. 2. 276 319 (Phyllanthus)
Heterolaena Fisch. & Mey. XIV. 496
decussuta C. A. Mey. XIV. 502
hispida C. A. Mey. XIV. 503
incana C. A. Mey. XIV. 509
nivea C. A. Mey. XIV. 509
rosea C. A. Mey. XIV. 503
spectabilis Fisch. & Mey. XIV. 504
Heterolaena Endl. XIV. 497 (Pimelea)
Heterotropa Mor. & Dcne XV. 1. 422 427, *A. Gray* XV. 1. 425
arifolia A. Gray XV. 1. 425
asaroides Mor. & Dcne XV. 1. 427
parviflora Hook. XV. 1. 426
Heterotropa *A. Braun* XV. 1. 427 (Asarum)

Heterotropa A. Gray XV. 1. 425 (Asarum)
Hettlingeria *Neck.* XVII. 293
Hevea *Aubl.* XV. 2. 711 716
Benthamiana *Müll. Arg.* XV. 2. 718
brasiliensis *Müll. Arg.* XV. 2. 718
discolor *Müll. Arg.* XV. 2. 717
guianensis *Aubl.* XV. 2. 719
lutea *Müll. Arg.* XV. 2. 719
paraensis Baill. XV. 2. 717
pauciflora *Müll. Arg.* XV. 2. 717
rigidifolia *Müll. Arg.* XV. 2. 718
Spruceana *Müll. Arg.* XV. 2. 717
Hevea *sect.* Bisiphonia *Müll. Arg.* XV. 2. 717
Euhevea *Müll. Arg.* XV. 2. 719
Hevea Baill. XV. 2. 719 (*Siphonia*)
HEVEEAE *Müll. Arg.* XV. 2. 711 716
Hexadenia Kl. & Gke XV. 2. 4
macrocarpa Kl. & Gke XV. 2. 6
Hexadica Lour. XV. 2. 1259
Hexanthus Lour. XV. 1. 177
umbellatus Lour. XV. 1. 192
Hexastylis Raf. XVI. 2. 550
arabica Raf. XVI. 2. 551
canescens Raf. XVI. 2. 551
Hexodon *Duchart.* XV. 1. 438 (Aristolochia)
Hiba XVI. 2. 460
Hicorius Raf. XVI. 2. 142
Hieronyma *Freir. Allem.* XV. 2. 268
alchorneoides *Freir. Allem.* XV. 2. 271
Blanchetiana Tul. XV. 2. 271
clusioides Griseb. XV. 2. 270
clusioides *Müll. Arg.* XV. 2. 272
cubana *Müll. Arg.* XV. 2. 270
ferruginea *Tul.* XV. 2. 269
laxiflora *Müll. Arg.* XV. 2. 272
macrocarpa *Müll. Arg.* XV. 2. 269
α Moritziana - - - 270
β Spruceana - - - -
mollis *Müll. Arg.* XV. 2. 269
oblonga *Müll. Arg.* XV. 2. 271
α oblonga - - - -
β Benthami - - - -
γ obtusata - - - -
δ Blanchetiana - - - -
pallida *Müll. Arg.* XV. 2. 270
scabra *Müll. Arg.* XV. 2. 270
HIERONYMEAE *Müll.*
Himbabao XVII. 224
Hime-Tsuga XVI. 2.
Hinoki XVI. 2. 466
Hippocrepandra *Müll.*
ericoides *Müll. Arg.*
gracilis *Müll. Arg.*
lurida *Müll. Arg.*
Neesiana *Müll. Arg.*
Hippomane *L.* XV. 2.
biglandulosa Aubl.
biglandulosa Sw.
Mancinella *L.* XV.
spinosa *L.* XV. 2.
HIPPOMANEAE Aga
HIPPOMANEAE *Bartl.*
HIPPOMANEAE *Müll.*
Hippomanica *Molin.*
Hippophae *L.* XIV. 60
argentea Pursh XIV
canadensis L. XIV.
conferta Wall. XIV.
rhamnoides *L.* XIV.
salicifolia *Don* XIV.
Hisingera Helen. XV.
Hocquartia Dumort.
Hoefnagelia *Neck.* XV
Hoferia Scop. XVII.
Hoffmanella Kl. XV.
rosea Kl. XV. 1.
Holderlinia Neck. XIV.
Holoclinium *Dc. fil.* X
Hololachna Ehrenb. X
Holopetalum Turcz. X
Burchellii Müll. Arg
pumilum Müll. Arg.
pumilum Turcz. XVI.
pumilum β majus M
spathulatum Turcz.
Holopetalum *Harv.* XV
Holoptelea *Planch.* XV
integrifolia *Planch.*
α lelocarpa -
β hebecarpa -
γ zeylanica -

AE L. XV. 1. 266, XIV. 1
uchart. XV. 1. 431
Duchart. XV. 1. 432
Bartl. XV. 2. 1143 1144
Zoll. XV. 2. 1145
s Bung. XVI. 2. 587 588
oiss. XVI. 2. 589
g. XVI. 2. 588
Boiss. XVI. 2. 588
s Müll. Arg. XVI. 2. 588 (Ochradenus)
Bl. XVII. 207
XVII. 209
Miers XVII. 297
our. XV. 2. 1022
Müll. Arg. XV. 2. 1022
ll. Arg. XV. 2. 1022
a - - - 1023
a - - - -
ur. XV. 2. 1023
rifolia A. Gray XV. 1. 425
ea Endl.) *Roxb.* XVI. 16 632, *Endl.* XVI. 2.
th. & Hook. fil. XVI. 2. 636
Korth. XVI. 2. 634
hwait. XVI. 2. 633
Miq. XVI. 2. 635
les (dryobalanoides?) Miq. XVI. 2. 634
a Roxb. XVI. 2. 634
liq. XVI. 2. 635
calcutt. XVI. 2. 632
Wall. XVI. 2. 629 635
ght XVI. 2. 634
iq. XVI. 2. 635
Wall. XVI. 2. 634
Wall. XVI. 2. 635
hwait. XVI. 2. 633
ta - - - -
ur. Thwait. XVI. 2. 633
iq. XVI. 2. 635
a Miq. XVI. 2. 635
Hook. fil. XVI. 2. 634
Thwait. XVI. 2. 633
Miq. XVI. 2. 635
oxb. XVI. 2. 632
Dc. fil. - - 633
rth. XVI. 2. 635
Roxb. XVI. 2. 635
oxb. XVI. 2. 629 635
XVI. 2. 635

Hopea
Singhawang *Miq.* XVI. 2. 635
Siranda *Miq.* XVI. 2. 635
squamata *Turcz.* XVI. 2. 635
suavis Wall. XVI. 2. 626 635
Tangili Bl. XVI. 2. 614 635
vasta Wall. XVI. 2. 633
Wightiana *Wall.* XVI. 2. 633
Hoppea vid. Hopea
Hornschuchia *Nees* XVII. 294
Horsfieldia W. XIV. 200
odorata W. XIV. 201
Horsfieldia *Dc. fil.* XIV. 200 (Myristica)
Hortonia *Wight* XVI. 2. 642 671
acuminata *Wight* XVI. 2. 672
floribunda *Wight* XVI. 2. 672
floribunda var. acuminata Thwait. XVI. 2. 672
floribunda var. angustifolia Thwait. XVI. 2. 672
floribunda var. ovalifolia Thwait. XVI. 2. 672
ovalifolia *Wight* XVI. 2. 672
Houttuynia *Thbg* XVI. 1. 236 238
cordata *Thbg* XVI. 1. 238
cordata W. XVI. 1. 238
Howardia Kl. XV. 1. 432 443
anguicida Kl. XV. 1. 464
barbata Kl. XV. 1. 446
Benthami Kl. XV. 1. 459
bilabiata Kl. XV. 1. 468
bilobata Kl. XV. 1. 456
brasiliensis Kl. XV. 1. 470
brevifolia Kl. XV. 1. 464
Bridgesii Kl. XV. 1. 463
caudata Kl. XV. 1. 445 446
Chamissonis Kl. XV. 1. 462
cordigera Kl. XV. 1. 455
costaricensis Kl. XV. 1. 450
cymbifera Kl. XV. 1. 470 471 (*bis*)
cynanchifolia Kl. XV. 1. 455
deltoidea Kl. XV. 1. 468
Ehrenbergiana Kl. XV. 1. 445
emarginata Kl. XV. 1. 467
eriantha Kl. XV. 1. 453
fimbriata Kl. XV. 1. 454
fluminensis Kl. XV. 1. 451
foetida Kl. XV. 1. 440
fragrantissima Kl. XV. 1. 463
galeata Kl. XV. 1. 470 471
geminiflora Kl. XV. 1. 457
gigantea Kl. XV. 1. 473
glaucescens Kl. XV. 1. 474
Gollmerii Kl. XV. 1. 457
grandiflora Kl. XV. 1. 472

Howardia
hians Kl. XV. 1. 472
Hoffmanni Kl. XV. 1. 457
inflata Kl. XV. 1. 458
Lansbergii Kl. XV. 1. 448
longifolia Kl. XV. 1. 438 464
macradenia Kl. XV. 1. 452
macroura Kl. XV. 1. 443
maxima Kl. XV. 1. 457
obtusata Kl. XV. 1. 460
pandurata Kl. XV. 1. 476
peltata Kl. XV. 1. 449
pubescens Kl. XV. 1. 450
punctata Kl. XV. 1. 463
Raja Kl. XV. 1. 462
reniformis Kl. XV. 1. 449
ringens Kl. XV. 1. 472
Ruiziana Kl. XV. 1. 476
rumicifolia Kl. XV. 1. 459
Schomburgkii Kl. XV. 1. 447
Sellowiana Kl. XV. 1. 458
sessilifolia Kl. XV. 1. 464
smilacina Kl. XV. 1. 459
surinamensis Kl. XV. 1. 447
tamnifolia Kl. XV. 1. 448
triangularis Kl. XV. 1. 461
trifida Kl. XV. 1. 444
trilobata Kl. XV. 1. 444
truncata Kl. XV. 1. 456
veraguensis Kl. XV. 1. 458
Warscewiczii Kl. XV. 1. 476
Howardia sect. Adenoracus Kl. XV. 1. 446
Ancyclanthemum Kl. XV. 1. 457 (519)
Brachychilus Kl. XV. 1. 454
Cerianthemum Kl. XV. 1. 445
Cyphomanthemum Kl. XV. 1. 446
Dipharus Kl. XV. 1. 469
Macrotelus Kl. XV. 1. 443
Pedinochilus Kl. XV. 1. 456 (521)
Stenanthemum Kl. XV. 1. 464 (522)
Sterigmaria Kl. XV. 1. 472
Huajolote XVI. 2. 397
Hual-Hual XV. 1. 68
Hufelandia *Nees* XV. 1. 5 65
caracasana Kl. & Karst. XV. 1. 66 113
Hufelandia
latifolia *Nees* XV. 1.
pendula *Nees* XV. 1.
sulcata Nees XV. 1.
Thomaea Nees XV. 1.
thyrsiflora *Nees* XV.
tovarensis *Kl. & Kar*
Humea Roxb. XVII. 29
Humulus *L.* XVI. 1. 29
aculeatus Nutt. XVI.
americanus Nutt. XV
cordifolius *Miq.* XVI
japonicus *Sieb. & Z*
Lupulus *L.* XVI. 1.
Lupulus Thbg XVI.
Huon-Pine XVI. 2. 49
Hura *L.* XV. 2. 1228
brasiliensis W. XV.
crepitans Descourt.
crepitans L. XV. 2.
crepitans *Müll. Arg.*
α genuina –
β membranacea –
a orbicularis –
b ovata –
c oblongifolia –
γ strepens –
δ senegalensis –
crepitans W. XV. 2.
polyandra *Baill.* XV.
senegalensis Baill. X
strepens W. XV. 2.
HUREAE *Müll. Arg.* X
HURIDEAE *Baill.* XV. 2.
Hurubatu XV. 1. 63
Husba saisin XV. 1. 4
Huszia Kl. XV. 1. 278
octopetala Kl. XV. 1.
rubricaulis Kl. XV. 1
Huszia *Dc. fil.* XV. 1.
Hyaenanche *Lamb. &*
globosa *Lamb. &*
HYAENANCHEAE *Baill.*
Hydnora *Thbg* XVII. 1
Acharii Thbg XVII.
africana *Thbg* XVII.
β longicollis *Wedw.*
americana *R. Br.* XV
triceps *E. Mey.* XVI

ct. Eubydnora *Hook. fil.* XVII. 109
Prosopanche *Hook. fil.* XVII. 110
B R. Br. XVII. 108
Dc. fil. XV. 1. 329 (Begonia)
n Endl. XVII. 66, *Tul.* XVII. 72 75
Tul. XVII. 65
Tul. XVII. 75
Wight XVII. 75
Tul. XVII. 75
Wight XVII. 75
IARIDEARUM GENERA Batsch XVII. 1
Rich. XV. 2. 949
ides Rich. XV. 2. 949
IYDEAE A. Juss. XVII. 86
IYEAE Tul. XVII. 86
CHYBAE *Wedd.* XVII. 43 86
ys Pet. Thouar. XVII. 86
Wedd. XVII. 89
hylla *A. Juss.* XVII. 87
na *Tul.* XVII. 88
A. Juss. XVII. 87
arsiana *Tul.* - -
A. Juss. XVII. 88
Wedd. XVII. 88
A. Juss. XVII. 88
ha *Kl.* XVII. 89
sa *A. Juss.* XVII. 86
Knight & Salisb. XIV. 446
Knight & Salisb. XIV. 446
Knight & Salisb. XIV. 446
dia *Endl.* XV. 2. 476
l. XV. 2. 477
ii *Müll. Arg.* XV. 2. 477
d. XV. 2. 477
Wall. XV. 2. 476
Tul. XV. 2. 476
is *Tul.* XVII. 64 (Neolacis)
Müll. Arg. XV. 2. 804 calypha *sect.* Euacalypha)
lae *Meisn.* XIV. 245 (Protea)
Bauh. XVII. 107
ss. XVII. 107
&c. Tourn. XVII. 108
us. XVII. 108

Hypocystis
varia Clus. XVII. 107
Hypolepis Pers. XVII. 107
sanguinea Pers. XVII. 108
Hypophyllocarpodendron Boerh. XIV. 262
Hypselodendron Schimperi Hochst. XVI. 1. 96
Hyrtanandra Miq. XVI. 1. 235[2]
hirta Miq. XVI. 1. 235[6]
javanica Miq. XVI. 1. 235[2]
pentandra Miq. XVI. 1. 235[2]

J.

Jaborandi sec. spec. frutescens Piso XVI. 1. 252
species quarta arborescens Piso XVI. 1. 270
Jacaratia *Marcg.* XV. 1. 419
dodecaphylla *Dc. fil.* XV. 1. 420
heptaphylla *Dc. fil.* XV. 1. 420
mexicana *Dc. fil.* XV. 1. 420
spinosa *Dc. fil.* XV. 1. 419
β digitata - - - -
Jach Ardytsch XVI. 2. 485
Jackia Bl. XVII. 299
Janipha H. B. & Kth XV. 2. 1057
aesculifolia H. B. & Kth XV. 2. 1065
foetida H. B. & Kth XV. 2. 1067
frutescens Loefl. XV. 2. 1073
Juquilla H. B. & Kth XV. 2. 1073
Loeflingii H. B. & Kth XV. 2. 1073
Manihot H. B. & Kth XV. 2. 1064
Manihot var. angustiloba Torr. XV. 2. 1073
phyllacantha Mart. XV. 2. 1098
Jarinha do campo XV. 1. 466
Jarrinha XV. 1. 466
Jatropha *Müll. Arg.* XV. 2. 1076, *L.* XV. 2. 716 722 1057 1076 1096, *W.* XV. 2. 1125, *Gaertn.* XV. 2. 479, *Forsk.* XV. 2. 927
aconitifolia Jacq. XV. 2. 1103
aconitifolia Mill. XV. 2. 1100
aconitifolia *Müll. Arg.* XV. 2. 1100
α palmata - - - -
β genuina - - - -
γ multipartita - - - -

Jatropha
aculeata *Steud.* XV. 2. 1083
acuminata Desr. XV. 2. 1095
aesculifolia Steud. XV. 2. 1065 1103
aethiopica *Müll. Arg.* XV. 2. 1088
Alamani *Müll. Arg.* XV. 2. 1077
Audricuxii *Müll. Arg.* XV. 2. 1082
angustidens *Müll. Arg.* XV. 2. 1102
angustifolia Griseb. XV. 2. 1094
angustifolia *Müll. Arg.* XV. 2. 1093
α spathulata - - - -
β genuina - - - -
angustifolia Steud. XV. 2. 1103
anomala Steud. XV. 2. 1059 1103
arcuata Steud. XV. 2. 1069 1103
australis *Lodd.* XV. 2. 1103
Berlandieri *Torr.* XV. 2. 1090
Berterii *Spr.* XV. 2. 1103
cajaniformis Steud. XV. 2. 1068 1104
calyculata Steud. XV. 2. 1103
canescens *Müll. Arg.* XV. 2. 1079
capensis *Sond.* XV. 2. 1084
cardiophylla *Müll. Arg.* XV. 2. 1079
caricaefolia Steud. XV. 2. 1072 1104
carthagenensis Jacq. XV. 2. 1073 1103
cecropiaefolia Steud. XV. 2. 1069 1104
ciliata *Müll. Arg.* XV. 2. 1092
cinerea *Müll. Arg.* XV. 2. 1078
clavuligera *Müll. Arg.* XV. 2. 1086
cleomaefolia Steud. XV. 2. 1068 1104
coerulescens Steud. XV. 2. 1070 1104
Condor Wall. XV. 2. 1081
cordata *Müll. Arg.* XV. 2. 1078
crinita *Müll. Arg.* XV. 2. 1079
crotalariaefolia (crotalariaeformis) Steud. XV. 2. 1061 1104
Curcas *L.* XV. 2. 1080
dalechampiaeformis Steud. XV. 2. 1068 1104
diffusa Steud. XV. 2. 1062 1104
digitiformis Steud. XV. 2. 1063 1104
divaricata *Sw.* XV. 2. 1077
divergens Baill. XV. 2. 1092
divergens Steud. XV. 2. 1070 1104

Jatropha
diversifolia A. Rich. XV.
diversifolia Steud. XV.
dulcis Gmel. XV. 2. 1082
elastica L. XV. 2. 719
elegans Kl. XV. 2. 1087
Fischeri Steud. XV. 2.
flabellifolia Steud. XV.
foetida Steud. XV. 2. 10
fragrans *H. B.* & Kth.
glandulifera *Roxb.* XV.
glandulosa Vahl XV. 2.
glauca Griseb. XV. 2. 1
glauca A. Rich. XV. 2.
glauca Vahl XV. 2. 108
glauca W. XV. 2. 1085
globosa Gaerts. XV. 2.
gossypiifolia *L.* XV. 2.
α staphysagriaefolia
β elegans - - - -
gossypiifolia Sw. XV.
gracilis Steud. XV. 2.
hamosa *Müll. Arg.* XV.
hastata Griseb. XV. 2.
hastata Jacq. XV. 2. 10
herbacea Desr. XV. 2.
herbacea L. XV. 2. 110
hernandiaefolia *Vent.* X
heterophylla Steud. XV.
Heudelotii *Baill.* XV. 2.
hirsuta *Hochst.* XV. 2.
horrida *Müll. Arg.* XV.
Janipha Blanco XV. 2.
Janipha L. XV. 2. 1073
Janipha Lour. XV. 2. 10
Jacquini Baill. XV. 2.
integerrima Jacq. XV. 2.
Kunthiana *Müll. Arg.* X
laciniosa Steud. XV. 2.
lagarinthoides *Sond.* XV.
Liebmanni *Müll. Arg.* X
lobata *Müll. Arg.* XV. 2.
α genuina - - -
β Richardiana - -
γ senegalensis - -
longepetiolata Steud. X
Loureirii Steud. XV.
luxurians Baill. XV. 2.

Müll. Arg. XV. 2. 1082
Benth. XV. 2. 1087
XV. 2. 1064 1104
aill. XV. 2. 1091
. XV. 2. 1062 1104
Baill. XV. 2. 1091
L. XV. 2. 723 1104
Wall. XV. 2. 1081
V. XV. 2. 1104 1125
. XV. 2. 1089
Baill. XV. 2. 1103
XV. 2. 1083
Desr. XV. 2. 1100
Müll. Arg. XV. 2. 1083
oust. XV. 2. 1101
Müll. Arg. XV. 2. 1089
Benth. XV. 2. 1092
Müll. Arg. XV. 2. 1097
ens – – – –
a – – – –
Pohl XV. 2. 1089
Müll. Arg. XV. 2. 1078
rt. XV. 2. 1103
Steud. XV. 2. 1057 1104
Schott XV. 2. 1101
ell. XV. 2. 1062 1104
lia *Andr.* XV. 2. 1095
ed. XV. 2. 1100
Griseb. XV. 2. 1095
Steud. XV. 2. 1071 1104
efolia Courb. XV. 2. 1085
B. & Kth XV. 2. 1092
eud. XV. 2. 1058 1104
Steud. XV. 2. 1071 1104
Müll. Arg. XV. 2. 1096
ia *Müll. Arg.* XV. 2. 1098
– – – –
a – – – –
folia – – – –
ud. XV. 2. 1059 1104
Müll. Arg. XV. 2. 1077
Hook. XV. 2. 1093
Müll. Arg. XV. 2. 1091
– – – –
ima – – – –
rians – – – –
ens – – – 1092
– – – –

Jatropha
porrecta Steud. XV. 2. 1068 1104
pronifolia Steud. XV. 2. 1065 1104
pruinosa Steud. XV. 2. 1060 1104
Pseudo-Curcas *Müll. Arg.* XV. 2. 1080
pubescens Steud. XV. 2. 1067 1104
pungens Forsk. XV. 2. 942 1104
purpureo-costata Steud. XV. 2. 1057 1104
pusilla Steud. XV. 2. 1063 1104
quinquefolia Steud. XV. 2. 1071 1104
quinqueformis Steud. XV. 2. 1103
quinqueloba Steud. XV. 2. 1058 1104
quinquelobata *Mill.* XV. 2. 1098
reniformis Steud. XV. 2. 1069 1105
ribifolia Baill. XV. 2. 1087
ricinifolia Fenzl XV. 2. 1086
rotundifolia *Müll. Arg.* XV. 2. 1099
sagittato-partita Steud. XV. 2. 1060 1105
salicifolia Steud. XV. 2. 1058 1105
sinuata Steud. XV. 2. 1075 1105
sparsifolia Steud. XV. 2. 1060 1105
spathulata *Müll. Arg.* XV. 2. 1081
α genuina – – – –
β sessiliflora – – – 1082
spinosa Vahl XV. 2. 1083
staphysagriaefolia Mill. XV. 2. 1087
stimulosa Mx XV. 2. 1101
stipulata Vell. XV. 2. 1064 1105
sylvestris Vell. XV. 2. 1063 1105
tenerrima Steud. XV. 2. 1066 1105
tenuifolia Steud. XV. 2. 1066 1105
texana *Müll. Arg.* XV. 2. 1101
tomentella Steud. XV. 2. 1068 1105
tomentosa Spr. XV. 2. 1105
tomentosa Steud. XV. 2. 1067 1105
tripartita Spr. XV. 2. 1068 1105
triphylla Steud. XV. 2. 1066 1105
tubulosa *Müll. Arg.* XV. 2. 1102
α septemloba – – – –
β quinqueloba – – – –
γ triloba – – – 1103

Jatropha
tupifolia *Griseb.* XV. 2.
urens hort. XV. 2. 1101
urens H. B. & Kth XV.
urens L. XV. 2. 1100
urens *Müll. Arg.* XV. 2.
α genuina - - -
β Maregravii - - -
* osteocarpa- - -
γ herbacea - - -
δ stimulosa - - -
urens Walt. XV. 2. 1101
varians Steud. XV. 2. 1
variegata *Vahl* XV. 2. 1
villosa Baill. XV. 2. 109
villosa *Müll. Arg.* XV.
α genuina - -
β glabra - -
villosa R. Wight XV. 2.
viminea *Retz* XV. 2. 110
violacea Steud. XV. 2.
vitifolia Mill. XV. 2. 10
vitifolia *Müll. Arg.* XV.
α genuina - -
β obtusifolia - -
Weddelliana *Baill.* XV.
Wightiana *Müll. Arg.* XV
Zeyheri *Sond.* XV. 2. 1
Jatropha *sect.* Adenorhopiu
XV
Cnidosculus
XV
subsect. E
C
Curcas *Gris*
subsect. L
E
M

Gymniodes *Baill.* XVII. 23
Lasiodes *Baill.* XVII. 24
u XVI. 2. 428
Vell. XV. 2. 715
Vell. XV. 2. 716
IBAE *Müll. Arg.* XV. 2. 711 715
Knight & Salisb. XIV. 467
lia Knight & Salisb. XIV. 472
Knight & Salisb. XIV. 468
. 2. 519
es XV. 1. 210
ta Bl. XV. 1. 211
Bl. XV. 1. 211
a Bl. XV. 1. 211
ata Bl. XV. 1. 211
lia Nees XV. 1. 211
es XV. 1. 210 (Actinodaphne)
XVII. 286
XV. 2. 910
on XV. 1. 406
fil. & Thoms. XIV. 202 (Myristica)
Dc. fil. XIV. 201 (Myristica)
Baill. XV. 2. 464 (Pierardia)
Müll. Arg. XV. 2. 464 (Baccaurea)
wait. XVI. 2. 617
hiana Thwait. XVI. 2. 618 619
n. XVI. 2. 617 (Vateria)
nth. & Hook. XVI. 2. 617 (Vatica)
R. Br. XIV. 324 (Conospermum)
R. Br. XIV. 276
oides *Meisn.* XIV. 278
olius *Knight & Salisb.* XIV. 279
er *R. Br.* - -
scens - - -
ius *Knight & Salisb.* XIV. 277
Br. XIV. 278
s *R. Br.* XIV. 281
atus *Meisn.* - -
status - - -
R. Br. XIV. 282

Isopogon
Baxteri *R. Br.* XIV. 280
buxifolius *R. Br.* XIV. 282
cerathophyllus *R. Br.* XIV. 279
β Mitchellii *Meisn.* - 280
cornigerus Lindl. XIV. 277
cuneatus *R. Br.* XIV. 283
divergens *R. Br.* XIV. 277
formosus *R. Br.* XIV. 278 (*bis*)
α eriolepis *Meisn.* - -
β dasylepis - - -
heterophyllus *Meisn.* XIV. 278
horridus F. Müll. XIV. 280
latifolius *R. Br.* XIV. 282
β Preissii *Meisn.* - -
γ lanceolatus - - 283
linearis *Meisn.* XIV. 282
longifolius *R. Br.* XIV. 281
Loudoni *Baxt.* XIV. 283
pedunculatus *R. Br.* XIV. 277
petiolaris *A. Cunn.* XIV. 279
petrophiloides *R. Br.* XIV. 276
polycephalus *R. Br.* XIV. 281
Protea *Meisn.* XIV. 283
roseus *Lindl.* XIV. 279
β latiloba *Meisn.* - -
γ angustiloba - - -
scaber bot. magaz. XIV. 279
scaber Lindl. XIV. 279
scaber Meisn. XIV. 279
scabriusculus *Meisn.* XIV. 276
spathulatus *R. Br.* XIV. 282
α obovatus - - -
β linearis - - -
spathulatus β obovatus Meisn. XIV. 282
sphaerocephalus *Lindl.* XIV. 281
teretifolius *R. Br.* XIV. 277
β cornigerus *Meisn.* - -
trilobus *R. Br.* XIV. 280
β tridens *Meisn.* - -
trilobus Meisn. XIV. 280
tripartitus *R. Br.* XIV. 280
uncinatus *R. Br.* XIV. 281
villosus *Meisn.* XIV. 277
Isopteryx Kl. XV. 1. 269 270
umbellata Kl. XV. 1. 270
Isopteryx *Dc. fil.* XV. 1. 270 (Casparya)
ISOSTEMONEAE *Meisn.* XIV. 518 565
Isostylis *R. Br.* XIV. 466 (Banksia)
Isotrema Raf. XV. 1. 432
Ita-üba XV. 1. 86
amarella XV. 1. 86
Ita-sugi XVI. 2. 462

Iteadaphne Bl. XV. 1. 243
confusa Bl. XV. 1. 243
β microphylla - - - -
Iteadaphne *Meisn.* XV. 1

Itsiō Kaemph. XVI. 2. 50
JUGLANDACEAE *C. Dc.*

JUGLANDACEAE Lindl.

JUGLANDEAE Dc. XVI.
Lindl. X
JUGLANDINEAE Dumo

Juglans *L.* XVI. 2. 135, *J*

alba L. XVI. 2. 138 14
alba Mx XVI. 2. 138 1
alba minima Marsh. X

albo-ovata Marsh. XVI

albo-ovata mucronata M

amara Mx XVI. 2. 138
angustifolia Lam. XVI

aquatica Mx XVI. 2. 1
arguta *Wall.* XVI. 2. 1
baccata L. XVI. 2. 138
Camirium Lour. XV. 2.

Catappa Lour. XVI. 2.
cathartica Mx XVI. 2.
cinerea *L.* XVI. 2. 137
cinerea nigra Wender.

compressa Gaertn. XVI

compressa W. XVI. 2. 1
cylindrica Lam. XVI. 2.
dissecta hort. XVI. 2. 1
filicifolia Lodd. XVI. 2.
foliis lanceolatis &c. L.

fraxinifolia Lam. XVI.

fructu tenero &c. Bauh.

glabra W. XVI. 2. 139
heterophylla Loud. XVI.
jamaicensis *C. Dc.* XVI.
laciniosa Mx XVI. 2. 13
mandchourica *Maxim.*

mucronata Mx XVI. 2. 1

us *C. Dc.* XV. 2. 701
– – – –
XV. 2. 706
Kl. XV. 2. 702
Müll. Arg. XV. 2. 702
Müll. Arg. XV. 2. 706
s Kl. XV. 2. 703
is *Müll. Arg.* XV. 2. 702
s – – – 703
– – – –
tus – – – –
– – – –
lensis – – – –
ill. XV. 2. 707
art. XV. 2. 706
Müll. Arg. XV. 2. 704
us Mart. XV. 2. 705
s *Schlecht.* XV. 2. 705
us Baill. XV. 2. 704
l. XV. 2. 701
Baill. XV. 2. 706
Kl. XV. 2. 701
ill. XV. 2. 705
edrichs. XV. 2. 706
m. XV. 2. 705
ill. Arg. XV. 2. 704
– – – 705
inni – – – –
atus – – – –
– – – –
as – – – –
is – – – –
s Kl. XV. 2. 701
s *Müll. Arg.* XV. 2. 701
gen. Eremadenia Diedrichs. XV. 2. 704
Oligonychia Diedrichs. XV. 2. 701
liq. XV. 2. 1116 1119
XVI. 2. 367 475, *Tourn.* 75, *Lamb.* XVI. 2. 453, VI. 2. 467, *Lam.* XVI. *Roxb.* XVI. 2. 507, *Antoin.* XVI. 2. 475
XVI. 2. 492
. XVI. 2. 480
. XVI. 2. 490
xb. XVI. 2. 492

Juniperus
argaea Balans. XVI. 2. 480
aromatica hort. XVI. 2. 473 493
attica Orphan. XVI. 2. 477
bacciformis Carr. XVI. 2. 486
barbadensis L. XVI. 2. 491
barbadensis &c. Pluk. XVI. 2. 491
barbadensis Thbg XVI. 2. 488
Bedfordiana hort. XVI. 2. 489
bermudiana Herm. XVI. 2. 491
bermudiana *L.* XVI. 2. 490
Biasolettii Lk XVI. 2. 477
Bonatiana Vis. XVI. 2. 487
brevifolia *Antoin.* XVI. 2. 478
Cabiancae Vis. XVI. 2. 488
caesia Carr. XVI. 2. 442 493
californica Carr. XVI. 2. 490
canadensis Lodd. XVI. 2. 480
capensis Lam. XVI. 2. 442 493
Cedrus Carr. XVI. 2. 478
Cedrus *Webb* XVI. 2. 478
cernua Roxb. XVI. 2. 488
Cerrosianus *Kellog.* XVI. 2. 492
Chamberlaini hort. XVI. 2. 489
chinensis *L.* XVI. 2. 487
chinensis Roxb. XVI. 2. 516
chinensis Corneyana Gord. XVI. 2. 470
cinerea Carr. XVI. 2. 487
communis *L.* XVI. 2. 479
β fastigiata *Parl.* – – –
γ reflexa – – –
δ oblonga – – –
ε hemisphaerica – – –
ζ alpina *Gaud.* – – 480
communis Thbg XVI. 2. 481
communis δ arborescens Endl. XVI. 2. 479
communis γ caucasica Endl. XVI. 2. 479
communis β hispanica Endl. XVI. 2. 479
communis hybernica Gord. XVI. 2. 479
communis reflexa Carr. XVI. 2. 479
communis suecica Carr. XVI. 2. 479
communis suecica Gord. XVI. 2. 479
conferta *Parl.* XVI. 2. 481
davurica Ledeb. XVI. 2. 483
davurica *Pall.* XVI. 2. 482
dealbata hort. XVI. 2. 490
dealbata Loud. XVI. 2. 480

Juniperus
densa Gord. XVI. 2. 482
Deppeana Steud. XVI. 2.
depressa Stev. XVI. 2. 4
dimorpha Roxb. XVI. 2.
drupacea *Labill.* XVI. 2.
elata Roxb. XVI. 2. 493
ericoides Noisette XVI. 2
excelsa *MB.* XVI. 2. 484
excelsa Endl. XVI. 2. 4
excelsa Lewis XVI. 2. 4
excelsa Webb XVI. 2. 4
excelsa W. XVI. 2. 484
ex Goa Herm. XVI. 2. 4
flaccida *Schlecht.* XVI. 2
flagelliformis hort. XVI.
foetida ε excelsa Spach

foetida δ flaccida Spach

foetida γ multicaulis Sp

foetida α Sabina Spach

foetida squarrulosa Spa

foetida ζ thurifera Spac

foetidissima *W.* XVI. 2.
fragrans *Knight* XVI. 2.
gigantea Roezl XVI. 2.
glauca hort. XVI. 2. 48
glauca W. XVI. 2. 489
Gossainthanea Lodd. XV
gracilis Endl. XVI. 2. 4
gracilis hort. XVI. 2. 47
hemisphaerica Presl XV
hispanica Booth XVI. 2
hispanica Lam. XVI. 2.
hudsonica Lodd. XVI. 2.
japonica hort. XVI. 2. 4
isophyllos C. Koch XVI.
julifera &c. Kaempf. X
Lambertiana Wall. XVI.
litoralis Maxim. XVI. 2.
Lobelii Guss. XVI. 2. 47
lycia L. XVI. 2. 486
lycia Pall. XVI. 2. 483
macrocarpa Endl. XVI.
macrocarpa *Sibth.* XVI.
β Lobelii *Parl.* –
Marschalliana Stev. XV
maximus illyricus &c. L

mexicana *Schied.* XVI. 2.
mexicana Schlecht. XVI.

var. brevifolia Endl. XVI. 2. 478
t. XVI. 2. 484
ok. fil. & Thoms. XVI. 2. 482
deb. XVI. 2. 482
XVI. 2. 483
th. & Sm. XVI. 2. 485
humilis Hook. XVI. 2. 484
chyphlaca Antoin. XVI. 2. 490
nariscifolia hort. XVI. 2. 484
. taurica Pall. XVI. 2. 484
Endl. XVI. 2. 487
rt. XVI. 2. 489
Carr. XVI. 2 488
Lindl. XVI. 2. 488
pa Antoin. XVI. 2. 477
Gord. XVI. 2. 482
Hamilt. XVI. 2. 482
Knight XVI. 2. 488
ll. XVI. 2. 479
Hook. & Arn. XVI. 2. 481
Sieb. & Zucc. XVI. 2. 481
toin. XVI. 2. 478
Moench XVI. 2. 486
Schlecht. XVI. 2. 491
var. osteosperma Torr. XVI. 2. 490
Hook. & Arn. XVI. 2. 488
Humb. XVI. 2. 474 493
. XVI. 2. 487
Guss. XVI. 2. 487
Gren. & Godr. XVI. 2. 477
n, Lamb. XVI. 2. 455 493
Endl. XVI. 2. 491
hort. XVI. 2. 489
L. XVI. 2. 488
Carr. - - 489
diana Knight - - -
barbadensis Gord. XVI. 2. 489
cinerascens hort. XVI. 2. 489
glauca Gord. XVI. 2. 489
pendula hort. XVI. 2. 489

Juniperus
virginica Thbg XVI. 2. 488
Wallichiana Hook. fil. XVI. 2. 482
Webbii Carr. XVI. 2. 478
Willkommii Antoin. XVI. 2. 477
Wittmanniana Stev. XVI. 2. 479
Juniperus *sect.* Oxycedrus *Spach* XVI. 2. 475
Sabina *Spach* XVI. 2. 481
sect. II. Sabina Gord. XVI. 2. 481
III. Cupressoides Gord. XVI. 2. 481
Juquilla XV. 2. 60
Jussieuia Houst. XV. 2. 1076 1096
herbacea Houst. XV. 2. 1101
Ixonanthes Jack XVII. 294
Ixora coccinea Comm. XIV. 443
Izquierdia R. & Pav. XVII. 294

K.

Kaadsi vel Kansi Rumph, Thbg XVII. 225
Kaadsinoki vel Kaminoki XVII. 226
Kageneckia R. & Pav. XVII. 294
Kago Kadsura XVII. 226
Kalengi Rheed. XVI. 1. 30
Kallstroemia *Scop.* XVII. 294
Kamala XV. 2. 981
Kapinie XVII. 258
Kara matsu XVI. 2. 410 413
Karua Rheed. XV. 1. 14
Kateran Bajas XVI. 2. 408
Kauri XVI. 2. 376
Kawaka XVI. 2. 454
Keiria *Bowd.* XVII. 294
Kelleria *Endl.* XIV. 565
Dieffenbachii *Endl.* XIV. 566
β Lyallii - - -
Kensin XVI. 2. 516
Keraselma Neck. XV. 2. 7
Kerth vel Kerath-sab XV. 2. 83
Keteleeria (Keteleria) Carr. XVI. 2. 377 427
Fortunei Carr. XVI. 2. 431
Keule XV. 1. 68
Keulia Molin. XV. 1. 67
Kia Raboku XVI. 2. 504
Kibara *Endl.* XVI. 2. 642 670
Blumei Steud. XVI. 2. 670

Kibara
chartacea *Bl.* XVI. 2. 671
β apiculata - - - -
coriacea *Hook. fil.* & *Thon*
β pubescens *Bl.* - - -
cuspidata *Bl.* XVI. 2. 671
obtusa *Bl.* XVI. 2. 671
Kibima XVI. 2. 508
Kif XVI. 1. 31
Kil XVI. 2. 391
Kimerak XVI. 2. 521
King-li XVI. 2. 90
King-Pine XVI. 2. 425
Kin-le-Sung XVI. 2. 413
Kin Sio XVI. 2. 435
Kin Sung XVI. 2. 435
Kiputrie XVI. 2. 521
Kirganelia A. Juss. XV. 2.
346, *Baill.* X
alba Blanco XV. 2. 306
Bojeriana Baill. XV. 2.
Boiviniana Baill. XV. 2.
decipiens Baill. XV. 2. 34
dubia Baill. XV. 2. 344
dumetosa Spr. XV. 2. 39
eglandulosa Baill. XV. 2.
elegans Juss. XV. 2. 348
elliptica Spr. XV. 2. 434
floribunda Spr. XV. 2. 33
glaucescens Baill. XV. 2.
intermedia Baill. XV. 2.
multiflora Baill. XV. 2.
multiflora β glabra Baill.
nigrescens Blanco XV. 2.
Pervilleana Baill. XV. 2.
phyllanthoides A. Juss.
Prieuriana Baill. XV. 2.
Prieuriana β glabra Baill
puberula Baill. XV. 2. 34
pumila Blanco XV. 2. 345
reticulata Baill. XV. 2.
salviaefolia Spr. XV. 2.
sinensis Baill. XV. 2. 344
timorensis Done XV. 2. 34
triandra Blanco XV. 2.
trilocularis Baill. XV. 2.
Vieillardi Baill. XV. 2. 3
villosa Blanco XV. 2. 308
zanzibariensis Baill. X
Kirganelia sect. Anisonema
XV

V. 2. 84
heophr. XIV. 189
usu XV. 1. 483
ca XVI. 2. 462
XVI. 2. 417
tn. XVII. 294
. 233
I. 275
rsk. XVII. 275
ma Schweinf. XVII. 276
olia Schweinf. XVII. 276
614
n XIV. 255
Kaempf. XVI. 2. 517
. 2. 416
a XVI. 2. 389
I. 2. 417
2. 416
XVI. 2. 466

L.

non Lachaea) von Royen
74, Auct. XIV. 574, L. Lam. XIV. 574
eisn. XIV. 578
Meisn. XIV. 576
r - - -
r - - 577
kl. & Zeyh. XIV. 576
Meisn. XIV. 580
i Meisn. XIV. 577 (bis)
stifolia - - -
lia - - -
Andr. XIV. 575
Eckl. & Zeyh. XIV. 575
Lam. XIV. 574
a Sims - 575
α virens Sims XIV. 575
Eckl. & Zeyh. XIV. 578
Meisn. XIV. 577
iflora - - 578
iflora - - -
rata Eckl. & Zeyh. XIV. 578
rata L. XIV. 562 580
a Meisn. XIV. 579
Meisn. XIV. 578
es Meisn. XIV. 578
or - - -
la - - 579
r - - -
Meisn. XIV. 579
la Heyne XIV. 580 597

Lachnaea
eriocephala L. XIV. 575
β purpurea Meisn. - - 576
filamentosa Meisn. XIV. 575
β major - - -
glauca Eckl. & Zeyh. XIV. 575
glauca Salisb. XIV. 575
globulifera Meisn. XIV. 576
β coerulescens - - -
gracilis Meisn. XIV. 579
macrantha Meisn. XIV. 575
nervosa Meisn. XIV. 579
paleacea Banks herb. XIV. 562 580
penicillata Meisn. XIV. 579
phylicoides Lam. XIV. 577 578
purpurea Andr. XIV. 576
sphaerocephala Burm. XIV. 575
striata Meisn. XIV. 577
Lachnaea sect. Conoclinium Meisn. XIV. 577
Microclinium Meisn. XIV. 578
Sphaeroclinium Meisn. XIV. 574
Lachnostylis Turcz. XV. 2. 224
capensis Turcz. XV. 2. 224
hirta Müll. Arg. XV. 2. 224
α genuina - - - -
β acuminata - - 225
γ minor - - -
minor Sond. XV. 2. 225
LACIDEAE & MARATHREAE Corda XVII. 49
Lacis Lindl. XVII. 51, Schreb. XVII. 51, Bong. XVII. 53 72, Mart. & Zucc. XVII. 59
aspera Bong. XVII. 50
aspera Raeusch. XVII. 52
Bongardi Tul. XVII. 52
ceratophylla Bong. XVII. 52 72
Chrysanthemum Schnitzl. XVII. 52 59
disticha Cham. XVII. 52 73
fallacissima Bisch. XVII. 85
fluviatilis Schreb. XVII. 52
foeniculacea Bong. XVII. 52 53
foeniculaceus Cham. & Schlecht. XVII. 52 53
fucoides Cham. XVII. 61
fucoides Mart. & Zucc. XVII. 52 61
membranacea Bong. XVII. 52 64
monadelpha Bong. XVII. 52
pygmaea Bong. XVII. 52 61
Riedelii Bong. XVII. 52 62
ruppioides Bong. XVII. 52 61

Lacis
Schiedeana Cham. XVII. 52 53
Wallichii Steud. XVII. 71
Lacis sect. Marathrum Cham. XVII. 53
Neolacis Cham. XVII. 59
Lacistema *Sw.* XVI. 2. 591
alterum Spr. XVI. 2. 595
angustum Mart. herb. XVI. 2. 592
angustum *Schnitzl.* XVI. 2. 592
Berterianum Schult. XVI. 2. 595
Blanchetii *De. fil.* XVI. 2. 592
coriaceum *De. fil.* XVI. 2. 593
ellipticum *Schnitzl.* XVI. 2. 594
elongatum Schnitzl. XVI. 2. 592
floribundum *Miq.* XVI. 2. 591
grandifolium *Schnitzl.* XVI. 2. 594
intermedium *Schnitzl.* XVI. 2. 592
lucidum *Schnitzl.* XVI. 2. 593
myricoides Schnitzl. XVI. 2. 592
myricoides *Sw.* XVI. 2. 591
β stipitatum *De. fil.* - - 592
oblongum Spr. XVI. 2. 592
Poeppigii *De. fil.* XVI. 2. 593
polystachyum *Schnitzl.* XVI. 2. 594
pubescens *Mart.* XVI. 2. 594
purpureum *De. fil.* XVI. 2. 593
recurvum *Schnitzl.* XVI. 2. 593
robustum *Schnitzl.* XVI. 2. 592
rostratum Schnitzl. XVI. 2. 593
serrulatum *Mart.* XVI. 2. 591
LACISTEMACEAE *De. fil.* XVI. 2. 590
LACISTEMACEAE Lindl. XVI. 2. 590, *Mart.* XVI. 2. 590
LACISTEMACEAE Schnitzl. XVI. 2. 590
LACISTEMEAE Meisn. XVI. 2. 590
Lada Piso XVI. 1. 363
Lagetta *Juss.* XIV. 526, *Mart.* XIV. 525
funifera Mart. & *Zucc.* XIV. 526
lintearia *Lam.* XIV. 526
Lagetto XIV. 526
Lagetto lunan hort. jam. XIV. 526
Lagunea Lour. XIV. 83 123
cochinchinensis Lour. XIV. 123
Lahnan XVI. 2. 455
Lambertia *Sm.* XIV. 420, *Gaertn.* XIV. 393
Drummondii *Gardn.* XIV. 420
echinata *R. Br.* XIV 421

Lambertia
β intricata *Meisn.* XI
ericifolia *R. Br.* XIV. 4
formosa *Sm.* XIV. 421
ilicifolia *Hook.* XIV. 4
inermis *R. Br.* XIV. 4
longifolia *Lodd.* XIV. 4
multiflora *Lindl.* XIV.
propinqua *R. Br.* XIV.
rariflora *Meisn.* XIV. 4
teretifolia Gaertn. fil. X
uniflora *R. Br.* XIV. 4
Langsveldia Gaudich. X
acuminata Gaudich. X
Langsdorffia *Mart.* XVII.
hypogaea *Mart.* XVII.
janeirensis Rich. XVII
indica Wight & Arn.
rubiginosa Wedd. XVI
LANGSDORFFIEAE *Schot* X
Lapathum Tourn. XIV. XIV. 41, *L*
Acetosa Scop. XIV. 6
Acetosella Scop. XIV.
alpestre Scop. XIV. 7
alpinum Lam. XIV. 4
arborescens Moench X
arvense Lam. XIV. 63
bucephalophorum Lam.
crispum Lam. XIV. 4
digynum Lam. XIV. 3
hortense Lam. XIV. 5
minus Lam. XIV. 59
obtusifolium Moench X
pratense Lam. XIV. 6
rubellum Moench XIV.
sanguineum Lam. XIV.
scutatum Lam. XIV. 7
sinuatum Lam. XIV. 5
sylvestre Lam. XIV. 5
vesicarium Moench XIV
virgatum Moench XIV.
Lapathum *Meisn.* XIV. 4
Laplacea H. B. & *Kth* X
Laportea *Gaudich.* XVI. 1
alatipes *Hook. fil.* XVI.
amplissima *Miq.* XVI. 1
bulbifera Sieb. & *Zucc.*
bulbifera *Wedd.* XVI. 1
canadensis *Gaudich.* XV
β - - -
γ - - -
δ pustulata - -
contracta Bl XVI 1. 8

XVI. 1. 87
– – – –
dich. XVI. 1. 85
Wedd. – – –
edd. XVI. 1. 80
XVI. 1. 79
– – ..
na Wedd. XVI. 1. 86
dich. XVI. 1. 85
XVI. 1. 82
XVI. 1. 84
dich. XVI. 1. 85
ld. XVI. 1. 81
Vedd. XVI. 1. 84
dd. XVI. 1. 84
Gaudich. XVI. 1. 85
XVI. 1. 82
dd. XVI. 1. 88
Wedd. XVI. 1. 84
q. XVI. 1. 88
dd. XVI. 1. 87
ich. XVI. 1. 80
Wedd. XVI. 1. 83
Wedd. XVI. 1. 84
Wedd. XVI. 1. 87
ebm. XVI. 1. 78
edd. XVI. 1. 78
XVI. 1. 81
XVI. 1. 86
q. XVI. 1. 86
Vight XVI. 1. 79
n. XVI. 1. 83
edd. XVI. 1. 81
Dendrocnide *Wedd.* XVI. 1. 85
Discocarpus *Wedd.* XVI. 1. 84
Sarcopus *Wedd.* XVI. 1. 82
Sclepsion *Wedd.* XVI. 1. 78
XVI. 2. 377 407 409, 2. 411, *Lk* XVI. 2. *Spach* XVI. 2. 377, 2. 377, *Gord.* XVI. *nk. & Hochst.* XVI. 2. 377
b. XVI. 2. 411
t. XVI. 2. 413
lx XVI. 2. 409
revifolia Carr. XVI. 2. 412
Laws. XVI. 2. 411
XVI. 2. 408
ws. XVI. 2. 411

Larix
conifera &c. Kaempf. XVI. 2. 413
davurica Turcz. XVI. 2. 410
decidua Mill. XVI. 2. 411
decidua γ americana Henk. & Hochst. XVI. 2. 409
decidua β rossica Henk. & Hochst. XVI. 2. 411
europaea Dc. XVI. 2. 411
europaea sibirica Loud. XVI. 2. 411
excelsa Lk XVI. 2. 411
Fraseri Curtis XVI. 2. 409
Griffithiana Gord. XVI. 2. 412
Griffithii Hook. fil. & Thoms. XVI. 2. 412
japonica hort. XVI. 2. 410
intermedia Laws. XVI. 2. 411
intermedia Lodd. XVI. 2. 409 411
Kaempferi Carr. XVI. 2. 413
Ledebourii Rupr. XVI. 2. 411
leptolepis Gord. XVI. 2. 410
Lyallii Parl. XVI. 2. 412
microcarpa Forbes XVI. 2. 409
occidentalis Nutt. XVI. 2. 412
orientalis fructu rotund. &c. Tourn. XVI. 2. 408
patula Salisb. XVI. 2. 408
pendula Salisb. XVI. 2. 409
pyramidalis Salisb. XVI. 2. 411
sibirica Ledeb. XVI. 2. 411
tenuifolia Salisb. XVI. 2. 409
Larix *Endl.* XVI. 2. 409 (Pinus)
Lascadium *Raf.* XV. 2. 1257
lanatum *Raf.* XV. 2. 1257
Lasiadenia *Benth.* XIV. 527
rupestris *Benth.* XIV. 528
Lasiocroton *Griseb.* XV. 2. 955
macrophyllus *Griseb.* XV. 2. 955
prunifolius *Griseb.* XV. 2. 955
Lasiocroton *sect.* Argyrocroton *Griseb.* XV. 2. 955
Eulasiocroton *Griseb.* XV. 2. 955
Lasiodes *Baill.* XVII. 24 (Jodes)
Lasiogyne Kl. XV. 2. 513 550
brasiliensis Kl. XV. 2. 557
phlomoides Griseb. XV. 2. 560
Pottsii Kl. XV. 2. 561
Lasiogyne Baill. XV. 2. 550 (Croton)
Lasiogyne *Müll. Arg.* XV. 2. 550 (Croton *sect.* Eucroton)

Lasiosiphon *Fresen* XIV. 593
anthylloides *Meisn.* XIV. 595
α vulgaris - - 596
β macrophyllus- - -
γ glabrescens- - -
Bojerianus *Dene* XIV. 596
Burchellii *Meisn.* XIV. 594
α villosus - - -
β glabrifolius- - -
caffer *Meisn.* XIV. 593
cuneatus *Dene* XIV. 599
Dregeanus *Endl.* XIV. 594
eriocephalus *Dene* XIV. 597
β zeylanicus *Meisn.* - 598
glaucus *Fresen* XIV. 593
Hugelii *Meisn.* XIV. 598
insularis *Meisn.* XIV. 598
Kraussii *Meisn.* XIV. 596
α pubescens - - -
β glabratus - - -
γ angustifolius - - -
linifolius *Dene* XIV. 595
α pubescens *Meisn.* - -
β glabratus - - -
macropetalus *Meisn.* XIV. 594
madagascariensis *Dene* XIV. 597
Meisnerianus *Endl.* XIV. 594
α spathulatus *Meisn.* - -
β angustifolius - - -
Metzianus *Miq.* XIV. 598
microphyllus *Meisn.* XIV. 593
pubescens *Dene* XIV. 597
pulchellus *Dene* XIV. 594
α glabratus *Meisn.* - 595
β dasyphyllus - - -
rostratus *Meisn.* XIV. 597
scandens *Endl.* XIV. 598
sisparensis *Meisn.* XIV. 598
speciosus *Dene* XIV. 598
splendens *Endl.* XIV. 595
trip'inervis *Dene* XIV. 595
Lasiostyles Presl XV. 2. 983 987
salicifolia Presl XV. 2. 987
Lassia Baill. XV. 2. 927 931
scandens Baill. XV. 2. 931
Lassia *Müll. Arg.* XV. 2. 931 (Tragia)
Lastarriaea *Remy* XIV. 186
chilensis *Remy* XIV. 186
LATHRAEOPHILACEAE Leand. XVII. 117
Lathrophytum *Eichl.* XVII. 120 130
Peckolti *Eichl.* XVII. 131
Latistigma *Dc. fil.* XV. 1. 315 (Begonia)
Lauchea Kl. XV. 1. 278 353
Lauchea *Dc. fil.* X
LAURACEAE Lindl.)
LAURACEAE Lin
LAURACEAE *Mei*
Laurea *Gaudich.* X
tiliaefolia *Gaudic*
LAUREAE Reiche
Laurel XV. 1. 147
Laurelia *Juss.* XVI.
aromatica Poir.
crenata Poepp.)
Novae Zelandiae
sempervirens *Tul*
serrata Berter.)
Laurembergia (Lau
multispicata Ba
Laureola *Meisn.* XI
Laureola Spach X
Laureola hypericoi
Laureoloides Spac
LAURI Juss. XIV.
LAURINAE Vent.
LAURINEAE Dc.)
LAURINEAE Nees X
LAURINEAE *Meisn.*
LAURINEAE R. Br.)
LAURINEAE Auct. X
LAURINEAE PTE
Reic
Laurophyllus *Thbg*
Laurus *Tourn.* XV.
1. 9 43 82 170
82, *Lam.* XV.
65 84, *Roxb.* X
XV. 1. 24, *Wa*
XV. 2. 1126,)
Auctor. XV. 1
140 142 146
acuminata R. Br
acuminata Pav.)
acuminata Reinw.
acuminata Wall.
acutifolia Par. X
aestivalis Lam. X
aestivalis Mill. X
aestivalis Sesse X
aestivalis Wange
aggregata Sims X
albida Loud. XV.

Wall. XV. 1. 17 18 234
Sw. XV. 1. 48 234
herb. berol. XV. 1. 52 234
Mill. XV. 1. 516
a Hamilt., Wall. XV. 1. 72 234
ia herb. Wall. XV. 1. 234
Poepp. XV. 1. 139 234
Wall. XV. 1. 38 234
XV. 1. 516
ra Ruiz XV. 1. 101 234
Cunning. XV. 1. 77 234
Lam. XV. 1. 182 234
a R. & Pav. XV. 1. 106 234
Guthn. XV. 1. 234
Lowe XV. 1. 506
var. azorica Hochst. XV. 1. 234
Cav. XV. 1. 64 234
Hamilt. XV. 1. 12 234
Hamilt. XV. 1. 12 234
iers XV. 1. 67 234
Hamilt. XV. 1. 12 234
XV. 1. 234 244
V. XV. 1. 234 244
Hamilt. XV. 1. 12 234
Bl. XV. 1. 229 234
o. XV. 1. 119 234
Roxb. XV. 1. 63 234
herb. XV. 1. 134 234
W. herb. XV. 1. 44 234
Hamilt. XV. 1. 40 234
hort. XV. 1. 233
L. XV. 1. 50 234
Sw. XV. 1. 153 234
Lam. XV. 1. 234
Lam. XV. 1. 164 234
Lam. XV. 1. 129 234
ok. XV. 1. 77 234
rch. XV. 1. 118 234
Nees XV. 1. 16 234
nw. XV. 1. 229 234
Reinw. XV. 1. 11 234
Soland. XV. 1. 191 234
L. XV. 1. 24 234
a Hamilt. XV. 1. 34 234
ra Kaempf. XV. 1. 24 234

Laurus
canaliculata Rich. XV. 1. 516
canariensis *Webb* XV. 1. 233
β elliptica *Meisn.* - - -
canariensis W. herb. XV. 1. 64 234
Canelilla (*non Canelilla*) *W.* XV. 1. 103 235 510
Canella Vell. XV. 1. 516
caroliniana var. Poir. XV. 1. 133 235
carolinensis Catesb. XV. 1. 50 235
carolinensis hort. XV. 1. 233
caryophyllata Reinw. XV. 1. 20 235
Caryophyllus Lour. XV. 1. 15 235
Cassia Blanco XV. 1. 259 503
Cassia bot. magaz. XV. 1. 13 235
Cassia Burm. XV. 1. 14 235
Cassia hort. XV. 1. 235
Cassia L. XV. 1. 226 235
Cassia Nees XV. 1. 12 235
Cassia Roxb. XV. 1. 18 235
Cassia Wall. XV. 1. 18 235
Cassia Wight XV. 1. 235
Cassia Zolling. XV. 1. 16 235
Cassia β Lam. XV. 1. 235
Cassia var. Culilaban Lam. XV. 1. 14
Catesbaei Pers. XV. 1. 165 235
Catesbyana Mx XV. 1. 165 235
Cathia Hamilt. XV. 1. 23 235
caudata Wall. XV. 1. 23 235
caustica Molin. XV. 1. 235 259
Cervantesii Kth XV. 1. 235 258
Champa Hamilt. XV. 1. 40 235
chinensis Bl. XV. 1. 211 235
chinensis hort. berol. XV. 1. 26 235
Chloroxylon L. XV. 1. 260
Chloroxylon Sw. XV. 1. 255 260
cinnamomoides hort. berol. XV. 1. 235
cinnamomoides Mutis XV. 1. 167 235
Cinnamomum Andr. XV. 1. 12 235
Cinnamomum Blanco XV. 1. 259 503
Cinnamomum L., W. XV. 1. 13 235
Cinnamomum Lour. XV. 1. 16 235
Cinnamomum Roxb. XV. 1. 14

Laurus
Cinnamomum β angustifolium Roxb. XV. 1. 14 235
citriformis Vell. XV. 1. 516
citriodora Sieb. & Zucc. XV. 1. 516
coccineus Boj. XV. 1. 511
coerulea R. & Pav. XV. 1. 49 235
cordata Vell. XV. 1. 516
coriacea Sw. XV. 1. 163 235 512 513
coruscans W. herb. XV. 1. 156 235
crassifolia Poir. XV. 1. 142 235
crucifolia Noronh. XV. 1. 513
Cubeba Lour. XV. 1. 199 232 235
Cuipala Hamilt. XV. 1. 221 235
Culilaban Blanco XV. 1. 259 503
Culilaban L. XV. 1. 14 235
Culilawan hort. XV. 1. 230 235
Culilawan Reinw. XV. 1. 18 235
Culilawang Nees XV. 1. 14 235
Culitlawan hort. berol. XV. 1. 224 235
Culitlawan Wight XV. 1. 20
cuneata Domb. XV. 1. 119 235
cuneifolia Ruiz XV. 1. 119 235
cuneifolia Tafalla XV. 1. 119 235
cupularis Lam. XV. 1. 104 235
cupularis Lindl. XV. 1. 105
cupularis Lindl. herb. XV. 1. 105
cupularis Pers. herb. XV. 1. 105
cupularis Schott (non Schoff XV. 1. 513) *herb.* XV. 1. 167
cupularis Sieber XV. 1. 104
cupularis α Lam. XV. 1. 235
cupularis β Lam. XV. 1. 105 106 235
curvifolia Lour. XV. 1. 23 235
cuspidata Don XV. 1. 229 235
cyathifera Vahl XV. 1. 165 235
cymosa W. herb. XV. 1. 105 235
declinata Bl. XV. 1. 34 236
difformis Rich. XV. 1. 516
dioica Wall. XV. 2. 1127
diospyroides Mx XV. 1. 236 244
Diospyros Pursh XV. 1. 236 244
discolor Rich. XV. 1. 516
discolor W. herb. XV. 1. 157 236 516
divaricata Poir. XV. 1. 113 236
dubia Wall. XV. 1. 20 236
dulcis Roxb. XV. 1. 16 236
dysodantha Ruiz XV. 1. 173 236

Laurus
elegans Bl. XV. 1. 516
elongata Vahl XV. 1. 23
elongata W. herb. XV. 1
Engelmanni Strud. XV. 1
exaltata Rudolph. XV. 1
exaltata herb. Schott XV
exaltata Sw. XV. 1. 165
exaltata W. herb. Kth.
exaltata var. lancifolia
ferruginea W. herb. X
firma Wall. XV. 1. 236
flava Reinw. XV. 1. 207
floribunda Sw. XV. 1. 1
floribunda Wall. XV.
foetens Ait. XV. 1. 118
foetens Brousson. XV. 1
fruticosa Reinw. XV. 1.
furcata Ruiz XV. 1.
geminiflora Desv. XV. 1
geminiflora Reinw. XV.
gemmiflora Bl. XV. 1.
gemmiflora Reinw. XV.
geniculata Mx XV. 1. 1
glandulifera Jenk. XV.
glandulifera Wall. XV
glauca hort. XV. 1. 23
glauca Thbg XV. 1. 22
glaucescens Hamilt. X
glaucescens Nees XV. 1
glaucescens Roxb. XV.
glaucescens W. herb.
globosa Aubl. XV. 1. 16
glomerata Bl. XV. 1. 2
glomerata Lam. XV. 1.
gracilis hort. XV. 1. 23
granadensis (granatensis XV.
grandis Wall. XV. 1. 2
Gullawara Hamilt. XV
heteranthera R. & Pav.
hexandra Rich. XV. 1. 9
hexandra Spr. XV. 1. 2
hexandra W. XV. 1. 82
Heyneana Wall. XV. 1.
Hihua Pav. XV. 1. 131

s (hundaris) W. herb. XV. 1. 32 236
olia W. XV. 1. 56 236
s Kth XV. 1. 237 258
s Spr. XV. 1. 49 237
ta Jack XV. 1. 60 236
our. XV. 1. 40 236
Juk. XV. 1. 52 236
ieber XV. 1. 53 237
hbg XV. 1. 42 237
inw. XV. 1. 20 237
ta Retz XV. 1. 179 237
ta Roxb. XV. 1. 223 237
ta Vahl XV. 1. 226 237
&c. Kaempf. XVI. 2. 508
W. XV. 1. 49 237
ia W. XV. 1. 152 237
ia Roxb. XV. 1. 34 237
a Wall. XV. 1. 34 237
Blanco XV. 1. 259 503
herb. Banks XV. 1. 164 237
indica Barrel. XV. 1. 52 237
a R. & Pav. XV. 1. 138 237
oa Salzm. XV. 1. 250
on Sw. XV. 1. 121 237
on W. herb. XV. 1. 31 237
a Wall. XV. 1. 34 237
Ruiz XV. 1. 156 237
lia Pav. XV. 1. 150 237
(Lige) Domb. XV. 1. 48 237
uiz XV. 1. 48 237
L. & Pav. XV. 1. 48
Gridg. XV. 1. 67 237
Gilib. XV. 1. 48 237
Miers XV. 1. 48 237
a Reinw. herb. XV. 1. 35 237
a Ruiz XV. 1. 150 237
a W. herb. XV. 1. 112 237
Schlecht. XV. 1. 56 237
hbg XV. 1. 237 259
Vall. XV. 1. 29 237
na Raf. XV. 1. 258
ia Wall. XV. 1. 40 237
ylla Don XV. 1. 258
ylla Roxb. XV. 1. 13 237
Bl. XV. 1. 64 237
is Lam. XV. 1. 118 237

Laurus
malabathrica Roxb. XV. 1. 20
Malabathrum Batka XV. 1. 20 237
Malabathrum Burm. XV. 1. 10 237
Malabathrum Reinw. XV. 1. 12 237
Malabathrum Wall. XV. 1. 14 18 20 237
martinicensis Blanco XV. 1. 259 503
martinicensis Jacq. XV. 1. 114 164 237
martinicensis Sieber XV. 1. 137 237
mauritiana Boj. XV. 1. 104 237
maxima Salzm. XV. 1. 83 237
melissaefolia Walt. XV. 1. 237 244
membranacea Sw. XV. 1. 31 161 237
microphylla Reinw. XV. 1. 229 237
mimosa Vell. XV. 1. 516
montana Lk XV. 1. 13 237
montana Poepp. XV. 1. 31
montana Sw. XV. 1. 31 237
moschata Pav. XV. 1. 106 237
Muca R. & Pav. XV. 1. 88 237
mucronata Poir. XV. 1. 237 258
multiflora Roxb. XV. 1. 15 237
multiflora Ruiz XV. 1. 147 150 238
multiglandulosa Ruiz XV. 1. 134 238
Myrrha Lour. XV. 1. 230
Nacushia Hamilt. XV. 1. 231 238
Nacusua Don XV. 1. 231 238
Neesiana herb. Schott XV. 1. 104 238
nervosa Pav. XV. 1. 165 238
nitida Domb. XV. 1. 119 238
nitida Hamilt. XV. 1. 238
nitida Heyn. XV. 1. 238
nitida Masson XV. 1. 506
nitida Roxb. XV. 1. 20 238
nitida R. & Pav. XV. 1. 106 238
nivea Lodd. XV. 1. 516
nobilis Cav. XV. 1. 233
nobilis *L.* XV. 1. 233
α latifolia *Nees* - - -
β lanceolata *Meisn.* - - -
γ undulata - - - -
δ angustifolia *Nees* - - -
ε floribunda *Meisn.* - - -

Laurus
nutans Hornem. XV. 1. 137 238
nutans Isert XV. 1. 504 516
oblongo-ovata Ruiz XV. 1. 119 238
obovata Hamilt. XV. 1. 219 238
obovata Ruiz XV. 1. 119 238
obtusifolia Roxb. XV. 1. 12 13 238
obtusifolia W. XV. 1. 94 238
obtusifolia fol. obovatis Pav. XV. 1. 119 238
Ocotea Rich. XV. 1. 511 516
octandra Vell. XV. 1. 516
odoratissima Vell. XV. 1. 516
odoratissima Wall. XV. 1. 40 238
pallens Don XV. 1. 515
palustris Poepp. XV. 1. 48 238
paniculata Poir. XV. 1. 31 238
paniculata Wall. XV. 1. 38 (*bis*) 238
Parthenoxylon Jack XV. 1. 26 238
parviflora Balbis XV. 1. 31 238
parviflora Poepp. XV. 1. 31 85 238
parviflora Pohl XV. 1. 98
parviflora Sw. XV. 1. 121 238
parvifolia Lam. XV. 1. 85 238
patens Sw. Prodr. XV. 1. 31 238
patens Sw. fl. indic. XV. 1. 164 238
pauciflora Bl. XV. 1. 238 243
pauciflora Schlecht. pater XV. 1. 136 238
pauciflora Wall. XV. 1. 17 238
pauperata Rich. XV. 1. 516
pedunculatis Wall. XV. 1. 61 238
pedunculata Thbg XV. 1. 16 238
pendens W. XV. 1. 165 238
pendula Sw. XV. 1. 65 238
Persea L. XV. 1. 53 238
Persea W. XV. 1. 134
Peumo Domb. XV. 1. 75 238
Peumus Miers, Hook. & Arn. XV. 1. 75 238
Pichurim herb. berol. XV. 1. 238
Pichurim W. XV. 1. 94 238
pilosa Lour. XV. 1. 43 238
piperita Juss. XV. 1. 199 238
polyadelpha Lour. XV. 1. 238 258
polyantha Bl. XV. 1. 238 241
porrecta Roxb. XV. 1. 26 238
pruinosa Reinw. XV. 1. 27 238
pruinosa Wall. XV. 1. 216

Laurus
pruinosa W. herb XV.
Pseudo-Benzoin Mx X
Pseudo-Cassia Reinw.
Pseudo-Cassia Zuccar
Pseudo-Sassafras Bl.
psychotrioides W. XV
puberula Rich. XV. 1.
pubescens Don XV. 1
pubescens Wall. XV. 1.
pubescens Wall. XV. 1.
pubescens W. XV. 1. 1
Pucheri Humb. XV. 1.
Puchery R. & Pav. X
punctata Spr. XV. 1.
purpurea R. & Pav. X
pyrifolia W. herb. XV
Quixos Lam. XV. 1. 10
recurvata Roxb. XV 1
reticulata Poir. XV. 1.
reticulata R. & Pav. X
retroflexa Poir. XV. 1.
revoluta W. herb. XV.
rigida Wall. XV. 1. 23
rigida W. herb. XV 1
rimosa Bl. XV. 1. 42 2
rimosa Zolling. XV 1.
rotundifolia Wall. XV
rubescens W. herb XV
Sailiana Spr. XV. 1. 5
salicifolia Banks & Sol
salicifolia Hamilt. XV
salicifolia hort. XV. 1.
salicifolia Sw. XV. 1. 8
salicifolia Wight XV 1.
salicifolia W. XV. 1. 1
sanguinea Sw XV 1.
sarcocalyx Mart. XV. 1.
Sassafras L. XV. 1 171
Sassafras Lour XV. 1.
semecarpifolia Wall. X
sericea Bl. XV. 1. 238

Sieber XV. 1. 174 239
Wall. XV. 1. 35 41 239
W. XV. 1. 46 239
Blanco XV. 1. 503
olia Wall. XV. 1. 239
Hamilt. XV. 1. 18 239 (*Sollyana*)
rmis Vell. XV. 1. 516
ium Hamilt. XV. 1. 18 239
s Forsyth XV. 1. 174 239
s W. XV. 1. 165 239
ata R. & Pav. XV. 1. 45 239
ginosa Ruiz XV. 1. 117 239
dens Vell. XV. 1. 516
ilifera Bl. XV. 1. 239 243
R. & Pav. XV. 1. 54 239
nsis Raeusch. XV. 1. 516
W. herb. XV. 1. 112 239
ensis Sw. XV. 1. 112 239
ensis Sw. XV. 1. 258
Hamilt. XV. 1. 239
Cunn. XV. 1. 66 239
Tana) Cunn. XV. 1. 66 239
Hamilt. XV. 1. 17 239
ae Poir. XV. 1. 52 64 239
a Mill. XV. 1. 516
ra Poir. XV. 1. 66 239
Mutis XV. 1. 157 239
Ruiz XV. 1. 151 239
r. XV. 1. 118 239
a Hamilt. XV. 1. 23 240
a hort. XV. 1. 233
Sw. XV. 1. 85 240
via Reinw. XV. 1. 18 78 240
vis R. & Pav. XV. 1. 32 240
ta Hamilt. XV. 1. 258
a Thbg XV. 1. 240 259
Humb. in W. herb. XV. 1. 129 240
Mill. XV. 1. 516
Domb. XV. 1. 149 240
des W. XV. 1. 49 240
Roxb. XV. 1. 38 240
W. herb. XV. 1. 148 240
Wall. XV. 1. 19 240
a Mart. XV. 1. 167 240

Laurus
vulgaris C. Bauh. XV. 1. 233
zeylanica Lam. XV. 1. 240
Lautembergia *Müll. Arg.* XV. 2. 903 (Alchornea)
Lawia Griff. XVII. 46
longipes Tul. XVII. 47
pulchella Tul. XVII. 46
zeylanica Tul. XVII. 46
Learosa Reichenb. XVI. 2. 676
Lebidiera Baill. XV. 2. 503
Cunninghamii Müll. Arg. XV. 2. 506
ferruginea Baill. XV. 2. 508
laurina Müll. Arg. XV. 2. 507
malabarica Müll. Arg. XV. 2. 508
pallida Müll. Arg. XV. 2. 508
patula Müll. Arg. XV. 2. 505
stipularis Müll. Arg. XV. 2. 509
Tulasneana Müll. Arg. XV. 2. 494
Lebidiera Baill. XV. 2. 503 (Amanoa)
Lebidieropsis *Müll. Arg.* XV. 2. 509
collina Müll. Arg. XV. 2. 509
orbicularis *Müll. Arg.* XV. 2. 509
α collina – – – –
β genuina – – – 510
γ Lamberti – – – –
Lecanocnide Bl. XVI. 1. 235[30]
diversifolia Bl. XVI. 1. 235[32]
Lecanthus *Wedd.* XVI. 1. 164
major Wedd. XVI. 1. 165
peduncularis *Wedd.* XVI. 1. 164
β Wallichii – – – 165
γ major – – – –
Wallichii Wedd. XVI. 1. 165
Lechero XVII. 229
Leesha XVI. 2. 391
Leichhardtia Shepherd XVI. 2. 445
Macleyana Shepherd XVI. 2. 446
Leidesia *Müll. Arg.* XV. 2. 792
capensis *Müll. Arg.* XV. 2. 793
obtusa *Müll. Arg.* XV. 2. 793
Leinkeria Scop. XIV. 424
Leiocarpus Bl. XV. 2. 469
arborescens Hassk. XV. 2. 470
arboreus Bl. XV. 2. 470
arboreus Miq. XV. 2. 474
fruticosus Bl. XV. 2. 475
quadrilocularis Miq. XV. 2. 476
serratus Hassk. XV. 2. 472
Leiopyrena Spach XVII. 169 (Celtis)
Leiopyxis Miq. XV. 2. 503
sumatrana Miq. XV. 2. 504

Leitneria *Chapm.* XVI. 2. 154
floridana *Chapm.* XVI. 2. 154
Lemnuscia Schreb. XVII. 298
Leucococcus Liebm. XVI. 1. 219 *lege Leucococcus* XVI. 1. 492
Lennoa *Llav. & Lex.* XVII. 37, *Fourn.* XVII. 37
caerulea *Fourn.* XVII. 38
madreporoides *Llav. & Lex.* XVII. 37
LENNOACEAE Torr. XVII. 36
LENNOACEAE *Solms* XVII 36
Lepidadenia Nees & Arn. XV. 1. 200
costata Miq. XV. 1. 204
cuneata Miq. XV. 1. 203
diversifolia Miq. XV. 1. 208 515
ferruginea Miq. XV. 1. 207
fusca Miq. XV. 1. 207
fuscescens Miq. XV. 1. 207
Griffithii Wight XV. 1. 205
grisea Miq. XV. 1. 204
hirta Miq. XV. 1. 210
lucida Miq. XV. 1. 205
mollis Miq. XV. 1. 207
Neesiana Wight XV. 1. 206
Noronhiana Miq. XV. 1. 202
ochracea Miq. XV. 1. 205
ovalifolia Wight XV. 1. 208
pallida Miq. XV. 1. 206
polyneura Miq. XV. 1. 205
punctata Miq. XV. 1. 209
robusta Miq. XV. 1. 202
rubiginosa Miq. XV. 1. 204
rubra Miq. XV. 1. 203
sumatrana Miq. XV. 1. 206
tephrophylla Miq. XV. 1. 207
tuberculata Miq. XV. 1. 204
velutina Miq. XV. 1. 209
Wightiana Nees XV. 1. 202
Lepidadenia *Bl.* XV. 1. 201 (Cylicodaphne)
Lepidanthus Nutt. XV. 2. 233 234
phyllanthoides Nutt. XV. 2. 234
Lepidobalanus Endl. XVI. 2. 81 82
Lepidobalanus *Endl.* XVI. 2. 3 (Quercus)
Lepidocarpodendron Boerh. XIV. 211 212 230 236 262
Lepidocarpodendron fol. angustis Boerh. XIV. 232
Lepidocarpodendron fol. longissimis Boerh. XIV. 242
Lepidocarpon Boerh. XIV. 233
Lepidocarpon fol oblongis Boerh. XIV. 231
Lepidocarpus L XIV 211
Lepidococca Turcz. XV. 2 7
serrata Turcz. XV. 2 75
Sieberi Turcz. XV. 2. 75
Lepidococca Baill. XV. 2. 7 :C
Lepidocroton Presl XV 2. 7
serratus Presl XV. 2. 75
Lepidocroton Baill. XV. 2. C
Lepidopelma Kl. XVI. 1. 7
podocarpifolia Kl XVI
Lepidophytum Hook. fil X
Lepidostachys Lindl XV.
grandifolia Planch. XV
lanceolata Tul. XV 2.
macrophylla Tul. XV. 2
oblonga Wall. XV 2. 4
pareiflora Planch. XV.
Roxburghii Wall. XV
villosa Wall. XV 2. 47
Lepidothamnus *Philipp.* X
Fonki *Philipp.* XVI 2
Lepidoturus *Baill* XV 2.
alnifolius *Baill.* XV. 2
occidentalis *Müll Arg.*
Lepidozamia *Regel* XVI
Peroffskyana *Regel* XVI
Lepidozamia Miq XVI 2 (En.
Lepsia Kl. XV. 1. 275 57
foliosa Kl XV. 1. 575
microphylla Kl. XV. 1.
Poeppigiana Kl XV. 1
Lepsia *Dc fil.* XV. 1. 574
Leptargyreia Raf XIV.
Leptobotrys Baill. XV. 2
discolor Baill. XV 2
Leptobotrys *Mull. Arg.* X
Leptocnide Bl XVI. 1. 21
borbonica Bl XVI. 1. 2
heterophylla Bl XVI. 1
rubricaulis Bl XVI 1
Leptodaphne Nees XV. 1.
Pseudo-psychotria Nees
subalpina Nees XV 1. 1
tenuiflora Nees XV 1 1
Leptomeria *R Br* XIV 67 X
acerba R. Br XIV. 680
acerba Cunn XIV 680 6

ier XIV. 680 689
r. XIV. 677
Br. XIV. 677
ber XIV. 677
Br. XIV. 680
R. Br. XIV. 677
Sieber XIV. 680 681
iq. XIV. 679
Miq. XIV. 679
aii Miq. XIV. 679
iis Miq. XIV. 680
Miq. XIV. 679
q. XIV. 679
XIV. 678
Miq. XIV. 678
q. XIV. 680
q. XIV. 680 689
R. Br. XIV. 680
Dc. fil. XIV. 678
Müll. XIV. 677
R. Br. XIV. 680
fil. XIV. 678
R. Br. XIV. 679
Sieb., Spr. XIV. 680
s Sieb., Spr. XV. 2. 214
ect. Acanthomeria *Dc. fil.* XIV. 678
Omphacomeria Endl. XIV. 680
Oxymeria *Endl.* XIV. 677
Xeromeria *Endl.* XIV. 679
ect. 1 *R. Br.* XIV. 677
2 *R. Br.* XIV. 680
3 *R. Br.* XIV. 679
Juss. XV. 2. 445
ides F. Müll. XV. 2. 449
Juss. XV. 2. 445
R Müll. Arg. XV. 2. 217 445
& Gke XV. 2. 7 56, *Dene* XV. 2. 234
s Kl. & Gke XV. 2. 55
Kl. & Gke XV. 2. 57
Dene XV. 2. 234
Kl. & Gke XV. 2. 57
Kl. & Gke XV. 2. 57
Kl. & Gke XV. 2. 57
Kl. & Gke XV. 2. 58

Leptorhachis *Müll. Arg.* XV. 2. 925, *Kl.* XV. 2. 925
capensis *Müll. Arg.* XV. 2. 926
* luxurians - - - -
hastata *Kl.* XV. 2. 925
Leptorhachis *sect.* Ctenomeria *Müll. Arg.* XV. 2. 925
Euleptorhachis *Müll. Arg.* XV. 2. 925
Leptorhaphis Kl. XV. 2. 925 *lege Leptorhachis* XV. 2. 1273
Leptostylis *Meisn.* XIV. 331 (Persoonia)
Lepurandra Nimmo XVII. 286
Lequareba XIV. 109
Lerchea *L.* XVII. 294
Leucadendron *Herm.* XIV. 212, *L.* XIV. 211 230 253 283, *Salisb.* XIV. 253
abietinum *R. Br.* XIV. 225
abietinum Drege XIV. 224
acaulon L. XIV. 229
acaulon Wachend. XIV. 245
acuminatum Buek XIV. 223
acutum *Meisn.* XIV. 228
adscendens *R. Br.* XIV. 222
adscendens Drege XIV. 222
aemulum *R. Br.* XIV. 224
β homoeophyllum *Meisn.* - -
angustatum *R. Br.* XIV. 214
β latifolium *Meisn.* - -
angustatum Drege XIV. 215
argenteum *R. Br.* XIV. 213
aurantiacum *Buek* XIV. 217
brunioides *Meisn.* XIV. 215
Buekianum *Meisn.* XIV. 214
buxifolium *R. Br.* XIV. 215
β dubium *Meisn.* - -
γ ambiguum - - -
callosum *Hoffmanns.* XIV. 229
canaliculatum E. Mey. XIV. 215
cancellatum L. XIV. 212 229
cartilagineum *R. Br.* XIV. 226
caudatum *Lk* XIV. 698
ciliatum Buek XIV. 219
cinereum Ait. XIV. 227
cinereum *R. Br.* XIV. 216
cinereum E. Mey. XIV. 217
cinereum β Drege XIV. 217
comosum *R. Br.* XIV. 224
comosum Buek XIV. 224 225
concinnum *R. Br.* XIV. 222
β latifolium *Meisn.* - 223
concolor *R. Br.* XIV. 219 247

Leucadendron
β insigne *Meisn.* XIV. 219
γ lanceolatum - - -
δ ciliatum - - -
coacolor α α E. Mey. XIV. 226
coniferum *Meisn.* XIV. 227
coniferum Sieber XIV. 222
Conocarpodendron L. XIV. 229 255
corymbosum *Berg.* XIV. 217
corymbosum R. Br. XIV. 247
crassifolium *R. Br.* XIV. 226
cucullatum L. XIV. 229 263
cuspidatum Kl. XIV. 223
cyanoides L. XIV. 229 290
cynaroides α L. XIV. 229 245
daphnoides *Meisn.* XIV. 226
decorum *R. Br.* XIV. 218
β Dregeanum *Meisn.* - -
γ Ecklonianum - - -
δ Zeyherianum - - -
ε obovatum - - -
decorum Buek XIV. 218
decorum var. minus Buek XIV. 218 226
decurrens *R. Br.* XIV. 220
discolor Buek XIV. 214
divaricatum Berg. XIV. 229 265
Dregei *E. Mey.* XIV. 217
dubium Buek XIV. 215
elatum *Buek* XIV. 217
elongatum Berg. XIV. 229 297
ericifolium *R. Br.* XIV. 225 247
ericifolium Buek XIV. 225
ericifolium Drege XIV. 224
eucalyptifolium *Buek* XIV. 221
floridum *R. Br.* XIV. 223
floridum Drege XIV. 222
flavescens *Lk* XIV. 229
fusciflorum *R. Br.* XIV. 228 214
glabrum *R. Br.* XIV. 220
β angustifolium *Meisn.* - 221
γ obtusatum - - -
Globularia *R. Br.* XIV. 226
glomeratum L. XIV. 229 294
glomeratum L. herb. XIV. 285
grandiflorum *R. Br.* XIV. 219
grandiflorum Buek XIV. 219
grandiflorum Salisb. XIV. 229 254
grandiflorum b Drege XIV. 219
heterophyllum E. Mey. XIV. 222
hirsutum Hoffmanns. XIV. 216
hirsutum *Meisn.* XIV. 227
hirtum L. XIV. 229 262
humifusum E. Mey. XIV. 220

Leucadendron
Hypophyllocarpodendron
imbricatum *R. Br.* XIV.
β Dregeanum *Meisn.* -
γ canaliculatum - -
imbricatum a Drege XIV.
imbricatum b Drege XIV.
inflexum Kl. XIV. 215
insigne Buek XIV. 219
involucratum *Meisn.* XIV.
laeve *Meisn.* XIV. 227
lanigerum *Buek* XIV.
β laevigatum *Meisn.* -
Lepidocarpodendron L.
Levisanus *Berg.* XIV.
lineare Steud. XIV. 214
linifolium *R. Br.* XIV.
marginatum *Lk* XIV.
Meyerianum Buek XIV.
nanum Berg. XIV. 229
nitidum *Buek* XIV. 217
obtusatum *Meisn.* XIV.
odoratum *Steud.* XIV.
oleaefolium Berg. XIV.
ovale *R. Br.* XIV. 219
β humifusum *Meisn.* -
pedunculatum *Meisn.* XI
phylicoides Berg. XIV.
pinifolium L., van Royen
pinifolium Dc. XIV.
platyspermum *R. Br.* XI
plumosum *R. Br.* XIV.
polygaloides *Lk* XIV.
prostratum *Meisn.* XIV.
proteoides L. XIV. 229
proteoides E. Mey. XIV.
pruinosum Mund XIV.
pubescens *R. Br.* XIV.
pubigerum L. herb. XIV.
pyramidale *Steud.* XIV.
racemosum L., Berg.
ramosissimum *Buek* XIV.
repens Berg., L. XIV.
repens β L. XIV. 242
reticulatum *Meisn.* XIV.
retusum *R. Br.* XIV. 219
retusum Drege XIV. 219
rubri-callosum Buek
rugosum *Meisn.* XIV.

n
R. Br. XIV. 223
olium Meisn. - -
folium - - -
Drege XIV. 223
t. Br. XIV. 225
teud. XIV. 225
halum L. XIV. 229 239
E. Mey. XIV. 229 305 (bis)
R. Br. XIV. 225
Burm. XIV. 229 292
L. XIV. 229 296
L. XIV. 229 294
Br. XIV. 214
m R. Br. XIV. 213
m Buek XIV. 214 226
L. XIV. 229 231
halum Berg. XIV. 229 299
Berg. XIV. 229 301
R. Br. XIV. 219
XIV. 228
Sweet XIV. 228
t. Br. XIV. 221
a Drege XIV. 222 (bis)
Meisn. XIV. 227
Endl. XIV. 229 247
des Berg. XIV. 229 265
Br. XIV. 216 248 698
m Meisn. - -
& b Drege XIV. 215
Meisn. XIV. 228
R. Br. XIV. 223 248
R. Br. XIV. 220 267
ifolium Meisn. - -
m Meisn. XIV. 228
R. Br. XIV. 221
Drege XIV. 222
d Drege XIV. 221
n α Diastella Salisb. XIV. 253
Herm. XIV. 212, Pluk. XIV. 213
Kl. XV. 2. 513 593 648
XV. 2. 648
Baill. XV. 2. 645 (Croton)
Kl. XV. 2. 927 929
olia Kl. XV. 2. 930
Müll. Arg. XV. 2. 929 (Tragia)
mb. XVI. 2. 324 (Populus)
Miq. XVI. 1. 235[25]
q. XVI. 1. 235[25]

Leucocnide
alba Miq. XVI. 1. 235[27]
candidissima Miq. XVI. 1. 235[26]
dichotoma Miq. XVI. 1. 235[25]
sororia Miq. XVI. 1. 235[25]
Leucococcus (non Lencococcus XVI. 1. 492) *Liebm.* XVI. 1. 219
occidentalis Liebm. XVI. 1. 234
orientalis Liebm. XVI. 1. 222
Leucocroton *Griseb.* XV. 2. 756
flavicans *Müll. Arg.* XV. 2. 757
α latifolius - - - -
β angustifolius - - - -
virens *Griseb.* XV. 2. 757
Wrightii *Griseb.* XV. 2. 756
Leucoides Spach XVI. 2. 324 (Populus)
Leucophrys Webb XVI. 2. 581 (*Luteola*)
Leucoreseda *Dc.* XVI. 2. 556 (Reseda)
Leucoreseda Gren. & Godr. XVI. 2. 580 (Reseda)
Leucosmia *Benth.* XIV. 603
Burnettiana *Benth.* XIV. 603
Leucospermum *R. Br.* XIV. 253
attenuatum *R. Br.* XIV. 256
β Dregei *Meisn.* - -
γ ambiguum - - -
δ praemorsum- - 257
attenuatum fol. angust. Drege XIV. 256
buxifolium *R. Br.* XIV. 259
candicans Loud. XIV. 258
Conocarpodendron R. & Schult. XIV. 255
conocarpum *R. Br.* XIV. 254
crinitum *R. Br.* XIV. 260 (*bis*)
α Thunbergii *Meisn.* - -
β cryptanthum - - -
γ Jacquini - - -
crinitum Kl. XIV. 261
cryptanthum Buek XIV. 260
diffusum *R. Br.* XIV. 259
diffusum Sieber XIV. 257
Ecklonii Buek XIV. 258
ellipticum *R. Br.* XIV. 255
formosum Knight XIV. 238 261
grandiflorum *R. Br.* XIV. 254
Guciuzii Meisn. XIV. 254
Hypophyllum *R. Br.* XIV. 257
α vulgare *Meisn.* - -
β canaliculatum - - -
γ stenophyllum - - -
Hypophyllum α angustifolium Kl. XIV. 257

Leucospermum
Hypophyllum var. Drege XIV. 257
involucratum R. & Schult. XIV. 228
lineare *R. Br.* XIV. 256
α latifolium *Meisn.* – –
β angustifolium – – –
lineare Drege XIV. 256
marginatum Spr. XIV. 228 261
medium *R. Br.* XIV. 255
β formosum *Meisn.* – –
medium c Drege XIV. 260
molle *R. Br.* XIV. 261
molle Kl. XIV. 260
Mundii *Meisn.* XIV. 261
nutans *R. Br.* XIV. 253
α cordatum *Meisn.* – 254
β oblongum – – –
oleaefolium *R. Br.* XIV. 261
α Bergii *Meisn.* – –
β Brownii – – –
ovatum R. & Schult. XIV. 247 261
parile *Knight* XIV. 261
patulum R. Rr. XIV. 259
pedunculatum *Kl.* XIV. 260
penicillatum *Buek* XIV. 260
praemorsum Buek XIV. 257
puberum *R. Br.* XIV. 258
α lanceolatum *Meisn.* – 259
β subspathulatum – – –
γ patulum – – –
γ dubium – –
purpureum Mund XIV. 261
reflexum *Buek* XIV. 254
Rochetianum *A. Rich.* XIV. 261
spathulatum *R. Br.* XIV. 257 258
α Niveni *Meisn.* – 258
β dentatum – – –
spathulatum Drege XIV. 299
tomentosum *R. Br.* XIV. 258
α Brownii *Meisn.* – –
β candicans – – –
γ acutum – – –
δ Dregei – – –
ε Ecklonii – – –
tomentosum α Drege XIV. 258
tomentosum β Drege XIV. 258
tomentosum γ Drege XIV. 258
tottum *R. Br.* XIV. 257
truncatum Buek XIV. 256
Zeyheri *Meisn.* XIV. 255
β truncatum – – 256
Leucospermum *sect.* Conocarpodendron *Endl.* XIV. 253

Leucospermum *sect.* Dasu
Koch

Leucosyke *Zoll. & Mori*

alba Zoll. & Mor. XVI.
bimensis Zoll. & Mor.
bornensis *Miq.* XVI. 1.
candidissima *Wedd.* XV
capitellata *Wedd.* XVI.
β ochracea *Bl.* –
γ angustata – –
δ tenera – –
ε retusa – –
ζ Blumei *Wedd.* –
η villosa – –
ϑ elongata – –
ι falcata –
κ celtidifolia – –
celebica *Miq.* XVI. 1.
celtidifolia Miq. XVI. 1
corymbulosa *Wedd.* XV
elongata Miq. XVI. 1.
falcata Miq. XVI. 1.
hispidissima *Miq.* XVI.
javanica Zoll. & Mor.
javensis Miq. XVI. 1.
mutabilis Miq. XVI. 1.
ochroneura *Wedd.* XVI.
rubiginosa *Miq.* XVI. 1.
sumatrana *Miq.* XVI. 1.
β sericea *Bl.* – –
villosa Miq. XVI. 1.
Lewisia *Pursh* XVII. 294
Liane blanche XVI. 1.
Liane du voyageur XVI.
Libocedrus *Endl.* XVI. 2.
chilensis *Endl.* XVI. 2.
β viridis *Parl.* – –
γ argentea – – –
chilensis argentea hort.
chilensis viridis hort.
decurrens *Torr.* XVI. 2.
Doniana *Endl.* XVI. 2.
excelsa hort. XVI. 2.
tetragona *Endl.* XVI. 2.
Licaria guianensis Aubl.
Licari Kanali XV. 1.
Licurana XV. 2. 272
Ligea Tul. XVII. 57 59
alcicornis Tul. XVII. 59

l. XVII. 58
Tul. XVII. 58
a corymbosa Tul. XVII. 60
Tul. XVII. 62
num Rumph XVI. 2. 515
anum Rumph XVI. 2. 158
mph XV. 2. 79
k. XV. 2. 235
XV. 1. 8 243
Bl. XV 1. 244
, XV. 1. 244
eisn. XV. 1. 244
– – – –
lis- – – –
Meisn. XV. 1. 245
XV. 1. 244
eisn. XV. 1. 245
Meisn. XV. 1. 246
– – – –
eisn. XV. 1. 245
. XV. 1. 246
Bl. XV. 1. 244
Bl. XV. 1. 246
Meisn. – – –
. XV. 1. 244
XV. 1. 245
– – – –
Meisn. XV. 1. 245
XV. 1. 246
k. fil. & Thoms. XV. 1. 246
Thbg XV. 1. 245
XVII. 294
. 48
natica *Arrud.* XV. 1. 259
rrud. XV. 1. 259
Cav. XIV. 340 343
Kl. XV. 2. 799 800
chlecht. XV. 2. 800
Kl. XV. 2. 801
Müll. Arg. 2. 800 (Acalypha)
all. XIV 599
Wall. XIV. 599
Griff. XIV. 600
et. Eulinostoma Meisn. XIV. 599
et. 2 Meisn. XIV. 600
L. XVI. 2. 157
. XVI. 2. 158
Bl. XVI. 2. 158

Liquidambar
Altingiana Teysm. XVI. 2. 158
arbor &c. Catesb. XVI. 2. 157
asplenifolium L. XVI. 2. 151 158
chinensis *Champ.* XVI. 2. 158
formosana Hance XVI. 2. 684
imberbe Ait. XVI. 2. 158
macrophylla Oerst. XVI. 2. 157
orientalis *Mill.* XVI. 2. 158 684
peregrinum Reichenb. XVI. 2. 151 158
Rasamala Bl. XVI. 2. 158
styraciflua *L.* XVI. 2. 157
tricuspis *Miq.* XVI. 2. 158
Lissostylis R. Br. XIV. 352 (Grevillea)
Lissostylis Meisn. XIV. 351 (Grevillea, Eugrevillea, Aphanoptera)
Litchi XV. 1. 48
Lithi Feuill. XV. 1. 259
Lithocarpus Bl. XVI. 2. 2 104
angustifolius Miq. XVI. 2. 104
javensis Bl. XVI. 2. 104
scutigera Oudem. XVI. 2. 94
Lithocarpus *Miq.* XVI. 2. 104 (Quercus)
Lithoxylon *Endl.* XV. 2. 232
grandifolium *Müll. Arg.* XV. 2. 232
nitidum *Müll. Arg.* XV. 2. 232
Lithrea caustica Hook. & Arn. XV. 1. 259
venosa Miers XV. 1. 259
Litsaea *Juss.* XV. 1. 8 220, *Lam.* XV. 1. 177, *Bl.* XV. 1. 210. *Auctor.* XV. 1. 200 228
acerina *Bl.* XV. 1. 225
aciculata *Bl.* XV. 1. 224
amara Bl. XV. 1. 190 227
ambigua *Meisn.* XV. 1. 226
α oblonga – – – 227
β lanceolata – – – –
angulata Bl. XV. 1. 183 197 227
angustifolia Bl. XV. 1. 218 227
apetala R. Br. XV. 1. 227
apetala Pers. XV. 1. 227
cassiaefolia *Bl.* XV. 1. 225
celebica Bl. XV. 1. 220 227
Cervantesii H. B. & Kth XV. 1. 193 227
ceylanica Nees XV. 1. 226
ceylanica var. chinensis Benth. XV. 1. 224
chinensis Bl. XV. 1. 227
chinensis herb. Heyn. XV. 1. 180 227

Litsaea
chinensis Lam. XV. 1 178 227
chinensis Zolling. XV. 1. 211
chrysocoma *Bl.* XV. 1. 225
cinnamomea *Bl.* XV. 1. 222
citrata Bl. XV. 1. 182 227
citrifolia Juss. XV. 1. 227
consimilis *Nees* XV. 1. 223
Cubeba Pers. XV. 1. 199 227
Cuipala *Nees* XV. 1. 221
dealbata *Nees* XV. 1. 224
β glabrata *Meisn.* - - -
γ incisa *F. Müll.* - - 515
densifolia *Miq.* XV. 1. 222 227 229
discolor Zipp. XV. 1. 204 227
diversifolia Bl. XV. 1. 208 227
elliptica Bl. XV. 1. 188 227
ferruginea Bl. XV. 1. 207 227
foliosa *Nees* XV. 1. 222 223
α puncticulata *Meisn.* - - -
β impunctata - - - -
γ caesia - - - -
foliosa Sieb. & Zucc. XV. 1. 224
foliosa var. oblonga Hook. fil. & Thoms. XV. 1. 223
foliosa var. umbrosa Hook. fil. & Thoms. XV. 1. 225 (*bis*)
furfuracea Nees XV. 1. 222
fuscata *Thwait.* XV. 1. 221
Gardneri Thwait. XV. 1. 227
geminata Bl. XV. 1. 179 227
glabraria Juss. XV. 1. 179 227
glauca *Siebold* XV. 1. 224
glaucescens H. B. & Kth XV. 1. 193 227
glaucescens Spr. XV. 1. 49 227
glomerata Bl. XV. 1. 215 227
Hexanthus Juss. XV. 1. 192 227
japonica Juss. XV. 1. 181 227
javanica *Bl.* XV. 1. 225
Khasyana *Meisn.* XV. 1. 227
lanuginosa *Nees* XV. 1. 221
latifolia *Bl.* XV. 1. 220
β arcolata - - - -
γ caesia - - - 221
δ punctata - - - -
latifolia var. Miq. XV. 1. 222
levis Juss. XV. 1. 179 227
lucida Bl. XV. 1. 227 241
macrocarpa Bl. XV. 1. 58 227
macrophylla Bl. XV. 1. 216 228
minuta Reinw. XV. 1. 194 228
monopetala Pers. XV. 1. 189 228
multiflora Bl. XV. 1. 179 228
Noronhae Bl. XV. 1. 202 208 228

Litsaea
oblonga Nees XV. 1. 2
oblonga Wall. XV. 1. 2
obovata Nees XV. 1. 2
obtusa Bl. XV. 1. 178 2
orbicularis *Thwait.* XV.
piperita Juss. XV. 1. 1
platyphylla Pers. XV. 1
plumbea *Bl.* XV. 1. 225
polita *Bl.* XV. 1. 225
polita β Miq. XV. 1. 2
polyantha Juss. XV. 1.
procera Bl. XV. 1. 217
pruinosa Bl. XV. 1. 21
pruinosa Nees XV. 1. 2
Pseudo-Culitlavan *Nee*

puberula Miq. XV. 1. 2
pulchella *Meisn.* XV. 1
Reinwardtii Bl. XV. 1.
resinosa Bl. XV. 1. 18
robusta Bl. XV. 1. 202
rubra Bl. XV. 1. 202 2
rubra Miq. XV. 1. 228
rufa *Nees* XV. 1. 221
scrobiculata *Meisn.* XV.
sebifera Bl. XV. 1. 202
sebifera Juss. XV. 1. 1
sebifera Pers. XV. 1. 1
sphaerocarpa Bl. XV

striolata *Bl.* XV. 1. 22
tenuiramis Miq. XV. 1.
Tetranthera Pers. XV.
Tetranthus Pers. XV. 1.
Thunbergiana Siebold
Thunbergii Siebold XV.
timoriana Spanoghe XV

tomentosa Bl. XV. 1. 1
tomentosa *Heyn.* XV. 1
trinervia (trinervis) Ju 2
trinervia Pers. XV. 1. 2
triplinervia *Bl.* XV. 1. 2
umbrosa *Nees* XV. 1. 2
β Khasyana *Meisn.* -
villosa *Bl.* XV. 1. 221
villosa Spr. XV. 1. 148
zeylanica Bl. XV. 1. 2
zeylanica *Nees* XV. 1. 2
α lanceolata *Meisn.* -
β concolor - -
γ venosa - -
δ rigescens - -
ε rubrinervis - -

Thwait. XV. 1. 226
Wight XV. 1. 226
B Meisn. XV. 1. 8 176
424
mi XVI. 2. 433
L. 2. 520
a Dc. fil. XV. 1. 389 (Begonia)
ch. XV. 1. 428
Planch. XV. 1. 428
hart. XV. 1. 428 (Thottea)
e XVI. 2. 393
Wight & Arn. XV. 2. 1254
nus Wight & Arn. XV. 2. 1254
ha larga Mart. XV. 1. 160
e XVI. 2. 530
Kze XVI. 2. 530
se XVI. 2. 530
Br. XIV. 447
Poepp. XIV. 450
Gay XIV. 450
Br. XIV. 449
folia Meisn. - -
ifolia - - -
ay XIV. 449
R. Br. XIV. 449
Br. XIV. 447
R. Br. XIV. 447
- - -
ata - - -
ris - - -
tifida Hook. - -
R. Br. XIV. 447
lata Meisn. - 448
enia - - -
ook. XIV. 451
Br. XIV. 450
tegrifolia Meisn. - -
lia - - -
XIV. 450
a R. Br. XIV. 448
a - - -
- - -
R. Br. XIV. 448
tifolia - - -
ia - - 449
ta - - -
Br. XIV. 448
Poepp. XIV. 449
R. Br. XIV. 448

Lomatia *sect.* Amphiloma *Endl.* XIV. 449
Eulomatia *Endl.* XIV. 447
Lonchostephus *Tul.* XVII. 51
elegans *Tul.* XVII. 51
Longetia *Baill.* XV. 2. 244
buxoides *Baill.* XV. 2. 244
Long leaved Pine XVI. 2. 392
Lopadocalyx Kl. XV. 2. 1259
Lophira *Gaertn.* XVI. 2. 638
africana G. Don XVI. 2. 639
alata *Gaertn.* XVI. 2. 638
simplex G. Don XVI. 2. 639
LOPHIRACEAE *Dc. fil.* XVI. 2. 638
LOPHIRACEAE Endl. XVI. 2. 638
Lophogyne *Tul.* XVII. 65
arculifera *Tul. & Wedd.* XVII. 65
helicandra *Tul.* XVII. 65
LOPHOPHYTEAE *Schott & Endl.* XVII. 120 127
LOPHOPHYTIDEAE Hook. fil. XVII. 127
Lophophytum *Schott & Endl.* XVII. 120 127
bolivianum *Wedd.* XVII. 129
Leandri *Eichl.* XVII. 129
mirabile *Schott & Endl.* XVII. 128
mirabile Wedd. XVII. 129
Weddellii *Hook. fil.* XVII. 129
Lophostoma *Meisn.* XIV. 600
calophylloides *Meisn.* XIV. 600
ovatum *Meisn.* XIV. 600
LORANTHEAE Juss. XVI. 1. 472
Lotopsis Spach XVII. 169 (Celtis)
Lotus arbor Lob. XVII. 170
Lotus arbor virginiana &c. Rai XVII. 174
Lotus fructu Cerasi &c. Bauh. XVII. 170
Lou XVII. 245
Loureira Cav. XV. 2. 1076 1081
cuneifolia Cav. XV. 2. 1081
glandulosa Cav. XV. 2. 1078
peltata Desf. XV. 2. 1077
Loureira *Müll. Arg.* XV. 2. 1076 (Jatropha *sect.* Curcas)
Lucatzin XVI. 2. 429
Luconia Philippinarum Cuming. XVII. 207
Lumanaja Blanco XV. 2. 1022
fluviatilis Blanco XV. 2. 1023
Lunasia Blanco XV. 2. 1259
Lundia Schum. & Thon. XVII. 295

Lunka Sij XV. 2. 96
LUPULACEAE Raspail XVI. 1. 28
Lupulus Bauh. XVI. 1. 29
communis Gaertn. XVI. 1. 29
Luteola Magnol. XVI. 2. 555, *Tourn.* XVI. 2. 555, *Spach* XVI. 2. 555 583, *Bauh.* XV. 1. 410
complicata Webb. XVI. 2. 581
glauca Webb. XVI. 2. 582
resedoides Fuss XVI. 2. 584
tinctoria Webb. & Berth. XVI. 2. 584
tinctoria var. australis Webb. XVI. 2. 583
Luteola sect. Leucophrys Webb. XVI. 2. 581
Luteola *Dc.* XVI. 2. 582 (Reseda)
Lyciopsis *Boiss.* XV. 2. 10 97 (Euphorbia)
Lycopodium arboreum Jungh. & de Vries XVI. 2. 494
Lydaea *Molin.* XVII. 294
Lygia Fasan. XIV. 551
Passerina Fasan. XIV. 551
pubescens C. A. Mey. XIV. 552
Lygia *Fasan.* XIV. 551 (Thymelaea)
Lyonia Raf. XIV. 79
Lyperodendron coccoloboides W. XIV. 168
Lysiandra F. Müll. XV. 2. 367 (Phyllanthus)
LYSIMACHIEAE Llav. & Lex. XVII. 36
Lyssanthe (Lysanthe) Knight & Salisb. XIV. 349
cana Knight & Salisb. XIV. 359
cytisifolia Knight & Salisb. XIV. 355
linariaefolia Knight & Salisb. XIV. 355
podalyriaefolia Knight & Salisb. XIV. 358
sericea Knight & Salisb. XIV. 355
speciosa Knight & Salisb. XIV. 354
LYTHRARIACEAE Meisn. XVI. 2. 677

M.

Mabea *Aubl.* XV. 2. 1148
angustifolia *Benth.* XV. 2. 1149
α genuina *Müll. Arg.* - - -
β oblonga *Benth.* - - -
biglandulosa Baill. XV. 2. 1151
Mabea
biglandulosa *Müll. Arg.*
brasiliensis *Müll. Arg.*
ferruginea Benth. XV. 2.
fistulifera Benth. XV. 2.
fistulifera *Mart.* XV. 2.
Gaudichaudiana *Müll. Ar*
maynensis *Müll. Arg.*
montana *Müll. Arg.* XV.
nitida *Benth.* XV. 2. 11
α purpurascens *Müll.*
β albiflora *Benth.*
occidentalis var. α Ben
occidentalis var. *β Ben*
pallida Baill. XV. 2. 1
pallida *Müll. Arg.* XV.
paniculata *Benth.* XV. 2.
paniculata var. Pohlia XV
Piriri Aubl. XV. 2. 11
Piriri *Müll. Arg.* XV. 2.
α genuina - - -
β concolor - - -
γ purpurascens - - -
δ obovata - - -
ε laevigata - - -
Pohliana *Müll. Arg.* XV.
rubrinervis Bmll. XV. 2.
Schomburgkii *Benth.* XV.
subserrulata *Benth.* XV.
Taquari Aubl. XV. 2. 11
Taquari *Müll. Arg.* XV.
α genuina - -
β angustifolia - -
Weddelliana Baill. XV.
Macaranga *Müll. Arg.* XV.
Pet. Thouar. XV. 2.
amboinensis *Müll. Arg.*
angolensis *Müll. Arg.* X
Bailloniana *Müll. Arg.*
bancana *Müll. Arg.* XV.
Barteri *Müll. Arg.* XV.
bicolor *Müll. Arg.* XV.
borneensis *Müll. Arg.* X
boutonioides Baill. XV.
boutonioides *Mull. Arg.*
Chatiniana *Mull. Arg.* X

Müll. Arg. XV. 2. 993
üll. Arg. XV. 2. 1005
Baill. XV. 2. 1014
Müll. Arg. XV. 2. 1002
üll. Arg. XV. 2. 1006
Müll. Arg. XV. 2. 988
Müll. Arg. XV. 2. 1006
Müll. Arg. XV. 2. 1005
Müll. Arg. XV. 2. 1004
Müll. Arg. XV. 2. 1008
Baill. XV. 2. 1009
Boiv. XV. 2. 1009
Müll. Arg. XV. 2. 1000
a - - - -
eri - - - -
Müll. Arg. XV. 2. 989
- - - -
a - - - -
ii Müll. Arg. XV. 2. 998
ll. Arg. XV. 2. 1007
l. Arg. XV. 2. 1011
Müll. Arg. XV. 2. 989
Baill. XV. 2. 1014
Wight XV. 2. 1010
Müll. Arg. XV. 2. 995
Müll. Arg. XV. 2. 1001
Müll. Arg. XV. 2. 993
Müll. Arg. XV. 2. 1000
Müll. Arg. XV. 2. 998
ll. Arg. XV. 2. 1004
a Müll. Arg. XV. 2. 993
Baill. XV. 2. 1015
Müll. Arg. XV. 2. 1003
ll. Arg. XV. 2. 990
Müll. Arg. XV. 2. 992
üll. Arg. XV. 2. 1004
a - - - 1005
a - - - -
a - - - -
Wight XV. 2. 1009
Baill. XV. 2. 1012
Müll. Arg. XV. 2. 1011
a - - - 1012
hoides - - - -
scens - - - -
a Müll. Arg. XV. 2. 1007
ata Müll. Arg. XV. 2. 991

Macaranga
macrophylla Müll. Arg. XV. 2. 1001
Mappa Müll. Arg. XV. 2. 1000
mauritiana Müll. Arg. XV. 2. 1009
megalophylla Müll. Arg. XV. 2. 995
membranacea Müll. Arg. XV. 2. 996
minutiflora Müll. Arg. XV. 2. 1012
monandra Müll. Arg. XV. 2. 1012
Motleyana Müll. Arg. XV. 2. 994
myriantha Müll. Arg. XV. 2. 1008
oblongifolia Baill. XV. 2. 1015
obovata Baill. XV. 2. 1014
occidentalis Müll. Arg. XV. 2. 994
ovata Boiv. XV. 2. 1014
pachyphylla Müll. Arg. XV. 2. 999
peltata Boiv. XV. 2. 1009
peltata Müll. Arg. XV. 2. 1010
populifolia Müll. Arg. XV. 2. 1006
pruinosa Müll. Arg. XV. 2. 992
reticulata Baill. XV. 2. 1014
rhizinoides Müll. Arg. XV. 2. 1011
rottleroides Baill. XV. 2. 1013
Roxburghii R. Wight XV. 2. 1010
rugosa Müll. Arg. XV. 2. 995
secunda Müll. Arg. XV. 2. 996
Seemanni Müll. Arg. XV. 2. 999
sinensis Müll. Arg. XV. 2. 1001
spinosa Müll. Arg. XV. 2. 1013
stipulosa Müll. Arg. XV. 2. 1001
stricta Müll. Arg. XV. 2. 1004
subfalcata Müll. Arg. XV. 2. 1007
sumatrana Müll. Arg. XV. 2. 1003
taitensis Müll. Arg. XV. 2. 997
Tanarius Müll. Arg. XV. 2. 997
α tomentosa - - - -
β genuina - - - 998
tenuifolia Müll. Arg. XV. 2. 990
Teysmanni Müll. Arg. XV. 2. 999
tomentosa R. Wight XV. 2. 1010
trichocarpa Müll. Arg. XV. 2. 1003
triloba Müll. Arg. XV. 2. 989
Vedeliana Müll. Arg. XV. 2. 1002
velutina Müll. Arg. XV. 2. 993
Vieillardi Müll. Arg. XV. 2. 1007
Wightiana Baill. XV. 2. 1010

Macaranga *sect.* Dimorphanthera *Müll. Arg.* XV. 2. 990
Eumacaranga *Müll. Arg.* XV. 2. 1008
Mappa *Müll. Arg.* XV. 2. 991
Pachystemon *Müll. Arg.* XV. 2. 986
Macarisia *Pet. Thouar.* XVII. 294
Machilus *Rumph* XV. 1. 4 39, *Nees* XV. 1. 59
bootanica *Meisn.* XV. 1. 42
cuneata Hassk. XV. 1. 504
glaucescens *Wight* XV. 1. 40
β Metzii
γ zeylanica
Grijsii *Hance* XV. 1. 504
japonica *Sieb. & Zucc.* XV. 1. 42
incrassata Nees XV. 1. 43 60 (*incrassatus*)
Khasyana *Meisn.* XV. 1. 42
longifolia *Bl.* XV. 1. 43
macrantha *Nees* XV. 1. 40
macrantha Thwait. XV. 1. 40
macrophylla *Bl.* XV. 1. 41 37
macrophylla Nees XV. 1. 38 43
macrophylla var. Nees XV. 1. 36
Madang Miq. XV. 1. 41
odoratissima *Nees* XV. 1. 40
β canescens *Bl.* 41
γ puberula
δ areolata *Meisn.*
ε heterophylla *Bl.*
ζ glabrata
η latifolia *Miq.*
odoratissima α Hook. fil. & Thoms. XV. 1. 42
odoratissima β Nees XV. 1. 41
oreophila *Hance* XV. 1. 504
parviflora *Meisn.* XV. 1. 505
β scrobiculata
γ platyphylla
peduncularis Nees XV. 1. 43 61
pilosa *Nees* XV. 1. 43
pubescens *Bl.* XV. 1. 40
quarta Rumph XV. 1. 40
rimosa *Bl.* XV. 1. 42
sericea *Bl.* XV. 1. 41
tavoyana *Meisn.* XV. 1. 41
tertia Rumph XV. 1. 60
Thunbergii *Sieb. & Zucc.* XV. 1. 42
β glaucescens *Bl.*
γ major

Machilus
velutina *Champ.* XV. 1.
α oblonga *Meisn.*
β heterophylla
1 & 9 *Hook. fil. & Tho*
6 *Hook. fil. & Thoms.*
Maclura *Nutt.* XVII. 213 2
XVII. 227, *Miq.*
affinis Miq. XVII. 230
amboinensis Bl. XVII.
aurantiaca *Nutt.* XVII.
brasiliensis *Bureau* XVII.
brasiliensis Endl. XVII.
chlorocarpa Liebm. XVII
excelsa *Bureau* XVII.
gerontogea Sieb. & Zucc
javanica Bl. XVII. 232
Plumiera D. Don XVII.
polyneura Miq. XVII.
sempervirens Ten. XVII.
Sieberi Bl. XVII. 230
subintegerrima Miq. XVI
timorensis Bl. XVII. 23
tinctoria *D. Don* XVII.
α subintegerrima *Bure*
* quercina
β subcuneata
γ chlorocarpa
* sinuata
δ ovata
ε affinis
ζ xanthoxylon
* lobata
η polyneura
tinctoria Endl. XVII. 2
velutina Bl. XVII. 228
Xanthoxylon Endl. XVII
Macou XV. 1. 15
Macraea Wight XV. 2. 3
Gardneriana Wight XV.
myrtifolia Wight XV. 2.
oblongifolia Wight XV. 2
ovalifolia Wight XV. 2.
Macraea Baill. XV. 2.
(Flo
Macrophthalma Gaspar. X
Macropiper Miq. XVI. 1. 2
excelsum Miq. XVI. 1.
latifolium Miq. XVI. 1.
latum Presl XVI. 1. 245
methysticum Hook. & Arn
methysticum Miq. XVI. 1.

er
getonitifolium Miq. XVI. 1. 376
rum Endl. XVI. 1. 335
lum Benth. XVI. 1. 335
um Seem. XVI. 1. 335
rdtianum Miq. XVI. 1. 354
chys C. Dc. XIV. 1. 251 (Piper)
ia Turcz. XIV. 496
ens Turcz. XIV. 504
s Kl. XV. 1. 443 *(Howardia)*
ia Miq. XVI. 2. 525 534
ii Moore & Müll. XVI. 2. 536
Miq. XVI. 2. 535
elli F. Müll. XVI. 2. 537
i Dc. fil. XVI. 2. 535
ii Dc. fil. XVI. 2. 535
uilelmi F. Müll. XVI. 2. 536
Lehm. XVI. 2. 535
Miq. XVI. 2. 535
lomera Dc. fil. - - -
ia Miq. XVI. 2. 534 535 (Encephalartus)
Laurel XV. 1. 118
Kl. XV. 1. 278 333
Kl. XV. 1. 334 *(bis)*
Kl. XV. 1. 334
Dc. fil. XV. 1. 333 (Begonia)
Vell. XIV. 178
s Vell. XIV. 181
2. 519
Frapp. & Duchart. XVII. 213 220
ca Frapp. & Duchart. XVII. 220
Vell. XV. 2. 1259
1. 2. 519
1. 2. 517
ens Kaempf. XVI. 2. 517
Kaempf. XVI. 2. 517
Kaempf. XVI. 2. 516
rum Burm. XV. 1. 9
um Meisn. XV. 1. 10 (Cinnamomum)
Rheed. XVI. 1. 363
Bl. XVII. 213 221
ata Planch. XVII. 222
hamii Planch. XVII. 222
a Bureau XVII. 222
s Bl. XVII. 222
Blanco XVII. 221 222
Malaisia
α racemosa *Bureau* XVII. 222
β acuminata - - -
γ viridescens - - -
δ scandens - - -
viridescens Planch. XVII. 222
Malamuger XV. 2. 1102
Malistachys Endl. XIV. 513 (Pimelia)
Mallotus *Müll. Arg.* XV. 2. 956
Lour. XV. 2. 956 961
acuminatus *Müll. Arg.* XV. 2. 966
albus *Müll. Arg.* XV. 2. 965
amentiformis *Müll. Arg.* XV. 2. 962
angulatus *Müll. Arg.* XV. 2. 958
Apelta *Müll. Arg.* XV. 2. 963
atrovirens *Müll. Arg.* XV. 2. 978
aureo-punctatus *Müll. Arg.* XV. 2. 973
Baillonianus *Müll. Arg.* XV. 2. 961
barbatus *Müll. Arg.* XV. 2. 957
Blumeanus *Müll. Arg.* XV. 2. 978
borneensis *Müll. Arg.* XV. 2. 980
calcosus *Müll. Arg.* XV. 2. 958
capensis *Müll. Arg.* XV. 2. 966
chinensis Lour. XV. 2. 965
claoxyloides *Müll. Arg.* XV. 2. 972
Cumingii *Müll. Arg.* XV. 2. 978
diadenus *Müll. Arg.* XV. 2. 959
decipiens *Müll. Arg.* XV. 2. 977
dispar *Müll. Arg.* XV. 2. 971
dispar α lasioneurus Müll. Arg. XV. 2. 971
β psiloneurus - - - 972
distans *Müll. Arg.* XV. 2. 976
eriocarpoides *Müll. Arg.* XV. 2. 959
eriocarpus *Müll. Arg.* XV. 2. 959
ferrugineus *Müll. Arg.* XV. 2. 982
floribundus *Müll. Arg.* XV. 2. 962
Furetianus *Müll. Arg.* XV. 2. 968
fuscescens *Müll. Arg.* XV. 2. 978
glaberrimus *Müll. Arg.* XV. 2. 974
Helferi *Müll. Arg.* XV. 2. 968
Hookerianus *Müll. Arg.* XV. 2. 975
japonicus *Müll. Arg.* XV. 2. 966
insignis *Müll. Arg.* XV. 2. 975
integrifolius *Müll. Arg.* XV. 2. 960

Mallotus
Korthalsii *Müll. Arg.* XV. 2. 976
Lambertianus *Müll. Arg.* XV. 2. 968
lappaceus *Müll. Arg.* XV. 2. 957
Lawii *Müll. Arg.* XV. 2. 974
leucocalyx *Müll. Arg.* XV. 2. 970
longifolius *Müll. Arg.* XV. 2. 967
α pubescens – – – –
β genuinus – – – –
longipes *Müll. Arg.* XV. 2. 969
macrostachyus *Müll. Arg.* XV. 2. 963
Melleri *Müll. Arg.* XV. 2. 959
micranthus *Müll. Arg.* XV. 2. 971
moluccanus *Müll. Arg.* XV. 2. 958
α genuinus – – – –
β glabratus – – – –
Moritzianus *Müll. Arg.* XV. 2. 971
Moritzianus α *scaber Müll. Arg.* XV. 2. 971
β *laevigatus* – – 971
974
muricatus *Müll. Arg.* XV. 2. 972
nepalensis *Müll. Arg.* XV. 2. 964
nesophilus *Müll. Arg.* XV. 2. 981
nitidus *Müll. Arg.* XV. 2. 979
oblongifolius *Müll. Arg.* XV. 2. 973
oppositifolius *Müll. Arg.* XV. 2. 976
α genuinus – – – –
β glabratus – – – 977
γ integrifolius – – – –
oreophilus *Müll. Arg.* XV. 2. 964
α ochraceo-albidus – – – –
β floccosus – – – –
paniculatus *Müll. Arg.* XV. 2. 965
peltatus *Müll. Arg.* XV. 2. 967
penangensis *Müll. Arg.* XV. 2. 961
philippinensis *Müll. Arg.* XV. 2. 980
* microphylla – – – 981
** flaccida – – – –
Porterianus *Müll. Arg.* XV. 2. 960
repandus *Müll. Arg.* XV. 2. 981
α genuinus – – – –
β scabrifolius – – – 982
rhamnifolius *Müll. Arg.* XV. 2. 979
ricinoides *Müll. Arg.* XV. 2. 963

Mallotus
Roxburghianus *M*
rufidulus *Müll. Ar*
scandens *Müll. A*
sphaerocarpus *Mü*
stenanthus *Müll.*
stipulosus *Müll.*
stylaris *Müll. Ar*
subpeltatus *Müll.*
subulatus *Müll. A*
tiliaefolius *Müll.*
Tokbrai *Müll. Ar*
Wallichianus *Mü*
zeylanicus *Müll.*
Zollingeri *Müll.*
Mallotus *sect.* Blu
M
Cor
Eum
Mela
M
Rott
M

MALPIGHIACEAE

Mammoth tree XVI.
Mancanilla Plum. X
Mancinella Tussac
venenata Tussac
Manettia lanceolata
Manglesia Endl. XI
cuneata Endl. XI
glabrata Lindl. X
Lawrenceana hort
tridentifera Endl.
vestita Endl. XIV
Manglesia *Meisn.* X

Manihot *Plum.* XV.
aesculifolia *Pohl*
Aipi Pohl XV. 2
amaroleitensis *Ba*
angustiloba *Müll.*
anomala *Pohl* XV.
arcuata Pohl XV.
cajaniformis Pohl
caricaefolia *Pohl*

nensis *Müll. Arg.* XV. 2. 1073
efolia Pohl XV. 2. 1069
lia Pohl XV. 2. 1068
cens *Müll. Arg.* XV. 2. 1070
escens - - - -
ina - - - -
cens Pohl XV. 2. 1070
aeformis *Pohl* XV. 2. 1061
is *Müll. Arg.* XV. 2. 1074
npiaeformis Pohl XV. 2. 1068
Pohl XV. 2. 1062
Sweet XV. 2. 1075
mis Pohl XV. 2. 1063
s Pohl XV. 2. 1070
lia Sweet XV. 2. 1075
Rich. XV. 2. 1064
lia Pohl XV. 2. 1063
Pohl XV. 2. 1067
Müll. Arg. XV. 2. 1065
ifolia - - - -
ina - - - -
bylla - - - 1066
ifolia - - - -
rrima - - - -
Pohl XV. 2. 1066
Hook. XV. 2. 1062
ylla *Pohl* XV. 2. 1072
Baill. XV. 2. 1065
nsis *Müll. Arg.* XV. 2. 1070
Pohl XV. 2. 1073
Pohl XV. 2. 1075
ii β multifida Grah. XV. 2. 1062
iolata *Pohl* XV. 2. 1061
Pohl XV. 2. 1073
asis *Müll. Arg.* XV. 2. 1074
ris *Pohl* XV. 2. 1057
Müll. Arg. XV. 2. 1062
isa - - - -
- - - -
ina - - - -
ifida - - - -
ellifolia - - - -
uginea - - - 1063
tiformis - - - -
lla - - - -
lia Pohl XV. 2. 1071
a *Müll. Arg.* XV. 2. 1059
Pohl XV. 2. 1058

Manihot
pentaphylla *Müll. Arg.* XV. 2. 1071
α paviaefolia - - - -
β genuina - - - -
pentaphylla Pohl XV. 2. 1071
peruviana *Müll. Arg.* XV. 2. 1071
pilosa *Pohl* XV. 2. 1059
porrecta Pohl XV. 2. 1068
procumbens *Müll. Arg.* XV. 2. 1072
pronifolia Pohl XV. 2. 1065
pruinosa *Müll. Arg.* XV. 2. 1060
α genuina - - - -
β pumila - - - 1061
pruinosa Pohl XV. 2. 1060
pubescens *Pohl* XV. 2. 1067
purpureo-costata *Pohl* XV. 2. 1057
pusilla Pohl XV. 2. 1063
quinquefolia *Pohl* XV. 2. 1071
quinqueloba *Pohl* XV. 2. 1058
reniformis *Pohl* XV. 2. 1069
rhomboidea *Müll. Arg.* XV. 2. 1064
sagittato-partita *Pohl* XV. 2. 1060
salicifolia *Pohl* XV. 2. 1058
sinuata *Müll. Arg.* XV. 2. 1074
α genuina - - - -
β laciniosa - - - 1075
sinuata Pohl XV. 2. 1075
sparsifolia *Pohl* XV. 2. 1060
spinosa Plum. XV. 2. 1097
stricta *Baill.* XV. 2. 1058
tenerrima Pohl XV. 2. 1066
tenuifolia Pohl XV. 2. 1066
tomentella Pohl XV. 2. 1068
tomentosa *Pohl* XV. 2. 1067
tripartita *Müll. Arg.* XV. 2. 1068
α genuina - - - -
β porrecta - - - -
γ cajaniformis - - - -
δ lanceolata - - - -
ε glauca - - - 1069
triphylla Pohl XV. 2. 1066
utilissima *Pohl* XV. 2. 1064
* integrifolia - - - -
varians *Pohl* XV. 2. 1072
violacea *Müll. Arg.* XV. 2. 1069
α cecropiaefolia - - - -
β arcuata - - - -
γ divergens - - - -
δ genuina - - - 1070
violacea Pohl XV. 2. 1070
Weddelliana *Baill.* XV. 2. 1075

MANIHOTEAE *Müll. Arg.* XV. 2. 1033 1056
Maniu XVI. 2. 498 511
Manniophyton *Müll. Arg.* XV. 2. 719
africanum *Müll. Arg.* XV. 2. 720
fulvum *Müll. Arg.* XV. 2. 720
Manzanilla XVI. 2. 76
Maoutia *Wedd.* XVI. 1. 235[30]
ambigua *Wedd.* XVI. 1. 235[33]
aspera Wedd. XVI. 1. 235[31]
australis *Wedd.* XVI. 1. 235[32]
diversifolia *Wedd.* XVI. 1. 235[32]
β foliis ovatis – – – –
odontophylla *Miq.* XVI. 1. 235[31]
platystigma *Wedd.* XVI. 1. 235[32]
Puya *Wedd.* XVI. 1. 235[31]
reticulata *Wedd.* XVI. 1. 235[31]
rugosa Wedd. XVI. 1. 235[32]
setosa *Wedd.* XVI. 1. 235[33]
Zollingeriana Wedd. XVI. 1. 235[32]
MAOUTIEAE *Wedd.* XVI. 1. 235[26]
Mappa Juss. XV. 2. 987 991, *Bl.* XV. 2. 990, *Spr.* XV. 2. 1008, *Zoll. & Mor.* XV. 2. 956 962
acuminatissima Zipp. XV. 2. 968 1016
acutifolia Zoll. & Mor. XV. 2. 967 1016
amboinensis Müll. Arg. XV. 2. 1002
angolensis Müll. Arg. XV. 2. 994
bancana Miq. XV. 2. 1005
borneensis Müll. Arg. XV. 2. 1003
capensis Baill. XV. 2. 966
Chatiniana Baill. XV. 2. 996
cissifolia Zolling. XV. 2. 993
cochinchinensis Spr. XV. 2. 965 1016
conifera Zolling. XV. 2. 1006
coriacea Müll. Arg. XV. 2. 1006
corymbosa Müll. Arg. XV. 2. 1006
costulata Miq. XV. 2. 464 1016
Cumingii Baill. XV. 2. 1005
cuneifolia Zolling. XV. 2. 1004
denticulata Bl. XV. 2. 1000
denticulata Reichenb. fil. & Zoll. XV. 2. 1000
denticulata var. Bl. XV. 2. 1011
denticulata var. tomentosa Moritz. XV. 2. 1011
Diepenhorstii Miq. XV. 2. 999
digyna Müll. Arg. XV. 2. 1008
fastuosa Morren XV. 2. 1016 1144
Mappa
floribunda Zoll. &
gigantea Zoll. XV
glabra A. Juss.
gummifiua Miq.
Harveyana Müll
heterophylla Mü
hispida Bl. XV.
hypoleuca Reiche
jamaicensis Spr.
javanica Bl. XV.
leptostachya Mü
macrophylla A.
macrophylla Kur
megalophylla Mi
moluccana Benth
moluccana Spr.
moluccana R. W
Motleyana Müll.
occidentalis Mü
paniculata Wall.
peltata R. Wight
populifolia Müll.
pruinosa Miq. XV
pubescens Juss.
rhynchophylla Mi
rugosa Müll. Arg
scandens Panch.
Seemanni Müll. A
sinensis Baill. XV
stricta Reichenb.
taitensis Müll. A
tanaria Spr. XV.
Tanarius Bl. XV.
Tanarius a tomen
tannensis Spr. XV
Teysmanni Zollin
tomentosa Bl. XV
trichocarpa Zolli
triloba Müll. Arg
truncata Müll. A
Vedeliana Müll.
velutina Reichenb
Vieillardi Müll. A
Wallichii Baill.

Zoll. & Mor. XV. 2. 964 1016
Miq. XV. 2. 1004
Adenoceras Reichenb. fil. & Zoll. XV. 2. 991
Eumappa Reichenb. fil. & Zoll. XV. 2. 991
Arg. XV. 2. 991 (Macaranga)
Aubl. XV. 2. 1190
Müll. Arg. XV. 2. 1191
St. Hil. XV. 2. 1191
Müll. Arg. XV. 2. 1191
– – – –
– – – –
– – – 1192
Aubl. XV. 2. 1191
Baill. XV. 2. 1190 (*Stillingia*)
Aubl. XVII. 282 286
VI. 2. 341
INEAE Dumort. XVII. 39
Humb. & Bonpl. XVII. 53
ceum Humb. & Bonpl. XVII. 53
Gardn. XVII. 55
Tul. XVII. 54
Tul. XVII. 55
um var. longifolium Spruc. XVII. 54
um Cham. XVII. 53
stum Baill. – 54
carpum – – –
Baill. XVII. 54
ceanum – – –
XVII. 55
Cham. XVII. 53 (Lacis)
Endl. XVII. 53 (Mourera)
VIACEAE Agardh XVI. 2. 638
VI. 2. 426
Ll. XV. 2. 792
Müll. Arg. XV. 2. 792
nsis – – – –
na – – – –
Baill. XV. 2. 792
ia L. fil. XV. 2. 274 413 414 1259
Rich. XV. 2. 415
fil. XV. 2. 414 700
Müll. Arg. XV. 2. 414 (Phyllanthus *sect.* Cicca)
pus Wedd. XVI. 1. 219
Wedd. XVI. 1. 233
Margarocarpus
Boivinianus Wedd. XVI. 1. 224
cinerascens Bl. XVI. 1. 230
conglobata Bl. XVI. 1. 230
exasperatus Wedd. XVI. 1. 229
heterophyllus Wedd. XVI. 1. 204
laevis Wedd. XVI. 1. 233
obliquus Wedd. XVI. 1. 231
ovatus Wedd. XVI. 1. 232
Poeppigianus Wedd. XVI. 1. 233
procridioides Wedd. XVI. 1. 231
Schimperianus Wedd. XVI. 1. 223
vimineus Wedd. XVI. 1. 228
Maschalanthus Nutt. XV. 2. 234
polygonoides Nutt. XV. 2. 234
Masuko XV. 2. 491
Mataji XVI. 2. 519
Mati-mati XVII. 237
Matos XV. 1. 466
Mattagallinas XV. 2. 60
Matta-Matta XVII. 26
Matthaea *Bl.* XVI. 2. 642 669
sancta *Bl.* XVI. 2. 670
Mattuschkia Gmel. XVI. 1. 238
aquatica Gmel. XVI. 1. 239
Mauneia *Pet. Thouar.* XVII. 294
Maximilianea Schrank XVII. 294
Meborea Aubl. XV. 2. 274 374
guyanensis Aubl. XV. 2. 376
Mecostylis Kurz XV. 2. 987 1008
acalyphoides Kurz XV. 2. 1012
Medad XVI. 2. 408
Medea Kl. XV. 2. 513 645
hirta Kl. XV. 2. 645
timandroides Diedrs. XV. 2. 645
Medea Baill. XV. 2. 645 (Croton)
Medinjo XVI. 2. 349
Medusea Haw. XV. 2. 7 85 86, *Kl. & Gke* XV. 2. 7
fructuspini Haw. XV. 2. 86
globosa Kl. & Gke XV. 2. 87
major Haw. XV. 2. 86
procumbens Haw. XV. 2. 92
tesselata Haw. XV. 2. 86
tridentata Kl. & Gke XV. 2. 87
tuberculata Haw. XV. 2. 86
Meineckia Baill. XV. 2. 446 448
phyllanthoides Baill. XV. 2. 448
Meionanthera *Dc. fil.* XV. 1. 379 (Begonia)
Melanolepis Reichenb. fil. & Zoll. XV. 2. 956 957
angulata Miq. XV. 2. 958
calcosa Miq. XV. 2. 959
diadena Miq. XV. 2. 959

Melanolepis
multiglandulosa Reichenb. fil. & Zoll. XV. 2. 958
Melanolepis *Müll. Arg.* XV. 2, 957 (Mallotus)
Melanthesa Bl. XV. 2. 436 438
acuminata Müll. Arg. XV. 2. 442
anceps Miq. XV. 2. 443
canescens Zipp. XV. 2. 442
cernua Dcne XV. 2. 439
cernua β acutifolia Müll. Arg. XV. 2. 439
chinensis Bl. XV. 2. 437 443
microphylla Kurz XV. 2. 442
neocaledonica Baill. XV. 2. 439
neocaledonica β Forsteri Müll. Arg. XV. 2. 439
obliqua Wight XV. 2. 437 443
racemosa Bl. XV. 2. 441
racemosa β pubescens Müll. Arg. XV. 2. 441
reclinata Müll. Arg. XV. 2. 437 443
rhamnoides Dcne XV. 2. 440
rhamnoides Wight XV. 2. 441
rhamnoides β hypoglauca Müll. Arg. XV. 2. 440
rhamnoides β oblongifolia Müll. Arg. XV. 2. 440
rhamnoides δ pubescens Müll. Arg. XV. 2. 441
rubra Bl. XV. 2. 438
rupestris Miq. XV. 2. 391 443
turbinata Wight XV. 2. 438 443
virgata Bl. XV. 2. 441
Melanthesopsis *Müll. Arg.* XV. 2. 436
fruticosa *Müll. Arg.* XV. 2. 437
lucens Müll. Arg. XV. 2. 437
patens *Müll. Arg.* XV. 2. 437
α oblongifolia - - - -
β turbinata - - - -
γ vulgaris - - - 438
δ genuina - - - -
variabilis α oblongifolia Müll. Arg. XV. 2. 437
variabilis β arborea Müll. Arg. XV. 2. 438
variabilis γ vulgaris Müll. Arg. XV. 2. 438
Melastoma Reinwardtianum Bl. XV. 1. 10
Memorialis *Hamilt.* XVI. 1. 235²
ambigua *Wedd.* XVI. 1. 235⁸
β ternata - - - -
aquatica *Wedd.* XVI. 1. 225²
Memorialis
bracteata *Wedd.* XVI. 1. 23[illegible]
caudata *Wedd.* XVI. 1. 23[illegible]
caudata β velutina Wedd. XV[illegible]
ciliaris Hamilt. XVI. 1. 23[illegible]
concinna *Wedd.* XVI. 1. 23[illegible]
β velutina - - - 23[illegible]
γ ternata - - - -
Dalzellii Wedd. XVI. 1. 23[illegible]
hirta *Wedd.* XVI. 1. 23[illegible]
β Bennettiana - - - 23[illegible]
γ tomentosa - - - -
δ heterocarpa - - - -
ε revoluta - - - -
ζ Waltziana - - - -
η Gardneri - - - -
ϑ mysorensis - - - -
hispida Hamilt. XVI. 1. 23[illegible]
integrifolia *Wedd.* XVI. 1. [illegible]
mysorensis Wedd. XVI. 1. [illegible]
nilghirensis *Wedd.* XVI. 1. [illegible]
β trialata - - -
γ Wallichiana - - -
δ ovata - - -
ε ternata - - -
parvifolia *Wedd.* XVI. 1. 2[illegible]
pentandra *Wedd.* XVI. 1. [illegible]
β Stocksii - - - [illegible]
γ hypericifolia - - -
δ ramosissima - - -
ε Dalzellii - - -
quinquenervis *Hamilt.* XV[illegible] 23[illegible]
scabra *Wedd.* XVI. 1. 23[illegible]
β ramosissima - - - 23[illegible]
ternata α Wedd. XVI. 1. [illegible]
ternata β concinna Wedd. [illegible]
triandra *Wedd.* XVI. 1. 23[illegible]
Menarda A. Juss. XV. 2. 37[illegible]
cryptophila A. Juss. XV. 2. [illegible]
Goudotiana Baill. XV. 2. [illegible]
linifolia Baill. XV. 2. 33[illegible]
nummularifolia Baill. XV. [illegible]
nummularifolia var. Baill. [illegible]
pulchella Baill. XV. 2. 3[illegible]
Menarda Baill. XV. 2. 3[illegible] (Phyl[illegible])
Menarda *Müll. Arg.* XV. 2. [illegible] (Phyl[illegible])
Menestrata racemosa β Ben[illegible]
Menispermum sagittatum Sp[illegible]

urn. XV. 2. 794, *L.*
141, *Thbg* XV. 2. 792,
. 2. 775, *Meisn.* XV. 2.
Sond. XV. 2. 927 947
. 2. 799
Desv. XV. 2. 790 798
Hochst. XV. 2. 798
865
aby XV. 2. 797
XV. 2. 797
L. XV. 2. 798
V. 2. 797
Arg. XV. 2. 797
– – – –
ata – – – –
aeca *Guep.* – – –
gua *Duby* – – –
Müll. Arg. – – 798
XV. 2. 793 798
nica Moris XV. 2. 797
onoica Moris XV. 2.
797
Kze XV. 2. 798 1140
Meisn. XV. 2. 798
1140
n. XV. 2. 798 1141
nd. XV. 2. 793 798
r. XV. 2. 793
d XV. 2. 797
s. XV. 2. 795
Scop. XV. 2. 796
aby XV. 2. 795
ll. Arg. XV. 2. 795
y XV. 2. 798
. XV. 2. 798
Lartm. XV. 2. 797
ieb. & Zucc. XV. 2.
795
Host XV. 2. 796
am. XV. 2. 798
b. & Hoppe XV. 2.
796
Baill. XV. 2. 798
XV. 2. 796
ill. Arg. XV. 2. 796
– – – –
hylla *Willk.* – – –
Müll. Arg. – – –
L. XV. 2. 799 1141
d. XV. 2. 799 947
sn. XV. 2. 799 1140
oppe XV. 2. 796
sn. XV. 2. 799 1141
L. XV. 2. 794
Mey. XV. 2. 799
947

Mercurialis
tricocca E. Mey. XV. 2. 793 (*bis*)
799 1141
violaefolia Kze XV. 2. 799 1141
Zeyheri Kze XV. 2. 799 1140
Mercurialis sect. Adenocline Baill. XV. 2. 1139
Claoxylon Baill. XV. 2. 781
Erythranthe Baill. XV. 2. 789
Erythrococca Baill. XV. 2. 790
Linozostis Baill. XV. 2. 794
Seidelia Baill. XV. 2. 792 947
Trismegista Baill. XV. 2. 789 1139 1141
Merretia Soland. XVII. 292
Mertensia H. B. & Kth XVII. 186
brasiliensis Gardn. XVII. 188
citrifolia H. B. & Kth XVII. 193
Goudotii Planch. XVII. 187
integrifolia R. & Schult. XVII. 193
laevigata H. B. & Kth XVII. 187
pubescens Planch. XVII. 187
rhamnoides R. & Schult. XVII. 187
Tala Wedd. XVII. 191
texana Trécul XVII. 191
zizyphoides H. B. & Kth XVII. 187
zizyphoides herb. paris. XVII. 187
MESEMBRYANTHEMEAE TETRAGONIEAE Brongn. XVII. 32
Mespilodaphne *Nees* XV. 1. 6 96
attenuata *Meisn.* XV. 1. 108
aurantiodora *Meisn.* XV. 1. 101
baccans *Kl. & Karst.* XV. 1. 107 511
bahiensis *Meisn.* XV. 1. 108
balanocarpa *Nees* XV. 1. 106
borbonica *Meisn.* XV. 1. 105
bullata *Meisn.* XV. 1. 511
ceanothifolia *Nees* XV. 1. 106
complicata *Meisn.* XV. 1. 103
cordata *Meisn.* XV. 1. 101
corymbosa *Meisn.* XV. 1. 98
cupularis *Meisn.* XV. 1. 104
cymosa *Meisn.* XV. 1. 105
fasciculata *Meisn.* XV. 1. 108 511
foetens *Meisn.* XV. 1. 511
Gardneri *Meisn.* XV. 1. 99
β Kunthiana – – – –

Mespilodaphne
glauca *Meisn.* XV. 1. 97
β virescens - - - 98
heteromorpha *Meisn.* XV. 1. 105
β obtusata - - - -
indecora *Meisn.* XV. 1. 102
α minor - - - - 510
β laxa - - - -
γ intermedia - - - -
δ stricta - - - -
ε Canella - - - 103
ζ leucophlaea - - - -
lanata *Meisn.* XV. 1. 102
laxiflora *Meisn.* XV. 1. 107
leucophlaea Nees XV. 1. 103
Lindleyana *Meisn.* XV. 1. 105
madagascariensis *Meisn.* XV. 1. 105
marginata *Meisn.* XV. 1. 106
β oblonga - - - -
mauritiana *Meisn.* XV. 1. 104
β laevigata - - - -
Maximilianea *Meisn.* XV. 1. 108
Meyendorffiana *Meisn.* XV. 1. 99
microneura *Meisn.* XV. 1. 99
montana *Meisn.* XV. 1. 98
moschata *Meisn.* XV. 1. 106
nitida *Meisn.* XV. 1. 106
nitidula *Meisn.* XV. 1. 510
notata *Meisn.* XV. 1. 98
novogranatensis *Meisn.* XV. 1. 107 158
nummularia *Meisn.* XV. 1. 101
nutans *Meisn.* XV. 1. 98
oblonga *Meisn.* XV. 1. 107
opifera *Meisn.* XV. 1. 510
organensis *Meisn.* XV. 1. 97
parviflora *Meisn.* XV. 1. 109
Persooniana *Meisn.* XV. 1. 105
petiolaris *Meisn.* XV. 1. 99
phillyraeoides *Meisn.* XV. 1. 100
α obovata - - - -
β oblonga - - - -
Pohlii *Meisn.* XV. 1. 97
pretiosa *Nees* XV. 1. 103
β longifolia *Meisn.* - - -
γ angustifolia *Nees* - - -
pretiosa β latifolia Nees XV. 1. 103
prolifera *Nees* XV. 1. 103. 510
pulchella *Meisn.* XV. 1. 99
α vulgaris - - - -
β angustifolia *Nees* - - -
γ corymbiflora *Meisn* - - 100
δ floribunda - - - -
ε elliptica - - - -

Mespilodaphne
ζ ferruginea *Meisn.* XV. 1.
pyriformis *Nees* XV. 1. 1[illegible]
Riedelii *Meisn.* XV. 1. 511
Sassafras *Meisn.* XV. 1. 1[illegible]
Sprucei *Meisn* XV. 1. 97
β obovata - - - -
tristis *Meisn.* XV. 1. 100
α subacuta - - - -
β obovata - - - 101
γ ovalifolia - - - -
δ major - - - -
vaccinioides *Meisn.* XV. 1.
vaginans *Meisn.* XV. 1. 104
Mettenia *Griseb.* XV. 2. 125[illegible]
globosa *Griseb.* XV. 2. 12[illegible]
Mezereum C. A. Mey XV. 2[illegible]
officinarum C. A. Mey. XV.
Mezereum *Spach* XIV. 53[illegible]
Mezierea *Gaudich* XV. 1. 4[illegible]
Calleryana herb. paris [illegible]
Griffithiana *Dc. fil* XV. 1[illegible]
nepalensis *Dc fil* XV. 1[illegible]
β micropteron - - - [illegible]
salaziensis *Gaudich.* XV. 1[illegible]
β comorensis *Dc. fil.* - - -
γ Calleryana - - -
Mezierea *sect.* Aneupteron[illegible]
XV.
Monopteron *Dc*
XV. 1
Micrandra *Benth* XV. 2. 74[illegible]
XV. 1
Cunuri Baill XV. 2. 7[illegible]
clata *Mull. Arg* XV. 2. 7[illegible]
major Baill. XV. 2. 7[illegible]
minor Benth. XV. 2. 7[illegible]
siphonioides Benth XV. 2[illegible]
siphonioides *Mull. A*[illegible]
α major - - - -
β minor - - - 7[illegible]
γ genuina - - - -
ternata R. Br. XV. 2. 7[illegible]
MICRANDREAE *Mull. A*[illegible]
Micranthea Panch [illegible]
XV. 1
inversa Panch. XV. 2. 4[illegible]
Micrantheum *Desf.* XV. 2. 3[illegible]
Hook. [illegible] XV.
boroniaceum F. Muell XV.
ericoides *Desf.* XV. 2. 3
hexandrum Hook. f. XV.

Panch. XV. 2. 195 318
Hook. XV. 2. 195 372
Galeottiana Baill. XV. 2. 595
Baill. XV. 2. 595 (Croton)
phne Bl. XV. 1. 243 (Aperula)
s Hook. fil. XVI. 2. 493
Archer XVI. 2. 462
Hook. fil. XVI. 2. 496
fem. Hook. fil. XVI. 2. 497
Müll. Arg. XV. 2. 194 (Caletia)
Meisn. XIV. 578 (Lachnaea)
Benth. XV. 2. 775 789
is Benth. XV. 2. 790
Müll. Arg. XV. 2. 789 (Claoxylon)
Griseb. XV. 2. 595 (Croton)
Dc. fil. XVI. 2. 525 538
Dc. fil. XVI. 2. 538
Miq. XVI. 2. 538 (Zamia)
Planch. XV. 2. 1041,
Hook. fil. XV. 2. 1041
olia Planch. XV. 2. 1041
Hook. fil. XV. 2. 1041
sect. Eumicrodesmis *Müll. Arg.* XV. 2. 1041
Ganitrocarpus *Planch.* XV. 2. 1041
Wight & Arn. XV. 2. 478
us Wight & Arn. XV. 2. 478
lion Müll. Arg. XV. 2. 322 (*Glochidion*)
lion Müll. Arg. XV. 2. 276 322 (Phyllanthus)
n Poir. XV. 2. 1269
Spach XVI. 2. 427 (*Abies*)
Miq. XVI. 1. 392
Miq. XVI. 1. 419
Miq. XVI. 1. 461
Miq. XVI. 1. 419
Miq. XVI. 1. 420
Miq. XVI. 1. 403
n Miq. XVI. 1. 420

Micropiper
Langsdorffii Miq. XVI. 1. 443
melanostigma Miq. XVI. 1. 409
nervoso-venosum Miq. XVI. 1. 439
pellucidum Miq. XVI. 1. 402
pusillum Miq. XVI. 1. 451
tomentosum Miq. XVI. 1. 455
Microptelea Spach XVII. 154 161
parvifolia Spach XVII. 161
parvifolia var. β Hook. fil. & Thoms. XVII. 162
Microptelea *Planch.* XVII. 161 (Ulmus)
Microsepala Miq. XV. 2. 456 457
acuminata Miq. XV. 2. 463
Microstachyopsis *Müll. Arg.* XV. 2. 1160 (Stillingia)
Microstachys Müll. Arg. XV. 2. 1164, *A. Juss.* XV. 2. 1164 1166
bicornis A. Juss. XV. 2. 1173
Chamaelea A. Juss. XV. 2. 1175
daphnoides Müll. Arg. XV. 2. 1167
α myrtilloides - - - -
β incana - - - 1168
γ genuina - - - -
δ oleoides - - - -
fruticulosa Karsten XV. 2. 1172
guyanensis Kl. XV. 2. 1173
hastata Kl. XV. 2. 1175
marginata Müll. Arg. XV. 2. 1166
β minor - - - 1167
micrantha Benth. XV. 2. 1173
polymorpha Müll. Arg. XV. 2. 1168
ramosissima St. Hil. XV. 2. 1171 1187
serrulata Müll. Arg. XV. 2. 1167
α Klotzschiana - - - -
β glabrescens - - - -
γ genuina - - - -
δ oncoblepharis - - - -
sessilifolia Müll. Arg. XV. 2. 1174
α vellerifolia - - - -
β glabrata - - - -
a apiculata - - - -
b hastata - - - 1175
γ ledifolia - - - -
stipulacea Kl. XV. 2. 1176
Vahlii A. Rich. XV. 2. 1173
virgata Müll. Arg. XV. 2. 1173
α odontococca - - - 1174
β bidentata - - - -
γ scoparia - - - -

Microstachys *Müll. Arg.* XV. 2. 1166 (Sebastianiа)
Microstemma *R. Br.* XVII. 294
glabrifolium *F. Müll.* XVII. 295
tuberosum *R. Br.* XVII. 295
Mida Cunn. XIV. 681 686
eucalyptoides Cunn. XIV. 686
myrtifolia Cunn. XIV. 686
salicifolia Cunn. XIV. 686
Mida *Dc. fil.* XIV. 686 (Santalum)
Midsu-nara XVI. 2. 16
Mildea Griseb. XVI. 1. 391
elegans Griseb. XVI. 1. 391
hydrocotylifolia Griseb. XVI. 1. 391
Milligania Hook. fil. XVI. 2. 597 599, *Oerst.* XVI. 2. 597 599
cordifolia Hook. fil. XVI. 2. 599
Millingtonia Roxb. XVII. 295
MILLINGTONIACEAE Wight & Arn. XVII. 295
Milnea Roxb. XVII. 295
Mimetes *Salisb.* XIV. 262
capitulata *R. Br.* XIV. 262
capitulata Sieber XIV. 262
coriacea *Meisn.* XIV. 266
cucullata *R. Br.* XIV. 263
β brevifolia *Meisn.* – –
γ Ludwigii – – –
decapitata *Meisn.* XIV. 262
dichotoma *R. & Schult.* XIV. 266
divaricata *R. Br.* XIV. 265
Hartogii *R. Br.* XIV. 263
Hibbertii *R. Br.* XIV. 264
hirta *R. Br.* XIV. 262
homomalla Reichenb. XIV. 266
intermedia *Buek* XIV. 265
Ludwigii Steud. XIV. 263
Massoni *R. Br.* XIV. 264
myrtifolia *R. Br.* XIV. 265
α fol. lanceolatis *Meisn.* – –
β fol. sublinearibus – – –
nitens *R. & Schult.* XIV. 266
palustris *Knight* XIV. 266
parviflora Kl. XIV. 265
pauciflora *R. Br.* XIV. 263
purpurea *R. Br.* XIV. 266
α vulgaris *Meisn.* – –
β Linnaeana – – –
γ brevifolia – – –
δ longifolia *Buek* – –
spectabilis Steud. XIV. 231
thymelaeoides *R. Br.* XIV. 265
vacciniifolia *Sweet* XIV. 266
Zeyheri *Meisn.* XIV. 264

Mimetes sect. Eum
Orot
Pseu
Minquar XVII. 295
Minquartia *Aubl.* X
guyanensis *Aubl.*
Minutalia *Fenzl* XV
Miquelia *Meisn.* X
assamica R. Br
celebica *Bl.* XV
Cumingii *Baill.*
dentata *Bedd.* X
gibba *Baill.* XV
Kleinii *Meisn.* X
Mirabellia Bert. X
glechomoides Be
Miro XVI. 2. 519
Misandra Comm.
Gaudich. XVI
Misandropsis Oer
Misanteca *Cham.*
capitata *Cham.*
Mischocaryum *Ens*
Mischodon *Thwait.*
zeylanicus *Thwa*
MISCHODONTEAE
Missiessya Wedd.
Gaud
alba Wedd. XV
aspera Wedd. X
himensis Wedd.
bornensis Bl. XV
candidissima Bl.
celebica Bl. XV
celtidifolia Gaud
celtidifolia Wedd
corymbulosa We
elongata Bl. XV
fagifolia Gaudi
fagifolia Wedd.
falcata Bl. XV
hispidissima We
hypoleuca Wedd.
javanica Wedd.
mutabilis Bl. XV
ochroneura Bl. X
parvifolia Wedd.

Bl. XVI. 1. 235[30]
Bl. XVI. 1. 235[29]
Vedd. XVI. 1. 235[31]
. XVI. 1. 235[28]
na Wedd. XVI. 1. 235[33]
Comm. XVI. 2. 658
Boj. XVI. 2. 659
. XVI. 2. 661
W. XVI. 2. 658
sa Boj. XVI. 2. 660
ia Kl. XV. 1. 278 389
nea Kl. XV. 1. 389
Kl. XV. 1. 390
na Hassk. XV. 1. 389
ana Miq. XV. 1. 390
ssk. XV. 1. 390
Hassk. XV. 1. 390
Miq. XV. 1. 391
Miq. XV. 1. 386
a Dc. fil. XV. 1. 389 (Begonia)
IV. 543
Walp. XVII. 46
Walp. XVII. 46
rt. & Zucc. XVII. 76, *Tul.* XVII. 72
a Tul. XVII. 74 77
Wight XVII. 75 77
m Mart. & Zucc. XVII. 77
s Bedd. XVII. 68 77
a Tul. XVII. 77
xb. XV. 2. 227
s Roxb. XV. 2. 227
lanco XVI. 2. 606 614, *Juss.* XVII. 298
Blanco XVI. 2. 612
nco XVI. 2. 616
n Blanco XVI. 2. 631
poi Blanco XVI. 2. 616
Blanco XVI. 2. 610
lanco XVI. 2. 616
a Blanco XVI. 2. 614
Blanco XVI. 2. 615
Blanco XVI. 2. 610
XVI. 2. 143
VI. 2. 454
2. 291
o XVI. 1. 363
a Spr. XVII. 18
Spr. XVII. 18
XV. 2. 949
Gay XV. 2. 949
L. & Pav. XVI. 2. 642
662, *Tul.* XVI. 2. 669

Mollinedia
boliviensis *Dc. fil.* XVI. 2. 667
brasiliensis *Tul.* XVI. 2. 663
campanulacea *Tul.* XVI. 2. 667
β Trianaei *Dc. fil.* – – 668
cinerea Tul. XVI. 2. 666
clavigera *Tul.* XVI. 2. 665
elegans *Tul.* XVI. 2. 668
elliptica *Dc. fil.* XVI. 2. 664
floribunda *Tul.* XVI. 2. 666
gracilis *Tul.* XVI. 2. 663
Hugeliana Tul. XVI. 2. 669 (*bis*)
iraguensis *Tul.* XVI. 2. 666
lanceolata *R. & Pav.* XVI. 2. 668
latifolia *Tul.* XVI. 2. 668
laurina *Tul.* XVI. 2 664
ligustrina *Tul.* XVI. 2. 668
longifolia *Tul.* XVI. 2. 667
macrantha *Tul.* XVI. 2. 667
macrophylla Tul. XVI. 2. 669 (*bis*)
nigrescens *Tul.* XVI. 2. 663
nitida Tul. XVI. 2. 665
ovata *R. & Pav.* XVI. 2. 663 669
pellucens *Tul.* XVI. 2. 664
racemosa *Tul.* XVI. 2. 666
repanda *R. & Pav.* XVI. 2. 663
Selloi *Dc. fil.* XVI. 2. 666
β obovata – – – –
sericiflora *Dc. fil.* XVI. 2. 665
tomentosa *Tul.* XVI. 2. 667
triflora *Tul.* XVI. 2. 665
umbellata *Tul.* XVI. 2. 666
utriculata *Tul.* XVI. 2. 665
viridiflora *Tul.* XVI. 2. 664
β glabra *Dc. fil.* – – –
Widgrenii *Dc. fil.* XVI. 2. 668
Molloya *Meisn.* XIV. 348 698
cynanchicarpa *Meisn.* XIV. 348
Momi XVI. 2. 424
Momi noki XVI. 2. 504
Momisia Bl. XVII. 186, *Dumort.* XVII. 186
alnifolia Wedd. XVII. 190
brevifolia Kl. XVII. 187
Chichape Wedd. XVII. 191
Clausseniana Wedd. XVII. 189
crenata Wedd. XVII. 189
Ehrenbergiana Kl. XVII. 187
ferruginea Wedd. XVII. 188
flexuosa Wedd. XVII. 189
integrifolia Wedd. XVII. 191
Lamarckii Bl. XVII. 193
lancifolia Wedd. XVII. 192
membranacea Wedd. XVII. 190
pallida Torr. XVII. 191 (*bis*)

Momisia
spinosissima Wedd. XVII. 190
Tala Wedd. XVII. 191
tarijensis Wedd. XVII. 188
Momisia *Planch.* XVII. 186 (Celtis)
Momisiopsis Bl. XVII. 186 192
Momisiopsis Planch. XVII. 192 (Celtis *subgen.* Momisia)
Monetia L'Herit. XVII. 29
angustifolia Boj. XVII. 29
barleriöides L'Herit. XVII. 29
Brunoniana Wall. XVII. 29
laxa Planch. XVII. 30
paleacea Spr. XVII. 29
triphylla Dennst. XVII. 30
Monetia subgen. Actegiton Baill. XVII. 30
Monetia Baill. XVII. 29 *(Asima)*
Monguia Chapel. XV. 2. 513 514
Monguia Baill. XV. 2. 514 (Croton)
Monimia *Pet. Thouar.* XVI. 2. 641 661
citrina *Tul.* XVI. 2. 661
ovalifolia *Pet. Thouar.* XVI. 2. 661
β Boryana – – – –
rotundifolia *Pet. Thouar.* XVI. 2. 661
MONIMIACEAE *Dc. fil.* XVI. 2. 640
MONIMIACEAE Endl. XVI. 2. 640
MONIMIACEAE & ATHEROSPERMEAE *Endl.* XVI. 2. 674
MONIMIACEAE & DRUPACEAE *Tul.* XVI. 2. 661
MONIMIACEAE MONIMIEAE *Endl.* XVI. 2. 661
MONIMIEAE Juss. XVI. 2. 640
MONIMIEAE *Tul.* XVI. 2. 641 661
MONIMIEAE ATHEROSPERMEAE R. Br. XVI. 2. 640
Monoporandra *Thwait.* XVI. 2. 605 636
cordifolia *Thwait.* XVI. 2. 637
elegans *Thwait.* XVI. 2. 636
lancifolia *Thwait.* XVI. 2. 837
Monoporandra Benth. XVI. 2. 636 (Vateria)
Monophyllon *Dc. fil.* XV. 1. 353 (Begonia)
Monopteron *Dc. fil.* XV. 1. 406 (Mezierea)
Monospora Hochst. XV. 2. 1259
MONOSPORAE *Zolling.* XV. 2. 511 710
MONOSPOREAE *Zolling.* XV. 2. 1032
Monostylis Tul. XVII.
capillacea Tul. XVII
MONOTAXIDEAE *Müll.*
Monotaxidium *Müll.*
Monotaxis *A. Brongn. Endl.*,
bracteata Nees XV
cuneifolia Kl. XV.
ericoides Kl. XV.
grandiflora Endl.
linifolia A. Brongn.
linifolia *Müll. Ar.*
α tridentata –
β genuina –
γ occidentalis –
occidentalis Endl.
tridentata Endl.
Monotes *Dc. fil.* XV
africanus *Dc. fil.*
MONOTROPACEAE
Mora XVII. 247
MORACEAE *Bureau*
MORACEAE Lindl.
Mora colorata XVII
More *Gaertn.* XVII.
MOREAE *Bureau* XV
MOREAE Meisn. X
Moreira XVII. 229
Morella *Lour.* XVII.
rubra Lour. XVI.
Moreton bay Pine X
Morinda XVI. 2. 41
Morocarpus Sieb. &
affinis Bl. XVI. 1
angustatus Bl. XV
dichotomus Bl. XV
edulis Sieb. & Zuc
longifolius Bl. XV
longifolius Miq. X
salicifolius Bl. XV
sororius Miq. XVI
velutinus Bl. XVI.
virens Bl. XVI. 1.
Morus *Tourn., L.* XV
Sloan. XVII. 22
249,
alba Lam. XVII.
alba *L.* XVII. 238
α vulgaris
tenuifolia
rosea
Colombass

bassetta *L.* XVII. 239
aira – – –
a – – –
phylla – – –
a – – 240
a – – –
– – –
dalis – – –
tinopolitana – – –
a – – 241
na – – –
– – –
ica – – –
– – 242
rmis – – –
– – 243
ta – – –
– – –
– – 244
purea – – –
a – – –
ta – – 245
– – –
bassa Ser. XVII. 239 (*bis*)
nbassetta Ser. XVII. 239
ntinopolitana Loud. XVII. 241
ata Mor. XVII. 244
Ser. XVII. 241
Loud. XVII. 240
ata Loud. XVII. 238
ia hort. XVII. 239
Ser. XVII. 238
Ser. XVII. 239 245
Audib. XVII. 239
ophylla Lodd. XVII. 239
phylla Bonaf. XVII. 239
tiana Lodd. XVII. 239
tii Ser. XVII. 239
aulis Loud. XVII. 245
Ser. XVII. 241
a Lodd. XVII. 241
olia Audib. XVII. 239
a Loud. XVII. 241
idalis Ser. XVII. 240
a Lodd. XVII. 239
Ser. XVII. 239 (*bis*)
is Bosc XVII. 245
ca Loud. XVII. 240
olia Ser. XVII. 239
Delil. XVII. 241

Morus
altissima *Miq.* XVII. 248
Ampalis Lam. XVII. 248 251
atropurpurea Roxb. XVII. 244
australis Poir. XVII. 248
bifaria Wall. XVII. 248
brasiliensis Pohl XVII. 229 248
brasiliensis Pohl in herb. Deless. XVII. 230 248
Brunoniana Endl. XVII. 248 249 250
bullata Balb. XVII. 245
byzantina Siebold XVII. 241
calcar galli Cunn. XVII. 248
canadensis Lam. XVII. 246
celtidifolia *H. B. & Kth* XVII. 246 (*bis*)
celtidifoliae affinis Benth. XVII. 247
chinensis Lodd. XVII. 245
constantinopolitana Brongn. XVII. 241
constantinopolitana Poir. XVII. 241
corylifolia H. B. & Kth XVII. 247 (*bis*)
cucullata Bonaf. XVII. 245
Cudranus Hamilt. XVII. 248
cuspidata Wall. XVII. 243
excelsa Welw. XVII. 231 248
foliis oblongis &c. Jacq. XVII. 230
fructu viridi &c. Sloan. XVII. 228
hispanica hort. XVII. 239
japonica Audib. XVII. 244
javanica Bl. XVII. 222 248
indica Rumph XVII. 243
indica Ser. XVII. 248
insignis *Bureau* XVII. 247
insularis *Spr.* XVII. 248
intermedia Perrot. XVII. 245
italica Poir. XVII. 240
Kaempferi Ser. XVII. 226 248
laciniata Mill. XVII. 238
laciniata Poir. XVII. 248
lactescens fol. oblongis Browne XVII. 230
laevigata Wall. XVII. 245
latifolia Poir. XVII. 245
leucophylla *Miq.* XVII. 248
lucida Audib. XVII. 239
luzonica Blanco XVII. 224 248
macrophylla Morett. XVII. 239
macroura *Miq.* XVII. 247
mauritiana Spr. XVII. 248 251

Morus
mexicana Benth. XVII. 247 *(bis)*
missouriensis Audib. XVII. 246
Morettiana Jacq. XVII. 239
Moretti Audib. XVII. 239
Mucamba-camba Welw. XVII. 231
multicaulis Perrot. XVII. 245
nervosa Bon Jard. XVII. 241
nigra *L.* XVII. 238
β laciniata *Bureau* - -
nigra Thbg XVII. 226 248
nitida Willem. XVII. 248 251
norvegica Tillands. XVII. 248
pabularia Dene XVII. 242
paniculata? XVII. 248
papyrifera L. XVII. 224 248
papyrifera sativa &c, Seba XVII. 224
patavina Audib. XVII. 239
pendulina F. Bauer XVII. 249 250
pendulina Endl. XVII. 248
pensylvanica Nois. XVII. 246
Plumiera Burm. XVII. 230 249
pumila Balb. XVII. 241
pumila Nois. XVII. 241
rigida Hassk. XVII. 249 251
rubra *L.* XVII. 245
β tomentosa *Bureau* - 246
γ incisa - - -
rubra Lour. XVII. 244
rubra var. canadensis Loud. XVII. 246
rubra scabra Loud. XVII. 246
sativa fol. urticae Kaempf. XVII. 224
scabra W. herb. XVII. 238 246
scandens Wall. XVII. 222 249
serotina Mart. XVII. 239
serrata Roxb. XVII. 242
sinensis hort. XVII. 245
stylosa cordifolia Ser. XVII. 244
stylosa latidentata Ser. XVII. 243
stylosa ovalifolia Ser. XVII. 244 *(bis)*
Tata-iba &c. Plum. XVII. 230
Tataiba Vell. XVII. 230
tatarica Desf. XVII. 245
tatarica L. XVII. 240
tatarica Mill. XVII. 249
tinctoria L. XVII. 228 229 249
tinctoria Vell. XVII. 230
Tokwa Siebold XVII. 240
tomentosa Raf. XVII. 246
vicorum Jacquem. XVII. 242

Morus
virginica Pluk. X
viridis Hamilt. X
Xanthoxylon L. X
Moschkowitzia Kl.
fagopyroides Kl.
Wageneria Kl. X
Wageneriana Kl.
Moschkowitzia *Dc.*

Moschokaruon Dios
Mourera *Aubl.* XVI
alcicornis Spruc.
aspera *Tul.* XVII.
fluviatilis *Aubl.* X
Weddelliana *Tul.*
Mourera sect. Mar

Neo

MOURRERAE & PLE
W
Moutabea *Aubl.* XV
Mozinna Orteg. XV
canescens Benth.
cardiophylla Tor
cinerea Orteg. X
cordata Orteg. X
peltata Steud. X
spathulata Orteg
β *sessiliflora*
Mozinna Baill. X

Mozinna *Mart. Arg.*
(Jatro
Mubango XV. 2. 51
Mucamba-camba X
Mucronea *Benth.* X
californica *Benth.*
Mühlenbeckia *Meisn.*
adpressa *Meisn.*
α rotundifolia
β hastifolia
australis *Meisn.* X
axillaris *Hook. fil.*
Benthamii Endl.
chilensis *Meisn.*
α fascicularis
β injucunda
γ brachybotrys
δ racemosa
complexa *Meisn.*
ephedroides *Hook.*
flexuosa *Meisn.* X
florulenta *Meisn.*
gracillima *Meisn.*

fil. XIV. 146
Müll. XIV. 146
Meisn. XIV. 149
isn. XIV. 147
isn. XIV. 150
eisn. XIV. 145
Endl. XIV. 149
ld. XIV. 148
Remy XIV. 148
eisn. XIV. 148
isn. XIV. 149
– – –
ilata– – –
– – –
– – –
dd. XIV. 150
. XIV. 146
ll. XIV. 148
sn. XIV. 148
ct. Andinia Wedd. XIV. 147
Eumühlenbeckia Endl. XIV. 148
Sarcogonum Endl. XIV. 145
Sarcogonella Meisn. XIV. 147
npf. XVII. 209
209
VI. 1. 240 241
XVI. 1. 242
XVI. 1. 243
VI. 1. 242
XVI. 1. 242
ig. XVI. 1. 242
XVI. 1. 241
g. XVI. 1. 242
Miq. XVI. 1. 242
iq. XVI. 1. 242
henb. XV. 1. 429
Ulmi Plum. XVII. 204
VI. 2. 448
ue XVII. 245
. 245
s XVII. 245
XVII. 280 284
c. fil. XV. 1. 387 (Begonia)
henb. XVII. 112
ensis Spr. XV. 1. 97
XVII. 291
& *Pav.* XIV. 627
& *Pav.* XIV. 627

Myrianthus *P. B.* XVII. 280 284
Myrica *L.* XVI. 2. 147, *Spach* XVI. 2. 147
aethiopica *L.* XVI. 2. 153
altera *C. Dc.* XVI. 2. 595
arabica Vahl XVI. 2. 154. XVI. 1. 21
arguta *H. B.* & *Kth* XVI. 2. 153
β macrocarpa *C. Dc.* – – –
γ tinctoria – – – –
δ peruviana – – – –
brevifolia *E. Mey.* XVI. 2. 150
Burmanni *E. Mey.* XVI. 2. 149
californica *Cham.* & *Schl.* XVI. 2. 153
caracasana *H. B.* & *Kth* XVI. 2. 154
caroliniensis Mill. XVI. 2. 149
cerifera *L.* XVI. 2. 148
β angustifolia *C. Dc.* – – 149
Comptonia *C. Dc.* XVI. 2. 151
cordifolia *L.* XVI. 2. 148
domingana *C. Dc.* XVI. 2. 154
Farquhariana *Wall.* XVI. 2. 152
Faya *Ait.* XVI. 2. 152 (*bis*)
Gale *L.* XVI. 2. 147
β tomentosa *C. Dc.* – – 148
γ portugalensis – – – –
humilis *Cham.* & *Schl.* XVI. 2. 150
javanica *Bl.* XVI. 2. 152
integrifolia *Roxb.* XVI. 2. 151
interrupta *Benth.* XVI. 2. 150
Kraussiana *Buching.* XVI. 2. 149
laciniata W. XVI. 2. 148
Laureola *Trécul* XVI. 2. 154
Lindeniana *C. Dc.* XVI. 2. 150
linearis *C. Dc.* XVI. 2. 154
Lobbii *Teysm.* & *Binnend.* XVI. 2. 684
longifolia *Teysm.* & *Binnend.* XVI. 2. 152
macrocarpa H. B. & *Kth* XVI. 2. 153
macrophylla Mirb. XVI. 2. 152
microcarpa *Benth.* XVI. 2. 149
β angustifolia *C. Dc.* – – –
Missionis *Wall.* XVI. 2. 152
Nagi *Thbg* XVI. 2. 151 (*lege* M. rubra *Sieb.* & *Zucc.* XVII. 321)
β acuminata *C. Dc.* – – –
Nagi Thbg XVI. 2. 508
natalensis *C. Dc.* XVI. 2. 148
obovata *Cham.* XVI. 2. 150
parvifolia *Benth.* XVI. 2. 150
Pavonis *C. Dc.* XVI. 2. 151

Myrica
pensylvanica hort. paris. XVI. 2. 149
polycarpa *H. B. & Kth* XVI. 2. 154
pubescens *W.* XVI. 2. 154
punctata *Griseb.* XVI. 2. 149
quercifolia *L.* XVI. 2. 148
rubra Sieb. & Zucc. XVI. 2. 151 (*delend.* XVII. 321)
salicifolia *Hochst.* XVI. 2. 150
sapida *Wall.* XVI. 2. 152
segregata Jacq. XVI. 2. 154
serrata Lam. XVI. 2. 153
spathulata *Mirb.* XVI. 2. 149
trifoliata L. XVI. 2. 154
xalapensis *H. B. & Kth* XVI. 2. 150
Zeyheri *C. Dc.* XVI. 2. 149
Myrica *sect.* Comptonia *C. Dc.* XVI. 2. 151
Faya *C. Dc.* XVI. 2. 151
Gale *C. Dc.* XVI. 2. 147
Subfaya *C. Dc.* XVI. 2. 153
MYRICACEAE *C. Dc.* XVI. 2. 147
MYRICACEAE Lindl. XVI. 2. 147
MYRICEAE L. XVI. 2. 147
MYRICEAE Rich. XVI. 2. 147 332
Myriocarpa *Benth.* XVI. 1. 235[33]
bifurca *Liebm.* XVI. 1. 235[36]
colipensis Liebm. XVI. 1. 235[35]
cordifolia *Liebm.* XVI. 1. 235[35]
cordifolia β colipensis Wedd. XVI. 1. 235[35]
densiflora *Benth.* XVI. 1. 235[34]
β Dombeyana *Wedd.* - - 235[35]
Dombeyana Wedd. XVI. 1. 235[35]
humilis Wedd. XVI. 1. 235[34]
inaequilatera *Liebm.* XVI. 1. 235[35]
longipes *Liebm.* XVI. 1. 235[35]
β colipensis *Wedd.* - - -
polystachya Wedd. XVI. 1. 235[34]
stipitata *Benth.* XVI. 1. 235[34]
β polystachya *Wedd.* - - -
γ ambigua - - - -
Myriogomphus Diedrichs. XV. 2. 648
fuscus Diedrichs. XV. 2. 648
Myristica *L.* XIV. 189, *Bl.* XIV. 189
acuminata *Lam.* XIV. 206
amygdalina Hook. fil. & Thoms. XIV. 204

Myristica
amygdalina Thw
amygdalina *Wal*
β Hookeri *De.*
angustifolia Ro
ardisiaefolia *De.*
aromatica Lam.
aruana *Bl.* XIV.
attenuata *Wall.*
Bicuhyba *Schott*
bracteata *Dc. fi*
β longifolia -
canariformis *Bl.*
capitellata *Poep*
carinata *Benth.*
castaneaefolia *A*
ceylanica *Dc. fi*
cimicifera *Bl.* X
cinerea *Poir.* X
Commersoni *Bl.*
cordifolia Mart.
corticosa *Hook.*
crassifolia *Hook*
Cumara Poepp.
cuspidata *Benth.*
β rufula *Dc.*
cuspidata var.
dactyloides Gae
dactyloides Wal
debilis *Spruce* X
diospyrifolia *Dc*
elliptica *Wall.*
elongata *Benth.*
erratica *Hook. fi*
eugeniaefolia *De*
exaltata Wall.
Farquhariana H
Farquhariana *W*
fatua Bl. XV. 1.
fatua *Houtt.* XIV
fatua Sw. XIV.
ferruginea Wall.
Finlaysoniana W
floribunda Wall.
fragrans *Houtt.*
furfuracea *Hook.*
Gardneri *De. fil.*
gibbosa *Hook. fi*
glabra *Bl.* XIV.

'. 205
XIV. 206
ok. fil. & Thoms. XIV. 205
ull. XIV. 206 208
XIV. 202
. XIV. 205
XIV. 206
Dc. fil. XIV. 199
XIV. 198
fil. XIV. 194
Dc. fil. XIV. 193
. XIV. 207
ull. XIV. 204
XIV. 200
XIV. 201
l. XIV. 203
th. XIV. 201
Gray XIV. 194
IV. 202
190
XIV. 206
XIV. 202
ud. XIV. 208
XIV. 206
IV. 191
IV. 202
rtn. XIV. 201
IV. 202
l. XIV. 205
XIV. 192
fil. & Thoms. XIV. 191
ce XIV. 199
'. 206
fil. XIV. 203
V. 191
XIV. 205
XIV. 204
XIV. 207
XIV. 207
Gray XIV. 194
xb. XIV. 189 193
ruce XIV. 195
q. XIV. 203
s Lam. XIV. 201
is Vent. XIV. 192 *(bis)*
. XIV. 194
oepp. XIV. 196
. XIV. 208
XIV. 207
XIV. 205
XIV. 195
p. XIV. 696

Myristica
montana Roxb. XIV. 190
morindaefolia *Bl.* XIV. 193
moschata Thbg XIV. 189
notha Wall. XIV. 194
obtusifolia *Wall.* XIV. 194
officinalis Benth. XIV. 197
officinalis L. fil. XIV. 189
officinalis *Mart.* XIV. 197 697
orinocensis H. B. & Kth XIV. 208, XV. 2. 1031
Otoba *Humb. & Bonpl.* XIV. 199 697
paniculata *Dc. fil.* XIV. 200
parviflora *Roxb.* XIV. 207
Pavonis *Dc. fil.* XIV. 697
peltata *Roxb.* XIV. 207
peruviana *Dc. fil.* XIV. 196 696
philippensis Lam. XIV. 192 193
platysperma *Spruce* XIV. 695
punctata *Spruce* XIV. 196 695
rufula Mart. XIV. 696
salicifolia W. XIV. 193
sapida Steud. XIV. 208
sebifera Benth. XIV. 195
sebifera *Sw.* XIV. 195 696
β curvinervia *Dc. fil.* - -
γ cordifolia - - -
sebifera var. longifolia Poir. XIV. 197
sesquipedalis Wall. XIV. 208
sessilis *Dc. fil.* XIV. 198
simiarum *herb. paris.* XIV. 192
spadicea Bl. XIV. 189
sphaerocarpa Wall. XIV. 202
spicata *Roxb.* XIV. 207
Sprucei *Dc. fil.* XIV. 199
subcordata *Bl.* XIV. 190
subsessilis *Benth.* XIV. 197
succedanea *Bl.* XIV. 189
sumatrana Bl. XIV. 205
superba *Hook. fil. & Thoms.* XIV. 194
surinamensis *Roland.* XIV. 196
sylvestris *Houtt.* XIV. 193
sylvestris Sieber XIV. 192
theiodora *Spruce* XIV. 195 696
tingens *Bl.* XIV. 207
tomentosa Bl. XIV. 206
tomentosa *Hook. fil. & Thoms.* XIV. 204
tomentosa Thbg XIV. 189
tomentosa Thwait. XIV. 191
tubiflora *Bl.* XIV. 191
uaupensis *Spruce* XIV. 696
uviformis *Lam.* XIV. 208

Myristica
venosa *Benth.* XIV. 198 697
Wallichii *Hook. fil.* & *Thoms.* XIV. 203
nr. 515 *Hohenack.* XIV. 189
nr. 9017 *Wall.* XIV. 208
nr. 3325 *Zolling.* XIV. 208
Myristica *sect.* Caloneura *Dc. fil.* XIV. 192 695
Compsoneura *Dc. fil.* XIV. 199 697
Dictioneura *Dc. fil.* XIV. 201
Eumyristica *Dc. fil.* XIV. 189
Eumyristica Hook. fil. & *Thoms.* XIV. 189 200
Gymnacranthera *Dc. fil.* XIV. 200
Horsfieldia *Dc. fil.* XIV. 200
Irya *Hook. fil.* & *Thoms.* XIV. 202
Iryanthera *Dc. fil.* XIV. 201
Knema *Bl.* XIV. 204
Otaba *Dc. fil.* XIV. 198 697
Pyrrhosa *Bl.* XIV. 202
Pyrrhosa Bl. XIV. 200
Sychnoneura *Dc. fil.* XIV. 196 697
Virola *Dc. fil.* XIV. 194
Myristica Bl. XIV. 189 (Myristica)
MYRISTICACEAE *Dc. fil.* XIV. 187
MYRISTICACEAE Horan XIV. 187
MYRISTICEAE R. Br. XIV. 187, *Bartl.* XIV. 187
Myrobalan XV. 1. 263
Myroxylon Forst. XVII. 299
Myrsine bottensis Dc. fil. XVI. 1. 21
undulata Phytopol. XIV. 615
Myrtosalix Kern. XVI. 2. 285 (Salix)
Myrtus dioica Spr. XV. 1. 143
villosa Spr. XVI. 2. 661
MYSTROPETALEAE *Hook. fil.* XVII. 120 123
MYSTROPETALINAE Hook. fil. XVII. 123
Mystropetalon *Harv.*
Polemanni *Harv.* XVI
Thomii *Harv.* XVII. 1
Mytilicoccus *Zolling.* X

N.

Na Kaempf. XVI. 2. 1
Na vulgo Nagi Kaem
Nageia Roxb. XV. 2. 4 XV
arabica W. XVI. 1.
Blumei Gord. XVI
japonica Gaertn XV
japonica variegata
latifolia Gord. XVI.
minor Carr. XVI. 2
ovata Gord. XVI 2
ovata variegata G
Putranjiva Roxb. X
Nageia Endl. XVI. 2
Nagi Kaempf. XVI. 2.
Nagi XVI. 2. 503
NAJADEAE & TYPHA J
Nanocnide *Bl.* XVI. 1.
japonica *Bl.* XVI. 1
lobata *Wedd.* XVI
Nanodea *Banks* XIV.
muscosa *Gaertn.* XI
Nanopetalum *Hassk* X
myrianthum *Hassk.*
Nansiatum Buch.-Ham
herpeticum Buch.-H
oppositifolium Planc
Nara XVI. 2. 14
Native Cypress XVI. 2
Natsiatum *Buch.-Ham*
gamopetalum Griff.
herpeticum *Hamilt*
Natsiatum Griff XVII
Naucleopsis *Miq* XVII
Be
Neanthe *P. Browne* X
Nebu Feuill. XIV. 347
Nectandra *Roland.* XV
Berg. XIV. 566 5

Miq. XV. 1. 121 168
Nees XV. 1. 147
. XV. 1. 158
– – – –
– – – –
XV. 1. 156
Nees XV. 1. 150
Meisn. – – –
– – – –
– – – –
– – – –
sn. XV. 1. 158
Miq. XV. 1. 158
Nees XV. 1. 162
– – – –
ud. XV. 1. 513
sn. XV. 1. 153
Nees XV. 1. 147
Meisn. XV. 1. 155
lia *Meisn.* XV. 1. 154
– – – –
– – – 155
d. XV. 1. 258
. XV. 1. 168
na Nees XV. 1. 152 165
es XV. 1. 147
diversifolia Nees XV. 1. 107 168
s & Mart. XV. 1. 85 168
es *Nees* XV. 1. 167
s XV. 1. 162
s XV. 1. 165
seb. XV. 1. 163
coriacea *Meisn.* XV. 1. 512)
enth. XV. 1. 156
isn. XV. 1. 150
eb. XV. 1. 109 168
es XV. 1. 159 *(bis)*
pa – – – –
eisn. – – –
– – – –
Nees XV. 1. 156
xb. XIV. 600, XV. 1. 513
XV. 1. 157
Meisn. – – –
XV. 1. 158 107
eb. XV. 1. 165
ees XV. 1. 143 168
XV. 1. 152
sn. XV. 1. 155

Nectandra
α scrobiculata *Meisn.* XV. 1. 155
γ laevigata – – – –
glabrescens *Benth.* XV. 1. 165
grandiflora *Nees* XV. 1. 152 *(bis)*
α obovata *Meisn.* – – –
β cuneata – – – –
γ longifolia – – – –
δ latifolia – – – –
ε barbellata – – – – 512
grandiflora β latifolia Nees XV. 1. 152
grandis Kl. & Karst. XV. 1. 149
guianensis *Meisn.* XV. 1. 160
japurensis *Nees* XV. 1. 163
laevigata Berg. XIV. 586, XV. 1. 513
lanceolata *Nees* XV. 1. 148
Laurel *Kl.* XV. 1. 146
β glabrescens *Meisn.* – – 147
γ triquetra – – – –
δ Arnottiana – – – –
leucantha Benth. XV. 1. 154
leucantha Griseb. XV. 1. 153
leucantha Miq. XV. 1. 154
leucantha *Nees* XV. 1. 150 153 158
β guianensis *Meisn.* – – 151
γ attenuata – – – –
δ peruviana – – – –
leucantha β Nees XV. 1. 150
leucantha γ Nees XV. 1. 156
leucantha δ Nees XV. 1. 155
leucothyrsus *Meisn.* XV. 1. 160
limbata *Nees* XV. 1. 156
limbosa Nees XV. 1. 156
longifolia *Nees* XV. 1. 149
β nitida *Meisn.* – – –
longifolia β Nees XV. 1. 150
lucida *Nees* XV. 1. 168 151
macrophylla *Nees* XV. 1. 166
magnoliaefolia *Meisn.* XV. 1. 154
Matthewsii *Meisn.* XV. 1. 159
membranacea *Griseb.* XV. 1. 161 504
microcarpa *Meisn.* XV. 1. 162
mollis Mart. XV. 1. 148
mollis *Nees* XV. 1. 148 *(bis)*
α attenuata *Meisn.* – – –
β villosa – – – –
γ venosa *Nees* – – 149
δ intermedia *Meisn.* – – –
ε grandis *Nees* – – –
Moritziana *Kl.* XV. 1. 147
myriantha *Meisn.* XV. 1. 163

Nectandra
β glabrata *Meisn.* XV. 1. 163
γ attenuata - - - -
Neesiana Miq. XV. 1. 125 160 164 168
nitidula *Nees* XV. 1. 160
α minor - - - 161
β major - - - -
γ latifolia - - - -
oblongifolia Nees XV. 1. 152
oppositifolia *Nees* XV. 1. 146
α angustifolia *Meisn.* - - -
β attenuata - - - -
γ amplifolia - - - -
Oreadum Mart. XV. 1. 148
pallida Miq. XV. 1. 154
pallida *Nees* XV. 1. 157
panurensis *Meisn.* XV. 1. 157
patens *Griseb.* XV. 1. 164 504
paterifera *Nees* XV. 1. 167
pendula Nees XV. 1. 137 168
Pisi Miq. XV. 1. 154
polita *Nees* XV. 1. 163
β Oerstedii - - - 164
polyphylla *Nees* XV. 1. 160
psammophila *Nees* XV. 1. 161
puberula *Nees* XV. 1. 160
Puchury major *Nees* XV. 1. 156
Puchury minor *Nees* XV. 1. 166
pulverulenta *Nees* XV. 1. 153
punctata Kl. XV. 1. 141 168
pyrifolia Nees XV. 1. 166
rectinervia *Meisn.* XV. 1. 158
rhynchophylla *Meisn.* XV. 1. 155
Riedelii *Meisn* XV. 1. 161
rigida *Nees* XV. 1. 149
Rodiei *Schomb.* XV. 1. 155 (*bis*)
salicifolia Nees XV. 1. 125 152 165 168
salicifolia var. Nees XV. 1. 160
saligna *Nees* XV. 1 161
β obscura *Meisn.* - - -
sanguinea Griseb. XV. 1. 165
sanguinea Nees XV. 1 164
sanguinea *Rottb.* XV. 1. 164
β lanceolata *Meisn.* - - -
γ platyphylla *Nees* - - 165
sarcocalyx *Nees* XV. 1. 167
Schomburgkii *Meisn.* XV. 1. 151
Schottii *Meisn.* XV. 1. 147
sericea Berg. XIV. 583. XV. 1 513
spicata *Meisn.* XV 1. 151
squarrosa *Nees* XV. 1. 166
staminea Griseb. XV. 1. 168 176
stenophylla *Meisn.* XV. 1. 162

Nectandra
striata *Nees* XV. 1. 1
tetrandra Berg. XIV

tovarensis Kl. & *Ka*

turbacensis *Nees* XV.
β Schottii *Meisn.* -
γ mexicana - -
δ truxillensis - -
urophylla *Meisn.* XV
vaga *Meisn.* XV. 1.
α Sprucei - - -
β vulgaris - - -
γ major - - -
venulosa *Meisn* XV.
viburnoides *Meisn.*
villosa Nees XV. 1.
villosa β *venosa Ne*
virgultosa *Nees* XV.
Weddelhi *Meisn.* XV
Willdenowiana *Nees*

β obliterata *Meisn*
γ latifolia -
xanthocalyx *Nees* X
Nectandra *sect.* Pomat

Poros

NECTANDREAE *Nees* X
Neerija Roxb. XVII 2
Neesia Mart. XIV 52
daphnoides Mart. X
Nefuen XIV. 347
Nemacaulis *Nutt.* XIV.
denudata Nutt. XIV
foliosa Nutt XIV 2
nuttallii *Benth.* XIV
Nematanthera Miq. X
Nematanthera *C. De*

Nematospermum Rich.
lanigatum Rich. X
Nemodaphne *Meisn* X
cuneata *Meisn.* XV.
Neoboutonia *Mull. Arg*
africana *Mull. Arg*
NEOLACIDEAE *s. ord.*
Wedd.
Neolacis *Wedd.* XVII.
capillacea *Wedd.* X
corymbosa *Wedd.* X
β exilis -
dissecta *Wedd.* XVII.
divaricata *Wedd.* XV

Wedd. XVII. 61
a Wedd. XVII. 61
cea Wedd. XVII. 64
a Wedd. XVII. 63
Wedd. XVII. 63
Wedd. XVII. 64
a Wedd. XVII. 60
edd. XVII. 63
Wedd. XVII. 60
a Tul. XVII. 59
arpa Wedd. - 60
Vedd. XVII. 61
Wedd. XVII. 61
a Wedd. XVII. 62
Wedd. XVII. 64
t. Chamaelacis *Tul.* XVII. 63
Euneolacis *Wedd.* XVII. 59
Hymenolacis *Tul.* XVII. 64
m. XVII. 59 (*Lacis*)
dl. XVII. 59 (*Mourera*)
eb. XV. 2. 1027 (Pera)
Müll. Arg. & *F. Müll.* XV. 2. 488
Müll. Arg. & *F. Müll.* XV. 2. 489
CEAE *Hook. fil.* XVII. 90
CEAE Lindl. XVII. 90
AE Bl. XVII. 90
. XVII. 91
co XVII. 99
nata *Lobb* XVII. 102
Hook. fil. - 103
Bl. XVII. 93
Jack XVII. 93
Hook. fil. XVII. 97
. XVII. 105
rth. XVII. 101
Korth. XVII. 98
nna *Miq.* - -
Hook. fil. - -
ook. fil. XVII. 100
ongn. XVII. 105
a Grah. XVII. 102
a Griff. XVII. 102
a *L.* XVII. 93
a *Hook. fil.* XVII. 95
na *Low* XVII. 95
Miq. XVII. 99
Bl. XVII. 97
rth. XVII. 104
ora Reinw. XVII. 102
ok. fil. XVII. 99

Nepenthes
Hookeri Alphand XVII. 96
indica Poir. XVII. 93
Kennedyana *F. Müll.* XVII. 98
Khasiana *Hook. fil.* XVII. 102
Korthalsiana Miq. XVII. 104
laevis Korth. XVII. 104
laevis Morren XVII. 104
Lowii *Hook. fil.* XVII. 94
macrostachya Bl. XVII. 97
madagascariensis *Poir.* XVII. 92
maxima *Reinw.* XVII. 105
melamphora *Bl.* XVII. 101
β lucida - - 102
γ haematamphora *Miq.* - -
Pervillei *Bl.* XVII. 92
phyllamphora Hook. fil. & *Thoms.* XVII. 102
phyllamphora *W.* XVII. 97
β macrantha *Hook. fil.* - -
phyllamphora var. platyphylla Bl. XVII. 97
Rafflesiana *Jack* XVII. 96
β nivea *Hook. fil.* - 97
γ glaberrima - - -
Rajah *Hook. fil.* XVII. 95
Reinwardtiana *Miq.* XVII. 103
sanguinea Griff. XVII. 100
sanguinea *Lindl.* XVII. 100
tentaculata *Hook. fil.* XVII. 101
β - - - - -
Teysmanniana *Miq.* XVII. 104
tomentella Miq. XVII. 103
trichocarpa *Miq.* XVII. 104
β erythrostieta - - -
Veitchii *Hook. fil.* XVII. 96
ventricosa *Blanco* XVII. 100
Vieillardii *Hook. fil.* XVII. 104
villosa *Hook. fil.* XVII. 94
villosa Hook. XVII. 96
Wardii Wright XVII. 92
Spec. Blanco XVII. 105
Spec. Griff. XVII. 102
Nepenthes *sect.* Anourosperma *Hook. fil.* XVII. 91
Eunepenthes *Hook. fil.* XVII. 92
Nepenthesia Kl. XV. 1. 436 (*Siphisia*)
Griffithii Kl. XV. 1. 437
Nephelium Mora Gardn. XVII. 295
Nephroia Lour. XV. 2. 1259
Nephromischus Kl. XV. 1. 372 373
rutilans Kl. XV. 1. 374

Neraudia *Gaudich.* XVI. 1. 235[15]
glabra Meyen XVI. 1. 235[16]
melastomaefolia *Gaudich.* XVI. 1. 235[16]
β ovata - - - -
ovata Gaudich. XVI. 1. 235[16]
sericea *Gaudich.* XVI. 1. 235[16]
Nerviplacentaria *Dc. fil.* XV. 1. 393 (Begonia)
Nesodaphne *Hook. fil.* XV. 1. 5 66
Tarairi *Hook. fil.* XV. 1. 66
Tawa *Hook. fil.* XV. 1. 66
Neurocarpaea *R. Br.* XVII. 295
New-Jersey-Pine XVI. 2. 380
Newr XVI. 2. 391
Nhandu Piso XVI. 1. 246
Nigrina Thbg XVI. 1. 473
serrata Thbg XVI. 1. 476
spicata Thbg XVI. 1. 474
spicifera Lam. XVI. 1. 474
Niruri Rheed. XV. 2. 394
Niu XVI. 2. 426
Nivenia *R. Br.* XIV. 299
candicans *R. & Schult.* XIV. 302
capitata *R. Br.* XIV. 302
concava *R. & Schult.* XIV. 302
crithmifolia *R. Br.* XIV. 301
Dregei *Buek* XIV. 300
Lagopus *R. Br.* XIV. 302
β sericea *Meisn.* - -
marginata *R. Br.* XIV. 300
marginata Drege XIV. 300
media *R. Br.* XIV. 301
mollissima *R. Br.* XIV. 302
mollissima var. Kl. XIV. 302
parvifolia *R. Br.* XIV. 300
parvifolia Buek XIV. 300
Sceptrum *R. Br.* XIV. 299
β splendens *Meisn.* - 300
spathulata *R. Br.* XIV. 300
spathulata Drege XIV. 300
spicata *R. Br.* XIV. 301
Nochebuena XV. 2. 71
Nogal XIV. 450
Noix du bois de Compagnie XVII. 291
Noltia Schum. XVII. 295
Nordmannia Fisch. & Mey. XIV. 520
tinifolia Fisch. & Mey. XIV. 523
Norfolk-Pine XVI. 2. 373
Nosca moscada do Brasil XV. 1. 74
Noseburn tree XIV. 523
Nothaphoebe *Bl.* XV. 1. 4 58
canescens *Bl.* XV. 1. 59
chartacea *Bl.* XV. 1. 58
Nothaphoebe
cuneata *Bl.* XV. 1. 58
β macrocarpa *Meisn.* -
falcata *Bl.* XV. 1. 59
macrophylla *Bl.* XV. 1.
petiolaris *Meisn.* XV. 1.
spathulata *Meisn.* XV. 1
superba *Bl.* XV. 1. 59
umbelliflora *Bl.* XV. 1.
β lanceolata - - -
γ pyrifolia - - -
Nothocnide Bl. XVI. 1. 2
repanda Bl. XVI. 1. 23
Nothofagus Bl. XVI. 2. 1
Nothofagus *Dc. fil.* XVI. 2.
Notholitsaea *Meisn.* XV. 1 (Ar
Notro XIV. 443
Noyera *Trécul* XVII. 282
Nuez moscada XV. 1. 10
Nummulariopsis *Boiss.* X
Nut-meg XVI. 2. 145
Nut-Pine XVI. 2. 379 39
Nut-tree XIV. 685
Nux Tourn. XVI. 2. 135
Nux Juglans bifera Nouv.
Nux Juglans fol. laciniat Dukem.
Nux Juglans regia &c.
Nux Juglans virginiana &
Nux moschata fr. oblong
Nux Myristica Clus. XI
Nux Myristica Rumph X
Nux Myristica quarta Cam
Nymphanthus Lour. XV
chinensis Lour. XV. 2.
Niruri Lour. XV. 2. 3
pilosa Lour. XV. 2. 4
ruber Lour. XV. 2. 41
rubra Lour. XV. 2. 2
squamifolius Lour. XV.
Nymphanthus *Mill. Arg.* 419 (P
Nyssa Endl. XIV. 622

O.

Oakasi XVI. 2. 106
Oakesia Tuckerm. XVI. 1.
Conradii Tuckerm. XVI.

544
idich. XVI. 1. 69
Gaudich. XVI. 1. 70
ariensis Wedd. XVI. 1. 70
XV. 2. 513 593
lia Kl. XV. 2. 593
Kl. XV. 2. 594
lia Kl. XV. 2. 594
Kl. XV. 2. 593
ia Kl. XV. 2. 594
olia Diedrichs. XV. 2. 655
a Kl. XV. 2. 593
l. XV. 2. 593 (Croton)
Delil. XVI. 2. 587 589
Boiss. XVI. 2. 588
Delil. XVI. 2. 589
ens - - - -
β β monstruosus Müll. Arg. XVI. 2. 589
β scandens Müll. Arg. XVI. 2. 589
Müll. Arg. XVI. 2. 588
üll. Arg. XVI. 2. 588
sect. Euochradenus *Müll. Arg.* XV. 2. 589
Homalodiscus *Müll. Arg.* XVI. 2. 588
2. 399
l. XV. 1. 111, *Bl.* XV. 1. *H. B. & Kth* XV. 1. 159, *Auct.* XV. 1. 111
lart. XV. 1. 156
n Mart. XV. 1. 150
lia Pohl XV. 1. 162
lia Schrad. XV. 1. 162
Nees XV. 1. 38
epp. XV. 1. 169
B. & Kth XV. 1. 134
illa Kl. & Karst. XV. 1. 143
ta Mart. XV. 1. 124
Z. Mey. XV. 1. 118
na Kl. XV. 1. 113
des Mart. XV. 1. 122
a Nees XV. 1. 120
Mart. XV. 1. 94
Mart. XV. 1. 159
m hort. berol. XV. 1. 31
n H. B. & Kth XV. 1. 156
es Mart. XV. 1. 135
Poepp. XV. 1. 88
Bl. XV. 1. 34

Ocotea
desertorum Mart. XV. 1. 92
discolor H. B. & Kth XV. 1. 157
elongata Nees XV. 1. 31
excelsa Bl. XV. 1. 28
firmula Mart. XV. 1. 103
glaucescens Nees XV. 1. 36
globosa Schlecht. XV. 1. 164
guianensis Aubl. XV. 1. 112
guianensis W. herb. XV. 1. 112
incana Schott XV. 1. 147 150
indecora Schott XV. 1. 102 (*bis*)
lanceolata Nees XV. 1. 34 143
Lhotzkii Nees XV. 1. 143
ligustrina Nees XV. 1. 34
longifolia H. B. & Kth XV. 1. 112
macrophylla H. B. & Kth XV. 1. 166
Maximilianea Mart. XV. 1. 142
maynensis Poepp. XV. 1. 32
microcarpa Poepp. XV. 1. 112
minarum Mart. XV. 1. 140
mollis H. B. & Kth XV. 1. 148
mollis Schied. & Deppe XV. 1. 148
nitidula Mart. XV. 1. 161
nitidula var. angustifolia Mart. XV. 1. 143
obtusifolia H. B. & Kth XV. 1. 94
obtusifolia Mart. XV. 1. 92
opifera Mart. XV. 1. 112
pallida Nees XV. 1. 34
paniculata Nees XV. 1. 38
Pichurim H. B. & Kth XV. 1. 94
polyantha Mart. XV. 1. 133
psammophila Mart. XV. 1. 161
psychotrioides Billb. XV. 1. 150
psychotrioides H. B. & Kth XV. 1. 124
psychotrioides Schlecht. XV. 1. 124
puberula Nees XV. 1. 142
pubescens Nees XV. 1. 38
Puchury major Mart. XV. 1. 156
Puchury minor Mart. XV. 1. 166
pulchella Nees XV. 1. 99
rigida H. B. & Kth XV. 1. 149
riparia Mart. XV. 1. 159
rufo-tomentosa Mart. XV. 1. 117
salicifolia Hook. & Arn. XV. 1. 165
salicifolia H. B. & Kth XV. 1. 165
salicifolia Nees XV. 1. 162

Ocotea
sericea H. B. & Kth XV. 1. 112
sericea Nees XV. 1. 35
squarrosa Mart. XV. 1. 166
striata Schlecht. XV. 1. 166
subacris Mart. XV. 1. 116
tristis Mart. XV. 1. 100
turbucensis H. B. & Kth XV. 1. 151
turbacensis Poepp. XV. 1. 174
umbelliflora Bl. XV. 1. 58
umbrosa H. B. & Kth XV. 1. 129
umbrosa Mart. XV. 1. 122
variabilis Mart. XV. 1. 116
vetutina Mart. XV. 1. 132
virgultosa Mart. XV. 1. 167
xanthocalyx Mart. XV. 1. 167
Ocote blanco, hembro, macho XVI 2. 399
Ocote blanco, chino, macho XVI. 2. 401
Octarillum *Lour.* XIV. 615
fruticosum *Lour.* XIV. 616
Octoclinis F. Müll. XVI. 2. 445
Backhousi Hill XVI. 2. 446
juniperoides Carr. XVI. 2. 451
Maclayana F. Müll. XVI. 2. 446
Octomeles *Miq.* XV. 1. 412
sumatrana *Miq.* XV. 1. 412
Odina *Roxb.* XVII. 295
Odontoloma Turcz. XV. 2. 799
Claussenii Turcz. XV. 2. 884
Odontocarya *Miers* XV. 2. 1259
Oenone *Tul.* XVII. 57
alcicornis *Baill.* XVII. 58
flexuosa *Baill.* XVII. 58
longifolia *Tul.* XVII. 58
Ogadoika XV. 1. 497
Ogcodeia *Bur.* XVII. 282 286
Ohrob XIV. 72
OLACINEAE TRIB. PHYTOCRENEAE *Baill.* XVII. 7
Olando momi XVI. 2. 433
Oldfieldia *Benth. & Hook.* XV. 2. 1259
OLERACEAE Batsch XVII. 27 32
Oligomeris *Cambess.* XVI. 2. 584 586
Burchellii *Harv.* XVI. 2. 586
capensis α pumila Harv. XVI. 2. 585
capensis β virgata Harv. XVI. 2. 585 (*bis*)
dipetala *Müll. Arg.* XVI. 2. 585
α capensis - - - -
Oligomeris
β virgata Müll. A
γ pumila - - -
dipetala Turcz. XVI.
dispersa α Delileana
dispersa β Webbiana
dispersa γ muricata
dispersa α α abortiv
Dregeana *Müll. Arg.*
glaucescens Cambess
spathulata *Harv.* XVI
subulata *Boiss.* XVI.
Oligomeris *sect.* Holop
Reseda
Oligonychia Diedrichs
Olmedia *R. & Pav.* X
Poepp. & Endl. X
Tre
OLMEDIEAE *Trécul* XV
Olus calappoides Run
Olus calappoides e Ce
Olus sanguinis Rumph
Omalanthus A. Juss. X
giganteus Baill. XV
Leschenaultianus A
nutans Guillem. XV.
pedicellatus Benth.
populifolius Grah. X
populifolius F. Müll.
stillingiifolius F. M
Ombrophytum *Poepp*
peruvianum *Poepp.*
zamioides *Wedd.* XV
Omphacomeria *De. fil.*
acerba *De. fil.* XIV.
psilotoides *De. fil.* XI
Omphacomeria Endl. X
Omphalandria Brown
Omphalea *L.* XV. 2. 11
alternifolia Baill. XV.

w. XV. 2. 412 1137
a Baill. XV. 2. 1137
a Müll. Arg. XV. 2. 1137
Müll. Arg. XV. 2. 1136
Sw. XV. 2. 412 1137
Müll. Arg. XV. 2. 1135
. XV. 2. 1135
XV. 2. 1135
ll. Arg. XV. 2. 1135
sis - - - -
a - - - -
ensis *Kl.* - - -
ll. XV. 2. 1137
a Vell. XV. 2. 1137
Poir. XV. 2. 412 *(bis)* 1137
uss. XV. 2. 1137
Müll. Arg. XV. 2. 1137
Vell. XV. 2. 1137
Griseb. XV. 2. 1136
Vell. XV. 2. 1137
Desf. XV. 2. 1136
w. XV. 2. 1136
XV. 2. 1136
uss. XV. 2. 1135
Müll. Arg. XV. 2. 1135
Vell. XV. 2. 1137
ct. Euomphalea Baill. XV. 2. 1135
Hecatea Baill. XV. 2. 1137
me Bl. XV. 1. 513 (Tetranthera)
k. XVII. 295
44
2. 106
2. 425
IV. 618, *Burm.* XIV. 618, *Lam.* XIV. 618
n. XIV. 618
XIV. 618
l. XIV. 618 (Grubbia)
Reichenb. XIV. 617
AE Arn. XIV. 617
Lour. XIV. 601
ur. XIV. 602
pton *Freir. Allem.* XV. 2. 1155
Walp. XV. 2. 1155
um *Freir. Allem.* XV. 2. 1155
osages XVII. 227

Orbicularia Baill. XV. 2. 274 331
phyllanthoides Baill. XV. 2. 331
Orbicularia *Griseb.* XV. 2. 277 331 (Phyllanthus)
Oreja de Zona XV. 1. 461
Oreocallis *R. Br.* XIV. 445
grandiflora *R. Br.* XIV. 445
α emarginata *Meisn.* - -
β obtusifolia - - -
γ acutifolia - - -
Ruizii *Kl.* XIV. 445
Oreocnide Miq. XVI. 1. 235[20]
major Miq. XVI. 1. 235[21]
pilosula Miq. XVI. 1. 235[21]
rhodopleura Miq. XVI. 1. 235[23]
rufescens Miq. XVI. 1. 235[22]
semicrenata Miq. XVI. 1. 235[21]
sylvatica Miq. XVI. 1. 235[21]
trinervis Miq. XVI. 1. 235[22]
Oreodaphne *Nees* XV. 1. 6 111, XV. 1. 96
aciphylla *Nees* XV. 1. 115
acutangula *Miq.* XV. 1. 121
acutifolia *Nees* XV. 1. 134
acutifolia β Nees XV. 1. 139 142
adenotrachelium *Nees* XV. 1. 131
alnifolia *Meisn.* XV. 1. 132
amazonica *Meisn.* XV. 1. 123
amoena *Nees* XV. 1. 135
angustifolia Miq. XV. 1. 139 159
angustifolia Nees XV. 1. 139 162
antioquiana *Meisn.* XV. 1. 116
bahiensis *Meisn.* XV. 1. 130
Benthamiana Nees XV. 1. 30 139
Beyrichii *Nees* XV. 1. 113
Blanchetii *Meisn.* XV. 1. 113
Bofo *Nees* XV. 1. 134
Boisseriana *Meisn.* XV. 1. 123
Bowiei Walp. XV. 1. 77 139
brachybotrya *Meisn.* XV. 1. 127
bracteolata *Meisn.* XV. 1. 124
bracteosa *Meisn.* XV. 1. 114
bullata *Nees* XV. 1. 118 511
californica Nees XV. 1. 139 192
canescens *Meisn.* XV. 1. 122
caracasana *Nees* XV. 1. 113
caudata Miq. XV. 1. 139 145
caudata *Nees* XV. 1. 138
caudata fem. Nees XV. 1. 139
cayennensis *Meisn.* XV. 1. 133
celastroides *Meisn.* XV. 1. 126
cernua Griseb. XV. 1. 137
cernua *Nees* XV. 1. 137
citrosmoides *Nees* XV. 1. 122
β reticulata *Meisn.* - - -
colombiana *Meisn.* XV. 1. 137

Oreodaphne
commutata *Nees* XV. 1. 120
confertiflora *Meisn.* XV. 1. 131
confusa *Meisn.* XV. 1. 126
coriacea Griseb. XV. 1. 139 159
coriacea Nees XV. 1. 139 163
costulata Nees XV. 1. 114 139 159
crassifolia *Nees* XV. 1. 120
crassiramea *Meisn.* XV. 1. 117
cuneata *Nees* XV. 1. 119
cuneifolia Nees XV. 1. 119
cuprea *Meisn.* XV. 1. 114
cupularis Nees XV. 1. 104 139
cymosa Nees XV. 1. 105 139
daphnifolia *Meisn.* XV. 1. 127
declinata *Meisn.* XV. 1. 114
diospyrifolia *Meisn.* XV. 1. 126
β incompta – – – –
dispersa Mart. XV. 1. 139 164
dispersa Nees XV. 1. 124 126 129
dispersa β grandifolia Nees XV. 1. 164
divaricata *Nees* XV. 1. 113
domingensis Nees XV. 1. 139 143
dominicana *Meisn.* XV. 1. 139
effusa *Meisn.* XV. 1. 120
estrellensis *Meisn.* XV. 1. 126
Evonymodaphne *Meisn.* XV. 1. 139
exaltata Nees XV. 1. 139 165
fallax *Miq.* XV. 1. 125
fasciculata Nees XV. 1. 108 139
Fenzliana *Meisn.* XV. 1. 117
floribunda *Nees* XV. 1. 116
florulenta *Meisn.* XV. 1. 125
foetens *Nees* XV. 1. 118 511
fragrans *Meisn.* XV. 1. 127
gaboonensis *Meisn.* XV. 1. 130
glaberrima *Meisn.* XV. 1. 119
glauca Nees XV. 1. 97 139
glaucina *Meisn.* XV. 1. 134
glomerata *Nees* XV. 1. 113
gracilis *Meisn.* XV. 1. 128
grandifolia *Nees* XV. 1. 112
guianensis *Nees* XV. 1. 112
α argentea *Meisn.* – – –
β sericea – – – –
γ aurea – – – –
helicterifolia *Meisn.* XV. 1. 123
Hookeriana *Meisn.* XV. 1. 131
Hostmanniana Miq. XV. 1. 129
Humboldti *Meisn.* XV. 1. 129
Jacobinae *Meisn.* XV. 1. 122
Jacquini *Meisn.* XV. 1. 114

Oreodaphne
japurensis *Meisn.* XV.
β egensis – –
indecora Nees XV. 1.
Klotzschiana *Nees* XV.
Kunthiana *Meisn.* XV.
lanata Nees XV. 1. 10
lancifolia *Nees* XV. 1.
Langsdorffii *Meisn.* XV
leptobotra *Nees* XV. 1.
β attennata *Meisn.* –
γ petiolaris – –
Leucoxylon *Nees* XV.
β elongata *Meisn.* –
Lobbii *Meisn.* XV. 1.
longifolia *Nees* XV. 1.
lucida *Meisn.* XV. 1.
macrophylla *Meisn.* X
macrothyrsus *Meisn.*
Mannii *Meisn.* XV. 1.
maranhana *Meisn.* XV
marginata Nees XV.
marowynensis Miq.
Martiana *Nees* XV. 1.
β latifolia – – –
γ opaca *Meisn.* – –
Martiana δ Meisn. X
Martiniana *Nees* XV.
β dubia *Meisn.* –
γ latifolia – –
Maximilianea Nees
maynensis *Meisn.* XV.
maynensis Poepp. XV
megaphylla *Meisn.* XV
mexicana *Meisn.* XV.
α subsessilis – –
β longipes – –
γ diminuta – –
microbotrys *Meisn.* X
minarum Nees XV. 1.
minutiflora *Meisn.* XV.
Moritziana *Nees* XV.
mucosa *Nees* XV. 1.
myriantha *Meisn.* XV.
β reticulata – –
Necsiana *Meisn.* XV.
nitidula *Nees* XV. 1.
α lanceolata *Meisn.*
β cuneifolia –
γ petiolaris –
nitidula α Nees XV. 1.
notata Nees XV. 1. 9
nutans Nees XV. 1. 9

sylvestris Nees XV. 1. 98
vata Nees XV. 1. 119
isn. XV. 1. 119
es XV. 1. 105 140
isn. XV. 1. 116
s XV. 1. 112 510
sn. XV. 1. 115
Meisn. XV. 1. 126
Griseb. XV. 1. 140 174
lees XV. 1. 121
lees XV. 1. 124
Nees XV. 1. 140 141
Meisn. XV. 1. 125
Nees XV. 1. 100 140
Nees XV. 1. 134
lees XV. 1. 132
ea - - - 133
les *Meisn.* XV. 1. 128
XV. 1. 135
les *Benth.* XV. 1. 128
les *Nees* XV. 1. 124
Meisn. - - -
- - - -
Vees XV. 1. 123
ess XV. 1. 99 140
Nees XV. 1. 97
sericicola Nees XV. 1. 99
corniculata Nees XV. 1. 100
isn. XV. 1. 123
Meisn. XV. 1. 132
lees XV. 1. 140 143
isn. XV. 1. 130
berol. XV. 1. 101
XV. 1. 101 140
andifolia Nees XV. 1. 101
rvifolia Nees XV. 1. 101
a. XV. 1. 115
- - - 116
- - - -
iana Nees XV. 1. 128
iana var. sparsiflora Nees XV. 1. 128
sn. XV. 1. 133
isn. XV. 1. 133
lia *Meisn.* XV. 1. 120
a *Nees* XV. 1. 133
XV. 1. 112
n. XV. 1. 137
Meisn. XV. 1. 119

Oreodaphne
Spixiana *Nees* XV. 1. 117
splendens *Meisn.* XV. 1. 129
strumosa Griseb. XV. 1. 140 159
suaveolens *Meisn.* XV. 1. 136
subalpina *Meisn.* XV. 1. 137
sublanuginosa *Nees* XV. 1. 117
subtriplinervia *Meisn.* XV. 1. 125
tampicensis *Meisn.* XV. 1. 136
tarapotana *Meisn.* XV. 1. 129 512
Teleiandra *Meisn.* XV. 1. 138
terminalis Nees XV. 1. 138 139
thymelaeoides Nees XV. 1. 135 *(bis)*
tristis Nees XV. 1. 100 140
tristis β rotundifolia Nees XV. 1. 101
tristis γ concolor Nees XV. 1. 101
Tweediei *Meisn.* XV. 1. 136
β cymulosa - - - -
umbrosa *Nees* XV. 1. 122 129
β bullata *Meisn.* - - -
undulata *Meisn.* XV. 1. 115
urophylla *Meisn.* XV. 1. 139
vaccinioides *Meisn.* XV. 1. 127
variabilis *Nees* XV. 1. 116
Velloziana *Meisn.* XV. 1. 132
velutina *Nees* XV. 1. 132
β bullata *Meisn.* - - -
γ glabrata - - - -
venulosa *Meisn.* XV. 1. 126
verruculosa *Meisn.* XV. 1. 127
vesiculosa *Nees* XV. 1. 135
Willdenowiana Nees XV. 1. 140 143

OREODAPHNEAE *Meisn.* XV. 1. 6 111
OREODAPHNEAE Nees XV. 1. 111
Oreomunnea Oerst. XVI. 2. 140 142
pterocarpa Oerst. XVI. 2. 142
Oreomunnea *C. Dc.* XVI. 2. 142 (Engelhardtia)
Oreoptelea *Spach* XVII. 154 (Ulmus)
Orfilea Baill. XV. 2. 899 903
coriacea Baill. XV. 2. 903
Orfilea *Müll. Arg.* XV. 2. 903 (Alchornea)
Orites *R. Br.* XIV. 423
acicularis *R. Br.* XIV. 424
diversifolia *R. Br.* XIV. 424
excelsa *R. Br.* XIV. 423
β lancifolia *Meisn.* - -
lancifolia F. Müll. XIV. 424

Orites
Milligani *Meisn.* XIV. 424
revoluta *R. Br.* XIV. 424
Orites *sect.* Amphiderris *R. Br.* XIV. 424
Euorites *Endl.* XIV. 423
Oritina R. Br. XIV. 423 424
acicularis R. Br. XIV. 424
Orixa *Thbg* XVII. 295
OROBANCHEIS AFFINES Hook. XVII. 36
Orothamnus Pappe XIV. 264
Zeyheri Pappe XIV. 264
Orothamnus *Meisn.* XIV. 264 (Mimetes)
Orthocarya *Jaub. & Spach* XIV. 31 (Pteropyrum)
Oseille marron XV. 1. 407
Oserya *Tul. & Wedd.* XVII. 83
biceps *Tul. & Wedd.* XVII. 83
Culteriana (Coulteriana?) *Tul.* XVII. 84
flabellifera *Tul. & Wedd.* XVII. 83
sphaerocarpa *Tul.* XVII. 84
Osiris conf. Osyris
Ossifraga lactea Rumph XV. 2. 96
Ostodes *Müll. Arg.* XV. 2. 1114, *Bl.* XV. 2. 1114
corniculata Baill. XV. 2. 1115
Helferi *Müll. Arg.* XV. 2. 1115
minor *Müll. Arg.* XV. 2. 1115
paniculata *Müll. Arg.* XV. 2. 1115
zeylanica *Müll. Arg.* XV. 2. 1114
Ostodes *sect.* Euostodes *Müll. Arg.* XV. 2. 1114
Geloniastrum *Müll.Arg.* XV. 2. 1115
Ostrya *Michel.* XVI. 2. 124
americana Mx XVI. 2. 125
carpinifolia *Scop.* XVI. 2. 125
italica Spach XVI. 2. 125
italica Carpini folio Michel. XVI. 2. 125
virginica *W.* XVI. 2. 125 (*bis*)
vulgaris Wats. XVI. 2. 125
vulgaris W. XVI. 2. 125
Osyridicarpus *Dc. fil.* XIV. 635
natalensis *Dc. fil.* XIV. 635
Schimperianus *Dc. fil.* XIV. 635
Osyris (*Osiris*) *L.* XIV. 632, *Auct.* XIV. 633, *Scop.* XIV. 607, *Roxb.* XV. 2. 988 1008, *Thbg* XVI. 2. 680
abyssinica *Hochst.* XIV. 633
Osyris
alba *L.* XIV. 633
arborea *Wall.* XIV. 63
compressa *Dc. fil.* XIV.
β oblongifolia – –
japonica Thbg XIV. 63
lanceolata *Hochst. & Sc*
peltata Roxb. XIV. 63
peltata W. XV. 2. 101
quadrifida Salzm. XIV.
quadripartita Desf XIV
rhamnoides Scop. XIV.
Schoberi Pall. XIV. 63
Wightiana *Wall.* XIV.
Osyris *sect.* Colpoon *Dc.*
Euosyris (*Eu*
Dc. fil
Otaba *Dc. fil.* XIV. 198
Ottonia Miq. XVI. 1. 240 1. 2
Anisum Spr. XVI. 1. 2
Blancheti Moric. XVI.
carpinifolia Presl XVI.
Carpunya Miq. XVI. 1.
consanguinea Presl XVI
corcavadensis Miq. XVI
diversifolia Miq. XVI.
eucalyptifolia Kth XVI.
glaucescens Miq. XVI.
Hookeriana Miq. XVI.
Jaborandi Kth XVI. 1.
Klotzschiana Kth XVI.
laeta Kth XVI. 1. 256
leptostachya Miq. XVI.
Lessertiana Miq. XVI.
macrophylla Kth XVI.
macrophylla Miq. XVI.
macrostachya Miq. XVI.
Martiana Miq. XVI. 1.
padifolia Kth XVI. 1
padifolia Miq. XVI. 1.
Pohliana Miq. XVI. 1.
propinqua Kth XVI. 1.
propinqua Mart. XVI. 1.
propinqua Miq. XVI. 1.
pteropoda Moric. XVI.
punctata Griseb. XVI.
sphaerostachya Griseb.
stipulacea Presl XVI. 1
Vahlii Kth XVI. 1. 25
Waracabouru *Miq.* XVI.

gha XIV. 517
eelhout XVI. 2. 512
n. XIV. 524
eisn. XIV. 524
Meisn. XIV. 525
Meisn. XIV. 525
o Hohenack. XIV. 525
Meisn. XIV. 524
enb. XIV. 39
Baill. XV. 2. 277 330 (Phyllanthus)
Baill. XV. 2. 330
Endl. XVI. 2. 475
Spach XVI. 2. 475 (Juniperus)
Burch. XIV. 38
urch. XIV. 38
Dregeanum Sond. XIV. 38
Burch. XIV. 38
Sond. XIV. 38
Meisn. XIV. 38
eisn. XIV. 38
ond. XIV. 38
Endl. XIV. 677 (Leptomeria)
XIV. 37
Br. XIV. 37
mpd. XIV. 37
Br. XIV. 37
Hook. XIV. 37
utt. XIV. 23
Miers XIV. 23 (*rectius spiculata* XIV. 693)
Nutt. XIV. 23 693
utt. XIV. 23
Nutt. XIV. 21 23
. 2. 420
ine XVI. 2. 447

P.

XVI. 2. 145
(*Pachylepsis*) *Brongn.* XVI. 2. 442
nii Brongn. XVI. 2. 443
les Brongn. XVI. 2. 443
les Brongn. XVI. 2. 442
us Hook. fil. XVI. 2. 605 617
Hook. fil. XVI. 2. 617
Mx XVI. 1. 9 21, XV. 1260, *Hook.* XVI. 1. 11
Hook. XVI. 1. 12

Pachysandra
erecta Baill. XVI. 1. 22
erecta Raf. XVI. 1. 22
procumbens *Mx* XVI. 1. 22
terminalis *Sieb. & Zucc.* XVI. 1. 21
Pachystemon Bl. XV. 2. 987 988, *Miq.* XV. 2. 991
bancanus Miq. XV. 2. 990
depressus Müll. Arg. XV. 2. 989
populifolia Miq. XV. 2. 990 1006
trilobus Bl. XV. 2. 989 994
Pachystemon sect. Eupachystemon Miq. XV. 2. 988
Pachystemon *Müll. Arg.* XV. 2. 988 (Macaranga)
Pachystroma *Müll. Arg.* XV. 2. 893
ilicifolium *Müll. Arg.* XV. 2. 893
α longifolium – – – –
β ellipticum – – – –
γ subintegrum – – – 894
Pachytrophe *Bureau* XVII. 214 234
Dimepate *Bureau* XVII. 234
obovata *Bureau* XVII. 235
Paenoe *De. fil.* XVI. 2. 624 (Vateria)
Paenoe Rheed. XVI. 2. 624
Pala Rumph XIV. 189
Palada secunda Rumph XIV. 193
Palala aruana Rumph XIV. 207
canariformis Rumph XIV. 207
quinta s. Globularia Rumph XIV. 203
tertia Rumph XIV. 207
tingens Rumph XIV. 207
Palam Palea Rheed. XIV. 194
Palanostigma Mart. XV. 2. 537
abutiloides Baill. XV. 2. 533
crotonoides Mart. XV. 2. 538
hibiscifolium Baill. XV. 2. 538
Martiana Baill. XV. 2. 538
xalapense Kl. XV. 2. 597
Palanostigma Baill. XV. 2. 514 524 537 (Croton)
Palenga Thwait. XV. 2. 444
zeylanica Thwait. XV. 2. 444
Palenga *Müll. Arg.* XV. 2. 444 (Putranjiva)
Pale-pale XV. 1. 28
Palissya Baill. XV. 2. 899
castaneaefolia Baill. XV. 2. 900
Palissya *Müll. Arg.* XV. 2. 899 (Alchornea)
Palladia *Lam.* XVII. 295
Pallasia L. fil. XIV. 29

Pallasia
caspica L. fil. XIV. 29
Pterococcus Pall. XIV. 29 30
Palma americana &c. Pluk. XVI. 2. 540
Palma humilis non spinosa Comm. XVI. 2. 543
PALMAE Adans. Juss. XVI. 2. 522
Palmae Spec. Breyn. XVI. 2. 525
Palmeria *F. Müll.* XVI. 2. 641 657
racemosa *Dc. fil.* XVI. 2. 657
scandens *F. Müll.* XVI. 2. 657
Palmifolia fructu clavato &c. Trew. XVI. 2. 541
Palo Maria XIV. 172
Palo misanteco XV. 1. 96
Palo santo XIV. 176
Palto XV. 1. 53
Panawar beas XVII. 217
Pangium *Rumph* XVII. 295
Panhopia Noronh. XV. 2. 987 1008
Panke Feuill. XVI. 2. 597
anopodophyllifolia Feuill. XVI. 2. 598
sonchifolia W. XVI. 2. 600
Pankea Oerst. XVI. 2. 597
insignis Oerst. XVI. 2. 597
Panopsis Salisb. XIV. 345
hamelifolia Salisb. XIV. 346
Pao XV. 1. 103
Papanesch XVII. 240
Papaya *Tourn.* XV. 1. 414, *Rheed.* XV. 1. 414, *Rumph* XV. 1. 414, *Hugh.* XV. 1. 414
cauliflora Poir. XV. 1. 415 (*bis*)
citriformis *Dc. fil.* XV. 1. 414
fructu oblongo Trew. XV. 1. 420
microcarpa Poir. XV. 1. 415 418
monoica Poir. XV. 1. 415 418
nana *Dc. fil.* XV. 1. 415
orientalis Col. XV. 1. 414
ramosa fruct. pyriformi Feuill. XV. 1. 420
sativa Tuss. XV. 1. 414
spinosa Dc. XV. 1. 415 419
vulgaris *Dc.* XV. 1. 414 517
PAPAYACEAE *Dc. fil.* XV. 1. 413
PAPAYACEAE Mart. XV. 1. 413
Papayer commun Descourt. XV. 1. 414
Papyrius Poir. XVII. 223
japonica Poir. XVII. 224
Papyrus fructu mori Kaempf. XVII. 224
legitima Kaempf. XVII. 224
spuria Kaempf. XVII. 226

Paracicca Müll. Arg. XV. 2. 416 (Phyllanthus sect.
Paracroton *Miq.* XV. 2. 1112
pendulus *Miq.* XV. 2. 1113
Paradenia Miq. XVI. 2. 53
Paradenocline *Müll. Arg.*
procumbens *Müll. Arg.*
Paragomphidium *Müll. Arg.* 277 351 (Ph
Paragymnanthes Müll. Arg. 1218 1222 (Ex
Parana Laurel XV. 1. 162
Paranomus Salisb. XIV. 2
adiantifolius Salisb. XI
crithmifolius Salisb. XI
sceptriformis Salisb. XI
Paraphyllanthus *Müll. Arg.* 278 355 (Ph
Parasapium Müll. Arg. X 1216 (E
Parasapium *Müll. Arg.* X (Excoecaria *sect.* Sch
Parasitus anonymus Iuert.
Parasponia *Miq.* XVII. 19
Andersonii *Planch.* XVI
aspera Bl. XVII. 194
aspera Miq. XVII. 195
parviflora *Miq.* XVII. 1
α typica – – –
β similis – – –
γ aspera – – –
δ rugosa – – –
rugosa Bl. XVII. 195
similis Bl. XVII. 194
Paratrophis *Bl.* XVII. 214
heterophylla *Bl.* XVII.
Paratropia Dc. XVII. 230
Parietaria *Tourn.* XVI. 1.
Gaudich. XVI. 1. 235
XVI. 1. 104 235
abyssinica Hochst. XVI.
affinis Hornem. XVI. 1.
alsinifolia *Delil.* XVI. 1.
β elongata *Bl.* – –
appendiculata Wedd. XVI.
appendiculata var. Wedd XVI.
appendiculata var. XVI.
arborea L'Herit. XVI.
aspera Leschen. XVI.

Poir. XVI. 1. 235[42]
l. XVI. 1. 235[45]
Moench XVI. 1. 235[44]
erb. Wight XVI. 1. 235[5]
ll. XVI. 1. 235[43]
Poir. XVI. 1. 225 235[49]
bg XVI. 1. 235[49]
ll. XVI. 1. 235[45]
Pourr. XVI. 1. 235[45]
sis Lour. XVI. 1. 221 235[49]
XVI. 1. 235[44]
is XVI. 1. 235[51]
b. Unio, itiner. XVI. 1. 235[49]
ior Tourn. XVI. 1. 235[44]
C. Koch XVI. 1. 235[44]
kl. & Zeyh. XVI. 1. 235[49] 235[58]
Mey. XVI. 1. 235[49] 235[52]
XVI. 1. 235[45]
Forst. XVI. 1. 235[45]
ha *Wedd.* - - -
antha - - - 235[46]
rantha - - -
- - -
osa - - -
ntha - - -
Hook. fil. - - -
k. fil. XVI. 1. 235[45]
ridana Wedd. XVI. 1. 235[48]
nsylvanica Wedd. XVI. 1. 235[47]
Steud. XVI. 1. 235[49]
et. & Koch XVI. 1. 235[42]
Koch XVI. 1. 235[48]
. & Koch XVI. 1. 235[43]
Webb XVI. 1. 235[49] 235[50]
en. XVI. 1. 235[47]
utt. XVI. 1. 235[48]
ce XVI. 1. 235[46]
G. Don XVI. 1. 223 235[49]
m. XVI. 1. 132
l. XVI. 1. 235[46]
XVI. 1. 220
XVI. 1. 235[43]
Wedd. - - 235[44]
l. XVI. 1. 235[42]

Parietaria
judaica herb. Willk. XVI. 1. 235[43]
laevigata Poir. XVI. 1. 224 235[49]
lanceolata Thbg XVI. 1. 235[49] 235[61] *(bis)*
latifolia trimestris Grisley XVI. 1. 235[45]
linguaefolia Liebm. XVI. 1. 235[48]
lusitanica Viv. XVI. 1. 235[49] 235[51]
lusitanica *Wedd.* XVI. 1. 235[46]
β chersonensis - - - 235[47]
γ filiformis - - - -
δ decipiens - - - -
lusitanica β chersonensis Lange & Szow. XVI. 1. 235[47]
maderensis Reichenb. XVI. 1. 235[42] 235[46]
mauritanica *Durieu* XVI. 1. 235[44]
α erecta *Wedd.* - - 235[45]
β diffusa - - - -
mauritanica γ minor Willk. & Lange XVI. 1. 235[45]
micrantha Bl. XVI. 1. 235[48]
micrantha Ledeb. XVI. 1. 235[45] 235[46]
microphylla L. XVI. 1. 106 235[49]
multicaulis Boiss. & Heldr. XVI. 1. 235[43]
nitens C. Koch XVI. 1. 235[44]
ocymifolia Poir. XVI. 1. 235[45]
ocymi folio Bocc. XVI. 1. 235[45]
officinalis Dc. XVI. 1. 235[43]
officinalis *L.* XVI. 1. 235[42]
α diffusa *Wedd.* - - -
β microphylla - - - 235[43]
γ populifolia - - - -
δ erecta - - - -
officinalis L. herb. XVI. 1. 235[42]
officinalis β longifolia Coss. & Germ. XVI. 1. 235[43]
orientalis Tourn. XVI. 1. 235[49]
Orizabae Liebm. XVI. 1. 235[48]
parviflora *Friedrichsth.* XVI. 1. 235[49]
pensylvanica *Mühlenb.* XVI. 1. 235[47]
β floridana *Wedd.* - - 235[48]
γ microphylla - - - -
populifolia Nym. XVI. 1. 235[43]
prostrata Spr. XVI. 1. 235[49]
punctata W. XVI. 1. 235[43]
racemosa foliis &c. Plum. XVI. 1. 114
ramiflora Moench XVI. 1. 235[49]
reclinata Moon XVI. 1. 235[49]

Parietaria
repens Soleir. XVI. 1. 235[51]
serpyllifolia Poir. XVI. 1. 107 235[49]
Soleiroli Spr. XVI. 1. 235[49] 235[51]
Sonneratii Poir. XVI. 1. 235[37] 235[49]
squalida Hook. fil. XVI. 1. 235[46]
tibethana Bl. XVI. 1. 235[44]
urticaefolia L. fil. XVI. 1. 124 235[49]
urticaefolia E. Mey. XVI. 1. 235[38]
velutina Bl. XVI. 1. 235[44]
verbascifolia Poir. XVI. 1. 235[49]
Welwitschii Bl. XVI. 1. 235[45]
zeylanica L. XVI. 1. 220 221 235[49]
Parietaria *sect. A. B. C. Endl.* XVI. 1. 235[41]
Gesnouinia Endl. XVI. 1. 235[49]
Helxine Mutel XVI. 1. 235[51]
Rousselia Endl. XVI. 1. 235[53]
PARIETARIEAE *Gaudich.* XVI. 1. 235[41]
PARIETARIEAE *Wedd.* XVI. 1. 235[41]
Parolinia Endl. XVI. 2. 442
Parthenoxylon Bl. XV. 1. 9 24
porrectum Bl. XV. 1. 26
porrectum β Miq. XV. 1. 27
pruinosum Bl. XV. 1. 27
pseudo-Sassafras Bl. XV. 1. 27
Parvibegonia *Dc. fil.* XV. 1. 354 (Begonia)
Pasania *Miq.* XVI. 2. 82 (Quercus)
Passaea Baill. XV. 2. 915 923
spartioides Baill. XV. 2. 923
Passaea *Müll. Arg.* XV. 2. 923 (Bernardia)
Passerina *L.* XIV. 561 566 573, *Mill.* XIV. 566, *Forst.* XIV. 496, *Auctor.* XIV. 548 551 559 561 574 593
Ammodendron Kar. & Kir. XIV. 550 563
annua Auch. XIV. 552 563
annua Wickst. XIV. 551 563
anthylloides L. fil. XIV. 563 595
anthylloides α Thbg XIV. 563 592
axillaris Thbg XIV. 516 563
bruniades Eckl & Zeyh. XIV. 563 579

Passerina
bruniotdes Eckl. & Zeyh 56
calocephala Meisn. XIV.
calycina Dc. XIV. 555
campanulata E. Mey.
canescens Schousb. XIV
capitata L. XIV. 563 5
cephalophora Thbg XIV
Chamaedaphne Bung.
Chamaejasme Fisch.
Chamaejasme Schang.
ciliata L. XIV. 563
ciliata Thbg XIV. 563
coridifolia Wickst. XIV
corymbosa Eckl. XIV.
cupressina Wendl. XIV
dichotoma Steud. XIV.
dioica Ram. XIV. 554
dodecandra L. XIV. 56
elliptica Boiss. XIV. 5
empetrifolia Lapeyr. X
ericoides Eckl. & Zeyh
ericoides *L.* XIV. 562
eriocephala Thbg XIV.
filiformis *L.* XIV. 562
α vulgaris *Meisn* - -
β falcifolia - - -
γ comosa - - -
δ squarrosa - - -
filiformis Mill. XIV 5
filiformis var. crassifo & *Zeyh*
Ganpi Sieb. & Zucc
globosa Lam. XIV. 564
glomerata Thbg XIV
Gnidia Forst. XIV. 516
grandiflora bot. magaz
grandiflora L. fil XIV.
gymnostachya Meisn
hirsuta Asso XIV. 555
hirsuta L. XIV. 557 56
hirsuta β vestita Godr.
japonica Sieb. & Zucc
inconspicua Meisn XIV
incurva *Wendl.* XIV 563
involucrata Lapeyr. XIV
involucrata Spr. XIV. 56

Thbg XIV. 498 564
Lapeyr. XIV. 555 564
β Lapeyr. XIV. 555
XIV. 564 586
ortul. XIV. 559
Wendl. XIV. 564
XIV. 560 564
Vickst. XIV. 550 564
Pourr. XIV. 553 564
Wickst. XIV. 564 583
ndl. XIV. 563
bg XIV. 564 582
Thbg XIV. 516 564
sk. XIV. 557 564
Coss. & Dur. XIV. 556 564
bg XIV. 564 579
ckst. XIV. 564 577
XIV. 554 564
. XIV. 555 564
V. XIV. 557 564
Vickst. XIV. 562
ort. XIV. 562
kl. & Zeyh. XIV. 563
Thbg XIV. 564
ss. XIV. 550 564
t. XIV. 516 564
Burm. XIV. 564 578
E. Mey. XIV. 561 564
lia Lapeyr. XIV. 557 564
orst. XIV. 517 564
Juss. XIV. 552 564
Vickst. XIV. 558 564
Vickst. XIV. 564 576
Vickst. XIV. 549 564
st. XIV. 563
Meisn. - -
- - -
- - -
herb. berol. XIV. 564
herb. Lam. XIV. 562
XIV. 564 583
XIV. 564 590
fil. XIV. 559 564
Schrenk XIV. 550 564
n. XIV. 552 564
ckst. XIV 549 564
. XIV. 564 577
g XIV. 564 582 592
Meisn. XIV. 547 564
Schrad. XIV. 556 565

Passerina
tenuiflora W. XIV. 560 565
thesioides Wickst. XIV. 553 565
Thomasii Duby XIV. 556 565
Thunbergii Wickst. XIV. 565 583
Thymelaea Dc. XIV. 553 565
tinctoria Pourr. XIV. 555 565
tinctoria β angustifolia Boiss. XIV. 555 (*bis*) 565
tinctoria β calycina Endl. XIV. 555
tingitana Salzm. XIV. 554 565
tomentosa Wickst. XIV. 556 565
uniflora Drege XIV. 574
uniflora L. XIV. 565 573
uniflora β alba Berg. XIV. 574
velutina Boiss. XIV. 553 565
velutina Pourr. XIV. 555 565
vesiculosa Fisch. & Mey. XIV. 558 565
villosa Thbg XIV. 517 565
villosa Wickst. XIV. 554 565
virescens Coss. & Dur. XIV. 554 565
virgata Desf. XIV. 553 565
PASSERINAE Rüling. XIV. 493
Patu-Swa XIV. 170
Pavonia R. & Pav. XVI. 2. 674
sempervirens R. & Pav. XVI. 2. 675
Paxaüh XIV. 177
Payeria *Baill.* XV. 2. 226
chrysogyne *Müll. Arg* XV. 2. 227
excelsa *Baill.* XV. 2. 226
Payparola *Aubl.* XVII. 296
Payrola Juss. XVII. 296
Pectanisia Raf. XVI. 2. 555 560
Phyteuma Raf. XVI. 2. 564
Peddiea *Harv.* XIV. 528
africana Harv. XIV. 528
africana Plant XIV. 528
Dregei *Meisn.* XIV. 528
Harveyi *Meisn.* XIV. 528
Pedilanthus *Neck.* XV. 2. 4, *Kl. & Gke* XV. 2. 4
angustifolius *Poit.* XV. 2. 5
aphyllus *Boiss.* XV. 2. 6
articulatus *Boiss.* XV. 2. 6
bracteatus *Boiss.* XV. 2. 6
cordatus *Spr.* XV. 2. 7
Fendleri *Boiss.* XV. 2. 5
Finkii *Boiss.* XV. 2. 1261
Ghiesbreghtianus *Baill.* XV. 2. 1261
Houllettii *Baill.* XV. 2. 1261
involucratus *Boiss.* XV. 2. 6
linearifolius *Griseb.* XV. 2. 7

Pedilanthus
macrocarpus *Benth.* XV. 2. 6
Oerstedii *Kl.* & *Gke* XV. 2. 6
padifolius *Poit.* XV. 2. 5
parasiticus Kl. & *Gke* XV. 2. 5
Pavonis *Boiss.* XV. 2. 6
ramosissimus *Boiss.* XV. 2. 5
retusus *Benth.* XV. 2. 5
tithymaloides *Poit.* XV. 2. 5
tithymaloides var. angustifolia Griseb. XV. 2. 5
Pedilanthus *sect.* Calceolastrum *Boiss.* XV. 2. 1261
Cubanthus *Boiss.* XV. 2. 7
Eupedilanthus *Boiss.* XV. 2. 4
Pedinochilus Kl. XV. 1. 456 (521) *(Howardia)*
Pedinochilus (Howardia) Benthamii Kl. XV. 1. 459
bilobata Kl. XV. 1. 456
cordigera Kl. XV. 1. 455
foetida Kl. XV. 1. 440
geminiflora Kl. XV. 1. 457
glaucescens Kl. XV. 1. 474
Gollmerii Kl. XV. 1. 457
Hoffmanni Kl. XV. 1. 457
inflata Kl. XV. 1. 458
pandurata Kl. XV. 1. 476
smilacina Kl. XV. 1. 459
tamnifolia Kl. XV. 1. 448
triangularis Kl. XV. 1. 461
veraguensis Kl. XV. 1. 458
Warscewiczii Kl. XV. 1. 476
Pedunculata *Benth.* XIV. 19 (Eriogonum)
Peepul XIV. 536
Pehuen XVI. 2. 370
Pella *Gaertn.* XVII. 296
Pellionia *Gaudich.* XVI. 1. 165
ambigua *Wedd.* XVI. 1. 168
australis *Wedd.* XVI. 1. 169
brevifolia *Benth.* XVI. 1. 167
divaricata *Gaudich.* XVI. 1. 170
elatostemoides *Gaudich.* XVI. 1. 169
filicoides *Seem.* XVI. 1. 168
Griffithiana *Wedd.* XVI. 1. 165
Helferiana *Wedd.* XVI. 1. 170
heteroloba *Wedd.* XVI. 1. 166
Heyneana *Wedd.* XVI. 1. 169
javanica *Wedd.* XVI. 1. 170
radicans *Wedd.* XVI. 1. 167
scabra *Benth.* XVI. 1. 166
β - - - - 167
Pellionia
stenocarpa *Wedd.* XV
umbellata *Wedd.* XV
vitiensis *A. Gray* XV
Peltandra R. Wight X
flexuosa Thwait. XV.
longipes R. Wight X
parvifolia Wight XV
Peltandra *Mull. Arg.* 340
Peltobryon Kl. XVI. 1.
attenuatum Kl. XVI.
callosum Miq. XVI.
cyrtopodum Miq. XV
dichotomum Kl. XV
exserens Miq. XVI.
Guilleminianum Miq
Hookeri Miq. XVI.
longifolium Miq. XV
Martianum Miq. XV
Mathewsii Miq. XV
phytolaccaefolium
Poeppigii Kl. XVI.
pubescens Miq XVI
Penaea *L.* XIV. 484.
acuta Thbg XIV. 4
acutifolia *Juss* XIV
affinis Endl. XIV
barbata Endl. XIV.
Cneorum *Lam.* XIV
Cneorum Meisn. XI
Dregei Endl XIV.
ericoides Endl. XIV
foliis lanceolatis &c.
formosa Thbg XIV.
fruticulosa L. fil X
fucata herb. Bot.
fucata herb. Lamb.
fucata herb. veter.
fucata L. XIV. 485
fucata Zeyh. XIV
fuscata Poir. XIV
imbricata Eckl. XIV
imbricata Grah. XIV
intermedia Endl. XI
lateriflora L. fil. XI
lateriflora Thbg XIV
Linnaei A. Juss. XI
longiflora Meerb. XI
marginata L. XIV 4
mucronata *L.* XIV. 4
β microphylla *Eckl*
γ Dregei *Dc. fil.*

e affinis A. Juss. XIV. 484
Endl. XIV. 485
s herb. berol. XIV. 485
s Meisn. XIV. 484
s Thbg XIV. 484
Drege XIV. 485 (*bis*) 484
multiflora Krauss XIV. 484
r. XIV. 486
l. & Zeyh. XIV. 484
odia Dc. fil. - - -
mucronata Eckl. & Zeyh. XIV. 485
Berg. XIV. 486 489 (*bis*)
Drege XIV. 489
Lam. XIV. 486
L. XIV. 489 (*bis*)
Thbg XIV. 489
Lour. XIV. 486
L., Spec. XIV. 486 487
L. mantiss. XIV. 486 489
Berg. XIV. 486 489
Thbg XIV. 486, XV. 2. 1053
Eupenaea Endl. XIV. 484
Stylapterus Endl. XIV. 486
AE R. Br. XIV. 483
AE Dc. XIV. 483
AE Dc. fil. XIV. 483
AE Kth XIV. 483
AE L., Thbg, Kth XIV. 491
AE Lindl. XIV. 491
fil. XIV. 484
orst. XV. 2. 1260
m Müll. Arg. XV. 2. 223
Müll. Arg. XV. 2. 224
ley. esseq. XVII. 296
. fil. XVI. 2. 605 626
fil. XVI. 2. 626
n Gaertn. XIV. 329
um Gaertn. XIV. 343
ion Müll. Arg. XV. 2. 315 (*Glochidion*)
ion Müll. Arg. XV. 2. 275 315 (Phyllanthus)
Pentamerae Meisn. XIV. 593 (Gnidia)
Pentameria Kl. XV. 2. 492
melanthesoides Kl. XV. 2. 502
Pentodon Kl. XV. 1. 437 (*Siphisia*)
Peperidia Reichenb. XVI. 1. 473
Peperomia *R. & Pav.* XVI 1. 392, *A. Dietr.* XVI. 1. 391
abyssinica *Miq.* XVI. 1. 405
acuminata A. Dietr. XVI. 1. 416
acuminata Griseb. XVI. 1. 416
acuminata Miq. XVI. 1. 413
acuminata *R. & Pav.* XVI. 1. 406
acuminatissima *Miq.* XVI. 1. 418
acutifolia *C. Dc.* XVI. 1. 426
adscendens *C. Dc.* XVI. 1. 406
agapatensis *C. Dc.* XVI. 1. 455
alata *R. & Pav.* XVI. 1. 418
β pterocaulis *C. Dc.* - - -
γ angustifolia - - - -
alismaefolia *Presl* XVI. 1. 399
alpina *A. Dietr.* XVI. 1. 429
alpina Griseb. XVI. 1. 449
alpina Mart. & Gal. XVI. 1. 455
alpina Miq. XVI. 1. 430
alsinoides *A. Dietr.* XVI. 1. 447
amplexicaulis *A. Dietr.* XVI. 1. 425
β longifolia *Miq.* - - -
amplexifolia *A. Dietr.* XVI. 1. 426
andinacea *C. Dc.* XVI. 1. 404
angularis *C. Dc.* XVI. 1. 415
angulata *H. B. & Kth* XVI. 1. 446
angustata *H. B. & Kth* XVI. 1. 466
angustifolia Miq. XVI. 1. 438
antillarum *C. Dc.* XVI. 1. 447
aphylla *C. Dc.* XVI. 1. 465
arabica *Miq.* XVI. 1. 442
β floribunda - - - -
arifolia *Miq.* XVI. 1. 400
arifolia var. argyreia Miq. XVI. 1. 400
asarifolia *A. Dietr.* XVI. 1. 398
australis Philipp. XVI. 1. 457
bangrooana *C. Dc.* XVI. 1. 404
basellaefolia *Kth* XVI. 1. 406
Baueriana *Miq.* XVI. 1. 414
β brisbaniana *C. Dc.* - - -
Belangeri *C. Dc.* XVI. 1. 411
Berlandieri Miq. XVI. 1. 452
Bernieriana *Miq.* XVI. 1. 446
Berteroana *Miq.* XVI. 1. 414
bilineata *Miq.* XVI. 1. 419

Peperomia
biuncialis *H. B. & Kth* XVI. 1. 438
blanda *H. B. & Kth* XVI. 1. 458
β reticulata *C. Dc.* – – 459
γ dissimilis – – – –
Blattarum A. Dietr. XVI. 1. 329 467
Boivinii *C. D.* XVI. 1. 464
boliviensis *C. Dc.* XVI. 1. 453
borbonensis *Miq.* XVI. 1. 423
Botterii *C. Dc.* XVI. 1. 459
brachyphylla A. Dietr. XVI. 1. 417
brevipes *C. Dc.* XVI. 1. 397
caffra E. Mey. XVI. 1. 442
caledonica *C. Dc.* XVI. 1. 404
camptothricha *Miq.* XVI. 1. 461
candida *Miq.* XVI. 1. 419
Candolleana Miq. XVI. 1. 443
cardiophylla *C. Dc.* XVI. 1. 435
carlosiana *C. Dc.* XVI. 1. 408
casapiana *C. Dc.* XVI. 1. 458
Casaretti *C. Dc.* XVI. 1. 434
Catharinae *Miq.* XVI. 1. 444
caulibarbis *Miq.* XVI. 1. 409
caulibarbis var. pilosior Miq. XVI. 1. 417
ceylanica *Miq.* XVI. 1. 457
chachapoyasensis *C. Dc.* XVI. 1. 449
chilensis *C. Dc.* XVI. 1. 443
choroniana *C. Dc.* XVI. 1. 436
chrysothricha *Miq.* XVI. 1. 449
ciliaris *C. Dc.* XVI. 1. 437
ciliata *H. B. & Kth* XVI. 1. 441
ciliata Mor. XVI. 1. 411
ciliolata *Miq.* XVI. 1. 447
ciliosa *C. Dc.* XVI. 1. 437
circinnata *Lk* XVI. 1. 444
claytonioides *Kth* XVI. 1. 400
colorata *H. B. & Kth* XVI. 1. 410
columbiana *Miq.* XVI. 1. 423
concava *R. & Pav.* XVI. 1. 449
concinna *A. Dietr.* XVI. 1. 439
congesta *H. B. & Kth* XVI. 1. 465
conjugata *H. B. & Kth* XVI. 1. 401
convexa *Miq.* XVI. 1. 420
Cookiana *C. Dc.* XVI. 1. 450
corcovadensis *Gardn.* XVI. 1. 422
cordifolia *A. Dietr.* XVI. 1. 421
cordifolia Opiz XVI. 1. 411

Peperomia
cordulata *C. Dc.* XVI. 1.
Cotyledon *Benth.* XVI. 1.
Coulteri *C. Dc.* XVI. 1.
courtallensis *Miq.* XVI.
courtallensis var. β The
crystallina *R. & Pav.*
cubana *C. Dc.* XVI. 1.
cubensis *C. Dc.* XVI. 1.
cuneata *Miq.* XVI. 1.
cuneifolia Miq. XVI. 1.
cyclophylla *C. Dc.* XVI.
dasystachya *Miq.* XVI. 1.
Decaisnei *Miq.* XVI. 1.
decurrens *C. Dc.* XVI. 1.
defoliata *C. Dc.* XVI. 1.
demissa *C. Dc.* XVI. 1.
dendrophila Griseb. XVI.
dendrophila *Schlecht.* XVI.
dependens *R. & Pav.*
Deppeana *Cham. & Sch.*
Deppeana Miq. XVI. 1.
dichotoma *Regel* XVI. 1.
diffusa *C. Dc.* XVI. 1.
dindygulensis *Miq.* XVI.
discolor *C. Dc.* XVI. 1.
dissimilis Kth XVI. 1.
distachya *A. Dietr.* XVI.
distachya Griseb. XVI.
diversifolia *H. B. & Kth*
dolabriformis *H. B. & K*
β glaucescens *C. Dc.*
dominicana *C. Dc.* XVI.
edulis *Miq.* XVI. 1. 450
elegans *C. Dc.* XVI. 1.
elliptica *A. Dietr.* XVI.
ellipticifolia *C. Dc.* XVI.
elliptico-rhombea *C. Dc.*
elongata *H. B. & Kth*
elongata Miq. XVI. 1.
emarginata *R. & Pav.*
emarginella *C. Dc.* XVI.
emarginulata *C. Dc.* XVI.
Endlicheri *Miq.* XVI. 1.
Erasmia *C. Dc.* XVI. 1.

Dc. XVI. 1. 422
Dc. XVI. 1. 421
XVI. 1. 399
VI. 1. 403
C. Dc. - - -
XVI. 1. 397
Dc. XVI. 1. 460
Miq. XVI. 1. 445
C. Dc. XVI. 1. 397
lia - - - -
Dietr. XVI. 1. 466
Pav. XVI. 1. 451
XVI. 1. 449
Dc. - - 450
Miq. XVI. 1. 456
Dc. XVI. 1. 436
ora XVI. 1. 436
la *C. Dc.* - - -
Pav. XVI. 1. 396
VI. 1. 418
B. & Kth XVI. 1. 454
c. XVI. 1. 407
XVI. 1. 398
XVI. 1. 438
ook. XVI. 1. 395
XVI. 1. 427
B. & Kth XVI. 1. 463
C. Dc. - - 464
tulata- - - -
- - - -
& Schult. XVI. 1. 464
Miq. XVI. 1. 465
liq. XVI. 1. 401
Miq. XVI. 1. 460
XVI. 1. 401
etr. XVI. 1. 417
b. XVI. 1. 409
XVI. 1. 424
Dietr. XVI. 1. 333 467
C. Dc. XVI. 1. 416
- - - -
C. Dc. XVI. 1. 400
A. Dietr. XVI. 1. 434
is XVI. 1. 467
Miq. XVI. 1. 422 416
liq. XVI. 1. 456

Peperomia
Haworthiana *A. Dietr.* XVI. 1. 447
Haycockii *C. Dc.* XVI. 1. 404
hederacea Miq. XVI. 1. 432
hemionitidifolia *Hamilt.* XVI. 1. 467
hemionitidifolia Miq. XVI. 1. 467
hernandiaefolia Griseb. XVI. 1. 433
hernandiaefolia *A. Dietr.* XVI. 1. 436
heterophylla Griseb. XVI. 1. 456
heterophylla *Miq.* XVI. 1. 424
heterostachya *Miq.* XVI. 1. 453
Heyneana *Miq.* XVI. 1. 453
Heyneana Thwait. XVI. 1. 448
Hilariana *Miq.* XVI. 1. 403
hircina *C. Dc.* XVI. 1. 415
hirsuta *Miq.* XVI. 1. 460
hirta *C. Dc.* XVI. 1. 412
hirtella Griseb. XVI. 1. 412
hirtella *Miq.* XVI. 1. 416 412
hispidula *A. Dietr.* XVI. 1. 397
Hoffmannii *C. Dc.* XVI. 1. 396
humilis *A. Dietr.* XVI. 1. 447
hydrocotyloides *Miq.* XVI. 1. 399
hymenophylla Miq. XVI. 1. 403
hypoleuca *Miq.* XVI. 1. 459
Jamesoniana *C. Dc.* XVI. 1. 412 423
β microphylla - - - -
japurensis *C. Dc.* XVI. 1. 407
javanica *Miq.* XVI. 1. 450
inaequalifolia *R. & Pav.* XVI. 1. 464
incana *A. Dietr.* XVI. 1. 432
increscens Miq. XVI. 1. 444
insularum *Miq.* XVI. 1. 444
β glabrata *C. Dc.* - - -
ionophylla *Griseb.* XVI. 1. 436 *(bis)*
Junghuhniana *Miq.* XVI. 1. 466
Klotzschiana *Miq.* XVI. 1. 461
Knoblecheriana Schott XVI. 1. 392 468
krawangensis *Miq.* XVI. 1. 439
Kuhliana *Miq.* XVI. 1. 419
Kunthiana *C. Dc.* XVI. 1. 464
laevifolia *Miq.* XVI. 1. 419
β subopposititolia *C. Dc.* - - 420
γ parvifolia - - - -
laevis *C. Dc.* XVI. 1. 408
lanata A. Dietr. XVI. 1. 341 468
lanceolata *C. Dc.* XVI. 1. 459

Peperomia
lanceolato-peltata *C. Dc.* XVI. 1. 410
lancifolia *Hook.* XVI. 1. 426
Langsdorffii *Miq.* XVI. 1. 443
β increscens *C. Dc.* - - 444
larecajana *C. Dc.* XVI. 1. 406
latifolia *Miq.* XVI. 1. 448
laxiflora *H. B. & Kth* XVI. 1. 403
leptophylla *Miq.* XVI. 1. 456
leptostachya *Hook. & Arn.* XVI. 1. 448
leuconeura hort. berol. XVI. 1. 417
lignescens *C. Dc.* XVI. 1. 407
linatifolia Rich. XVI. 1. 410
Lindeniana *Miq.* XVI. 1. 453
linearis *C. Dc.* XVI. 1. 463
longe-pedunculata *Opiz* XVI. 1. 412
longifolia *C. Dc.* XVI. 1. 405
loxensis *H. B. & Kth* XVI. 1. 457
lunaris A. Dietr. XVI. 1. 467
lunaria *Hamilt.* XVI. 1. 467
Lyalli *C. Dc.* XVI. 1. 406
Macraena *C. Dc.* XVI. 1. 457
macropoda *Miq.* XVI. 1. 429
macrorrhiza *H. B. & Kth* XVI. 1. 393
macrostachya *A. Dietr.* XVI. 1. 439
macrothyrsa *Miq.* XVI. 1. 424
maculosa *A. Dietr.* XVI. 1. 431
madagascariensis *C. Dc.* XVI. 1. 448
magnoliaefolia *C. Dc.* XVI. 1. 427
β emarginulata - - - -
γ parvifolia - - - -
magnoliaefolia A. Dietr. XVI. 1. 427
major *C. Dc.* XVI. 1. 432
β hispida - - - -
mandioccana *Miq.* XVI. 1. 445
Mandonii *C. Dc.* XVI. 1. 395
Mannii *Hook. fil.* XVI. 1. 422
β fernandopoana *C. Dc.* - - -
margaritifera *Hook.* XVI. 1. 439
marginata *Miq.* XVI. 1. 441
mariannensis *C. Dc.* XVI. 1. 442
maribiana *C. Dc.* XVI. 1. 428
marmorata *Hook. fil.* XVI. 1. 443
Martiana *Miq.* XVI. 1. 422
mascarena *C. Dc.* XVI. 1. 404
Peperomia
Mathewsiana *Miq* XVI.
mauritiana A. Dietr. XV
(*derst h*
maypurensis *H. B & K*
melanostigma *Miq.* XVI
β nervulosa *C Dc.* -
γ glabrior - -
membranacea *Hook &*
membranacea Miq. XVI.
Menkeana Miq. XVI. 1.
metapalcoensis *C. Dc.*
mexicana *Miq.* XVI. 1.
microphylla *H B. & K*
minima *C. Dc.* XVI. 1.
Miqueliana *C. Dc.* XVI
Miqueliana Griseb. XVI
miradoresiana *C. Dc.*
Moerenhouti *C. Dc.* XV
β petiolata -
mollis *H. B. & Kth* X
Monini *C. Dc.* XVI. 1
monostachya *R. & Pav*
monsterifolia Griseb.
montana *C. Dc.* XVI. 1
monticola *Hook. f.* XV
Moritzii *C. Dc* XVI. 1
Moulmeiniana *C Dc.*
multiplex Leprieur XV
muscosa *Lk* XVI. 1. 44
muscophila *C. Dc* XV
myosuroides *A. Dietr.*
Myosurus W. *herb* XV
Myosurus A. Dietr. XV
myriocarpa *Miq.* XVI.
myrtifolia *A. Dietr.* XV
myrtifolia Miq. XVI. 1
Myrtillus *Miq* XVI 1
nana *C. Dc.* XVI 1. 4
nematostachya *Lk* XVI
nemorosa *C. Dc.* XVI
nervoso-venosa *Miq.* X
nigro-punctata *Miq* XV
nivalis *Miq.* XVI. 1. 42
nummularifolia *H. B &*
β pubescens *C Dc.* -
γ obcordata *Miq* -

ides *Griseb.* XVI. 1. 450
C. Dc. XVI. 1. 422
Presl XVI. 1. 456
& *Pav.* XVI. 1. 437 416
C. Dc. XVI. 1. 429
folia - - - -
A. Dietr. XVI. 1. 427
Miq. XVI. 1. 429 433
var. grandifolia Miq. XVI. 1. 429
Dietr. XVI. 1. 455
Dc. XVI. 1. 464
Dietr. XVI. 1. 411
C. Dc. XVI. 1. 465
A. Dietr. XVI. 1. 466
Miq. XVI. 1. 414
Hook. XVI. 1. 450
ta *C. Dc.* XVI. 1. 394
Miq. XVI. 1. 460
B. & *Kth* XVI. 1. 462
Miq. XVI. 1. 426
Dietr. XVI. 1. 418 422
m. XVI. 1. 458
Regel XVI. 1. 398
C. Dc. XVI. 1. 421
Miq. XVI. 1. 425
olia *Miq.* XVI. 1. 402
C. Dc. XVI. 1. 393
Dc. XVI. 1. 409
C. Dc. XVI. 1. 460
C. Dc. XVI. 1. 461
A. Dietr. XVI. 1. 389 468
H. B. & *Kth* XVI. 1. 466
R. & *Schult.* XVI. 1. 466
I. B. & *Kth* XVI. 1. 402 *(bis)*
Dietr. XVI. 1. 331 468
I. B. & *Kth* XVI. 1. 435
lia *Kth* XVI. 1. 453
Opiz XVI. 1. 438
a *A. Dietr.* - - -
nsis *Miq.* XVI. 1. 405
a *Miq.* XVI. 1. 443
hylla *C. Dc.* - - -
a Sieber XVI. 1. 441
C. Dc. XVI. 1. 414
ook. fil. XVI. 1. 442
Opiz XVI. 1. 396

Peperomia
Pichinchae *C. Dc.* XVI. 1. 441
pilosa *R.* & *Pav.* XVI. 1. 405
piperea *C. Dc.* XVI. 1. 425
plantaginifolia Opiz XVI. 1. 367
plicata *Opiz* XVI. 1. 466
Poeppigii *Miq.* XVI. 1. 439
polybotrya *H. B.* & *Kth* XVI. 1. 410
polystachya *Miq.* XVI. 1. 461
Ponthieui *Miq.* XVI. 1. 432
portobellensis *Beurl.* XVI. 1. 440
portulacaefolia *H. B.* & *Kth* XVI. 1. 456
portulacoides *A. Dietr.* XVI. 1. 443
procumbens *C. Dc.* XVI. 1. 435
β brachystachya - - - 436
producta *Griseb.* XVI. 1. 430
pruinosa Kth XVI. 1. 331 468
pseudo-amplexicaulis *C. Dc.* XVI. 1. 432
pseudo-dependens *C. Dc.* XVI. 1. 411
pseudo-furcata *C. Dc.* XVI. 1. 399
pseudo-peltoidea *C. Dc.* XVI. 1. 434
pseudo-pereskiaefolia *C. Dc.* XVI. 1. 448
pseudo-rhombea *C. Dc.* XVI. 1. 440
pseudo-rhynchophoron *C. Dc.* XVI. 1. 425
pseudo-variegata *C. Dc.* XVI. 1. 428
pterocaulis Miq. XVI. 1. 418
pubescens *R.* & *Pav.* XVI. 1. 447
pulchella *A. Dietr.* XVI. 1. 462
pulicaris Opiz XVI. 1. 434
pumila *Opiz* XVI. 1. 438
punctulata Regel XVI. 1. 417
purpurascens *C. Dc.* XVI. 1. 417
purpurascens Moritz XVI. 1. 420
purpurascens Nutt. XVI. 1. 417
purpurea *R.* & *Pav.* XVI. 1. 437
purpurella *C. Dc.* XVI. 1. 414
pyrifolia *Humb.* & *Bonpl.* XVI. 1. 427
pyrifolia Kth XVI. 1. 428
quadrangularis *A. Dietr.* XVI. 1. 446
quadrangularis Griseb. XVI. 1. 445
quadrifolia *H. B.* & *Kth* XVI. 1. 454

Peperomia
quadrifolia Kth XVI. 1. 455
quaternata *Miq.* XVI. 1. 450
quintuplinervia *C. De.* XVI. 1. 470 (*deest loco citato*)
quitensis Miq. XVI. 1. 442
quitensis Benth. XVI. 1. 459
ramulosa *Anders.* XVI. 1. 467
recurvata *Miq.* XVI. 1. 440
β minor *C. De.* - - -
reflexa *A. Dietr.* XVI. 1. 451
α capensis *C. De.* - - -
β nemula - - - -
γ membranacea - - - -
δ nervulosa - - - -
ε pusilla - - - -
ζ Berlandieri - - - 452
η parvifolia - - - -
ϑ enervulosa - - - -
ι valantoides - - - -
κ subemarginulata - - - -
λ subsessilifolia - - - -
μ coriacea - - - -
ν opaca - - - -
reflexa Kth XVI. 1. 454
reflexa forma americana Miq. XVI. 1. 452
- - *capensis Miq.* XVI. 1. 451
- - *Forsteriana Miq.* XVI. 1. 451
- - *javana Miq.* XVI. 1. 451
- - *norfolcensis Miq.* XVI. 1. 451
- - *nilghirica Miq.* XVI. 1. 452
Regelii *C. De.* XVI. 1. 455
Reinwardtiana *Miq.* XVI. 1. 447
reniformis A. Dietr. XVI. 1. 391 468
reniformis Miq. XVI. 1. 434
repens A. Dietr. XVI. 1. 434
repens Griseb. XVI. 1. 434 (*bis*)
repens Kth XVI. 1. 434
reptans *C. De.* XVI. 1. 434
retusa *A. Dietr.* XVI. 1. 446
β alternifolia *C. De.* - - -
γ ciliolata - - - 447
rhexiaefolia *Moritz* XVI. 1. 460
rhombea *R. & Pav.* XVI. 1. 465
rhomboidea *Hook. & Arn.* XVI. 1. 412
Riedeliana *Regel* XVI. 1. 423
Rollingo *Lk* XVI. 1. 466
rotundata *H. B. & Kth* XVI. 1. 442
Peperomia
rotundifolia Griseb XVI
rotundifolia Humb. XVI
rotundifolia Kth XVI. 1.
Roxburghiana *A. Dietr.*
rubella *Hook.* XVI. 1. 4
rubella Hook. & Arn. X
rubioides *H. B. & Kth*
rubricaulis A. Dietr. XV
rubrinodis *Kth & Bouch*
rufescens *C. De.* XVI. 1
Rupertiana *C. De.* XVI.
rupestris *H. B. & Kth*
β cordifolia *Wawr.* -
rupestris Miq. XVI. 1.
ruscifolia *H. B. & Kth*
saligna *H. B. & Kth* XV
saligna A. Dietr. XVI.
san-carlosiana *C. De.* X
Sandersii *C. De.* XVI. 1
sandwicensis *Miq.* XVI.
sarmentosa A. Dietr. XV
scandens *R. & Pav.* XV
β fertilior *C. De.* -
Schiedeana Schlecht. XV
Schomburgkii *C. De.* XV
scutata A. Dietr. XVI.
scutellaefolia Miq. XVI.
scutellaefolia *R. & Pav.*
secunda *R. & Pav.* XVI.
Seemanniana *Miq.* XVI.
Sellowiana Miq. XVI. 1.
semiruensis *C. De.* XVI.
septemnervis *R. & Pav.*
septuplinervia *C. De.* X
serpens *C. De.* XVI. 1. 4
serpens Griseb. XVI. 1. 4
serpentarioides *Miq.* XVI.
serpyllifolia *A. Dietr.* X
sidaefolia A. Dietr. XVI.
simplex *Hamilt.* XVI. 1. 4
spathulata *Hamilt.* XVI. 1.
speciosa A. Dietr. XVI. 1.

Kth XVI. 1. 331 468
s Miq. XVI. 1. 427
Benth. XVI. 1. 402
C. Dc. XVI. 1. 394
hila C. Dc. XVI. 1. 433
Dietr. XVI. 1. 452
Miq. XVI. 1. 453
a Regel XVI. 1. 432
a H. B. & Kth XVI. 1. 395
& Pav. XVI. 1. 405
s Hamilt. XVI. 1. 466
C. Dc. XVI. 1. 411
la A. Dietr. XVI. 1. 427
ifolia C. Dc. XVI. 1. 423
C. Dc. XVI. 1. 429
na C. Dc. XVI. 1. 435
sis C. Dc. XVI. 1. 408
a Griseb. XVI. 1. 429
a Miq. XVI. 1. 466
C. Dc. XVI. 1. 435
C. Dc. XVI. 1. 436
H. B. & Kth XVI. 1. 406
Lk XVI. 1. 426
C. Dc. XVI. 1. 411
Dietr. XVI. 1. 396
a C. Dc. - - 397
q. XVI. 1. 397
Schlecht. XVI. 1. 456
Opiz XVI. 1. 403
R. & Pav. XVI. 1. 448
la Hook & Arn. XVI. 1. 451
pa Miq. XVI. 1. 455
C. Dc. XVI. 1. 448
ides A. Dietr. XVI. 1. 439
A. Dietr. XVI. 1. 455
sa Miq. - - -
a - - - -
β Miq. XVI. 1. 455
C. Dc. XVI. 1. 404
s Miq. XVI. 1. 399
. Dc. XVI. 1. 399
A. Dietr. XVI. 1. 466
Dietr. XVI. 1. 462
Miq. XVI. 1. 470 (*deest loco citato*)
R. & Pav. XVI. 1. 417
yphylla C. Dc. - - -
- - - 418
C. Dc. XVI. 1. 420
Miq. XVI. 1. 454

Peperomia
tristachya *Kth* XVI. 1. 410
tristachya Opiz XVI. 1. 453
tuberosa *Opiz* XVI. 1. 401
umbellata A. Dietr. XVI. 1. 468
umbellata Kth XVI. 1. 333
umbellata *Miq.* XVI. 1. 401
umbilicata H. B. & Kth XVI. 1. 394
umbilicata *R. & Pav.* XVI. 1. 393
α macrophylla *C. Dc.* - - 394
β subacutifolia - - - -
undeninervia *A. Dietr.* XVI. 1. 441
urocarpa *Fisch. & Mey.* XVI. 1. 433
Urvilleana A. Rich. XVI. 1. 413
Vahlii *A. Dietr.* XVI. 1. 447
valantoides Miq. XVI. 1. 452
variegata R. & Pav. XVI. 1. 380 431 468
variifolia *C. Dc.* XVI. 1. 462
Velloziana *Miq.* XVI. 1. 408 418
β polysticta - - - -
venezueliana *C. Dc.* XVI. 1. 415
Ventenatii *Miq.* XVI. 1. 446
β pubescens - - - -
Verhuellia *C. Dc.* XVI. 1. 398
verticillata Miq. XVI. 1. 463
victoriana *C. Dc.* XVI. 1. 449
villosa *C. Dc.* XVI. 1. 401
vincentiana *Miq.* XVI. 1. 405
vitiana *C. Dc.* XVI. 1. 458
Vogelii *Miq.* XVI. 1. 403
Wallichii *Miq.* XVI. 1. 416
Weddellii *C. Dc.* XVI. 1. 400
Wightiana *Miq.* XVI. 1. 420
Wrightiana *C. Dc.* XVI. 1. 431
Spec. nova Miq. XVI. 1. 448
Spec. nova Zolling. XVI. 1. 467
PEPEROMIEAE *Miq.* XVI. 1. 237 391
Pepo-ho XIV. 146
PEPONIFERAE PAPAYAE Agh. XV. 1. 413
Pera *Baill.* XV. 2. 1025, *Mutis* XV. 2. 1025 1026
arborea Baill. XV. 2. 1030 1031
arborea *Mutis* XV. 2. 1026
Bailloniana *Müll. Arg.* XV. 2. 1030
bicolor *Müll. Arg.* XV. 2. 1028
bumeliaefolia Baill. XV. 2. 1030
bumeliaefolia *Griseb.* XV. 2. 1028
cinerea Baill. XV. 2. 1028

Pera
citriodora *Baill.* XV. 2. 1029
coccinea *Müll. Arg.* XV. 2. 1028
decipiens *Müll. Arg.* XV. 2. 1029
distichophylla *Baill.* XV. 2. 1026
α genuina *Müll. Arg.* - - -
β Martiana - - - -
γ laurina - - - -
echinocarpa *Baill.* XV. 2. 1031
ferruginea *Müll. Arg.* XV. 2. 1031
glabrata *Baill.* XV. 2. 1030
glabrata Poepp. XV. 2. 1031
Klotzschiana Baill. XV. 2. 1030
Leandri Baill. XV. 2. 1027
Leandri *Müll. Arg.* XV. 2. 1027
α genuina - - - -
β glabrescens- - - -
obovata Baill. XV. 2. 1030
obtusifolia *Müll. Arg.* XV. 2. 1030
oppositifolia *Müll. Arg.* XV. 2. 1029
parvifolia *Müll. Arg.* XV. 2. 1031
Schomburgkiana *Müll. Arg.* XV. 2. 1027
tomentosa *Müll. Arg.* XV. 2. 1028
Pera *sect. Antipera Griseb.* XV. 2. 1029
Eupera Baill. XV. 2. 1026 1029
Eupera *Müll. Arg.* XV. 2. 1026
Neopera *Griseb.* XV. 2. 1027
Peridium *Müll. Arg.* XV. 2. 1029
Schismatopera *Baill.* XV. 2. 1025
Spixia Baill. XV. 2. 1026 1029
Spixia *Müll. Arg.* XV. 2. 1026
PERACEAE Kl. XV. 2. 1
PERACEAE *Kl.* XV. 2. 1025
PERBAE *Müll. Arg.* XV. 2. 1025
Perebea *Aubl.* XVII. 282 286, *Trécul* XVII. 286
Periclistia Benth. XVII. 296
PERIDEAE *Baill.* XV. 2. 1025
Peridium Schott XV. 2. 1025 1029
bicolor Kl. XV. 2. 1029
bicolor β nitidum Benth. XV. 2. 1029
bicolor α tomentosum Benth. XV. 2. 1028
Peridium
coccineum Benth. XV. 2.
ferrugineum Schott XV. 2.
glabratum Schott XV. 2.
oblongifolium Benth. XV.
obovatum Kl. XV. 2. 1030
obtusifolium Schott XV. 2.
ovale Kl. XV. 2. 1030 10
parvifolium Kl. XV. 2. 1
Schomburgkianum Benth.
Peridium *Müll. Arg.* XV. 2.
Periplexis Wall. XV. 2.
Peripterygium Hassk. XV.
quinquelobum Hassk. XV
Perpensum Burm. XVI. 2.
blitispermum Burm. XVI
Persea *Gaertn.* XV. 1. 4 4
XV. 1. 53, *Mart.* X
Poepp. XV. 1. 67, *S*
9 43 146 170, *Auct.*
acuminata Nees XV. 1.
alba *Nees* XV. 1. 43
alpigena *Spr.* XV. 1. 4
americana Müll. XV. 1
amplexicaulis *Schlecht.*
β amplifolia *Nees*
angustifolia Bartl. X
angustifolia Schott, Pe
argentea Spr. XV. 1. 3
aurata Miq. XV. 1. 44
azorica Seubert XV. 1.
Ben hamiana *Meisn.* XV.
Borbonia Spr. XV. 1. 3
brevipes *Meisn.* XV. 1.
caesia *Meisn.* XV. 1. 44
Camphora Spr. XV. 1.
canariensis Spr. XV. 1.
canescens *Mart.* XV. 1.
carolinensis *Nees* XV. 1.
α glabriuscula *Meisn.*
β pubescens -
caryophyllata Mart. X
Cassia Spr. XV. 1. 12 3
caustica Spr. XV. 1. 45
ceanothifolia Mart. X
cinnamomifolia H. B. K.

n Spr. XV. 1. 13 56
isn. XV. 1. 54
sn. XV. 1. 50
. XV. 1. 57 199
isn. XV. 1. 51
sn. XV. 1. 46
pr. XV. 1. 57 105
leisn. XV. 1. 52
Schlecht. XV. 1. 53
Mart. XV. 1. 55
leisn. - - -
ta - - - -
r. XV. 1. 57 165
H. B. & Kth XV. 1. 47
Schott XV. 1. 57 116
XV. 1. 57 118
Nees XV. 1. 47
. XV. 1. 57 164
tl. XV. 1. 57 146
s XV. 1. 28 57
bot. magaz. XV. 1. 53
Gaertn. XV. 1. 52
Meisn. - - 53
- - - -
ıylla- - - -
ana - - - -
XV. 1. 45
Nees XV. 1. 56
herb. monac. XV. 1. 49
Mart. XV. 1. 50
Nees XV. 1. 49
ott XV. 1. 57 148
Nees XV. 1. 57 60
hott XV. 1. 57 102
XV. 1. 52
l. B. & Kth XV. 1. 49
Meisn. - - -
ees XV. 1. 49
Schott XV. 1. 57 116
V. XV. 1. 57
XV. 1. 57 126 144
Mart. XV. 1. 57 150
Spr. XV. 1. 57 121
XV. 1. 48
XV. 1. 48
s - - - -
ipp. XV. 1. 57 214
isn. XV. 1. 55
Bl. XV. 1. 38 57
Spr. XV. 1. 57 166
var. cuneata Bl. XV. 1. 36

Persea
macropoda *H. B. & Kth* XV. 1. 56
β brasiliensis *Meisn.* - - -
macropoda Nees XV. 1. 56
marginata Bartl. XV. 1. 57 142
membranacea Spr. XV. 1. 31 57 161
Meyeniana *Nees* XV. 1. 48
microneura *Meisn.* XV. 1. 53
mollis Spr. XV. 1. 57 148
montana Spr. XV. 1. 31 57
Mutisii *H. B. & Kth* XV. 1. 44
β Purdiei *Meisn.* - - 45
γ Lindenii - - - -
δ Pohlii - - - -
nutans Nees XV. 1. 31 57
obovata *Nees* XV. 1. 47
Orizabae *Mart. & Gal.* XV. 1. 56 48
pachypoda *Nees* XV. 1. 55
paniculigera Mart. XV. 1. 57
parviflora Spr. XV. 1. 57 121
patens Spr. XV. 1. 31 57 164
peduncularis Nees XV. 1. 57 61
pedunculosa *Meisn.* XV. 1. 47
peruviana *Nees* XV. 1. 45
β verbascifolia *Meisn.* - - - 505
petiolaris *H. B. & Kth* XV. 1. 50
praecox Poepp. XV. 1. 53
psammophila Mart. XV. 1. 57 161
Pseudo-Sassafras Zolling. XV. 1. 24 27 57
psychotrioides Spr. XV. 1. 57 124
puberula Schott XV. 1. 57 160
punctata *Meisn.* XV. 1. 50
pyrifolia *Nees* XV. 1. 49
β major *Meisn.* - - -
pyrifolia β Nees XV. 1. 49
retroflexa Spr. XV. 1. 57 143
Richardiana Cham. & Schl. XV. 1. 57 142
Riedelii *Meisn.* XV. 1. 54
rigida *Nees* XV. 1. 46
β Claussenii *Meisn.* - - -
rimosa Zolling. XV. 1. 42 57
rufo-tomentosa *Nees* XV. 1. 45
rugosa *Meisn.* XV. 1. 47
sanguinea Spr. XV. 1. 57 164
sarcocalyx Mart. XV. 1. 57 167
Sassafras Spr. XV. 1. 57 171
Schiedeana Nees XV. 1. 53
scrobiculata *Meisn.* XV. 1. 50 505

Persea
Sellowiana Nees XV. 1. 30 57
sericea *H. B. & Kth* XV. 1. 46
sericea Poepp. XV. 1. 46
splendens *Meisn.* XV. 1. 44
β lanceolata - - - - (*delend. est P. punctata* XV. 1. 505)
γ chrysophylla - - - -
splendens β Mathewsii Meisn. XV. 1. 505
stenophylla *Meisn.* XV. 1. 55
subcordata *Nees* XV. 1. 45
subsessilis *Meisn.* XV. 1. 54
subtriplinervia Mart. XV. 1. 57 144
sulcata *Meisn.* XV. 1. 54
surinamensis Spr. XV. 1. 57
tabacifolia *Meisn.* XV. 1. 51
Tamala Spr. XV. 1. 17 57
tenuiflora Mart. XV. 1. 57 144
tigricida Spr. XV. 1. 57 157
tubigera Mart. XV. 1. 57 140
umbrosa Spr. XV. 1. 57 129 152
venosa Benth. XV. 1. 44
venosa *Nees* XV. 1. 48
β tersa - - - 49
veraguensis *Seem.* XV. 1. 51
viburnoides *Meisn.* XV. 1. 52
Persea *sect. Corynopodes Nees* XV. 1. 59
Eriodaphne *Nees* XV. 1. 43
Gnesiopersea *Nees* XV. 1. 51
PERSEACEAE *Meisn.* XV. 1. 4 9
PERSEAE Nees XV. 1. 9
Perseoideae *Meisn.* XV. 1. 33 (Phoebe)
Persicaria Tourn. XIV. 83 101
serrulata Webb & Moq. Tand. XIV. 695
virginiana Gaertn. XIV. 112
Persicaria *Meisn.* XIV. 84 101 (Polygonum)
PERSICARIAE Adans. XIV. 1
Persoonia *Sm.* XIV. 329
abietina *A. Cunn.* XIV. 336
acerosa *Sieb.*. XIV. 335
angulata *R. Br.* XIV. 339
angustifolia Knight & Salisb. XIV. 335
apiculata *Meisn.* XIV. 335
arida Lhotzk. XIV. 337
arida Sieber XIV. 337
articulata *R. Br.* XIV. 342
attenuata *R. Br.* XIV. 342

Persoonia
Caleyi *R. Br.* XIV. 335
Chamaepence *Lhotzk.* XIV
Chamaepitys *Cunn.* XIV.
comata *Meisn.* XIV. 330
cornifolia *Cunn.* XIV. 341
Cunninghamii *R. Br.* XIV.
curvifolia *R. Br.* XIV. 33
daphnoides *Cunn.* XIV.
dillwynioides *Meisn.* XIV.
Drummondi Lindl. XIV.
elliptica *R. Br.* XIV. 341
elliptica Cunn. XIV. 341
falcata *R. Br.* XIV. 331
fastigiata *R. Br.* XIV. 33
fastigiata Cunn. XIV. 33
ferruginea *Sm.* XIV. 343
filifolia Dietr. XIV. 33
flexifolia *R. Br.* XIV. 33
Fraseri *R. Br.* XIV. 334
fusca *hort.* XIV. 343
glauca Sm. XIV. 342
glaucescens Sieber XIV.
gnidioides Sieber XIV. 33
graminea *R. Br.* XIV. 33
Gunnii *Hook. fil.* XIV. 34
α dilatata *Meisn.* -
β alpina *Hook. fil.* -
hakeaeformis *Meisn.* XIV
hirsuta Cunn. XIV. 339
hirsuta *Perr.* XIV. 337
α linearis *Endl.* - -
β subovalis - - -
γ spathulata *Meisn.* -
hirsuta Sieber XIV. 337
juniperina *Labill.* XIV.
β ulicina *Meisn.* -
γ brevifolia - -
lanceolata *Andr.* XIV. 34
α angustifolia *Meisn.* -
β latifolia *Endl.* -
γ glaucescens - -
lanceolata Cunn. XIV.
lanceolata Lhotzk. XIV.
latifolia Andr. XIV. 340
latifolia Knight & Sal

Laureola *Lindl.* XIV. 341
laurina Perr. XIV. 343
ledifolia *Cunn.* XIV. 339
ledifolia *Nois.* XIV. 343
ligustrina Knight & Sal

linarifolia Cunn. XIV.
linearis *Andr.* XIV. 335
β latior *Meisn.* - -

r XIV. 335
Br. XIV. 343
XIV. 339
Lindl. XIV. 330
n. XIV. 341 (bis)
Meisn. - -
- - -
XIV. 342
Br. XIV. 334
Br. XIV. 338
n. XIV. 342
XIV. 339
XIV. 337
nn. XIV. 339
ieber XIV. 339
XIV. 335
XIV. 335
n. XIV. 341
n. XIV. 341
. XIV. 340
Sieber XIV. 338
XIV. 334
Steud. XIV. 343
r. XIV. 334
er XIV. 335
n. XIV. 341
Br. XIV. 342
. XIV. 343
. XIV. 336
Hook. XIV. 332
r XIV. 339
XIV. 337
Meisn. - -
- - 338
XIV. 338
l. XIV. 337
XIV. 333
. XIV. 332
. XIV. 329
XIV. 343 340
Kippist XIV. 330
XIV. 337
n. XIV. 333
n. XIV. 329
XIV. 342
Meisn. - -
Br. XIV. 338
nn. XIV. 338
eber XIV. 337
ippist XIV. 334
XIV. 332
n. XIV. 332
Müll. XIV. 336
XIV. 333
üll. XIV. 336

Persoonia
tenuifolia *R. Br.* XIV. 334
teretifolia *R. Br.* XIV. 329
thymifolia *Cunn.* XIV. 338
tinifolia Cunn. XIV. 342
Toro Hook. XIV. 331
tortifolia *Meisn.* XIV. 331
Toru *A. Cunn.* XIV. 331
trinervis *Meisn.* XIV. 332
velutina Cunn. XIV. 342
virgata *R. Br.* XIV. 338
α linearis *Meisn.* - -
β lanceolata - - 339
Persoonia *sect.* Leptostylis *Meisn.* XIV. 331
Pycnostylis *Meisn.* XIV. 329
PERSOONIEAE *Endl.* XIV. 211 327
Perula Schreb. XV. 2. 1025 1026
arborea Gaudich. XV. 2. 1031
arborea W. XV. 2. 1026
Perusse XVI. 2. 428
Pesse XVI. 2. 416
Petalandra *Hassk.* XVI. 2. 605 632 636
euphorbioides F. Müll. XV. 2. 27
micrantha *Hassk.* XVI. 2. 636
Petalanthera Nees XV. 1. 111, *Nutt.* XVII. 291
bracteolata Nees XV. 1. 124 125
Petalodiscus *Müll. Arg.* XV. 2. 229 (Savia)
Petaloma Raf. XV. 2. 7 63
Petaloma *Boiss.* XV. 2. 9 63 (Euphorbia)
Petalostigma *F. Müll.* XV. 2. 273
quadriloculare *Müll. Arg.* XV. 2. 273
α sericeum - - - -
β genuinum - - - -
quadriloculare F. Müll. XV. 2. 273
quadriloculare β pubescens Müll. Arg. XV. 2. 273
triloculare *Müll. Arg.* XV. 2. 274
Petermannia Kl. XV. 1. 278 319
Cumingiana Kl. XV. 1. 320
fasciculata Kl. XV. 1. 322
geniculata Kl. XV. 1. 321
racemosa Kl. XV. 1. 322
Petermannia *De. fil.* XV. 1. 319 (Begonia)
Petit Mancenillier XV. 2. 60
Petrophila *R. B.* XIV. 267
acicularis *R. Br.* XIV. 268
adiantifolia Sm. XIV. 274

Petrophila
anceps *R. Br.* XIV. 267
axillaris *Meisn.* XIV. 275
biloba *R. Br.* XIV. 273
biternata *Meisn.* XIV. 275
brevifolia *Lindl.* XIV. 268
canescens *Cunn.* XIV. 270
carduacea *Meisn.* XIV. 274
chrysantha *Meisn.* XIV. 271
circinnata *Kippist* XIV. 272
colorata *Meisn.* XIV. 273
conifera *Meisn.* XIV. 271
crassifolia *R. Br.* XIV. 268
crispata *R. Br.* XIV. 271
Cunninghamii Meisn. XIV. 272
divaricata *R. Br.* XIV. 272
diversifolia *R. Br.* XIV. 274
Drummondii *Meisn.* XIV. 270
dubia *R. Br.* XIV. 276 279
ericifolia *R. Br.* XIV. 267
falcata A. Cunn. XIV. 267
fastigiata *R. Br.* XIV. 270
filifolia *R. Br.* XIV. 268
fucifolia Knight & Salisb. XIV. 270
glanduligera *Lindl.* XIV. 271
gracilis Cunn. XIV. 273
heterophylla *Lindl.* XIV. 274
α latifolia *Meisn.* – –
β intermedia – – –
γ angustifolia – – –
inconspicua *Meisn.* XIV. 272
intricata Lindl. XIV. 272
juncifolia *Lindl.* XIV. 269
linearis *R. Br.* XIV. 267
longifolia *R. Br.* XIV. 269
α lorea – – –
β caulescens – – –
longifolia Cunn. XIV. 268
macrostachya *R. Br.* XIV. 275
media *R. Br.* XIV. 268
pedunculata *R. Br.* XIV. 269
phylicoides *R. Br.* XIV. 268
plumosa *Meisn.* XIV. 273
propinqua *R. Br.* XIV. 273
pulchella *R. Br.* XIV. 270
rhoifolia Sm. XIV. 274
rigida *R. Br.* XIV. 271
Roei *Endl.* XIV. 276
scabriuscula *Meisn.* XIV. 268
seminuda *Lindl.* XIV. 269
Serruriae *R. Br.* XIV. 271
sessilis *Sieber* XIV. 270
Schuttleworthiana *Meisn.* XIV. 275
squamata *R. Br.* XIV. 272 (*bis*)

Petrophila
α major *Meisn.* XIV. 2
β brachyphylla – 2
γ gracilis – –
striata *R. Br.* XIV. 2
teretifolia *R. Br.* XIV. 2
trifida *R. Br.* XIV. 2
triternata *Kippist* XIV. 2
Petrophila *sect.* Arthrolig

Cylindrot
Endl.
Petrophile

Symphyol

Xerotele

Petrophile Knight & Sal

Petrophile *Endl.* XIV. 2

Peuce Spach XVI. 2. 418
Peucoides Spach XVI. 2

Peumus *Molin.* XVI. 2. 6

alba Molin. XVI. 2. 6
Boldus *Molin.* XVI. 2.

fragrans Bert. XVI. 2.

fragrans Pers. XVI. 2.
mammosa Molin. XVI. 2
rubra Molin. XVI. 2.

Pesso XVI. 2. 416
Phaedra Kl. XV. 2. 915
Phaeocordylis Griff. XVII.
areolata Griff. XVII. 1
Phaerosphaera vid. Phaer
Phagus Dalech. XVI. 2. 7
PHANEROGAMES GYM
MES Brongn. X
Pharmacum magnum vulg
X
Phellos maritima Mr XVI.
Phelypaea Thbg XVII. 1
sanguinea Thbg XVII. 1
Phenax *Wedd.* XVI. 1. 2
angustifolius *Wedd.* XVI.
asper *Wedd.* XVI. 1. 2
ballotaefolius Wedd. XVI
Galeottianus Bl. XVI. 1.
Gaudichaudianus Wedd.

'edd. XVI. 1. 235[40]
l. XVI. 1. 235[38]
lianus - - - 235[39]
is - - - -
- - - -
Wedd. XVI. 1. 235[40]
Vedd. XVI. 1. 235[39]
s - - - 235[40]
- - - -
'edd. XVI. 1. 235[40]
Vedd. XVI. 1. 235[40] (bis)
Bl. XVI. 1. 235[37]
us Wedd. XVI. 1. 235[39]
Vedd. XVI. 1. 235[39]
dd. XVI. 1. 235[38]
i - - - -
- - - -
- - - -
Wedd. XVI. 1. 235[37]
'olia - - - -
rrata - - - -
ight XVI. 1. 492 (lege Stocksii XVI. 1. 235[2])
nett XVI. 1. 492 (lege ternata XVI. 1. 235[2])
Wedd. XVI. 1. 235[38]
Wight XVI. 1. 492
ıolzia tomentosa XVI. 1. 235[2])
Wedd. XVI. 1. 235[37]
ıs - - - 235[38]
tus - - -
s Wedd. XVI. 1. 235[38]
Griseb. XVI. 1. 235[39]
edd. XVI. 1. 235[37]
(non Phaerosphora
585) Archer XVI. 2. 367 496
Archer XVI. 2. 496 495
Hook. fil. XVI. 2. 497
Dc. fil. XV. 1. 369 (Begonia)
ng. XVII. 44
g. XVII. 44
V. 2. 732 733
Kl. XV. 2. 733
XV. 2. 733 (Tritaxis)
Arg. XV. 2. 733 (Argyrothamnia)
r. XVII. 297
XV. 1. 4 29 58
Meisn. XV. 1. 34

Phoebe
antillana Meisn. XV. 1. 31
α genuina - - - -
β portoricensis - - - -
γ cubensis - - - -
attenuata Miq. XV. 1. 36 (bis)
attenuata Nees XV. 1. 38 36
barbusana Webb XV. 1. 39 64
canescens Miq. XV. 1. 39 59
chartacea Miq. XV. 1. 39 58
cinnamomifolia Nees XV. 1. 32 (bis)
cubensis Nees XV. 1. 31
cuneata Bl. XV. 1. 36 504
cuspidata Bl. XV. 1. 35 63
declinata Nees XV. 1. 34
densiflora Bl. XV. 1. 36
effusa Meisn. XV. 1. 33
β areolata - - - -
γ parvifolia - - - -
elliptica Bl. XV. 1. 38
elongata Nees XV. 1. 31
excelsa Nees XV. 1. 28 39 42
falcata Miq. XV. 1. 39 59
glaucescens Nees XV. 1. 36 71
α fulvescens - - - -
β canescens - - - 37
granatensis Meisn. XV. 1. 32
β Oerstedii - - - -
grandifolia Miq. XV. 1. 39 59
Hartwegii Meisn. XV. 1. 30
holosericea Bl. XV. 1. 39
javanica Meisn. XV. 1. 37
impressa Meisn. XV. 1. 33
incerta Bl. XV. 1. 38
insularis Meisn. XV. 1. 33
Lampongum Miq. XV. 1. 504
lanceolata Nees XV. 1. 34
β caudata Meisn. - - -
γ ligustrina - - - -
latifolia Champ. XV. 1. 26 39
leiophylla Miq. XV. 1. 39 58
ligustrina Nees XV. 1. 34
lucida Bl. XV. 1. 37
macrophylla Bl. XV. 1. 38
β elliptica Miq. - - -
malaccensis Meisn. XV. 1. 37
maynensis Nees XV. 1. 32
membranacea Macfad. XV. 1. 39 121
membranacea Nees XV. 1. 31
mexicana Meisn. XV. 1. 31
montana Griseb. XV. 1. 31
β rigida Meisn. - - -
multiflora Bl. XV. 1. 36
nitida Bl. XV. 1. 39

Phoebe
obtusa *Bl.* XV. 1. 35
opaca *Bl.* XV. 1. 36
opaca Zolling. XV. 1. 37
pallida *Nees* XV. 1. 34
paniculata *Nees* XV. 1. 37
α glabrescens *Meisn.* - - -
β pubescens - - - 38
paniculata Wight XV. 1. 38
paniculata β minor Nees XV. 1. 38
parviflora *Bl.* XV. 1. 35
patens Nees XV. 1. 31 164
pedunculosa *Meisn.* XV. 1. 47
β verbascifolia - - - - 505
pernviana *Meisn.* XV. 1. 32
β glabrifolia - - - -
Poeppigii *Meisn.* XV. 1. 33
Poiretiana Nees XV. 1. 31
pubescens Nees XV. 1. 38
rigida *Miq.* XV. 1. 35
Ruiziana *Nees* XV. 1. 32
salicifolia *Nees* XV. 1. 30
Sellowii *Meisn.* XV. 1. 30
β lanata - - - -
γ glabrata - - - -
sericea *Nees* XV. 1. 35
spathulata Miq. XV. 1. 39 58
stereophylla *Meisn.* XV. 1. 29
sumatrana *Miq.* XV. 1. 35
superba Miq. XV. 1. 39 59
tomentosa *Meisn.* XV. 1. 30
β minor - - - -
umbelliflora Nees XV. 1. 39 58
villosa Wight XV. 1. 38
Wightii *Meisn.* XV. 1. 38
Phoebe *sect.* Cinnamomoideae *Meisn.* XV. 1. 29
Perseoideae *Meisn.* XV. 1. 33
PHOEBEAE *Nees* XV. 1. 9
Pholisma *Nutt* XVII. 36
arenarium *Nutt.* XVII. 37
Phyla Lour. XVII. 296
Phylera Endl. XV. 2. 732 733
Phylica abietina E. Mey. XIV. 308
Phyllamphora Lour. XVII. 91
mirabilis Lour. XVII. 97
PHYLLANTHACEAE Kl. XV. 2. 1
PHYLLANTHACEAE *Kl.* XV. 2. 190
PHYLLANTHEAE Agardh XV. 2. 1
PHYLLANTHEAE *Bartl.* XV. 2. 215 491
PHYLLANTHEAE *Müll. Arg.* XV. 2. 189 215
PHYLLANTHEAE *Thwait.* XV. 2. 272

Phyllanthidea Diedrichs.
microphylla Diedrich
Phyllanthidea *Müll. Arg*
PHYLLANTHIDEAE *Baill.*
Phyllanthopsis Baill X
Roemeriana Baill X
Phyllanthopsis *Müll Ar* 234
Phyllanthopsis Scheele 234
Phyllanthus *Müll. Arg*
L. XV. 2. 274, *Jus*
Kl. XV. 2. 234, *Kl* 2. 233, *W. herb.*
Baill. XV. 2. 475. 239 456
abnormis *Baill.* XV
acidissimus *Müll. A*
acidissimus *Noronh.*
acuminatus *Vahl* XV
acutifolius *Poir.* XV
acutissimus *Miq.* XV
acutus *Müll. Arg.* X
Adami *Müll. Arg.* X
adenodiscus *Mull.*
adenophyllus *Müll.*
adiantoides *Kl.* XV
aeneus *Baill.* XV. 2.
affinis *Müll. Arg.* XV
alaternoides Reichenb
alatus Bl. XV. 2. 36
albicans Wall XV.
albiflorus *Mull. Arg*
albus *Müll. Arg.* XV
albus *Noronh* XV. 2.
amarus Schum. XV
amentuliger *Mull. A*
anabaptizatus *Mull*
anceps Vahl XV. 2.
anceps Wall XV. 2
Andersoni *Mull. Arg*
andrachnoides W. XV
angolensis *Müll Arg*
angulatus Schum. XV
angustifolius Griseb
angustifolius *Mull. A*
α genuinus - -

tus *Müll. Arg.* XV. 2. 431
us *Sw.* XV. 2. 431
ius *Müll. Arg.* XV. 2. 430
Müll. Arg. XV. 2. 382
Müll. Arg. XV. 2. 418
α concolor Müll. Arg. XV. 2. 414
β pedicellaris - - - 415
γ brasiliensis - - - -
δ virens - - - -
ε glaucescens - - - 416
Hochst. XV. 2. 362
Müll. Arg. XV. 2. 279
Müll. Arg. XV. 2. 303
Tessé & Moç. XV. 2. 382
Steud. XV. 2. 431
Tasar. XV. 2. 402
Müll. Arg. XV. 2. 279
Müll. Arg. XV. 2. 405
Müll. Arg. XV. 2. 297
Müll. Arg. XV. 2. 297
Müll. Arg. XV. 2. 343
Miq. XV. 2. 376
W. herb. XV. 2. 381
Baill. XV. 2. 433
Hook. fil. XV. 2. 373
olius hort. XV. 2. 329
olius Steud. XV. 2. 381
Müll. Arg. XV. 2. 389
Müll. Arg. XV. 2. 412
L. XV. 2. 238 434
Wall. XV. 2. 243 434
ides *Müll. Arg.* XV. 2. 354
- - -
Müll. Arg. XV. 2. 367
Müll. Arg. XV. 2. 422
Baill. XV. 2. 319
Müll. Arg. XV. 2. 390
Müll. Arg. XV. 2. 365
Müll. Arg. XV. 2. 282 383
Baill. XV. 2. 361
Müll. Arg. XV. 2. 361
Müll. Arg. XV. 2. 408
Müll. Arg. XV. 2. 311

Phyllanthus
Billardieri *Müll. Arg.* XV. 2. 292
birmanicus *Müll. Arg.* XV. 2. 424
Blanchetianus *Müll. Arg.* XV. 2. 396
Blancoanus *Müll. Arg.* XV. 2. 420
Blumei Steud. XV. 2. 435 438
Bojerianus Baill. XV. 2. 343 346
Bojerianus *Müll. Arg.* XV. 2. 343
borneensis *Müll. Arg.* XV. 2. 296
botryanthus *Müll. Arg.* XV. 2. 323
Bourgeoisii *Baill.* XV. 2. 321
brachycladus Müll. Arg. XV. 2. 395
β oblongifolius - - - -
brachylobus *Müll. Arg.* XV. 2. 288
brasiliensis *Müll. Arg.* XV. 2. 383
α genuinus - - - -
β oblongifolius - - - -
brasiliensis Poir. XV. 2. 383
bupleuroides *Baill.* XV. 2. 315
Burchelli *Müll. Arg.* XV. 2. 340
buxifolius *Müll. Arg.* XV. 2. 426
cacuminum *Müll. Arg.* XV. 2. 284
caledonicus *Müll. Arg.* XV. 2. 294
callitrichoides Griseb. XV. 2. 388
calycinus Kl. XV. 2. 371
calycinus Labill. XV. 2. 371
calycinus *Müll. Arg.* XV. 2. 371
α genuinus - - - -
β obovatus - - - -
calycinus Wall. XV. 2. 435 437
canaranus *Müll. Arg.* XV. 2. 284
cantoniensis Hornem. XV. 2. 364
cantoniensis Zipp. XV. 2. 433
capensis Spr. XV. 2. 233 405 435
capillaris *Müll. Arg.* XV. 2. 338
α montanus - - - -
β genuinus - - - -
capillaris Schum. XV. 2. 338
carnosulus *Müll. Arg.* XV. 2. 388
carolinensis *Walt.* XV. 2. 399
carolinensis β antillanus Müll. Arg. XV. 2. 387
carolinianus Blanco XV. 2. 406
Carpentariae *Müll. Arg.* XV. 2. 370
Casticum *Müll. Arg.* XV. 2. 348

Phyllanthus
α Roxburghianus *Müll. Arg.* XV. 2. 348
β glaber - - - -
a glaucescens - - - -
b Boivinianus - - - -
c parvifolius - - - -
γ fasciculatus - - - -
δ genuinus - - - -
Casticum Willem. XV. 2. 348
cataractarum *Müll. Arg.* XV. 2. 320
caudatus *Müll. Arg.* XV. 2. 321
cauliflorus Griseb. XV. 2. 413
cauliflorus *Müll. Arg.* XV. 2. 412
celastroides *Müll. Arg.* XV. 2. 314
ceramica Pers. XV. 2. 436
cernuus Poir. XV. 2. 435 439
cernuus Wall. XV. 2. 435 438
Chamaecerasus *Baill.* XV. 2. 320
Chamissonis Kl. XV. 2. 344
Chapelieri Baill. XV. 2. 396
Cheremila Roxb. XV. 2. 414
chlorophaeus *Baill.* XV. 2. 403
choretroides *Müll. Arg.* XV. 2. 427
chrysanthus *Baill.* XV. 2. 393
Cicca Griseb. XV. 2. 384
Cicca Müll. Arg. XV. 2. 414
Cicca β bracteosus Müll. Arg. XV. 2. 414
ciccoides *Müll. Arg.* XV. 2. 345
cinerascens Hook. & Arn. XV. 2. 350
cinerascens *Müll. Arg.* XV. 2. 314
cinerascens Wall. XV. 2. 435 440 441
cinereus *Müll. Arg.* XV. 2. 425
cladanthus *Müll. Arg.* XV. 2. 413
cladotrichus *Müll. Arg.* XV. 2. 380
Claussenii *Müll. Arg.* XV. 2. 401
coccineus *Müll. Arg.* XV. 2. 280
cochinchinensis *Müll. Arg.* XV. 2. 417
cochinchinensis Spr. XV. 2. 350
cognatus Spr. XV. 2. 430
columnaris *Müll. Arg.* XV. 2. 354
coluteoides Baill. XV. 2. 335
coluteoides *Müll. Arg.* XV. 2. 335
Commersonii Baill. XV. 2. 377

Phyllanthus
compressicaulis *Müll. Arg*
compressus *H. B. & Kth*
Conami L. Rich. XV. 2.
Conami Sw. XV. 2. 380
concolor *Müll. Arg.* XV.
α elliptieus - -
β obovatus - -
congestus *Müll. Arg.* XV
consanguineus *Müll. Arg*
conterminus *Müll. Arg.*
cordatus *Müll. Arg.* XV.
cordifolius Wall. XV. 2
coriaceus *Müll. Arg.* XV
coriaceus Wall. XV. 2.
cornifolius H. B. & Kth
cornutus *Baill.* XV. 2.
crassifolius *Müll. Arg.*
crotallarioides *Zipp.* XV
cryptophilus *Müll. Arg*
cumanensis W. herb. XV
Cumingii *Müll. Arg.* XV
cuneatus W. XV. 2.
cuspidatus *Müll. Arg.*
cyanospermus *Müll. Arg*
Cyclanthera Baill. XV.
Cyclanthera *Müll. Arg.*
α Lindenianus - -
β gracillimus - -
γ genuinus - -
Cyclanthera β scabrella
cygnorum Endl. XV. 2.
cygnorum *Müll. Arg.* XV
α genuinus - -
β pimeleoides - -
cyrtophylloides *Müll. Arg*
cyrtophyllus *Müll. Arg.*
cyrtostylus *Müll. Arg*
dalbergioides Wall. XV.
Daltoni *Müll. Arg.* XV.
dasyanthus *Müll. Arg* XV
debilis Wall. XV. 2.
debilis W. XV. 2.

Müll. Arg. XV. 2. 347
us - - - -
laris - - - -
l. XV. 2. 337
Müll. Arg. XV. 2. 347
Dillw. XV. 2. 432
Wall. XV. 2. 391
nus *Müll. Arg.* XV. 2. 394
l. XV. 2. 410
üll. Arg. XV. 2. 409
us - - - -
ifolius- - - 410
Kl. XV. 2. 337
hum. XV. 2. 435 449
Müll. Arg. XV. 2. 416
pr. XV. 2. 328
Hook. & Arn. XV. 2. 389
Müll. Arg. XV. 2. 413
ra - - - 414
Müll. Arg. XV. 2. 326
s Miq. XV. 2. 298
s *Müll. Arg.* XV. 2. 297
us - - - 298
olius - - - -
lanus - - - -
ides Baill. XV. 2. 317
Scheel. XV. 2. 233 435
Poir. XV. 2. 398
Wall. XV. 2. 364
üll. Arg. XV. 2. 420
all. XV. 2. 420
Baill. XV. 2. 433
Desf. XV. 2. 433
H. B. & Kth XV. 2. 435 448
Steud. XV. 2. 431
. XV. 2. 352
s Müll. Arg. XV. 2. 353
Müll. Arg. XV. 2. 343
us Baill. XV. 2. 394
thus L. XV. 2. 428 431
thus *Müll. Arg.* XV. 2. 428
us - - - -
us - - - -
ugus- - - -
thus *Noronh.* XV. 2. 434
Griseb. XV. 2. 412
Torr. XV. 2. 433
Müll. Arg. XV. 2. 306
Müll. Arg. XV. 2. 332

Phyllanthus
erythroxyloides *Müll. Arg.* XV. 2. 418
fagifolius *Müll. Arg.* XV. 2. 288
α concolor - - - -
β caesius - - - 289
Fagueti *Baill.* XV. 2. 318
falcatus Sw. XV. 2. 428
falcatus β praelongus Müll. Arg. XV. 2. 428
fallax *Müll. Arg.* XV. 2. 388
fasciculatus *Müll. Arg.* XV. 2. 350
fasciculatus Poir. XV. 2. 348
fastigiatus *Müll. Arg.* XV. 2. 411
Ferdinandi *Müll. Arg.* XV. 2. 300
filiformis Pav. XV. 2. 404
fimbriatus *Müll. Arg.* XV. 2. 422
Finlaysonianus *Müll. Arg.* XV. 2. 426
Finlaysonianus Wall. XV. 2. 426
flaccidus Thwait. XV. 2. 363
flagelliformis *Müll. Arg.* XV. 2. 432
α genuinus - - - -
β demonstrans - - - -
flavidus *Müll. Arg.* XV. 2. 314
flexuosus *Müll. Arg.* XV. 2. 324
flexuosus Sieb. & Zucc. XV. 2. 341
floribundus H. B. & Kth XV. 2. 331
floribundus *Müll. Arg.* XV. 2. 343
flüggeiformis *Müll. Arg.* XV. 2. 349
flüggeoides Müll. Arg. XV. 2. 450
fluitans *Müll. Arg.* XV. 2. 400
foetidus Pav. XV. 2. 381
Francavillanus *Müll. Arg.* XV. 2. 367
fraxinifolius Lodd. XV. 2. 282
frondosus Müll. Arg. XV. 2. 356
fruticosus Rich. XV. 2. 1272
fruticosus Seem. XV. 2. 392
fruticosus Wall. XV. 2. 392
Fürnrohrii *Müll. Arg.* XV. 2. 373
α latifolius - - - -
β genuinus - - - -
Fürnrohrii F. Müll. XV. 2. 373
fulvirameus *Müll. Arg.* XV. 2. 303
fusco-luridus *Müll. Arg.* XV. 2. 346
fuscus *Müll. Arg.* XV. 2. 301
Galeottianus *Baill.* XV. 2. 357

Phyllanthus
Gardneri Thwait. XV. 2. 392
Gardnerianus Baill. XV. 2. 392
garipensis E. Mey. XV. 2. 339
Gasstroemi *Müll. Arg.* XV. 2. 358
Gaudichaudi *Müll. Arg.* XV. 2. 300 (*bis*)
α samoanus - - - -
β marianus - - - -
genistoides *Sond.* XV. 2. 360
glabrescens *Müll. Arg.* XV. 2. 426
gladiatus *Müll. Arg.* XV. 2. 428
glaucescens *H. B. & Kth* XV. 2. 374
glaucescens Schlecht. XV. 2. 374
glaucifolius *Müll. Arg.* XV. 2. 298
glaucifolius Wall. XV. 2. 298 435 438
glaucinus *Müll. Arg.* XV. 2. 345
glaucogynus *Müll. Arg.* XV. 2. 312
glaucophyllus *Müll. Arg.* XV. 2. 393
α major - - - -
β genuinus - - - -
glaucus *Müll. Arg.* XV. 2. 305 349
glomeratus Wall. XV. 2. 352
glomerulatus *Müll. Arg.* XV. 2. 293
Goudotianus *Müll. Arg.* XV. 2. 336
gracilentus *Müll. Arg.* XV. 2. 302
gracilipes *Müll. Arg.* XV. 2. 423
α genuinus - - - -
β brevifolius - - - 424
gracilis *Baill.* XV. 2. 350
gracilis Roxb. XV. 2. 363
gracillimus Baill. XV. 2. 408
grandiflorus Spr. XV. 2. 335
grandifolius L. XV. 2. 329
grandifolius *Müll. Arg.* XV. 2. 329
α cornifolius - - - -
β Salzmanni - - - -
γ genuinus - - - -
grandifolius Spr. XV. 2. 323
grandisepalus *Müll. Arg.* XV. 2. 369
graveolens H. B. & Kth XV. 2. 383
graveolens *Müll. Arg.* XV. 2. 383
α genuinus - - - -
β tenellus - - - -
Gravanus *Müll. Arg.* XV. 2. 302
Griffithii *Müll. Arg.* XV. 2. 384
Phyllanthus
Grisebachianus *Müll. Arg.*
griseus Wall. XV. 2. 435
Gueinzii *Müll. Arg.* XV.
Gunnii Hook. fil. XV. 2.
Gunnii *Müll. Arg.* XV. 2.
α genuinus - -
β obovatus - -
γ saxosus - -
guyanensis Kl. XV. 2. 387
guyanensis Miq. XV. 2.
guyanensis *Müll. Arg.* XV.
guyanensis β acuminatus
XV.
guyanensis γ anceps Mü
XV.
gymnanthus Baill. XV.
Hambur *Forsk.* XV. 2. 43
Hamiltonianus *Müll. Arg.*
Hasskarlianus *Müll. Arg.*
Helferi *Müll. Arg.* XV.
heliotropus Griseb. XV.
heliotropus *Müll. Arg.* XV.
heterodoxus *Müll. Arg.*
heterophyllus *Müll. Arg.*
Heyneanus *Müll. Arg.* XV.
hirsutus *Müll. Arg.* XV.
hirtellus *Müll. Arg.* XV.
hirtellus β thymoides Mu
XV.
hirtellus γ lediifolius Mu
XV.
Hoffmannseggii Müll. Arg.
β oblongifolius - -
Hoffmeisteri Kl. XV. 2.
Hohenackeri *Müll. Arg.*
hongkongensis *Müll. Arg.*
Hookeri *Müll. Arg.* XV.
hypoleucus *Müll. Arg.* XV.
hyssopifolius *H. B. & Kth*
hyssopifolioides Spr. XV.
hysteranthus Müll. Arg.

is *Müll. Arg.* XV. 2. 334
s Griseb. XV. 2. 345
ill. Arg. XV. 2. 368
Müll. Arg. XV. 2. 419
Poir. XV. 2. 363
Sond. XV. 2. 405
Thbg XV. 2. 362
üll. Arg. XV. 2. 417
üll. Arg. XV. 2. 1271
Müll. Arg. XV. 2. 306
s Steud. XV. 2. 435 437
lius W. XV. 2. 329
üll. Arg. XV. 2. 411
s Müll. Arg. XV. 2. 385
s β obovatus Müll. Arg. XV. 2. 385
s Müll. Arg. XV. 2. 358
s Müll. Arg. XV. 2. 304
Baill. XV. 2. 315
us Müll. Arg. XV. 2. 291
Müll. Arg. XV. 2. 311
üll. Arg. XV. 2. 287
Blanco XV. 2. 406
Roxb. XV. 2. 345 348
W. XV. 2. 348
β glaber Müll. Arg. XV. 2. 348
γ fasciculatus - - -
δ Sieberi - - - -
Müll. Arg. XV. 2. 334
us Müll. Arg. XV. 2. 429
us - - - -
ri - - - -
- - - -
- - - -
losus - - - -
florus - - - 430
s - - - -
nus Müll. Arg. XV. 2. 298
Müll. Arg. XV. 2. 297
Baill. XV. 2. 330
Müll. Arg. XV. 2. 1272
ll. Arg. XV. 2. 402
F. Müll. XV. 2. 370
Müll. Arg. XV. 2. 289
us Müll. Arg. XV. 2. 285
lus Müll. Arg. XV. 2. 324

Phyllanthus
lanceolarius *Müll. Arg.* XV. 2. 282
lanceolatus *Poir.* XV. 2. 378
lasiogynus *Müll. Arg.* XV. 2. 357
lathyroides Baill. XV. 2. 403
lathyroides H. B. & Kth XV. 2. 404
lathyroides *Müll. Arg.* XV. 2. 403
α commutatus - - - -
* minor - - - -
** oblongatus - - - -
β genuinus - - - 404
* purpurascens - - - -
** microphyllus - - - -
*** rosellus - - - -
latifolius *Sw.* XV. 2. 431
laurifolius A. Rich. XV. 2. 231 435
laxiflorus *Benth.* XV. 2. 375
Lawii *Grah.* XV. 2. 353
lepidocarpus Sieb. & Zucc. XV. 2. 364
leprocarpus Wight XV. 2. 364
leptoclados *Benth.* XV. 2. 422
leptogynus *Müll. Arg.* XV. 2. 312
leptophyllus *Müll. Arg.* XV. 2. 411
Leschenaultii *Müll. Arg.* XV. 2. 398
Leschenaultii β tenellus Müll. Arg. XV. 2. 243
leucogynus *Müll. Arg.* XV. 2. 292
leucophyllus Strach. & Winterb. XV. 2. 435 449
leucopyrus Wall. XV. 2. 435 451
Lhotzkianus Steud. XV. 2. 435
Liebmannianus *Müll. Arg.* XV. 2. 366
Lindenianus Baill. XV. 2. 408
linearis Mart. XV. 2. 432
linearis *Müll. Arg.* XV. 2. 430
α genuinus - - - -
β cognatus - - - -
linearis Sw. XV. 2. 430
linearis Wall. XV. 2. 363
linifolius Vahl XV. 2. 337
linoides Hochst. XV. 2. 337
littoralis *Müll. Arg.* XV. 2. 280
Llanosi *Müll. Arg.* XV. 2. 308
loandensis *Müll. Arg.* XV. 2. 342
longiflorus Heyn. XV. 2. 423
longifolius Jacq. XV. 2. 414
longifolius *Lam.* XV. 2. 361
longifolius Sond. XV. 2. 362

Phyllanthus
longipes *Müll. Arg.* XV. 2. 341
Lonphali Wall. XV. 2. 406
loranthoides *Baill.* XV. 2. 317
Loureirii Hook. & Arn. XV. 2. 435 501
Lucena Heyn. XV. 2. 451
Lucena Wall. XV. 2. 435
lucens Poir. XV. 2. 435 437
lucidus hort. XV. 2. 435 449
lucidus *Müll. Arg.* XV. 2. 280
lutescens *Müll. Arg.* XV. 2. 296
lycioides H. B. & Kth XV. 2. 381
Macraei *Müll. Arg.* XV. 2. 393
macrocalyx *Müll. Arg.* XV. 2. 423
macrocarpus *Müll. Arg.* XV. 2. 281
macrochorion *Baill.* XV. 2. 316
macrophyllus *Müll. Arg.* XV. 2. 281
macrostachyus Müll. Arg. XV. 2. 436
madagascariensis *Müll. Arg.* XV. 2. 396
maderaspatensis Forsk. XV. 2. 339
maderaspatensis L. XV. 2. 363
maderaspatensis *Müll. Arg.* XV. 2. 362
α major
β vaccinioides
γ Thonningii
δ genuinus 363
maderaspatensis Pet. Thouar. XV. 2. 337
maderaspatensis Sessé & Moç. XV. 2. 366
maderaspatensis var. Wight XV. 2. 362
malabaricus *Müll. Arg.* XV. 2. 305
malabaricus Wall. XV. 2. 363
mamillosus *Müll. Arg.* XV. 2. 394
Mannianus *Müll. Arg.* XV. 2. 365
Manono *Müll. Arg.* XV. 2. 296
marginatus Wall. XV. 2. 392
marianus *Müll. Arg.* XV. 2. 357
Melleri *Müll. Arg.* XV. 2. 381
β
Meyerianus *Müll. Arg.* XV. 2. 404
micrandrus *Müll. Arg.* XV. 2. 383
micrantheoides *Baill.* XV. 2. 387
micranthus *A. Rich.* XV. 2. 412

Phyllanthus
microcarpus *Müll. Arg.*
α dalbergioides
β genuinus
γ pallidus
microcladus *Müll. Arg.*
α puberulus
β microphyllus
microdendron *Müll. Arg.*
microphyllinus *Müll. Ar*
microphyllus H. B. &
microphyllus Kl. XV.
microphyllus Mart. XV.
microphyllus *Müll. Ar*
α genuinus
β Orbignyanus
mimosoides Lodd. XV.
mimosoides *Sw.* XV. 2.
minutiflorus *F. Müll.* X
Miquelianus *Müll. Arg.*
mirabilis *Müll. Arg.* XV
Moçinianus *Baill.* XV.
mollis *Müll. Arg.* XV.
moluccanus *Müll. Arg.*
montanus *Sw.* XV. 2.
montevidensis *Müll. Ar*
Moonii *Müll. Arg.* XV.
mucronatus H. B. &
mucronatus Wall. XV.
Mülleri *Müll. Arg.* XV.
β
multicaulis *Müll. Arg.*
α genuinus
β parvifolius
multiflorus *Poir.* XV. 2.
multiflorus Wall. XV. 2.
multiflorus W. XV. 2.
multilocularis *Müll. Arg.*
muricatus Wall. XV. 2.
myrianthus *Müll. Arg.* X
α latifolius
β angustifolius
Myrsinites *H. B. & Kth*

s *Sond.* XV. 2. 397
us Wall. XV. 2. 344
is R. Wight XV. 2. 396
les Griseb. XV. 2. 332
Wall. XV. 2. 243 435
s Müll. Arg. XV. 2. 293
Miq. XV. 2. 435 438
ensis Müll. Arg. XV. 2. 303
Müll. Arg. XV. 2. 312
Müll. Arg. XV. 2. 358
tensis Müll. Arg. XV. 2. 340
drus Griseb. XV. 2. 335
s Müll. Arg. XV. 2. 291
nius Müll. Arg. XV. 2. 423
ous Müll. Arg. XV. 2. 331
s Müll. Arg. XV. 2. 348
anco XV. 2. 420
ham. & Schlecht. XV. 2. 403
riseb. XV. 2. 387 388 409
rt. XV. 2. 403
rt. malab. XV. 2. 363
XV. 2. 406
üll. Arg. XV. 2. 406
ellus – – – –
inus – – – –
nicus – – – 407
is – – – –
caulis – – – –
ans – – – –
wait. XV. 2. 407
ell. XV. 2. 402
all. XV. 2. 363
s Müll. Arg. XV. 2. 409
Müll. Arg. XV. 2. 1272
Müll. Arg. XV. 2. 282
üll. Arg. XV. 2. 414
inus – – – –
nensis – – – –
rianus – – – –
liensis – – – 415
elianus – – – –
nianus – – – –
ianus – – – –
llandiae Müll. Arg. XV. 2. 346
riaefolius Poir. XV. 2. 337 401
rifolius W. XV. 2. 337

Phyllanthus
nummularioides *Müll. Arg.* XV. 2. 333
nutans *Müll. Arg.* XV. 2. 375
α genuinus – – – –
β Purdiaeanus – – – –
nutans Sw. XV. 2. 375
obcordatus W. XV. 2. 363
obliquus *Müll. Arg.* XV. 2. 284
α mollis – – – –
β genuinus – – – –
obliquus Wall. XV. 2. 425
oblongifolius Dennst. XV. 2. 435 441
obovatus *Müll. Arg.* XV. 2. 307
obovatus W. XV. 2. 399
obscurus *W.* XV. 2. 287
obtusatus *Müll. Arg.* XV. 2. 433
obtusus Schrank XV. 2. 435 449
obtusus Wall. XV. 2. 435
odontadenius *Müll. Arg.* XV. 2. 365
oligotrichus *Müll. Arg.* XV. 2. 299
oppositifolius Baill. XV. 2. 378
oppositifolius *Müll. Arg.* XV. 2. 378
orbicularis H. B. & Kth XV. 2. 331
orbicularis *Müll. Arg.* XV. 2. 331
α genuinus – – – –
β ellipticus – – – 332
γ obovatus – – – –
orbicularis A. Rich. XV. 2. 332
orbiculatus *Müll. Arg.* XV. 2. 401
α genuinus – – – –
β acutifolius – – – –
orbiculatus Rich. XV. 2. 401
oreophilus *Müll. Arg.* XV. 2. 421
ornatus *Müll. Arg.* XV. 2. 313
ovalifolius *Forsk.* XV. 2. 346
ovalis Sond. XV. 2. 233 435
ovatus *Desf.* XV. 2. 434
ovatus *Poir.* XV. 2. 323
oxycarpus *Müll. Arg.* XV. 2. 1270
oxycladus Müll. Arg. XV. 2. 380
oxyphyllus *Miq.* XV. 2. 356
oxyphyllus Müll. Arg. XV. 2. 402
pachyphyllus *Müll. Arg.* XV. 2. 353
pacificus *Müll. Arg.* XV. 2. 386
pallidifolius *Müll. Arg.* XV. 2. 424
pallidus *Griseb.* XV. 2. 328
Pancherianus *Baill.* XV. 2. 320

Phyllanthus
parvifolius *Hamilt., Don* XV. 2. 385 341
parvifolius Steud. XV. 2. 404
parvulus Sond. XV. 2. 339
patens Miq. XV. 2. 391
patens Roxb. XV. 2. 435 438
Pavonianus *Baill.* XV. 2. 380
pedunculatis Boiv. XV. 2. 337
Peltandra *Müll. Arg.* XV. 2. 341
penangensis *Müll. Arg.* XV. 2. 310
pendulus *Roxb.* XV. 2. 359
pentandrus *Müll. Arg.* XV. 2. 336
α dilatatus - - - 337
β deflexus - - - -
γ glaucocarpus - - - -
δ genuinus - - - -
pentandrus Roxb. XV. 2. 344
pentandrus Schum. XV. 2. 337
pentaphyllus Griseb. XV. 2. 407
perpusillus *Baill.* XV. 2. 410
Perrottetianus *Müll. Arg.* XV. 2. 307
persimilis *Müll. Arg.* XV. 2. 392
Pervilleanus *Müll. Arg.* XV. 2. 346 347
α genuinus - - - 347
β glaber - - - -
petiolaris *Roxb.* XV. 2. 432
philippinensis *Müll. Arg.* XV. 2. 295
α mollis - - - -
β pubescens - - - -
γ glaber - - - -
phillyreaefolius *Müll. Arg.* XV. 2. 376
α Commersonii - - - 377
β longifolius - - - -
γ lanceolatus - - - -
δ angustifolius - - - -
ε oblongifolius - - - -
ζ ellipticus - - - -
η rotundifolius - - - -
ϑ Telfairianus - - - -
ι triangularis - - - -
κ parvifolius - - - -
λ genuinus - - - 378
phillyreaefolius Poir. XV. 2. 378
physocarpus *Müll. Arg.* XV. 2. 342
piluliferus Fenzl XV. 2. 337
pilosus *Müll. Arg.* XV. 2. 432
pimeleoides Dc. fil. XV. 2. 372
pinifolius *Baill.* XV. 2. 395

Phyllanthus
piscatorum *H. B. &*
Placenta *Noronh.* X
platycalyx *Müll.*
podocarpus *Müll.*
Poeppigianus *Müll.*
Poiretianus Müll.
Poiretianus β acutif
polycarpus *Müll.*
polygamus Hochst.
polygonoides *Spr.*
polymorphus Müll.
polyphyllus Wall.
polyphyllus *W.* X
polyspermus Schum
pomaceus Moon X
praetervisus *Müll.*
pratensis Panch.
Preissianus Kl. X
Pricurianus Müll.
prostratus *Müll. A*
pruinosus *A. Rich.*
Pseudo-Cicca *Gris*
Pseudo-Niruri *Müll*
puberulus Miq. XV.
puberus *Müll. Arg.*
α Fortunei -
β genuinus -
γ impuber -
δ sinicus -
pubescens Kl. XV.
pubescens Wall. X
pubescens Moonii
pubigerus A. Rich.
pulchellus Endl. X
pulcher *Müll. Arg.*
α genuinus -
β pallidus -
pumilus *Müll. Arg.*
purpurascens H. B.
purpureus Griseb.
purpureus *Müll. Ar*

Müll. Arg. XV. 2. 304
Müll. Arg. XV. 2. 322
W. XV. 2. 242 435
Arg. XV. 2. 306
Hessé & Moç. XV. 2. 329
d. XV. 2. 435 441
Müll. Arg. XV. 2. 375
XV. 2. 238 435
ll. XV. 2. 352 364
l. Arg. XV. 2. 289
– – – –
lus – – – –
– – – –
– – – –
s. XV. 2. 435 449
ll. Arg. XV. 2. 394
Müll. Arg. XV. 2. 326
XV. 2. 380
b. XV. 2. 435 437
nus Sieb. XV. 2. 449
Müll. Arg. XV. 2. 299
dd. XV. 2. 375
ill. Arg. XV. 2. 344
– – – –
– – – 345
ir. XV. 2. 344
t. XV. 2. 435 438
XV. 2. 435 449
Mey. XV. 2. 397
Müll. Arg. XV. 2. 1271
oj. XV. 2. 435
oxb. XV. 2. 435
Vall. XV. 2. 435 438
. XV. 2. 435 441
t XV. 2. 363
Müll. Arg. XV. 2. 417 *(bis)*
s *Müll. Arg.* XV. 2. 327
Müll. Arg. XV. 2. 357
Arg. XV. 2. 325
l. Arg. XV. 2. 370
Scheel. XV. 2. 234 435

Phyllanthus
Roeperianus *Müll. Arg.* XV. 2. 385 *(bis)*
α genuinus – – – –
β parvifolius – – – –
rotundatus *Poir.* XV. 2. 432
rotundatus Wall. XV. 2. 436 449
rotundifolius *Müll. Arg.* XV. 2. 405
α genuinus – – – –
β striolatus – – – –
γ leucocalyx – – – 406
rotundifolius Wall. XV. 2. 243 436
rotundifolius W. XV. 2. 405
Roxburghii *Müll. Arg.* XV. 2. 420
rubellus *Müll. Arg.* XV. 2. 379
ruber *Noronh.* XV. 2. 434
ruber *Spr.* XV. 2. 419
rufidulus *Müll. Arg.* XV. 2. 384
rufo-glaucus *Müll. Arg.* XV. 2. 286
rupestris H. B. & Kth XV. 2. 395
rupestris *Müll. Arg.* XV. 2. 395
α genuinus – – – –
β oblongifolius – – – –
ruscifolius *Müll. Arg.* XV. 2. 358
ruscoides H. B. & Kth XV. 2. 381
salicifolius Baill. XV. 2. 316
salicifolius *Müll. Arg.* XV. 2. 316
α genuinus – – – –
β dracunculoides – – – 317
salviaefolius H. B. & Kth XV. 2. 330
salviaefolius *Müll. Arg.* XV. 2. 330
α genuinus – – – –
β glabrescens – – – –
γ floribundus – – – 331
samarensis *Müll. Arg.* XV. 2. 386
sandwicensis *Müll. Arg.* XV. 2. 389
α oblongifolius – – – –
β ellipticus – – – –
γ parviflorus – – – –
δ radicans – – – –
saxosus F. Müll. XV. 2. 368
scaber Kl. XV. 2. 372
scaber *Müll. Arg.* XV. 2. 372
* minor – – – –
α genuinus – – – –
β pallidiflorus – – – –
γ angustifolius – – – –
scabrellus Webb XV. 2. 405 406

Phyllanthus
scandens *Müll. Arg.* XV. 2. 415
Schomburgkianus *Müll. Arg.* XV. 2. 387
α guyanensis – – – –
β antillanus – – –
γ acuminatus – – – –
δ anceps – – – –
scoparius Wehc. XV. 2. 337
Seemannianus *Müll. Arg.* XV. 2. 290
Sellowianus *Müll. Arg.* XV. 2. 397
semicordatus *Müll. Arg.* XV. 2. 294
senensis *Müll. Arg.* XV. 2. 335
sepiarius Wall. XV. 2. 436 441
sericeus *Müll. Arg.* XV. 2. 314
serissaefolius Wall. XV. 2. 350
sikkimensis *Müll. Arg.* XV. 2. 425
silheticus *Müll. Arg.* XV. 2. 297
similis *Müll. Arg.* XV. 2. 369
simplex Baill. XV. 2. 392
simplex *Müll. Arg.* XV. 2. 391
α genuinus – – – –
β oblongifolius – – – –
γ chinensis – – – –
δ ussuriensis – – – 392
ε virgatus – – – –
ζ Gardnerianus – – – –
* pubescens – – – –
η myriocladus – – – –
ϑ pratensis – – – –
ι brevipes – – – –
simplex Retz XV. 2. 391
simplicicaulis *Müll. Arg.* XV. 2. 400
Simsianus Wall. XV. 2. 436 437
sinensis Müll. Arg. XV. 2. 344
sinensis β dalbergioides Müll. Arg. XV. 2. 343
singalensis *Müll. Arg.* XV. 2. 426
sinicus Müll. Arg. XV. 2. 414
societatis *Müll. Arg.* XV. 2. 364
spathulifolius *Griseb.* XV. 2. 332
speciosus *Jacq.* XV. 2. 431
speciosus *Noronh.* XV. 2. 434
sphaerogynus *Müll. Arg.* XV. 2. 293
spinescens Wall. XV. 2. 343
spinulosus Wall. XV. 2. 359
sponiaefolius *Müll. Arg.* XV. 2. 378
Spruceanus *Müll. Arg.* XV. 2. 401
squamifolius *Spr.* XV. 2. 433

Phyllanthus
stellatus *Retz* XV. 2. 3[illegible]
stenocladus *Müll. Arg.*
stenopterus *Müll. Arg.*
stipulaceus Boj. XV. 2.
Stocksii *Müll. Arg.* XV.
strictus Roxb. XV. 2. 43
stylosus *Griff.* XV. 2.
subcarnosus *C. Wright*
subcordatus Baill. XV.
subcrenulatus *F. Müll.*
subemarginatus *Müll.*
suberosus *Müll. Arg.* XV
suberosus Wall. XV. 2.
subglomeratus Poir. XV.
sublanatus *Schum.* XV.
subobscurus *Müll. Arg.*
subscandens *Müll. Arg.*
suffultus Wall. XV. 2.
sundaicus *Müll. Arg.* XV
superbus *Müll. Arg.* XV
sylvaticus Steud. XV.
symphoricarpoides *H.*
symplocoides *Müll. Arg.*
taitensis *Müll. Arg.* XV.
α genuinus – – –
β glabrescens – – –
taxifolius Don XV. 2.
Telfairianus Wall. XV.
tenellus Benth. XV. 2.
tenellus *Müll. Arg.* XV.
α Roxburghii – –
β natalensis – –
γ nossibeensis – –
δ garipensis – –
ε parvulus – –
ζ arabicus – –
η exiguus – –
tenellus Roxb. XV. 2.
tenellus Wall. XV. 2.
tenellus ε scabrifolius
tenuicaulis *Müll. Arg.*
tetrander Blanco XV. 2.
tetrandrus Roxb. XV. 2.
tetrandrus Wall. XV. 2.
Teysmanni *Müll. Arg.*

Müll. Arg. XV. 2. 398
Müll. Arg. XV. 2. 293
Schum. XV. 2. 362
us Müll. Arg. XV. 2. 341
Müll. Arg. XV. 2. 372
- - - -
s - - - 373
s - - - -
s - - - -
ond. XV. 2. 373
Müll. Arg. XV. 2. 348
ahl XV. 2. 436 441
Müll. Arg. XV. 2. 283
Noronh. XV. 2. 434
Müll. Arg. XV. 2. 316
us F. Müll. XV. 2. 327
iseb. XV. 2. 330
üll. Arg. XV. 2. 299
Müll. Arg. XV. 2. 301
Vall. XV. 2. 242 436
ss. XV. 2. 436 441
oronh. XV. 2. 434
oxb. XV. 2. 437
Sims XV. 2. 437
üll. Arg. XV. 2. 356
Baill. XV. 2. 386
Voronh. XV. 2. 434
XV. 2. 364
all. XV. 2. 406
. XV. 2. 406
Rupr. XV. 2. 392
s Müll. Arg. XV. 2. 322
Kl. XV. 2. 362
Scheel. XV. 2. 436 1046
l. Arg. XV. 2. 302
üll. Arg. XV. 2. 309
Rich. XV. 2. 362
Müll. Arg. XV. 2. 291
Thbg XV. 2. 333
Baill. XV. 2. 317
aill. XV. 2. 351
r. XV. 2. 433
Arg. XV. 2. 415
. XV. 2. 436 449
rst. XV. 2. 392
all. XV. 2. 391 (*bis*)
ers. XV. 2. 348
Müll. Arg. XV. 2. 360
ll. XV. 2. 449
l. XV. 2. 436 441

Phyllanthus
virosus W. XV. 2. 451
vitiensis *Müll. Arg.* XV. 2. 290
Vitis Idaea Roxb. XV. 2. 436 441
wagapensis *Müll. Arg.* XV. 2. 285
Wallichianus *Müll. Arg.* XV. 2. 309
Welwitschianus *Müll. Arg.* XV. 2. 351
Wightianus *Müll. Arg.* XV. 2. 334
Wightianus *Müll. Arg.* XV. 2. 425
Wightianus Wall. XV. 2. 344 345
Wilkesianus *Müll. Arg.* XV. 2. 396
williamioides *Griseb.* XV. 2. 328
Wrightii *Müll. Arg.* XV. 2. 298
zeylanicus *Müll. Arg.* XV. 2. 281 421
zeylanicus Müll. Arg. in Linnaea XV. 2. 281
Zippelianus *Müll. Arg.* XV. 2. 433
Zollingeri *Müll. Arg.* XV. 2. 283 424
zygophylloides *Müll. Arg.* XV. 2. 336

Phyllanthus *sect.* Adenoglochidion *Müll. Arg.* XV. 2. 276 319
Amphiandra Griseb. XV. 2. 329
Anisolobium *Müll. Arg.* XV. 2. 277 351
Anisonema Griseb. XV. 2. 341 343
Asterandra *Müll. Arg.* XV. 2. 275 329
Catastylium *Müll. Arg.* XV. 2. 278 413
Cathetus *Müll. Arg.* XV. 2. 277 350
Ceramanthus *Baill.* XV. 2. 277 350
Choretropsis *Müll. Arg.* XV. 2. 278 427
Chorizandra *Müll. Arg.* XV. 2. 277 333

Phyllanthus sect. Cicca *Müll. Arg.* XV. 2. 278 413
subsect. Ciccoides *Müll. Arg.* XV. 2. 418
Euciccа *Müll. Arg.* XV. 2. 413
Margaritaria *Müll. Arg.* XV. 2. 414
Paracicca *Müll. Arg.* XV. 2. 416 418
Prosorus *Müll. Arg.* XV. 2. 416
Ciccopeltandra *Müll. Arg.* XV. 2. 277 334
Cluytiopsis *Müll. Arg.* XV. 2. 350
Eleutherogynium *Müll. Arg.* XV. 2. 275 315
Eleutherogynium *Müll. Arg.* XV. 2. 315 317
Emblica *Baill.* XV. 2. 277 351
Emblicastrum *Müll. Arg.* XV. 2. 275 324
Epistylium *Griseb.* XV. 2. 278 412
Eriococcodes *Müll. Arg.* XV. 2. 278 419
Eriococcus *Müll. Arg.* XV. 2. 278 420
Euglochidion *Müll. Arg.* XV. 2. 275 278
Euphyllanthus *Baill.* XV. 2. 315 317
Euphyllanthus *Griseb.* XV. 2. 278 374
Flüggeopsis *Müll. Arg.* XV. 2. 277 348

Phyllanthus sect. Glochidi
Müll.
Gomphidi
X
Gomphidi
XV. 2
Hedycarp
Müll.
Hemicicc
Müll.
Hemiglo
Müll.
Hemiphy
Müll.
Heterogl
Müll.
Kirganel
XV.
Lysiand
Macrom
Menarda
Menarda
XV.
Menarda
phyllan
Micruglo
Müll.
Nymphan
Müll.
Orbiculat
XV. 2
Oxalistyli
XV. 2
Paragong
Müll. A
2
Parasyllis
Müll. A
2
Peltandra
XV. 2
Pentaglochi
Müll. Ar
2

us sect. Phyllanthopsis Scheel. XV. 2. 233 234
Phyllocalyx Baill. XV. 2. 318
Physoglochidion *Müll. Arg.* XV. 2. 275 318
Pleiostemon *Müll. Arg.* XV. 2. 277 333
Pseudo-Menarda *Müll. Arg.* XV. 2. 277 349
Scepasma *Müll. Arg.* XV. 2. 278 426
Scleroglochidion *Müll. Arg.* XV. 2. 275 317
Synostemon *Müll. Arg.* XV. 2. 275 325
Williamia *Müll. Arg.* XV. 2. 275 328
Williamiandra Griseb. XV. 2. 328
Xylophylla *Endl.* XV. 2. 278 427
ra Lour. XV. 2. 1116 1119
um Lour. XV. 2. 1120
OTRYEAE *Müll. Arg.* XV. 2. 1036 1231
ryum *Müll. Arg.* XV. 2. 1231
atum *Müll. Arg.* XV. 2. 1232
on Miq. XVI. 1. 392
anum Presl XVI. 1. 467
Miq. XVI. 1. 396
lyx Baill. XV. 2. 318 (Phyllanthus)
amys *Bureau* XVII. 213 217
Bureau XVII. 218
dus *L. C. Rich.* XVI. 2. 368 498
(alpina) Hook. fil. XVI. 2. 499
folia Hook. fil. XVI. 2. 499
lieri Mirb. XVI. 2. 499
hort. XVI. 2. 498
ylla Carr. XVI. 2. 499
ylla *Hook. fil.* XVI. 2. 499
idalis *Rich.* XVI. 2. 499

Phyllocladus trichomanoides *Don* XVI. 2. 498
β glauca *Parl.* - - -
γ alpina - - - -
Phyllocoryne Hook. fil. XVII. 131
jamaicensis Hook. fil. XVII. 134
Phyllodanthos *Dc. fil.* XIV. 691 (Exocarpus)
Phyllolaena Endl. XIV. 506 (Pimelea)
Phyllonoma *W.* XVII. 296
Phyllopassaea *Müll. Arg.* XV. 2. 922 (Bernardia)
Phyllothyrsus Endl. XVI. 2. 183 (Alnus)
Phyllothyrsus *Spach* XVI. 2. 183 (Alnus)
Phylloxylon *Baill.* XV. 2. 1256
decipiens *Baill.* XV. 2. 1256
Physena *Noronh.* XVII. 296
Physoglochidion Müll. Arg. XV. 2. 318 (*Glochidion*)
Physoglochidion *Müll. Arg.* XV. 2. 276 318 (Phyllanthus)
Phyteuma Magnol. XVI. 2. 555
Phytocrene *Wall.* XVII. 8 9, *Wight* XVII. 13
bracteata *Wall.* XVII. 12
callicarpa Griff. XVII. 10
crinipes Baill. XVII. 12
dasycarpa *Miq.* XVII. 11
gigantea Bl. XVII. 11
gigantea *Wall.* XVII. 9
hirsuta *Bl.* XVII. 12
hirsuta Teysm. & Binnend. XVII. 11
luzoniensis *Baill.* XVII. 10
macrophylla *Bl.* XVII. 10
oblonga *Wall.* XVII. 13
palmata *Wall.* XVII. 11
stylocarpa Griff. XVII. 12
Spec. altera dubia Oliv. XVII. 21 *(bis)*
PHYTOCRENEAE *Baill.* XVII. 7
PHYTOCRENEAE Endl. XVII. 7
PHYTOLACCACEAE Reichenb. XVII. 27
Piabanhaea fruticulosa Tul. & Wedd. XVII. 74
Pian-Fa XVI. 2. 462
Picea Plin. XVI. 2. 416, *Don* XVI. 2. 418, *Lk* XVI. 2. 377 413, *Carr.* XVI. 2. 377 413, *Gord.* XVI. 2. 377
ajanensis Fisch. XVI. 2. 418
alba Lk XVI. 2. 414
Alcockiana Carr. XVI. 2. 418

Picea
amabilis Gord. XVI. 2. 427
amabilis Newberr. XVI. 2. 426
Apollinis Gord. XVI. 2. 422
balsamea Loud. XVI. 2. 423
bracteata Loud. XVI. 2. 419
californica Carr. XVI. 2. 430
canadensis Lk XVI. 2. 428
cephalonica Loud. XVI. 2. 422
cilicica Gord. XVI. 2. 422
concolor Gord. XVI. 2. 426
Douglasii Lk XVI. 2. 430
Engelmanni Engelm. XVI. 2. 417
excelsa Lk XVI. 2. 416
firma Gord. XVI. 2. 424
Fortunei Murr. XVI. 2. 431
Fraseri Loud. XVI. 2. 420
glaucescens Gord. XVI. 2. 420
grandis Newberr. XVI. 2. 427
Herbertiana Madd. XVI. 2. 425
hirtella Loud. XVI. 2. 420
japonica Reg. XVI. 2. 431
jezoensis Carr. XVI. 2. 418
Khutrow Carr. XVI. 2. 417
Kukunaria Wender. XVI. 2. 422
Latinorum J. Bauh. XVI. 2. 416
Lowiana Gord. XVI. 2. 427
Maximowiczii hort. petrop. XVI. 2. 431
Menziesii Carr. XVI. 2. 418
microsperma Carr. XVI. 2. 418
Morinda Lk XVI. 2. 416
Naphta Knight XVI. 2. 425
nigra Lk XVI. 2. 413
nigra var. Mx XVI. 2. 414
nobilis Loud. XVI. 2. 419
Nordmanniana Loud. XVI. 2. 421
obovata Ledeb. XVI. 2. 415
orientalis Carr. XVI. 2. 415
pectinata Loud. XVI. 2. 421
Pichta Loud. XVI. 2. 426
Pindrow Loud. XVI. 2. 425
Pinsapo Loud. XVI. 2. 423
polita Carr. XVI. 2. 417
religiosa Loud. XVI. 2. 420
rubra Lk XVI. 2. 414
Schrenkiana Fisch. & Mey. XVI. 2. 415
sitkensis Carr. XVI. 2. 418
Veitchii Lindl. XVI. 2. 427
vulgaris Lk XVI. 2. 416
Webbiana Loud. XVI. 2. 425
Picea Sect. I. genuinae Lk XVI. 2. 413
Sect. II. dehiscentes Lk XVI. 2. 427

Picea *Endl.* XVI. 2. 413 (P
Piceaster Spach XVI. 2. 41
Picheri XV. 1. 156
Pierardia Roxb. XV. 2. 45
Baill. X
Barteri XV. 2. 464
costulata Müll. Arg. XV
courtallensis Wight XV.
dasystachya Miq. XV. 2.
dulcis Jack XV. 2. 460
flaccida Wall. XV. 2. 45
Griffoniana Baill. XV. 2.
macrophylla Müll. Arg.
macrostachya Wight &
Motleyana Müll. Arg. X
parviflora Müll. Arg. XV
pubera Miq. XV. 2. 458
pubera β tomentosa Mi
pyrrhodasya Müll. Arg.
racemosa Bl. XV. 2. 45
rhacodiscus Hassk. XV
sapida Roxb. XV. 2. 45
Seemanni Müll. Arg. XV
Pierardia sect. Adenocrepi
Pierardia Baill. XV. 2.
(P
Pierardia *Müll. Arg.* XV.
(P
PIERARDIEAE Thwait. XV.
Pilea *Lindl.* XVI. 1. 104.
Wedd. XV
acuminata *Liebm.* XVI. 1.
β cruzensis Wedd.
alsinifolia *Wedd.* XVI. 1.
angulata *Bl.* XVI. 1. 123
angulata minor Bl. XVI.
angulata obscura Bl. X
angulata semipellucida B
angulata stipulosa Bl.
anisophylla *Wedd.* XVI. 1.
anomala *Wedd.* XVI. 1. 1
β – – – –
arguta *Wedd.* XVI. 1. 1

Juss. herb. XVI. 1. 109
Wedd. XVI. 1. 109
Miq. XVI. 1. 145
Liebm. XVI. 1. 156
Wedd. XVI. 1. 155
des Wedd. XVI. 1. 132
Wedd. XVI. 1. 129
Wedd. XVI. 1. 134
ides Kth XVI. 1. 107
ides Schlecht. XVI. 1. 106
Wedd. XVI. 1. 143
Wedd. XVI. 1. 138
iq. XVI. 1. 128
oides Seem. XVI. 1. 123
Wedd. XVI. 1. 113
Wedd. XVI. 1. 148
Wedd. XVI. 1. 132
Wedd. XVI. 1. 161
ay XVI. 1. 140
ioides Wedd. XVI. 1. 152
iseb. XVI. 1. 116
dd. XVI. 1. 114
ae - - - -
ri - - - 115
- - - -
XVI. 1. 160
Wedd. XVI. 1. 147
Wedd. XVI. 1. 120
iana Wedd. XVI. 1. 126
ea Wedd. XVI. 1. 112
Bl. XVI. 1. 116
Griseb. XVI. 1. 116
Bl. XVI. 1. 143
Wedd. XVI. 1. 132
Wedd. XVI. 1. 154
Wedd. XVI. 1. 140
Wedd. XVI. 1. 119
Wedd. XVI. 1. 133
Wedd. XVI. 1. 138
ns - - - -
niana - - - 139
ta - - - -
la - - - -
olia - - - -
dd. XVI. 1. 141
Liebm. XVI. 1. 108
gensis - - - 109
a Miq. XVI. 1. 122
egra Wedd. - - -

Pilea
γ canescens *Wedd.* XVI. 1. 112
δ major - - - -
densiflora Kth XVI. 1. 143
depressa *Bl.* XVI. 1. 159
β multicrenata *Wedd.* - - -
diffusa *Wedd.* XVI. 1. 154
diversifolia *Wedd.* XVI. 1. 121
Dombeyana *Wedd.* XVI. 1. 139
elegans Gay XVI. 1. 140
elegans *Wedd.* XVI. 1. 141
β latifolia - - - -
γ minor - - - -
elliptica *Hook. fil.* XVI. 1. 140
β Gayana - - - -
elongata Bl. XVI. 1. 141
elongata Miq. XVI. 1. 127
falcata *Liebm.* XVI. 1. 147
fallax *Wedd.* XVI. 1. 120
β glabra - - - 121
fasciata *Wedd.* XVI. 1. 149
flexuosa *Wedd.* XVI. 1. 144
Forsythiana *Wedd.* XVI. 1. 111
β robustior - - - -
Franquevilleana *Wedd.* XVI. 1. 108
fuscata Liebm. XVI. 1. 153
Gaudichaudiana Wedd. XVI. 1. 153
glaberrima Bl. XVI. 1. 110
glaberrima β subintegerrima Bl. XVI. 1. 110
globosa *Wedd.* XVI. 1. 107
glomerata *Griseb.* XVI. 1. 118
gnidioides *Griseb.* XVI. 1. 108
Goglado Bl. XVI. 1. 110
Goglado Wedd. XVI. 1. 127
Goudotiana *Wedd.* XVI. 1. 139
grandifolia Bl. XVI. 1. 143
grandis *Wedd.* XVI. 1. 142
β triplinervia - - - 143
Griffithii *Bl.* XVI. 1. 131
grossecrenata Miq. XVI. 1. 153
guadalupensis *Wedd.* XVI. 1. 151
guyanensis Wedd. XVI. 1. 153
haitensis Wedd. XVI. 1. 158
hederacea *Wedd.* XVI. 1. 155
herniariaefolia Bl. XVI. 1. 106
herniarioides Lindl. XVI. 1. 106
heteronema *Griseb.* XVI. 1. 118
Hilariana *Wedd.* XVI. 1. 137
hirsuta *Wedd.* XVI. 1. 157
hirtella *Miq.* XVI. 1. 152
Hookeriana *Wedd.* XVI. 1. 128
Hugelii Bl. XVI. 1. 126
hyalina *Fenzl* XVI. 1. 160

Pilea
hygrophila *Bl.* XVI. 1. 135
Jamesoniana Wedd. XVI. 1. 139
javanica Wedd. XVI. 1. 163 170
imparifolia Wedd. XVI. 1. 122
inaequalis *Wedd.* XVI. 1. 151
insignis Bl. XVI. 1. 126
insolens *Wedd.* XVI. 1. 118
integrifolia *Liebm.* XVI. 1. 115
Kukurang *Bl.* XVI. 1. 162
laevicaulis *Wedd.* XVI. 1. 129
lamioides *Wedd.* XVI. 1. 148
lanceolata *Wedd.* XVI. 1. 110
latifolia *Wedd.* XVI. 1. 149
laxa *Wedd.* XVI. 1. 155
leucophaea *Bl.* XVI. 1. 134
Lindeniana *Wedd.* XVI. 1. 116
β cubana - - - -
Lindenii Bl. XVI. 1. 116
longipes *Liebm.* XVI. 1. 154
lucens Bl. XVI. 1. 130
lucens *Wedd.* XVI. 1. 130
β minor - - - -
lucida *Bl.* XVI. 1. 119
lucida β cuneifolia Griseb. XVI. 1. 119 140
lucida γ serrulata Griseb. XVI. 1. 140
Lundii *Liebm.* XVI. 1. 160
Manniana *Wedd.* XVI. 1. 117
marginata *Wedd.* XVI. 1. 146
Maximiliani *Miq.* XVI. 1. 152
melastomoides Bl. XVI. 1. 127
melastomoides Wedd. XVI. 1. 127
mexicana *Wedd.* XVI. 1. 146
β vegetior - - - 147
miconiaefolia Miq. XVI. 1. 110
microphylla Griseb. XVI. 1. 107
microphylla *Liebm.* XVI. 1. 105
β herniarioides *Wedd.* - - 106
γ longiflora - - - -
δ portulacoides - - - -
microphylla Schlecht. XVI. 1. 106
microphylla herniarioides Griseb. XVI. 1. 113
microphylla perexigua Griseb. XVI. 1. 108
mollis *Wedd.* XVI. 1. 150
mongolica *Wedd.* XVI. 1. 135
montana Wedd. XVI. 1. 153
multiflora *Wedd.* XVI. 1. 145 *(bis)*
muscosa hort. XVI. 1. 107
muscosa Lindl. XVI. 1. 106
muscosa Schlecht. XVI. 1. 106

Pilea
muscosa γ triasthmoides XVI.
Mutisiana Wedd. XVI.
nana *Liebm.* XVI. 1. 159
nitida *Wedd.* XVI. 1. 114
nudicaulis Griseb. XVI.
nudicaulis *Wedd.* XVI. 1.
β latifolia - - -
nummularifolia *Wedd.*
nutans *Wedd.* XVI. 1. 1
obtusata *Liebm.* XVI. 1.
oreophila Bl. XVI. 1. 12
oreophila Miq. XVI. 1. 1
ovalis *Griseb.* XVI. 1. 1
oxyodon *Wedd.* XVI. 1.
pachycarpa *Wedd.* XVI.
Parietaria Bl. XVI. 1.
Parietaria Griseb. XVI.
Pavonii *Wedd.* XVI. 1.
pedunculata Bl. XVI. 1.
pellucida Bl. XVI. 1. 1
peltata *Hance* XVI. 1.
pendula Bl. XVI. 1. 12
pendula *Griseb.* XVI. 1.
peperomiaefolia Liebm.
peplidifolia Schlecht.
peploides *Hook. & Arn.*
β major *Wedd.* - - -
petiolaris *Bl.* XVI. 1. 1
petiolaris Miq. XVI. 1.
Poeppigiana *Wedd.* XVI.
portoricensis *Wedd.* XV
Portula Liebm. XVI. 1.
portulacina Bl. XVI. 1.
producta *Bl.* XVI. 1. 1
propinqua *Wedd.* XVI.
pteropodon *Wedd.* XVI.
pubescens *Liebm.* XVI.
β involucrata *Wedd.*
γ montana - -
δ fuscata - -
ε rupicola - -
ζ guyanensis - -
pulegifolia *Wedd.* XVI.
pumila *A. Gray* XVI. 1.
punctata *Weld.* XVI. 1.
puncticaulis Weld. XVI.
pygmaea Miq. XVI. 1.
quadrifolia A. Rich. XV

dd. XVI. 1. 148
dd. XVI. 1. 125
d. XVI. 1. 155
- - - 156
- - - -
edd. XVI. 1. 145
iebm. XVI. 1. 141
q. XVI. 1. 121
bm. XVI. 1. 112
dd. XVI. 1. 112
XVI. 1. 130
dd. XVI. 1. 114
dd. XVI. 1. 136
iseb. XVI. 1. 156
ifolia - - - -
r. foliis subintegers Griseb. XVI. 1. 113
l. XVI. 1. 114
XVI. 1. 121
l. XVI. 1. 158 (*bis*)
dd. XVI. 1. 153
Vedd. XVI. 1. 123
lla - - - 124
illata - - - -
Vedd. XVI. 1. 111
cis *Liebm.* XVI. 1. 154
Wedd. XVI. 1. 109
XVI. 1. 127
d. XVI. 1. 127 (*bis*)
- - - - -
Liebm. XVI. 1. 160
Wedd. XVI. 1. 141
- - - 142
Hook. & Arn. XVI. 1. 107
hort. XVI. 1. 107
Wedd. XVI. 1. 107
Vedd. XVI. 1. 144
dd. XVI. 1. 140
- - - - -
- - - 141
Vedd. XVI. 1. 147
Vedd. XVI. 1. 125
Wedd. XVI. 1. 110
lia - - - -
- - - - -
na - - - -
riseb. XVI. 1. 141
Vedd. XVI. 1. 161
Griseb. XVI. 1. 113
Wedd. XVI. 1. 112
q. XVI. 1. 131
Vedd. XVI. 1. 116
dd. XVI. 1. 156

Pilea
subcrenata Bl. XVI. 1. 130
subcrenata *Wedd.* XVI. 1. 148
sublucens *Wedd.* XVI. 1. 130
submissa *Wedd.* XVI. 1. 151
subpubera Miq. XVI. 1. 163 164
subserrata *Wedd.* XVI. 1. 137
succulenta Hook. fil. XVI. 1. 106
succulenta *Wedd.* XVI. 1. 150
Swartzii *Wedd.* XVI. 1. 160
Symmeria *Wedd.* XVI. 1. 134
tenerrima Miq. XVI. 1. 106
ternifolia *Wedd.* XVI. 1. 124
tetraphylla *Bl.* XVI. 1. 136
Thouarsiana *Wedd.* XVI. 1. 124
thymifolia Bl. XVI. 1. 107
Trianaeana *Wedd.* XVI. 1. 121
trianthemoides *Lindl.* XVI. 1. 106
β microphylla *Wedd.* - - 107
trichosanthes *Wedd.* XVI. 1. 120
trichotoma *Liebm.* XVI. 1. 156
trilobata *Wedd.* XVI. 1. 129
trinervia *Wight* XVI. 1. 127
β minor *Wedd.* - - 128
triplinervia Bl. XVI. 1. 130
uliginosa *Philipp.* XVI. 1. 235[63]
umbellata *Wedd.* XVI. 1. 126
umbrosa *Wedd.* XVI. 1. 133
β obesa - - - 134
uncidens Wedd. XVI. 1. 138
uninervis Griseb. XVI. 1. 141
urticaefolia Bl. XVI. 1. 124
Urticella *Wedd.* XVI. 1. 157
variegata *Seem.* XVI. 1. 123
venulosa *Bl.* XVI. 1. 162
verbascifolia *Wedd.* XVI. 1. 132
virgata *Wedd.* XVI. 1. 112
vulcanica *Liebm.* XVI. 1. 142
Wallichii Wedd. XVI. 1. 134
Wightii *Wedd.* XVI. 1. 125
Wrightiana *Wedd.* XVI. 1. 113
β microphylla - - - -
γ intermedia - - - -
Wydleri Bl. XVI. 1. 115
xalapensis Liebm. XVI. 1. 153
Pillo-Pillo XIV. 524
Pilinophyton Kl. XV. 2. 513 687
capitatum Kl. XV. 2. 687
Lindheimeri Engelm. & Gray XV. 2. 687
Pilinophyton A. Gray XV. 2. 687 (Croton)
Pilostyles *Guillem.* XVII. 114, *Gardn.* XVII. 113
aethiopica *Welw.* XVII. 114
Berterii *Guillem.* XVII. 115

Pilostyles
Blanchetii *R. Br.* XVII. 115
Calliandrae *R. Br.* XVII. 115
Caulotreti *Hook. fil.* XVII. 116
Hausknechtii *Boiss.* XVII. 115
Ingae *Hook. fil.* XVII. 116
Thurberi *A. Gray* XVII. 115
Pimelea *Banks & Soland.* XIV. 496, *C. A. Mey.* XIV. 496 515, *Endl.* XIV. 497
alpina *F. Müll.* XIV. 511
ammocharis *F. Müll.* XIV. 507
angustifolia *R. Br.* XIV. 499
α minor *Meisn.* – –
β major – – –
γ Drummondi – – –
δ calvescens – – –
angustifolia F. Müll. XIV. 501
arenaria *A. Cunn.* XIV. 517
argentea *R. Br.* XIV. 513
argentea Meisn. XIV. 513
axiflora *F. Müll.* XIV. 514
axillaris Banks & Soland. XIV. 516
Baxteri A. Cunn. XIV. 507
Behrii Schlecht. XIV. 508
brevifolia *R. Br.* XIV. 497
campicola A. Cunn. XIV. 501
cernua *R. Br.* XIV. 497
cernua Gunn. XIV. 499
cinerea *R. Br.* XIV. 509
clavata *Labill.* XIV. 510
cluytioides *Meisn.* XIV. 511
collina *R. Br.* XIV. 497
collina A. Cunn. XIV. 503
colorans *A. Cunn.* XIV. 499
β apiculata *Meisn.* – 500
colorans Mitch. XIV. 506
congesta A. Cunn. XIV. 512
congesta Rich. XIV. 513
cornucopiae *Soland.* XIV. 496
crinita *Lindl.* XIV. 507
Cunninghamii *Meisn.* XIV. 498
curviflora *R. Br.* XIV. 512
decussata *R. Br.* XIV. 502
β diosmaefolia *Meisn.* – –
denticulata A. Cunn. XIV. 498
dichotoma Schlecht. XIV. 510
diosmaefolia Lodd. XIV. 502
diosmifolia A. Cunn. XIV. 510
distinctissima F. Müll. XIV. 515
drupacea *Labill.* XIV. 515
elachantha F. Müll. XIV. 511
elata *F. Müll.* XIV. 505
ferruginea Labill. XIV. 502
filamentosa Rudg. XIV. 498

Pimelea
filiformis *Hook. fil.* XIV.
flava *R. Br.* XIV. 510
β diosmaefolia *Meisn.*
γ parvifolia –
flava Meisn. XIV. 506
floribunda *Meisn.* XIV.
glauca *R. Br.* XIV. 501
α minor *Meisn.* – –
β major – – –
γ subenervis – – –
Gnidia *Banks & Soland.*
β Menziesii *Hook. fil.* –
graciliflora *Hook.* XIV.
gracilis *R. Br.* XIV. 512
β sericea *Meisn.* – –
gracilis F. Müll. XIV.
grandiflora *Don* XIV.
Hendersoni Grah. XIV.
Hewardiana *Meisn.* XIV.
β elachantha – –
hirsuta *Meisn.* XIV. 513
hispida *R. Br.* XIV. 500
hispida A. Cunn. XIV.
humilis *R. Br.* XIV. 502
β myrtifolia *Meisn.* – –
humilis Lindl. XIV. 501
hypericina *Hook.* XIV.
imbricata *R. Br.* XIV.
β Baxteri *Meisn.* –
γ gracillima – –
imbricata Meisn. XIV.
imbricata β glabrata
incana *R. Br.* XIV. 500
intermedia *Lindl.* XIV.
involucrata Banks & Sol.
laevigata Gaertn. XIV.
laeviguta β Banks XIV.
lanata *R. Br.* XIV. 500
lanceolata hort. Nanett.
latifolia *R. Br.* XIV. 514
Lehmanniana *Meisn.* XIV.
β nervosa – –
ligustrina *Labill.* XIV. 501
ligustrina Sieber XIV.
linariifolia A. Cunn. XIV.
Lindleyana *Meisn.* XIV.
linifolia A. Cunn. XIV.
linifolia Gunn. XIV. 498
linifolia *Sm.* XIV. 497 498
α Smithiana *Meisn.* –
β Brownii – –
γ Andersonii – –

leisn. XIV. 498
– – –
sa – – –
Cunn. XIV. 497 (*bis*)
. XIV. 498
Br. XIV. 507
nks & Soland. XIV. 516
fil. XIV. 517
Hook. XIV. 504
eisn. XIV. 497
hm. XIV. 503
eisn. – –
Müll. XIV. 512
R. Br. XIV. 515
a *Meisn.* – –
– – –
olia – – –
β major Meisn. XIV. 507
sn. XIV. 509
isn. XIV. 506
sn. XIV. 502
. XIV. 512
eisn. XIV. 513
hlecht. XIV. 502
XIV. 508
a *Meisn.* – –
n. XIV. 500
hort. XIV. 500
XIV. 509 (*bis*)
ook. fil. – –
a – – –
ria – – –
a *Meisn.* – –
. XIV. 498
. *Br.* XIV. 508
eisn. – –
– – –
isn. XIV. 502
Br. XIV. 499
leisn. – –
a – – –
Cunn. XIV. 499
dd. XIV. 515
eisn. XIV. 511
Br. XIV. 515
n. XIV. 508
Müll. XIV. 500
leisn. XIV. 507
ok. XIV. 504
Cunn. XIV. 508
IV. 516
n. XIV. 500
– – –

Pimelea
Preissii Schlecht. XIV. 500
prinifolia *Nois.* XIV. 518
propinqua *A. Cunn.* XIV. 512
prostrata *Banks & Soland.* XIV. 517
β repens *Hook. fil.* – –
γ Urvilleana *Meisn.* – –
δ vermicularis – – –
prostrata var. quadrifaria Hook. fil. XIV. 517
punicea *R. Br.* XIV. 497
pygmaea *F. Müll.* XIV. 511
quadrifaria Banks & Soland. XIV. 517
ramulosa A. Cunn. XIV. 515
rigida *Meisn.* XIV. 502
rosea *R. Br.* XIV. 503
β Hendersonii *Meisn.* – –
γ calocephala – – –
rosea Meisn. XIV. 503
Schlechtendaliana *Meisn.* XIV. 500
sericea *R. Br.* XIV. 509
sericea β Wickst. XIV. 517
serpyllifolia *R. Br.* XIV. 511
Shuttleworthiana *Meisn.* XIV. 513
simplex *F. Müll.* XIV. 511
spathulata Labill. XIV. 497
spectabilis *Lindl.* XIV. 504
β Verschaffeltii *Meisn.* – –
spicata *R. Br.* XIV. 514
stricta *Meisn.* XIV. 501
suaveolens *Meisn.* XIV. 504
sulphurea *Meisn.* XIV. 506
sylvestris *R. Br.* XIV. 506
thymifolia Presl XIV. 512
tinctoria *Meisn.* XIV. 501
trichostachya *Lindl.* XIV. 514
umbratica *A. Cunn.* XIV. 510
Verschaffeltii Morren XIV. 504
vestita *Meisn.* XIV. 513
villifera A. Cunn. XIV. 513
villifera *Meisn.* XIV. 508
villosa Banks & Soland. XIV. 517
villosa *Meisn.* XIV. 508
viminea Schlecht. XIV. 508
virgata *Vahl* XIV. 516
β pilosa *Meisn.* – –
Pimelea *sect.* Eupimelea *Meisn.* XIV. 497
Gymnococca *Meisn.* XIV. 514
Thecanthes *Meisn.* XIV. 496

Pimelea sect. 3 *R. Br.* XIV. 514
sect. 4 - - 513
sect. 5 - - 511
Pimeleodendron Hassk. XV. 2. 1143
amboinicum Hassk. XV. 2. 1143
Pimeleodendron *Müll. Arg.* XV. 2. 1143 (Carumbium)
PINACEAE Lindl. XVI. 2. 361
PINACEAE Lindl. XVI. 2. 368
Pin á parasol XVI. 2. 382
Pinaster Caesalp. XVI. 2. 383
Pumilio Clus. XVI. 2. 386
quartus austriacus Clus. XVI. 2. 386
vulgaris alter Clus. XVI. 2. 387
Pinaster Endl. XVI. 2. 378 (Pinus)
Pinaster *Parl.* XVI. 2. 378 (Pinus)
Pin de Corte XVI. 2. 383
Pin de Geneve XVI. 2. 385
Pin de Riga XVI. 2. 385
Pin de Russie XVI. 2. 385
Pin du Mans XVI. 2. 383
Pin du Trochet XVI. 2. 383
Pinea Endl. XVI. 2. 378 (Pinus)
Pinea *Parl.* XVI. 2. 378 (Pinus)
PINEAE *Parl.* XVI. 2. 364 377
Pinhao XVI. 2. 371
Pinheiro XVI. 2. 371
bravo XVI. 2. 383
Manso XVI. 2. 382
mollar XVI. 2. 382
negro XVI. 2. 382
Pin maritime XVI. 2. 383
Pino XVI. 2. 393 498 511
Pino Bermeyo XVI. 2. 383
blanco XVI. 2. 399
da Pinocchi XVI. 2. 382
di Riga XVI. 2. 385
neoral XVI. 2. 383
neveal XVI. 2. 383
real XVI. 2. 382 399
salvatico XVI. 2. 383
stiacciamani XVI. 2. 382
Pinol XIV. 449
Pinon XVI. 2. 370
Pinsapo XVI. 2. 423
Pinus *L.* XVI. 2. 364 377 378, *Plin.* XVI. 2. 382, *Tourn.* XVI. 2. 377, *Spach* XVI. 2. 377, *Gord.* XVI. 2. 377, *Lk* XVI. 2. 377, *Carr.* XVI. 2. 377, *Henk. & Hochst.* XVI. 2. 377, *Lamb.* XV. 2. 374 432, *Siebold* XVI. 2. 435
abasica Carr. XVI. 2. 384
Abies *Duroi* XVI. 2. 420
β cephalonica *Parl.* - - 422
Pinus
Abies Endl. XVI. 2. 421
Abies L. XVI. 2. 416
Abies Lour. XVI. 2. 421
Abies Pall. XVI. 2. 415
abschasica Fisch. XVI. 2.
aculcensis Roezl XVI. 2.
adunca Bosc XVI. 2.
alba *Ait.* XVI. 2. 414
β arctica *Parl.* - - -
albicaulis Engelm. XVI.
Alcoquiana *Parl.* XVI. 2.
alia &c. Caesalp. XVI.
amabilis *Dougl.* XVI. 2.
amecaentix Roezl XVI. 2.
americana Guerin. XVI.
americana Duroi XVI. 2.
americana rubra Wangh.
angulata Roezl XVI. 2.
Apollinis Antoin. XVI. 2.
arabica Sieber XVI. 2.
Araragi Siebold XVI. 2.
araucana Molin. XVI. 2.
aristata *Engelm.* XVI. 2.
armena C. Koch XVI. 2.
atlantica Endl. XVI. 2.
atrovirens Roezl XVI. 2.
australis *Mx* XVI. 2.
australis Mx fil. XVI. 2.
austriaca Höss XVI. 2.
Ayacahuite *C. Ehrenb.*
aztecaensis Roezl XVI. 2.
Backhausiana Roezl XVI.
baldensis Zucc. XVI. 2.
balsamea *L.* XVI. 2.
Banksiana Lamb. XVI.
Beardsleyi Murr. XVI.
Benthamiana Hartw. XVI.
Besseriana Roezl XVI. 2.
bicolor Maxim. XVI. 2.
bifida Antoin. XVI. 2.
Bolanderi *Parl.* XVI. 2.
Bothiana Roezl XVI. 2.
Boucheiana Roezl XVI. 2.
Boursieri Carr. XVI. 2.
brachyphylla *Parl.* XVI.
brachyptera Engelm. XVI.
bracteata *Don* XVI. 2.
Brunoniana Wall. XVI.
brutia Ten. XVI. 2.
bullata Roezl XVI. 2.
Bungeana *Zucc.* XVI. 2.
Buonapartea Roezl XVI.
californica Hartw. XVI.

Lois. XVI. 2. 395
Duroi XVI. 2. 414
Hook. XVI. 2. 429
L. XVI. 2. 428
bifolia &c. Duham. XVI. 2. 388
fol. curtis &c. Duham. XVI. 2. 381
Ch. Sm. XVI. 2. 393
XVI. 2. 384
ezl XVI. 2. 399
na hort. XVI. 2. 390
VI. 2. 407
Parl. - - 408
- - - -
l XVI. 2. 401
XVI. 2. 402
Parl. - - 403
g XVI. 2. 404
fruticosa Griseb. XVI. 2. 405
ila Pall. XVI. 2. 403
Newberr. XVI. 2. 403
Zucc. XVI. 2. 397
Endl. XVI. 2. 422
Engelm. XVI. 2. 397
ight XVI. 2. 383
l. XVI. 2. 405
in. & Kotschy XVI. 2. 422
ling XVI. 2. 416
na Lodd. XVI. 2. 416
oezl XVI. 2. 399
ezl XVI. 2. 407
Parl. XVI. 2. 417
Roezl XVI. 2. 401
gelm. XVI. 2. 426
ugl. XVI. 2. 381
XVI. 2. 399
ezl XVI. 2. 400
XVI. 2. 392
iseb. XVI. 2. 396
t. XVI. 2. 402
Molin. XVI. 2. 431 455
is. XVI. 2. 387
amb. XVI. 2. 374 431
ch. XVI. 2. 410
Roezl XVI. 2. 399
na Roezl XVI. 2. 401
ll. XVI. 2. 429
XVI. 2. 431
ndl. XVI. 2. 388
eb. & Zucc. XVI. 2. 388

Pinus
Deodara *Roxb.* XVI. 2. 408
dependens Roezl XVI. 2. 401
Devoniana Spach XVI. 2. 399
Dicksonii hort. XVI. 2. 405
dioica Vell. XVI. 2. 371 431
Dolleriana Roezl XVI. 2. 399
Don Pedri Roezl XVI. 2. 407
Douglasii Lamb. XVI. 2. 430
Douglasii *Sabin.* XVI. 2. 430
β pendula *Parl.* - - -
dumosa *Don* XVI. 2. 429
durangensis Roezl XVI. 2. 407
echinata Mill. XVI. 2. 380
Edgariana Hartw. XVI. 2. 379
edulis Carr. XVI. 2. 397
edulis *Engelm.* XVI. 2. 398
Ehrenbergii Endl. XVI. 2. 400
Ehrenbergii Roezl XVI. 2. 401
elegans Roezl XVI. 2. 399
Endlicheriana Roezl XVI. 2. 400
Engelmanni Torr. XVI. 2. 395
Escandoniana Roezl XVI. 2. 402
escarena Risso XVI. 2. 383
excelsa Lam. XVI. 2. 416
excelsa *Wall.* XVI. 2. 404
exserta Roezl XVI. 2. 399
falciformis *Parl.* XVI. 2. 685
Fenzlii Antoin. & Kotschy XVI. 2. 387
fertilis Roezl XVI. 2. 397
filifolia *Lindl.* XVI. 2. 400
filifolia Roezl XVI. 2. 399
Finhonnoskiana *Parl.* XVI. 2. 431
Finlaysoniana Wall. XVI. 2. 389
firma *Antoin.* XVI. 2. 424
flexilis *James* XVI. 2. 403
foliis quinis &c. Gmel. XVI. 2. 403
foliis quinis &c. Plum. XVI. 2. 402
foliis ternis Gronov. XVI. 2. 393
Fortunei *Parl.* XVI. 2. 430
Fraseri Lodd. XVI. 2. 394
Fraseri *Pursh* XVI. 2. 419
Fremontiana Endl. XVI. 2. 379
frondosa Roezl XVI. 2. 400
Galocote Roezl XVI. 2. 396
van Geertii Roezl XVI. 2. 399
Geitneri Roezl XVI. 2. 400
genevensis hort. XVI. 2. 385
genuensis Cook XVI. 2. 384
Gerardiana *Wall.* XVI. 2. 391
glauca Moench XVI. 2. 414
Gordoniana Hartw. XVI. 2. 399
gracilis Roezl XVI. 2. 401

Pinus
grandis *Dougl.* XVI. 2. 427
grandis Roezl XVI. 2. 399
Greggii *Engelm.* XVI. 2. 396
Grenvilleae Gord. XVI. 2. 399
Griffithii *Parl.* XVI. 2. 411
Haageana Roezl XVI. 2. 399
haguenoviensis hort. XVI. 2. 385
halepensis MB. XVI. 2. 388
halepensis Lamb. XVI. 2. 384
halepensis *Mill.* XVI. 2. 383
hamata Roezl XVI. 2. 407
Hamiltoni Ten. XVI. 2. 383
Hartwegii *Lindl.* XVI. 2. 399
Hartwegii Roezl XVI. 2. 400
Heldreichii Christ XVI. 2. 387
Hendersonii Roezl XVI. 2. 399
heteromorpha Roezl XVI. 2. 402
hierosolymitana Duham. XVI. 2. 384
hirtella H. B. & Kth XVI. 2. 420
holophylla *Parl.* XVI. 2. 424
homolepis Antoin. XVI. 2. 424
horizontalis Roezl XVI. 2. 399
Hoseriana Roezl XVI. 2. 402
van Houttei Roezl XVI. 2. 399
hudsonica *Poir.* XVI. 2. 380
Hügelii Roezl XVI. 2. 396
huisquilucaensis Roezl XVI. 2. 401
humilis Lk XVI. 2. 386
japonica Antoin. XVI. 2. 388
japonica hort. XVI. 2. 383
japonica *Parl.* XVI. 2. 431
Jeffreyi *Murr.* XVI. 2. 393
jezoensis Antoin. XVI. 2. 418
inflexa Roezl XVI. 2. 399
inops Hook. XVI. 2. 381
inops *Soland.* XVI. 2. 380
insignis *Dougl.* XVI. 2. 395
insularis *Endl.* XVI. 2. 390
intermedia Duroi XVI. 2. 409
intermedia Lodd. XVI. 2. 411
interposita Roezl XVI. 2. 396
Jostii Roezl XVI. 2. 399
Istacihuatli Roezl XVI. 2. 400
Kaempferi *Lamb.* XVI. 2. 412
β nana *Parl.* - - 413
kamtschatica *Endl.* XVI. 2. 431
Kasya *Royl.* XVI. 2. 390
Ketelerii Roezl XVI. 2. 399
Khasyana Hook. fil. XVI. 2. 390
Khutrow Royl. XVI. 2. 416
Kochiana Kl. XVI. 2. 385
koraiensis Endl. XVI. 2. 404

Pinus
koraiensis *Sieb. & Zucc.*
Krelagi Roezl XVI. 2. 4
Lambertiana *Dougl.* XVI
Lambertiana β Hook.
lanceolata Lamb. XVI.
laricina Duroi XVI. 2. 4
Laricio MB. XVI. 2. 38
Laricio Koch XVI. 2. 3
Laricio *Poir.* XVI. 2. 38
β tenuifolia *Parl.* - -
γ nigricans - - -
δ Pallasiana - - -
Laricio Savi XVI. 2. 38
Laricio angustisquama
Laricio austriaca Endl.
Laricio γ cebennensis G
Godr. XV
Laricio β latisquama
Laricio leptophylla Cur
Laricio nigricans Cur
Laricio Pallasiana End
Laricio var. Poiretiana
X
Laricio β pyrenaica Ge
X
Larix *L.* XVI. 2. 411
Larix Pall. XVI. 2. 41
Larix americana Pall.
lasiocarpa Hook. XVI.
Latteri Madden XVI. 2.
laxa Ehrh. XVI. 2. 41
Ledebourii *Endl.* XVI.
leioclada Stev. XVI. 2.
leiophylla *Schied. & D*
Lemoniana Benth. XVI
leptolepis *Endl.* XVI. 2
Lerdoi Roezl XVI. 2. 4
Leroy Roezl XVI. 2. 3
leucodermis Antoin. XV
Lindleyana Gord. XVI.
Llaveana Schied. & D
Llaveana Torr. XVI. 2
Loddigesii Lond. XVI.

Carr. XVI. 2. 385
Henk. & Hochst. XVI. 2. 388
al XVI. 2. 400
b. XVI. 2. 390
Lindl. XVI. 2. 391
ord. XVI. 2. 407
XVI. 2. 400
XVI. 2. 412
indl. XVI. 2. 392
Lindl. XVI. 2. 399
Roezl XVI. 2. 399
n. XVI. 2. 382
uss. & Ten. XVI. 2. 387
chouw XVI. 2. 386
zl XVI. 2. 399
Regel XVI. 2. 403
i XVI. 2. 413
XVI. 2. 387
ib. XVI. 2. 384
l. XVI. 2. 388
r. XVI. 2. 383
ra C. Bauh. XVI. 2. 383
hort. XVI. 2. 413
amb. XVI. 2. 389
ieb. & Zucc. XVI. 2. 389
Parl. XVI. 2. 431
gl. XVI. 2. 418
h. & de Vries. XVI. 2. 389
long. XVI. 2. 428
Roezl XVI. 2. 399
amb. XVI. 2. 409
oezl XVI. 2. 396
. 2. 380
ort. XVI. 2. 385
orr. & Frem. XVI. 2. 378
Salzm. XVI. 2. 387
oezl XVI. 2. 399
st XVI. 2. 386
i XVI. 2. 386
Roezl XVI. 2. 401
Gord. XVI. 2. 400
Lamb. XVI. 2. 398
lla *Parl.* - - 399
a - - - -
chlecht. XVI. 2. 399
ugl. XVI. 2. 405
XVI. 2. 417
Roezl XVI. 2. 396 (*bis*)

Pinus
Mugho Poir. XVI. 2. 386
Mughus Jacq. XVI. 2. 385
Mughus Scop. XVI. 2. 386
muricata *Don* XVI. 2. 379
muricata var. Boland. XVI. 2. 379
Murrayana Balf. XVI. 2. 379
Naphta hort. XVI. 2. 425
Nec plus Ultra Roezl XVI. 2. 399
neglecta Low. XVI. 2. 383
neosa Gouan. XVI. 2. 391
nepalensis Forbes XVI. 2. 390
nepalensis Royl. XVI. 2. 383
Nesselrodiana Roezl XVI. 2. 399
nigra *Ait.* XVI. 2. 413
nigricans Host XVI. 2. 387
nitida Roezl XVI. 2. 399
nobilis *Dougl.* XVI. 2. 419
Nordmanniana Stev. XVI. 2. 421
Northumberlandiana Roezl XVI. 2. 399
novae Hollandiae Lodd. XVI. 2. 383
novae Zeelandiae Lodd. XVI. 2. 383
Nuttallii *Parl.* XVI. 2. 412
obliqua Sauter XVI. 2. 386
obovata *Antoin.* XVI. 2. 415
β Schrenkiana *Parl.* - - -
Ocampii Roezl XVI. 2. 399
occidentalis H. B. & Kth XVI. 2. 399
occidentalis *Sw.* XVI. 2. 402
Ocote Roezl XVI. 2. 399
Ocotechino Roezl XVI. 2. 401
oocarpa *Schied.* XVI. 2. 401
oocarpoides Benth. XVI. 2. 401
orientalis Friwald. XVI. 2. 421
orientalis *L.* XVI. 2. 414
orientalis β longifolia Ledeb. XVI. 2. 415
Orizabae Gord. XVI. 2. 402
Ortgiesiana Roezl XVI. 2. 399
osteosperma Engelm. XVI. 2. 397
Pallasiana Lamb. XVI. 2. 388
Pallasii Parol. XVI. 2. 385
Palmieri Manett. XVI. 2. 392
palustris Mill. XVI. 2. 392
Papeleui Roezl XVI. 2. 400
Parolíniana Webb XVI. 2. 385
Parolinii Vis. XVI. 2. 385
Parryana *Engelm.* XVI. 2. 402
Parryana Gord. XVI. 2. 396
parviflora *Sieb. & Zucc.* XVI. 2. 404
Pattoniana *Parl.* XVI. 2. 429

Pinus
patula *Schied.* & *Depp.* XVI. 2. 397
Pawlikowskiana Roezl XVI. 2. 399
Paxtonii Roezl XVI. 2. 399
pectinata Lam. XVI. 2. 421
pendula Griff. XVI. 2. 405
pendula *Soland.* XVI. 2. 409
persica *Strangw.* XVI. 2. 390
Peuce Griseb. XVI. 2. 405
Picea *Duroi* XVI. 2. 415
Picea Endl. XVI. 2. 416
Picea L. XVI. 2. 421
Picea Pall. XVI. 2. 426
Pichta Fisch. XVI. 2. 426
Pinaster Bess. XVI. 2. 387
Pinaster Lamb. XVI. 2. 383
Pinaster Loud. XVI. 2. 389
Pinaster *Soland.* XVI. 2. 382
β Hamiltonii *Parl.* - - 383
γ minor - - - -
δ prolifera - - - -
ε Lemoniana - - - -
Pinaster Hamiltonii Lindl. & *Gord.* XVI. 2. 383
Pinaster Lemoniana Endl. XVI. 2. 383
Pinaster minor Lois. XVI. 2. 383
Pindrow *Royl.* XVI. 2. 424
Pinea Gord. XVI. 2. 388
Pinea Hablitz XVI. 2. 388
Pinea *L.* XVI. 2. 381
β fragilis *Parl.* - - 382
γ cretica *hort.* - - -
Pinea fragilis Nouv. Duham. XVI. 2. 382
Pinsapo Antoin. XVI. 2. 423
Pinsapo *Boiss.* XVI. 2. 422
Pithyusa Strangw. XVI. 2. 384
Planchonii Roezl XVI. 2. 399
polita *Antoin.* XVI. 2. 417
ponderosa *Dougl.* XVI. 2. 395
pontica C. Koch XVI. 2. 385
Popocatepeltii Roezl XV. 2. 407
prasina Roezl XVI. 2. 402
protuberans Roezl XVI. 2. 402
Pseudo-Larix Steud. XVI. 2. 411
Pseudo-Strobus Gord. XVI. 2. 399
Pseudo-Strobus *Lindl.* XVI. 2. 401
Pseudo-Taeda *Ten.* XVI. 2. 398
Pumilio Haenk. XVI. 2. 386
pungens *Mx* XVI. 2. 379
pygmaea Fisch. XVI. 2. 403
pyrenaica Carr. XVI. 2. 385

Pinus
pyrenaica *Lapeyr.* X
quadrifolia Parry XV
radiata Don XVI. 2.
Regeliana Roezl XVI.
religiosa *H. B.* & K
β minor *Parl.* - -
resinosa Roezl XVI. 2.
resinosa *Soland.* XVI.
retracta Roezl XVI. 2.
Richardiana Roezl XV
rigensis Desf. XVI. 2.
rigida *Mill.* XVI. 2. 3
Rinzii Roezl XVI. 2.
robusta Roezl XVI. 2.
rotundata Lk XVI. 2.
Royleana *James* XVI.
rubescens Roezl XVI.
rubra *Lamb.* XVI. 2. 4
rubra Mill. XVI. 2. 3
rubra Mx fil. XVI. 2.
rubra Siebold XVI. 2.
rudis Endl. XVI. 2. 40
rudis Roezl XVI. 2. 40
Rumeliana Roezl XVI.
rupestris Mx XVI. 2.
Russeliana Lindl. XVI.
Russeliana Roezl XVI.
Sabiniana *Dougl.* XVI.
Salzmanni Dunal XVI.
sanguinea Lapeyr. XVI.
San Rafaeliana Roezl XV
saskatchawensis Hook.
scariosa Lodd. XVI. 2.
Schrenkiana Antoin. XVI
scoparia Roezl XVI. 2.
scotica W. herb. XVI.
selenolepis *Parl.* XVI.
serotina *Mx* XVI. 2.
Shasta Carr. XVI. 2.
sibirica Antoin. XVI.
sibirica *Turcz.* XVI. 2.
Sinclairiana Hook. & *A*
sinensis Endl. XVI. 2.
sinensis Lamb. XVI. 2.
sitkensis Bong. XVI. 2.
Skinneri hort. XVI. 2.
Smithiana *Lamb.* XVI.
Soulangiana Roezl XVI.
spectabilis Lamb. XVI.
spinosa Roezl XVI. 2.
squamosa Bosc XVI. 2.

Roezl XVI. 2. 400
a Loud. XVI. 2. 383
milt. XVI. 2. 425
nis Engelm. XVI. 2. 407
XVI. 2. 405
bg XVI. 2. 404
Roezl XVI. 2. 397
Roezl XVI. 2. 400
Jungh. XVI. 2. 389
Baumg. XVI. 2. 387
Finlays. XVI. 2. 389
L. XVI. 2. 385
ta Parl. - - 386
Lour. XVI. 2. 389
Thbg XVI. 2. 389
W. herb. XVI. 2. 385
L. XVI. 2. 383
rgentea Stev. XVI. 2. 385
divaricata Ait. XVI. 2. 381
astigiata Carr. XVI. 2. 386
montana Ait. XVI. 2. 386
r. XVI. 2. 383
nco XVI. 2. 390
XVI. 2. 393
lopecuroidea Ait. XVI. 2. 394
da Ait. XVI. 2. 394
ill. XVI. 2. 386
t. XVI. 2. 387
amb. XVI. 2. 430
Roezl XVI. 2. 399
Benth. XVI. 2. 400
iam. & Schl. XVI. 2. 396
Roezl XVI. 2. 399
a Roezl XVI. 2. 399
Parl. XVI. 2. 388
Loud. XVI. 2. 390
Webb XVI. 2. 425
Roezl XVI. 2. 400
is Roezl XVI. 2. 399
Parry XVI. 2. 391
rt. XVI. 2. 385
ana Roezl XVI. 2. 399
ana Parl. XVI. 2. 431
oi Fisch. XVI. 2. 422
in. XVI. 2. 428
Sieb. & Zucc. - - -
l. XVI. 2. 428
Don XVI. 2. 394
a Roezl XVI. 2. 402
Wimm. XVI. 2. 386
am. & Dc. XVI. 2. 386

Pinus
valida Roezl XVI. 2. 399
variabilis Lamb. XVI. 2. 380
variabilis Pursh XVI. 2. 380
Veitchii Roezl XVI. 2. 407
venusta Dougl. XVI. 2. 419
verrucosa Roezl XVI. 2. 401
Verschaffeltii Roezl XVI. 2. 399
verticillata Siebold XVI. 2. 431 435
Vilmoriana Roezl XVI. 2. 396
viminalis Alstroem XVI. 2. 416
virginiana Mill. XVI. 2. 380
virginiana tenuifolia Pluk. XVI. 2. 393
Webbiana *Wall.* XVI. 2. 425
Wilsonii Roezl XVI. 2. 399
Wincesteriana Gord. XVI. 2. 399
Wincesteriana Roezl XVI. 2. 399
Zacatlanae Roezl XVI. 2. 399
Zitacuarii Roezl XVI. 2. 399
Pinus *Endl.* XVI. 2. 378 (Pinus)
Pinus *sect. Cembra Endl.* XVI. 2. 402
Cembra *Parl.* XVI. 2. 402
Cembra Spach XVI. 2. 402
Eupitys Spach XVI. 2. 378
Pinaster & *Pinea Endl.* XVI. 2. 378
Pseudo-Strobus Endl. XVI. 2. 398
Strobus Endl. XVI. 2. 402
Strobus Spach XVI. 2. 402
Taeda Spach XVI. 2. 390
Pinus *subgen.* Pinus *Endl.* XVI. 2. 364 378
sect. Pinea *Parl.* XVI. 2. 364 378
A. Pinaster *Parl.* XVI. 2. 364 378
B. Taeda *Parl.* XVI. 2. 364 390
C. Pseudo-Strobus Parl. XVI. 2. 364 398

Pinus *subgen.* Pinus
sect. Cembra *Parl.* XVI. 2. 364 402
Pinus *subgen.* Sapinus *Endl.* XVI. 2. 365 407
sect. Cedrus *Endl.* XVI. 2. 365 407
Larix *Endl.* XVI. 2. 365 409
Pseudo-Larix *Parl.* XVI. 2. 365 412
Picea *Endl.* XVI. 2. 365 413
Abies *Endl.* XVI. 2. 365 418
Tsuga *Endl.* XVI. 2. 365 427

Pipe-pine XV. 1. 435
Piper *L.* XVI. 1. 240 392, *Sw.* XVI. 1. 391, *Bl.* XVI. 1. 339, *Kth* XVI. 1. 326, *Miq.* XVI. 1. 240, *Wall.* XVI. 1. 388
abbreviatum Opiz XVI. 1. 347
abutilifolium *C. Dc.* XVI. 1. 372
abutiloides *Kth* XVI. 1. 329
acarouanyanum C. *Dc.* XVI. 1. 311
acre *Bl.* XVI. 1. 349
aculeatum *C. Dc.* XVI. 1. 301
acuminatum bot. magaz. XVI. 1. 384 *(non adest loco citato)*
acuminatum Forst. XVI. 1. 380 412
acuminatum Hill XVI. 1. 380 406
acuminatum L. XVI. 1. 380 416
acuminatum Sw. XVI. 1. 380 437
acutifolium *R. & Pav.* XVI. 1. 269
adenandrum *C. Dc.* XVI. 1. 273
adenophornm *C. Dc.* XVI. 1. 274
adscendens Endl. XVI. 1. 380 414
aduncum Hill XVI. 1. 285
aduncum *L.* XVI. 1. 285
aemulum Endl. XVI. 1. 381 451
aequale *Vahl* XVI. 1. 310 311
β ovalifolium *C. Dc.* - - 311
affine *C. Dc.* XVI. 1. 286

Piper
affine Mart. & Gal. XVI.
Afzelianum R. & Schult.
aggregatum Berg. XVI. 1. XVI.
alare *Hamilt.* XVI. 1. 353
alatum Vahl XVI. 1. 383
albido-punctatum *Bl.* XVI.
albidum *H. B. & Kth* X
album *Vahl* XVI. 1. 353
alnoides *Kth* XVI. 1. 284
alpinum *C. Dc.* XVI. 1. 3
alpinum Sw. XVI. 1. 381
alsinoides Lam. XVI. 1.
alveolatum *Opiz* XVI. 1.
Amalago Hill XVI. 1. 3
Amalago *L.* XVI. 1. 345
Amalago Rheed. XVI. 1.
amazonicum *C. Dc.* XVI.
amboinense *C. Dc.* XVI.
β latifolium - -
amplectens *C. Dc.* XVI.
amplexicaule Sw. XVI.
amplexifolium L. XVI.
amplifolium *C. Dc.* XVI.
andicolum *Kth* XVI. 1.
androgynum *C. Dc.* XVI.
angulatum R. & Schult.
angustifolium Lam. XVI.
angustifolium Pav. XVI.
angustifolium *R. & Pav.*
α cordulatum *C. Dc.* -
β ossanum - -
angustifolium Roxb. XVI.
anisatum Kth XVI. 1.
anonaefolium *Kth* XVI.
α rigidulum *C. Dc.* -
β latifolium - -
apiculatum *C. Dc.* XVI.
appendiculatum *C. Dc.* X
arborescens Bl. XVI. 1.
arborescens Miq. XVI. 1.
arborescens *Roxb.* XVI.
arborcum erectum Brow
arboreum fol. latissim.

VI. 1. 360 (*bis*)
m *C. Dc.* - - -
vium - - - -
- - - -
XVI. 1. 369
it. XVI. 1. 357
japonica Miq. XVI. 1. 346
c. XVI. 1. 303
Miq. XVI. 1. 364
Lam. XVI. 1. 340
Dc. XVI. 1. 352
XVI. 1. 381 464
. XVI. 1. 271
Dc. XVI. 1. 325
is XVI. 1. 315
& *Pav.* XVI. 1. 314
Kth XVI. 1. 277
. XVI. 1. 363 364
herb. XVI. 1. 244
XVI. 1. 309
all. XVI. 1. 357
Dc. - - -
. XVI. 1. 355
Dc. XVI. 1. 372
& *Kth* XVI. 1. 320
C. Dc. - - 321
- - - -
XVI. 1. 314
Dc. XVI. 1. 353
um C. Dc. XVI. 1. 346
XVI. 1. 378
c. XVI. 1. 302
XVI. 1. 279
VI. 1. 241
. XVI. 1. 371
VI. 1. 342
. XVI. 1. 362
Dc. XVI. 1. 253
. & *Kth* XVI. 1. 320
Dc. XVI. 1. 336
Dc. XVI. 1. 257
c. XVI. 1. 272
t. & *Schult.* XVI. 1. 381 406
Wall. XVI. 1. 381 416
Hook. & *Arn.* XVI. 1. 374
Dc. XVI. 1. 287
C. Dc. XVI. 1. 264

Piper
Berlandieri *C. Dc.* XVI. 1. 295
Berteroanum *C. Dc.* XVI. 1. 249
Betle *L.* XVI. 1. 359 (*bis*)
β Siriboa *C. Dc.* - - -
γ densum - - - 360
δ mariannum - - - -
ε monoicum - - - -
bilineatum Bl. XVI. 1. 381 419
birmanicum *C. Dc.* XVI. 1. 338
β macrostachyon - - - - -
biunciale R. & *Schult.* XVI. 1. 381 438
Blanchetii *C. Dc.* XVI. 1. 318
blandum Jacq. XVI. 1. 381 458
blattarum *Spr.* XVI. 1. 329
β magnifolium *C. Dc.* - - -
boehmeriaefolium *Wall. Kst.* XVI. 1. 348
β firmius *C. Dc.* - - 349
γ tenuifolium - - - -
boehmeriaefolium Wall. XVI. 1. 381 389
bogotense *C. Dc.* XVI. 1. 294
Boisseriunum *C. Dc.* XVI. 1. 305
Boivinii *C. Dc.* XVI. 1. 356
bolivianum *C. Dc.* XVI. 1. 280
Bontianum *C. Dc.* XVI. 1. 314
borbonense *C. Dc.* XVI. 1. 339
Botryites *Vahl* XVI. 1. 379
Boucheanum *C. Dc.* XVI. 1. 254
brachyphyllum Spr. XVI. 1. 381 417
brachypodon *C. Dc.* XVI. 1. 327
brachystachyon Vahl XVI. 1. 381 451
brachystachyon Wall. XVI. 1. 381 389
brachystachyum *C. Dc.* XVI. 1. 296
bracteatum Thoms. XVI. 1. 381 434
brasiliense *C. Dc.* XVI. 1. 259
Bredemeyeri *Jacq.* XVI. 1. 271
brevispicatum *Opiz* XVI. 1. 379
Brongniartii *C. Dc.* XVI. 1. 327
bullatum Vahl XVI. 1. 373
bullosum *C. Dc.* XVI. 1. 345
burmanum *Miq.* XVI. 1. 356
cabellense *C. Dc.* XVI. 1. 305
cabrelanum *C. Dc.* XVI. 1. 282
caladiifolium *C. Dc.* XVI. 1. 330
calceolatum *C. Dc.* XVI. 1. 307
β magnifolium - - - -
californicum *Opiz* XVI. 1. 249
callosum Opiz XVI. 1. 356

Piper
callosum *R. & Pav.* XVI. 1. 260
callosum W. herb. XVI. 1. 260
calocoma *C. Dc.* XVI. 1. 264
Cambessedesii *C. Dc.* XVI. 1. 271
β opulifolium – – – –
canaliculatum Kl. XVI. 1. 355
canaliculatum Opiz XVI. 1. 360
candidum Bl. XVI. 1. 419
candidum Miq. XVI. 1. 381
caninum Bl. XVI. 1. 341
caninum *A. Dietr.* XVI. 1. 341
capense *L. fil.* XVI. 1. 339
caraboboense *C. Dc.* XVI. 1. 259
caracasanum *Bredem.* XVI. 1. 306
β firmius *C. Dc.* – – –
cardiophyllum *C. Dc.* XVI. 1. 374
caripense *H. B. & Kth* XVI. 1. 370
carpinifolium *C. Dc.* XVI. 1. 255
Carpunya *R. & Pav.* XVI. 1. 329
casapiense *C. Dc.* XVI. 1. 367
cassinoides *Opiz* XVI. 1. 369
cassinoides W. herb. XVI. 1. 369
catalpaefolium Kth XVI. 1. 246
caudatum Vahl XVI. 1. 246
ceanothifolium *H. B. & Kth* XVI. 1. 247
celebicum *Bl.* XVI. 1. 346
celtidifolium Desf. XVI. 1. 250
celtidifolium *Hamilt.* XVI. 1. 375
celtidifolium H. B. & Kth XVI. 1. 285
celtidiforme *Opiz* XVI. 1. 377
ceramicum *C. Dc.* XVI. 1. 350
cernuum *Vell.* XVI. 1. 306
cernuum Opiz XVI. 1. 385 (*non adest loco citato*)
ceylanicum *C. Dc.* XVI. 1. 242
Chaba *Bl.* XVI. 1. 347
Chamissonis *Steud.* XVI. 1. 283
chavicoides *C. Dc.* XVI. 1. 307
Chawya *Hamilt.* XVI. 1. 351
chilense *C. Dc.* XVI. 1. 367
chimonanthifolium *Kth* XVI. 1. 279
chinantlense *Mart. & Gal.* XVI. 1. 380
chinense *Miq.* XVI. 1. 375
Churumayu *R. & Pav.* XVI. 1. 303
Chuvya Hunter XVI. 1. 353
ciliatum R. & Schult. XVI. 1. 381 442
cinereum *C. Dc.* XVI. 1. 295

Piper
circinatum R. & S herb. X
circulare herb. W.
citrifolium *Lam.* XV
citrifolium Lk XVI.
Claussenianum *C.*
clusiaefolium Jacq.
Clusii *C. Dc.* XVI.
clypeatum *Wall.* X
coccoloboides *Kth*
colonum Presl XVI.
coloratum R. & Sc
colubrinum *Lk* XV
β adenophyllum
colubrinum var. M (*non ad*
commutatum Steud.
concinnum *C. Dc.*
concinnum Hasc. X
confusum *C. Dc.* X
congestum R. & Sc
conjugatum R. &
consanguineum *Kt*
convexum Bl. XVI.
coralfalgense *C. D*
corcovadense *C. D*
β sessilifolium –
γ petiolatum –
cordatum *C. Dc.* X
cordifolium Sw. XV
cordillerianum *C.*
cordulatum *C. Dc.*
cornifolium *H. B.*
coruscans *H. B. &*
β aureum *C. Dc.*
corylifolium herb.
corylifolium Kth X
corylistachyon *C.*
β magnifolium –
cosmianum *C. Dc.*
costaricense *C. Dc.*
crassifolium *C. Dc.*
crassinervium *H. B.*
crassipes *Korth.* X

m Opiz XVI. 1. 373
XVI. 1. 376
ll. XVI. 1. 319
R. & Pav. XVI. 1. 269
Vahl XVI. 1. 467
ld. XVI. 1. 340
ium C. Dc. - - 341
b. XVI. 1. 341
Dc. XVI. 1. 336
H. B. & Kth XVI. 1. 315
Kth XVI. 1. 315
C. Dc. XVI. 1. 262
n C. Dc. XVI. 1. 268
m Miq. XVI. 1. 366
Jacq. XVI. 1. 381 429
& Pav. XVI. 1. 367
Hamilt. XVI. 1. 375
C. Dc. XVI. 1. 337
C. Dc. XVI. 1. 374
Dc. XVI. 1. 269
C. Dc. XVI. 1. 304
Dc. XVI. 1. 273
C. Dc. XVI. 1. 251
- - - -
Aubl. XVI. 1. 246
L. XVI. 1. 370 350
Mill. XVI. 1. 380
Dc. XVI. 1. 302
m C. Dc. XVI. 1. 298
m Steud. XVI. 1. 319
XVI. 1. 360
Dc. XVI. 1. 324
folium - - - -
Opiz XVI. 1. 377
erb. W. XVI. 1. 381 411
anum *C. Dc.* XVI. 1. 281
Poepp. XVI. 1. 279
R. & Pav. XVI. 1. 260
XVI. 1. 352
hl XVI. 1. 352 364
Leblond XVI. 1. 314
ich. XVI. 1. 314
ns C. Dc. - - -
Vahl XVI. 1. 314
C. Dc. XVI. 1. 371
m Kth XVI. 1. 300
XVI. 1. 247
Desf. XVI. 1. 380

Piper
dissimile R. & Schult. XVI. 1. 381 459
distachyon *Hill* XVI. 1. 380
distachyon L. XVI. 1. 381 428
divaricatum *Mey. esseq.* XVI. 1. 373
divergens *C. Dc.* XVI. 1. 371
diversifolium R. & Schult. XVI. 1. 381 438
dolabriforme R. & Schult. XVI. 1. 381 424
Dombeyanum *C. Dc.* XVI. 1. 332
dubium A. Dietr. XVI. 1. 375
dubium Miq. XVI. 1. 379
Duchassaingii *C. Dc.* XVI. 1. 251
dumosum *Rudg.* XVI. 1. 268
egense *C. Dc.* XVI. 1. 264
ellipticum *Hook. & Arn.* XVI. 1. 374
ellipticum Lam. XVI. 1. 381 440
ellipticum R. & Schult. XVI. 1. 346
elongatum *C. Dc.* XVI. 1. 243
elongatum Vahl XVI. 1. 286
emarginatum Vahl XVI. 1. 381 428
emarginellum Sw. XVI. 1. 381 437
Enckea *C. Dc.* XVI. 1. 244
epunctulatum *C. Dc.* XVI. 1. 338
eriopodon *C. Dc.* XVI. 1. 284
estrellense *C. Dc.* XVI. 1. 272
β pilosius - - - -
eucalyptifolium *Rudg.* XVI. 1. 322
eucalyptophyllum (*rect.* eucalyptiphyllum) *C. Dc.* XVI. 1. 252 492
evonymifolium Kth XVI. 1. 263
exasperatum *Vahl* XVI. 1. 378
excavatum *R. & Pav.* XVI. 1. 368
excelsum *Forst.* XVI. 1. 334
α psittacorum *C. Dc.* - - 335
β tahitianum - - - -
γ Ralphii - - - -
exiguum Bl. XVI. 1. 381 403
eximium Kth XVI. 1. 307
exserens *C. Dc.* XVI. 1. 261
extensum R. & Schult. XVI. 1. 381 430
Fadyenii *C. Dc.* XVI. 1. 284
falcatum A. Dietr. XVI. 1. 369
fallax Vahl XVI. 1. 363

Piper
fasciculare Rudg. XVI. 1. 381, XVI. 2. 591
Fendlerianum *C. Dc.* XVI. 1. 270
filiforme Pers. XVI. 1. 381 451
filiforme Sw. XVI. 1. 381 466
Finlaysonianum *Wall.* XVI. 1. 378
firmum *C. Dc.* XVI. 1. 242
Fischerianum *C. Dc.* XVI. 1. 277
fistulosum *C. Dc.* XVI. 1. 281
flagellare Kth XVI. 1. 307
flavicans *C. Dc.* XVI. 1. 293
flexicaule *C. Dc.* XVI. 1. 308
flexuosum *Jacq.* XVI. 1. 278
flexuosum Rudg. XVI. 1. 309
fluminense *C. Dc.* XVI. 1. 308
foliiflorum Vahl XVI. 1. 381 396
foliis cordatis &c. L. XVI. 1. 355 359 402
foliis quaternis &c. Plum. XVI. 1. 454
foliis septemnerviis &c. Thbg XVI. 1. 346
foliosum R. & Schult. XVI. 1. 381 418
fontinale R. & Schult. XVI. 1. 382 454
formosum *C. Dc.* XVI. 1. 286
Forstenii *C. Dc.* XVI. 1. 348
foveolatum *Kth* XVI. 1. 329
fragile *Benth.* XVI. 1. 358
Francovilleanum *C. Dc.* XVI. 1. 258
Fraseri *C. Dc.* XVI. 1. 269
freireisfolium Hochst. XVI. 1. 382 403
Friedrichsthalii *C. Dc.* XVI. 1. 327
frutescens diffusum &c. P. Browne XVI. 1. 248
frutescens minus P. Browne XVI. 1. 314
frutex Pluk. XVI. 1. 248
fruticosum Rich. XVI. 1. 315
fuligineum *Kth* XVI. 1. 316
Funckii *C. Dc.* XVI. 1. 310
fuscescens *C. Dc.* XVI. 1. 291
fuscum *C. Dc.* XVI. 1. 319
Futokadsura *Siebold* XVI. 1. 346
Gabrielanum *C. Dc.* XVI. 1. 268
galeatum *C. Dc.* XVI. 1. 242
Galeottianum Mart. & Gal. XVI. 1. 382 409
galioides R. & Schult. XVI. 1. 382 464

Piper
Gardnerii *C. Dc.* XVI. 1.
Gaudichaudianum *Kth*
geniculatum *Sw.* XVI. 1
α xestophyllum *C. Dc.*
β latifolium -
γ coriaceum -
δ verrucosum -
ε stamineum -
η rigidum -
ϰ jamaicense -
gigantifolium *C. Dc.* X
glabellum *C. Dc.* XVI.
glabellum Sw. XVI. 1.
glabrescens *C. Dc.* XV
glabrum Mill. XVI. 1.
glanduligerum *C. Dc*
β subcoriaceum -
glandulosum Opiz XVI
glaucescens Jacq. XVI
globosum Poir. XVI. 1.
gracile *R. & Pav.* XVI
granatense *C. Dc.* XVI
grande *Vahl* XVI. 1.
grandifolium *H B. &*
grandifolium Eckelun
granulosum R. & Pa
Griffithii *C. Dc.* XVI.
griseum *C. Dc.* XVI.
guahamense *C. Dc.* X
guianense *C. Dc* XVI.
Guigal *Don* XVI 1. 3
ex Guinea Clus. XVI.
guineense *Schum.* XVI
Haenkeanum *Opiz* XVI
halesiaefolium *Kth* XV
Hamiltonii *C. Dc.* XV
Hartwegianum *C Dc*
Hayneanum *C. Dc.* X
β macrophyllum -
hederaceum *C. Dc.* X
heptandrum *C. Dc.* X
heptandrum herb. Ber
herbaceum hot mags
hernandiaefolium Vah
heterophyllum *R & P*
β angustifolium *Mi*

lum Vahl XVI. 1. 313
i C. Dc. XVI. 1. 321
C. Dc. XVI. 1. 290
Sw. XVI. 1. 276
punctulatum C. Dc. - - -
ense - - - -
folium - - - -
lanum - - -277
ayanum - - - -
lusculum - - - -
C. Dc. XVI. 1. 254
C. Dc. XVI. 1. 371
Sw. XVI. 1. 382 397
H. B. & Kth XVI. 1. 370
Mart. & Gal. XVI. 1. 276
Sw. XVI. 1. 382
eggianum R. & Schult. XVI. 1. 372
ri C. Dc. XVI. 1. 243
C. Dc. XVI. 1. 300
ense C. Dc. XVI. 1. 347
Miq. XVI. 1. 366
um C. Dc. XVI. 1. 292
anum C. Dc. XVI. 1. 287
ense - - - -
orum - - - -
m C. Dc. XVI. 1. 376
hl XVI. 1. 382 447
Wall. XVI. 1. 382 403
folium Kth XVI. 1. 323
lifolium Mart. & Gal. XVI. 1. 382 394
yllum Miq. XVI. 1. 364
um Miq. XVI. 1. 356
Vell. XVI. 1. 252
ntianum Kth XVI. 1. 270
C. Dc. XVI. 1. 280
num R. & Schult. XVI. 1. 278
C. Dc. XVI. 1. 277
Mart. & Gal. XVI. 1. 323
C. Dc. XVI. 1. 263
C. Dc. XVI. 1. 343
H. B. & Kth XVI. 1. 372
Dc. XVI. 1. 358
C. Dc. XVI. 1. 339
um W. herb. XVI. 1. 319
C. Dc. XVI. 1. 301

Piper
inaequalifolium Vahl XVI. 1. 382 464
incanum Spr. XVI. 1. 382 432
incisum Rich. XVI. 1. 382 455
incurvum *Sieber* XVI. 1. 294
* majus *C. Dc.* - - -
indecorum *Kth* XVI. 1. 263
indicum *Miq.* (*lege C. Dc.* XVI. 1. 492) XVI. 1. 362
insectifugum *C. Dc.* XVI. 1. 354
insigne *Kth* XVI. 1. 289
insulare *C. Dc.* XVI. 1. 362
interruptum Miq. XVI. 1. 377
interruptum *Opiz* XVI. 1. 377
juliflorum Miq. XVI. 1. 297
julifiorum *Nees & Mart.* XVI. 1. 297
Jussiaeanum *Kth* XVI. 1. 309
Kappleri *C. Dc.* XVI. 1. 311
Karwinskianum *Kth* XVI. 1. 327
Kegelianum *C. Dc.* XVI. 1. 372
Kegelii *C. Dc.* XVI. 1. 323
kewense *C. Dc.* XVI. 1. 327
khasianum *C. Dc.* XVI. 1. 349
Klotzschianum *C. Dc.* XVI. 1. 257
Korthalsii *Miq.* XVI. 1. 365
Kunthii *C. Dc.* XVI. 1. 250
Labillardieri *C. Dc.* XVI. 1. 361
lacunosum *H. B. & Kth* XVI. 1. 303
laetum *C. Dc.* XVI. 1. 256
laeve *Vahl* XVI. 1. 362
laevifolium Bl. XVI. 1. 382 420 439
laevifolium var. latifolium Miq. XVI. 1. 439
laevigatum *H. B. & Kth* XVI. 1. 244
laevigatum Kth XVI. 1. 244
lanatum Miq. XVI. 1. 364
lanatum *Roxb.* XVI. 1. 341
lancaefolium Schott XVI. 1. 324
lanceaefolium *H. B. & Kth* XVI. 1. 317
α acutiusculum *C. Dc.* - - -
β bullosum - - - -
lanceolatum A. Dietr. XVI. 1. 375
lanceolatum Roxb. XVI. 1. 349 355
lanceolatum *R. & Pav.* XVI. 1. 263
β latifolium *C. Dc.* - - -
lancifolium *Hamilt.* XVI. 1. 375

Piper
Langsdorffianum C. Dc. XVI. 1. 290
lapathifolium Steud. XVI. 1. 323
latifolium Forst. XVI. 1. 335
latifolium Lam. XVI. 1. 334
latifolium L. fil. XVI. 1. 335
latum H. B. & Kth XVI. 1. 245
latum Kth XVI. 1. 245
laurifolium H. B. & Kth XVI. 1. 318
laxiflorum Spr. XVI. 1. 382 403
laxum Vahl XVI. 1. 376
Lechlerianum C. Dc. XVI. 1. 269
Ledebourii C. Dc. XVI. 1. 281
Lehmannianum C. Dc. XVI. 1. 368
leiophyllum C. Dc. XVI. 1. 297
Lenormandianum C. Dc. XVI. 1. 299
lentaginoides Kth XVI. 1. 312
lenticellosum C. Dc. XVI. 1. 319
leonense C. Dc. XVI. 1. 342
leptophyllum C. Dc. XVI. 1. 279
leptostachyum Griseb. XVI. 1. 244
leptostachyum Humb. XVI. 1. 244
leptostachyum Rich. XVI. 1. 360
leptostachyum Wall. XVI. 1. 362
lepturum Kth XVI. 1. 320
Lessertianum C. Dc. XVI. 1. 258 351
leucophyllum C. Dc. XVI. 1. 278
Lhotzkyanum C. Dc. XVI. 1. 288
Lindbergii C. Dc. XVI. 1. 297
Lindenii C. Dc. XVI. 1. 248
lineatum R. & Pav. XVI. 1. 311
β magnifolium C. Dc. - - -
γ cordulatum - - - -
linguaefolium Hamilt. XVI. 1. 375
Linkii Miq. XVI. 1. 358
Lonchites Miq. XVI. 1. 358
longifolium R. & Pav. XVI. 1. 269
longifolium W. herb. XVI. 1. 259
longum Bl. XVI. 1. 356
longum herb. Burm. XVI. 1. 355
longum L. XVI. 1. 355
longum Piso XVI. 1. 356
longum Rumph XVI. 1. 356
longum Sloan. XVI. 1. 248
longum arboreum altius Sloan. XVI. 1. 248
longum arboreum fol. latissim. &c. Sloan. XVI. 1. 314
longum folio nervoso &c. Sloan. XVI. 1. 285
longum humilius &c. Sloan. XVI. 1. 427

Piper
longum minimum &c. Sl
1.
longum Pistolochiae Fl
Lowong Bl. XVI. 1. 344
lucaeanum Kth XVI. 1.
β magnifolium C. Dc.
luzonense C. Dc. XVI. 1.
machadoense C. Dc. XVI.
Macgillivrayi C. Dc. XVI.
β parvifolium - -
γ glabrum - -
macrophyllum H. B. & K
macrophyllum Kth XVI.
macrophyllum Lmk. XVI.
macrophyllum Sw. XVI.
macrorrhizon R. & Sch
macrorrhynchon C. Dc.
macrostachyon Vahl XVI.
macrostachyum C. Dc.
macrourum H. B. & Kth
maculatum Bl. XVI. 1.
maculosum Hill XVI. 1.
maculosum L. XVI. 1.
madagascariense C. Dc.
magicum Reinw. herb.
magnoliaefolium Jacq. XVI.
majusculum Bl. XVI. 1.
malabarense C. Dc. XVI.
malacophyllum C. Dc.
Malamiri Bl. XVI. 1.
β cordatum Miq. - - -
γ hirtellum - - -
Mandoni C. Dc. XVI.
manillanum Miq. XVI. 1.
marequitense C. Dc. XVI.
marginatum Haw. XVI.
marginatum Jacq. XVI.
α firmum C. Dc. - -
β catalpaefolium - -
marianum Opiz XVI. 1.
maritimum Bl. XVI. 1.
marowinianum C. Dc.
marowynense C. Dc. XVI.
Martensianum C. Dc. XVI.

Kth XVI. 1. 291
m *C. Dc.* XVI. 1. 282
C. Dc. XVI. 1. 261
R. & Schult. XVI. 1. 382 440
n *C. Dc.* XVI. 1. 262
R. & Schult. XVI. 1. 382 442
q. XVI. 1. 246 247
m *C. Dc.* - - 247
. XVI. 1. 359
Hill XVI. 1. 356
Lam. XVI. 1. 359
Roxb. XVI. 1. 361
m *C. Dc.* XVI. 1. 274
les *Cham. & Schl.* XVI. 1. 245
um *Boiss.* XVI. 1. 367
um *C. Dc.* XVI. 1. 366
Forst. XVI. 1. 354
Lam. XVI. 1. 335
Roxb. XVI. 1. 350
C. Dc. XVI. 1. 276
um *C. Dc.* XVI. 1. 375
n *R. & Schult.* XVI. 1. 382 465
on *Vahl* XVI. 1. 373
C. Dc. XVI. 1. 351
C. Dc. XVI. 1. 278
. XVI. 1. 380
Dc. XVI. 1. 304
. XVI. 1. 354
catum *C. Dc.* - - 355
n - - - -
C. Dc. XVI. 1. 254
C. Dc. XVI. 1. 380
C. Dc. XVI. 1. 286
Pav. XVI. 1. 338
C. Dc. XVI. 1. 275
Schult. XVI. 1. 382 438
Kth XVI. 1. 316
C. Dc. XVI. 1. 262
Bl. XVI. 1. 342
m *Vahl* XVI. 1. 382 437
m *Vell.* XVI. 1. 382 432
C. Dc. XVI. 1. 290
m *C. Dc.* XVI. 1. 311
C. Dc. XVI. 1. 288

Piper
mucronatum herb. Francov. XVI. 1. 382 409
mucronatum Rich. XVI. 1. 409
mucronulatum *Bl.* XVI. 1. 376
Mülleri *C. Dc.* XVI. 1. 243
Mullesua *Don* XVI. 1. 378
multinervium *Mart. & Gal.* XVI. 1. 372
multiplinervium *C. Dc.* XVI. 1. 293
munchanum *C. Dc.* XVI. 1. 258
β magnifolium - - - 259
muricatum *Bl.* XVI. 1. 341
β parvifolium *C. Dc.* - - 342
γ pilosum - - - -
murinum R. & Schult. XVI. 1. 382 428
Murrayanum *C. Dc.* XVI. 1. 280
muscosum R. & Schult. XVI. 1. 382 445
myosuroides Rudg. XVI. 1. 382 407
myrtifolium Vahl XVI. 1. 382 439
Nagelii *C. Dc.* XVI. 1. 365
Neesianum *C. Dc.* XVI. 1. 256
negroense *C. Dc.* XVI. 1. 297
Nematanthera *C. Dc.* XVI. 1. 367
nematostachyon R. & Schult. XVI. 1. 382 430
nemorosum Vahl XVI. 1. 382 416
nepalense *Miq.* XVI. 1. 357
β parvifolium *C. Dc.* - - 358
γ crassifolium - - - -
nervoso-venosum Bl. XVI. 1. 382 439
nervosum *C. Dc.* XVI. 1. 374
nervulosum *C. Dc.* XVI. 1. 268
nigrescens *Bl.* XVI. 1. 357
nigrescens Miq. XVI. 1. 349
nigrum *L.* XVI. 1. 363 (*bis*)
β trioicum *C. Dc.* - - -
γ macrostachyum - - - -
nigrum Miq. XVI. 1. 363
nigrum Schnizl. XVI. 1. 363
nilghirianum *C. Dc.* XVI. 1. 364
nitidulum *Opiz* XVI. 1. 374
nitidum Sw. XVI. 1. 267
nitidum *Vahl* XVI. 1. 274
nobile *C. Dc.* XVI. 1. 289
nodulosum Lk XVI. 1. 267
Novae Hispaniae *C. Dc.* XVI. 1. 301
Novae Hollandiae *Miq.* XVI. 1. 343

Piper
novogranatense *C. Dc.* XVI. 1. 313
nubigenum Kth XVI. 1. 269 270
nudum *C. Dc.* XVI. 1. 325
nummularifolium Lam. & W. herb. XVI. 1. 382
nutans Opiz XVI. 1. 266
oaxacanum *C. Dc.* XVI. 1. 274
obesum Vahl XVI. 1. 368
obliquum *R. & Pav.* XVI. 1. 306
β eximium *C. Dc.* - - 307
obliquum Vahl XVI. 1. 307
oblongatum *Opiz* XVI. 1. 369
oblongifolium *C. Dc.* XVI. 1. 273
β glabrum - - - -
oblongum Cham. & Schl. XVI. 1. 283
oblongum *H. B. & Kth* XVI. 1. 312
obovatum *R. & Pav.* XVI. 1. 267
obtusifolium Aubl. XVI. 1. 427
obtusifolium *Hill* XVI. 1. 380
obtusifolium Jacq. XVI. 1. 382 461
obtusifolium Lam. XVI. 1. 382 429
obtusifolium L. XVI. 1. 382 429
obtusissimum Miq. XVI. 1. 378
obtusum *C. Dc.* XVI. 1. 328
obumbratum *C. Dc.* XVI. 1. 265
obversum Vahl XVI. 1. 382 455
officinarum *C. Dc.* XVI. 1. 356
Olfersianum Kth XVI. 1. 277
Opizianum *Flora* XVI. 1. 369
orbiculatum Poir. XVI. 1. 382 466
orthostachyum *Kth* XVI. 1. 247
ottoniaefolium *C. Dc.* XVI. 1. 291
Ottonis *C. Dc.* XVI. 1. 332
ovale *C. Dc.* XVI. 1. 261
ovalifolium *C. Dc.* XVI. 1. 305
ovalifolium Heyne XVI. 1. 382 442
ovatum *Vahl* XVI. 1. 253
ovatum W. herb. XVI. 1. 253
pachystachyon *C. Dc.* XVI. 1. 304
padifolium *C. Dc.* XVI. 1. 253
β corcovadense - - - -
pallens R. & Schult. XVI. 1. 382 462
pallidum Forst. XVI. 1. 418
paludosum *C. Dc.* XVI. 1. 283
palustre *C. Dc.* XVI. 1. 293
panamense *C. Dc.* XVI. 1. 273
panduratum *C. Dc.* XVI. 1. 250

Piper
pangoense *C. Dc.* XVI. 1.
paniculatum W. XVI. 1.
papantlense *C. Dc.* XVI. 1.
paraense *C. Dc.* XVI. 1.
paramaribense *C. Dc.* XVI.
paramattense *C. Dc.* XVI.
Parkerianum *C. Dc.* XVI.
Partheninm *Mart.* XVI. 1.
parvifolium *Blanco* XVI.
parvulum Mart. & Gal.
patens Hook. & Arn. XVI.
patens *Opiz* XVI. 1.
patulum *Bertol.* XVI. 1.
patulum Mart. & Gal.
paulianum *C. Dc.* XVI.
Pavoni *C. Dc.* XVI. 1.
pedicellare *C. Dc.* XVI.
pedicellatum *C. Dc.* XVI.
pedicellosum *Wall.* XVI.
pedunculare *C. Dc.* XVI.
pedunculatum *C. Dc.* XVI.
peepuloides R. & Schult.
peepuloides Roxb. XVI.
pellucidum L. XVI. 1.
peltatum Hill XVI. 1.
peltatum *L.* XVI. 1.
β colombianum *C. Dc.*
peltatum R. & Pav. XVI.
Peltobryon *C. Dc.* XVI.
peltoideum R. & Schult.
penangense *C. Dc.* XVI.
pereskiaefolium Jacq.
Perrottetii *C. Dc.* XVI.
persicariaefolium *Kth*
β Cumingianum *C. Dc.*
peruvianum *C. Dc.* XVI.
petiolare *C. Dc.* XVI.
philippinense *C. Dc.* XVI.
philippinum *Miq.* XVI.
phthinotrichon *C. Dc.*
Phyllanthus herb. Lam.
phyllostictum *C. Dc.* XVI.
phytolaccaefolium *Opiz*
pilosiusculum *Opiz* XVI.

. *B.* & *Kth* XVI. 1. 339
r. XVI. 1. 383
Dc. XVI. 1. 278
Lam. XVI. 1. 248
Schlecht. XVI. 1. 330 *(bis)*
C. Dc. XVI. 1. 375
C. Dc. XVI. 1. 315
Dc. XVI. 1. 260
Dc. XVI. 1. 256
C. Dc. XVI. 1. 325
h XVI. 1. 387 (*deest loco citato*)
pr. XVI. 1. 383 410
Vahl XVI. 1. 383 461
Kth XVI. 1. 321
Opiz XVI. 1. 374
um R. & *Schult.* XVI. 1. 383 457
Lam. XVI. 1. 383 443
ifolium *Opiz* XVI. 1. 376
th XVI. 1. 289
Vall. XVI. 1. 351
ll. XVI. 1. 351
C. Dc. XVI. 1. 308
omorphe XVI. 1. 492)
ch. XVI. 1. 287
Roth XVI. 1. 275
XVI. 1. 257
C. Dc. XVI. 1. 376
C. Dc. XVI. 1. 261
. XVI. 1. 331
acq. XVI. 1. 279
olium *C. Dc.* XVI. 1. 318
a *C. Dc.* XVI. 1. 351
nayu *C. Dc.* XVI. 1. 288
Korth. XVI. 1. 343
oma *C. Dc.* XVI. 1.
ollicomum XVI. 1. 492)
anum *C. Dc.* XVI. 1. 282
olium *C. Dc.* XVI. 1. 289
um *C. Dc.* XVI. 1. 282

Piper
psilostachyum *H. B.* & *Kth* XVI. 1. 370
pteropodon *C. Dc.* XVI. 1. 255
pubescens Pers. XVI. 1. 383 447
pubescens Soland. XVI. 1. 342
pubescens Vahl XVI. 1. 383 448
pulchellum Vahl XVI. 1. 383 463
pulchrum *C. Dc.* XVI. 1. 305
punctatissimum *C. Dc.* XVI. 1. 255
punctatum *R.* & *Pav.* XVI. 1. 310 311
Purdiei *C. Dc.* XVI. 1. 299
purpurascens *Desf.* XVI. 1. 380
purpurascens A. Dietr. XVI. 1. 286
purpureum Vahl XVI. 1. 383 437
pusillum Bl. XVI. 1. 383 451 *(bis)*
pyrifolium Opiz XVI. 1. 250
pyrifolium *Vahl* XVI. 1. 379
quadrangulare Thoms. XVI. 1. 446
quadrifolium L. XVI. 1. 454
quadrifolium Vell. XVI. 1. 383 452
quinque-angulatum *Miq.* XVI. 1. 365
quitense *C. Dc.* XVI. 1. 337
racemosum *Mill.* XVI. 1. 380
racemosum Vahl XVI. 1. 383 401
racemosum malvaceum Sloan. XVI. 1. 333
radicans Opiz XVI. 1. 379
radicans *Vahl* XVI. 1. 379
radula Kth XVI. 1. 271
Rafflesii *C. Dc.* XVI. 1. 349
rarum *C. Dc.* XVI. 1. 284
recurvatum Bl. XVI. 1. 383 440
recurvum *Bl.* XVI. 1. 241
recurvum Rich. XVI. 1. 301
reflexum L. fil. XVI. 1. 383 451
Regelii *C. Dc.* XVI. 1. 309
Regnellii *C. Dc.* XVI. 1. 307
Reinwardtianum *C. Dc.* XVI. 1. 354
reniforme *Poir.* XVI. 1. 379
reniforme W. herb. XVI. 1. 383 391
reticulatum Hill XVI. 1. 295
reticulatum *L.* XVI. 1. 295
reticulatum Vell. XVI. 1. 247
reticulosum *Opiz* XVI. 1. 374
retrofractum *Vahl* XVI. 1. 378
retusum L. fil. XVI. 1. 383 446
revolutum *Rich.* XVI. 1. 380

Piper
rhododendrifolium Kth XVI. 1. 299
rhombeum Vahl XVI. 1. 383 465
rhomboidale *Desf.* XVI. 1. 380
rhombophyllum *C. Dc.* XVI. 1. 352
Rhyncholepsis *C. Dc.* XVI. 1. 344
β brevicuspe - - - -
rhynchostachyum *C. Dc.* XVI. 1. 326
ribesioides *Wall.* XVI. 1. 342
richardiaefolium *Kth* XVI. 1. 304
Richardianum *C. Dc.* XVI. 1. 249
Riedelii *C. Dc.* XVI. 1. 325
rigidum *C. Dc.* XVI. 1. 264
riparium H. B. & Kth XVI. 1. 310
rivinoides *Kth* XVI. 1. 312
Rohrii *C. Dc.* XVI. 1. 296
β crassum - - -
γ grandifolium *Miq.* - - -
Rollingo R. & Schult. XVI. 1. 383 466
rostratum *Roxb.* XVI. 1. 377
rotundatum R. & Schult. XVI. 1. 442
rotundifolium *Hill* XVI. 1. 380
rotundifolium L. XVI. 1. 421
rotundifolium Sw. XVI. 1. 444
rotundum nigrum Pluk. XVI. 1. 363
Roxburghianum R. & Schult. XVI. 1. 438
rubellum Haw. XVI. 1. 461
rubescens *C. Dc.* XVI. 1. 300
rubioides R. & Schult. XVI. 1. 383 452
rubricaule Lk XVI. 1. 383 454
rude *H. B. & Kth* XVI. 1. 283
rude Kth XVI. 1. 284
Rudgeanum *C. Dc.* XVI. 1. 373
rufinerve Miq. XVI. 1. 377
rufinerve *Opiz* XVI. 1. 377
rugosum *Lam.* XVI. 1. 373
rugosum Opiz XVI. 1. 270
rugosum Vahl XVI. 1. 270
rugulosum *C. Dc.* XVI. 1. 281
Ruizianum *C. Dc.* XVI. 1. 308
rumicifolium *C. Dc.* XVI. 1. 297
Rumphii *C. Dc.* XVI. 1. 354
ruscifolium R. & Schult. XVI. 1. 383 416
Sagoti *C. Dc.* XVI. 1. 367
Sagranum *C. Dc.* XVI. 1. 292
salicarinefolium *Kth* XVI. 1. 317

Piper
β Lehmannianum *C. Dc*
salicifolium *Vahl* XVI. 1
salicinum *Opiz* XVI. 1.
salignum R. & Schult.
salviaefolium *C. Dc.* XVI.
Salzmanni *C. Dc.* XVI. 1.
(*dent lon*
sancarlosianum *C. Dc.* XV
sanctum *Schlecht.* XVI. 1
santaremense *C. Dc.* XVI.
sarmentosum *Roxb.* XVI.
saururoides *Hamilt.* XVI.
saxatile Wall. XVI. 1.
saxicolum Vahl XVI. 1.
scabridum Flora XVI. 1.
scabrifolium *Hook. & Arn.*
scabriusculum *A. Dietr.*
scabrum Lam. XVI. 1.
scabrum Opiz XVI. 1.
scabrum *R. & Pav.* XVI.
scabrum Sw. XVI. 1.
scandens Sw. XVI. 1.
scandens Vahl XVI. 1.
Schachii *C. Dc.* XVI. 1.
Schizonephos *C. Dc.* XV
Schlechtendalianum *C.*
Schlimii *C. Dc.* XVI. 1.
Schottii *C. Dc.* XVI. 1.
β luxurians - -
scopulorum *Kth* XVI. 1.
scutatum W. XVI. 1.
scutellaefolium Vahl XV
scutellatum Pers. XVI.
scutiphyllum *Hamilt.* X
sebastianopolitense *C.*
secundum Poir. XVI. 1.
secundum *R. & Pav.* X
Seemannianum *C. Dc.*
Sellei *C. Dc.* XVI. 1.
Sellovianum *Kth* XVI. 1.
septemnerve Vahl XV
septuplinervium *C. Dc.*
serpens Sw. XVI. 1.
serpyllifolium Vahl XV

Lk & Otto XVI. 1. 384
Mart. XVI. 1. 333
Dc. XVI. 1. 248
ll. XVI. 1. 383 413
Dc. XVI. 1. 361
Dc. XVI. 1. 326
t. XVI. 1. 346
XVI. 1. 359
c. XVI. 1. 361
H. B. & Kth XVI. 1. 245
C. Dc. XVI. 1. 291
Dc. XVI. 1. 295
V. XVI. 1. 331
yum *C. Dc.* XVI. 1. 326
um – – – –
m *C. Dc.* XVI. 1. 283
C. Dc. XVI. 1. 299
XVI. 1. 361 363
cq. XVI. 1. 383 453
ell. XVI. 1. 383 454
C. Dc. XVI. 1. 262
Opiz XVI. 1. 375
R. & Schult. XVI. 1. 383 395
Dietr. XVI. 1. 270
q. XVI. 1. 344
Desf. XVI. 1. 383 466
C. Dc. XVI. 1. 371
C. Dc. XVI. 1. 275
um *C. Dc.* XVI. 1. 323
C. Dc. XVI. 1. 353
Dc. XVI. 1. 279
C. Dc. XVI. 1. 305
Vahl XVI. 1. 333
W. XVI. 1. 333
um *C. Dc.* – – 334
Bl. XVI. 1. 383 447
C. Dc. XVI. 1. 321
rvium *C. Dc.* XVI. 1. 377
Dc. XVI. 1. 345
n XVI. 1. 378
XVI. 1. 349
C. Dc. XVI. 1. 343
l. XVI. 1. 352
C. Dc. XVI. 1. 296
C. Dc. XVI. 1. 265
Loxb. XVI. 1. 355
m. XVI. 1. 361
r. XVI. 1. 341

Piper
sylvestre Vahl XVI. 1. 361
sylvestre Vell. XVI. 1. 296
syringaefolium *Vahl* XVI. 1. 378
talinifolium R. & Schult. XVI. 1. 383 406
tarapotianum *C. Dc.* XVI. 1. 246
teapense *C. Dc.* XVI. 1. 260
tectoniaefolium *Kth* XVI. 1. 302
tejucense *C. Dc.* XVI. 1. 287
tenellum Sw. XVI. 1. 384 396
tenue *H. B. & Kth* XVI. 1. 244
tenuicuspe *C. Dc.* XVI. 1. 304
tenuifolium *C. Dc.* XVI. 1. 321
tenuifolium Pav. XVI. 1. 321
tenuinerve *C. Dc.* XVI. 1. 313
tenuistylum *C. Dc.* XVI. 1. 260
tequendamense *C. Dc.* XVI. 1. 300
terminale H. B. & Kth XVI. 1. 250
tetragonum Vahl XVI. 1. 384 448
tetraphyllum Forst. XVI. 1. 384 451
Teysmannii *C. Dc.* XVI. 1. 345
thermale *Vahl* XVI. 1. 378
Thwaitesii *C. Dc.* XVI. 1. 357
tigerianum *C. Dc.* XVI. 1. 250
tiliaefolium Cham. & Schl. XVI. 1. 331
tiliaefolium Desv. XVI. 1. 235[14]
tiliaefolium *Hamilt.* XVI. 1. 379
(*delendum, est Laurea tiliaefolia Gaudich.* XVI. 1. 388)
tithymaloides Vahl XVI. 1. 384 439
tocacheanum *C. Dc.* XVI. 1. 264
tomentosum *C. Dc.* XVI. 1. 372
tomentosum Vahl XVI. 1. 384 455
tomentosum var. carnosum Bl. XVI. 1. 455
triandrum *F. Müll.* XVI. 1. 365
Trianae *C. Dc.* XVI. 1. 334
tricarinatum Haw. XVI. 1. 384 466
trichoneuron *C. Dc.* XVI. 1. 281
trichostachyon *C. Dc.* XVI. 1. 242
tricuspe *C. Dc.* XVI. 1. 263
trifolium L. XVI. 1. 384 462
trifolium W. herb. XVI. 1. 384 443
trigonioideum *C. Dc.* XVI. 1. 318
trigonum *C. Dc.* XVI. 1. 310
trinerve *C. Dc.* XVI. 1. 292

Piper
trinerve Vahl XVI. 1. 384 417 (*trinervium*)
trineuron *Miq.* XVI. 1. 362
trioicum Roxb. XVI. 1. 363
triquetrum *Opiz* XVI. 1. 375
tristachyon *C. Dc.* XVI. 1. 335
tristemon *C. Dc.* XVI. 1. 328
truncatum Vell. XVI. 1. 289
tuberculatum *Jacq.* XVI. 1. 265
α rigido-membranaceum *C. Dc.* - - 266
β minus - - - -
γ majus - - - -
tumidum *Kth* XVI. 1. 322
Uhdei *C. Dc.* XVI. 1. 248
umbellatum Hill XVI. 1. 333
umbellatum Jacq. XVI. 1. 334
umbellatum *L.* XVI. 1. 332
β majus *C. Dc.* - - 333
γ glabrum - - - -
umbellatum Vahl XVI. 1. 332
umbilicatum Vahl XVI. 1. 384 394
umbrosum Bl. XVI. 1. 384 439
umbrosum *H. B. & Kth* XVI. 1. 370
undeninervium *C. Dc.* XVI. 1. 295
ungaramense *C. Dc.* XVI. 1. 243
unguiculatum *R. & Pav.* XVI. 1. 249
α minus *C. Dc.* - - 250
β coriaceum - - - -
unguiculatum Vahl XVI. 1. 250
variegatum *H. B. & Kth* XVI. 1. 316
variegatum Pers. XVI. 1. 384 431
variifolium *C. Dc.* XVI. 1. 308
vasculosum Hamilt. XVI. 1. 389
velutinum *H. B. & Kth* XVI. 1. 316
venezuelense *C. Dc.* XVI. 1. 302
venosum *C. Dc.* XVI. 1. 340
venustum *Wall.* XVI. 1. 378
veraguense *C. Dc.* XVI. 1. 294
verbascifolium *C. Dc.* XVI. 1. 258
verrucosum Sw. XVI. 1. 267
verrucosum W. XVI. 1. 314
verruculosum *C. Dc.* XVI. 1. 303
verticillatum L. XVI. 1. 384 463
vestitum *C. Dc.* XVI. 1. 341
victorianum *C. Dc.* XVI. 1. 246
villosum Bl. XVI. 1. 342
villosum *C. Dc.* XVI. 1. 317
Piper
villosum Rich. XVI. 1. 3[illegible]
viminale *Opiz* XVI. 1. 3[illegible]
Visiani hort. XVI. 1. 3[illegible]
Wagneri *C. Dc.* XVI. 1. [illegible]
Walkeri *Miq.* XVI. 1. 3[illegible]
Warakaboura *C. Dc.* XVI. [illegible]
Weddellii *C. Dc.* XVI. 1. [illegible]
Wightii *Miq.* XVI. 1. 3[illegible]
Willdenowii Kth XVI. 1. [illegible]
Wulfschlaegelii *C. Dc.* XVI. [illegible]
Wydlerianum *C. Dc.* XVI. [illegible]
xylosteoides *Steud.* XVI. [illegible]
zacuapanum *C. Dc.* XVI. [illegible]
zeylanicum *Miq.* XVI. 1. [illegible]
Zippelia *C. Dc.* XVI. 1. [illegible]
Zollingeri *C. Dc.* XVI. 1. [illegible]
Zollingerianum *C. Dc.* [illegible]
Zuccarinii *C. Dc.* XVI. 1. [illegible]
Piper *subgen. Eupiper C. D[illegible]*
Piperoides [illegible] XVI.
Piper *sect.* Apopiper *C. D[illegible]*
Brachystachy[illegible] XVI.
Carpunya *C. D[illegible]*
Coccobryon [illegible]
Dugagelia E[illegible]
Enckea *C. D[illegible]*
Eupiper *C. D[illegible]*
Macrostachy[illegible]
Nematanthera XVI.
Potomorphe [illegible]
Schizonephe XVI.
Steffensia *C.* [illegible]
PIPERACEAE *C. Dc.* XVI.
PIPERACEAE Kth XVI.
PIPERRAR *Miq.* XVI. 1. [illegible]
PIPERI Auct. XVI. 2. [illegible]
Piperoides C. Dc. XVI. [illegible]
Piptochlamys C. A. Mey. [illegible]
hirsuta C. A. Mey. XVI.

C. A. Mey. XIV. 557 (Thymelaea)
d. XVI. 1. 235[16]
dd. XVI. 1. 235[17]
iaudianus - - - -
inus - - - -
Wedd. XVI. 1. 235[19]
l. XVI. 1. 235[17]
s Wedd. XVI. 1. 235[19]
Wedd. XVI. 1. 235[19]
Vianus Wedd. XVI. 1. 235[17]
l. Gray XVI. 1. 235[20]
dd. XVI. 1. 235[18]
- - - - -
ius - - - 235[19]
- - - -
Wedd. XVI. 1. 235[19]
Wedd. XVI. 1. 235[19]
Wedd. XVI. 1. 235[19] (*bis*)
Wedd. XVI. 1. 235[19] (*bis*)
folius - - - -
s Wedd. XVI. 1. 235[18]
Wedd[2] XVI. 1. 235[17]
Wedd. XVI. 1. 235[18]
XV. 2. 1260
Reichenb. fil. & Zoll. XV. 2. 956 961 978
a Reichenb. fil. & Zoll. XV. 2. 979
Baill. XV. 2. 972 978 (Rottlera)
Br. XIV. 349 (Grevillea Eugrevillea)
Griff. XV. 2. 1260
XVII. 167, *Hance*
, L. C. Rich. XVII. 167
& *Schult.* XVII. 166 168
Lindl. XVII. 166 168
uel. XVII. 167
Wats. XVII. 166 168
f. XVII. 166 168
ace XVII. 165 168
C. Rich. XVII. 168
iq. XVII. 166 168
XVII. 167 168
XVII. 167 168
Sweet XVII. 161 168
x XVII. 166 168
x XVII. 168
n, Abelicea Endl. XVII. 165

PLATANACEAE Agardh XVI. 2. 156
PLATANACEAE *Dc. fil.* XVI. 2. 156
PLATANACEAE Lindl. XVI. 2. 156
PLATANEAE Clark. XVI. 2. 156
PLATANEAE Lestib. XVI. 2. 156
Platanus *Tourn.* XVI. 2. 159
acerifolia W. XVI. 2. 159
californica Benth. XVI. 2. 160
cuneata W. XVI. 2. 159
hispanica Ten. XVI. 2. 159
hybridus Brot. XVI. 2. 159
Lindeniana *Mart. & Gal.* XVI. 2. 159
lobata Moench XVI. 2. 159
mexicana *Moric.* XVI. 2. 160
occidentalis Hook. & Arn. XVI. 2. 160
occidentalis *L.* XVI. 2. 159
orientalis *L.* XVI. 2. 159
β insularis *Dc. fil.* - - -
γ cuneata *Loud.* - - -
δ acerifolia *Ait.* - - -
orientalis Pocock. XVI. 2. 158
orientalis acerifolia Loud. XVI. 2. 159
orientalis aceris folio Tourn. XVI. 2. 159
orientalis flabellifolia Spach XVI. 2. 159
orientalis undulata Ait. XVI. 2. 159
palmata Moench XVI. 2. 159
racemosa Benth. XVI. 2. 160
racemosa *Nutt.* XVI. 2. 160
vulgaris α & β Spach XVI. 2. 159
vulgaris δ & ε Spach XVI. 2. 159
Platycarya *Sieb. & Zucc.* XVI. 2. 145
strobilacea *Sieb. & Zucc.* XVI. 2. 145
Platycentrum Kl. XV. 1. 278 346, *Miq.* XV. 1. 275
annulatum C. Koch XV. 1. 350
crosum Miq. XV. 1. 276
Hamiltonianum Miq. XV. 1. 295
multangulum Miq. XV. 1. 275
robustum Miq. XV. 1. 275
rubrovenium Kl. XV. 1. 347
rupicolum Miq. XV. 1. 352
Teysmannianum Miq. XV. 1. 276
xanthinum Kl. XV. 1. 347

Platycentrum
Zollingerianum Kl. XV. 1. 351
Platycentrum *Dc. fl.* XV. 1. 346 (Begonia)
Platycladus Spach XVI. 2. 460 461
delabrata Spach XVI. 2. 460
stricta Spach XVI. 2. 462
Platycline Henfr. XV. 1. 278
Platygyne *Mercier* XV. 2. 913
hexandra *Müll. Arg.* XV. 2. 914
urens Mercier XV. 2. 914
Platysamia Zucc. XVI. 2. 537
rigida Zucc. XVI. 2. 537
Plecospermum *Trécul* XVII. 233
spinosum *Trécul* XVII. 233
spinosum Wight XVII. 233
Plegorhiza *Molin.* XVII. 296
Pleiostemon Sond. XV. 2. 274 333
verrucosum Sond. XV. 2. 333
Pleiostemon *Müll. Arg.* XV. 2. 333 (Phyllanthus)
Pleuradenia coccinea Raf. XV. 2. 71
Pleuranthe Salisb. XIV. 230
Pleuropterus Turcz. XIV. 694
cordatus Turcz. XIV. 136
Pleurothyrium *Nees* XV. 1. 7 168
bifidum *Nees* XV. 1. 169
chrysophyllum *Nees* XV. 1. 169
chrysothyrsus *Meisn.* XV. 1. 169
cuneifolium *Nees* XV. 1. 169
ferrugineum *Meisn.* XV. 1. 169
macranthum *Nees* XV. 1. 169
Poeppigii *Nees* XV. 1. 168
velutinum *Meisn.* XV. 1. 170
Plokiostigma Schuch. XV. 1. 500
Lehmannii Schuch. XV. 1. 501
Plukenetia *Müll. Arg.* XV. 2. 768, *Plum.* XV. 2. 768 770, *Auct.* XV. 2. 768
africana *Sond.* XV. 2. 773
brachybotrya *Müll. Arg.* XV. 2. 770
ranophora *Müll. Arg.* XV. 2. 769
corniculata *Sw.* XV. 2. 772
hastata *Müll. Arg.* XV. 2. 772
occidentalis Leand. XV. 2. 772
penninervia *Müll. Arg.* XV. 2. 770
peruviana *Müll. Arg.* XV. 2. 770
tamnoides *Müll. Arg.* XV. 2. 771
verrucosa *Sw.* XV. 2. 771
volubilis *L. Spec.* XV. 2. 771
volubilis L. Suppl. XV. 2. 771
Plukenetia *sect.* Anabaena *Müll. Arg.* XV. 2. 771
Plukenetia *sect.* Argoglyphea *Müll. Arg.*
Cylindrophora *Müll. Arg.*
Haplokrossa *Müll. Arg.*
Hedraianthera *Müll. Arg.*
Sajor Müll.
Plukenetia Baill. XV. 2. 7
Podadenia *Thwait.* XV. 2.
sapida Thwait. XV. 2. 7
Thwaitesii *Müll. Arg.* I
Podanthemum microphyllum
Podandra *Dc. fl.* XV. 1.
Podocalyx Kl. XV. 2. 46
loranthoides Kl. XV. 2.
Podocalyx *Müll. Arg.* XV.
PODOCARPEAE *Endl.* XVI. 2.
Podocarpus *L'Herit.* XVI. 2.
Labill. XVI. 2. 498, P
affinis *Seem.* XVI. 2. 537
agathifolia Bl. XVI. 2. 5
alpina *R. Br.* XVI. 2. 5
β Lawrencii *Hook. fil.*
amara *Bl.* XVI. 2. 535
andina *Poepp.* XVI. 2. 5
angustifolia *Parl.* XVI. 2.
antarctica hort. XVI. 2.
Antillarum R. Br. XVI. 2.
aristulata *Parl.* XVI. 2. 5
asplenifolia Labill. XVI.
Beccarii *Parl.* XVI. 2. 5
Bidwilli Hoibr. XVI. 2. 5
biformis Hook. XVI. 2. 4
Blumei *Endl.* XVI. 2. 5
bracteata *Bl.* XVI. 2. 5
β brevipes
bracteata Zollinq. XVI. 2.
chilena Lechl. XVI. 2. 5
chilina *Rich.* XVI. 2. 5
β glauca *Parl.*
chinensis *Wall.* XVI. 2.
coreana van Houtt. XVI.
coriacea *Rich.* XVI. 2. 5

rd. XVI. 2. 518
l. XVI. 2. 521
Br. XVI. 2. 521
rr. XVI. 2. 517
dl. XVI. 2. 509
A. Rich. XVI. 2. 520
Hook. XVI. 2. 521
XVI. 2. 518
. Müll. XVI. 2. 514
t. XVI. 2. 504 521
eem. XVI. 2. 516
XVI. 2. 517
XVI. 2. 517
erit. XVI. 2. 511
Mey. XVI. 2. 512
Carr. XVI. 2. 518
Br. XVI. 2. 517
q. XVI. 2. 518
. XVI. 2. 513
. XVI. 2. 511
. XVI. 2. 517
arl. XVI. 2. 685
n XVI. 2. 519
n XVI. 2. 512 510
ndl. XVI. 2. 509
Vall. XVI. 2. 521
ort. XVI. 2. 517
ort. XVI. 2. 510
. *bogor.* XVI. 2. 518
ima Gord. – – –
XVI. 2. 521
Miq. XVI. 2. 516
old XVI. 2. 518
XVI. 2. 516
XVI. 2. 517
XVI. 2. 512
XVI. 2. 508
r. XVI. 2. 511
. XVI. 2. 508
ook. fil. XVI. 2. 520
Bl. XVI. 2. 515
Don XVI. 2. 517
Wall. XVI. 2. 515 *(bis)*
Maki Endl. XVI. 2. 516
Parl. XVI. 2. 510
Zucc. XVI. 2. 516
s XVI. 2. 516
XVI. 2. 516
fil. XVI. 2. 511
dl. XVI. 2. 512
XVI. 2. 509
. XVI. 2. 516
d. XVI. 2. 519

Podocarpus
Nægeia *R. Br.* XVI. 2. 508
β variegata *hort.* – – –
neglecta *Bl.* XVI. 2. 516
neriifolia *Don* XVI. 2. 514 515
neriifolia hort. XVI. 2. 518
nivalis *Hook.* XVI. 2. 519
nobilis hort. XVI. 2. 518
Novae Caledoniae *Vieill.* XVI. 2. 513
nubicola Makoy XVI. 2. 513
nubigena *Lindl.* XVI. 2. 513
nucifera Pers. XVI. 2. 505 521
oleifolia *Don* XVI. 2. 510
ovata *Henk. & Hochst.* XVI. 2. 509
β variegata *Parl.* – – –
palembanica Miq. XVI. 2. 521
parvifolia *Parl.* XVI. 2. 514
philippeanus Benth. XVI. 2. 375
pinnata hort. XVI. 2. 508
polystachya *R. Br.* XVI. 2. 515
pruinosa Eckl. & Zeyh. XVI. 2. 512
pungens Caley XVI. 2. 513
Purdieana *Hook.* XVI. 2. 510
Purdieana hort. XVI. 2. 517
Purdieana var. parvifolia Griseb. XVI. 2. 513
rigida Kl. XVI. 2. 513
rivularis Panch. XVI. 2. 514
Rumphii *Bl.* XVI. 2. 515
salicifolia *Kl. & Karst.* XVI. 2. 510
saligna Don XVI. 2. 511
Sellowii *Kl.* XVI. 2. 509
spicata *R. Br.* XVI. 2. 519
spicata Poepp. XVI. 2. 520
spinulosa *R. Br.* XVI. 2. 513
Sprucei *Parl.* XVI. 2. 510
taxifolia *H. B. & Kth* XVI. 2. 518
taxodioides Carr. XVI. 2. 496 521
tenuifolia *Parl.* XVI. 2. 521
Teysmanni *Miq.* XVI. 2. 516
thevetiaefolia *Bl.* XVI. 2. 518
Thunbergii *Hook.* XVI. 2. 511
thuyoides R. Br. XVI. 2. 520
Totara *Don* XVI. 2. 514
usta *Brongn. & Gris.* XVI. 2. 520
Vieillardii *Parl.* XVI. 2. 521
Vriesiana hort. XVI. 2. 516
Yacca Don XVI. 2. 509
zamiaefolia hort. XVI. 2. 508
zamiaefolius A. Rich. XVI. 2. 376 521

Podocarpus *sect.* Dacrycarpus *Endl.* XVI. 2. 368 520
Eupodocarpus *Endl.* XVI. 2. 368 509
Nageia *Endl.* XVI. 2. 368 507
Stachycarpus *Endl.* XVI. 2. 368 518
Podocentrum Burch. XIV 40
Podopterus *Humb. & Bonpl.* XIV. 171
mexicanus *Humb. & Bonpl.* XIV. 171
Podostachys Kl. XV. 2. 513 661
hirta Kl. XV. 2. 663
incana Kl. XV. 2. 663
Lundianus Diedrichs. XV. 2. 663
sclerocalyx Diedrichs. XV. 2. 662
Sellowiana Kl. XV. 2. 663
serrata Kl. XV. 2. 664
subfloccosa Diedrichs. XV. 2. 663
Podostachys Baill. XV. 2. 661 (Croton)
Podostachys *Müll. Arg.* XV. 2. 661 (Croton *sect.* Eucroton)
PODOSTEMACEAE Endl. XVII. 39
PODOSTEMACEAE *Wedd.* XVII. 39
PODOSTEMEAE *A. Juss.* XVII. 43
PODOSTEMEAE Rich. XVII. 39
PODOSTEMMEAE Endl. XVII. 39
Podostemon *L. A. Rich.* XVII. 72, *Gardn.* XVII. 72, *Tul.* XVII. 72, *Griff.* XVII. 66 67
abrotanoides Nutt. XVII. 73
acuminatus *Wedd.* XVII. 75
Ceratophyllum *Mx* XVII. 72
α - - - -
β fluitans - - 73
γ abrotanoides - - -
Chamissonis Tul. XVII. 73 (*bis*)
dendroides Thwait. XVII. 74
dichotomus Gardn. XVII. 69
distichus *Wedd.* XVII. 73
Dregeanum Presl XVII. 45
elongatus Gardn. XVII. 70
fruticulosus *Wedd.* XVII. 74
Gardneri *Harv.* XVII. 76
Griffithii Wall. XVII. 67
griseus Gardn XVII. 75
Hookerianus *Wedd.* XVII 74
Johnsonis *Wedd.* XVII. 75
microcarpus *Wedd.* XVII. 76
olivaceus *Gardn.* XVII. 75 (*bis*)
rigidus Gardn. XVII. 69
Podostemon *ruppioides H. B. & Kth*
subulatus *Gardn.* XVII.
Wallichii R. Br XVII.
Wallichii (*Podostemo*
Wightii Gardn. XVII.
Podostemon *sect.* Eupod
Wedd
Griffithe
Zeylan
Wedd
PODOSTEMONEAE *Wedd.*
PODOSTEMONEAE & *CRENACEAE Bun*
Poecilia *Dc fil.* XV
Pogonophora *Miers* XV
Cuneri Baill. XV 2
Schomburgkiana *Miers*
Trianae *Müll Arg.* XV
POGONOPHOREAE *Müll.*
Pogonophyllum Diedrich
elatum Diedrichs. XV
Poikilospermum *Zipp.* V
amboinense *Zipp.* XV
Poinsettia Grah. XV
& *Gke*
cyathophora Kl. & Gk
dentata Kl. & Gke V
Edwardsii Kl. & Gke
frangulaefolia Kl. &
geniculata Kl. & Gke
heterophylla Kl. & Gk
insulana Kl. & Gke
lanceifolia Kl. & Gke
Oerstediana Kl. & Gk
pedunculata Kl. & Gk
prunifolia Kl. & Gke
pulcherrima Grah. V
punicea Kl. & Gke V
radians Kl. & Gke V
Ruiziana Kl. & Gke
Schiedeana Kl. & Gk
xalapensis Kl. & Gk
Poinsettia *Boiss* XV.
Polyadenia *Nees* XV 1
cuspidata Miq. XV. 1

Nees XV. 1. 232 (*bis*)
Miq. XV. 1. 231 232
sk. XV. 1. 178 232
s XV. 1. 188 232
. XV. 1. 232 242
Miq. XV. 1. 232 243
XV. 1. 232 241
natrana Miq. XV. 1. 516
Miq. XV. 1. 233 242
s XV. 1. 64 233
Nees XV. 1. 233 243
Miq. XV. 1. 233 242
Nees XV. 1. 233 241
iq. XV. 1. 233 241
Miq. XV. 1. 233 243
ees XV. 1. 232
n Meisn. - - -
Miq. XV. 1. 233 241
ra Nees XV. 1. 233 243
XV. 2. 915 918
iseb. XV. 2. 919
. Arg. XV. 2. 918 (Bernardia)
. XVII. 296
EAE Lindl. XIV. 1
EAE *Meisn.* XIV. 1
Meisn. XIV. 28
Juss. XIV. 3 28
x XIV. 79, *C. A. Mey.* XIV. 80
eisn. XIV. 81
ya Meisn. XIV. 80
eisn. XIV. 78
n. XIV. 81
Gray XIV. 81
t. XIV. 80
Meisn. XIV. 77
Meisn. XIV. 78
Shuttlew. XIV. 81
lx XIV. 80
vis Meisn. - -
. Gray XIV. 80
isn. XIV. 78
ct. Eupolygonella *Endl.* XIV. 80
Gonopyrum *Fisch. & Mey.* XIV. 81
ct. b Meisn. XIV. 77
Nutt. XIV. 79 (Polygonum)
Tourn. XIV. 28
c. Tourn. XIV. 29

Polygonum *L.* XIV. 83 77 79, *Tourn.* XIV. 83 85, *Adans.* XIV. 143, *Vell.* XIV. 150, *Wall.* XIV. 39, *Nutt.* XIV. 79, *Auct.* XIV. 145
abyssinicum *A. Rich.* XIV. 109
acerosum *Ledeb.* XIV. 92
acetosaefolium Vent. XIV. 142 148
acetosum *MB.* XIV. 96
β elatius *Meisn.* - -
acetosum Eichw. XIV. 96
acetosum var. latifolium MB. XIV. 96
acidulum W. XIV. 141
acidum Pall. XIV. 139
acidum W. herb. XIV. 96
acre *H. B. & Kth* XIV. 107
α confertiflorum *Meisn.* - 108
β leptostachyum - - -
γ brachystachyum - - -
δ majus - - -
ε riparium - - -
acre Lam. XIV. 109
acre Meisn. XIV. 107
acre Mitchell XIV. 109
acre Sieber XIV. 113
acre α aquatile Mart. XIV. 108
acuminatum *H. B. & Kth* XIV. 114
α Humboldtii *Meisn.* - -
β glabrescens - - -
γ subcordatum - - -
δ setigerum - - -
ε brachystemon - - -
ζ microstemon - - -
η Weddellii - - -
ϑ capense - - -
acuminatum Kth XIV. 114
acuminatum Mart. & Gal. XIV. 120
acuminatum Meisn. XIV. 121
acutatum Lehm. XIV. 142 144
adenophyllum *Cham. & Schl.* XIV. 113
adenotrichum *Griff.* XIV. 141
adpressum Hook. XIV. 146
adpressum Lahill. XIV. 142 146
affine *Don* XIV. 126
affine Steph. XIV. 96
affine var. angustifolium Wall. XIV. 125
afghanicum *Meisn.* XIV. 90
alatum Hamilt. XIV. 128
alopecuroides *Turcz.* XIV. 141
alpestre Heldr. XIV. 694
alpestre C. A. Mey. XIV. 96

Polygonum
alpestre *Wall.* XIV. 128
alpinum *All.* XIV. 139
alpinum β lapathifolium *Cham. & Schl.* XIV. 140
alpinum δ frigidum *Cham. & Schl.* XIV. 140
alpinum var. olympicum *Clement.* XIV. 695
altissimum *Moench* XIV. 123
ambiguum *Meisn.* XIV. 126
ammannioides *Jaub. & Spach* XIV. 96
amoenum *Bl.* XIV. 123
Amphibium *L.* XIV. 115
α natans *Moench* - -
β caenosum *Koch* - 116
γ terrestre *Leers* - -
δ maritimum *Dethard.* - -
ε Mühlenbergii *Meisn.* - -
Amphibium β aquaticum *Wallr.* XIV. 116
Amphibium emersum *Mx* XIV. 116
amplexicaule *Don* XIV. 126
α ambiguum *Meisn.* - -
β oxyphyllum - - -
amplexicaule *Lindl.* XIV. 126
angustifolium *Don* XIV. 125
angustifolium *Pall.* XIV. 140 (*bis*)
angustifolium *Poir.* XIV. 140
angustifolium *Roth* XIV. 111
anomalum *de Bruyn* XIV. 91
antihaemorrhoidale *Mart.* XIV. 108
aquaticum *A. Gray* XIV. 116
arachnoideum *Kl.* XIV. 117
arborescens *Vell.* XIV. 142 159
arcticum *Pall.* XIV. 139
arenarium *Godr. & Gren.* XIV. 694
arenarium *Lois.* XIV. 99
arenarium *Raf.* XIV. 98
arenarium *Waldst. & Kit.* XIV. 100
argenteum *Ehrenb.* XIV. 88
argyrocoleon *Steud.* XIV. 99
arifolium *L.* XIV. 134
arifolium *Spr.* XIV. 134
arifolium *Thbg* XIV. 132
articulatum *R. Br.* XIV. 117
articulatum *L.* XIV. 81 142
articulatum *Perrot.* XIV. 123
asperulum *Wall.* XIV. 133
assamicum *Meisn.* XIV. 111
[illegible]phaxis *Thbg* XIV. 85

Polygonum
atraphaxoides *Thbg* X
atriplicifolium *Wall.*
attenuatum *R. Br.* X
auriculatum *Meisn.* X
australe *Forst.* XIV.
australe *A. Rich.* XIV.
australe *Spr.* XIV. 1
australe *Thieb.* XIV.
aviculare *Bubani.* XI
aviculare *Bert.* XIV.
aviculare *Kar. & Kir.*
aviculare *L.* XIV. 97
α vegetum *Ledeb.* -
β erectum - -
γ diffusum *Meisn.* -
δ angustissimum -
ε depressum - -
ζ nanum *Boiss.* -
aviculare *Lour.* XIV.
aviculare *Walp.* XIV.
aviculare β erectum
aviculare β latifolium
aviculare γ arvense
aviculare γ laxum *Lej.*
aviculare γ roseum
aviculare δ polycnemifo
& *Lond.*
aviculare δ Guss. XIV.
aviculare var. *Dregeana*
aviculare var. hibrida
Koch
aviculare var. montico
& *Sch.*
aviculare var. oxyphylla
azoricum *Wats.* XIV.
Babingtonii *Endl.* XIV.
baccatum *Soland.* XIV.
Banka *Hamilt.* XIV. 11
barbatum *Comm.* XIV.
barbatum *L.* XIV. 104
α vulgare *Meisn.* -
β hirtellum - -
γ glabratum - -
barbatum *Thby* XIV.

Bellardi *All.* XIV.
α virgatum *Meisn.* -
β patulum - -
γ gracilius - -
δ effusum - -

Kir. XIV. 99
ham. & Schl. XIV. 132
V. 120
b. XIV. 118
milt. XIV. 106
atalium XIV. 695)
XIV. 102
. 125
sn. - -
n - - -
- - 126
n - - -
XIV. 116
num Turcz. XIV. 125
tatum C. Koch XIV. 126
s. XIV. 125 695
sh XIV. 125
V. 86
. XIV. 130 131
XIV. 125
Koch XIV. 87
& Fingerh. XIV. 110
XIV. 127
. XIV. 125
cs. XIV. 120
XIV. 77 142
. XIV. 98
XIV. 106
isn. XIV. 100
n. XIV. 87
- -
- -
rt. XIV. 142 147
lt. XIV. 129
n. - -
- - 130
h. XIV. 128
V. 111
h XIV. 126
m. XIV. 77 142
n. XIV. 97
Steud. XIV. 132
Wedd. XIV. 132
h XIV. 88
XIV. 136
. 130
um Meisn. - -
- - 131
- - -
- - -
- - -

Polygonum
ζ subhastatum *Meisn.* XIV. 131
η corymbosum - - -
chinense var. ovalifolium Meisn. XIV. 141
chlorocoleon Steud. XIV. 99
ciliatum Don XIV. 127
ciliatum Ehrenb. XIV. 111
ciliatum Kze XIV. 142
ciliatum *Lour.* XIV. 102
ciliatum Ruiz XIV. 114
ciliatum W. herb. XIV. 139
cilinode *Mx* XIV. 135
ciliosum *Meisn.* XIV. 95
cirrhosum Moç. & Sessé XIV. 184 695
claviculatum hort. paris. XIV. 142 185
cliffortioides *Meisn.* XIV. 94
coarctatum *Dougl.* XIV. 101
α majus *Meisn.* - -
β minus - - -
coarctatum Pall. XIV. 139
coccineum Mühlenb. XIV. 115
coccineum aquaticum Mühlenb. XIV. 116
coccineum terrestre Mühlenb. XIV. 116
Coccoloba Steud. XIV. 146
cochinchinense Meisn. XIV. 123
cognatum *Meisn.* XIV. 96
α alpestre - - -
β rupestre *Fisch. & Mey.* - -
γ ammannioides *Meisn.* - -
collare Mart. XIV. 119
complexum A. Cunn. XIV. 142 147
Comptianum hort. XIV. 147
Comptonianum hort. XIV. 142 147
confertiflorum Dougl. XIV. 89
confertum *Royl.* XIV. 96
confusum Meisn. XIV. 125
conspersum *Meisn.* XIV. 102
controversum Guss. XIV. 86 694
convolvulaceum Lam. XIV. 135
Convolvulus *L.* XIV. 135
cordatum hort. berol. XIV. 142 146
coronulatum Steud. XIV. 94
corrigioloides *Jaub. & Spach* XIV. 92
corymbosum W. XIV. 130 131 (*bis*)
corymbosum asperum Bl. XIV. 131
corymbosum puberulum Bl. XIV. 130
corymbosum subhastatum Bl. XIV. 131

Polygonum
crassifolium Murr. XIV. 139
crassinerve Cesat. XIV. 98
crenatum Ehrenb. XIV. 86
crispulum Sims XIV. 77
crispum Hornem. XIV. 140
cristatum *Engelm.* XIV. 136
Cunninghamii *Meisn.* XIV. 85
cuspidatum *Sieb. & Zucc.* XIV. 136
cuspidatum W. herb. XIV. 114
cymosum Roxb. XIV. 130
cymosum Trevir. XIV. 142 144
daphnophyllum Andr. XIV. 111
davuricum W. herb. XIV. 140
debile Steud. XIV. 129
deciduum *Boiss. & Nöe* XIV. 99
decipiens *R. Br.* XIV. 104
declinatum Vell. XIV. 142 164
delicatulum *Meisn.* XIV. 127
densiflorum Bl. XIV. 130
densiflorum *Meisn.* XIV. 121
α imberbe - - -
β ciliolatum - - -
depressum A. Cunn. XIV. 142 147
dibotrys Don XIV. 142 144
dichotomum Bl. XIV. 133
diclinum *F. Müll.* XIV. 85
diffusum Pall. XIV. 140
dioicum Hamilt. XIV. 143
diospyrifolium *Cham. & Schl.* XIV. 122
distachyum Mart. XIV. 108
divaricatum Lessing XIV. 100
divaricatum *L.* XIV. 140 141
α glabrum *Meisn.* - -
β scabridum *Ledeb.* - 141
γ angustissimum *Meisn.* - -
* pilosum - - -
** glabrum - - -
δ micranthum - - -
divaricatum Vill. XIV. 139
divaricatum β Meisn. XIV. 141
Donianum Spr. XIV. 127
Donii hort. XIV. 119
Donii *Meisn.* XIV. 105 106
dracunculifolium Boiss. XIV. 86
Dregei *Meisn.* XIV. 98
Dryandri Spr. XIV. 93
Dryandri Wall. XIV. 93 94 95
dubium Stein. XIV. 110
dumetorum *L.* XIV. 135
dumosum *Boiss.* XIV. 89
effusum *Meisn.* XIV. 93
Ehrenbergii *Meisn.* XIV. 86

Polygonum
elatius *R. Br.* XIV. 121
elegans hort. XIV 142 14
elegans Miq. XIV. 93
elegans Roxb. XIV. 93 (
elegans Soland. XIV 93
elegans *Ten.* XIV 100
ellipticum W. herb XIV
emarginatum Roth XIV 1
emarginatum Wall. XIV
Emodi *Meisn.* XIV 127
ephedroides Hook. fil. XI
epilobioides *Wedd* XIV.
equisetiforme Gndr. & G
equisetiforme Mayer XIV
equisetiforme *Sibth. & S*
β trigynum *Boiss.* - -
equisetiforme α graecum
equisetiforme β corsicum
erectum L. XIV 97
erectum Roth XIV. 97
erectum Vell. XIV. 114
exiguum Meisn. XIV. 95
Fagopyrum L. XIV. 142
ferrugineum Wedd. XIV.
filicaule *Wall.* XIV. 127
α caespitosum *Meisn*
β extenuatum - -
γ alpestre - -
filiforme Barton XIV. 1
filiforme *Thbg* XIV 112
fimbriatum Ell. XIV 92
fissum *Bl.* XIV. 105
β latifolium *Hassk* -
γ glabrescens *de Bru*
flaccidum Hamilt. XIV
flaccidum *Roxb.* XIV. 10
α β γ *Meisn.* - -
flagellare Bertol XIV. 9
flagelliforme Lois. XIV.
flagelliforme *Wedd* XIV
flexuosum Benth. XIV. 9
flexuosum Heward XIV
flexuosum Pall. XIV. 14
floribundum *Schlecht* XI
floribundum Wedd XIV
fluviatile Hamilt XIV 1
frondosum *Meisn.* XIV. 1
frutescens bot. regist. X
frutescens Güldenst XIV
frutescens hort. paris. X
frutescens L. XIV 77 14

ll. XVI. 142 158
yllon &c. Barr. XVI. 2. 356
yoides &c. Barr. XVI. 2. 355 356
nel. XIV. 78 (*bis*)
Walp. XIV. 142 148
Poir. XIV. 97
Riddell XIV. 132
isn. XIV. 133
n. & Schl. XIV. 115 119
. XIV. 107
XIV. 114
Meisn. - 115
issimum- - -
R. Br. XIV. 116
Heward XIV. 118
Poir. XIV. 109
XIV. 88
Meisn. XIV. 120
Vall. XIV. 120
Meisn. - -
paris. XIV. 99
d. XIV. 141
Hamilt. XIV. 102
w., Nutt. XIV. 80 142
. XIV. 109
mn. XIV. 109
lt. XIV. 106
XIV. 142 143
Mart. XIV. 108
Spr. XIV. 125
or. XIV. 105
n Hoffmannsg. XIV. 114
Wierzb. XIV. 95
Bertol. XIV. 142 184
W. XIV. 79 142
Wedd. XIV. 119
Miq. XIV. 129
XIV. 138
or. XIV. 104
rr. XIV. 139
lling. & Mor. XIV. 141
h. & Winterb. XIV. 137
Benth. XIV. 93
Delil. XIV. 94
um Meisn. - -
- - -
α Meisn. XIV. 93

Polygonum
herniarioides β prostratum Meisn. XIV. 93
herniarioides γ Meisn. XIV. 94
heterophyllum Soland. XIV. 142 147
Hippopotami *G. Ehrenb.* XIV. 121
hirsutum Hamilt. XIV. 103
hirsutum *Walt.* XIV. 103
α dasyphyllum *Meisn.* - -
β glabrescens - - -
hirtum W. XIV. 123
hispidulum *Bl.* XIV. 133
hispidum Hamilt. XIV. 104
hispidum *H. B. & Kth* XIV. 122
Hornemanni *Meisn.* XIV. 107
horridum *Roxb.* XIV. 133
humifusum *Merk* XIV. 95
humile *Meisn.* XIV. 128
hybridum Chaubard XIV. 110
Hydropiper *L.* XIV. 109
α vulgare *Meisn.* - -
β angustifolium *A. Braun-* -
γ obtusifolium - - -
Hydropiper Lour. XIV. 107
Hydropiper Mx XIV. 108
Hydropiperi-Persicaria Meisn. XIV. 110
hydropiperoides *Mx* XIV. 103
β virgatum *Meisn.* - -
hydropiperoides Pursh XIV. 108
hypostictum Miq. XIV. 111
hyssopifolium Boj. XIV. 141
japonicum *Meisn.* XIV. 112
β grandiflorum- - 695
javanicum *de Bruyn* XIV. 124
illecebroides *Meisn.* XIV. 94
imberbe *Soland.* XIV. 115
incanum Schmidt XIV. 118
incanum W. XIV. 118
incarnatum *Ell.* XIV. 120
indicum Roth XIV. 93 (*bis*)
injucundum Lindl. XIV. 142 149
intermedium Ehrh. XIV. 111
interruptum *Bung.* XIV. 111
inundatum Mart. XIV. 123
inundatum *Raf.* XIV. 141
jucundum *Meisn.* XIV. 103
junceum Cunn. XIV. 85
junceum *Ledeb.* XIV. 100
Kitaibelianum Sadler XIV. 99
Kotschyanum Boiss. XIV. 90
lacerum *H. B. & Kth* XIV. 89
lanatum Roxb. XIV. 117
lanigerum *R. Br.* XIV. 117
α australasicum *Meisn.* - -

Polygonum
β indicum *Meisn.* XIV. 117
γ africanum - - -
lanigerum Meisn. XIV. 117 *(bis)*
lapathifolium *Ait.* XIV. 119
lapathifolium Auct. XIV. 119
lapathifolium Mert. & Koch XIV. 118
lapathifolium W. XIV. 118
lapathifolium α ovatum A. Braun XIV. 118
lapathifolium pallens Pers. XIV. 119
lapathifolium tenuiflorum Boiss. XIV. 118
latifolium Tourn. XIV. 97
laxiflorum Bertol. XIV. 695
laxiflorum Pall. XIV. 99
laxiflorum Weihe XIV. 110
Laxmanni *Lepech.* XIV. 140 *(bis)*
α genuinum *Ledeb.* - -
β glabriusculum - - -
laxum Reichenb. XIV. 118
Lemaoniaoum *Meisn.* XIV. 91
leptostachyum *de Bruyn* XIV. 108
Libani *Boiss.* XIV. 89
libanoticum Ehrenb. XIV. 96
limbatum *Meisn.* XIV. 123
linifolium Mühlenb. XIV. 100
linifolium Perrot. XIV. 94
linifolium Roth XIV. 93
littorale Godr. & Gren. XIV. 694
littorale *Lk* XIV. 98
β buxifolium *Ledeb.* - -
longisetum *de Bruyn* XIV. 105
Loureiri Poir. XIV. 102
ludovicianum *Meisn.* XIV. 116
luzuloides *Jaub. & Spach* XIV. 86
macranthum *Meisn.* XIV. 107
macrochaeton Fresen XIV. 123
macrochaetum Miq. XIV. 110
macrophyllum Don XIV. 125
macropterum hort. XIV. 142
macropterum F. Müll. XIV. 142
macropterum Fenzl β marginatum hort. carlsr. XIV. 143
madagascariense *Meisn.* XIV. 113
mareoticum Ehrenb. XIV. 86
marinum Ray XIV. 88
maritimum Cham. & Schl. XIV. 88
maritimum Eichw. XIV. 96
maritimum *L.* XIV 88
maritimum Remy XIV. 88
maritimum Vell. XIV. 108

Polygonum
Meisnerianum *Cham. &*
β Beyrichianum *Meisn.*
melastomoeum *Delil.* XI
Metzianum Miq. XIV. 1
Meyenii *C. Koch* XIV.
Meyeri Steud. XIV. 89
micranthum Boiss. XIV.
microcephalum *Don* XI
α subvillosum *Meisn.*
β glabrum -
microcephalum Hassk.
microphyllum Kl. XIV.
microphyllum F. Müll.
microphyllum Ruiz XIV.
minus Ait. XIV. 103
minus Fries XIV. 111
minus *Huds.* XIV. 111
β subcontinuum *Meisn.*
γ interruptum -
minus Lag. XIV. 118
minus Reichenb. XIV. 110
minus Ten. XIV. 110 118
Miquelianum *Meisn.* XIV.
mite Pers. XIV. 103 108
mite *Schrank* XIV. 110
mite Wall. XIV. 107
mite strictum Fries XIV.
molle *Don* XIV. 136
molliaeforme *Boiss.* XIV.
monspeliense Guss. XIV.
monspeliense Thieb. XIV.
monticolum Steud. XIV.
mucronatum *Royl.* XIV.
multangulare Hook. & Arn.
multiflorum *Thbg* XIV.
multisetum *Delil.* XIV.
muricatum *Meisn.* XIV.
β auriculatum - -
muricatum var. glabratum
XIV.
muticum Moench XIV. 112
myrianthum Boiss. & Nic
nanum Bory XIV. 98
neglectum Bess. XIV.
nepalense hort. elden. XIV.
nepalense *Meisn.* XIV.
α glabrum - -
β scabridum - -
γ javanicum - -
nepalense Wall. XIV.
nervosum Wallr. XIV.
niloticum *Lehm.* XIV. 141

m
m *Meisn.* XIV. 119
n *Pers.* XIV. 118
m *Boiss.* XIV. 99
arifolium *Meisn.* XIV. 127
Roxb. XIV. 115 119
um *Steud.* XIV. 118
tale *herb. berol.* XIV. 144
um *Gmel.* XIV. 141
um *Houtt.* XIV. 124
um *L.* XIV. 141
m *W. herb.* XIV. 140
n *Lour.* XIV. 106
illum *Boiss.* XIV. 90
Jaub. & Spach XIV. 92
e *hort.* XIV. 119
e *L.* XIV. 123 (*bis*)
ndiflorum *Meisn.* - -
sum - - -
indicum Hamilt. XIV. 123
um *Meisn.* XIV. 106
nuatum *Bl.* - -
(*orysetorum*) *Bl.* XIV. 106
Roth XIV. 141
Delil., Boj. XIV. 39 142
um *Wall.* XIV. 126
num *Mey. & Bung.* XIV. 95
chyum *Raf.* XIV. 104
Wither. XIV. 119
m *Griff.* XIV. 141
eforme *Hamilt.* XIV. 129 131
tum *Andr.* XIV. 118
tum *Bl.* XIV. 137
ense *Wedd.* XIV. 105
ia *Cham. & Schl.* XIV. 89
hia *C. A. Mey.* XIV. 89
ioides *C. A. Mey.* XIV. 89
m *Schott* XIV. 141
um *Nutt.* XIV. 142
um *Schott* XIV. 88
on XIV. 131
MB. XIV. 99
hort. XIV. 119
Karel. XIV. 100
um *Endl.* XIV. 89
nre *Wall.* XIV. 133
ordatum *Meisn.* - 134
icum *Bung.* XIV. 120
icum *Curt.* XIV. 119
icum *L.* XIV. 120
m *L.* XIV. 132
m *Meisn.* XIV. 128 (*bis*)

Polygonum
α hispidulum *Meisn.* XIV. 128
β laevigatum - - -
γ glaciale - - -
Perrottetii *Meisn.* XIV. 94
Persicaria Hook. & Arn. XIV. 115
Persicaria *L.* XIV. 117
α agreste *Meisn.* - 118
β elatius - - -
γ ruderale - - -
δ depauperatum - - -
Persicaria β L. XIV. 111
Persicaria var. Benth. XIV. 121
Persicaria var. biforme Fries XIV. 118
Persicaria var. megaphyllum Ehrenb. XIV. 123
Persicaria var. vernicosum Cham. & Schl. XIV. 118
persicarioides *H. B. & Kth* XIV. 117
β - *Meisn.* - -
Persoonii Engelm. XIV. 103
peruvianum *Meisn.* XIV. 122
petiolatum Don XIV. 126
pilosum Roxb. XIV. 123
pilosum Ruiz XIV. 123
plebejum *R. Br.* XIV. 94
Plinii majus Clus. XVI. 2. 356
Plinii minus Clus. XVI. 2. 355
pluriflorum C. Koch XIV. 96
podocephalum Kl. XIV. 129
Poiretii *Meisn.* XIV. 113
Poiretii β Meisn. XIV. 113
polyanthos *de Bruyn* XIV. 137
polycephalum Wall. XIV. 130
polycnemoides *Jaub. & Spach* XIV. 92
polygaloides *Meisn.* XIV. 101
polygamum Vent. XIV. 80 142
polymorphum *Ledeb.* XIV. 139
α alpinum - - -
β undulatum *Meisn.* - -
γ lapathifolium *Ledeb.* - -
δ diffusum - - 140
ε frigidum - - -
ζ soongaricum - - -
η salignum *Meisn.* - -
polymorphum angustissimum Ledeb. XIV. 141
polystachyum *Wall.* XIV. 137
α glabrum *Meisn.* - -
β pubescens - - -
portoricense Bert. XIV. 121
Posumbu *Hamilt.* XIV. 105 111
α tenerum *Meisn.* - 106

Polygonum
β firmum *Meisn.* XIV. 106
γ macrophyllum- - -
δ caespitosum - - -
ε ovatum - - -
Posumbu Meisn. XIV. 106
procumbens Bl. XIV. 106
procumbens de Bruyn XIV. 106
propinquum *Ledeb.* XIV. 95
prostratum *R. Br.* XIV. 116
prostratum Hook. fil. XIV. 111
prostratum Roxb. XIV. 93
provinciale C. Koch XIV. 97
pseudo-hydropiper Salsm. XIV. 110
pterocarpum *Wall.* XIV. 136
pubescens *Bl.* XIV. 105
β Hasskarlii *Meisn.* - -
pubescens Hassk. XIV. 105
pulchellum Lois. XIV. 99
pulchrum Bl. XIV. 124
punctatum Ell. XIV. 108 141
punctatum Hamilt. XIV. 128
punctatum *Raf.* XIV. 141
punctatum Schweinitz XIV. 103
punctatum γ *pygmaeum de Bruyn* XIV. 128
pusillum Lam. XIV. 111
pyramidatum Lois. XIV. 142 143
quadrangulatum Mart. & Gal. XIV. 142 149
quadrifidum *Hamilt.* XIV. 122
β simlense *Meisn.* - -
quadrifidum Meisn. XIV. 118
radicosum *Boiss.* XIV. 90
ramosissimum *Mx* XIV. 97
ramoso-spicatum Kl. XIV. 138
ramosum Fisch. XIV. 140
Rayi *Babingt.* XIV. 88
rectum Barrel. XIV. 99
recumbens *Royl.* XIV. 96
refractum Mart. XIV. 132
repens Wall. XIV. 129
reticulatum de Bruyn XIV. 130
reticulatum C. Koch XIV. 99
rhizocaulon *de Bruyn* XIV. 106
riparium Georgi XIV. 140 141
riparium Mart. XIV. 108
rivulare Helfer XIV. 107
rivulare Koenig XIV. 107
rivulare *Roth* XIV. 104
Roberti Lois. XIV. 88 97 694
Roettleri *Roth* XIV. 111
romanum *Jacq.* XIV. 86
rottboellioides *Jaub. & Spach* XIV. 92
Roxburghii *Meisn.* XIV. 93 141

Polygonum
α longifolium *Meisn.* X
β brevifolium -
γ spathulatum -
δ pedicellare -
Roylei *Babingt.* XIV. 98
rubicundum Soland. XIV
rubricaule *Cham.* XIV. 1
rubriflorum Frie. XIV 99
rude *Meisn.* XIV. 137
rugosum Hamilt. XIV. 14
Ruizianum C Koch XIV.
rumicifolium Pal. XIV.
rumicifolium *Royl.* XIV
α ovatum *Babingt* -
β cordatum - -
γ oblongum *Meisn* -
runcinatum *Hamilt.* XIV
β javanicum *Meisn* -
rupestre Kar. & Kir XIV
sagittatum Don XIV. 13
sagittatum *L.* XIV 132
α sibiricum *Meisn.* - -
β americanum - - -
sagittatum Mx XIV 13
sagittatum Thbg XIV 1
sagittatum α *boreale* Me
sagittatum β *indicum* Me
salicifolium Brouss XIV
salicifolium *Dehl* XIV
salicornioides *Jaub. &* Sp
salignum Turcz. XIV 1
salicinum W. kers. XIV
salsugineum *MB.* XIV
salsuginosum Wallr. XIV
Sanguinaria L. XIV
scabridum W. kes XIV
scabrinervium *Royl.* XIV
β ciliolatum *Meisn.*
scabrum Moench XIV. 1
scabrum Poir XIV. 1
scandens *L.* XIV 13
scoparium *Req* XIV. 9
segetum *H. B. & Kr* X
β genuinum *Meisn.*
β stamineum -
γ Lindenii -
senegalense *Meisn.* XIV
sericeum *Pall.* XIV. 1
serotinum *Raf* XIV. 14
serotinum Ten XIV. 1
serpyllaceum Jaub & S

XIV. 141
ir. XIV. 113
Poir. XIV. 113
Guss. XIV. 111
Lag. XIV. 110 141
Meisn. - 111
ldw. XIV. 103
tt., Short XIV. 80
Fedd. XIV. 114
. Rich. XIV. 110
q. XIV. 86
xm. XIV. 139
fil. XIV. 139
t. XIV. 136
isn. XIV. 133
yl. XIV. 122
v. XIV. 142 144
Br. XIV. 142
yl. XIV. 130
um de Bruyn XIV. 119
Schrenk XIV. 140
Meisn. XIV. 126
Lehm. XIV. 99
Mart. XIV. 119
Meisn. - 120
alum Wall. XIV. 129
hyum Meisn. XIV. 125
Boj. XIV. 113
XIV. 106
t. XIV. 126
Hamilt. XIV. 104
n Wall. XIV. 129
Cham. XIV. 134
n Meisn. XIV. 125
Blanco XIV. 695
Koch XIV. 87
l. XIV. 111
deb. XIV. 99
eisn. XIV. 110
R. Br. XIV. 134
Hamilt. XIV. 129
de Bruyn XIV. 91
Cham. & Schl. XIV. 87
Mart. XIV. 142
R. Br. XIV. 113
um Dietr. XIV. 142
m Salzm. XIV. 86
de Bruyn XIV. 115
Kth XIV. 143 149
uis XIV. 117
L. XIV. 143 144
XIV. 111
xb. XIV. 107 115

Polygonum
tenerum *Spr.* XIV. 142 143
tenue Don XIV. 125
tenue *Mœ* XIV. 100
tenuiflorum Bertol. XIV. 695
tenuiflorum Presl XIV. 118
tetragonum *Bl.* XIV. 133
Thunbergii *Sieb. & Zucc.* XIV. 132.
thymifolium *Jaub. & Spach* XIV 90
tinctorium *Lour.* XIV. 102
tomentosum Eckl. & Zeyh. XIV. 113
tomentosum Schrank XIV. 118
tomentosum *W.* XIV. 124
α sericeo-velutinum *Meisn.* - -
β denudatum - - -
γ strigillosum - - -
δ glandulosum - - -
torquatum de Bruyn XIV. 123
tortuosum *Don* XIV. 138
β tibetanum *Meisn.* - -
triangulare Wall. XIV. 143 144
tropicum C. Koch XIV. 94
truncatum Zolling. XIV. 130
tubulosum *Boiss.* XIV. 91
tumidum Auch. XIV. 86
tumidum *Delil* XIV. 142
turgidum Thuill. XIV. 119
undulatum Berg. XIV. 85
undulatum Murr. XIV. 139
utriculatum Remy XIV. 118
uviferum L. XIV. 143 152
vacciniifolium *Wall.* XIV. 126
α obtusifolium *Meisn.* - -
β medium - - -
γ flagelliforme - - -
venantianum Clement XIV. 694
vernum Raf. XIV. 119
virgatum Cham. & Schl. XIV. 103
virgatum Lois. XIV. 99
virginianum *L.* XIV. 112
viridiflorum Poir. XIV. 143 XVI. 1. 30
viscosum Bastard XIV. 119
viscosum *Hamilt.* XIV. 102
α ramosissimum *Meisn.* - -
β vernicosum - - -
viviparum *L.* XIV. 124
viviparum Meisn. XIV. 125
volcanicum Benth. XIV. 143 148
volubile Turcz. XIV. 143 144
Wallichii *Meisn.* XIV. 129
sonulatum Nor. XIV. 131

Polygonum *sect.* Aconogonum *Meisn.* XIV. 136
Amblygonum *Meisn.* XIV. 123
Bistorta *Tourn.* XIV. 124
Cephalophilon *Meisn.* XIV. 127
Echinocaulon *Meisn.* XIV. 131
Fagopyrum Meisn. XIV. 143
Helxine R. Br. XIV. 131 143
Persicaria *Meisn.* XIV 101
Polygonella Nutt. XIV. 79
Tiniaria *Meisn.* XIV. 135
Polypara Lour. XVI. 1. 238
cochinchinensis Lour. XVI. 1. 238
cordata Lour. XVI. 1. 238
Polyphema Lour. XVII. 285
Polypodium spinulosum Burm. XIV. 315
Polyschisma *Dc. fil.* XV. 1. 278 (Casparya)
Polystorthia Bl. XVII. 296
Pomatis *Nees* XV. 1. 146 (Nectandra)
Pomatium canescens Nees XV. 1. 147
Pond-Pine XVI. 2. 394
Pongalum Rheed. XV. 2. 443
Ponnalege XVII. 219
Poora-marum XVII. 219
Popotio XVI. 2. 354
Populus *Tourn.* XVI. 2. 323
Acladesca hort. XVI. 2. 330
alba engl. botany XVI. 2. 324
alba *L.* XVI. 2. 324
α genuina *Wesm.* - - -
1 argentea - - - -
2 grisea - - - -
β nivea - - - -
γ denudata *Hartig* - - -
δ Bachofenii - - - -
ε croatica *Wesm.* - - -
ζ Salmonii *Carr.* - - 325
alba Nouv. Duham. XVI. 2. 324
albo-tremula Krause XVI. 2. 325
angulata *Ait.* XVI. 2. 328
β tortuosa *Carr.* - - -
angustifolia Torr. XVI. 2. 329
argentea Mx XVI. 2. 326
atheniensis hort. XVI. 2. 326
Populus
australis Ten. XVI. 2.
Bachofeni Wierzb. XVI.
balsamifera *L.* XVI. 2.
α genuina *Wesm.* - -
β suaveolens *Loud.* - -
γ laurifolia *Wesm.* - -
δ viminalis *Loud.* - -
balsamifera Mx XVI. 2.
belgica hort. Hoffmann.
betulaefolia Pursh XVI.
canadensis *Desf.* XVI. 2.
β discolor *Wesm.* - -
γ angustifolia - - -
canadensis Moench XVI.
candicans *Ait.* XVI. 2.
canescens Sm. XVI. 2.
caudina *Ten.* XVI. 2.
ciliata *Wall.* XVI. 2.
cilicica Kotschy XVI. 2.
cordifolia Burgsd. XVI.
croatica Waldst. & Kit.
dilatata Ait. XVI. 2.
dilatata var. neapolitana XVI
diversifolia Schrenk XVI.
euphratica *Olin.* XVI. 2.
α orbicularis *Wesm.* -
β ovata - -
γ lanceolata - -
δ hippophaefolia - -
fastigiata Desf. XVI. 2.
glandulosa Moench XVI.
graeca Ait. XVI. 2.
grandidentata *Mx* XVI. 2.
β pendula *Loud.* - -
heterophylla hort. XVI.
heterophylla *L.* XVI. 2.
β argentea *Wesm.* - -
Hudsoniana Mx XVI. 2.
hybrida *MB.* XVI. 2.
italica dilatata W. XVI.
laevigata hort. XVI. 2.
laevigata W. XVI. 2.
latifolia Moench XVI. 2.
laurifolia Ledeb. XVI. 2.
Lindleyana Booth XVI.
Lindleyana hort. XVI. 2.
lobata *Fisch.* XVI. 2.
longifolia Pall. XVI. 2.
macrocarpa Schrenk XVI.
macrophylla Lindl. XVI.
macrophylla Ledb. XVI.
marylandica Bosc XVI.
mexicana *Wesm.* XVI. 2.

it. XVI. 2. 329
XVI. 2. 331
Ten. XVI. 2. 331
. XVI. 2. 329
. XVI. 2. 328
. XVI. 2. 330
l. 2. 327
Wesm. - - 328
lla *Spach*- - -
lla *Wesm.*- - -
Carr. - - -
Duroi XVI. 2. 328
eguier XVI. 2. 328
Desf. XVI. 2. 330
it. XVI. 2. 328
alica Moench XVI. 2. 328
d. XVI. 2. 325
renk XVI. 2. 327
hort. XVI. 2. 328
oyl. XVI. 2. 329
rt. XVI. 2. 330
. XVI. 2. 327
. XVI. 2. 330
. XVI. 2. 325
Mill. XVI. 2. 330
rr. XVI. 2. 325
VI. 2. 325
Wesm. - - -
- - - -
- - - -
Ux XVI. 2. 325
XVI. 2. 326
Torr. & Gray XVI. 2. 330
XVI. 2. 325
ld. XVI. 2. 330
Jard. XVI. 2. 330
m.-Cours XVI. 2. 329
chy XVI. 2. 331
ligeiros Reichenb. XVI. 2. 327
euce Reichenb. XVI. 2. 324
eucoides Spach XVI. 2. 324
acamahaca Spach XVI. 2. 329
g. XV. 2. 191
Müll. XV. 2. 192
ongn. XV. 2. 192
üll. Arg. XV. 2. 192
- - - -
- - - -
Kl. XV. 2 193

Poranthera
ericifolia Hügel XV. 2. 192
ericifolia *Rudg.* XV. 2. 191
* estriolata *Müll. Arg.* - - -
ericoides *Kl.* XV. 2. 191
* piceoides *Müll. Arg.* - - -
glauca *Kl.* XV. 2. 192
Hügelii *Kl.* XV. 2. 192
linarioides Baill. XV. 2. 192
microphylla Brongn. XV. 2. 193
microphylla Kl. XV. 2. 193
microphylla *Müll. Arg.* XV. 2. 193
α Drummondii - - - -
β intermedia - - - -
γ glauca - - - -
δ diffusa - - - -
ε genuina - - - -
piceoides Kl. XV. 2. 192
PORANTHERAE *Müll. Arg.* XV. 2. 190
Poraqueiba *Aubl.* XVII. 296
Poras XV. 2. 417
Porostema Schreb. XV. 1. 159 258
Porostema *Nees* XV. 1. 159 (Nectandra)
Portulacastrum *Boiss.* XV. 2. 9 69 (Euphorbia)
PORTULACACEAE Adans. XV. 1. 266 409
Potameia *Pet. Thouar.* XIV. 328
Thouarsii *R. & Schult.* XIV. 329
Potomorphe Miq. XVI. 1. 331
(*Protomorphe Miq.* XVI. 1. 240)
Dombeyana Miq. XVI. 1. 332
Lessertiana Miq. XVI. 1. 332
mollissima Miq. XVI. 1. 342
Ottonis Miq. XVI. 1. 332
peltata Miq. XVI. 1. 331
scutata Miq. XVI. 1. 331
sidaefolia Miq. XVI. 1. 334
speciosa Miq. XVI. 1. 331
subpeltata Miq XVI. 1. 334
umbellata Miq. XVI. 1. 333
Potomorphe *C. Dc.* XVI. 1. 240 331 (Piper)
Poula XVII. 219
Pourouma *Aubl.* XVII. 281 284
Pouzolzia *Gaudich.* XVI. 1. 219, *Bl.* XVI. 1. 219, *Wedd.* XVI. 1. 219, *Bennett* XVI. 1. 219 235[2]
abyssinica *Bl.* XVI. 1. 223
acalyphoides *Wedd.* XVI. 1. 234
acuta Wight XVI. 1. 235[1] 235[8]
alienata Gaudich. XVI. 1. 221
ambigua Wight XVI. 1. 235[1] 235[8]

Pouzolzia
angustifolia Wight XVI. 1. 221
arachnoidea *Wedd.* XVI. 1. 223
aspera *Wedd* XVI. 1. 233
aspera *Wight* XVI. 1. 235[1] 235[6]
australasia *Wight* XVI. 1. 225
β Burmanni *Wedd.* - - 226
γ pilosa - - - -
Bennettiana Wight XVI. 1. 235[1] 235[7]
bicuspidata *Wight* XVI. 1. 225
Boehmeriana *Wedd.* XVI. 1. 224
Boehmerica *Wight* XVI. 1. 228
Brunensis *Bl* XVI. 1. 220
bracteata *Bennett* XVI. 1. 235[1] 235[5]
canescens *Gaudich.* XVI. 1. 225
caudata *Bennett* XVI. 1. 235[1] 235[6]
cinerascens *Wedd.* XVI. 1. 230
cochinchinensis *Bl.* XVI. 1. 221
cochinchinensis *Spr.* XVI. 1. 221
concinna *Wight* XVI. 1. 235[1] 235[3]
confinis *Bl.* XVI. 1. 227
conglobata *Miq.* XVI. 1. 230
courtalliensis Wight XVI. 1. 235[1] 235[6]
cymosa *Wight* XVI. 1. 227
Dalzellii Wight XVI. 1. 235[1] 235[3]
diffusa *Wight* XVI. 1. 226
discolor *Wedd.* XVI. 1. 232 233
elegans *Wedd.* XVI. 1. 230
elliptica *Wight* XVI. 1. 225
flaccida A Rich. XVI. 1. 235[1] 235[60]
formicaria *Wedd.* XVI. 1. 232
Forsteriana Bl. XVI. 1, 221
fulgens Wedd. XVI. 1. 229
Gardneri Bl. XVI. 1. 235[7]
Gardneri Wight XVI. 1. 235[1] 235[7]
glabra *Wight* XVI. 1. 235[1] 235[4]
glabrata *Wedd.* XVI. 1. 232
glochidiata Bl XVI. 1. 221
glomerata Dene XVI. 1 220
glomerata *Hassk.* XVI. 1. 221
guatemalana *Wedd.* XVI. 1. 233
guineensis *Benth.* XVI 1. 223
β madagascariensis *Wedd.* - - -
heterocarpa Wight XVI. 1 235[1] 235[7]
heterophylla Bl XVI. 1. 221
heterophylla *Wedd.* XVI. 1. 231
hirta Hassk. XVI. 1. 235[1] 235[6]
hispida Bennett XVI. 1. 235[1] 235[6]

Pouzolzia
Hügeliana Wight XVI
hypericifolia Bl XVI 1
hypoleuca *Wedd.* XVI
indica *Gaudich.* XVI 1
1 ceramica *Wedd*
2 suffruticosa -
3 procumbens -
4 umbrosa -
β angustifolia -
γ alienata -
1 heterophylla -
2 muralis -
3 strigosa -
4 microphylla -
5 tenuis -
δ tetraptera -
1 pyramidata -
2 pilosa -
3 minor -
integrifolia Dals XVI.
integrifolia β Dals. XV
Johnsoniana Wight XV
laevigata *Gaudich.* XVI
laevis *Wedd.* XVI. 1. 2
latifolia *Wedd.* XVI 1
longifolia Wight XVI.
lucida Hassk XVI 1.
macrura Wedd. XVI 1
microceltis Miq. XVI
microphylla Bl. XVI
microphylla *Wight* XV
minor Wight XVI. 1
mixta *Solms* XVI 1.
mollis Bl XVI 1 225
montana Miq XVI. 1.
muralis Miq XVI. 1.
mysorensis Wight XV.
nana Bl XVI 1 22
neilgherrensis Wight X
obliqua *Wedd* XVI.
oblongifolia Wight XV
obscura Bl XVI 1 2
occidentalis *Wedd.* XV
orientalis *Wedd* XVI
ovalifolia Wight XVI
ovalis Miq. XVI. 1 2
ovata *Wedd* XVI 1
ovata Wight XVI. 1.
parietarioides Dene XV

ight XVI. 1. 221
Wight XVI. 1. 235[1] 235[9]
Bennett XVI. 1. 220
A. Rich. XVI. 1. 235[39]
Bennett XVI. 1. 235[1] 235[2]
ight XVI. 1. 222
des Wedd. XVI. 1. 231
ata - - - -
ta - - - -
is Wight XVI. 1. 221
Bl. XVI. 1. 225
Bennett XVI. 1. 221
ta Wight XVI. 1. 222
ta Wight XVI. 1. 235[1] 235[7]
rvis Bennett XVI. 1. 235[1] 235[8]
na Wight XVI. 1. 235[1] 235[3]
-iseb. XVI. 1. 201 235[1]
Bl. XVI. 1. 235[1] 235[7]
Vight XVI. 1. 226
Wight XVI. 1. 226
Bl. XVI. 1. 226
ia Wight XVI. 1. 225
s Wedd. XVI. 1. 229
ight XVI. 1. 235[1] 235[5]
Wight XVI. 1. 225
Gaudich. XVI. 1. 235[1] 235[37]
ia Schlecht. XVI. 1. 235[1] 235[7]
Wight XVI. 1. 235[1] 235[8]
Hassk. XVI. 1. 221
ia Wight XVI. 1. 220
XVI. 1. 222
ennett XVI. 1. 235[1] 235[5]
Wight XVI. 1. 222
Wight XVI. 1. 235[1] 235[7]
Wight XVI. 1. 235[1] 235[4]
Bl. XVI. 1. 235[1] 235[9]
ra Hohenack. XVI. 1. 222
Wight XVI. 1. 222
Wight XVI. 1. 222
Vedd. XVI. 1. 228
ata - - - 229
sula - - - -
iana - - - -
celtis - - - -
ana - - - -
atosa - - - -
us - - - -

Pouzolzia
virgata Wedd. XVI. 1. 233
Waitziana Bl. XVI. 1. 235[1] 235[7]
Walkeriana Wight XVI. 1. 235[1] 235[3]
Wallichiana Wight XVI. 1. 235[1] 235[4]
Wightii Bennett XVI. 1. 235[1] 235[4]
zeylanica Bennett XVI. 1. 221
Praetoria Baill. XV. 2. 1260
Pritzelia Kl. XV. 1. 278 357
coccinea Kl. XV. 1. 359
deflexa Kl. XV. 1. 362
Fischeri Kl. XV. 1. 360
glabra Kl. XV. 1. 362
glauca Kl. XV. 1. 330
lucida Kl. XV. 1. 362
montana Kl. XV. 1. 362
princeps Kl. XV. 1. 357
ramentacea Kl. XV. 1. 357
sanguinea Kl. XV. 1. 358
zebrina Kl. XV. 1. 358
Pritzelia *Dc. fil.* XV. 1. 357 (Begonia)
PROCRIDEAE *Wedd.* XVI. 1. 36 104
Procris *Commers.* XVI. 1. 191, *Gaudich.* XVI. 1. 195, *Spr.* XVI. 1. 171, *Auct.* XVI. 1. 164
acuminata Poir. XVI. 1. 181 193
approximata Wall. XVI. 1. 190 193
australis Spr. XVI. 1. 172 194
cantoniensis Spr. XVI. 1. 194
caulescens Poir. XVI. 1. 194
Cephalida Commers. XVI. 1. 191
chinensis Spr. XVI. 1. 194
cochinchinensis Spr. XVI. 1. 194
cuneata Bl. XVI. 1. 193
cyrtandraefolia Zolling. & Moritz. XVI. 1. 175 194
divaricata Steud. XVI. 1. 170 194
diversifolia Wall. XVI. 1. 189 194
elatostemoides Steud. XVI. 1. 194
elegans Wall. XVI. 1. 189 194
excelsa bot. Zeitung XVI. 1. 200
excelsa Steud. XVI. 1. 194
fagifolia Poir. XVI. 1. 174 194
ficoidea Wall. XVI. 1. 171 194
frutescens *Bl.* XVI. 1. 192
gibbosa Wall. XVI. 1. 183 194
glabra Hook. & Arn. XVI. 1. 93 194
gracilis Bl. XVI. 1. 190 194
grandis *Wedd.* XVI. 1. 193

Procris
Heyneana Wall. XVI. 1. 170 194
hirsuta Bl. XVI. 1. 180 194
hypocrypta Commers XVI 1. 174 194
hypoleuca Hochst. XVI. 1. 235[23]
integrifolia Don XVI. 1 179 194
laeta Wall. XVI. 1 190 194
laevigata *Bl.* XVI 1. 192
β cuneata *Wedd.* - - 193
lateriflora Poir. XVI 1. 194
latifolia *Bl.* XVI. 1. 193
littoralis Poir XVI. 1. 194 202
longifolia Bl. XVI. 1. 191
longifolia Poepp. XVI. 1 194
lucida Spr. XVI 1. 191
maculata Poir XVI 1. 176 194
melastomoides Spr. XVI. 1. 194
membranacea Reinw XVI. 1. 181 19
mollis Wall. XVI. 1. 173 194
monandra Hamilt. XVI. 1. 190 194
montana *Steud.* XVI. 1 193
nivea Gaudich. XVI 1. 194 206
nudiflora Poir. XVI. 1 194
obtusa Royl. XVI 1. 164
obtusa Wall. XVI 1. 187 194
paludosa Bl. XVI 1 194
parva Bl. XVI 1. 190 194
pedunculatis Wall XVI. 1 164 194
pedunculatis Wall XVI. 1. 189 194
pedunculata *Wedd* XVI 1 191
piperifolia Wall. XVI. 1 179 194
platycephala Wall. XVI 1. 173 194
pubescens Hamilt XVI. 1. 173 194
punctata Wall XVI 1 177 194
quinquenervia Spr XVI. 1. 194
racemosa Royl XVI. 1 194
radicans Sieb. & Zucc XVI. 1. 167 194
ramiflora Poir XVI. 1. 197
restricta Reinw XVI. 1 169 194
rupestris Poir. XVI. 1. 195 235[28]
rupestris Don XVI 1. 177 195
sesquiflora Reinw XVI. 1 179 195
sessilis Hook & Arn. XVI. 1 172 195
Siebera Steud XVI. 1. 195 XVII. 230
simplicifolia Bl. XVI 1. 190 195
spicata Spr. XVI. 1. 195 235[27]

Procris
splendens Lindl XVI. 1
strigosa Bl XVI. 1. 181
Torresiana Steud XVI 1
trinervata Poir XVI 1.
umbellata Sieb. & Zucc
urticaefolia Poir. XVI
Wightiana Wall. XVI. 1.
Prosopanche Bary XVII 1
Burmeisteri Bary XVII 1
Prosopanche *Hook f.* XVII 1
PROSOPIDOCINEAE *h.* XV 2
Prosorus Dalz. XV 2 25
cyanospermus Thwait XV
Gaertneri Thwait XV 2
indicus Dalz. XV 2 407
indicus Thwait. XV 2 4
Prosorus Baill. XV 2. 416
Prosorus *Mull. Arg.* XV 2
(Phyllanthus sect
Protaxanthes Diedrichs XV
(Fr
Protaxanthes *Mull. Arg* XV
(Excoecaria sect Exco
Protea *L* XIV 230 211
299, *Thbg* XIV. 212
306, *Wendl*
abietina Buek XIV 246
abietina Lichtenst XIV
abietina W. herb. XIV
abrotanifolia Andr XIV
abrotanifolia herb. And
abrotanifolia minor And
abrotanifolia odorata
abyssinica *B.* XIV. 25
acaulis *Thbg* XIV. 241
β arenaria *Meisn* - 2
acaulis a Drege XIV 24
acerosa *R. Br.* XIV 24
β virgata *Meisn* - -
acrocarpa Poir XIV 24
acuifera Car. XIV 248
acuminata *Sims* XIV 24
acutifolia Salisb. XIV.
adscendens Lam XIV
adscendens Thbg XIV 2
aemula Poir. XIV 24
Aitoni Poir XIV. 288
alba Thbg XIV. 216 24
alopecuroides Lam. XIV

R. Br. XIV. 246
Salisb. XIV. 248 279
alisb. XIV. 248 277
Br. XIV. 244
ge XIV. 245
ir. XIV. 214 248
alisb. XIV. 239
herb. XIV. 248 279
IV. 247
ort. XIV. 247
XIV. 213 219 248
m. XIV. 219 248
XIV. 245
. XIV. 248 291
IV. 213 248
XIV. 223
ndr. XIV. 248 297
ort. XIV. 247
r. XIV. 248 256
XIV. 212 248
XIV. 242
usch XIV. 231
r. XIV. 248 309
IV. 236
XIV. 231
sn. XIV. 233
g XIV. 212 249
Poir. XIV. 249 308
hort. XIV. 247
r. XIV. 249 310
XIV. 249 286
fil. XIV. 218 249
sn. XIV. 236
r. XIV. 249 259
dr. XIV. 244
XIV. 237
l. XIV. 229 249
Meisn. XIV. 239
Andr. XIV. 241 229
herb. londin. XIV. 242
dr. XIV. 249 258
bg XIV. 249 302
. XIV. 249 302
ir. XIV. 249 262
XIV. 247
Mey. XIV. 238
carlsr. XIV. 247
Poir. XIV. 227 249
XIV. 249 310 (*bis*)
Mey. XIV. 244
monac. XIV. 247
am. XIV. 220 249
carlsr. XIV. 247

Protea
ciliaris Wendl. XIV. 228 249
ciliata Desf. XIV. 219 249
ciliata hort. angl. XIV. 228 249
ciliata *hort. Breit.* XIV. 247
ciliata Poir. XIV. 249 293
cinerea Ait. XIV. 216 227 249
cinerea W. XIV. 216 249
cinerea W. herb. XIV. 215
coarctata Thbg XIV. 249 286 698
coccinea *R. Br.* XIV. 230
comosa Thbg XIV. 224 249
compacta *R. Br.* XIV. 238
compar Poir. XIV. 249 295
concava Lam. XIV. 249 302
concinna Poir. XIV. 222 249
concolor *hort.* XIV. 247
congesta Drege XIV. 293
congesta Poir. XIV. 249 293
conica Lam. XIV. 221 249
conifera Andr. XIV. 221 249
conifera L. XIV. 222 (*bis*) 249
conifera Poir. XIV. 249
conifera Thbg XIV. 227 249
conifera W. herb. XIV. 218 222 249
conifera α L. XIV. 223
conocarpa Poir. XIV. 249 255
conocarpa Thbg XIV. 249 255
cordata *Thbg* XIV. 245
cordifolia Sims XIV. 246
coriacea Buek XIV. 238
coriacea Lichtenst. XIV. 249 267
coriacea W. herb. XIV. 220 249
coronata Andr. XIV. 238
coronata Curt. XIV. 242
coronata Lam. XIV. 233
corymbosa Thbg XIV. 218 249
crassifolia Poir. XIV. 226 249
crinifiora L. fil. XIV. 249 261
crinita Thbg XIV. 249 260
crinita Jacq., W. herb. XIV. 249 260
cristata Lam. XIV. 232
crithmifolia Don XIV. 301
crithmifolia Poir. XIV. 249 297
cucullata L. XIV. 249 263
cucullata β Lam. XIV. 249 263
cyanoides L. XIV. 249 290
cyanoides Thbg XIV. 249
cygnea Poir. XIV. 249 286
cynaroides *L.* XIV. 245
β obtusifolia *Meisn.* – –
γ elliptica – – –
δ glabrata – – –
cynaroides β. L. XIV. 236
cynaroides β elliptica Kl. XIV. 245

Protea
daphnoides Thbg XIV. 226 249
decipiens Poir. XIV. 249 295
declinata *hort.* XIV. 247
decora hort. angl. XIV. 219 249
decumbens Andr. XIV. 249 291
decumbens Thbg XIV. 249 295
decumbens W. herb. XIV. 250 284
densa *Ait.* XIV. 247
densa W. XIV. 698
dichotoma Cav. XIV. 250 270
dichotoma Lam. XIV. 250 266
divaricata Andr. XIV. 250 279
divaricata L. XIV. 250 265
divaricata W. herb. XIV. 250 265
diversifolia Poir. XIV. 250 306
diversifolia W. XIV. 223 250 698
dodonaeifolia Buck XIV. 239
echinulata *Meisn.* XIV. 242
effusa *E. Mey.* XIV. 240
elevata Poir. XIV. 250 287
elliptica Thbg XIV. 250 255
elongata *R. Br.* XIV. 245
erecta Thbg XIV. 250 298
ericaefolia W. herb. XIV. 218 250
ericifolia Poir. XIV. 225 250
ericoides *hort.* XIV. 247
eriocephala Lichtenst., W. herb. XIV. 250 292 293
erosa Lichtenst. XIV. 250 254
erosa W. herb. XIV. 250 260
falcata Cunn. XIV. 267
flagellaris Poir. XIV. 250 294
flavescens W. XIV. 229 250
florida Thbg XIV. 250 285
foeniculacea Poir. XIV. 250 290
formosa Andr. XIV. 250 255
formosa *R. Br.* XIV. 238
fucifolia Salisb. XIV. 250 270
fulva *Tausch* XIV. 234
furcellata Poir. XIV. 250 285
furcellata Sm. XIV. 277
fusca L. XIV. 216 250
fusciflora Jacq. XIV. 228 250
Gaguedi Gmel. XIV. 237
glaberrima Poir. XIV. 250 284
glabra *Thbg* XIV. 247 219
glauca *Brouss.* XIV. 247
glauca Buck XIV. 233
glauca Drege XIV. 233
glaucophylla Salisb. XIV. 245
globosa Andr. XIV. 219 250
Globularia Lam. XIV. 226 250
glomerata Andr. XIV. 250 289
glomerata L. XIV. 250 294
glomerata herb. Thieb. XIV. 292

Protea
glomerata Thbg XIV.
glomerata W. XIV.
glomerata W. herb. X

glutinosa *hort.* XIV.
graminea *hort.* XIV.
grandiceps Trattl. XIV.
grandiflora *Thbg* XIV.
β angustifolia *Ker*
grandiflora var. Andr.
grandiflora var. angusti

grandis *hort.* XIV.
Gustaviana Poir. XIV.
helvola Lichtenst. XIV.
helvola W. herb. XIV.
heterophylla Thbg XIV.
Hibbertii Poir. XIV.
hirsuta Poir. XIV.
hirsuta Thbg XIV.
hirsuta W. herb. XIV.
hirta hort. XIV.
hirta *Kl.* XIV.
hirta L. XIV.
hirtella *hort.* XIV.
humiflora Andr. XIV.
humiflorens W. XIV.
humifusa hort. XIV.
humilis *R. Br.* XIV.
hypophylla Thbg XIV.
hypophylla β latifolia

Hypophyllocarpodendron

imberbis Poir. XIV.
imbricata Thbg XIV.
imbricata Wendl. XIV.
incana *hort.* XIV.
incompta *R. Br.* XIV.
incorrupta R. Br. XIV.

incurva Andr. XIV.
incurva Thbg XIV.
inflexa W. XIV.
intermedia Poir. XIV.
involucrata Lichtenst.

involucrata *W. herb.*

lacticolor Salisb. XIV.
laevis *R. Br.* XIV.
laevis Thbg XIV.
Lagopus Andr. XIV.
Lagopus Thbg XIV.
Lagopus W. XIV.

XIV. 251 305
c. herb. XIV. 212
ort. XIV. 248
. Mey. XIV. 240
look. XIV. 248 (*est P. lacticolor*)
Br. XIV. 230
. XIV. 231
m. XIV. 218 251
ek XIV. 236
XIV. 251 307
n R. Br. XIV. 232
n Drege XIV. 233
n Ker XIV. 233
dendron L. XIV. 232 239
dendron β L. XIV. 231
rt. XIV. 248
ustifolia Salisb. XIV. 246
XIV. 214
XIV. 216 251
Sweet XIV. 239
tt. XIV. 214 251
g XIV. 251 256
hort. XIV. 248
q. XIV. 228 251
XIV. 698
m. XIV. 234 248
r. Mundii Lk, Kl. & Otto XIV. 235
latifolia Kl. XIV. 235
dr. XIV. 238
lisb. XIV. 242
XIV. 242
XIV. 242
Thbg XIV. 232 234
R. Br. XIV. 234
Meisn. – –
na – – –
Buek XIV. 233
α & β Drege XIV. 234
dr. XIV. 231
ia Buek XIV. 244
am. XIV. 236
hbg XIV. 232
V. XIV. 228 251
V. herb. XIV. 218 251
r. XIV. 251 264
. XIV. 251 255
. Br. XIV. 232
bg XIV. 239

Protea
micrantha *hort.* XIV. 248
mollis *hort.* XIV. 248
mollis Poir. XIV. 251 261 306
mollissima *hort.* XIV. 248
mollissima Poir. XIV. 251 302
montana *E. Mey.* XIV. 240
mucronata hort. XIV. 240
mucronata *Nois.* XIV. 248
mucronifolia R. Br. XIV. 241
mucronifolia *Salisb.* XIV. 240
α Brownii *Meisn.* – 241
β Gueinzii – – –
multifida *Nois.* XIV. 248
Mundii Kl. XIV. 235
mutica Poir. XIV. 213 251
myrtifolia Thbg XIV. 251 265
nana Lam. XIV. 245
nana *Thbg* XIV. 241
nectarina Schrad., Wendl. XIV. 251 421
neriifolia *R. Br.* XIV. 233
β glauca *Meisn.* – –
nigrita herb. Dc. XIV. 233
nitens Thbg XIV. 251 266
nitida Mill. XIV. 236
nivea Poir. XIV. 307
Niveni Poir. XIV. 251 291
nutans Poir. XIV. 251
obliqua hort. Bollw. XIV. 235
obliqua Thbg XIV. 213 251
obliqua W. herb. XIV. 222 251
obliqua α Poir. XIV. 219 251
obliqua β Poir. XIV. 219 251
obovata Andr. XIV. 251
obtusa Knight XIV. 231
obtusata Thbg XIV. 227 251
obtusifolia *Buek* XIV. 235
ochroleuca Sm. XIV. 235
odorata Thbg XIV. 228 251
odoratissima Masson XIV. 240
ovalis Buek XIV. 235 (*bis*)
ovata *Thbg* XIV. 247
pallens L. XIV. 222 251
pallens Thbg XIV. 220 251
pallens W. herb. XIV. 222 251
pallens γ Thbg XIV. 228 251
pallida W. herb. XIV. 220 251
parilis Knight XIV. 292
parviflora L. XIV. 213 251
passerina *Desf.* XIV. 248
passerina hort. XIV. 216 251
patens *R. Br.* XIV. 232
patens Poir. XIV. 251 259
patula Thbg XIV. 251 294
patula W. herb. XIV. 296

Protea
pauciflora Poir. XIV. 251 263
pedunculata Lam. XIV. 251 289
pedunculata Poir. XIV. 251 307
pendula *R. Br.* XIV. 241
penicillata *E. Mey* XIV 235
β major *Meisn.* - -
petiolata Buck XIV. 245
phylicoides Poir XIV. 292
phylicoides Schmidt XIV 251 293
phylicoides Thbg XIV. 251 (*bis*) 291
phylicoides W. XIV. 251 291
phylicoides W. herb. XIV. 293
pinifolia L. Mant XIV. 212 251
pinifolia L. herb. XIV 212 251
pinnata Andr. XIV. 251 291
pinnata *Cav.* XIV 248
pinnata Poir. XIV. 291
plumigera Thbg XIV 251 284 698
plumosa Ait. XIV 213 252
polygaloides *W.* XIV. 248
polygaloides W XIV. 215 229 241 252
polysperma Poir XIV. 224 252
polystachya Poir. XIV. 252 309
procumbens L fil. XIV 252 295
prolifera Thbg XIV 252 308
prostrata Thbg XIV. 227 252
pubera L. XIV. 252 259
pulchella Andr. XIV. 233
pulchella *R. Br.* XIV 233
pulchella Schrad. XIV. 252 270
pulchella a & b Drege XIV. 233
punctata *Meisn.* XIV. 238
purpurea L. XIV. 252 266
purpurea Thbg XIV. 252 266
pyramidalis Poir XIV. 252 308
pyramidalis Thbg XIV. 228
pyrifolia Buck XIV. 256
racemosa Lichtenst. XIV. 252 307
racemosa L XIV. 307
racemosa Thbg XIV 252 307
radiata Andr XIV 230
radiata Bonpl XIV. 235
Radula *hort* XIV. 248
radulifolia *Don* XIV 248
rangiferina hort. XIV 230
rangiferina Lee XIV. 252 277
recondita *Buck* XIV 237
reflexa *hort.* XIV 248
repens Andr. XIV. 246
repens *R. Br* XIV. 242
α minor *Meisn.* - -
β major - - -
repens L. XIV. 239
repens Thbg XIV. 242

Protea
repens var. R Br. XIV
reticulata Thbg XIV. 22
retroflexa Duitr. XIV 24
retusa Poir XIV. 214 25
revoluta *R. Br* XIV 245
revoluta Buck XIV 242
rosacea L. XIV 241
Rouppeliae *Meisn.* XIV
Roxburghii Poir. XIV 2
rugosa Thbg XIV 227 2
rupicola *Mund* XIV. 2
saligna Andr. XIV. 224
saligna L. XIV 22 252
saligna Thbg XIV. 225 2
salsoloides Poir. XIV 2
salsoloides Thbg XIV 2
scabra *R Br* XIV 24
α minor *Meisn.* - -
β Hibbertiana - - -
γ major - - -
δ stenophylla - - -
scabrida *Thbg* XIV 251
Sceptrum Lam. XIV.
Sceptrum Thbg XIV 25
Sceptrum Gustavianum
Scolopendrium *R Br* X
β scabriuscula *Mass.*
scolymocephala L. XIV
Scolymus *Thbg* XIV
scoparia Poir. XIV
serrata L XIV 225 25
serrata Thbg XIV 225 2
serrifolia Poir. XIV
Serraria L XIV 254 2
serrarioides Sp Sond
setacea *hort* XIV 24
setacea Poir XIV 25
simplicifolia Poir. XIV
spatalloides Poir XIV
spathulata Poir. XIV
spathulata Thbg XIV
speciosa Andr XIV.
speciosa *L.* XIV 251
β angustata *Meisn.*
γ obovata - -
speciosa Thbg XIV 25
speciosa W. herb XIV
speciosa var Drege X
speciosa nigra Andr X
speciosa patens Andr X
spectabilis *Lichtenst* X
spectabilis W XIV. 25

ocephala Houtt. XIV. 252 289 291
ocephala L. XIV. 252 292
ocephala Poir. XIV. 252 286 289
ocephala Thibaud XIV. 293
ocephala Thbg XIV. 252 294
ocephala W. herb. XIV. 252 289
Andr. XIV. 252 301
L. XIV. 252 301
W. herb. XIV. 252 302
hort. XIV. 248
sa Poir. XIV. 252 293
olia hort. XIV. 248
is Sims XIV. 228 252
Poir. XIV. 252 289
Don XIV. 252
na Don, W. herb. XIV. 219 252
na L. XIV. 219 252
na Thbg XIV. 219 252
Meisn. XIV. 242
ulis hort. XIV. 248
R. Br. XIV. 244
ifolia Meisn. - -
hort. XIV. 248
lia R. Br. XIV. 242
lia Poir. XIV. 304
lia Sol. Smith herb. XIV. 252 296
lia Thbg XIV. 227 252
dia Andr. XIV. 225 253
rgii Steud. XIV. 227 253
aeoides Poir. XIV. 253 265
s Sm. XIV. 225 253
des Lam. XIV. 253 297
sa Thbg XIV. 253 258
sa W. herb. XIV. 253 258
Thbg XIV. 216 253
. XIV. 253 257
ylites Cav. XIV. 253 279
ata hort. XIV. 248
ata Andr. XIV. 253 293 298
ata Thibaud XIV. 295
ata Thbg XIV. 253 297
ta Thbg XIV. 228 253
flora R. Br. XIV. 244
sa hort. XIV. 248
ata L. XIV. 253
ata Thbg XIV. 212
alis Knight XIV. 239
Lam. XIV. 247

Protea
venosa Thbg XIV. 247
venulosa *Steud.* XIV. 247
verticillata Thbg XIV. 228 253
vestita Lam. XIV. 253 255
vidua Andr. XIV. 239
villifera *Lindl.* XIV. 232
villosa hort. Bollw. XIV. 233
villosa Jacq. XIV. 253 265
villosa Lam. XIV. 253 292
villosa Poir. XIV. 253 254
villosa Thbg XIV. 253 298
villosa W. herb. XIV. 253 259
villosiuscula Banks herb. XIV. 253 254
virgata Andr. XIV. 246
virgata Poir. XIV. 222 253
virgata Thbg XIV. 228 253
viscosa *hort.* XIV. 248
Wendlandii Poir. XIV. 215 253
Protea *sect.* Acrocephalae *Meisn.* XIV. 230
Hypocephalae *Meisn.* XIV. 245
PROTEACEAE *Meisn.* XIV. 209
PROTEACEAE R. Br. XIV. 209
PROTEACEAE FOLLICULARES Meisn. XIV. 348
PROTEACEAE NUCAMENTACEAE Meisn. XIV. 211
PROTEAE Juss. XIV. 209
PROTEAE *Meisn.* XIV. 211
Proteophyllum Spach XVII. 169 (Celtis)
Protosebastiania *Müll. Arg.* XV. 2. 1185 (Sebastiania *sect.* Eusebastiania)
Prumnopytis elegans Philipp. XVI. 2. 520
Prunifera arbor fol. maxim. &c. Sloan. XV. 1. 53
Prunus aspera Thbg XVII. 209
Puddum hort. XVI. 1. 12
Psathuron *Dc. fil.* XV. 1. 326 (Begonia)
Pseudacalypha *Boiss.* XV. 2. 10 98 (Euphorbia)
Pseudais *Dene* XIV. 603
coccinea *Dene* XIV. 603
PSEUDANTHEAE Endl. XV. 2. 1
PSEUDANTHEAE *Müll. Arg.* XV. 2. 195
Pseudanthus *Müll. Arg.* XV. 2. 196, *Spr.* XV. 2. 196, *Endl.* XIV. 622
chryseus *Müll. Arg.* XV. 2. 196

Pseudanthus
nematophorus *F. Müll.* XV. 2. 197
nitidus *Müll. Arg.* XV. 2. 197
occidentalis *F. Müll.* XV. 2. 197
orientalis *F. Müll.* XV. 2. 197
ovalifolius *F. Müll.* XV. 2. 194 198
pimeleoides *Spr.* XV. 2. 196
polyandrus *F. Müll.* XV. 2. 196
virgatus *Müll. Arg.* XV. 2. 197
Pseudanthus *sect.* Caletiopsis *Müll. Arg.* XV. 2. 197
Chrysostemon *Müll. Arg.* XV. 2. 197
Rapscudanthus *Müll. Arg.* XV. 2. 196
Pseudocicca Baill. XV. 2. 414 (*Cicca*)
Pseudogunnera Oerst. XVI. 2. 597 598
Pseudo-larix Gord. XVI. 2. 377 412, *Haenk. & Hochst.* XVI. 2. 377, *Carr.* XVI. 2. 377
Kaempferi Gord. XVI. 2. 413
Pseudolarix *Parl.* XVI. 2. 412 (Pinus)
Pseudolmedia *Trécul* XVII. 281 286
Pseudomenarda *Müll. Arg.* XV. 2. 277 349 (Phyllanthus)
Pseudomimetes *Endl.* XIV. 264 (Mimetes)
Pseudomorus *Bureau* XVII. 214 249
Brunoniana *Bureau* XVII. 249
α pendulina - - -
castaneaefolia - - 250
scabra - - -
laevis - - -
ovalifolia - - -
β australiana - - -
γ obtusata - - -
lobata - - -
Brunoniana var. tahitensis Nadeaud XVII. 237
Pseudo-phyllanthus *Müll. Arg.* XV. 2. 233 (Andrachne)
Pseudo-rottlera Zolling. XV. 2. 991 (Rottlera)
Pseudosantalum creticum &c. Bauh. XVII. 166
Pseudostreblus *Bureau* XVII. 213 219
indica *Bureau* XVII. 220
Pseudo-Strobus Endl. XVI.
Pseudo-Strobus *Parl.* XVI.
Pseudotrewia Miq. XV. 2. 9
cuneifolia Miq. XV. 2. 9
Pseudotsuga Carr. XVI.
Douglasii Carr. XVI. 2.
Psilosolena (*non Psilosolena* 700) *Presl*
umbellata Presl XIV.
Psilostachys Turcz. XV. 2.
axillaris Turcz. XV. 2.
Psilothesium *Dc. fil.* XIV.
Psychotria nutans Siebet
PSYDOMORPHYTA Nees.
Pteranthera Bl. XVI. 2.
(*nomen*
Mangachapoi Bl. XVI. 2.
sinensis Bl. XVI. 2. 623
Pterilema Reinw. XVI. 2.
XV
aceriflorum Reinw. XVI.
Pterocarya *Kth* XVI. 2.
caucasica C. A. Mey.
fraxinifolia *Spach* XVI.
rhoifolia *Sieb. & Zucc.*
sorbifolia *Sieb. & Zucc.*
stenoptera *C. Dc.* XVI.
Pterococcus *Pall.* XIV. 29
XV.
aphyllus Kar. & Kir. X
aphyllus *Pall.* XIV. 29
crispus *C. A. Mey.* XIV.
glaberrimus Hasak. XV.
leucocladus *Schrenk* XIV
α strictus *Ledeb.* -
β flexuosus - -
soongaricus *C. A. Mey.*
α flavidus *Ledeb.*
β rubicundus -
tetrapterus *Meisn.* XIV.
Pterophyllus Nelson XVI.
Ginkgo Nelson XVI. 2.
Pteropyrum *Jaub. & Sp.*
Aucheri *Jaub. & Spach*
gracile *Boiss.* XIV. 31
Griffithii *Meisn.* XIV. 33
Nocaunm *Boiss.* XIV. 3

aub. & Spach XIV. 31
Jaub. & Spach XIV. 31
sect. Orthocarya *Jaub. & Spach* XIV. 31
Streptocarya *Jaub. & Spach* XIV. 31
Fisch. & Mey. XIV. 27
des *Fisch. & Mey.* XIV. 27
a Benth. XIV. 27
la Nutt. XIV. 27
ur. XVII. 296
Correa XVI. 2. 606 (*bis*)
rea XVI. 2. 606
RPAR *Meisn.* XIV. 2 28
R. Br. XIV. 352 (Grevillea)
Vahl XVII. 296
chiri, Puchuri, Puchyri) XV. 1. 156
ne XVI. 2. 405
Müll. Arg. XV. 2. 443, *Wall.* XV. 2. 443
rpa Müll. Arg. XV. 2. 444
ii Royl. XV. 2. 444
i Thwait. XV. 2. 444
ii Wall. XV. 2. 443
rpa Müll. Arg. XV. 2. 443
Müll. Arg. XV. 2. 444
ect. Eupotranjiva *Müll. Arg.* XV. 2. 443
Palenga *Müll. Arg.* XV. 2. 444
VEAE Endl. XV. 2. 1
Kl. XV. 1. 278 314
a Kl. XV. 1. 315
c. fil. XV. 1. 314 (Begonia)
Benth. XV. 2. 950
Müll. Arg. XV. 2. 951
Baill. XV. 2. 952
lla Benth. XV. 2. 951
ill. Arg. XV. 2. 951
Baill. XV. 2. 953
Baill. XV. 2. 952
s Baill. XV. 2. 952
sect. Eupycnocoma *Müll. Arg.* XV. 2. 951
Wetrinria *Müll. Arg.* XV. 2. 952

Pycnosandra Bl. XV. 2. 480 481 482
serrata Bl. XV. 2. 485
timorensis Bl. XV. 2. 481
Pycnostylis *Meisn.* XIV. 329 (Persoonia)
Pygeum *Gaertn.* XVII. 296
Pyrenacantha *Hook.* XVII. 8 18 XV. 2. 1260
grandiflora *Baill.* XVII. 19
kamassana *Baill.* XVII. 20
Kirkii *Baill.* XVII. 19
scandens *Harv.* XVII. 18
Vogeliana *Baill.* XVII. 19
volubilis *Hook.* XVII. 20
Pyrethron aphyllum Plum. XV. 2. 76
Pyrrhosa Bl. XIV. 200 202
Horsfieldii Wight XIV. 201
Pyrrhosa *Bl.* XIV. 202 (Myristica)
Pyrularia *Mx* XIV. 628
ceylanica *Dc. fil.* XIV. 629
edulis *Dc. fil.* XIV. 628
moschifera *Dc. fil.* XIV. 629
pubera *Mx* XIV. 628
Wallichiana *Dc. fil.* XIV. 629
β Bertii - - -
Pythagorea *Lour.* XVII. 296

Q.

Quadria R. & Pav. XIV. 347
Avellana Gaertn. XIV. 347
heterophylla R. & Pav. XIV. 347
Quadrifaria imbricata Manett. XVI. 2. 370
Quadrilobaria *Dc. fil.* XV. 1. 324 (Begonia)
Quadrilobus *Müll. Arg.* XV. 2. 514 672 (Croton)
Quercia domita XVI. 2. 10
QUERCINAE Juss. XVI. 2. 1
QUERCINEAE Juss. XVI. 2. 124
QUERCINEAE & FAGINEAE Dumort. XVI. 2. 1
Quercitron XVI. 2. 61
Quercus *L.* XVI. 2. 2 3, *C. Bauh.* XVI. 2 2, *Tourn.* XVI. 2. 2 3, *Auct.* XVI. 2. 90
Abelicea Lam. XVI. 2. 108 XVII. 166
abietum Kotschy XVI. 2. 8
acuminata Mart. & Gal. XVI. 2. 65

Quercus
acuminata *Roxb.* XVI. 2. 90
acuminatissima *De. fil.* XVI. 2. 102
acuta Hamilt. XVI. 2. 116
acuta Siebold herb. XVI. 2. 84
acuta *Thbg* XVI. 2. 91
acutidens Torr. XVI. 2. 683
acutifolia Humb. & Bonpl. XVI. 2. 66
acutifolia *Nee* XVI. 2. 66
β Bonplandii *De. fil.* - - -
γ angustifolia - - - -
δ conspersa - - - -
ε longifolia - - - 67
ζ microcarpa - - - -
acutissima Carruth. XVI. 2. 50
Aegilops Griseb. XVI. 2. 50
Aegilops L. XVI. 2. 45 46
Aegilops Scop. XVI. 2. 42
Aegilops Linnaeana Tchihat. XVI. 2. 45
Aegilops Oliveriana Tchihat. XVI. 2. 46
aegylopifolia Boiss. XVI. 2. 17
aegylopifolia Pers. XVI. 2. 44
affinis Mart. & Gal. XVI. 2. 27
affinis Scheidw. XVI. 2. 68
agrifolia Hook. XVI. 2. 37
agrifolia *Nee* XVI. 2. 37
agrifolia var. soc. Oreg. XVI. 2. 37
Alamo Benth. XVI. 2. 65
alba Guimp. & Hayn. XVI. 2. 22
alba *L.* XVI. 2. 22
β repanda *Mx* - - -
γ microcarpa *De. fil.* - - -
alba virginiana Catesb. XVI. 2. 22
aliena *Bl.* XVI. 2. 14
β pellucida - - - 15
almaguerensis *Humb. & Bonpl.* XVI. 2. 80
alnifolia *Poech* XVI. 2. 40
alpestris Boiss. XVI. 2. 17
alsina Lapeyr. XVI. 2. 39
ambigua Humb. & Bonpl. XVI. 2. 27
ambigua Mx XVI. 2. 61 (*bis*)
Amherstiana *Wall.* XVI. 2. 83 (*bis*)
amplifolia Guss. XVI. 2. 6
anceps Korth. XVI. 2. 86
angustata Bl. XVI. 2. 86
annulata Korth. XVI. 2. 92
annulata *Sm.* XVI. 2. 100 108

Quercus
apennina Aunier XVI.
apennina Lam. XVI. 2
apennina var. cuneat
aquatica *Walt.* XVI. 2
β laurifolia *De. fil.*
γ heterophylla -
δ stipitata -
ε dentata -
ζ myrtifolia -
aquatica var. A. Gray
aquatica var. Mx XVI
aquifolia *Kotschy* XVI
Arcaula Hamilt. XVI.
arcuata Kotschy XVI.
argentata *Korth.* XVI.
argyrophylla Wall. X
aristata *Hook & Arn*
aristata Seem. XVI 2.
armata Roxb. XVI. 2
armeniaca Kotschy XV
aspera Bosc XVI. 2. 9
asperata Pers. XVI. 2
asplenifolia hort. Nou
Aucherii *Jaub. & Spa*
aurea Kotschy XVI 2.
aurea Wiersb. XVI. 2.
aurea cuneifolia Wier
australis Lk XVI. 2. 1
austriaca W. XVI 2
Auzandri Gren. & Go
Auzin Bosc XVI. 2. 10
avellanaeformis *Colm.*
axillaris Schur XVI
baetica Webb XVI 2.
Ballota Desf. XVI 2.
Baloot *Griff.* XVI 2.
β glabra *De. fil* - -
bambusaefolia Hance
Banga Hamilt XVI 2
Banisteri Mx XVI 2.
barbinervis *Benth.* XVI
Bennettii *Miq.* XVI. 2
Benthami *De. fil* XVI
berberidifolia *Liebm* X
bicolor *W.* XVI. 2. 2
β platanoides *De fil*
Bivoniana *Guss.* XVI
Blancoi *De. fil.* XVI. 2
Blumeana *Korth.* XVI.

ut. XVI. 2. 18
na Sweet XVI. 2. 27
XVI. 2. 61
os Kotschy XVI. 2. 54 55
Kotschy XVI. 2. 18
Kotschy XVI. 2. 11
ys Benth. XVI. 2. 75
ll. XVI. 2. 46
otschy XVI. 2. 11
XVI. 2. 12
XVI. 2. 5 (*bis*)
Haberl. XVI. 2. 7
Liebm. XVI. 2. 75
XVI. 2. 91
r. XVI. 2. 39
Heldr. & Balan. XVI. 2. 56
Webb XVI. 2. 54 53 55
Kotschy - - -
a De. fil. - - -
- - - -
na - - - -
- - - -
alanos- - - 55 53
is - - - -
rinos - - - -
lanos - - - -
- - - 56
- - - -
nicrophylla Kotschy XVI. 2. 55
th. XVI. 2. 33
tens herb. XVI. 2. 28
Cham. & Schl. XVI. 2. 65
XVI. 2. 42
W. XVI. 2. 17
ce XVI. 2. 75
t. XVI. 2. 108
l. XVI. 2. 15
ar. urticaefolia Miq. XVI. 2. 16
n Kotschy XVI. 2. 49
tschy XVI. 2. 108
n XVI. 2. 15
uhl. XVI. 2. 21
e XVI. 2. 72
a De. fil. - - -
- - - -
- - - -
a - - - -

Quercus
Castanea W. XVI. 2. 72
castaneaefolia Coss. XVI. 2. 43
castaneaefolia hort. halens. XVI. 2. 49
castaneaefolia *C. A. Mey.* XVI. 2. 49 683
β glabriuscula *Dc. fil.* - - 50
castaneaefolia fol. subtus glabris Boiss. XVI. 2. 50
castanicarpa Roxb. XVI. 2. 111
castellana Poir. XVI. 2. 39
Catesbaei *Mx* XVI. 2. 59
caudata *Lindl.* XVI. 2. 108
cedrorum Kotschy XVI. 2. 8
celebica *Miq.* XVI. 2. 95
cerrioides *Willk. & Costa* XVI. 2. 80
Cerris Dc. XVI. 2. 12
Cerris *L.* XVI. 2. 41
β laciniata *Loud.* - - 42
γ variegata *Lodd.* - - -
δ pendula *Neil* - - -
ε subperennis *Dc. fil.* - - -
Cerris Pall. XVI. 2. 10
Cerris fulhamensis Lodd. XVI. 2. 42
Cerris lucumbeana Loud. XVI. 2. 42
chainolepis Kotschy XVI. 2. 55
Championi *Benth.* XVI. 2. 94
chinantlensis Liebm. XVI. 2. 76
chinensis *Bung.* XVI. 2. 50
Chinquapin Pursh XVI. 2. 21
chrysolepis *Liebm.* XVI. 2. 37
chrysophylla *Humb. & Bonpl.* XVI. 2. 75 58
cinerea *Mx* XVI. 2. 73
β dentato-lobata *Dc. fil.* - - -
γ humilis - - - 74
δ pumila - - - -
ε nana - - - -
cinerea var. Nutt. XVI. 2. 74
circinata *Nee* XVI. 2. 26
citrifolia *Liebm.* XVI. 2. 32
classinervia *Bl.* XVI. 2. 87
clivia Denh. XVI. 2. 683
coccifera Nouv. Duham. XVI. 2. 52
coccifera *L.* XVI. 2. 52
α vera *Dc. fil.* - - -
β Mesto - - - -
γ pseudo-coccifera - - - -
δ imbricata - - - 53
ε Auzandri - - - -
ζ cilicica *Kotschy* - - -

Quercus
η tomentosa *Dc. fil.* XVI. 2. 53
ϑ dasyantha - - - -
coccifera Webb XVI. 2. 52
coccinea Mx XVI. 2. 61
coccinea *Wangenh.* XVI. 2. 61
α coccinea *Dc. fil.* - - -
β nigrescens - - - -
γ tinctoria - - - -
δ Rugelii - - - 62
coccinea var. microcarpa Torr. XVI. 2. 683
coccinea var. rubra Spach XVI. 2. 60
collina Schleich. XVI. 2. 10
commutata Liebm. XVI. 2. 68 69 *(bis)*
concentrica Blanco XVI. 2. 97
concentrica *Lour.* XVI. 2. 94
condensata Schur XVI. 2. 8
conferta Kit. XVI. 2. 11
confertifolia *Humb. & Bonpl.* XVI. 2. 74
congesta Presl XVI. 2. 10
conglomerata Pers. XVI. 2. 8
conocarpa *Oudem.* XVI. 2. 93
consobrina Kotschy XVI. 2. 54
conspersa Benth. XVI. 2. 67
Cookii *hort.* XVI. 2. 108
cooperta *Blanco* XVI. 2. 105 113
cordata *Mart. & Gal.* XVI. 2. 76
coriacea Bechst. XVI. 2. 8
cornea *Lour.* XVI. 2. 90
corrugata *Hook.* XVI. 2. 25
Cortesii *Liebm.* XVI. 2. 29
costaricensis *Liebm.* XVI. 2. 32
costata *Bl.* XVI. 2. 93 683
β convexa - - - 94
crassifolia Benth. XVI. 2 57
crassifolia *Humb. & Bonpl.* XVI. 2. 56
crassifolia Liebm. XVI. 2. 79
crassipes *Humb. & Bonpl.* XVI. 2. 73
crenata Lam. XVI. 2 43
cretensis Lam. XVI. 2. 108
cretica Raulin XVI. 2. 54
crinita Lam. XVI. 2. 42
crinita var. ε Lam. XVI. 2. 12
crispata Stev. XVI. 2. 10
crispula *Bl.* XVI. 2. 15
crispula β Miq. XVI. 2. 16
cum longo pediculo Bauh. XVI. 2. 4
cuneata *Roxb.* XVI. 2. 108

Quercus
cuneata foliis &c. Wang
cuneifolia *Liebm.* XVI. 2.
Cupaniana Guss. XVI. 2.
cuspidata *Thbg* XVI. 2. 1
β pusilla *Bl.* - - -
γ sinensis - - - -
cyclophora *Endl.* XVI. 2
Cypri Kotschy XVI. 2. 19
cyrtopoda *Miq.* XVI. 2. 9
cyrtorhyncha *Miq.* XVI. 2
Dalechampii Ten. XVI. 2.
Dalechampii var. Ten.
daphnoidea *Bl* XVI. 2. 9
dasystachys Miq. XVI. 2
dealbata *Hook fil & Th*
dealbata Royl. XVI. 2.
dealbata Wall. XVI. 2.
decipiens Bechst. XVI. 2.
decipiens Mart & Gal.
densiflora Benth. XVI. 2
densiflora *Hook. & Arn.*
β Hartwegi *Dc fil.* - -
dentata Bartr. XVI. 2.
dentata *Thbg* XVI. 2. 1
β Wrightii *Dc fil* - -
dentata Wats XVI. 2
dentata Wright XVI. 2
dentosa *Lindl.* XVI. 2.
depressa Bl. XVI. 2. 8
depressa *Humb & B* 9
depressa Roxb XVI. 2
Diepenhorstii *Miq* XV
dilatata *Lindl* XVI. 2.
dipsacina Kotschy XVI
discolor Ait XVI. 2. 8
discolor W. XVI. 2. 8
discolor var. foliata 8
dispar Kotschy XVI. 2
divaricata *Lindl.* XVI.
diversifolia Nee XVI. 2
Douglasii Benth XVI
Douglasii *Hook & Ar*
β Gambelii *Dc fil*
γ novomexicana -
δ Nenei -
Drummondii *Liebm* X
dshorochensis C. Koch

is var. microphylla
Kotschy XVI. 2. 9
XVI. 2. 108 109
Benth. XVI. 2. 76
tschy XVI. 2. 55 (*bis*)
rr. XVI. 2. 683
Kotschy XVI. 2. 46
XVI. 2. 85
bm. XVI. 2. 31
XVI. 2. 71
rpa Dc. fil. - - -
XVI. 2. 59
n Korth. XVI. 2. 103
Lucaniae Gaspar. XVI. 2. 7
Stev. XVI. 2. 5
ura &c. Catesb. XVI. 2. 59
ff. XVI. 2. 11
seb. XVI. 2. 7
XVI. 2. 9 (*bis*) 42
a Liebm. XVI. 2. 76
rth. XVI. 2. 94
m. XVI. 2. 76
ir. XVI. 2. 108
Lodd. XVI. 2. 43
ir. XVI. 2. 39
. & Champ. XVI. 2. 105
Hungh. XVI. 2. 103
n. XVI. 2. 17
r & May. XVI. 2. 10
Gray. XVI. 2. 59
XVI. 2. 58
ana Dc. fil. - - 59
- - - -
Mx XVI. 2. 59
sis Benth. XVI. 2. 108
n. XVI. 2. 11
Dc. fil. - - -
c. XVI. 2. 6
bm. XVI. 2. 23
Hook. fil. & Thoms. XVI. 2. 85
Roxb. XVI. 2. 84
a Dc. fil. - - 85
rt. XVI. 2. 6
chy XVI. 2. 56
XVI. 2. 112
Mx XVI. 2. 63
rt. XVI. 2. 6
ühlenb. XVI. 2. 21
& Champ. XVI. 2. 104

Quercus
flava Nee XVI. 2. 27
flavida *Liebm.* XVI. 2. 76
floccosa *Liebm.* XVI. 2. 77
floribunda Lindl. XVI. 2. 41
floridana Shuttlew. XVI. 2. 22
folio &c. Catesb. XVI. 2. 67
Fontanesii Guss. XVI. 2. 43
frondosa Mill. XVI. 2. 42
fructipendula Schrank XVI. 2. 5
fruticosa Brot. XVI. 2. 16
fulhamensis hort. XVI. 2. 42
fulva *Liebm.* XVI. 2. 77
furfuracea Liebm. XVI. 2. 66
Galeottii *Mart.* XVI. 2. 26
Gambelii Liebm. XVI. 2. 24
Gambelii Nutt. XVI. 2. 23
Garryana *Hook.* XVI. 2. 24
gemelliflora *Bl.* XVI. 2. 88
gemelliflora herb. Bürger XVI. 2. 91
germana *Cham. & Schl.* XVI. 2. 77
germana Liebm. XVI. 2. 77
germanica Lasch XVI. 2. 5
georgiana *A. Curt.* XVI. 2. 60
Ghiesbregtii *Mart. & Gal.* XVI. 2. 30
gilva *Bl.* XVI. 2. 105
β procera - - - 106
glaberrima Bl. XVI. 2. 86
glaberrima Zolling. XVI. 2. 86
glabra Blanco XVI. 2. 97
glabra herb. Bürger XVI. 2. 106
glabra Hamilt. herb. XVI. 2. 90
glabra *Thbg* XVI. 2. 82
β micrococca *Bl.* - - 83
glabrescens *Benth.* XVI. 2. 34
β integrifolia *Liebm.* - - 35
glabrescens Seem. XVI. 2. 65
glandulifera *Bl.* XVI. 2. 40
glauca Bosc XVI. 2. 17
glauca *Thbg* XVI. 2. 100 683
β stenophylla *Bl.* - - -
γ fasciata - - - -
glaucescens *Humb. & Bonpl.* XVI. 2. 77
glaucoides *Mart. & Gal.* XVI. 2. 31
glomerata *Roxb.* XVI. 2. 106
glomerata Wall. XVI. 2. 102
glutinosa *Bl.* XVI. 2. 106
Goedelii Balans. XVI. 2. 46
Goedelii Kotschy XVI. 2. 46
gracilipes Miq. XVI. 2. 86
gracilis *Korth.* XVI. 2. 93

Quercus
gracilis Lange XVI. 2. 89 683
graeca Kotschy XVI. 2. 45 52
Grahami *Benth.* XVI. 2. 78
Grahami h. copenh. XVI. 2. 66
Gramuntia Bosc XVI. 2. 39
Gramuntia L. XVI. 2. 39
grandifolia Don XVI. 2. 85
grandis *Liebm.* XVI. 2. 65
granulata *Liebm.* XVI. 2. 70
Griffithii *Hook. fil. & Thoms.* XVI. 2. 14
grisea *Liebm.* XVI. 2. 35
grosseserrata *Bl.* XVI. 2. 16
guatimalensis *Dc. fil.* XVI. 2. 78
Haas Kotschy XVI. 2. 5
haliphlaeos Guss. XVI. 2. 43
haliphlaeos Lam. XVI. 2. 42
Hancei *Benth.* XVI. 2. 96
Harlandi *Hance* XVI. 2. 96
Hartwegi Benth. XVI. 2. 27
hastata *Liebm.* XVI. 2. 36
Helferiana *Dc. fil.* XVI. 2. 101
hemisphaerica Bartr. XVI. 2. 68
heterophylla hort. Parment. XVI. 2. 42
heterophylla Mx XVI. 2. 68
Hindsii Benth. XVI. 2. 24
hirsuta Lindl. XVI. 2. 87
hirsutula Bl. XVI. 2. 14
hispanica var. aegylopifolia Lam. XVI. 2. 44
hispanica var. gibraltarica Lam. XVI. 2. 44
Hodginsii Lodd. XVI. 2. 6
holosericea Bl. XVI. 2. 14
Horsfieldii *Miq.* XVI. 2. 99 98
β longifolia - - - -
Humboldtii *Bonpl.* XVI. 2. 31
Humboldtii Kotschy XVI. 2. 32
humilis Dc. XVI. 2. 12
humilis *Lam.* XVI. 2. 16
β prasina *Dc. fil.* - - 17
humilis Walt. XVI. 2. 74
humosa Bl. XVI. 2. 14
hybrida Bechst. XVI. 2. 5
hybrida Brot. XVI. 2. 17
hypochrysa *Stev.* XVI. 2. 81
hypoleuca Kotschy XVI. 2. 45
hypoleuca Miq. XVI. 2. 92
hystrix Korth. XVI. 2. 90
javensis *Miq.* XVI. 2. 104
iberica MB. XVI. 2. 8
iberica Stev. XVI. 2. 10
Ibicis Kotschy XVI. 2. 9
Ilex Bourg. XVI. 2. 40

Quercus
Ilex *L.* XVI. 2. 35 [illegible]
β agrifolia *Dc fil* -
γ Ballota - -
Ilex Lour. XVI. 2 [illegible]
Ilex Vis. XVI. 2. 39
Ilex var. suberosa Vi
ilicifolia *Wangenh* XV
imbricaria A Gray XV
imbricaria *Mx* XVI. 2
β spinulosa *Dc. fil* -
imbricata Don XVI. 2.
incana *Roxb.* XVI. 2
β nepaulensis *Dc. fil.*
induta *Bl.* XVI 2. 96
β microcarpa - - -
induta β Bl. XVI 2.
inermis Ehrenb. XVI.
inermis Kotschy XVI
infectoria Oliv XVI 2
infectoria var. Heldr.
inops Kotschy XVI. 2.
insignis *Mart. & Gal.*
intermedia D. Don XV
intermedia Kotschy XV
intermedia Mart. & Ga
inversa Lindl. XVI. 2.
Irwinii *Hance* XVI 2
ithaburensis *Dene* XVI.
Jürgensenii *Liebm* XV
Junghunii Miq XVI. 2.
Kajan Miq. XVI 2
Kamroopii *Don* XVI 2
Korthalsii *Bl.* XVI. 2
β Kajan - - - -
γ pachyphylla - - -
δ mappacea - - - -
ε hystrix *Dc. fil.* - - -
Korthalsii Endl. XVI.
lacera *Bl.* XVI. 2
laciniata Lodd XVI.
lacta Benth. XVI. 2
laeta *Liebm.* XVI. 2
laevigata *Bl.* XVI. 2
laevis Walt. XVI. 2
lamellata Roxb. XVI.
lamellosa Hook fil & Th
lamellosa *Sm.* XVI. 2
Lamponga *Miq.* XVI 2
lamprophyllos C. Koch
lanata Loud. XVI. 2. 51
lanata Sm XVI. 2. 51
lanceaefolia *Roxb* XVI.

lumb. & Bonpl. XVI. 2. 69
-dentata *Dc. fil.* - - 70
Liebm. XVI. 2. 69
Mart. & Gal. XVI. 2. 79
enth. XVI. 2. 69
ham. & Schl. XVI. 2. 78
iebm. XVI. 2. 72
rt. & Gal. XVI. 2. 73
Don XVI. 2. 51
Thuill. XVI. 2. 10
xb. XVI. 2. 87
tschy XVI. 2. 5
gno fructu &c. Tourn. XVI. 2. 45
&c. C. Bauh. XVI. 2. 8
x XVI. 2. 68
iq. XVI. 2. 92
b. & Bonpl. XVI. 2. 58 76
m. XVI. 2. 70
t. & Gal. XVI. 2. 70
XVI. 2. 28
dl. XVI. 2. 108
XVI. 2. 62
c. fil. XVI. 2. 71
Guss. XVI. 2. 10
orth. XVI. 2. 93
Poir. XVI. 2. 108
chy XVI. 2. 49
XVI. 2. 49
callicarpos Kotschy XVI. 2. 49
fil. XVI. 2. 32
Wall. XVI. 2. 108
Liebm. XVI. 2. 70
XVI. 2. 98
fil. & Thoms. XVI. 2. 98
XVI. 2. 103
XVI. 2. 106
fil. XVI. 2. 97
XVI. 2. 24
XVI. 2. 108
Koch XVI. 2. 9
iebm. XVI. 2. 67
c. XVI. 2. 5
y XVI. 2. 47
hst. XVI. 2. 81
XVI. 2. 102
Lucumb. XVI. 2. 42

Quercus
lusitanica Lam. XVI. 2. 17
lusitanica *Webb* XVI. 2. 17 18 19
I. faginea
α Clusii *Dc. fil.* XVI. 2. 17
β brevipetiolata - - - -
γ valentina - - - -
δ brevicupulata - - - 18
II. orientalis
α infectoria *Dc. fil.* XVI. 2. 18
β Boissieri - - - -
γ leptocarpa - - - -
δ brachycarpa - - - -
ε petiolaris - - - 19
ζ syriaca - - - -
III. baetica
α Mirbeckii *Dc. fil.* XVI. 2. 19
β pedunculata - - - -
lusitanica α Webb XVI. 2. 17
lusitanica baetica Webb XVI. 2. 19
lusitanica var. baetica Willk. XVI. 2. 17
lutea Nee XVI. 2. 27
lutescens *Mart. & Gal.* XVI. 2. 38
lyrata *Walt.* XVI. 2. 19
MacCormickii *Carruth.* XVI. 2. 14
macedonica *Dc. fil.* XVI. 2. 50
Mackiana Hook. XVI. 2. 87
macranthera *Fisch. & Mey.* XVI. 2. 13
macrocarpa *Mx* XVI. 2. 20
α abbreviata *Dc. fil.* - - -
β minor - - - -
macrocarpa var. olivaeformis A. Gray XVI. 2. 20
macrolepis *Kotschy* XVI. 2. 45
macrophylla Nee XVI. 2. 27
magnoliaefolia *Nee* XVI. 2. 26
β lutea *Dc. fil.* - - 27
γ macrophylla - - - -
malacophylla Schur XVI. 2. 5
mannifera Kotschy XVI. 2. 8 9
mannifera Lindl. XVI. 2. 8
mannifera var. Kotschy XVI. 2. 8
mappacea Korth. XVI. 2. 90
marginata *Bl.* XVI. 2. 106
maritima W. XVI. 2. 67
marylandica &c. Catesb. XVI. 2. 63
Merkusii *Endl.* XVI. 2. 98
mespilifolia *Wall.* XVI. 2. 101
Mesto Boiss. XVI. 2. 52
mexicana Benth. XVI. 2. 73

Quercus
mexicana Humb. & Bonpl. XVI. 2. 72
mexicana var. glabrata Seem. XVI. 2. 72
Michauxii Nutt. XVI. 2. 20
microcalyx Korth. XVI. 2. 86
microcarpa Lapeyr. XVI. 2. 8
microcarpa Liebm. XVI. 2. 71
microphylla *Nee* XVI. 2. 35
β crispata *Dc. fil.* - - 36
Mirbeckii Durieu XVI. 2. 19
mitis *Banks* XVI. 2. 108
mixta *Dc. fil.* XVI. 2. 83
mollis *Mart. & Gal.* XVI. 2. 78
mollis Nutt. XVI. 2. 21
molucca *Rumph* XVI. 2. 86
mongolica *Fisch.* XVI. 2. 14
montana Emers. XVI. 2. 21 *(bis)*
montana W. XVI. 2. 21
Morehus *Kellogg* XVI. 2. 79
mucronata W. XVI. 2. 72
muricata *Roxb.* XVI. 2. 106
myrsinaefolia *Bl.* XVI. 2. 107
myrtifolia W. XVI. 2. 68
nana W. XVI. 2. 68
Nara hort. lugdun. XVI. 2. 14
Neaei Liebm. XVI. 2. 24
nectandraefolia *Liebm.* XVI. 2. 71
nepaulensis Desf. XVI. 2. 51
neurophylla *Miq.* XVI. 2. 107
nigra *L.* XVI. 2. 63 67
β quinqueloba *Dc. fil.* - - 64
γ tridentata - - - -
nigra Rugel XVI. 2. 60
nigra Thore XVI. 2. 12
nitens *Mart. & Gal.* XVI. 2. 68
β podocarpa *Dc. fil.* - - 69
γ ocotaefolia - - - -
δ major - - - -
ε subintegra - - - -
nitida *Bl.* XVI. 2. 95
nitida Mart. & Gal. XVI. 2. 67
nudinervis Liebm. XVI. 2. 27
oajacana *Liebm.* XVI. 2. 79
oblongata *Don* XVI. 2. 106
oblongifolia *Torr.* XVI. 2. 36
obovata *Bung.* XVI. 2. 13
obtecta *Poir.* XVI. 2. 81
obtusata *Humb. & Bonpl.* XVI. 2. 27
β pandurata *Dc. fil.* - - -
γ Hartwegii - - - -
obtusata var. Benth. XVI. 2. 29
obtusifolia Don XVI. 2. 15
obtusiloba Mx XVI. 2. 22

Quercus
obtusiloba var. brevifo
occidentalis *Gay* XVI.
ocotaefolia *Liebm.* XV
oidocarpa *Korth.* XVI.
oleoides *Cham. & Sch*
oligoneura *Korth.* XVI.
olivaeformis *Mx* XVI. 2.
Omalokos *Korth.* XVI. 2.
omissa *Dc. fil.* XVI. 2.
oocarpa Liebm. XVI. 2.
oogyne *Miq.* XVI. 2. 89
oophora *Kotschy* XVI. 2.
Orizabae *Liebm.* XVI. 2.
ovalis *Blanco* XVI. 2. 87
ozyadenia Torr. XVI. 2.
oxyodon *Miq.* XVI. 2. 98
oxyrhyncha *Miq.* XVI. 2.
palaestina Kotschy XVI.
palaeacea Desv. XVI. 2.
pallida *Bl.* XVI. 2. 84
pallida Heuff. XVI. 2.
palustris *Duroi* XVI. 2.
palustris Rugel XVI. 2.
pandurata Humb. & Bonpl.
pannosa Bosc XVI. 2. 21
paucilamellosa *Dc. fil.*
pedemontana Colla XVI.
pedunculatis Ner XVI. 2.
pedunculata Ehrh. XVI.
pedunculata Ner XVI. 2.
pedunculata var. apen
pedunculata (var. brevipe
pedunculata dulcis Lmk
pedunculata filicifolia La
pedunculata glabra Ten
pedunculata heterophylla
pedunculata macrocarpa
pedunculata microbalan
pedunculata pubescens
pedunculata purpurea
pennsylvanis Miq. XVI.

ld. XVI. 2. 6
ſt. XVI. 2. 5
Liebm. XVI. 2. 71
. & Spach XVI. 2. 47
ri Dc. fil. - - 48
enth. XVI. 2. 28
oiss. XVI. 2. 19
Kotschy XVI. 2 19
Ck XVI. 2. 108
XVI. 2. 63
icaria Dc. fil. - - -
XVI. 2. 63
. XVI. 2. 37
pach XVI. 2. 63
Chapm. XVI. 2. 68
rea Spach XVI. 2. 73
itima Mx XVI. 2. 67
ila Mx XVI. 2. 74
atica Mx XVI. 2. 63
is Dc. fil. XVI. 2. 97
n XVI. 2. 101
s A. Gray XVI. 2. 39 683
XVI. 2. 107
Gmel. XVI. 2. 9
C. Koch XVI. 2. 9
Bl. XVI. 2. 87
Miq. XVI. 2. 85
Bl. XVI. 2. 92
fem. Dalech. XVI. 2. 10
. XVI. 2. 88
ándl. XVI. 2. 51
ſchur XVI. 2. 10
Kotschy XVI. 2. 18
Cham. & Schl. XVI. 2. 28
Miq. XVI. 2. 98
Wall. XVI. 2. 107
Koch XVI. 2. 49
tc XVI. 2. 17 (*bis*)
V. XVI. 2. 21
XVI. 2. 21
ita Dc. fil. - - -
la Mx - - -
in - - - -
. XVI. 2. 73
minata Mx XVI. 2. 21
acapin Mx XVI. 2. 21
olor Mx XVI. 2. 20
obovatis Wangenh. XVI. 2. 21
ustris Mx XVI. 2. 21
noides Lam. XVI. 2. 21
ila Mx XVI. 2. 21

Quercus
Prinus tomentosa Mx XVI. 2. 20
pruinosa *Bl.* XVI. 2. 87 116
pruinosa Moritzi XVI. 2. 86
pruinosa β Bl. XVI. 2. 89
pseudo-annulata Bl. XVI. 2. 92
pseudo-coccifera Boiss. XVI. 2. 52
pseudo-coccifera Desf. XVI. 2. 53
pseudo-coccifera Hook. fil. XVI. 2. 54
pseudo-coccifera Huet XVI. 2. 53
pseudo-coccifera Kotschy XVI. 2. 54
pseudo-coccifera Labill. XVI. 2. 55
pseudo-coccifera Webb XVI. 2. 52 53
pseudo-molucca *Bl.* XVI. 2. 86
β incrassata - - - -
γ angustata - - - -
pseudo-molucca Moritzi XVI. 2. 85
pseudo-molucca β Miq. XVI. 2. 87
pseudo-molucca var: pallida Miq. XVI. 2. 84
pseudo-molucca var. rostrata Bl. XVI. 2. 84
pseudo-suber Desf. XVI. 2. 44
pseudo-suber *Santi* XVI. 2. 43 683
β Gussonei *Dc. fil.* - - -
γ glabriuscula - - - 44
δ aegylopifolia - - - -
ε gibraltarica - - - -
ζ tlemsenensis - - - -
pseudo-tscharukensis Kotschy XVI. 2. 8
pubescens Bulans. XVI. 2. 11
pubescens Brot. XVI. 2. 12
pubescens Lodd. XVI. 2. 6
pubescens Szovits XVI. 2. 13
pubescens W. XVI. 2. 10
pubescens var. pinnatifida Spenn. XVI. 2. 9
pulchella *Humb. & Bonpl.* XVI. 2. 34
pumila Mx XVI. 2. 21
pumila Walt. XVI. 2. 74
pungens *Liebm.* XVI. 2. 36
purpurea Lodd. XVI. 2. 6
Pyrami *Kotschy* XVI. 2. 45
pyramidalis hort. XVI. 2. 6
pyrenaica W. XVI. 2. 12
pyrifolia Bl. XVI. 2. 85
racemosa Jack XVI. 2. 85
racemosa Lam. XVI. 2. 5
Ragnal Lodd. XVI. 2. 42

Quercus
Rassa *Miq.* XVI. 2. 95
Ravenscroftiana A. Murr. XVI. 2. 683
recurvans Kotschy XVI. 2. 56
regia *Lindl.* XVI. 2. 48
Reinwardtii *Korth.* XVI. 2. 92
repanda Benth. XVI. 2. 35
repanda *Humb.* & *Bonpl.* XVI. 2. 35
resinosa Liebm. XVI. 2. 27
reticulata *Humb.* & *Bonpl.* XVI. 2. 33
β Greggii *Dc. fil.* - - 34
retusa Liebm. XVI. 2. 37
reversa Benth. XVI. 2. 84
rhamnifolia Miq. XVI. 2. 109 113
Richardii *Bosc* XVI. 2. 108
rigida C. Koch XVI. 2. 18
rigida W. XVI. 2. 56
Robur Gay XVI. 2. 11
Robur *L.* XVI. 2. 4 683
I. Pedunculata
α vulgaris *Dc. fil.* XVI. 2 4
β Thomasii - - - 5
γ Haas - - - -
δ armeniaca - - - -
ε petiolaris - - - -
ζ microcarpa - - - 6
η fastigiata *Lam.* - - -
Θ purpurascens *Dc. fil.* - - -
ι Hodginsii *Loud.* - - -
κ pendula - - - -
λ laciniata *Dc. fil* - - -
μ variegata *Endl.* - - -
ν apennina *Dc. fil.* - - -
II. Sessiliflora
α ambigua *Dc. fil* XVI. 2. 6
β Tenorei - - 7
γ Virgiliana *Ten.* - - -
δ Bubseana *Dc. fil.* - - -
ε mespilifolia *Wallr.* - - -
ζ communis *Dc fil.* - - 8
η bullata - - - -
Θ Cedrorum - - - -
ι dshorochensis - - - 9
κ Szovitzii - - - -
λ aurea - - - -
μ pinnatifida - - - -
ν leptobalanos - - - 10
Ξ microbalanos *Boi* - - -
ο polycarpa *Dc fil* - - -
π parvifolia - - - -
ρ lanuginosa - - - -
σ brachyphylla - - - 11
τ cuneata *Ten.* - - -

Quercus
Robur Martyn XVI. 2. 1(
Robur Pall. XVI. 2. 14
Robur Szovitz XVI. 2. 9
Robur W XVI. 2. 8
Robur III. IV. Clus. XVI
Robur V. Clus. XVI. 2.
Robur VII. Clus. XVI. 2
Robur β L. XVI. 2 5 8
Robur iberica Ledeb. XVI
Robur laciniata Lam. XI
Robur lanuginosa Lam
Robur pedunculata Mar
Robur var. sessilis Mar
Robur Virgiliana Ten. X
rotundata *Bl.* XVI. 2. 68
rotundifolia Lam XVI.
Roxburghii Endl. XVI. 2
rubra Benth. XVI 2. 82
rubra *L.* XVI. 2. 60
β runcinata *Dc. fil.*
rubra Rügel XVI. 2 63
rubra α L XVI. 2. 61
rubra dissecta Lam XV
rubra ramosissima Mar
rugosa Nec XVI. 2 57
rugulosa *Mart.* & *Gal.*
salicifolia Benth. XVI 2
salicifolia *Nee* XVI. 2.
salicina *Bl.* XVI. 2. 1
salicina Scem. XVI. 2
Salzmanniana Webb XVI
sapotaefolia *Liebm.* XVI.
Sartorii Bottcr XVI 2.
Sartorii *Liebm* XVI. 2
sclerophylla *Lindl* XVI
scytophylla *Liebm* XVI.
Seemanni *Liebm* XVI. 2
segoviensis *Liebm.* XVI.
semecarpifolia *Sm* XVI
β Hookeriana *Dc fil*
semiserrata *Roxb* XVI
sempervirens Nec Cub
sempervirens fol. subc
sempervirens Walt. XV
sericea W. XVI. 2. 74
Serra *Liebm.* XVI. 2
serrata Carruth XVI
serrata Roxb. XVI. 2.
serrata *Thbg* XVI. 2 5

rghii *Dc. fil.* XVI. 2. 51
Kotschy XVI. 2. 8
Moris XVI. 2. 10
Salisb. XVI. 2. 8
var. Loud. XVI. 2. 10
laciniosa Bor. XVI. 2. 9 10
pubescens Loud. XVI. 2. 10
Bl. XVI. 2. 107 683
rh. XVI. 2. 8
var. microphylla Kotschy XVI. 2. 52
Humb. & Bonpl. XVI. 2. 58
Bl. XVI. 2. 84
ilt. XVI. 2. 74
enth. XVI. 2. 64
Benth. XVI. 2. 62
bm. XVI. 2. 80
Thomas XVI. 2. 11
Bl. XVI. 2. 109
ok. fil. & Thoms. XVI. 2. 86
mb. & Bonpl. XVI. 2. 34
ebm. XVI. 2. 34
. XVI. 2. 85
sa *Bl.* - - -
alyx - - - 86
tiolata *Dc. fil.* - - -
rima - - - -
pes - - - -
placentaria Miq. XVI. 2. 87
Mart. & Gal. XVI. 2. 57
Nee XVI. 2. 57 34
or *Dc. fil.* - - -
Roxb. XVI. 2. 85
Kotschy XVI. 2. 108
angenh. XVI. 2. 22
ia *Dc. fil.* - - -
ia *Nutt.* - - -
asis *Dc. fil.* - - -
Lopeyr. XVI. 2. 12
euff XVI. 2. 9
pa *Liebm.* XVI. 2. 25
Kotschy XVI. 2. 9
chy XVI. 2. 40 44
VI. 2. 40
mas. XVI. 2. 39
Raf. XVI. 2. 108
Kit. XVI. 2. 8
l. XVI. 2. 89

Quercus
syspirensis *C. Koch* XVI. 2. 12
tauricola Kotschy XVI. 2. 19
Tauzin Pers. XVI. 2. 12
Tchihatcheffii *Kotschy* XVI. 2. 48
Tchihatchewi Kotschy XVI. 2. 48
Tema Hamilt. XVI. 2. 102
thalassica *Hance* XVI. 2. 84
thelecarpa Miq. XVI. 2. 86 (*bis*)
thelecarpa var. angustata Miq. XVI. 2. 86
Thirkeana C. Koch XVI. 2. 18
Thomasii Ten. XVI. 2. 5
Thomsoni Miq. XVI. 2. 86
Thomsoniana *Dc. fil.* XVI. 2. 98
tinctoria Bartr. XVI. 2. 61
tinctoria Mx XVI. 2. 61
tinctoria angulosa Mx XVI. 2. 61
tinctoria sinuosa Mx XVI. 2. 61
tlapuxahuensis *Dc. fil.* XVI. 2. 29
tolimensis *Humb. & Bonpl.* XVI. 2. 32
tomentosa Benth. XVI. 2. 33
tomentosa Ehrh. XVI. 2. 6
tomentosa *W.* XVI. 2. 33
α communis *Dc. fil.* - - -
β bullata - - - -
γ diversifolia - - - -
δ abbreviata - - - -
totutlensis *Dc. fil.* XVI. 2. 62
Tournefortii W. XVI. 2. 42
Toza *Bosc* XVI. 2. 12 (*bis*)
β humilis *Dc. fil.* - - -
Toza Griseb. XVI. 2. 6
Toza var. Dc. XVI. 2. 12
tribuloides Sm. XVI. 2. 112
tridens Humb. & Bonpl. XVI. 2. 72
tridentata Engelm. XVI. 2. 64
triloba Mx XVI. 2. 59
tristis Liebm. XVI. 2. 72
trojana Kotschy XVI. 2. 46
trojana *Webb* XVI. 2. 47
tuberculata Liebm. XVI. 2. 28
turbinata Bl. XVI. 2. 98
turbinata Liebm. XVI. 2. 78
turbinata Roxb. XVI. 2. 86
Turneri hort. paris. XVI. 2. 18 43
Turneri W. XVI. 2. 17
Tysmanni *Bl.* XVI. 2. 92
uliginosa foliis &c. Wangenh. XVI. 2. 67
undulata Benth. XVI. 2. 29
undulata Kit. XVI. 2. 10
undulata C. Koch XVI. 2. 18
undulata *Torr.* XVI. 2. 23 (*bis*)

Quercus
β obtusifolia *Dc fil.* XVI. 2. 23
γ pedunculata - - - -
Ungeri Kotschy XVI. 2. 46
urceolaris *Jack* XVI. 2. 89
urticaefolia *Bl.* XVI. 2. 16
β brevipeticlata *Dc. fil* - - -
urticaefolia β *Bl.* XVI. 2. 16
valentina Cav. XVI. 2. 17
valida Kotschy XVI. 2. 55
Vallonea *Kotschy* XVI. 2. 45
β Gedeii *Dc. fil.* - - 46
γ brevicrenata - - - -
variabilis *Bl.* XVI. 2. [illegible]
variana *Mart. & Gal.* XVI. 2. 28
variegata Loddi. XVI. 2. 6
variingaefolia *Miq.* XVI. 2. 104
velutina L'Herit. XVI. 2. 21
velutina Lam. XVI. 2. [illegible]
velutina *Lindl.* XVI. 2. [illegible]
vesca *Kotschy* XVI. 2. 4[illegible]
villosa Walt. XVI. 2. 22
viminalis Bosc XVI. 2. [illegible]
virens *Ait.* XVI. 2. 57
Virginiana Ten. XVI. 2. 7
virginiana Mill. XVI. 2. 57
vulcanica *Boiss. & Heldr.* XVI. 2. 11
Walli[illegible]ana Lindl. XVI. 2. 101
W[illegible] *Liebm.* XVI. 2. 65
Wis[illegible] *Dc. fil.* XVI. 2. 67
xalapensis *Humb. & Bonpl.* XVI. 2. 64
Quercus *sect.* Androgyne *Dc. fil.* XVI. 2. 81
Castaneopsis Bl. XVI. 2. 102
subdivisio Castaneopsis Den XVI. 2. 1[illegible]9
sect. C[illegible] *Spach* XVI. 2. 3
Chlamydobalanus *Endl.* XVI. 2. [illegible]
C[illegible] *Spach* XVI. 2. [illegible]
Cy[illegible]balanus *Endl.* XVI. 2. 91
[illegible] *Miq.* XVI. 2. 1[illegible]2
Erythrobalanus Spach XVI. 2. [illegible]
subdivisio E[illegible] XVI. 2. [illegible]
sect. G[illegible] *B.* XVI. 2. 9[illegible]
Quercus *sect. Gallifera Spa*[illegible]
subdivisio Ilex G[illegible]
sect. Lepidobalanus [illegible] XV[illegible]
Lithocarpus *M*[illegible]
Pasania *Mi*[illegible]
R[illegible] *Spach*
S[illegible] *Spach*
Quercus [illegible]
Que[illegible] XVI. 2. [illegible]
Quinn[illegible]
[illegible]
[illegible]
[illegible] XV. 2. 147
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Quinchamalium [illegible]
[illegible]
chilense [illegible]
chilense [illegible]
[illegible]
chilense *Phil.* [illegible]
chilense *Wei*[illegible]
chilense [illegible]
Domb[illegible]
[illegible] *Presl* [illegible]
[illegible]
gr[illegible]
[illegible]
m[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

R.

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
Rach[illegible]

50
Thbg XVII. 285
nica Rumph XV. 1. 479
urcs, XIV. 574
rcs. XIV. 580
r. XVII. 110
Br. XVII. 110
Br. XVII. 112
Br. XVII. 112
eschem. XVII. 112
XVII. 111
Teysm. & Binnend. XVII. 111
EAE R. Br. XVII. 106
XV. 1. 446
VI. 2. 460
dn. XVI. 2. 677
207
Rumph XVI. 1. 207
. XVI. 2. 554
s. XVI. 2. 555
üll. Arg. XVI. 2. 550 554
l. XVII. 297 (*rectius Ropourea*)
urm. XIV. 590
0
Arg. XV. 2. 931 (Tragia) 121
. XIV. 185
XIV. 185
nnerat XV. 1. 109
onnerat XV. 1. 110
Ravin-Dzara XV. 1. 110
son XVI. 2. 432
ii Nelson XVI. 2. 433
I. 239
I. 2. 489
XV. 2. 983 984
sar. XV. 2. 985
2. 388
VI. 2. 414
I. 2. 436
Loud. XVI. 2. 136
ll. XV. 2. 1257
Baill. XV. 2. 1257
Kl. XV. 1. 278 385
Cl. XV. 1. 386
Cl. XV. 1. 386
Dc. fil. XV. 1. 385 (Begonia)
XV. 2. 274 420

Reidia
fimbriata Wight XV. 2. 422
floribunda Wight XV. 2. 425
glabrescens Miq. XV. 2. 426
glaucescens Miq. XV. 2. 424
gracilipes Miq. XV. 2. 424
gracilis Miq. XV. 2. 423
latifolia Wight XV. 2. 422
ovalifolia Wight XV. 2. 423
polyphylla Wight XV. 2. 421
singalensis Miq. XV. 2. 426
Reissipa Kl. XV. 2. 207
pleurandroides Steud. XV. 2. 208
Renia Noronh. XV. 1. 264
Reseda *L*. XVI. 2. 555, *Tourn*. XVI. 2. 555, *Magnol*. XVI. 2. 555, *Raf*. XVI. 2. 555, *L*. XVI. 2. 552, *Ait. & Delil*. XVI. 2. 584 585, *Delil*. XVI. 2. 586, *Boiss*. XVI. 2. 588, *Spach* XVI. 2. 555 560, *Auctor*. XVI. 2. 550
abyssinica Fresen. XVI. 2. 551
alba Delil. XVI. 2. 559
alba *L*. XVI. 2. 557
* brevipes - - - 558
alba St. Amans XVI. 2. 566
Alopecuros *Boiss*. XVI. 2. 561
Alphonsi *Müll. Arg*. XVI. 2. 579
amblyocarpa *Fresen*. XVI. 2. 580
arabica *Boiss*. XVI. 2. 560
aragonensis Losc. & Pardo XVI. 2. 564
armena *Boiss*. XVI. 2. 561
Aucheri *Boiss*. XVI. 2. 577
Aucheri β asperula Boiss. XVI. 2. 577
Aucheri β rotundifolia Müll. Arg. XVI. 2. 577
Balansae *Müll. Arg*. XVI. 2. 561
Barrelieri *Bertol*. XVI. 2. 557
bipinnata *W*. XVI. 2. 556
bipinnata β baetica Müll. Arg. XVI. 2. 557
Boissieri *Müll. Arg*. XVI. 2. 567
bracteata *Boiss*. XVI. 2. 574
Buhseana *Müll. Arg*. XVI. 2. 579
Bungei *Boiss*. XVI. 2. 575
cahirana *Müll. Arg*. XVI. 2. 568
cahirana β Boissieri Boiss. XVI. 2. 567
calycinalis Lam. XVI. 2. 564
canescens L. XVI. 2. 551 553
capensis Thbg XVI. 2. 585
clausa Müll. Arg. XVI. 2. 570
collina *J. Gay* XVI. 2. 564
complicata *Bory* XVI. 2. 581

Reseda
constricta Lange XVI. 2. 572
crispata Lk XVI. 2. 583
crispata Ten. XVI. 2. 583
crystallina *Webb* XVI. 2. 572
decursiva *Forsk.* XVI. 2. 559
* abortiva *Müll. Arg.* - - -
difformis Moench XVI. 2. 563
dipetala Ait. XVI. 2. 585
Dregeana Presl XVI. 2. 586
Duriaeana *J. Gay* XVI. 2. 567
eluta *Müll. Arg.* XVI. 2. 578
erecta Lag. XVI. 2. 574
eremophila Boiss. XVI. 2. 559
fruticulosa Reichenb. XVI. 2. 557
Gayana Boiss. XVI. 2. 558
Gayana α abortiva Müll. Arg. XVI. 2. 559
glauca Brot. XVI. 2. 581
glauca Eichw. XVI. 2. 584
glauca *L.* XVI. 2. 582
* abortiva *Müll. Arg.* - - -
globulosa *Fisch. & Mey.* XVI. 2. 566
gracilis Lecoq. & Lamott. XVI. 2. 571
gracilis Reichenb. XVI. 2. 571
gracilis Ten. XVI. 2. 571
gredensis *Müll. Arg.* XVI. 2. 582
Gussonii Boiss. XVI. 2. 583
Hausknechtii *Müll. Arg.* XVI. 2. 574
hexagyna Forsk. XVI. 2. 551
Hookeri Guss. XVI. 2. 557
Jacquini *Reichenb.* XVI. 2. 565
incisa Ten. XVI. 2. 557
inodora *Reichenb.* XVI. 2. 562
inodora β anatolica Boiss. XVI. 2. 562
inodora β macrosperma Fisch. & Mey. XVI. 2. 562
kurdica *Boiss.* XVI. 2. 558
laevigata G. Don XVI. 2. 571
lanceolata *Lag.* XVI. 2. 572
Lancerotae Webb XVI. 2. 572
linifolia Vahl XVI. 2. 587
lurida Müll. Arg. XVI. 2. 580
lutea *L.* XVI. 2. 569 *(bis)*
α vulgaris *Müll. Arg.* - - -
* crispa - - - -
β minor - - - -
* hispidula - - - 570
** flaccida - - - -
γ stricta - - - -
* mucronulata - - - -
δ maritima - - - -
ε suffruticulosa - - - -

Reseda
ζ orientalis *Müll. Arg.*
η rigida - - -
ϑ orthostyla - - -
ι divergens - - -!
* streptocarpa - - -
κ pulchella - - -
λ Lecoqii - - -
lutea β Guss. XVI. 2. 570
lutea Besseriana Müll. A
lutea crispa L. XVI. 2. 5
lutea gracilis Gren & Go
lutea var. gracilis Hmm.
Luteola Auct. XVI. 2. 55
Luteola *L.* XVI. 2. 583
α Gussonii *Müll Arg.* -
β australis - -
γ americana - -
δ crispata - -
ε vulgaris - -
* virescens - -
ζ dimerocarpa - -
Luteola Munby XVI 2. 5
Luteola α abortiva Müll XV
Luteola γ pseudotricus XV
macrobotrys *Boiss* XVI.
macrosperma Reichenb.
macrosperma β anatolic & *Mey.* X
macrosperma γ orientali Müll. Arg X
macrosperma γ subpinn Müll. Arg X
macrosperma β tetragy Müll. Arg X
media *Lag.* XVI 2. 56
mediterranea Jacq. XV
mediterranea L herb.
mediterranea Sadl XV
microcarpa *Müll Arg*
mucronulata Tin. XVI.
muricata *Presl* XVI 2.
myriophylla Ten. XVI
neglecta *Müll Arg* X
neilgherrensis *Müll A*
ochracea Moench XVI.
Ochradeni Boiss XVI.

ldenst. XVI. 2. 564
XVI. 2. 565
scens - - - -
frutescens bot. regist. XVI. 2. 565
Edgew. XVI. 2. 587
Boiss. XVI. 2. 562
C. Koch XVI. 2. 570
Müll. Arg. XVI. 2. 566
R. Br. XVI. 2. 551
Brot. XVI. 2. 563
L. XVI. 2. 563
β hirsuta Boiss. XVI. 563
Viv. XVI. 2. 551
Müll. Arg. XVI. 2. 560
Boiss. XVI. 2. 559
R. Br. XVI. 2. 559
elil. XVI. 2. 575
ns Hampe XVI. 2. 583
ns L. XVI. 2. 553
cheele XVI. 2. 554
a A. Rich. XVI. 2. 580
a G. Don XVI. 2. 574
a Pourr. XVI. 2. 568
a Willk. XVI. 2. 568
a a abortiva Müll. Arg. XVI. 2. 568
Müll. Arg. XVI. 2. 573
β brachycarpa Müll. Arg. XVI. 2. 573
γ gracilis Müll. Arg. XVI. 2. 573
Gray XVI. 2. 584
Pourr. XVI. 2. 574
Presl XVI. 2. 587
rouss. XVI. 2. 573
Delarbr. XVI. 2. 553
Gouan XVI. 2. 554
L. XVI. 2. 553
β spathulata Moris XVI. 2. 553
m. XVI. 2. 553
a Boiss. XVI. 2. 580
uby XVI. 2. 573
s. XVI. 2. 573 574
iana Müll. Arg. - - -
carpa - - - -
s - - - -
a - - - -
i Willk. - - 574
Pelil. XVI. 2. 587

Reseda
suffruticulosa L. XVI. 2. 557
suffruticulosa Willk. XVI. 2. 558
tenuifolia Wallr. XVI. 2. 571
tetragyna Forsk. XVI. 2. 560
tomentosa *Boiss.* XVI. 2. 576
tomentosa *Cosson.* XVI. 2. 578 (*lege* villosa XVII. 321)
Tournefortii Schult. XVI. 2. 564
tridens Vis. XVI. 2. 587
truncata *Fisch. & Mey.* XVI. 2. 571
undata Boiss. XVI. 2. 557
undata Dc. XVI. 2. 557
undata *L.* XVI. 2. 558
* abortiva *Müll. Arg.* - - 559
undulata Gilib. XVI. 2. 584
virescens Hornem. XVI. 2. 584
virgata *Boiss. & Reut.* XVI. 2. 581
* abortiva *Müll. Arg.* - - -
virgata var. gredensis Cut. & Willk. XVI. 2. 582
Yannezii *Cutanda* XVI. 2. 580
Reseda & Luteola Tourn. XVI. 2. 555
Reseda, Eresda & Luteola Spach XVI. 2. 555
Reseda & Pectanisia Raf. XVI. 2. 560
Reseda, Pectanisia, Tereianthes et Arkopoda Raf. XVI. 2. 555
Reseda, Phyteuma & Luteola Magnol. XVI. 2. 555
Reseda *sect.* Glaucoreseda *Dc.* XVI. 2. 556 580
Leucoreseda *Dc.* XVI. 2. 556
Leucoreseda Gren. & Godr. XVI. 2. 580
Luteola *Dc.* XVI. 2. 556 582
Reseda Endl. XVI. 2. 559
Resedastrum *Duby* XVI. 2. 556 559
Resedina Reichenb. XVI. 2. 556
Reseda Endl. XVI. 2. 559 (Reseda)
RESEDACEAE Dc. XVI. 2. 548
RESEDACEAE *Müll. Arg.* XVI. 2. 548
Resedastrum *Duby* XVI. 2. 559 (Reseda)
RESEDEAE *Müll. Arg.* XVI. 2. 550 554

Resedella Webb & Berth. XVI. 2. 584 586
dipetala Webb & Berth. XVI. 2. 587
Dregeana Müll. Arg. XVI. 2. 586
subulata Webb & Berth. XVI. 2. 587
Resedella *Harv.* XVI. 2. 586 (Oligomeris)
Resedina Reichenb. XVI. 2. 556 (Reseda)
RESEDINEAE *Müll. Arg.* XVI. 2. 550 555
Restiaria *Lour.* XVII. 297
Retinodendron Korth. XVI. 2. 617, *Auct.* XVI. 2. 618
lanceaefolium Korth. XVI. 2. 618
pauciflorum Korth. XVI. 2. 618
Rassak Korth. XVI. 2. 619
Retinospora Sieb. & Zucc. XVI. 2. 463
ericoides Gord. XVI. 2. 467
leptoclada Carr. XVI. 2. 467
lycopodioides hort. XVI. 2. 466
obtusa Sieb. & Zucc. XVI. 2. 466
obtusa aurea pygmaea Gord. XVI. 2. 466
obtusa pygmaea Gord. XVI. 2. 466
pisifera Sieb. & Zucc. XVI. 2. 466
pisifera argentea Gord. XVI. 2. 466
pisifera aurea Gord. XVI. 2. 466
pseudo-squarrosa Carr. XVI. 2. 467
squarrosa Sieb. & Zucc. XVI. 2. 467
squarrosa leptoclada Siebold XVI. 2. 467
Reutiales *Müll. Arg.* XV. 2. 724 (Aleurites)
Rewa-Rewa XIV. 442
RHABARBARAE *Meisn.* XIV. 4 30
Rhabarbarum Tourn. XIV. 32
RHAMNACEAE *Bl.* XVI. 1. 1
Rhamnoides Tourn. XIV. 607
Rhamnus Pourr. XV. 2. 1126, *L.* XVII. 195, *L. Cav.* XVII. 186, *Auct.* XV. 2. 446 448 XIV. 607
buxifolia Poir. XV. 2. 452
carpinifolius Pall. XVII. 166
coriacea Spr. XV. 1. 97
iganeus L. XVII. 187
integrifolia Spr. XV. 1. 97
Rhamnus
madagascariensis Pour
micranthus L. XVII. 2
ulmoides Güldenst XVI
Rhaptostylum *Benth* & *H*
Rhee XVI. 2. 391
Rheum *L.* XIV. 32. *Wall*
acuminatum *Hook. fil. &*
aplostachyum Kar. & *K*
australe *D. Don* XIV. 3
australe Hayne XIV.
caspicum Pall. XIV. 3
compactum Kar. & Kir.
compactum *L.* XIV. 3
crassinervium *Fisch.* XIV
cruentum Sievers XIV.
dentatum Mart. XIV. 3
digynum Wallich XIV.
Emodi *Wall.* XIV. 3
Emodium Wall. XIV.
hybridum *Murr.* XIV.
β glabrum *Meisn.* —
leucorhizum *Pall.* XIV.
macropterum *Mart* XIV.
microcarpum *Meisn.* XIV
Moorcroftianum *Wall.* XI
muricatum Blanco XIV
nanum Sievers XIV. 3
nobile *Hook. fil. & Th*
nutans Pall. XIV. 3
palmatum *L.* XIV. 3
Rhabarbarum L. XIV.
Rhaponticum Delarb. X
Rhaponticum Gmel. XIV
Rhaponticum *L.* XIV.
rhizostachyum *Schrenk*
Ribes *Gronov.* XIV. 3
sanguineum hort. Ashe
sibiricum Pall. XIV.
soongoricum *Schrenk* X
spiciforme *Royl.* XIV
tataricum *L. fil.* XIV.
tetragonopus *Mart.* XIV
undulatum *L.* XIV. 3
undulatum Pall. XIV.
Webbianum Royl. XIV
Rhinanthera Bl. XVII. 2
Rhinostegia Turcz. XIV.
brevifolia Turcz. XIV.
longifolia Turcz. XIV.

Bl. XVII. 106
s. XV. 2. 10 92
(Euphorbia)
fil. XIV. 634
. XIV. 635
XIV. 424, *H. B.* &
Pohl XIV. 436,
38, *Aubl.* (*Roupala*)
hl (*Rupala*) XIV.
(*Ropala*) XIV. 424,
Roupala) XIV. 345
XIV. 433
ta Meisn. - 434
V. 435
XIV. 439
eisn. XIV. 430
XIV. 432
Meisn. - -
- - -
- - -
- - -
rt. XIV. 435 436
R. Br. XIV. 435
442
B. & *Kth* XIV.
427
den XIV. 428
hort. XIV. 433
herb. XIV. 429
ima Meisn. - -
XIV. 430
Br. XIV. 433
hott XIV. 434 699
cc. herb. XIV. 433
XIV. 434
XIV. 435 441
XIV. 441
B. & *Kth* XIV. 426
sn. - -
pala) *Rich.* XIV.
427
. XIV. 428
- - 429
- - -
- - -
IV. 429
XIV. 442
XIV. 434
XIV. 431
Ropala) *Rudg.* XIV.
345 435
erb. monac. XIV.
433
ohl XIV. 434
Meisn. - -
- - -

Rhopala
inaequalis Pohl XIV. 435 436
longepetiolata Kl. XIV. 431
longepetiolata *Pohl* XIV. 431
loranthoides *Meisn.* XIV. 425
lucens *Meisn.* XIV. 429
macrophylla *Schott* XIV. 433
β puberula *Meisn.* - -
macropoda *Kl.* XIV. 430
Martii *Meisn.* XIV. 435
α simplicifolia - - -
β pinnata - - -
media *R. Br.* XIV. 427
moluccana R. Br. XIV. 435 438
moluccana Jack XIV. 435 438
moluccana Roxb. XIV. 435 439
montana (*Roupala*) *Aubl.* XIV.
427
montana *R. Br.* XIV. 427
montana (*Rupala*) *Vahl* XIV. 427
montana (*Rupala*) *W.* XIV. 427
multiflora Schott, Spr. XIV. 435
346
myrtoidea *Poepp.* & *Endl.* XIV.
425
nervosa *Kl.* XIV. 430
nitida *Rudg.* XIV. 427
obovata *H. B.* & *Kth* XIV. 431
obtusata *Kl.* XIV. 426
ochrantha Mart. XIV. 432
organensis Gardn. XIV. 435 437
ovalis Kl. XIV. 428
ovalis *Pohl* XIV. 428
ovata Jack XIV. 439
pamplonensis Linden XIV. 430
peruviana *R. Br.* XIV. 431
pinnata (*Roupala*) *Lam.* XIV. 435
437
Pohlii *Meisn.* XIV. 432
α simplicifolia - - 433
β dimorphophylla - - -
γ multijuga - - -
polystachya herb. Kth XIV. 435
polystachya (*Rhopola*) *H. B.* &
Kth XIV. 345
racemosa Roxb. XIV. 439
rhombifolia *Mart.* XIV. 430
robusta Roxb. XIV. 435 440
robusta Spr. XIV. 442
Schomburgkii *Kl.* XIV. 425
serrata R. Br. XIV. 435 441
serrata (*Rupala*) *Reinw.* XIV.
435 440
sessilifolia R. Br. XIV. 345 435
sessilifolia (*Roupala*) *Rich.* XIV.
345 435

Rhopala
suaveolens *Kl.* XIV. 426
β minor *Meisn.* - -
thomesiana *Moric.* XIV. 427
tomentosa *Pohl* XIV. 428
α integrifolia *Meisn.* - -
β dentata - - -
velutina Kl. XIV. 432
veraguensis Kl. XIV. 435
RHOPALEAE Meisn. XIV. 348
Rhopalocnemis *Jungh.* XVII. 120 138
phalloides *Jungh.* XVII. 138
Rhopalostylis Kl. XV. 2. 1232
büttneriotdes Kl. XV. 2. 1253
Rhopium Schreb. XV. 2. 274 374
citrifolium W. XV. 2. 376
Rhus caustica Hook. & Arn. XV. 1. 259
obscurum MB. XVI. 2. 139
Rhyncholacis *Tul.* XVII. 55
crassipes *Spruce* XVII. 56
Hydrocichorium *Tul.* XVII. 56
linearis Tul. XVII. 57
macrocarpa *Tul.* XVII. 56
oligandra *Baill.* XVII. 57
tenuifolia *Spruce* XVII. 57
varians *Spruce* XVII. 56
β tricholoba - 57
Rhyncholepsis Miq. XVI. 1. 240
brevicuspis Miq. XVI. 1. 344
Cumingiana Miq. XVI. 1. 344
Haenkeana Miq. XVI. 1. 377
Roxburghii Miq. XVI. 1. 377
Rhytis fruticosa Lour. XV. 2. 259
Ri XVII. 225
Richeria *Müll. Arg.* XV. 2. 466, *Vahl* XV. 2. 466 467
Cardneriana Baill. XV. 2. 468
grandis *Müll. Arg.* XV. 2. 467
α longifolia - - - -
β racemosa - - - -
γ divaricata - - - -
δ laurifolia - - - 468
ε genuina - - - -
ζ obovata - - - -
η Gardneriana - - - -
grandis Vahl XV. 2. 468
laurifolia Baill. XV. 2. 468
longifolia Baill XV. 2. 467
loranthoides *Müll. Arg.* XV. 2. 469
purpurascens Baill. XV. 2. 467
Spruceana Baill. XV. 2. 468
Richeria *sect.* Euricheria *Müll. Arg.* XV. 2. 467
Richeria *sect.* Podocalyx *Mi* XV.
RICINEAE Bartl. XV 2. 7[illegible]
RICINEAE Griseb. XV. 2. 1[illegible]
RICINEAE *Müll. Arg.* XV. 2
Ricinella *Müll. Arg.* XV 2.
barbinervis *Müll Arg* XV.
haemiolandra *Müll. Arg.*
myricaefolia *Müll. Arg.*
oaxacana *Müll. Arg.* XV.
papillaris *Blanco* XV. 2. 7
patens *Baill.* XV. 2 751
pedunculosa *Müll Arg.*
β grandifolia - - -
resinosa *Blanco* XV. 2. 75
sylvestris *Mull. Arg.* XV.
triloba *Müll. Arg.* XV. 2
RICINIDEAE Baill. XV. 2. 75
RICINOCARPEAE *Müll Arg*
Ricinocarpus *Müll Arg* XV.
Burm. XV. 2. 852 [illegible]
XV. 2. 203 204, *Send.*
Bowmanni *F Müll.* XV
cyanescens *Müll Arg* XV
glaucus *Müll. Arg.* XV.
α undulatus - - -
β genuinus - - -
glaucus Endl. XV. 2. 2[illegible]
lediifolius *F Mull.* XV
major *Müll Arg* XV
Mitchelli Sond. XV. 2.
muricatus *Müll. Arg* XV
pinifolius *Desf.* XV. 2.
puberulus Baill. XV. 2
stidaefolius F. Müll. XV
speciosus *Muell. Arg* XV
tasmanicus Sond. XV. 2.
trichophorus *F Mull.* XV
tuberculatus *Müll Arg*
undulatus Lehm. XV 2.
Ricinocarpus *sect.* Anom[illegible] *Müll*
Apeta[illegible] *Müll*
Fu[illegible] *Müll*

Müll. Arg. XV. 2. 1111
Müll. Arg. XV. 2. 1111
Burm. XV. 2. 588
XV. 2. 1016, *Juss.*
76, *L.* XV. 2. 988 991,
2. 988 1008, *Roxb.*
7, *Hassk.* XV. 2. 1022,
V. 2. 988, *Wall.* XV.
V. XV. 2. 956 960 1255
Hill. XV. 2. 1018
Reichenb. XV. 2. 1019
V. XV. 2. 1019
XV. 2. 963 1021
dr. XV. 2. 1018
henb. XV. 2. 1019
Desf. XV. 2. 1019
XV. 2. 1020
Müll. Arg. XV. 2. 1017
permus - - - -
ns - - - -
osus - - - -
canus - - - -
- - - 1018
canus - - - -
gerl - - - -
is - - - -
scens - - - -
- - - -
Steud. - - -
pus *Müll Arg.* - - -
nsis - - - 1019
bachianus - - - -
- - - -
alyx - - - -
s - - - -
- - - -
idis - - - -
s - - - -
rocladus - - - 1020
us - - - -
phyllus - - - -
nus - - - -
rpus - - - -
rpurascens - - - -
ius - - - -
iedius - - - -
anthus - - - -
ucus - - - -
atus - - - -
- - - -
is - - - 1021
- - - -
s *Steud.* - - -
s *Müll. Arg.* - - -

Ricinus
communis A. Rich. XV. 2. 1019
communis Schkuhr XV. 2. 1020
communis Sibth. XV. 2. 1019
communis β microspermus Moris XV. 2. 1019
communis γ minor Steud. XV. 2. 1020
communis δ sanguineus hort. XV. 2. 1018
dicoccus Roxb. XV. 2. 958 1021
digitatus Noronh. XV. 2. 1021
dioicus Chevall. XV. 2. 960 1021
dioicus Forst. XV. 2. 1011 1021
dioicus Wall. XV. 2. 759 958 1021
europaeus Nees jr. XV. 2. 1019
floribundus Reinw. XV. 2. 962 1021
furfuraceus Wall. XV. 2. 1022 XVI. 1. 2
glaucus Hoffmannsg. XV. 2. 1020
globosus W. XV. 2. 1021 1255
hybridus Bess. XV. 2. 1020
inermis Jacq. XV. 2. 1018
inermis Wall. XV. 2. 993 1021
inermis W. XV. 2. 1021
integrifolius W. XV. 2. 960 1021
Krappa hort. berol. XV. 2. 1020
laevis Dc. XV. 2. 1021
lanceolatus Pet. Thouar. XV. 2. 960 1021
leucocarpus Bertol. XV. 2. 1018
lividus Jacq. XV. 2. 1018
lividus W. XV. 2. 1020
macrocarpus hort. XV. 2. 1017
Mappa L. XV. 2. 1000 1021
Mappa Roxb. XV. 2. 998 1021
Mappa Wall. XV. 2. 1010 1021
medicus Forsk. XV. 2. 1019
megalospermus Delil. XV. 2. 1017
montanus Roxb. XV. 2. 1021
montanus Wall. XV. 2. 1126
nanus Balb. XV. 2. 1021
perennis hort. XV. 2. 1018
pictus Noronh. XV. 2. 1021 1119
portoricensis Juss. XV. 2. 1021 1077
purpurascens Bertol. XV. 2. 1018
rugosus Mill. XV. 2. 1018
rutilans Desf. XV. 2. 1017
salicinus Hassk. XV. 2. 1021 1023 (*bis*)
scaber Bertol. XV. 2. 1019
speciosus Burm. XV. 2. 1021
spectabilis Bl. XV. 2. 1021

Ricinus
Tanarius L. XV. 2. 998 1021
Tanarius Lour. XV. 2. 962 1021
tomentosus Gaudich. XV. 2. 891 1021
trilobus Reinw. XV. 2. 989 1021
tunisensis Desf. XV. 2. 1019 (*bis*)
undulatus Bess. XV. 2. 1021
viridis W. XV. 2. 1021
vulgaris Morison XV. 2. 1020
Riessia Kl. XV. 1. 278 376
ferruginea Kl. XV. 1. 377
Rimu XVI. 2. 495 (*bis*)
Rivas XIV. 35
Rivina paniculata L. XVII. 28
Robertia Rich. XVI. 2. 498
Robinsonia Scop. XVII. 298
Roble XVI. 2. 119
Robur C. Bauh. XVI. 2. 2
Robur Spach XVI. 2. 3 (Quercus)
Rochetia *Meisn.* XIV. 261 (Leucospermum)
Roeperia Spr. XV. 2. 203 204
pinifolia Spr. XV. 2. 205
Roisalia XVI. 2. 425
Romerillo XIV. 449
Romowia Buchoz XV. 2. 1134
Ropala Rudg. XIV. 424 (*vide Rhopala*)
Ropourea *Aubl.* XVII. 297
Rossmannia Kl. XV. 1. 278 333
repens Kl. XV. 1. 333
Rossmannia *Dc. fil.* XV. 1. 333 (Begonia)
Rottlera Bl. XV. 2. 957, *Baill.* XV. 2. 791, *Dals.* XV. 2. 983 987, *Hassk.* XV. 2. 991, *Kurz* XV. 2. 990, *Roxb.* XV. 2. 956 961 988, *Wall.* XV. 2. 957 1125 1126, *W.* XV. 2. 953, *Thwait.* XV. 2. 991, *Endl.* XV. 2. 1120, *Auct.* XV. 2. 957
acuminata Baill. XV. 2. 967
acuminata A. Juss. XV. 2. 969
acutifolia Hassk. XV. 2. 967
affinis Baill. XV. 2. 973 982
affinis Hassk. XV. 2. 980
alba Roxb. XV. 2. 965
albicans Hassk. XV. 2. 761 983
albicans Moritz. XV. 2. 760 983
aurantiaca Hook. & Arn. XV. 2. 980
aureo-punctata Dals. XV. 2. 973
barbata Wall. XV. 2. 957
bifaria Wall. XV. 2. 983 1127
Blumei Dene XV. 2. 969
Rottlera
brasiliensis Spr. XV. 2
cantoniensis Spr. XV.
chinensis A. Juss. XV.
congesta Wall. XV. 2
cordifolia Benth. XV.
dentata Baill. XV. 2
dicocca Roxb. XV. 2
digyna Thwait. XV. 2
dioica Baill. XV. 2
dispar Bl. XV. 2. 971
dispar Moritz XV. 2
eglandulosa Zipp. XV.
eriocarpa Thwait. XV.
fasciculata Wall. XV
ferruginea Roxb. XV.
flavigutta Miq. XV. 2.
floribunda Hassk. XV.
Furetiana Baill. XV. 2.
fuscescens Thwait. XV.
gigantea Reichenb. fil.
glaberrima Hassk. XV.
glauca b denticulata
hexandra Roxb. XV. 2
hispida Kurz XV. 2.
Hoperiana Bl. XV. 2.
japonica Spr. XV. 2.
javanica Hassk. XV. 2.
indica W. XV. 2. 953
Isophyllum Endl. XV. 2.
integrifolia Wall. XV.
lanceolata Wall. XV. 2
lappacea Wall. XV. 2.
longestipulata Kurz XV
longifolia Reichenb. fil. XV
macrostachya Miq. XV. 2
moppoides Dals. XV. 2.
mollis Wall. XV. 2. 961
mollissima Wall. XV. 2
montana Heyne XV. 2.
montana Wall. XV. 2.
multiglandulosa Bl. XV.
muricata Thwait. XV. 2.
oppositifolia Bl. XV. 2.
oppositifolia Thwait. XV.
paniculata A. Juss. XV.
paniculata Wall. XV. 2.
peltata Miq. XV. 2. 964
peltata Roxb. XV. 2. 962
rhombifolia Thwait. XV.

ophylla *Miq.* XV. 2. 968
ides *A. Juss.* XV. 2. 964
la *Miq.* XV. 2. 970
ora *Spr.* XV. 2. 954 983
folia *A. Juss.* XV. 2. 982
folia *Reichenb. fil. & Zoll.* XV. 2. 982
ns *Spanogh.* XV. 2. 982
peri *Hochst. & Steud.* XV. 2. 528 983
lata *Panch.* XV. 2. 983 986
rocarpa *Miq.* XV. 2. 976
cata *Reichenb. fil. & Zoll.* XV. 2. 983 1007
lata *Baill.* XV. 2. 968
licosa *Wall.* XV. 2. 983 1126
a *Hassk.* XV. 2. 983 998
ncca *Roxb.* XV. 2. 965
tesii *Baill.* XV. 2. 791 983
olia *Bl.* XV. 2. 969
ria *Roxb.* XV. 2. 980
tosa *Hassk.* XV. 2. 983 997
pis *Zipp.* XV. 2. 982
ra *Dalz.* XV. 2. 983 987
a *Bl.* XV. 2. 982
lii *Hassk.* XV. 2. 964
geriana *Miq.* XV. 2. 983
sect. *Eurottlera Zolling.* XV. 2. 961
Plagianthera Baill. XV. 2. 972 978
Pseudo-Rottlera Zolling. XV. 2. 988 991
Stylanthus Reichenb. fil. & Zoll. XV. 2. 961
psis *Müll. Arg.* XV. 2. 957 (Mallotus)
Wall. XIV. 530
sis *Wall.* XIV. 538
a *Gaudich.* XVI. 1. 235[53]
acea *Gaudich.* XVI. 1. 235[54]
uticulosa - - - -
s *Endl.* XVI. 1. 235[55] (Parietaria)
I. 2. 417
Roxb. XVII. 297
Pav. XVI. 2. 673
ns *Pav.* XVI. 2. 674
ronia *Dc. fil.* XV. 1. 330 (Begonia)
L. XIV. 41, *L. Gaertn.* XIV. 37

Rumex
abyssinicus Desf. XIV. 69
abyssinicus *Jacq.* XIV. 68
Acetosa *L.* XIV. 64
α vulgaris *Koch* - 65
β angustatus *Meisn.* - -
γ fissus *Koch* - -
δ latifolius *Meisn.* - -
Acetosa β L. XIV. 65
Acetosa ε L. XIV. 65
Acetosa β auriculatus Wallr. XIV. 65
Acetosa alpina Fries XIV. 65
Acetosa hispanica maxima Munting XIV. 65
Acetosella Holl XIV. 72
Acetosella *L.* XIV. 63
α latifolia *Wallr.* - -
β integrifolia - - -
γ Adscensionis *Meisn.* - -
δ vulgaris - - -
ε gracilis - - -
ζ procurrens *Wallr.* - -
η minima - - -
ϑ multifida *Dc.* - -
Acetosella β minor Wallr. XIV. 63
Acetosella β repens Dc. XIV. 63
acetoselloides Balans. XIV. 63
aculeatus L. XIV. 62
acuminatus Campd. XIV. 65
acutus All. XIV. 693
acutus Auct. XIV. 54
acutus MB. XIV. 54
acutus Curt. XIV. 49
acutus Fries XIV. 52
acutus L. XIV. 50
acutus Poll. XIV. 59
acutus Roxb. XIV. 48
acutus Schultz XIV. 48
acutus Sm. XIV. 49
acutus Wahlenb. XIV. 48
adulterinus Wallr. XIV. 54
aegyptiacus Balb. XIV. 58
aegyptiacus L. XIV. 60
aegyptiacus Reichenb. XIV. 61
aegyptius Boiss. XIV. 61
aetnensis Presl XIV. 70
afer *Savi* XIV. 74
alexandrinus *hort.* XIV. 74
alismaefolius *Fresen.* XIV. 72
alpestris Jacq. XIV. 70
alpinus MB. XIV. 52
alpinus engl. botan. XIV. 44
alpinus *L.* XIV. 42 74
altissimus *Woods* XIV. 693

Rumex
ambiguus Gay XIV. 54
americanus *Campd.* XIV. 74
amplexicaulis Lapeyr. XIV. 65
amplexicaulis Ten. XIV. 694
angustifolius *Campd.* XIV. 43
angustifolius Engelm. XIV. 64
angustissimus Ledeb. XIV. 64
Anthoxanthum Murr. XIV. 59
aquaticus Campd. XIV. 48 43
aquaticus *L.* XIV. 42
aquaticus Sm. XIV. 48
aquaticus α heterophyllus Mey. hanov. XIV. 48
aquaticus β conspersus Mert. & Koch XIV. 52
aquaticus β crispatus Wahlenb. XIV. 44
arcticus *Trautv.* XIV. 43
arenarius Poepp. XIV. 46
arifolius Ait. XIV. 69
arifolius All. XIV. 65
arifolius *L. fil.* XIV. 69
armenus *C. Koch* XIV. 73
atriplicifolius Reichenb. XIV. 69
auratus Sm. XIV. 49
aureus Gmel. XIV. 49
aureus Wither. XIV. 59
auritus *Campd.* XIV. 74
Berlandieri *Meisn.* XIV. 45
bidens *R. Br.* XIV. 73
bipinnatus L. fil. XIV. 69
bipinnatus Schousb. XIV. 69
bonariensis *Campd.* XIV. 73
brasiliensis *Lk* XIV. 51
brevipes *Meisn.* XIV. 55
Brittanica Huds. XIV. 48
Brittanica *L.* XIV. 47
β polygonifolius *Loud.* - -
Brownianus Raoul XIV. 62
Brownianus Schult. fil. XIV. 61
Brownii *Campd.* XIV. 61
Brownii Schlecht. XIV. 61
bulbosus *Campd.* XIV. 74
Bucephalophorus *L.* XIV. 62
Burchellii Campd. XIV. 68
caldeirarum Wats. XIV. 43
callosissimus *Meisn.* XIV. 57
calthaefolius *Campd.* XIV. 74
campestris Savi XIV. 49 693
Candollii Mart. XIV. 52
chalepensis *Mill.* XIV. 57
chilensis herb. berol. XIV. 44
chilensis Moris XIV. 46
chinensis *Campd.* XIV. 60
chrysocarpos *Moris* XIV. 46

Rumex
Cloytoni Campd. XIV. 47
Commersonii Campd. XIV.
comosus *Forsk.* XIV. 61
α subacaulis *Meisn.* - -
β caulescens - - -
comosus *Hamilt.* XIV. 48
condylodes MB. XIV. 48
confertus *W.* XIV. 52
conglomeratus *Murr.* XIV.
β pycnocarpus *Wallr.* -
conspersus *Hartm.* XIV. 52
cordatus *Desf.* XIV. 68
cordifolius *Hornem.* XIV.
creticus *Boiss.* XIV. 69
creticus Campd. XIV. 62
crispatulus hort. XIV. 59
crispatulus *Mx.* XIV. 69
crispatus Pers. XIV. 59
crispo-obtusifolius *Meisn.* I
crispo-obtusus Engelm. XI
crispus Cham. & Schl. XI
crispus *L.* XIV. 44
β undivalvis *Meisn.* - -
crispus Lour. XIV. 60
crispus β Bertol. XIV. 693
crispus β Poll. XIV. 49
crispus β domesticus Weis
cristatus *Dc.* XIV. 52
cristatus Fries XIV. 52
cristatus Wallr. XIV. 54
cuneifolius *Campd.* XIV.
β alismaefolius *Hook. fil.*
Cunninghamii *Meisn.* XIV.
β Hookeri - -
daghestanicus *C. Koch* XIV
dentatus *Campd.* XIV. 56
dentatus L. XIV. 56
dentatus Murr. XIV. 56
denticulatus Campd. XIV.
denticulatus *C. Koch* XIV.
digynus L. XIV. 37 74
Dioscoridis Heyne XIV. 52
distans Dumort. XIV. 44
divaricatus L. XIV. 54 56
divaricatus Thuill. XIV. 49
domesticus Fries XIV. 44
domesticus Hartm. XIV. 44
domesticus Hook. XIV. 44
Dregeanus Meisn. XIV. 68
Dregei *Meisn.* XIV. 68
Drummondii *Meisn.* XIV. 61
Drummondii F. Mull. XIV.
dubius Retz XIV. 49
dumosus *Cunn.* XIV. 62

anus Meisn. XIV. 50
i Meisn. XIV. 50
ergii Meisn. XIV. 56
florib. dioicis Bonpl. XIV. 42
nsis Boiss. XIV. 44
us Guss. XIV. 45 693
nni Ledeb. XIV. 64
reri Meisn. - -
hort. XIV. 74
tus R. Br. XIV. 61
tus A. Cunn. XIV. 62
us Poir. XIV. 62
i Reichenb. XIV. 44
is Forst. XIV. 73 62
is Hook. fil. XIV. 62
us Meisn. XIV. 46
tus Hochst. XIV. 58
Gren. & Godr. XIV. 693
ns Pet. Thouar. XIV. 72
sis Meisn. XIV. 60
tus - - -
nilis - - -
us Ait. XIV. 53
Forsk. XIV. 40 74
Jacq. XIV. 70
itus Schreb. XIV. 49
tus Ten. XIV. 693
Turcz. XIV. 43
us Pall. XIV. 64
folius Georgi XIV. 64
Trevir. XIV. 56
sus Meisn. XIV. 55 (*non ramulosus* XIV. 693)
sus E. Mey. XIV. 55 (*non ramulosus* XIV. 693)
sus Czern. XIV. 65
olius Campd. XIV. 70
D. Don XIV. 72
s Lk XIV. 70
us MB. XIV. 70
tus Baldw. XIV. 64
tus Sm. XIV. 74 149
pathum Drejer XIV. 43
yllus Schultz XIV. 48
us hort. XIV. 74
icus Remy XIV. 44
pathum Fries XIV. 43 44 52
us Gmel. XIV. 65
us Koch XIV. 65
alis C. Koch XIV. 65
Lour. XIV. 73
pathum Campd. XIV. 52
pathum Huds. XIV. 47 43

Rumex
Hydrolapathum Scop. XIV. 49
incomptus Weinm. XIV. 51
induratus *Boiss. & Reut.* XIV. 70
intermedius *Dc.* XIV. 65
intermedius Guss. XIV. 66
intermedius Sturm XIV. 65
italicus hort. paris. XIV. 65
Klotzschianus *Meisn.* XIV. 57
Kunthianus *Schult. fil.* XIV. 45
Kunthii Campd. XIV. 45
lacerus *Balb.* XIV. 69
β lucidus *Meisn.* - -
γ bipinnatus - - -
lachanus *Forsk.* XIV. 49
laevigatus *W. herb.* XIV. 54
lanceolatus *Thbg* XIV. 50
lanuginosus *Campd.* XIV. 74
Lappula *Meisn.* XIV. 58
latifolius *Humb.* XIV. 42
latifolius Mey. hanov. XIV. 43
lativalvis *Meisn.* XIV. 67
α acetosoides - - -
β decipiens - - -
lentatus *Gouan* XIV. 74
Limoniastrum *Jaub. & Spach* XIV. 73
limosus Thuill. XIV. 59
linearis *Campd.* XIV. 50
β affinis *Meisn.* - -
linearis Meisn. XIV. 50
littoralis *H. B. & Kth* XIV. 48
longifolius *Dc.* XIV. 44
β nanus *Meisn.* - -
longifolius H. B. & Kth XIV. 45
Loureirianus Schult. fil. XIV. 60
Loureirii Campd. XIV. 60
lucidus Campd. XIV. 69
ludovicianus *Raf.* XIV. 73
Lunaria *L.* XIV. 73
luxurians hort. XIV. 70
luxurians L. fil. XIV. 68
macranthus *Boiss.* XIV. 71
macrophyllus Campd. XIV. 69
macrophyllus Wallr. XIV. 52
macropterus Ehrenb. XIV. 53 55
maderensis *Lowe* XIV. 67
magellanicus *Campd.* XIV. 74
magellanicus *Griseb.* XIV. 46
maricola *Remy* XIV. 42
maritimus Georgi XIV. 59
maritimus *L.* XIV. 59
maritimus E. Mey. XIV. 60
maritimus Ten. XIV. 693
maritimus Wither. XIV. 59

Rumex
Marschallianus *Reichenb.* XIV. 60
α longidens *Meisn.* - 61
β brevidens - - -
maximus *Campd.* XIV. 74
maximus Gmel. XIV. 48
maximus *Schreb.* XIV. 48 43
β propinquus *Meisn.* - -
membranaceus Poir. XIV. 62
mensalensis Ehrenb. XIV. 57
mexicanus *Meisn.* XIV. 45
Meyeri Meisn. XIV. 50
Meyerianus *Meisn.* XIV. 50
micranthus Campd. XIV. 65
microcarpus *Campd.* XIV. 74
montanus *Campd.* XIV. 74
montanus *Desf.* XIV. 65 694
montevidensis Spr. XIV. 46
monticola Schult. fil. XIV. 74
Mülleri *Meisn.* XIV. 61
multifidus All. XIV. 66 694
multifidus L. XIV. 63
multifidus β Szovits XIV. 63
mutabilis Campd. XIV. 65
napalensis Meisn. XIV. 55
nebriodes *Campd.* XIV. 74 (*lege nebroides* XIV. 694
Nemolapathum Ehrh. XIV. 49
Nemolapathum Wallr. XIV. 49
α exsanguis - - -
nemorosus Mey. hanov. XIV. 49
nemorosus Schrad. XIV. 49
nemorosus Stev. XIV. 52
nepalensis hort. XIV. 56
nepalensis Meisn. XIV. 55
nepalensis *Spr.* XIV. 55
nervosus *Vahl* XIV. 72
nivalis *Hegetschw. & Heer* XIV. 70
oblongus Campd. XIV. 65
obtusifolius Auct. XIV. 54
obtusifolius Fries XIV. 50
obtusifolius *L.* XIV. 53 54
α concolor *Wallr.* - -
β discolor - - -
obtusifolius β MB. XIV. 58
ochotensis *hort.* XIV. 74
olympicus *Boiss.* XIV. 51
orientalis *Bernh.* XIV. 51
orientalis *Campd.* XIV. 74
Oxylapathum Wallr. XIV. 54
oxyotus Campd. XIV. 65
oxysepalus *Meisn.* XIV. 44
pallidus Bigel. XIV. 47
paludosus Wither. XIV. 49
palustris *Sm.* XIV. 59 693

Rumex
papillaris *Boiss. & Re*
parvifolius W. XIV. 4
patens hort. berol. XIV
Patientia Gaudich. XI
Patientis *L.* XIV. 51
pauciflorus Campd. XI
pectinatus Ehrenb. XI
peregrinus Boiss. XIV.
peregrinus *Schult. fl.*
persicarioides Forsk.
persicarioides Hook.
persicarioides hort. XI
persicarioides *L.* XIV.
persicarioides Thbg XI
peruanus Meyen XIV.
pictus Forsk. XIV. 69
polygamus Cav. XIV. 7
polygonifolius hort.

pratensis *Mert. & Koch*
propinquus Aresching
pseudo-Acetosa Bertol.
pseudo-Acetosa β Bert

pubescens C. Koch XIV.
pulcher Ehrenb. XIV. 5
pulcher *L.* XIV. 58
β echinatus *Meisn.* - -
pulcherrimus hort. XIV.
pusillus Delarb. XIV. 69
pyrenaicus Pourr. XIV.
quadridentatus Ehrenb.
ramulosus *Meisn.* XIV.
hamulosus
ramulosus E. Mey. XIV.
hamulosus
Raulini *Boiss.* XIV. 58
reticulatus *Bess.* XIV. 57
retroflexus Lag. XIV. 52
Romassa Remy XIV. 45
roseus Auch. XIV. 71
roseus Dehl. XIV. 71
roseus Kotschy XIV. 71
roseus *L.* XIV. 71
roseus Poir. XIV. 69
Roxburghianus Schult. 62
Roxburghianus Wall. XIV
Rugelii Meisn. XIV. 54
rugosus Campd. XIV. 65
rupestris Legall. XIV. 63
sagittatus *Thbg* XIV. 68
α angustilobus *Meisn.*
β megalotys - -
γ latilobus - -
δ cordifolius - -

us Campd. XIV. 74
us Plenk XIV. 69
s Bong. XIV. 47
s Weinm. XIV. 47
ttifolius Ledeb. - -
s L. XIV. 49 *(bis)*
nus Sm. - -
s - - -
ieri Meisn. - -
s Poir. XIV. 54
s α exsanguis Wallr. XIV. 49
s β MB. XIV. 49
s β latifolius hort. paris. XIV. 54
us Lk XIV. 68
Meisn. XIV. 67
Raf. XIV. 74
L. XIV. 69
ris Meisn. - 70
astrosus - - -
us - - -
folius - - -
nsis - - -
β hastilis Koch XIV. 70
var. glaucus Boiss. XIV. 70
B. XIV. 54
Hamilt. XIV. 60
Nathhorst XIV. 67 74
us Fisch. & Mey. XIV. 48
s Thbg XIV. 50
L. XIV. 40 74
Thomas XIV. 58
Thbg XIV. 40 74
Raf. XIV. 74
ecker XIV. 60
lus Ledeb. XIV. 55
nus Meisn. XIV. 56
folius A. Rich. - -
Hochst. XIV. 56
hort. XIV. 74
Lk XIV. 57
lus Campd. XIV. 74
s Boiss. XIV. 54
s Moris XIV. 58 693
sus Gay XIV. 72
Campd. XIV. 63
Raf. XIV 74
Campd. XIV. 54
Ten. XIV. 693
Wallr. XIV. 50
Meisn. XIV. 53
hort. XIV. 74

Rumex
thyrsiflorus Fingerh. XIV. 65
thyrsoides Bertol. XIV. 694
thyrsoides *Desf.* XIV. 66
thyrsoides Gren. & Godr. XIV. 694
tingitanus *L.* XIV. 67 74
tingitanus Webb & Bourg. XIV. 67
tmoleus *Boiss.* XIV. 65
tolimensis *Wedd.* XIV. 42
Tournefortii *Campd.* XIV. 74
triangularis Dc. XIV. 68
triangularis Guss. XIV. 66
trifidus *Campd.* XIV. 71
tuberculatus C. Koch XIV. 58
tuberosus Dc. XIV. 68
tuberosus *L.* XIV. 66
tuberosus Roxb. XIV. 56
tuberosus Sieber XIV. 67
tuberosus Thbg XIV. 68
ucranicus *Fisch.* XIV. 59
uliginosus *Guss.* XIV. 60 693
umbellatus Houtt. XIV. 74 130
uncatus hort. XIV. 56
uncinatus Ehrenb. XIV. 58
uncinatus hort. XIV. 56
uncinulatus Schrad. XIV. 55
undulatus Bess. XIV. 43
undulatus Desf. XIV. 52
undulatus Schrank XIV. 49
venosus *Pursh* XIV. 43
verticillatus *L.* XIV. 47
verticillatus Richards. XIV. 47
verticillatus Ucria XIV. 693
verticillatus β hort. vindob. XIV. 47
vesicarius *L.* XIV. 70
α articulatus *Meisn.* - 71
β singuliflorus - - -
γ inarticulatus - - -
δ Aucheri - - -
vesicarius Wall. XIV. 71
vesicarius Webb XIV. 71
virgatus Haenk. XIV. 49
viridis Sibth. XIV. 49
Wallichianus Meisn. XIV. 48
Wallichii *Meisn.* XIV. 48
Winterlii Zucc. XIV. 49
xanthorrhizus Hoffmannsg. XIV. 47

Rumex *sect.* Acetosa *Meisn.* XIV. 64
Acetosella *Meisn.* XIV. 63
Lapathum *Meisn.* XIV. 42

RUMICEAE *C. A. Mey.* XIV. 4 41
Ruprechtia *C. A. Mey.* XIV. 178
amentacea *Meisn.* XIV. 181
apetala *Wedd.* XIV. 182
β Spruceï *Meisn.* - -
brachysepala *Meisn.* XIV. 182
brachystachya *Benth.* XIV. 181
carpinoides *Meisn.* XIV. 183
costata *Meisn.* XIV. 180
Cumingii *Meisn.* XIV. 179
fagifolia *Meisn.* XIV. 183
glauca *Meisn.* XIV. 183
Jamesonii *Meisn.* XIV. 179
laurifolia *C. A. Mey.* XIV. 180
laxiflora *Meisn.* XIV. 181
Lundii *Meisn.* XIV. 180
β minor - - -
Martii *Meisn.* XIV. 182
mollis *Wedd.* XIV. 182 183
ramiflora *C. A. Mey.* XIV. 179
salicifolia *C. A. Mey.* XIV. 181
tenuiflora *Benth.* XIV. 181
Ruprechtia sect. *Apetalae Meisn.* XIV. 182
Euruprechtia Meisn. XIV. 179
Hexasepalae *Meisn.* XIV. 179
Ruprechtia Endl. XIV. 179
Trisepalae *Meisn.* XIV. 182
Ruprechtia Endl. XIV. 179 (Ruprechtia)
RUTACEAE EMPETREAE *Reichenb.* XVI. 1. 24
RUTACEAE b. STACKHOUSIEAE *Reichenb.* XV. 1. 499
Ryparia Bl. XV. 2. 1260
caesia Bl. XV. 2. 1258 1260
dubia Bl. XV. 2. 1260

S.

Saaih vel Diluvang XVII. 225
Saar XVI. 2. 412
SABIACEAE *Bl.* XVII. 295
Sabina Antoin. XVI. 2. 475
Cabiancae Antoin. XVI. 2. 488
excelsa Antoin. XVI. 2. 484
flaccida Antoin. XVI. 2. 492
gigantea Antoin. XVI. 2. 491
isophyllos Antoin. XVI. 2. 484
Sabina
lycia Antoin. XVI. 2. 487
mexicana Antoin. XVI. 2. 48
phoenicea Antoin. XVI. 2. 48
plockyderma Antoin. XVI.
polycarpos Antoin. XVI. 2. 4
procera Antoin. XVI. 2. 48
tetragona Antoin. XVI. 2. 48
turbinata Antoin. XVI. 2. 48
Sabina *Spach* XVI. 2. 481
Sabina Gord. XVI. 2. 481
Sabina XVI. 2. 491
Sabine's Pine XVI. 2. 492
Sabina XVI. 2. 441
Saccoligera Lindl. XIV. 129
Sadrum Soland. XVII. 18
volubile Soland. XVII. 18
Sagotia *Baill.* XV. 2. 1113
racemosa Baill. XV. 2. 1114
racemosa *Müll. Arg.* XV.
α ligularis - - -
β macrocarpa - - -
γ brachysepala - - -
δ genuina - - -
ε microsepala - - -
Sah XVI. 2. 412
Sahagunia *Liebm.* XVII. 292
Saintlegeria Cordem. XVI.
gracilis Cordem. XVI. 1.
Sajor Rumph XV. 2. 772
Sajor Müll. Arg. XV. 2. 772
Sajorium Endl. XV. 2. 768
africanum Baill. XV. 2. 770
corniculatum Baill. XV.
tamnoides Baill. XV. 2. 772
volubile Baill. XV. 2. 771
Sajorium sect. *Anahaea*
Hedraiostylis
XV.
Pinkenia
Saisia XV. 1. 427
Sakhotuka XVII. 219
Saksin XVI. 2. 471
SALICACEAE Lindl. XVI.
SALICEAE Rich. XVI. 2.
Salices africanae v. occidentales
XVI.
amygdalinae *Koch* XVI. 2.

v. repentes *Anders.* XVI. 2. 233
Koch XVI. 2. 233
ericanae v. Humboldtianae *Anders.* XVI. 2. 199
rn. XVI. 2. 302
Koch XVI. 2. 216
Kern. XVI. 2. 192
ae Koch XVI. 2. 273
ites v. capreae *Anders.* XVI. 2. 215
Fries XVI. 2. 216
Anders. XVI. 2. 192 213
macrostylae *Anders.* XVI. 2. 261
microstylae *Anders.* XVI. 2. 214
podostylae *Anders.* XVI. 2. 240
albae *Anders.* XVI. 2. 209
Ehrh. XVI. 2. 209
albae Kern. XVI. 2. 209
Koch XVI. 2. 275
nders. XVI. 2. 302
Fries, Kern. XVI. 2. 233
tetraspermae *Anders.* XVI. 2. 192
Anders. XVI. 2. 214
pentandrae *Anders.* XVI. 2. 205
v. viminales *Anders.* XVI. 2. 264
s & arbusculae Kern. XVI. 2. 240
v. glaciales *Anders.* XVI. 2. 285
glaucae *Anders.* XVI. 2. 273
v. acmophyllae *Anders.* XVI. 2. 195
iae Fries XVI. 2. 240
Anders. XVI. 2. 192
v. daphnoides *Anders.* XVI. 2. 261
Koch, Kern. XVI. 2. 261
Anders. XVI. 2. 306
Koch XVI. 2. 306
ern. XVI. 2. 293
hastatae *Anders.* XVI. 2. 251
myrtilloides *Anders.* XVI. 2. 229

Salices
rugosae Kern. XVI. 2. 216
semipurpureae & purpureae Kern. XVI. 2. 306
synandrae *Anders.* XVI. 2. 192 302
viminales Koch, Fries, Kern. XVI. 2. 264
virescentes v. phylicifoliae *Anders.* XVI. 2. 240
SALICINEAE *Anders.* XVI. 2. 190
SALICINEAE Bartl., Rich. XVI. 2. 190
SALICINEIS AFFINES HENSLOWIACEAE Endl. XVI. 2. 677
SALICINEIS AFFINES CRYPTERONIEAE Endl. XVI. 2. 677
Salisburia Sm. XVI. 2. 506
adianthifolia Salisb. XVI. 2. 507
Billardieri C. L. Rich. XVI. 2. 499
Salix *Tourn.* XVI. 2. 191
acmophylla *Boiss.* XVI. 2. 195
acuminata Ehrh. XVI. 2. 221
acuminata Lange XVI. 2. 269
acuminata Pall. XVI. 2. 317
acuminata Patze XVI. 2. 269
acuminata Sm. XVI. 2. 268
acuminata grandifolia Ser. XVI. 2. 217
acutifolia W. XVI. 2. 262
adenophylla *Hook.* XVI. 2. 254
adscendens Sm. XVI. 2. 237
aegyptiaca L. XVI. 2. 196
aegyptiaca Thbg XVI. 2. 197
affinis β capreaeformis Gren. & Godr. XVI. 2. 267
alatavica Kar. & Kir. XVI. 2. 283
alba Kern. XVI. 2. 208
alba *L.* XVI. 2. 211
β vitellina *Anders.* - - -
γ splendens - - - -
δ coerulea - - - -
ε rigida - - - -
ζ tristis *Trautv.* - - -
η ovalis *Anders.* - - -
ϑ microphylla - - - -
ι latifolia - - - -
κ kassanogluensis - - - 212
λ Pamcachiana - - - -
μ micans - - - -
alba Thbg XVI. 2. 271
alba fragilis Mey. hanov. XVI. 2. 210

Salix
alba hippophaifolia Ser. XVI. 2. 272
alba γ viridis Wahlenb. XVI. 2. 210
albicans Bonj. XVI. 2. 217
albipila Tausch, Wimm. XVI. 2. 279
albo-fragilis Mey. hanov. XVI. 2. 208
almoides Schangin & Siev. XVI. 2. 257
alopecuroides Tausch XVI. 2. 203
α Kovatsii Anders. - - -
β subtriandra - - - -
alpestris Wulf. XVI. 2. 248
alpigena Kern. XVI. 2. 295 294
alpina Scop. XVI. 2. 248 289 (bis)
Amandae Anders. XVI. 2. 283
ambigua Ehrh. XVI. 2. 238
α spathulata Anders. - - 239
* latifolia - - - -
** angustifolia - - - -
β plicata - - - -
1 cinerascens - - - -
2 virescens - - - -
ambigua Pursh XVI. 2. 200
Ammanniana W. XVI. 2. 241
amplexicaulis Bory & Chaub. XVI. 2. 318
amygdalina Boiss. XVI. 2. 211
amygdalina L. XVI. 2. 202
amygdalina-viminalis Wimm. XVI. 2. 273
amygdalino-fragilis Wimm. XVI. 2. 203
Andersoniana Sm. XVI. 2. 241
androgyna Hoppe XVI. 2. 202
anglorum Cham. XVI. 2. 290
angustata Pursh XVI. 2. 252
angustifolia Poir. XVI. 2. 302
angustifolia W. XVI. 2. 315
β microstachya Anders. - - -
angustifolia β leiocarpa Ledeb. XVI. 2. 315
annularis Forb. XVI. 2. 213
appendiculata Vill. XVI. 2. 217
aquatica Sm. XVI. 2. 221
arborescens Hartig XVI. 2. 313
arbuscula Anders. XVI. 2. 292
arbuscula L. XVI. 2. 247 241
α erecta Anders. - - -
1 grandifolia - - - -
2 ovallifolia - - - -
3 angustifolia - - - -

Salix
β humilis Anders. XVI.
1 parvifolia - -
2 brevifolia - -
γ thymelaeoides - -
arbuscula Pursh XVI. 2.
arbuscula Reichenb. XVI.
arbuscula β L. XVI. 2.
arbuscula polaris Lestad.
arbuscula Waldsteiniana XV
arbuscula α Waldsteini XV
arbuscula Weigeliana K
arbusculoides Anders. XV
arbutifolia Ser. XVI. 2.
arctica R. Br. XVI. 2.
arctica flor. dan. XVI.
arctica Ledeb. XVI. 2.
arctica Pall. XVI. 2. 29
α nervosa Anders. - -
* cuneata - - -
β Brownii - - -
* obovata - - -
** oblonga - - -
*** fumosa - - -
γ groenlandica - - -
1 hebecarpa - - -
2 leiocarpa - - -
3 latifolia - - -
4 angustifolia - - -
5 macrocarpa - - -
6 pusilla - - -
δ petraea - - -
ε taimyrensis Trautv. - -
arctica β buxifolia Ledeb.
arctica forma 3 Cham.
arenaria L. XVI. 2. 237
arenaria Schleich. XVI.
arenaria W. XVI. 2. 23
argentea Sm. XVI. 2. 23
arguta Anders. XVI. 2.
β lasiandra - - -
γ erythrocoma - - -
δ pallescens - - -
ε alpigena - - -
ζ hirtisquama - - -
argyrocarpa Anders. XVI
α sericea - -
β denudata - -
attenuata Anders. XVI.
aurigerana Lap. XVI. 2.

XVI. 2. 241
XVI. 2. 218
. 2. 220
Anders. - - -
as - - -
cens - - -
- - -
as - - - 221
cens - - -
lla - - -
as - - -
ns - - -
. XVI. 2. 228
igua Fries XVI. 2. 239
a Wimm. XVI. 2. 222
folia Kern. XVI. 2. 218
a Wimm. XVI. 2. 305
la Wimm. XVI. 2. 228
-livida XVI. 2. 684)
loides Wimm. XVI. 2. 230 231
osa Hartm. XVI. 2. 231
idosa Laestad. XVI. 2. 231
rea Wimm. XVI. 2. 312
Wimm. XVI. 2. 239
ica Wimm. XVI. 2. 219
iana Patze XVI. 2. 228
livida Laestad. XVI. 2. 228
alis Wimm. XVI. 2. 268
rn. XVI. 2. 312 313
s. XVI. 2. 232
- - - -
- - - -
ls. & Boj. XVI. 2. 198
st XVI. 2. 312 313
lers. XVI. 2. 196
. XVI. 2. 212
nders. - - 213
- - - -
- - - -
agilis Clemens. XVI. 2. 212
XVI. 2. 249

Salix
baicalensis Turcz. XVI. 2. 276
balsamifera Barratt XVI. 2. 225
Barclayi *Anders.* XVI. 2. 254
1 rotundifolia - - - -
2 grandifolia - - - -
3 angustifolia - - - 255
β latiuscula - - - -
Barrattiana *Hook.* XVI. 2. 274
α latifolia *Anders.* - - -
β angustifolia - - - -
berberifolia Pall. XVI. 2. 293 (*bis*)
bicolor Ehrh. XVI. 2. 241 251
bicolor Fries XVI. 2. 227
bicolor Sm. XVI. 2. 250
bicolor var. pubescens Mey. hanov. XVI. 2. 251
bifida *Wulf.* XVI. 2. 305
α subincana *Anders.* - - -
β subpurpurea - - - -
Bigelowii *Torr. & Gray* XVI. 2. 255
1 latifolia *Anders.* - - -
2 angustifolia - - - -
β fuscior - - - -
bigemmis Hoffm. XVI. 2. 261
blanda *Anders.* XVI. 2. 212
Blumhardtiana Schimp. XVI. 2. 196
boganidensis *Trautv.* XVI. 2. 277
Bonplandiana *H. B. & Kth* XVI. 2. 200
β pallida *Anders.* - - -
borealis Fries XVI. 2. 241
Borreriana Sm. XVI. 2. 242
brachycarpa Nutt. XVI. 2. 214
brachystachys *Benth.* XVI. 2. 224
β Scouleriana *Anders.* - - -
1 tenuijulis - - - 225
2 crassijulis - - - -
bracteata Trautv. XVI. 2. 213
Brayi *Ledeb.* XVI. 2. 293
β berberifolia *Anders.* - - -
buxifolia Trevir. XVI. 2. 290
buxifolia W. XVI. 2. 284
caesia *Vill.* XVI. 2. 317
β minutiflora *Anders.* - - -
caesia glabra Turcz. XVI. 2. 317
caesia pubescens Turcz. XVI. 2. 316
calliantha *J. Kern.* XVI. 2. 308 311 313
callicarpaea Trautv. XVI. 2. 287
Calodendron Wimm. XVI. 2. 268
calostachys *Anders.* XVI. 2. 194
calyculata *Hook. fil.* XVI. 2. 296

Salix
campestris Fries XVI. 2
canariensis *Ch. Sm.* XV
α subdaphnoides *Ande*
β subpedicellata –
candida *Flügge* XVI. 2.
α tomentosa *Anders.*
β denudata –
canescens Fries XVI. 2
canescens W. XVI. 2.
canescens Laestadiana

cantoniensis *Hance* XV
capensis Fries XVI. 2.
capensis *Thbg* XVI. 2.
β gariepina *Anders.*
γ mucronata –
δ hirsuta –
caprea Boiss. & Buhs

caprea flor. danic. XV
caprea *L.* XVI. 2. 222
β orbicularis *Anders.*
γ capreola –
caprea aurita Wimm

caprea cinerea Wimm

caprea daphnoides Wi

caprea dasyclados W

caprea incana Wimm

caprea Lapponum Lae

caprea microphylla Se

caprea nigricans Wim

caprea purpurea Wim

caprea repens Wimm.
caprea silesiaca Wimm

caprea viminalis Wimm

capreoides Anders. XV
capreola Kern. XVI. 2.
cardiophylla *Trautv. &*

carinata Sm. XVI. 2.
carniolica Host XVI. 2.
caroliniana Mx XVI. 2.
caspica hort. XVI. 2. 2
caspica Pall. XVI. 2. 3

Döll XVI. 2. 228
Virb. XVI. 2. 197
ders. XVI. 2. 225
t XVI. 2. 307 308
hlenb. XVI. 2. 236 (*bis*)
uss. XVI. 2. 221
, XVI. 2, 252
enb. XVI. 2. 251
nders. – – 252
a – – – –
– – – –
– – – –
lia – – – –
lifolia – – – –
lides – – – –
– – – –
– – – –
– – – –
a – – – –
a – – – –
Seem. XVI. 2. 244
Mackayana Hook. *herb.* XVI. 2. 243
Mackenziana Hook. XVI. 2. 253
da A. Gray XVI. 2. 252
ook. XVI. 2. 281
arsh XVI. 2. 286 287
ericana Anders. XVI. 2. 282
ecq. XVI. 2. 248
. XVI. 2. 259
urcz. XVI. 2. 257
n. XVI. 2. 241
. XVI. 2. 294
ers. XVI. 2. 264
revir. XVI. 2. 285
Bertol. XVI. 2. 259
s. XVI. 2. 286
chulz XVI. 2. 208 (*bis*)
erm. XVI. 2. 292
ica Anders. – – –
Anders. XVI. 2. 196
Anders. XVI. 2. 269
is – – – 270
Tausch XVI. 2. 276
Vill. XVI. 2. 261
a – – – –
ifolia – – – 262
a – – – –
β angustifolia Weinm. XVI. 2. 262

Salix
daphnoides γ cinerea Patze XVI. 2. 240
daphnoides repens Wimm. XVI. 2. 240
daphnoidi-incana Reut. XVI. 2. 203
dasycarpa Turcz. XVI. 2. 289
dasyclados Wimm. XVI. 2. 268
Davalliana Sm. XVI. 2. 242
Daviesii *Boiss.* XVI. 2. 195
dealbata Anders. XVI. 2. 195
decipiens Hoffm. XVI. 2. 210
decumbens Forbes XVI. 2. 237
denticulata Anders. XVI. 2. 256
denticulata himalensis Anders. XVI. 2. 257
depressa Hoffm. XVI. 2, 237
depressa L. XVI. 2. 226 273
depressa cinerascens Fries XVI. 2. 226
depressa cinerascens Maxim. XVI. 2. 227
depressa velutina Koch XVI. 2. 226
desertorum *Richards.* XVI. 2. 281
α elata *Anders.* – – –
β stricta – – – –
γ fruticulosa – – – –
dichroa Döll XVI. 2. 312
Dicksoniana Sm. XVI. 2. 242
diplodictya Traute. XVI. 2. 285
discolor Anders. XVI. 2. 243
discolor Host XVI. 2. 311
discolor *Mühlenb.* XVI. 2. 225
1 latifolia *Anders.* – – –
2 angustifolia – – – –
α eriocephala – – – –
β prinoides – – – –
discolor Schrad. XVI. 2. 251
discolor β Hook. XVI. 2. 243
divaricata Pall. XVI. 2. 287
divergens *Anders.* XVI. 2. 316
Doniana *Sm.* XVI. 2. 315
α latifolia *Anders.* – – 316
β lingulata – – – –
γ linearis – – – –
δ leiocarpa – – – –
dracunculifolia Boiss. XVI. 2. 315
Drummondiana *Barratt* XVI. 2. 243
dubia *Anders.* XVI. 2. 314
dubia Sut. XVI. 2. 289
dumetorum Sut. XVI. 2. 221

Salix
Ehrhartiana Mey. hanov. XVI. 2. 208
elaeagnifolia Tausch XVI. 2. 307 308
elaeagnoides *Schleich.* XVI. 2. 284
Elaeagnos Scop. XVI. 2. 302 305
elbrusensis Boiss. XVI. 2. 308
elegans Bess. XVI. 2. 229
elegans Host XVI. 2. 258
elegans *Wall.* XVI. 2. 256
β Govaniana *Anders.* - - 257
elegans himalensis Anders. XVI. 2. 257
Erdingeri *Kern.* XVI. 2. 263
eriantha Schleich. XVI. 2. 258
eriocephala Mx XVI. 2. 225
eriophylla *Anders.* XVI. 2. 270
eriostachya *Wall.* XVI. 2. 270
erythrocoma Barratt XVI. 2. 206
erythrophleba Tausch XVI. 2. 279
excelsa Tausch XVI. 2. 209
excelsior Host XVI. 2. 210
excelsior Kern. XVI. 2. 210
exigua Nutt. XVI. 2. 214
fagifolia W. XVI. 2. 218
falcata H. B. & Kth XVI. 2. 199
falcata Pursh XVI. 2. 201
Fendleriana Anders. XVI. 2. 205
Fenzliana *Kern.* XVI. 2. 294
ferruginea Forbes XVI. 2. 268
finmarkica Anders. XVI. 2. 231
finmarkica Fries XVI. 2. 231
finmarkica Hartig XVI. 2. 231
finmarkica W. XVI. 2. 232
fissa Hoffm. XVI. 2. 303 307
fissa Wahlenb. XVI. 2. 306
flabellaris *Anders.* XVI. 2. 295
flavescens Host XVI. 2. 247
Flüggeana W. XVI. 2. 305
fluviatilis Nutt. XVI. 2. 214
foetida Schleich. XVI. 2. 248
foetida Sm. XVI. 2. 237
foliosa Afzel. XVI. 2. 227
Forbyana Sm. XVI. 2. 308
formosa W. XVI. 2. 242 248
Forsteria Sm. XVI. 2. 241
fragilis Kern. herb. Salisb. XVI. 2. 208
fragilis *L.* XVI. 2. 209
α angustifolia *Anders.* - - -
β latifolia - - - -
γ decipiens - - - -
δ australis - - - 210
fragili-pentandra Mey. hanov. XVI. 2. 208

Salix
fragilis alba Wimm. XVI.
fragilis pendula Fries XVI.
fragilis pentandra Nolr. X
fragilis pentandra Wimm.
fragilis var. Pokornyi Kern.
fragilis γ polyandra Nolr.
fragilis β Russeliana Koch
fragilis subtriandra Nolr.
fragilis triandra Wimm. X
fragilissima Host XVI. 2.
Friesii Kern. XVI. 2. 267
fruticosa Döll XVI. 2.
fruticulosa *Kern.* XVI. 2.
fulcrata *Anders.* XVI. 2.
α subglauca - - - -
β subphylicifolia- - - -
fumosa Turcz. XVI. 2.
furcata *Anders.* XVI. 2.
fusca Fries XVI. 2. 232
fusca Hook. XVI. 2. 234
fusca Jacq. XVI. 2. 236
fusca L. XVI. 2. 237
fusca abscissa Laestad.
fusca aurora Laestad. XVI.
fusca myrtiola Laestad.
fuscata Pursh XVI. 2.
fuscata Tausch XVI. 2.
fuscescens *Anders.* XVI.
β minor - - - -
fuscior Anders. XVI. 2.
loco citato) XVI.
gariepina Burch. XVI. 2.
gemmata Kern. XVI. 2.
Geyeriana *Anders.* XVI. 2.
glabra Ledeb. XVI. 2. 317
glabra *Scop.* XVI. 2. 239
1 latifolia *Anders.* - -
2 angustifolia - - -
α crataegifolia - - -
β subglabra - - -
γ laxiflora - - -
δ stenostachya - - -
ε Mielichhoferi - - -
1 latifolia - - -
2 angustifolia - - -

randifolia Kern. XVI. 2. 259
igricans Wimm. XVI. 2. 259
Anders. XVI. 2. 300
. XVI. 2. 280
ea *Anders.* - - -
randifolia - - - -
alifolia - - - -
nceolata - - - -
igustifolia - - - -
ata - - - -
scens - - - 281
tifolia - - - -
nuifolia - - - -
na - - - -
Sm. XVI. 2. 276
desertorum Anders. XVI. 2. 281
grandifolia Wimm. XVI. 2. 217
β macrocarpa Ledeb. XVI. 2. 281
myrtilloides Wimm. XVI. 2. 283
nigricans Wimm. XVI. 2. 283
pullata Fries XVI. 2. 283
villosa Anders. XVI. 2. 281
cens Host XVI 2. 241
les Anders. XVI. 2. 284
Myrsinites Anders. XVI. 2. 284
phylicifolia Anders. XVI. 2. 284
hylla Anders. XVI. 2. 195
hylla Bess. XVI. 2. 276
s Anders. XVI. 2. 281
losa - - - -
hrescens - - - -
-retusa Wimm. XVI. 2. 284
i Georgi XVI. 2. 266
i Pall. XVI. 2. 266
iana Turcz. XVI. 2. 276
lioides Schleich. XVI. 2. 276
ana (Govanina) Wall. XVI. 2. 257 320
nta Tausch XVI. 2. 210
i Anders. XVI. 2. 235
i Borrer. XVI. 2. 685
olia Ser. XVI. 2. 217

Salix
α pubescens *Anders.* XVI. 2. 217
1 parvifolia - - - -
2 angustifolia - - - -
3 Laggeri *Wimm.* - - -
β virescens *Anders.* - - 218
1 grandifolia - - - -
2 acutifolia - - - -
3 brevifolia - - - -
4 tenuifolia - - - -
grandifolia arbuscula Kern. XVI. 2. 250
grandifolia-incana Kern. XVI. 2. 304
grandifolia β lanata Gaud. XVI. 2. 217
grisea Wall. XVI. 2. 223
grisea W. XVI. 2. 235
Harmanniana Anders. XVI. 2. 274
Hartmanniana *Anders.* XVI. 2. 275
α sublanata - - - -
β subhastata - - - -
Hartwegi Benth. XVI. 2. 236
hastata Hoppe XVI. 2. 240
hastata *L.* XVI. 2. 257
α vegeta *Anders.* - - 258
β subalpina - - - -
γ alpestris - - - -
δ viridula - - - -
hastata Thuill. XVI. 2. 202
hastata W. XVI. 2. 258
hastata alpestris viridula Anders. XVI. 2. 258
hastata helvetica Kern. XVI. 2. 279
hastata herbacea Anders. XVI. 2. 299
hastata var. inundata Schrenk XVI. 2. 261
hastata myrtilloides Schrenk XVI. 2. 261
hastata silesiaca Wimm. XVI. 2. 260
hastata Weigeliana Wimm. XVI. 2. 242
Hegetschweileri Heer XVI. 2. 242
heliciflora Tausch XVI. 2. 308
Helix L. XVI. 2. 307
helvetica Heyetschw. XVI. 2. 277
helvetica Vill. XVI. 2. 277
helvetica myrsinites Kern. XVI. 2. 280

Salix
helvetica ξ *spuria Gaud.* XVI. 2. 280
herbacea *L.* XVI. 2. 298
β flabellaris *Anders.* - - -
γ subpolaris - - - -
herbacea Schrenk XVI. 2. 298
herbacea Sol. XVI. 2. 299
hermaphroditica L. XVI. 2. 207
hexandra *Ehrh.* XVI. 2. 208
himalensis Kl. XVI. 2. 257
Hindsiana *Benth.* XVI. 2. 215
β tenuifolia *Anders.* - - -
hippophaefolia Ledeb. XVI. 2. 307
hippophaefolia Wimm. XVI. 2. 204
hippophaefolia γ *leiocarpa Koch* XVI. 2. 272
hippophaefolia viminalis Wimm. XVI. 2. 273
hippophaifolia Thuill. XVI. 2. 272
hippophaifolia Wimm. & Grab. XVI. 2. 272
hircina *J. Kern.* XVI. 2. 304 (*bis*)
hirsuta Thby XVI. 2. 198
hirta Sm. XVI. 2. 241
hirtula *Anders.* XVI. 2. 231
α subcinerascens - - - -
β sublivida - - - -
Hoffmanniana Bluff. & Fingerh. XVI. 2. 221
Hoffmanniana Sm. XVI. 2. 202
Hoffmanniana Tausch XVI. 2. 307
holosericea Kern. XVI. 2. 304
holosericea Ser. XVI. 2. 303
holosericea W. XVI. 2. 268
holosericea Wimm. XVI. 2. 304
holosericea angustifolia Ser. XVI. 2. 304
Hookeriana *Barratt* XVI. 2. 274
Hoppeana W. XVI. 2. 202
Horsfieldiana Miq. XVI. 2. 193
Hostii Kern. XVI. 2. 266
Houstoniana Pursh XVI. 2. 201
Huartiana Sm. XVI. 2. 276
Hugelii Wimm. XVI. 2. 193
Humboldtiana *W.* XVI. 2. 199 684
α Martiana *Anders.* - - -
β falcata - - - -
γ oxyphylla - - - -
humilis *Marsh.* XVI. 2. 235
α grandifolia *Anders.* - - 236
1 obtusifolia - - - -
2 acuminata - - - -

Salix
β longifolia *Anders.* I
1 rigidiuscula -
2 glauca -
3 tenuis -
γ angustifolia -
δ Hartwegi -
humillima *Anders.* XVI.
α puberula - -
β glabra - -
hungarica A. Kern. XVI.
Huteri *Kern.* XVI. 2. 27
hybrida Vill. XVI. 2. 22
hyperborea Anders. XVI.
Jacquini Host XVI. 2. 2
Jacquiniana W. XVI. 2.
japonica Thbg XVI. 2. 2
ichnostachya Lindl. XVI.
ilicifolia W. herb. XVI.
incana Mx XVI. 2. 25
incana *Schrank* XVI. 2.
incana cinerea Gren. 1
incana cinerea Wimm.
incana daphnoides Wim
incano-caprea Wimm.
incano-purpurea Neilr.
incubacea Fries XVI. 2.
incubacea L. XVI. 2. 23
insignis *Anders.* XVI. 2.
integra Thby XVI. 2. 23
intermedia *Host* XVI. 2.
intermedia Kern. XVI. 2.
irrorata *Anders.* XVI. 2.
iserana Presl XVI. 2. 2
kamaonensis Lindl. XVI.
kanderiana Ser. XVI. 2.
kastanoglucnsis Kotschy
Kerneri *Erding.* XVI. 2.
kilucnsis Gorski XVI. 2.
S. vilaensis XVI.
Kitaibeliana W. XVI. 2.
Kochiana Hartm. XVI. 2.
Kochiana *Traute.* XVI. 2.
β angustifolia *Anders.*
γ curtiflora - -
Koernickei *Anders.* XVI.
α angustifolia - -
β latifolia - -
koreensis *Anders.* XVI. 2
Kovatsii Kern. XVI. 2. 2
Krausei *Anders.* XVI. 2.

Bray XVI. 2. 276
diana Hartm. XVI. 2. 278
nescens Anders. - - -
subcaprea - - - -
sublapponum - - - -
aca - - - -
subcinerea - - - -
subaurita - - - -
Hook. (non Brit. flow.) XVI. 2. 289 684
i Wimm. XVI. 2. 217
rtiana Sm. XVI. 2. 306
L. XVI. 2. 273
tifolia Anders. - - -
major - - - -
minor - - - -
gustifolia - - - -
Vill. XVI. 2. 221
β Spr. XVI. 2. 226
americana Anders. XVI. 2. 274
Barrattiana Anders. XVI. 2. 274
depolita Wahlenb. XVI. 2. 275
lata Fries XVI. 2. 267
ata Ser. XVI. 2. 303
ata Sm. XVI. 2. 204
lia Anders. XVI. 2. 206
lia Döll XVI. 2. 268
a Hartig XVI. 2. 239
osa Pall. XVI. 2. 273
um Koch XVI. 2. 277
um L. XVI. 2. 276
lvetica Anders. - - 277
um Turcz. XVI. 2. 276
um var. albens Hartig XVI. 2. 312
um arbuscula Wimm. XVI. 2. 280
um aurita Wimm. XVI. 2. 278
um myrtilloides Wimm. XVI. 2. 232
um silesiaca Wimm. XVI. 2. 279
lra Benth. XVI. 2. 206
rpa Wimm. XVI. 2. 218
is Benth. XVI. 2. 264
Forbes XVI. 2. 249
Sm. XVI. 2. 250
a Lois. XVI. 2. 242
ulaefolia Lapeyr. XVI. 2. 302
a Borrer. XVI. 2. 250

Salix
laxiflora Kern. XVI. 2. 259
Ledebouriana *Trautv.* XVI. 2. 308
β prunosa *Anders.* - - 309
lenta Fries XVI. 2. 193
leptoclados *Anders.* XVI. 2. 247
leucophylla W. XVI. 2. 276
libanotica Boiss. XVI. 2. 212
ligustrina Host XVI. 2. 202
ligustrina Mx XVI. 2. 201
limnogena *Anders.* XVI. 2. 218
limosa Trautv. XVI. 2. 276
limosa Wahlenb. XVI. 2. 276
limosa cinerascens Wahlenb. XVI. 2. 278
Lindleyana *Wall.* XVI. 2. 296
α latifolia *Anders.* - - -
β microphylla - - - -
linearis Forbes XVI. 2. 302
linearis Turcz. XVI. 2. 308
linguiata *Anders.* XVI. 2. 281
littoralis Host XVI. 2. 238
livescens *Döll* XVI. 2. 228
livida Wahlenb. XVI. 2. 227
livida Wimm. XVI. 2. 228
livida cinerascens Wahlenb. XVI. 2. 226
livida myrtilloides Wimm. XVI. 2. 231
livida nigricans Brunn. XVI. 2. 229
livida purpurea Wimm. XVI. 2. 313
livida repens Brunn. XVI. 2. 228
longiflora *Wall.* XVI. 2. 271
longifolia Host XVI. 2. 266 267 269
longifolia Lam. XVI. 2. 265
longifolia *Mühlenb.* XVI. 2. 214
β pedicellata *Anders.* - - -
γ argyrophylla - - - -
1 opaca - - - -
2 angustissima - - - -
longifolia Schleich. XVI. 2. 303
longipes Anders. XVI. 2. 201
longipes Hook. fil. XVI. 2. 292
longipes Shuttlew. XVI. 2. 201
longirostris Mx XVI. 2. 236
lucida Jacquem. XVI. 2. 295
lucida *Mühlenb.* XVI. 2. 205
1 latifolia *Anders.* - - -
2 ovalifolia - - - -
3 angustifolia - - - -
β macrophylla - - - -
lucido-angustifolia Anders. XVI. 2. 206

Salix
Ludwigii Schkuhr XVI. 2. 218
lutescens *Kern.* XVI. 2. 222
macilenta *Anders.* XVI. 2. 245
Mackenziana *Barratt* XVI. 2. 252
macrocarpa *Nutt.* XVI. 2. 245
macrocarpa Trautv. XVI. 2. 281
macrolepis *Turcz.* XVI. 2. 213
macrophylla *Anders.* XVI. 2. 218
macrorrhyncha *Anders.* XVI. 2. 250
1 leiocarpa - - - 251
2 hebecarpa - - - -
3 puberula - - - -
macrostachya Nutt. XVI. 2. 214
macrostipulacea Forb. XVI. 2. 266
madagascariensis *Boj.* XVI. 2. 198
magellanica Poir. XVI. 2. 199
majalis Wahlenb. XVI. 2. 242
malifolia Bess. XVI. 2. 228
malifolia Sm. XVI. 2. 258 (*bis*)
marinifolia W. XVI. 2. 238 (*lege rosmarinifolia* XVI. 2. 684)
marrubiifolia Tausch XVI. 2. 276
Martiana Leyb. XVI. 2. 199
Mauckschii Hartig XVI. 2. 218
mauternensis Kern. XVI. 2. 311 313
Medemii *Boiss.* XVI. 2. 317
melanolepis Trautv. XVI. 2. 281
membranacea Thuill. XVI. 2. 307
menthaefolia Host XVI. 2. 241
Meyeriana Borrer. XVI. 2. 207
Meyeriana Rostk. XVI. 2. 208
Meyeriana W. XVI. 2. 208
Micheliana Forbes XVI. 2. 268
microphylla Cham. & Schl. XVI. 2. 215
microstachya Turcz. XVI. 2. 315
Mielichhoferi Saut. XVI. 2. 260
Mielichhoferi Tausch XVI. 2. 290
minutiflora Turcz. XVI. 2. 317
Miquelii *Anders.* XVI. 2. 256
β vulpina - - - -
mollis Schleich. XVI. 2. 220
mollissima Ehrh. XVI. 2. 204 272
mollissima Reichenb. XVI. 2. 313
mollissima Sm. XVI. 2. 267
mollissima Wahlenb. XVI. 2. 307
mollissima Wimm. XVI. 2. 204
monandra Anders. XVI. 2. 217
monandra Hoffm. XVI. 2. 306
monspeliensis Forbes XVI. 2. 209
mucronata Thbg XVI. 2. 198
Mühlenbergiana Barratt XVI. 2. 236

Salix
Mühlenbergiana W. XVI.
multiformis *Döll* XVI. 2.
α Trevirani *Anders* - -
β hippophaifolia - - -
γ mollissima - - -
multiglandulosa Tausch (XVI
multinervis Döll XVI. 2.
mutabilis hort. XVI. 2.
myricaefolia Anders. XVI
myricoides Mühlenb. XVI

Myrsinites Cham. XVI. 2.
Myrsinites *L.* XVI. 2. 28
1 latifolia *Anders.* - -
2 angustifolia - - -
3 puberula - - -
4 pedunculata - - -
5 eriocarpa - - -
β Jacquiniana - - -
1 major - - -
2 minor - - -
Myrsinites curtiflora Ander

Myrsinites glauca Wimm

Myrsinites integrifolia Neil

Myrsinites nigricans Wimm

myrsinitoides *Fries* XVI 2
myrtillifolia Anders XVI
myrtilloides Cham XVI 2

myrtilloides *L.* XVI 2 28
β pedicellaris *Anders* - -
myrtilloides Tuckerm. W

myrtilloides Vill. XVI 2
myrtilloides W. XVI 2. 3
myrtilloides Wimm. XVI
myrtilloides aurita Wimm

myrtilloides finmarkica N XVI.

myrtoides *Doll* XVI 2 2
myrtoides Hartm. XVI. 2.
Myurus Wimm XVI 2
natalensis Wimm. XVI
neglecta Gorski XVI 2.
Neilreichii Kern. XVI.

nigra *Marsh.* XVI. 2. 20
α marginata *Wimm*
β amygdaloides *Ander*

es *Shuttlew.* XVI. 2. 201
ulosa *Anders.* - - -
gylocarpa *Shuttlew.* - - -
tii *Anders.* - - -
Bertol. XVI. 2. 216 258
Sm. XVI. 2. 240
is *Anders.* - - 241
idifolia - - - -
sifolia - - - -
ifolia - - - -
- - - -
carpa - - - -
ecarpa - - - -
Wahlenb. XVI. 2. 241
capreaeformis Laestad. XVI. 2. 249
cinerea Wimm. XVI. 2. 249
glauca Anders. XVI. 2. 283
Miq. XVI. 2. 193
lers. XVI. 2. 242
b. XVI. 2. 276
ok. XVI. 2. 301
XVI. 2. 277
XVI. 2. 278
concolor Ser. XVI. 2. 280
Anders. XVI. 2. 288
gline *Anders.* XVI. 2. 253
-Myrsinites - - - -
ata - - - -
ulata - - - -
ialis - - - -
-cordata - - - -
lifolia - - - -
a *Anders.* XVI. 2. 298
usa - - - -
Anders. XVI. 2. 291
a *Trautv.* XVI. 2. 248
Fall. XVI. 2. 295
nders. XVI. 2. 269
s *Bosc* XVI. 2. 202
Sieber XVI. 2. 196
Vill. XVI. 2. 304
olia *Anders.* - - 305
tifolia - - - -
olia - - - -
Host XVI. 2. 311
er. XVI. 2. 305
m. XVI. 2. 221
Wimm. XVI. 2. 305
Thuill. XVI. 2. 307

Salix
onusta Best. XVI. 2. 231
oppositifolia hort. XVI. 2. 307
orbicularis *Anders.* XVI. 2. 300
oreophila *Hook. fil.* XVI. 2. 296
β secta *Anders.* - - 297
ovalifolia *Trautv.* XVI. 2. 291
β pubescens *Anders.* - - -
ovata Host XVI. 2. 241
ovata *Ser.* XVI. 2. 287 282
α latifolia *Anders.* - - 288
β parvifolia - - - -
γ macrostachya - - - -
oxycarpa *Anders.* XVI. 2. 310
α serrata - - - -
β breviuscula - - - -
oxyphylla H. B. & Kth XVI. 2. 199
padifolia *Anders.* XVI. 2. 255
β viridula - - - 256
Pallasii *Anders.* XVI. 2. 285
α crassijulis - - - -
1 oblongata - - - -
2 grandifolia - - - -
3 obcordata - - - -
β diplodictya - - - -
pallida H. B. & Kth XVI. 2. 200
pallida Ledeb. XVI. 2. 308
paludosa Hartm. XVI. 2. 231
palustris Host XVI. 2. 210
pameachiana Borr. XVI. 2. 212
paradoxa H. B. & Kth XVI. 2. 226
parietariaefolia Host XVI. 2. 241
parviflora Host XVI. 2. 315
parvifolia *Anders.* XVI. 2. 283
parvifolia Sm. XVI. 2. 237
patens Forbes XVI. 2. 242
patula Kern. XVI. 2. 304 305
patula Ser. XVI. 2. 305 (*bis*)
Patzeana *Anders.* XVI. 2. 239
Patzei Wimm. XVI. 2. 228
pedicellaris Pursh XVI. 2. 321
(*deest loco citato*) XVI. 2. 230
pedicellata *Desf.* XVI. 2. 216
pellita Anders. XVI. 2. 244
peloritana Prestandr. XVI. 2. 312
pendula Ser. XVI. 2. 210
pentandra Kern. XVI. 2. 208
pentandra *L.* XVI. 2. 206
β latifolia *Anders.* - - 207
γ angustifolia - - - -
δ microphylla - - - -
pentandra Nutt. XVI. 2. 205
pentandra Thuill. XVI. 2. 202

Salix
pentandra fragilis Mey. hamoe. XVI. 2. 208
pentandra fragilis Wimm. XVI. 2. 208
persica *Boiss.* XVI. 2. 195
persicifolia Schleich. XVI. 2. 209
petiolaris *Sm.* XVI. 2. 234
α subsericea *Anders.* - - -
β rigida - - - -
1 latifolia - - - -
2 longifolia - - - -
3 brevifolia - - - -
γ angustifolia - - - -
δ gracilis - - - 235
1 sericocarpa - - - -
2 leiocarpa - - - -
ε sericea - - - -
petiolaris var. grisea Torr. XVI. 2. 235
petiolaris sericea Anders. XVI. 2. 235
phlebophylla *Anders.* XVI. 2. 290
phlomoides *MB.* XVI. 2. 317
phylicifolia Carey XVI. 2. 243
phylicifolia Cham. XVI. 2. 245
phylicifolia *L.* XVI. 2. 241
1 latifolia *Anders.* - - 242
2 angustifolia - - - -
β Hegetschweileri - - - -
γ rhaetica - - - 243
phylicifolia Wahlenb. XVI. 2. 240 241
phylicifolia W. XVI. 2. 260
phylicifolia β L. XVI. 2. 240
phylicifolia β Hook. XVI. 2. 321 (*non adest loco citato*) XVI. 2. 250
phylicifolia caprea Wimm. XVI. 2. 250
phylicifolia daphnoides Anders. XVI. 2. 251
phylicifolia hastata Wimm. XVI. 2. 242
phylicifolia Lapponum Wimm. XVI. 2. 250
phylicifolia β laurina Koch XVI. 2. 250
phylicifolia majalis Ledeb. XVI. 2. 287
phylicifolia Myrsinites Anders. XVI. 2. 288
phylicoides *Anders.* XVI. 2. 245 242 244
1 latifolia - - - -
2 argentifolia - - - -
3 attenuata - - - -

Salix
phyllicifolia Borrer.
plicata Fries XVI. 2.
podophylla *Anders.* X
Pokornyi Kern. XVI.
polaris *Wahlenb.* XVI.
polaris leiocarpa Cha

polyandra Brot XVI.
polyandra Gelt. XVI.
polymorpha Ehrh. XVI.
polymorpha Host XVI.
pomeranica W. XVI. 2.
pondicheriana Anders.

Pontederae Vill. XVI.
Pontederana Bertol. XVI
Pontederana Facchini X
Pontederana Koch XVI.
Pontederana Lois. XVI.
Pontederana *Schleich.* X
α Grenieriana *Anders.* -
β Neilreichii - -
γ sordida - -
1 cinerascens -
2 glaucescens -
δ dichroa - -
1 cinerascens -
2 glaucescens - -
Pontederana Trautv. XVI.
populifolia *Anders.* XVI.
praecox Hoppe XVI. 2.
pratensis Host XVI. 2.
pratensis Scop. XVI. 2.
prinoides Pursh XVI. 2.
procumbens Forbes XVI.
prolixa *Anders.* XVI. 2.
propendens Ser. XVI. 2.
propinqua Borrer. XVI.
prostrata Ehrh. XVI. 2.
prostrata Sm. XVI. 2.
proteifolia Schleich. XVI.
pruinosa Wendl. XVI. 2.
prunifolia Host XVI. 2.
prunifolia Sm. XVI. 2.
pseudo-cordata Anders.

psilostigma Anders. XVI.
pubera Koch XVI. 2.
puberula *Döll* XVI. 2.
α puberula *Anders.* - -
β vaudensis - -
γ nitida - -
pulchella Host XVI. 2.
pulchra Wimm. XVI. 2.
punctata Wahlenb. XVI.

L. XVI. 2. 306
lis *Gren. & Godr.* - - -
ertiana *Anders.* - - -
- - - 307
cens - - - -
cens - - - -
Sm. XVI. 2. 306
aurita Wimm. XVI. 2. 312
daphnoides A. Kern. XVI. 2. 308
incana Wimm. XVI. 2. 305
livida Wimm. XVI. 2. 313
nigricans Wimm. XVI. 2. 314
repens Wimm. XVI. 2. 315
Rossmaessleri Willk. & Lange XVI. 2. 309
viminalis Wimm. XVI. 2. 307
-caprea Wimm. XVI 2. 311 314
grandifolia Wimm. XVI. 2. 312
silesiaca Wimm. XVI. 2. 313
Spr. XVI. 2. 201
rpa Anders. XVI. 2. 244
hya Anders. XVI. 2. 309
- - - - -
os Turcz. XVI. 2. 246
Gouan XVI. 2. 282
norvegica Fries XVI. 2. 282 288
Anders. XVI. 2. 254
- - - - -
ra - - - -
all. XVI. 2. 193
a Ledeb. XVI. 2. 257
les Anders. - - -
ilata - - - -
osa - - - -
Sm. XVI. 2. 242
Trautv. XVI. 2. 289
Pursh XVI. 2. 236
nders. XVI. 2. 309
Kern. XVI. 2. 223
XVI. 2. 237
rinifolia Anders. - - -
ifolia - - - 238
gustifolia - - - -
ans - - - -

Salix
repens Pursh XVI. 2. 234
repens Trautv. XVI. 2. 238
repens Wimm. XVI. 2. 232
repens aurita Wimm. XVI. 2. 239
repens caprea *Lasch* XVI. 2. 238
repens cinerea *Wimm.* XVI. 2. 238
repens incana Wimm. XVI. 2. 240
repens & myrtilloides Wimm. XVI. 2. 232 (*lege repens-myrtilloides* XVI. 2. 684)
repens purpurea Wimm. XVI. 2. 315
repens rosmarinifolia Anders. XVI. 2. 238
repens rosmarinifolia Kern. XVI. 2. 238
repens d rosmarinifolia Wimm. XVI. 2. 238
repenti-purpurea Mey. hanov. XVI. 2. 315
reptans *Rupr.* XVI. 2. 282
reticulata *L.* XVI. 2. 301
α typica *Anders.* - - -
1 glabra - - - -
2 sericea - - - -
β nivalis - - - -
reticulata α vestita Anders. XVI. 2. 300
reticuloides *Anders.* XVI. 2. 301
retusa Dicks XVI. 2. 289
retusa Hook. XVI. 2. 290
retusa *L.* XVI. 2. 293
β Kitaibeliana *Anders.* - - 294
γ vegeta - - - -
δ serpyllifolia - - - -
retusa Turcz. XVI. 2. 298
retusa Wither. XVI. 2. 289
retusa glabra Wimm. XVI. 2. 295
retusa Jacquiniana Kern. XVI. 2. 295
retusa nigricans Kern. XVI. 2. 294
retusa rotundifolia Bung. XVI. 2. 298
retusa rotundifolia Ledeb. XVI. 2. 299
retusa var. Thomasiana Reichenb XVI. 2. 297
retusoides *J. Kern.* XVI. 2. 295
Reuteri Moritzi XVI. 2. 303
rhaetica Kern. XVI. 2. 243
rhamnifolia herbarior. XVI. 2. 257

Salix
rhamnifolia Hook. & Arn. XVI. 2. 230
rhamnifolia *Pall.* XVI. 2. 257
Richardsonii *Hook.* XVI. 2. 273
α latifolia *Anders.* - - 274
β angustifolia - - - -
rigida W. XVI. 2. 252
riparia W. XVI. 2. 302
Ritschelii *Anders.* XVI. 2. 313
α subvagans - - - -
β subpurpurea - - - -
rivalis Host XVI. 2. 241
rosmarinifolia Barratt XVI. 2. 235
rosmarinifolia Gouan XVI. 2. 302
rosmarinifolia Laestad. XVI. 2. 232
rosmarinifolia L. XVI. 2. 237
rosmarinifolia Pursh XVI. 2. 235
rosmarinifolia (marinifolia) W. XVI. 2. 238 684
Rossmaessleri *Willk.* XVI. 2. 309
rostrata Richards. XVI. 2. 227
rostrata Thuill. XVI. 2. 237
rotundifolia Royl. XVI. 2. 295
rotundifolia *Trautv.* XVI. 2. 299
rubra *Huds.* XVI. 2. 307
α viminaloides *Gren. & Godr.* - - -
1 latifolia *Anders.* - - 308
2 angustifolia - - - -
β purpureoides - - - -
1 latifolia - - - -
2 brevifolia - - - -
rubra Richards. XVI. 2. 214
rubra sericea Rich. XVI. 2. 308
Rudbeckiana Fries XVI. 2. 241
rufinervis Dc. XVI. 2. 221
rugosa Ser. XVI. 2. 220
rugulosa *Anders.* XVI. 2. 230
α onusta - - - - -
β finmarkica - - - 231
1 latifolia - - - - -
2 angustifolia - - - -
rupestris Donn. XVI. 2. 241
Russeliana Forbes XVI. 2. 210
Russeliana Koch XVI. 2. 210
Russeliana Sm. XVI. 2. 210
sabulosa Turcz. XVI. 2. 257
Safsaf *Forsk.* XVI. 2. 196
α nilotica *Anders.* - - -
β cyathipoda - - - -
γ hirta - - - 197
salviaefolia Brot. XVI. 2. 305
salviaefolia Lk XVI. 2. 305

Salix
sarmentacea *Fries* XVI. 2.
β rotundifolia *Anders.* - -
Schraderiana *W.* XVI. 2.
Schrenkiana *Anders.* XVI.
sclerophylla *Anders.* XVI.
α glabra - - -
β pubescens - - -
Scouleriana Barratt XVI.
Scouleriana Hook. XVI.
secta Hook. fil. XVI.
semperflorens Host XVI.
senegalensis *Anders.* XVI.
sensitiva Barratt XVI.
sericans Tausch XVI.
sericea A. Gray herb. XVI.
sericea Marsh. XVI.
sericea Vill. XVI.
Seringeana *Gaud.* XVI.
α macrophylla *Anders.* - -
β angustifolia - - -
Seringeana Kern. XVI.
Seringeana Lecoq & Lam. XVI.
serotina Pall. XVI.
serpyllifolia Scop. XVI.
Serpyllum *Anders.* XVI.
β pusilla - - -
serrulata W. XVI.
sessilifolia *Nutt.* XVI.
β villosa *Anders.* - -
sibirica Ledeb. XVI.
sibirica *Pall.* XVI.
1 glabrescens *Anders.* - -
2 pubescens - - -
Sieboldiana *Bl.* XVI.
Siegerti *Anders.* XVI.
1 latifolia - - - -
2 angustifolia - - - -
3 leiocarpa - - - -
sikkimensis *Anders.* XVI.
silesiaca Ledeb. XVI.
silesiaca *W.* XVI.
β subcaprea *Anders.* - -
γ subcinerea - - -
δ subaurita - - -
ε caucasica - - -
1 leiocarpa - - -
2 eriocarpa - - -
silesiaca Lapponum Wimm.
silesiaca purpurea Wimm.
sitchensis Regel & Tiling XV.

XVI. 2. 233
s. - - -
- - -
- - -
VI. 2. 267
2. 267
s. - - -
- - -
- - -
- - -
- - 268
- - -
- - -
- - -
- - -
- - -
Gren. & *Godr.* XVI. 2. 267
ura Gren. & *dr.* XVI. 2. 303
s. XVI. 2. 291
- - - -
XVI. 2. 213
. 2. 312 313
h. XVI. 2. 239
I. 2. 239
rn. XVI. 2. 275
rs. - - -
- - - -
- - 276
- - - -
. 2. 203
XVI. 2. 217
VI. 2. 218
rn. XVI. 2. 312 313
ch, Wimm. XVI. 2. 279
h XVI. 2. 279
ch. XVI. 2. 220
VI. 2. 283
- - 284
VI. 2. 211
XVI. 2. 265
279
I. 2. 228
XVI. 2. 228
. XVI. 2. 260
VI. 2. 217
I. 2. 266
. - - -
2. 240
2. 240
XVI. 2. 193

Salix
subalpina *Forbes* XVI. 2. 240
subalpina Schleich., Kern. XVI. 2. 304
subcaprea purpurea Kern. XVI. 2. 308
subconcolor Ser. XVI. 2. 280
subcordata *Anders.* XVI. 2. 282
subglabra Kern. XVI. 2. 259
subgrandifolia caprea Kern. XVI. 2. 218
subhastata Laestad. XVI. 2. 275
subpurpurea aurita Kern. XVI. 2. 312 313
subpurpureo-cinerea Kern. XVI. 2. 312
subpurpureo-grandifolia Kern. XVI. 2. 312
subsericea Döll XVI. 2. 238
subserrata W. XVI. 2. 196
subviminalis purpurea Kern. XVI. 2. 308
sudetica Host XVI. 2. 276
supercaprea purpurea Kern. XVI. 2. 308
superdaphnoides caprea A. Kern. XVI. 2. 263
supergrandifolia caprea Kern. XVI. 2. 218
supergrandifolia purpurea herb. Sal. XVI. 2. 312
superpentandra fragilis Kern. XVI. 2. 207
superpurpurea grandifolia Kern. XVI. 2. 312
superretusa glabra Kern. XVI. 2. 295
superviminalis cinerea Kern. XVI. 2. 266
supragrandifolia incana Kern. XVI. 2. 304
taimyrensis Trautv. XVI. 2. 287
Tauschiana *Sieber* XVI. 2. 279
1 sublapponum *Anders.* - - -
2 subsilesiaca - - - -
taxifolia *H. B. & Kth* XVI. 2. 215
α sericocoma *Anders.* - - -
β leiocarpa - - - -
tenera *Anders.* XVI. 2. 288
tenuiflora Host XVI. 2. 202
tenuifolia Ser. XVI. 2. 258
tenuifolia Sm. XVI. 2. 242 *(bis)*
tenuijulis Ledeb. XVI. 2. 309
tenuior Borrer. XVI. 2. 242
tenuis Host XVI. 2. 238

Salix
tenuis Tausch XVI. 2. 307
tephrocarpa Wimm. XVI. 2. 250
testacea Wright XVI. 2. 201
tetrasperma *Roxb.* XVI. 2. 192
α suaveolens *Anders.* - - 193
β lehmostachya - - - -
γ nilagirica - - - -
δ Horsfieldiana - - - -
Thomasii *Anders.* XVI. 2. 297
Thomsoniana *Anders.* XVI. 2. 297
Thunbergiana *Bl.* XVI. 2. 271
thymelaeoides Schleich. XVI. 2. 248 280
tomentosa Host XVI. 2. 277
tomentosa Schrad. XVI. 2. 278
tomentosa Ser. XVI. 2. 222
tomentosa Tausch, Wimm. XVI. 2. 279
Traunsteineri Kern. XVI. 2. 308 311 313
Trevirani Spr. XVI. 2. 272
Trevirani Wimm. XVI. 2. 204
triandra Kern. XVI. 2. 203
triandra *L.* XVI. 2. 202
α discolor *Anders.* - - 203
1 latifolia - - - -
2 angustifolia - - - -
3 microphylla - - - -
β concolor - - - -
1 latifolia - - - -
2 angustifolia - - - -
3 microphylla - - - -
γ tenuijulis - - - -
δ crassijulis - - - -
triandra aurita Wimm. XVI. 2. 204
triandra cinerea Wimm. XVI. 2. 204
triandra viminalis Wimm. XVI. 2. 204
triandra viminalis α hippophaifolia Wimm. XVI. 2. 272
triandra viminalis mollissima Wimm. XVI. 2. 273
triandra viminalis c polyphylla Wimm. XVI. 2. 272
tristis *Ait.* XVI. 2. 236
α glabrata *Anders.* - - 237
β nivea - - - -
tristis hort. XVI. 2. 201
udensis *Trautv.* XVI. 2. 249
uliginosa W. XVI. 2. 220
ulmifolia Thuill. XVI. 2. 222
ulmifolia Vill. XVI. 2. 220
Ussuriaschkensis Cham. XVI. 2. 291

Salix
undulata *Ehrh.* XVI. 2. 2
β heterarpa *Anders.* -
γ lanceolata - -
δ latifolia - -
ε angustifolia - -
undulata Forbes XVI. 2. 2
undulata β lanceolata Ko
urophylla *Lindl.* XVI. 2. 2
Uva ursi Pursh XVI. 2. 2
Uva ursi Seem. XVI. 2. 2
vacciniifolia Wall. XVI. 2
vagans *Anders.* XVI. 2. 2
α cinerascens - - - -
1 caprearformis *Lindl.*
2 auritoides *Anders.*
3 obscura - -
4 florida - -
β rostrata - -
1 latifolia - -
2 lanata - -
3 obovata - -
4 lanceolata - -
γ livida - -
1 livida - -
2 bicolor - -
3 Starkeana - -
4 americana - -
vagans cinerascens subsal Anders. XVI.
varia Host XVI. 2. 202
vaudensis Forbes XVI. 2.
vaudensis Kern. XVI. 2.
velutina Schrad. XVI. 2.
venulosa Sm. XVI. 2. 2
venusta *Anders.* XVI. 2.
venusta Host XVI. 2. 2
versicolor hort. Wob. XVI.
versifolia Ser. XVI. 2.
versifolia *Wahlenb.* XVI. 2
α sublapponum *Anders.*
β submyrtilloides -
versifolia myrtoides Fries
vestita Hook. XVI. 2.
vestita *Pursh* XVI. 2.
α humilis *Anders.* - -
β erecta - - -
viburnoides Schleich. XVI.
Villarsiana Flügge XVI. 2.
villosa D. Don XVI. 2.
villosa Forbes XVI. 2.
vilnensis Gorski XVI. 2.
vitellina Balb. XVI. 2.

XVI. 2. 264
Anders. - - 265
ica - - - -
lia - - - -
- - - 266
- - - -
as - - - -
ar. & Kir. XVI. 2. 308
urcz. XVI. 2. 308
Turcz. XVI. 2. 265
rea Wimm. XVI. 2. 267
rea stipularis Wimm. XVI. 2. 266
rea Wimm. XVI. 2. 267 268
yclados Wimm. XVI. 2. 266
ana Kern. XVI. 2. 305
purea Wimm. XVI. 2. 307
purea c Forbyana Wimm. XVI. 2. 308
ularis Fries XVI. 2. 266
ndra Mey. hanov. XVI. 2. 204
idis Ehrh. XVI. 2. 272
rews XVI. 2. 262
XVI. 2. 250 (*Host* XVI. 2. 323)
bes XVI. 2. 272
l. XVI. 2. 265 307
XVI. 2. 210
Anders. - - -
- - - -
- - - -
rs. XVI. 2. 256
VI. 2. 211
lers. XVI. 2. 314
a - - - 315
- - - -
t. XVI. 2. 200
rs. XVI. 2. 256
a W. XVI. 2. 247
Anders. XVI. 2. 223
- - - -
- - - 224
- - - -
imm. XVI. 2. 193
V. XVI. 2. 242
ders. XVI. 2. 284

Salix
Wichurae Kern. XVI. 2. 305
Wilhelmsiana MB. XVI. 2. 315
Wimmeri *Kern.* XVI. 2. 303
α longifolia *Anders.* - - -
β brevifolia - - - -
γ denudata - - - -
Wimmeriana Godr. & Gren. XVI. 2. 311
woolgariana Borrer. XVI. 2. 307
Wrightii Anders. XVI. 2. 202
Wulfeniana Forbes XVI. 2. 242
Wulfeniana W. XVI. 2. 259
Zeyheri Sond. herb. Fries XVI. 2. 198
Zollingeriana Miq. XVI. 2. 194
zygostemon *Boiss. & Hohenack.* XVI. 2. 310
nr. 1963 *Kar. & Kir.* XVI. 2. 269
nr. 1977 *Kar. & Kir.* XVI. 2. 228
Salix tribus I. Amerina Fries XVI. 2. 192
Chamelix Dumort. XVI. 2. 285
Chrysanthos Fries XVI. 2. 273
Myrtosalix Kern. XVI. 2. 285
Salmasia Schreb. XVII. 298
Salsa XIV. 148
SALSOLACEAE TRIB. CYNOCRAMBEAE *Dc. fil.* XVII. 32
Salvadora *Garcin.* XVII. 27
biflora Lour. XVII. 28
capitulata Lour. XVII. 28
crassinervia Hochst. XVII. 28
indica Royl. XVII. 28
indica Wight XVII. 28
madurensis Dcne XVII. 28 30
oleoides *Dcne* XVII. 28
oleoides Stocks XVII. 28
paniculata Zucc. XVII. 28
persica *Garcin.* XVII. 28
persica Hook. fil. & Thoms. XVII. 28
persica Wight XVII. 28
Stocksii Wight XVII. 28
surinamensis Spr. XVII. 28
Wightiana Hook. fil. & Thoms. XVII. 28
SALVADORACEAE *Dc. fil.* XVII. 27
SALVADORACEAE Lindl. XVII. 27
Salvifolia arbor orientalis &c. Pluk. XVII. 180

Samaropyxis Miq. XV. 2. 476
elliptica Miq. XV. 2. 476
Sampatik XV. 2. 548
Sanamunda altera Clus. XIV. 557
argentea angustifolia Barrel. XIV. 556
argentea latifolia Barrel. XIV. 556
vermiculata Barrel. XIV. 555
I. Clus. XIV. 557
Sangre de Drago XV. 2. 535 545
San sakso XV. 1. 439
Sanshu XVI. 2. 433
SANTALACEAE R. Br. XIV. 619, *Bartl.* XIV. 619
SANTALACEAE *Dc. fil.* XIV. 619
SANTALACEAE ANTHOLOEAE Endl. XIV. 687
SANTALACEIS AFFINES R. Br. XIV. 687
SANTALEAE *Dc. fil.* XIV. 624 681
SANTALEAE Reichenb. XIV. 619
Santali lignum XIV. 682
Santalum *L.* XIV. 681, *Spr.* XIV. 634
acuminatum *Dc. fil.* XIV. 684
album *L.* XIV. 683
β myrtifolium *Dc. fil.* - -
album Rumph XIV. 683
angustifolium *Dc. fil.* XIV. 685
capense herb. germ. XIV. 686
capense Spr. XIV. 635
cognatum *Miq.* XIV. 684
crassifolium *Dc. fil.* XIV. 685
Cunninghamii *Hook. fil.* XIV. 686
cygnorum *Miq.* XIV. 685
diversifolium *Dc. fil.* XIV. 684
ellipticum *Gaudich.* XIV. 682
Freycinetianum *Gaudich.* XIV. 682
Freycinetianum Guillem. XIV. 686
insulare *Berter.* XIV. 685
lanceolatum *R. Br.* XIV. 682
lanceolatum F. Müll. XIV. 684
lanceolatum Schlecht. XIV. 684
Mida Hook. XIV. 686
myrtifolium Roxb. XIV. 683
myrtifolium Wall. XIV. 683
oblongatum *R. Br.* XIV. 683
obtusifolium *R. Br.* XIV. 682 683
ovatum *R. Br.* XIV. 683
paniculatum *Hook. & Arn.* XIV. 686
Preissianum *Miq.* XIV. 684
spicatum *Dc. fil.* XIV. 685
venosum *R. Br.* XIV. 683

Santalum *sect. Eusantalum l*
]
Mida *Dc.* β

Sapin XVI. 2. 421
Sapin doré XVI. 2. 413
Sapinus *Endl.* XVI. 2. 365

Sapiopsis Müll. Arg. XV. 2.
cremostachys St. Hil. XV.
Sapiopsis Baill. XV. 2. 1
18
Sapium Jacq. XV. 2 1201 1
Smith & Roxb. XV. 2
Müll. Arg. XV. 2. 1201.
Kth XV. 2. 1155 1156,

acutifolium Benth. XV 2

adenodon Griseb. XV 2.
aereum Kl. XV. 2 1207
annuum Torr. XV. 2. 116
annuum β *dentatum Torr*

aquifolium Sm. XV. 2. 9
aucuparium Jacq. XV. 2
aucuparium W. XV. 2 1
aucuparium β *Hippoma*
XV
aureum Kl. XV 2 120
baccatum Roxb. XV. 2.
berberifolium hort. XV.

biglandulosum Müll. Ar

α *Meyerianum* - -
* *peruvianum* - -
β *hamatum* - -
γ *pallidum* - -
a *oblongifolium* - -
b *angustifolium* - -
δ *Aubletianum* - -
ε *Klotzschianum* -
a *oboratum* -
b *oblongatum* -
c *minus* -
ζ *cuneatum* -
η *Sellowianum* -
a *brevifolium* -
b *longifolium* -
ϑ *serratum* -
ι *lanceolatum* -
* *squarrosum* -
** *longifolium* -
κ *aucuparium* -
λ *Moritzianum* - -

Müll. Arg. XV. 2. 1207
m – – – –
. XV. 2. 1216
b. XV. 2. 1216
XV. 2. 1203
b. XV. 2. 902 1224
b. XV. 2. 1208
XV. 2. 1211
seb. XV. 2. 1205
Arg. XV. 2. 1211
cques XV. 2. 1225
Müll. Arg. XV. 2. 1208
Wall. XV. 2. 1221
n Müll. Arg. XV. 2. 1209
Jacques XV. 2. 1224
ll. XV. 2. 1211
F. Mey. XV. 2. 1204
t. XV. 2. 1216
XV. 2. 893 1200 1224
. 2. 1216
. Thouar. XV. 2. 1157 1224
a. XV. 2. 1157 1224
seb. XV. 2. 1203
esf. XV. 2. 1203
Müll. Arg. – – –
– – – –
– – – –
ight & Griseb. XV. 2. 1208
Griseb. XV. 2. 1209
XV. 2. 1157 1224
Arg. XV. 2. 1157
n – – – –
n – – – –
– – – –
. XV. 2. 1224
Müll. Arg. XV. 2. 1207
üll. Arg. XV. 2. 1208
n – – – –
n – – – –
– – – –
lum- – – –
l. XV. 2. 1206
l. XV. 2. 1207
right XV. 2. 1213
Arg. XV. 2. 1203
B. & Kth XV. 2. 1223

Sapium
obtusifolium Lam. XV. 2. 1157 1224
obtusilobum Müll. Arg. XV. 2. 1203
oppositifolium Kl. XV. 2. 1160 1224
peruvianum Steud. XV. 2. 1223
populifolium Wight XV. 2. 1211
prunifolium Kl. XV. 2. 1205
salicifolium H. B. & Kth XV. 2. 1207
salpingadenium Müll. Arg. XV. 2. 1210
sebiferum Roxb. XV. 2. 1210
Sellowianum Kl. XV. 2. 1206
serratum Kl. XV. 2. 1206
sterculiaceum Wall. XV. 2. 459 1224
stylare Müll. Arg. XV. 2. 1204
suberosum Müll. Arg. XV. 2. 1202
sylvaticum Torr. XV. 2. 1225
sylvaticum β linearifolium Torr. XV. 2. 1158
tanguinum Müll. Arg. XV. 2. 1157 1225
terminale Müll. Arg. XV. 2. 1157 1225
zelayense H. B. & Kth XV. 2. 1159 1225
Sapium sect. Eusapium Müll. Arg. XV. 2. 1202
Triadica Müll. Arg. XV. 2. 1210
Sapium Baill. XV. 2. 1213 1216 (Stillingia)
Sapium Kl. XV. 2. 1202 (Stillingia)
Sapium *Müll. Arg.* XV. 2. 1202 (Excoecaria)
Sapling Pine XVI. 2. 405
Sap-Pine XVI. 2. 394
Sapria *Griff.* XVII. 112
Griffithii R. Br. XVII. 112
himalayana *Griff.* XVII. 112
Sarcandra Gardn. XVI. 1. 473 474
chloranthoides Gardn. XVI. 1. 475
Sarcocalyx Zipp. XIV. 687 688
Sarcocalyx *De. fil.* XIV. 688 (Exocarpus)
SARCOCHLAMYDEAE *Wedd.* XVI. 1. 37 235[9]
Sarcochlamys *Gaudich.* XVI. 1. 235[14]
pulcherrima *Gaudich.* XVI. 1. 235[14]
Sarcoclinium *R. Wight* XV. 2. 726, *Baill.* XV. 2. 725
Gaudichaudi Baill. XV. 2. 725 727

Sarcoclinium
Hookeri Baill. XV. 2. 727
Hookeri *Thwait.* XV. 2. 727
longifolium *R. Wight* XV. 2. 727
Sarcococca *Lindl.* XVI. 1. 9 11, *Lindl.* XV. 2. 1260
Hookeriana *Baill.* XVI. 1. 13
pruniformis Thwait. XVI. 1. 12
pruniformis α latifolia Lindl. XVI. 1. 12
pruniformis β angustifolia Lindl. XVI. 1. 12
salicifolia Baill. XVI. 1. 12
saligna *Müll. Arg.* XVI. 1. 11
α coriacea – – – –
β genuina – – – 12
γ latifolia – – – –
δ densiflora – – – –
ε brevifolia – – – –
sumatrana Bl. XVI. 1. 12
trinervia Wight XVI. 1. 12
zeylanica *Baill.* XVI. 1. 12
Zollingeri *Baill.* XVI. 1. 13
Sarcocolla *Kth* XIV. 488
acuta Kth XIV. 488 490
formosa *A. Juss.* XIV. 489
fucata *Dc. fil.* XIV. 489
fucata Zeyh. XIV. 489
fucata minor Eckl. & Zeyh. XIV. 489
Lessertiana A. Juss. XIV. 490 *(bis)*
Linnaei A. Juss. XIV. 489
longiflora *Dc. fil.* XIV. 489
minor *Dc. fil.* XIV. 489
retzioides Eckl. & Zeyh. XIV. 490 491
rupestris Eckl. & Zeyh. XIV. 488 490
speciosa Eckl. XIV. 488 490
squamosa *Endl.* XIV. 489
Sarcocolla *sect. Eusarcocolla Endl.* XIV. 488
Glischrocolla Endl. XIV. 490
Sarcocordylis Wall. XVII. 147
Sarcodactylis Gaertn. XVII. 297
Sarcogonum Don XIV. 145
adpressum Don XIV. 146
complexum Kze XIV. 147
Sarcogonum *Endl.* XIV. 145 (Mühlenbeckia)
Sarcophyte *Sparm.* XVII. 120 126
sanguinea *Sparm.* XVII. 147
SARCOPHYTEAE *Endl.* XVII. 126
SARCOPHYTIDEAE Hook. fil. XVII. 126
Sarcopus *Wedd.* XVI. 1. 82
Sarcostigma *Wight & Arn.* XV. 265 XVII.
Horsfieldii *R. Br.* XV. 1. 265
Kleinii *Wight & Arn.* XV. 1. XV.
Vogelii *Miers* XVII. 16
Wallichii *Baill.* XVII. 16
Sarcostyles Presl XVII. 298
SARMENTACEAE L. XV. 1.
Sarothra L. XVII. 297
Sarothrostachys Kl. XV. 1.
daphniphylla Baill. XV. 2.
Laureola Baill. XV. 2. 1260
Luschnathiana Kl. XV. 2.
multiramea Kl. XV. 2. 127
Sarothrostachys Baill. XV. 1177 (S.
Sarothrostachys *Müll. Arg.* 1175 (Sebastiana sect.
Sarracenia *L.* XVII. 3, Tour.
aduncа Sm. XVII. 6
calceolata Nutt. XVII. 6
Catesbaei Ell. XVII. 6
Drummondii *Croom* XVII.
Drummondii Lindl. & Paxt.
flava Gray XVII. 6
flava *L.* XVII. 5
foliis brevioribus &c.
foliis longioribus &c.
heterophylla Eaton XVII.
leucophylla Raf. XVII. 5
minor Sweet XVII. 5
minor Walt. XVII. 6
psittacina *Mx* XVII. 4
pulchella Croom XVII. 4
purpurea *L.* XVII. 4
rubra Hook. XVII. 4
rubra Planch. XVII. 5
rubra *Walt.* XVII. 4
β acuminata *Dc. fil.*
Rugelii Shuttlew. XVII. 4
Sweetii *Dc. fil.* XVII. 5
undulata *Dene* XVII. 5
variolaris *Mx* XVII. 6
SARRACENIACEAE *Dc.*
SARRACENIACEAE Endl.
SARRACENIEAE Dunal
SARRACENIEAE Lindl.
Sassafras *C. Bauh.* XV. 1.
albidum *Nees* XV. 1. 171

XV. 1. 171
bold XV. 1. 171 246
Nees XV. 1. 26 171 246
bold XV. 1. 171 245
1. 87 156
isn. XV. 1. 7 171
eisn. XV. 1. 171
1. 269 272
XV. 1. 274
1. 274
Kl. XV. 1. 275
V. 1. 274 (*bis*)
V. 1. 272 (Casparya)
VII. 297
1. 278 288
V. 1. 288
XV. 1. 288 (Begonia)
Roxb. XVI. 2. 630
oxb. XVI. 2. 630
Müll. Arg. XV. 2. 216 237
V. 2. 239
XV. 2. 241
Arg. XV. 2. 240
– – – 241
is – – – –
nus – – – –
– – – –
uit. XV. 2. 242
Arg. XV. 2. 242
Müll. Arg. XV. 2. 243
Müll. Arg. XV. 2. 243
Wight XV. 2. 241
XV. 2. 241
assk. XV. 2. 240
Müll. Arg. XV. 2. 242
Vight XV. 2. 241
l. XV. 2. 240
t. XV. 2. 243
XV. 2. 243
g. XV. 2. 240
ig. XV. 2. 241 1269
ll. Arg. XV. 2. 242
ight XV. 2. 241
Ceratogynum *Müll. Arg.* XV. 2. 243
Cryptoginium (Cryptogynium) Müll. Arg. XV. 2. 243

Sauropus *sect.* Eusauropus *Müll. Arg.* XV. 2. 240
Hemisauropus *Müll. Arg.* XV. 2. 243
SAURURACEAE Lindl. XVI. 1. 237
SAURURHAE *C. Dc.* XVI. 1. 236 237
SAURUREAE L. C. Rich. XVI. 1. 235[65] 237
Saururopsis *Turcz.* XVI. 1. 236 239
chinensis *Turcz.* XVI. 1. 239
Cumingii *C. Dc.* XVI. 1. 239
β japonica – – – 240
Saururus L. XVI. 1. 236 238
alius humilius Plum. XVI. 1. 416
arborescens foliis &c. Plum. XVI. 1. 331 333
arborescens fr. adunco Plum. XVI. 1. 285
Botrytis major &c. Plum. XVI. 1. 295
Botrytis minor Plum. XVI. 1. 380
cernuus *L.* XVI. 1. 238 239
cernuus Thbg XVI. 1. 239
foliis lanceolato-ovatis L. XVI. 1. 248
frutescens foliis &c. Plum. XVI. 1. 246
hederaceus Plum. XVI. 1. 431
hederaceus minor Plum. XVI. 1. 428
hederaceus triphyllus Plum. XVI. 1. 462
humilis Plum. XVI. 1. 427
Loureirii *Dene* XVI. 1. 239
lucidus Donn. XVI. 1. 239
minor procumbens &c. Plum. XVI. 1. 402
racemosus Plum. XVI. 1. 379
repens Plum. XVI. 1. 421
nr. 8 *Browne* XVI. 1. 463
Savia *Müll. Arg.* XV. 2. 228, *W.* XV. 2. 228 230, *Hassk.* XV. 2. 221
Actephila Hassk. XV. 2. 222 231
clusiifolia Griseb. XV. 2. 231
clusiifolia *Müll. Arg.* XV. 2. 230
α genuina – – – –
β intermedia – – – 231
γ fallax – – – –
δ membranacea – – – –
elegans *Müll. Arg.* XV. 2. 228
erythroxyloides *Griseb.* XV. 2. 230
Laureola *Baill.* XV. 2. 229
laurifolia *Griseb.* XV. 2. 231
mimosoides *Baill.* XV. 2. 230
oblongifolia *Baill.* XV. 2. 229

Savia
platyrhachis *Baill.* XV. 2. 229
pulchella *Baill.* XV. 2. 230
sessiliflora *W.* XV. 2. 231
seylanica Baill. XV. 2. 222 231
Savia *sect. Actephila Baill.* XV. 2. 221
Charidia *Baill.* XV. 2. 229
Eusavia *Baill.* XV. 2. 230
Petalodiscus *Baill.* XV. 2. 229
Wielandia *Müll. Arg.* XV. 2. 228
SAVIEAE *Müll. Arg.* XV. 2. 215 218
Sawara XVI. 2. 466
Saxe-Gothaea *Lindl.* XVI. 2. 367 497
conspicua Fl. des Serr. XVI. 2. 497
conspicua *Lindl.* XVI. 2. 497
SCABRIDEAE L. XVI. 1. 32 XVII. 151
Scepa Lindl. XV. 2. 469
aurita Tul. XV. 2. 474
chinensis Champ. XV. 2. 472
Lindleyana Wight XV. 2. 473
microstachya Tul. XV. 2. 474
stipulacea Lindl. XV. 2. 474
villosa Lindl. XV. 2. 471
SCEPACEAE Endl. XV. 2. 1
SCEPACEAE *Griff.* XV. 2. 446
Scepasma Bl. XV. 2. 274 426
buxifolium Bl. XV. 2. 427
longifolium Hassk. XV. 2. 419
Scepasma *Müll. Arg.* XV. 2. 278 426 (Phyllanthus)
Scepocarpus *Wedd.* XVI. 1. 98
Mannii *Wedd.* XVI. 1. 98
Schadidacalli Rheed. XV. 2. 81
Schaefferia Sw. XV. 2. 453
lateriflora Sw. XV. 2. 456
Schanginia *Siev.* XVII. 297
Schara-modon XVII. 240
Schaueria Nees XV. 1. 172
Scheidweileria Kl. XV. 1. 278 370
digitata Kl. XV. 1. 371
inciso-serrata Kl. XV. 1. 371
luxurians Kl. XV. 1. 371
muricata Kl. XV. 1. 370
parviflora Kl. XV. 1. 370
repens Hassk. XV. 1. 391
Scheidweileria *Dc. fil.* XV. 1. 370 (Begonia)
Schelkovisa XVII. 240
Schilleria Kth XVI. 1. 240
abutiloides Kth XVI. 1.
aurita Kth XVI. 1. 321
barbata Kth XVI. 1 320
callosa Kth XVI. 1. 259
catalpaefolia Kth XVI.
caudata Grisch. XVI. 1
caudata Kth XVI. 1 24
colubrina Kth XVI. 1. 31
cornifolia Kth XVI. 1. 3
coruscans Kth XVI. 1.
corylifolia Kth XVI. 1
cumanensis Kth XVI. 1.
grandifolia Kth XVI. 1
heterophylla Kth XVI. 1
indecora Kth XVI. 1. 26
Jussiaeana Miq. XVI. 1.
Karwinskiana Kth XVI.
lanceaefolia Kth XVI. 1
lapathifolia Kth XVI. 1
laurifolia Kth XVI. 1.
lentaginoides Kth XVI
leptura Kth XVI. 1. 32
lineata Kth XVI. 1. 311
longifolia Kth XVI. 1.
lucaeana Kth XVI. 1. 3
macrophylla Kth XVI.
marginata Kth XVI. 1
Martiana C. Dc. XVI. 1
Martiana Kth XVI. 1.
melastomoides Kth XVI
Mikaniana Kth XVI. 1.
oblonga Kth XVI. 1. 31
obovata Kth XVI. 1. 26
pilulifera Kth XVI. 1.
populifolia Kth XVI. 1.
riparia Kth XVI. 1. 31
rivinoides Kth XVI. 1.
rudis Kth XVI. 1. 284
ulmifolia Kth XVI. 1.
variegata Kth XVI. 1.
velutina Kth XVI. 1. 31
xylosteoides Kth XVI. 1
Schinza Dennst. XV. 2. 77
Schismatopera Kl. XV. 2.
distichophylla kl. XV.
laurina Benth XV. 2. 1
Martiana Kl. XV. 2. 19
Schismatopera *Baill* XV.
Schisocalyx Hochst XVII.
coriaceus Hochst. XVII.
Schizonephos Griff. XVI.
glaucescens Griff XVI.
Schizonephos *C. Dc.* XVI.

V. XVII. 294
Mart. & Zucc. XIV. 519
Mart. & Zucc. XIV. 519
reb. XIV. 622
Wall. XIV. 622
R. & Schult. XIV. 622
Dc. fil. XIV. 622
& Schult. XIV. 622
all. XIV. 622
a Sieb. & Zucc. XIV. 622
c. fil. XIV. 622
2. 85
Rheed. XV. 2. 943
chum. XV. 2. 899 907
Schum. XV. 2. 908
ndens W. XV. 2. 668
XVI. 2. 381
ach XVI. 2. 435 438, I. 2. 439, *Spr.* XVI 2. 442
r. XVI. 2. 442
rb. XVI. 2. 440
Spach XVI. 2. 441
Spach XVI. 2. 441
ach XVI. 2. 439
nh. XVI. 2. 439
s Spach XVI. 2. 436
e XVI. 2. 416
Endl. XVI. 1. 70
ndl. XVI. 1. 74
(Grevillea) trisecta F. Müll. XIV. 404
Hassk. XVI. 2. 670
i Hassk. XVI. 2. 670
ion Sciadopytis XVI.
Sieb. & Zucc. XVI. 2. 365 435
Sieb. & Zucc. XVI. 2. 435
udich. XVI. 1. 191
Gaudich. XVI. 1. 192
. XVI. 1. 77
a Raf. XVI. 1. 78
dd. XVI. 1. 78 (Laportea)
e Müll. Arg. XV. 2. 236 (Andrachne)
Hochst. XV. 2. 1201 1213 1216
Hochst. XV. 2. 1216
s Hochst. XV. 2. 1214
Hochst. XV. 2. 1214
Sclerocroton Baill. XV. 2. 1216 (Stillingia)
Sclerocroton *Müll. Arg.* XV. 2. 1213 (Excoecaria)
Scleroglochidion *Müll. Arg.* XV. 2. 275 317 (Phyllanthus)
Scleropyron Arn. XIV. 628
Scleropyrum Arn. XIV. 628
Wallichianum Arn. XIV. 629
Wallichianum Bertie XIV. 629
Wallichianum Thwait, XIV. 629
Scolopia *Schreb.* XVII. 297
Scolymocephalus Herm. XIV. 211 212 230 262, *Weinm.* XIV. 231 233 235 236 255
africana Herm. XIV. 213
africana Weinm. XIV. 232
africanus Ray XIV. 255
Scopolia L. fil. XIV. 530 540, *Forst.* XV. 2. 1260
composita L. fil. XIV. 540
involucrata C. A. Mey. XIV. 540
Scorias Raf. XVI. 2. 142
Scotch Fir XVI. 2. 385
Scrub-Pine XVI. 2. 380
SCYBALIEAE *Eichl.* XVII. 120 131
Scybalium *Schott & Endl.* XVII. 120 131
depressum *Eichl.* XVII. 133
fungiforme *Schott & Endl.* XVII. 132
Glaziovii *Eichl.* XVII. 133
jamaicense *Schott & Endl.* XVII. 133
Sebastiania *Müll. Arg.* XV. 2. 1164, *Spr.* XV. 2. 1164 1185
actinostemoides *Müll. Arg.* XV. 2. 1184
angustifolia *Müll. Arg.* XV. 2. 1179
bahiensis *Müll. Arg.* XV. 2. 1183
brachyclada *Müll. Arg.* XV. 2. 1178
brasiliensis *Müll. Arg.* XV. 2. 1186
α robusta - - - -
β obovata - - - 1187
* rufescens - - - -
** microphylla - - - -
γ spathulata - - - -
δ ramosissima - - - -
a genuina - - - -
b foveata - - - -
ε divaricata - - - -
ζ genuina - - - -
η erythroxyloides - - - 1188

Sebastiania
brasiliensis Regel XV. 2. 1188
brasiliensis Spr. XV. 2. 1187
brevifolia Kl. XV. 2. 1186
brevifolia *Müll. Arg.* XV. 2. 1186
Chamaelea *Müll. Arg.* XV. 2. 1175
corniculata *Müll. Arg.* XV. 2. 1168
α obtusifolia – – – –
a velutina – – – –
b glandulosa – – – –
β scabra – – – –
γ campestris – – – 1169
δ Fischeri – – – –
ε Klotzschiana – – – –
ζ parvifolia – – – –
η Sellowiana – – – –
a ovata – – – –
b genuina – – – –
c Olfersiana – – – 1170
ϑ rufescens – – – –
a genuina – – – –
b discopoda – – – –
ι macrophylla – – – –
κ blepharophylla – – – –
λ villaricensis – – – –
μ angustifolia – – – 1171
a longifolia – – – –
b crotonoides – – – –
c salicifolia – – – –
ν tomentosa – – – –
Ξ major – – – –
ο leucobiepharis – – – 1172
π hispida – – – –
ρ patula – – – –
σ acalyphoides – – – –
τ glabrata – – – –
υ prostrata – – – –
φ genuina – – – 1173
χ Poeppigii – – – –
ψ micrantha – – – –
daphniphylla *Müll. Arg.* XV. 2. 1180
daphnoides *Müll. Arg.* XV. 2. 1167
α myrtilloides – – – –
β incana – – – 1168
γ genuina – – – –
δ oleoides – – – –
desertorum Kl. XV. 2. 1187
discolor *Müll. Arg.* XV. 2. 1185
α subconcolor – – – –
β genuina – – – –
ditassoides *Müll. Arg.* XV. 2. 1174
α genuina – – – –
β glabrata – – – –

Sebastiania
a apiculata *Müll.*
b hastata – –
γ latifolia – –
δ parvifolia – –
dicarricata Kl. XV 2.
elliptica *Müll. Arg.* X
foveata Kl. XV. 2. 11
Gaudichaudii *Müll. Ar*
glandulosa *Müll. Arg.*
granatensis *Müll. Arg*
Grisebachiana *Müll. A*
α albicans – – –
β virens – – –
guyanensis *Müll. Arg*
hypoleuca *Müll. Arg*
α farinosa –
β genuina –
γ angustifolia –
jacobinensis *Müll. Ar*
Klotzschiana *Müll. Ar*
Laureola *Müll. Arg.* X
ligustrina *Müll. Arg.*
longipes *Müll. Arg.* X
lucida *Müll. Arg.* XV.
macrocarpa *Müll. Arg*
macrophylla Kl. XV.
marginata *Müll. Arg*
α genuina – – –
β minor – – –
mucronata *Müll. Arg.* X
multiramea Mart. XV.
multiramea *Müll. Arg.*
α Luschnathiana – –
β genuina – –
nervosa *Müll. Arg.* XV.
pachystachys *Müll. Arg*
α pubescens – – –
β genuina – – –
pallens *Müll. Arg.* XV.
α genuina –
β tenax –
Pavoniana *Müll. Arg.* X
phyllanthiformis *Müll.*
pteroclada *Müll. Arg.* X

a
ta Kl. XV. 2. 1187
Müll. Arg. XV. 2. 1180
Schrad. XV. 2. 1185
tendaliana *Müll. Arg.* XV. 2. 1181
ana *Müll. Arg.* XV. 2. 1176
Müll. Arg. XV. 2. 1179
escens – – – –
uina – – – –
a *Müll. Arg.* XV. 2. 1167
tzschiana – – – –
brescens – – – –
uina – – – –
oblepharis – – – –
ea *Müll. Arg.* XV. 2. 1176
ana *Müll. Arg.* XV. 2. 1165
Müll. Arg. XV. 2. 1182
Nees XV. 2. 1186
Müll. Arg. XV. 2. 1173
ntococca – – – –
entata – – – 1174
paria – – – –
liana *Müll. Arg.* XV. 2. 1188
ai *Müll. Arg.* XV. 2. 1178
ensis *Müll. Arg.* XV. 2. 1179
a *sect.* Ditrysinia *Müll. Arg.* XV. 2. 1165
Eusebastiania *Müll. Arg.* XV. 2. 1185
subsect. Protosebastiania – – – –
Stenogussonia – – – 1189
Gussonia *Müll. Arg.* XV. 2. 1175
subsect. Sarathrostachys – – – –
Eugussonia – – – 1182
a *Baill.* XV. 2. 1185 (Stillingia)
Lour. XV. 1. 177 (*bis*)
a *Lour.* XV. 1. 178
Neck. XIV. 194
Müll. Arg. XV. 2. 227
cea *Müll. Arg.* XV. 2. 228
Müll. Arg. XV. 2. 446, XV. 2. 232, *Juss.* XV. 2. 446 447

Securinega
abyssinica A. Rich. XV. 2. 449
Acidothamnus *Müll. Arg.* XV. 2. 451
Bailloniana *Müll. Arg.* XV. 2. 451
buxifolia *Müll. Arg.* XV. 2. 452
Commersonii Sweet XV. 2. 447
durissima *Gmel.* XV. 2. 447
elliptica *Müll. Arg.* XV. 2. 448
flexuosa *Müll. Arg.* XV. 2. 450
flüggeoides *Müll. Arg.* XV. 2. 450
grisea *Müll. Arg.* XV. 2. 451
Hilariana *Müll. Arg.* XV. 2. 1273
hysterantha Baj. XV. 2. 418 453
Leucopyrus *Müll. Arg.* XV. 2. 451
nitida Lindl. XV. 2. 232 453
nitida W. XV. 2. 447
obovata *Müll. Arg.* XV. 2. 449
phyllanthoides *Müll. Arg.* XV. 2. 448
ramiflora *Müll. Arg.* XV. 2. 449
trichogynis *Müll. Arg.* XV. 2. 447
Securinega *sect.* Flüggea *Müll. Arg.* XV. 2. 448
Gelfuga *Müll. Arg.* XV. 2. 447
Securinegastrum *Müll. Arg.* XV. 2. 447
Securinegastrum *Müll. Arg.* XV. 2. 447 (Securinega)
SECURINEGEAE *Müll. Arg.* XV. 2. 217 446
Sedgwickia Griff. XVI. 2. 157
cerasifolia Griff. XVI. 2. 158
Seidelia Baill. XV. 2. 927 947
mercurialis Baill. XV. 2. 947
pumila Baill. XV. 2. 947
Seidelia Baill. XV. 2. 947 (Mercurialis)
Seidelia *Müll. Arg.* XV. 2. 947 (Tragia)
Seidlia Kostel. XVI. 2. 617
lanceaefolia Kostel. XVI. 2. 618
Selwi Ardytsch XVI. 2. 485
Senapea *Aubl.* XVII. 297
Senbaku vulgo Inu-maki Kaempf. XVI. 2. 516
Senbon-maki Kaempf. XVI. 2. 517
Senefeldera *Mart.* XV. 2. 1153 (*Sennefeldera Endl.* XV. 2. 1153)
angustifolia Kl. XV. 2. 1154
grandifolia Baill. XV. 2. 1153
latifolia Kl. XV. 2. 1154

Senefeldera
multiflora Mart. XV. 2. 1153
multiflora *Müll. Arg.* XV. 2. 1153
α genuina – – – –
β intermedia – – – 1154
γ angustifolia – – – –
δ obovata – – – –
ε acutifolia – – – –
Senftenbergia Kl. & Karst. XVII. 140
Moritziana Kl. & Karst. XVII 140
Sennefeldera Endl. vide Senefeldera
Seosa-mats XVI. 2. 413
Septina Norohh. XV. 1. 259
Sequoia *Endl.* XVI. 2. 365 435
gigantea Endl. XVI. 2. 436
gigantea *Torr.* XVI. 2. 437
religiosa Presl XVI. 2. 437
sempervirens *Endl.* XVI. 2. 436
Wellingtonia Seem. XVI. 2. 437
Serophyton Benth. XV. 2. 732 738
Drummondi Benth. XV. 2. 740
lanceolatum Benth. XV. 2. 741
pilosissimum Benth. XV. 2. 740
Serophyton Baill. XV. 2. 738 (Ditaxis)
Serpentoria fol. profunde cordatis L. hort. Cliff. XVI. 1. 239
Serpentaria repens &c. Pluk. XVI. 1. 239
Serraria Burm. XIV. 283 294 296
Serronia Gaudich. & Guillem. XVI. 1. 251
acuminata Moriç. XVI. 1. 255
Jaborandi Gaudich. & Guillem. XVI. 1. 252
Serruria *Salisb.* XIV. 283
abrotanifolia *Kn. P.* XIV. 298
acrocarpa *R. Br.* XIV. 287
β Ludwigii *Meisn.* – –
γ Zeyheri – – –
adscendens *R. Br.* XIV. 294
adscendens Drege XIV. 287
aemula *R. Br.* XIV. 292
Aitoni *R. Br.* XIV. 288
β multifida *Meisn.* – –
albicans R. & Schult. XIV. 299 302
arenaria *R. Br.* XIV. 291
arenaria Knight XIV. 298
argentiflora Buek XIV. 297
artemisiaefolia Knight XIV. 294
Bergii *R. Br.* XIV. 299
Brownii *Meisn.* XIV. 290
Brownii β & γ Meisn. XIV. 284
Serruria
Burmanni *R. Br.* XIV. 28
α vulgaris *Meisn.* – –
β subsericea – – –
Burmanni var. Drege XIV
candicans *R. Br.* XIV. 28
candicans R. & Schult. X
candicans α Drege XIV.
candicans b & d Drege
ciliata *R. Br.* XIV. 28
colorata *Buek* XIV. 299
colorata Zeyh. XIV. 29
compar *R. Br.* XIV. 29
compar Drege XIV. 29
congesta *R. Br.* XIV. 2
α laciniata *Meisn.* – –
β heterophylla – – –
congesta Drege XIV. 29
crithmifolia *R. Br.* XIV.
β ambigua *Meisn.* –
γ Ludwigii – –
cyanea Drege XIV. 29
cyanoides *R. Br.* XIV. 2
cygnea *R. Br.* XIV. 29
decipiens *R. Br.* XIV. 2
α elatior *Meisn.* – –
β humilis – – –
decumbens *R. Br.* XIV.
diffusa *R. Br.* XIV. 29
diffusa b & c Drege XIV.
diffusa var. Drege XIV.
Dregei *Meisn.* XIV. 29
elevata *R. Br.* XIV. 29
β subumbellata *Meisn.* –
γ Roxburghii – –
elongata *R. Br.* XIV. 29
elongata Drege XIV. 29
emarginata *Sweet* XIV. 2
erecta *Meisn.* XIV. 29
eriocephala *Stend.* XIV.
flagellaris *R. Br.* XIV. 2
flava *E. Mey.* XIV. 29
florida *R. Br.* XIV. 29
florida var. Drege XIV.
foeniculacea *R. Br.* XIV.
foeniculacea Sieber XIV.
furcellata *R. Br.* XIV. 2
glaberrima *R. Br.* XIV. 2
β pinnata *Meisn.* – –
glomerata *R. Br.* XIV. 2
helvola Stend. XIV. 2
heterophylla *Meisn.* XIV.
hirsuta Berg. XIV. 29
hirsuta *R. Br.* XIV. 29
hirsuta Buek XIV. 29
incrassata *Buek* XIV. 2

Meisn. XIV. 296
Kn. P. XIV. 298
E. Mey. XIV. 288
Meisn. XIV. 290
Br. XIV. 292
Br. XIV. 291
Sweet XIV. 298
night XIV. 292
ata R. Br. XIV. 288 291
es R. Br. XIV. 292
& Schult. XIV. 298
. Br. XIV. 290
folia Meisn. - 291
Meisn. XIV. 291
ii R. Br. XIV. 295
s R. Br. XIV. 294
Buek XIV. 287
R. Br. XIV. 286
Drege XIV. 285
R. Br. XIV. 289
lia R. Br. XIV. 284
R. Br. XIV. 293
Br. XIV. 289
ternata Meisn. - -
nata - - -
lternata - - -
R. Br. XIV. 290
bosa Meisn. XIV. 285
ata a Buek XIV. 288
ata b Buek XIV. 288
E. Mey. XIV. 288 (*bis*)
Dietr. XIV. 297
-ternata R. & Schult. XIV. 298
R. Br. XIV. 297
var. Drege XIV. 297
uek XIV. 288
Br. XIV. 292
Meisn. XIV. 297
Zeyh. XIV. 296
Reichenb. XVI. 2. 552
tii Reichenb. XVI. 2. 553
Tourn. XVI. 2. 552
c. fil. XV. 1. 315 (Begonia)
iculata Forst. XIV. 615
Hickory XVI. 2. 143
Nutt. XIV. 607
hort. XIV. 609
Nutt. XIV. 608
Nutt. XIV. 608
caniram Rheed. XIV. 519
2. 90

Shorea *Roxb.* XVI. 2. 605 628 XVI. 2. 606
camphorifera Roxb. XVI. 2. 606 632
Guiso Bl. XVI. 2. 616 632
laccifera *Wall.* XVI. 2. 630
laurifolia *Wall.* XVI. 2. 632
lepidota *Bl.* XVI. 2. 629
leprosula *Miq.* XVI. 2. 631
leucobotrya *Miq.* XVI. 2. 629
lissophylla *Thwait.* XVI. 2. 630
longisperma *Roxb.* XVI. 2. 632
lucida *Miq.* XVI. 2. 631
Malaanonan *Bl.* XVI. 2. 631
Mangachapoi Bl. XVI. 2. 616 632
Mayapis Bl. XVI. 2. 610 632
nitens *Miq.* XVI. 2. 632
oblongifolia *Thwait.* XVI. 2. 629
obtusa *Wall.* XVI. 2. 629
ovalis *Bl.* XVI. 2. 631
palembanica *Miq.* XVI. 2. 632
penicillata *Dc. fil.* XVI. 2. 630
purpurea *Miq.* XVI. 2. 632
robusta *Gaertn.* XVI. 2. 628
robusta Roth XVI. 2. 630
Roxburghii G. Don XVI. 2. 630
selanica *Bl.* XVI. 2. 629
β latifolia *Dc. fil.* - - -
siamensis *Miq.* XVI. 2. 631
squamata Benth. & Hook. fil. XVI. 2. 632 635
stipularis *Thwait.* XVI. 2. 631
subpeltata *Miq.* XVI. 2. 632
Talura Roxb. XVI. 2. 630
trinervia Banks XVI. 2. 632
Tumbugaja Roxb. XVI. 2. 630
Shortleaved-Pine XVI. 2. 380
Shungtee XVI. 2. 391
Sidalchornea *Müll. Arg.* XV. 2. 904 (Alchornea)
Sideroxylon inerme Krauss XIV. 634
Siico Rumph XIV. 537
Silbertanne XVI. 2. 421
Silk-oak XIV. 381
Silloo Hatarhee XVI. 2. 429
Silvaea Hook. & Arn. XV. 2. 1105 1109
Hookeriana Baill. XV. 2. 1109
semperflorens Hook. & Arn. XV. 2. 1110
Silvaea *Meisn.* XV. 1. 5 84 510
navalium *Allem.* XV. 1. 84
Silvaea *Müll. Arg.* XV. 2. 1110 (Trigonostemon)
Silverboom XIV. 213

Silver Fir XVI. 2. 421
Silvia Allem. XV. 1. 84
Simmondsia *Nutt.* XVI. 1. 9 22, *Nutt.* XV. 2. 1260
californica *Nutt.* XVI. 1. 23
pabulosa *Kellog* XVI. 1. 23
SIMMONDSIEAE *Müll. Arg.* XVI. 1. 9 22
Simsia R. Br. XIV. 325
latifolia R. Br. XIV. 326
tenuifolia R. Br. XIV. 326
Sin vulgo Maki Kaempf. XVI 2. 517
Sinapisma vide Synapisma
Sinobu-hiba XVI. 2. 467
Sintoc Lantian XV. 1. 11
Sinu Kotai Kaempf. XIV. 615
Sio XVII. 225
Sioja Hamilt. XVII 25
sanguinaria Hamilt. XVII. 26
Siparuna *Aubl.* XVI. 2. 641 642 643
alternifolia *De. fil.* XVI. 2. 656
amazonica *Mart. herb.* XVI. 2 653
amplifolia *De. fil.* XVI. 2. 649
andina *De. fil* XVI 2. 648
apicifera *De. fil.* XVI. 2 652
Apiosyce *De. fil.* XVI. 2. 645
aspera *De. fil.* XVI. 2. 645
asperula *De. fil.* XVI. 2. 647
auriculata *De. fil.* XVI. 2. 649
bifida *De. fil.* XVI. 2. 652
brasiliensis *De. fil.* XVI. 2. 656
budlejaefolia *De. fil.* XVI. 2. 652
camporum *De. fil.* XVI 2. 654
chirídota *De. fil.* XVI. 2. 649
cristata *De. fil.* XVI. 2. 655
β macrophylla - - - -
γ petiolaris - - - -
cujabana *De. fil.* XVI. 2. 644
β goyazana - - - -
γ plebeja - - - -
cuspidata *De. fil.* XVI. 2. 655
decipiens *De. fil.* XVI. 2. 643
discolor *De. fil.* XVI. 2 656
echinata *De. fil* XVI. 2 652
eriocalyx *De. fil* XVI. 2. 646
erythrocarpa *De fil.* XVI. 2. 643
estrellensis *De. fil.* XVI. 2. 644
foliosa *De. fil.* XVI 2. 650
fulva *De. fil.* XVI 2. 645
gesnerioides *De fil.* XVI. 2. 646
glabra *De. fil.* XVI 2 656
glabrescens *De. fil.* XVI. 2 648
Goudotiana *De. fil* XVI. 2. 651
guianensis *Aubl.* XVI. 2. 654
β glabrescens *De. fil.* - - -
Siparuna
γ longifolia *De. fil* X
δ divergentifolia *Tul*
hispida *De. fil.* XVI 2.
Holtonii *De. fil.* XVI 2
Kunthii *De. fil.* XVI 2
Lagopus *De fil* XVI 2
lanceolata *De. fil.* XVI
laurifolia *De. fil* XVI
lepidota *De fil.* XVI 2
limoniodora *De fil* XV
Lindeni *De. fil.* XVI 2
macrophylla *De. fil.* XV
micrantha *De. fil* XVI
mollicoma *De. fil* XVI
mollis *De. fil* XVI 2.
muricata *De. fil* XV
Mutisii *De. fil* XVI 2
neglecta *De. fil* XV. 2
oblongifolia *De fil.* XV
obovata *De fil.* XVI 2
β obtusifolia - - -
ovalis *De. fil* XVI. 2
panamensis *De. fil* XVI
paniculata *De. fil* XVI.
pauciflora *De fil* XVI
pellita *De fil* XVI. 2
petiolaris *De fil.* XVI 2
Poeppigii *De. fil* XVI
polyantha *De fil.* XVI
radiata *De. fil.* XVI 2
reginae *De fil* XV.. 2
riparia *De fil.* XVI 2.
β Sumichrasti - - -
ruficeps *De. fil.* XVI 2
sessiliflora *De fil* XVI
Spruceí *De. fil* XVI 2
suaveolens *De fil* XVI.
subinodora *De. fil.* XVI
Thea *De. fil.* XVI. 2.
thecaphora *De fil* XVI
tomentosa *De. fil* XVI
Trianaei *De. fil* XVI 2
β latifolia - - -
Siparuna *sect* Citriosma *De*
Complexa *D*
XV
SIPARUNEAE *De fil* XV
Siphonia Raf XV
angustifolia kl XV
glabra Raf. XV
Griffithii kl. XV
platanifolia kl XV

ta Kl. XV. 1. 434
var. angustifolia Kl. XV. 1. 436
Kl. XV. 1. 438 435
l. XV. 1. 435
sii Kl. XV. 1. 437
a Raf. XV. 1. 436
Raf. XV. 1. 436
ect. Brachycalyx Kl. XV. 1. 433
Eusiphisia Kl. XV. 1. 435
Nepenthesia Kl. XV. 1. 436
Pentodon Kl. XV. 1. 437
uchart. XV. 1. 435 (Aristolochia)
Schreb. XV. 2. 716
a Baill. XV. 2. 719
nsis H. B. & Kth XV. 2. 718
W. XV. 2. 719
Benth. XV. 2. 717
Pers. XV. 2. 719
sis Juss. XV. 2. 719
na Baill. XV. 2. 718
enth. XV. 2. 719
ra Benth. XV. 2. 718
lia Benth. XV. 2. 718
na Benth. XV. 2. 717
sect. Bisiphonia Baill. XV. 2. 717
Hevea Baill. XV. 2. 719
umph XVI. 1. 359
Rumph XVI. 1. 359
borescens tertium Rumph XVI. 1. 359
um Rumph XVI. 1. 350
Rumph XVI. 1. 364
Rumph XVI. 1. 361
Rumph XVI. 1. 379
XIV. 681
ium L. XIV. 683
I. 2. 462
Banks XVII. 285
Kaempf. XV. 1. 313
antarctica Forst. XVII. 295
eysm. & Binnend. XVII. 215 257
ylon Teysm. & Binnend. XVII. 257
ripes Bureau - 258
Slippery Elm XVII. 161
Slog-wood XV. 1. 65
Soa Wali XVI. 2. 352
Soaresia *Allem.* XVII. 283 288
Solananthera *Dc. fil.* XV. 1. 317 (Begonia)
Soletrolia Gaudich. XVI. 1. 235[51]
corsica Gaudich. XVI. 1. 235[51]
Solenostigma Endl. XVII. 182
angustifolium Miq. XVII. 186
brevinerve Bl. XVII. 183 *(bis)*
consimile Bl. XVII. 184
Djungiel Bl. XVII. 185
Hasseltii Bl. XVII. 185
latifolium Bl. XVII. 186
laurifolium Bl. XVII. 185
laurifolium β contractum Miq. XVII. 185
paniculatum Endl. XVII. 182
philippinense Miq. XVII. 184
rigescens Miq. XVII. 182
sumatranum Miq. XVII. 181
Wightii Miq. XVII. 184
Zippelii Bl. XVII. 185
Solenostigma *Planch.* XVII. 182 (Celtis)
Soongo-Soongo XV. 2. 79
Soranthe Salisb. XIV. 303
ciliciiflora Salisb. XIV. 305
glanduligera Salisb. XIV. 305
Sorocea *St. Hil.* XVII. 283 288
mexicana Liebm. XVII. 253
SOROCKAR *Bureau* XVII. 283 288
Sorocephalus *R. Br.* XIV. 303
diversifolius *R. Br.* XIV. 306
diversifolius Drege XIV. 301 306
Dregei *Buek* XIV. 305
imberbis *R. Br.* XIV. 303
β longifolius *Meisn.* - -
imberbis Kl. XIV. 304
imbricatus *R. Br.* XIV. 305
intermedius Buek XIV. 305
lanatus *R. Br.* XIV. 304
β teretifolius *Meisn.* - 305
lanatus Buek XIV. 305
nivalis Mund XIV. 304
phylicoides *Meisn.* XIV. 304
salsoloides *R. Br.* XIV. 303
scabridus *Meisn.* XIV. 303
setaceus *R. Br.* XIV. 303
spatalloides *R. Br.* XIV. 304
spatalloides Buek XIV. 304
spatalloides Sieber XIV. 305
tenuifolius *R. Br.* XIV. 304
verticillatus R. & Schult. XIV. 228
verticillatus Steud. XIV. 306

Sorocephalus *sect.* Cardio
Endl
Mischo
Endl
Sparattanthelium *Mart.* XV
Amazonum *Mart.* XV. 1
Borororum *Mart.* XV. 1
β glabratum *Meisn.* –
Botocudorum *Mart.* XV
β Salzmanni *Meisn.* –
γ subtriplinerve – –
δ subcordatum – –
Tupinambazum *Mart.* X
β oblongum *Meisn.*
Tupiniquinorum *Mart.*
Sparattosyce *Bureau* XVI
Spatalla *Salisb.* XIV. 3
abietina R. & Schult.
bracteata *R. Br.* XIV.
brevifolia *R. Br.* XIV.
brevifolia Buek XIV. 3
caudata *R. Br.* XIV. 3
colorata *Meisn.* XIV. 3
incurva *R. Br.* XIV. 30
α laxior *Meisn.* – –
β densior – – –
γ Zeyheri – – –
incurva α R. Br. XIV.
incurva β R. Br. XIV.
incurva β Drege XIV.
laxa *R. Br.* XIV. 307
mollis *R. Br.* XIV. 30
nivea *R. Br.* XIV. 307
pedunculata *R. Br.* XI
polystachya *R. Br.* XI
polystachya Zeyh. XIV.
prolifera *R. Br.* XIV.
propinqua *R. Br.* XIV.
pyramidalis *R. Br.* XIV
ramulosa *R. Br.* XIV.
ramulosa Sieber XIV. 3
sericea *R. Br.* XIV. 30
squamata *Meisn.* XIV.
Thunbergii *R. Br.* XIV.
β Dregei *Meisn.* –
Spatalla *sect.* Coilostigma

Cyrtostigm

Spathiostemon Bl. XV. 2.
angustifolium Miq. XV.
javense Bl. XV. 2. 1022
salicinus Hassk. XV. 2.
Spathiostemon sect. Euspa
Bail

Gay XVI. 1. 200
Miq. XVI. 1. 208
chya Wight XVI. 1. 211
occa W., R. & Schult. XVII. 297
occus Reichenb. XVII. 297
e XVII. 153 195, *Comm.* 195, *Endl.* XVII. 182, XVII. 194, *Sieb. & Zucc.* XVII. 207
ssima Miq. XVII. 202
anch. XVII. 198
r. β Planch. XVII. 198
Planch. XVII. 198
Planch. XVII. 197
sis Dcne XVII. 198
is Miq. XVII. 199
sis β imbricata Miq. XVII. 199
Comm. XVII. 198
i Planch. XVII. 195
ia Planch. XVII. 202
Teysm. & Binnend. XVII. 205 206
Planch. XVII. 201
Seem. XVII. 199
cne XVII. 197
Planch. XVII. 199
ta Hochst. XVII. 197 *(bis)*
Bl. XVII. 200
Dcne XVII. 204
Miq. XVII. 202
Planch. XVII. 203 204
onii Dcne XVII. 198
Dcne XVII. 201
lei - - -
nii - - -
ei - - -
is Planch. XVII. 196
Hochst. XVII. 197
Planch. XVII. 199
ebm. XVII. 204 *(bis)*
s Schum. XVII. 197
eri Buching. XVII. 198
Bl. XVII. 199
ia Beuerl. XVII. 205
ana Dcne XVII. 204
ith. XVII. 203
ae XVII. 204
issk. XVII. 205
lla Dcne XVII. 204
lla Planch. XVII. 203
Dcne XVII. 203 204
D - - - 203

Sponia
micrantha Sw. XVII. 203
micrantha var. rugosa Sagot XVII. 204
mollis Dcne XVII. 204
morifolia *Planch.* XVII. 196
nitens *Hook. fil.* XVII. 201
nudiflora Sieb. & Zucc. XVII. 205 209
orientalis *Planch.* XVII. 200 *(bis)*
orientalis Seem. XVII. 195
orientalis β angustifolia E. Mey. XVII. 197 *(bis)*
orientalis B asperata Solms XVII. 198
pallida *Miq.* XVII. 196
peruviana Kl. XVII. 203 204
politoria *Planch.* XVII. 202
pubigera *Miq.* XVII. 197
rigida *Dcne* XVII. 199 200
rigida Zolling. XVII. 181 205
riparia Dcne XVII. 204
rufescens Planch. XVII. 203 204
rugosa Dcne XVII. 204
Sampsoni Hance XVII. 196
scaberrima *Miq.* XVII. 202
Schiedeana Planch. XVII. 204
strychnifolia Teysm. & Binnend. XVII. 185 205
timorensis *Dcne* XVII. 196
timorensis var. procera Bl. XVII. 196
velutina Miq. XVII. 199
velutina Planch. XVII. 199
Vieillardi *Planch.* XVII. 201
virgata *Planch.* XVII. 195
β major - - 196
viridis Planch. XVII. 196
Wightii Planch. XVII. 200
Sponioceltis *Planch.* XVII. 180 (Celtis)
Spruce Pine XVI. 2. 380
Stachycarpus *Endl.* XVI. 2. 518 (Podocarpus)
Stachydium *Boiss.* XV. 2. 9 65 (Euphorbia)
Stachyocnide Bl. XVI. 1. 219
luzonica Bl. XVI. 1. 228
Stachystemon *Planch.* XV. 2. 198
brachyphyllus *Müll. Arg.* XV. 2. 198
vermicularis *Planch.* XV. 2. 198
STACHYSTEMONEAE Baill. XV. 2. 195 272
Stackhousia *Sm.* XV. 1. 500
aspericocca Schuchardt XV. 1. 500

[illegible]
[illegible] Benth. XV. 1. 502
[illegible] Schuch. XV. 1. 501
[illegible] F. Müll. XV. 1. 501
[illegible] Hook. XV. 1. 501
[illegible] Schuch. XV. 1. 500
[illegible] Hook. XV. 1. 500
[illegible] Schlecht. XV. 1. 500
[illegible] Endl. XV. 1. 500
[illegible] A. Cunning. XV. 1. 500

[illegible] Sieber XV. 1. 500
[illegible] Hook. fil. XV. 1. 500
[illegible] Labill. XV. 1. 500
β [illegible] Benth. - - -
[illegible] Sieber XV. 1. 501
[illegible] Schuch. XV. 1. 500
[illegible] Lindl. XV. 1. 501
[illegible] Lindl. XV. 1. 501
[illegible] Lindl. XV. 1. 500
[illegible] A. Rich. XV. 1. 501
[illegible] β leiocarpa Schuch. XV. 1. 501

[illegible] F. Müll. [illegible]
[illegible] Benth. [illegible]
[illegible] Sieb. [illegible]
[illegible] Sm. [illegible]
β [illegible]
γ [illegible]
STACK[illegible]
[illegible]

Steffensia
coccolohoides Kth. XVI. [illegible]
crassinervia Kth. XVI. [illegible]
crocata Kth. XVI. [illegible]
diospyrifolia Kth. XVI. [illegible]
[illegible]

e L. XIV. 549
e Schangin XIV. 549
lgew. XIV. 549
isch. XIV. 551
. XIV. 550 548
isn. XIV. 550
renb. XIV. 551 552
Endl. XIV. 549
bold XIV. 550 *(bis)* 551 548
A. Mey. XIV. 550
a Meisn. - -
. XIV. 551 *(bis)*
l. XIV. 550
uss. XIV. 551 552
. Mey. XIV. 549
Schrenk XIV. 550
Chamaestellera *C. A. Mey.* XIV. 548
Dendrostellera *C. A. Mey.* XIV. 549
Thwait. XVI. 2. 617, *Auct.* XVI. 2. 620
(*Stemonurus*) *Thwait.* XVI. 2. 622
onurus) *Thwait.* XVI. 2. 621
s Thwait. XVI. 2. 621
wait. XVI. 2. 620
wait. XVI. 2. 622
Thwait. XVI. 2. 621
ait. XVI. 2. 622
ait. XVI. 2. 622
Thwait. XVI. 2. 621
itemonurus) *Thwait.* XVI. 2. 621
Thwait. XVI. 2. 620
ait. XVI. 2. 621
s Thwait. XVI. 2. 620
ait. XVI. 2. 620
Thwait. XVI. 2. 617 (Vatica)
(*sect. Howardia*) *Kl.* XV. 1. 464
Kl. XV. 1. 464
Kl. XV. 1. 467
Kl. XV. 1. 464
Kl. XV. 1. 464
. Br. XIV. 450
R. Br. XIV. 451
ii Hook. XIV. 451
Br. XIV. 450
XIV. 451
Br. XIV. 451
ll. XIV. 451

Stenogonum Nutt. XIV. 5
salsuginosum Nutt. XIV. 22
Stenogussonia Müll. Arg. XV. 2. 1185 1189 (Gymnanthes)
Stenogussonia *Müll. Arg.* XV. 2. 1189 (Sebastiania *sect.* Eusebastiania)
Stenogymnanthes Müll. Arg. XV. 2. 1185 (Gymnanthes)
Stenogynium *Müll. Arg.* XV. 2. 481 (Cyclostemon)
Stenonia *Baill.* XV. 2. 511, *Diedrichs.* XV. 2. 732 738
Boiviniana *Baill.* XV. 2. 511
montevidensis Diedrichs. XV. 2. 739
Stephane Poir. XVII. 297
Stephania *Lour.* XVII. 297, *W.* XVII. 297
Sterigmanthe Kl. & Gke XV. 2. 7 78
Bojeri Kl. & Gke XV. 2. 79
splendens Kl. & Gke XV. 2. 79
Sterigmaria Kl. XV. 1. 472 (Aristolochia)
gigantea Kl. XV. 1. 473
grandiflora Kl. XV. 1. 472
Ruiziana Kl. XV. 1. 476
Steriphoma Spr. XVII. 297
Stibadotheca Kl. XV. 1. 269
ferruginea Kl. XV. 1. 269
magnifica Kl. XV. 1. 269
trachyptera Kl. XV. 1. 274
Urticae Kl. XV. 1. 274
Stibadotheca *De. fil.* XV. 1. 269 (Casparya)
Stigmatococca *W.* XVII. 297
STILAGINACEAE Lindl. XV. 2. 1
STILAGINEAE Agardh XV. 2. 1
Stilaginella Tul. XV. 2. 268
amazonica Tul. XV. 2. 272
Benthami Tul. XV. 2. 271
Blanchetiana Tul. XV. 2. 271
clusioides Tul. XV. 2. 272
ferruginea Tul. XV. 2. 269
laxiflora Tul. XV. 2. 272
oblonga Tul. XV. 2. 271
scabra Tul. XV. 2. 271
Stilago Schreb. XV. 2. 247
Bunius L. XV. 2. 263
Bunius Roxb. XV. 2. 263
diandra Roxb. XV. 2. 267
lanceolaria Roxb. XV. 2. 267
tomentosa Roxb. XV. 2. 262
Stillingfleetia Boj. XV. 2. 1201 1210
sebifera Boj. XV. 2. 1210

Stillingia *Garden.* XV. 2. 1155 1156, *Baill.* XV. 2. 1164 1200, *Domb.* XV. 2. 1164, *Geisel.* XV. 2. 1143 1144, *A. Juss.* XV. 2. 1201 1210, *Mz* XV. 2. 1164 1165
africana Baill. XV. 2. 1161 1215
Agallocha Baill. XV. 2. 1161 1220
annua *Müll. Arg.* XV. 2. 1160
appendiculata *Müll. Arg.* XV. 2. 1159
aquatica *Chapm.* XV. 2. 1158
asperococca Baill. XV. 2. 1161 1175
aucuparia Baill. XV. 2. 1161 1206
baccata Baill. XV. 2. 1161 1211
bahiensis Baill. XV. 2. 1161 1183
bidentata Baill. XV. 2. 1161 1173 1174
biglandulosa Baill. XV. 2. 1161 1204
biglandulosa var. dracunculoides Baill. XV. 2. 1207
bingyrica Baill. XV. 2. 1161 1216
brasiliensis Baill. XV. 2. 1161 *(bis)* 1186 1191
brevifolia Baill. XV. 2. 1161 1186
campestris Baill. XV. 2. 1161 1169
Chamaelea Baill. XV. 2. 1161 1175
cochinchinensis Baill. XV. 2. 1161 1217
Commersoniana Baill. XV. 2. 1161 1178
concolor *Baill.* XV. 2. 1161 1194
coriacea Baill. XV. 2. 1161 1166
corniculata Baill. XV. 2. 1161 1168 1172
cremostachys Baill. XV. 2. 1161 1205
crotonoides Baill. XV. 2. 1161 1171
cubana Baill. XV. 2. 1161 1212
dephnophylla Baill. XV. 2. 1161 1180
desertorum Baill. XV. 2. 1161 1187
dichotoma Müll. Arg. XV. 2. 1159
discolor *Baill.* XV. 2. 1161 1185
discolor *Champ. & Benth.* XV. 2. 1161 1210
diversifolia Mey. XV. 2. 1161 1211
dracunculoides Baill. XV. 2. 1161 1207

Stillingia
eglandulosa A. Rich. XV. 2. 1161 1200
β microphylla - - - 1200
Gaudichaudii Baill. XV. 2. 1161 1177
glabrata Baill. XV. 2. 1161 1177
glandulosa Domb. XV. 2. 1161 1200
Goudotiana Baill. XV. 2. 1161 1210
guineensis Benth. XV. 2. 1161 1210
guyanensis Baill. XV. 2. 1161
guyanensis Benth. XV. 2. 1161
hastata Baill. XV. 2. 1161 1179
heterodoxa *Müll. Arg.* XV. 2. 1160
Hilariana Baill. XV. 2. 1161 1182
himalayensis Kl. XV. 2. 1159 1202
Hippomane Baill. XV. 2. 1161 1210
hypoleuca Baill. XV. 2. 1161 1180
jacobinensis Baill. XV. 2. 1161 1180
japonica Sieb. & Zucc. XV. 2. 1202 1207
indica Baill. XV. 2. 1161 1210
lancelaria Mey. XV. 2. 1161 1210
Lastelles Baill. XV. 2. 1161 1210
Laureola Baill. XV. 2. 1161 1179
laurifolia A. Rich. XV. 2. 1161 1210 1211
Laurocerasus Baill. XV. 2. 1161 1210
ligustrina Mz XV. 2. 1161 1210
linearis *Müll. Arg.* XV. 2. 1167
α ulmifolia - - - -
β intermedia - - - -
γ genuina - - - -
δ tenuissima - - - -
Lundmalbiana Baill. XV. 2. 1161 1210
madagascariensis Baill. XV. 2. 1161 1210
marginata Baill. XV. 2. 1161 1210
mauritiana Baill. XV. 2. 1161 1210
mauritiana β salicina Baill. XV. 2. 1161 1210
melanostoma Baill. XV. 2. 1161 1210
multiformis Baill. XV. 2. 1161 1210
myrtilloides Baill. XV. 2. 1161 1210

l. XV. 2. 1162 1183
l. XV. 2. 1146 1162
l. XV. 2. 1162 1203
Baill. XV. 2. 1157
Baill. XV. 2. 1160
Baill. XV. 2. 1162 1219
Baill. XV. 2. 1162 1182
Arg. XV. 2. 1156
liq. XV. 2. 1162 1211
XV. 2. 1162 1172
mis Baill. XV. 2. 1162 1176
nisel. XV. 2. 1144 1162
ill. XV. 2. 1162 1168
ill. XV. 2. 1162
Baill. XV. 2. 1162 1190
Baill. XV. 2. 1162 1186 1187
XV. 2. 1162 1180
l., Baill. XV. 2. 1162 1207
Müll. Arg. XV. 2. 1159
a - - - -
lia - - - 1160
Baill. XV. 2. 1162 1176
l. XV. 2. 1162 1210
Baill. XV. 2. 1162 1169
. XV. 2. 1162 1179
ill. XV. 2. 1162 1167
l. XV. 2. 1162 1210
ill. XV. 2. 1162 1176
rden XV. 2. 1158
ll. Arg. XV. 2. 1158
a - - - -
- - - -
- - - -
- - - -
lia - - - -
ia - - - -
ll. XV. 2. 1157
ill. XV. 2. 1157
Baill. XV. 2. 1162 1218
ll. XV. 2. 1162 1182
l. XV. 2. 1162 1168
. XV. 2. 1162 1216
Baill. XV. 2. 1162 1188

Stillingia
Widgreni Baill. XV. 2. 1162 1178
ypanemensis Baill. XV. 2. 1162 1179
zelayensis *Müll. Arg.* XV. 2. 1159
Stillingia *sect. Anomostachys Baill.* XV. 2. 1218
Bonania Baill. XV. 2. 1212
Cnemidostachys Baill. XV. 2. 1166
Elachocroton Baill. XV. 2. 1166
Eustillingia Kl. XV. 2. 1156
Eustillingia *Müll. Arg.* XV. 2. 1156
Excoecaria Baill. XV. 2. 1213
Maprounea Baill. XV. 2. 1190
Microstachyopsis *Müll. Arg.* XV. 2. 1160
Sapiopsis Baill. XV. 2. 1202
Sapium Baill. XV. 2. 1213 1216
Sapium Kl. XV. 2. 1202
Sarathrostachys Baill. XV. 2. 1176 1177
Sclerocroton Baill. XV. 2. 1213 1216
Sebastiania Baill. XV. 2. 1185
Spirostachys Baill. XV. 2. 1213 1218
Triadica Baill. XV. 2. 1210
STILLINGIIDEAE Baill. XV. 2. 1142 1147
Stillingiopsis Müll. Arg. XV. 2. 1165 (*Gymnanthes*)
Stinkhout XV. 1. 118
Stipellaria Benth. XV. 2. 899 901
mollis Benth. XV. 2. 902
parviflora Benth. XV. 2. 902
tiliaefolia Benth. XV. 2. 903
trewioides Benth. XV. 2. 901
villosa Benth. XV. 2. 902
Stipellaria *Müll. Arg.* XV. 2. 901 (Alchornea)
Stirlingia *Endl.* XIV. 325
abrotanoides *Meisn.* XIV. 326
acutifolia Endl. XIV. 326

Stirlingia
 affinis *Meisn.* XIV. 325
 anethifolia *Endl.* XIV. 326
 capillifolia *Meisn.* XIV. 326
 intricata *Meisn.* XIV. 325
 latifolia *Steud.* XIV. 326
 paniculata *Lindl.* XIV. 326
 simplex *Lindl.* XIV. 326
 tenuifolia *Endl.* XIV. 326
 teretifolia *Meisn.* XIV. 325
Stixis *Lour.* XVII. 297
Stockeriskoudt XVII. 228
Stolidanthus Baill. XV. 2. 524 534 536 591 (Croton)
STOMATOCALYCEAE *Mull. Arg.* XV. 2 1934 1142
Stomatocalyx *Mull. Arg.* XV. 2. 1142
 Griffithianus *Mull. Arg.* XV. 2 1142
Stepinaea Raf. XIV. 79
Strakaea Presl XV. 1 429
 melastomaefolia Presl XV. 1 430
Strangea *Meisn.* XIV. 348
 linearis *Meisn.* XIV. 348
STREBLEAE *Bureau* XVII. 212 215
Streblus *Lour.* XVII. 213 218, *F. Mull.* XVII. 249
 asper *Lour.* XVII. 218
 aspera Miq. XVII. 219
 Brunoniana F. Mull. XVII. 219 250
 cordatus Lour. XVII. 219
 lactescens Bl. XVII. 219
 macrophyllus Bl. XVII. 216 219
 mauritianus Bl. XVII. 219 251
 pendulina F. Mull. XVII. 219
 rectinervis F. Müll. XVII. 219
Streptocarya *Jaub. & Spach* XIV. 31 (Pterocarpum)
Strobilocarpus Kl. XIV. 618
 diversifolius Kl. XIV. 618
Strobilocarpus *De fil.* XIV. 618 (Grubbia)
Strobus Spach. Endl. XVI 2 402 (Pinus)
Stropha Noronh. XVI 1. 473
Struthia van Royen XIV. 580
Struthiola *L.* XIV. 566
 angustifolia *Lam.* XIV. 567
 argentea *Lehm.* XIV 571
  β oblongata *Meisn.* - -
  γ laxior - - -
 aurea Eckl. & Zeyh. XIV 571
 brevifolia W. herb. XIV. 572
 chrysantha Eckl. & Zeyh. XIV. 572
Struthiola
 chrysantha *Lichtenst.* X
  β Dregei *Meisn.*
 chrysantha Meisn. XIV.
 ciliata Andr. XIV. 567
 ciliata Lam. XIV 57
 dodecapetala *Bartl.* X
  β Kraussii *Meisn.*
 dodecapetala Meisn. X
 Dregeana Meisn. X
 Ecklomana *Meisn.* X
 erecta Curt. XIV. 56
 erecta *L.* XIV 56
  α vulgaris *Meisn.* -
  β ambigua - -
 erecta β lanceolata M
 formosa Eckl. & Zeyh.
 glabra R. & Schult. X
 glauca *Lodd.* XIV 572
 glauca Vois. XIV. 57
 glauca Sieber XIV. 57
 grandis Bartl. XIV. 56
 hirsuta *Wickst.* XIV.
 hirsuta var. glabrescens
 imbricata Andr. XIV. 5
 imbricata hort. XIV 5
 incana Lodd. XIV 567
 juniperina Retz XIV 5
 lanceolata Retz XIV 5
 lateriflora Hornem. XIV
 lateriflora Wendl. XIV
 laxa *Neis.* XIV 572
 lineariloba *Meisn.* X
  β glabra - -
  γ pubescens - -
 linearifolia Retzius M
  β *subulata* L
  γ *Steudeliana*
 littoralis Wendl. XIV 5
 longiflora *Lam.* XIV 5
 lucens *Poir.* XIV 57
 lutescens Eckl. & Zeyh.
 Martiana *Meisn.* XIV 57
 Mundtii *Eckl.* XIV 572
 Myrsinites Lam. XIV
 nana L. XIV. 575 5
 oppositifolia *hort.* ...
 ovata *Thbg.* XIV 5
  α Myrsinites *Meisn.* -
  β lanceolata - -
  γ scariosa - -
 ovata α longiflora Meisn.

ifolia Meisn. XIV. 569
XIV. 569
rtl. XIV. 568
b. XIV. 568
ts XIV. 567
ns XIV. 570
XIV. 570
XIV. 567
IV. 570
& *Zeyh.* XIV. 572
XIV. 572
lia *Meisn.* - -
XIV. 572
. XIV. 568
idt XIV. 572
liverp. XIV. 572
ts XIV. 568
idr. XIV. 571
Lam. XIV. 569
t. XIV. 569
herb. XIV. 567
t. XIV. 572
. XIV. 570
V. 567
a *Meisn.* - -
- - -
- - -
ns - - -
n - - -
- - -
XIV. 567
dl. XIV. 572
Nees XV. 1. 7 142
iseb. XV. 1. 143
es XV. 1. 143
m. XV. 1. 143
s XV. 1. 142
Meisn. - - -
- - - 143
leucophloea Nees XV. 1. 143
henb. XV. 2. 961 (Rottlera)
Juss. XIV. 486
Juss. XIV. 486
Juss. XIV. 487
Boiv. XIV. 486
A. Juss. XIV. 486
Dc. fil. - -
dl. XIV. 486 (Penaea)
Juss. XVI. 1. 9 XV. 2.
Baill. XV. 2. 899 901
Müll. Arg. XVI. 1. 10
Baill. XVI. 1. 10

Styloceras
Kunthianum *A. Juss.* XVI. 1. 10
laurifolium *H. B. & Kth* XVI. 1. 10
β Dombeyanum - - - -
macrostachyum *Baill.* XVI. 1. 10 XV. 2. 901
subrotunda Poepp. XV. 2. 911
STYLOCEREAE Baill. XVI. 1. 7 9
STYLOCERRAE *Müll. Arg.* XVI. 1. 9
Stylodiscus Benn. XV. 2. 478
trifoliatus Benn. XV. 2. 478
Stylurus Knight & Salisb. XIV. 349
buxifolia Knight & Salisb. XIV. 369
collina Knight & Salisb. XIV. 369
Suber C. Bauh. XVI. 2. 2, *Tourn.* XVI. 2. 3, *Duham.* XVI. 2. 44
angustifolium &c. Duham. XVI. 2. 39
aquitanicum Clus. XVI. 2. 44
hispanicum latifolium Clus. XVI. 2. 40
Suber Spach XVI. 2. 3 (Quercus)
Subfaya *C. Dc.* XVI. 2. 153 (Myrica)
Substipulata *Benth.* XIV. 22 (Eriogonum)
Sufricago XV. 1. 193
Sugar-bosch XIV. 239
Sugar Pine XVI. 2. 406
Sumbavia *Baill.* XV. 2. 727
macrophylla *Müll. Arg.* XV. 2. 727
rottleroides *Baill.* XV. 2. 728
Sunaptea *Griff.* XVI. 2. 637
merguensis *Griff.* XVI. 2. 637
Suregada Roxb. XV. 2. 1126
adenophora Baill. XV. 2. 1129
angustifolia Baill. XV. 2. 1128
Boiviniana Baill. XV. 2. 1129
ceratophora Baill. XV. 2. 1129
crenulata Baill. XV. 2. 1129
glabra Roxb. XV. 2. 1127
glomerulata Baill. XV. 2. 1128
laurina Baill. XV. 2. 1129
multiflora Baill. XV. 2. 1127
spicata Baill. XV. 2. 1128
zanzibariensis Baill. XV. 2. 1130
Swamp hickory XVI. 2. 144
Sweet wood XV. 1. 153 165
Synchinium Desv. XVII. 258
ramosum Desv. XVII. 262
Sychnoneura *Dc. fil.* XIV. 196 697 (Myristica)
SYCIOIDEAE *s. AMBOREAE Tul.* XVI. 2. 658
Sycios Wall. XVII. 17

Sycios
pentandrus Wall XVII 17
Sycocarpus Miq XVII 288
Sycomorphe Miq XVII 288
Symbryon *Griseb.* XVI 1. 471
tetrastachyum *Griseb.* XVI. 1. 471
Symmeria *Benth.* XIV. 185
paniculata *Benth.* XIV. 186
α cordata *Meisn.* - -
β oblonga - - -
γ angustata - - -
SYMMERIEAE *Meisn* XIV. 4 185
Symphyllanthus Vahl XVII. 297
Symphyllia *Baill* XV. 2. 763
mallotiformis *Mull Arg.* XV. 2. 764
stilletiana *Baill* XV. 2. 764
α trichantha *Mull Arg* - - -
β genuina - - - -
Symphyolepis *Endl.* XIV. 274 (Petrophila)
Symphyonema *R. Br* XIV. 327
abrotanoides Sieber XIV. 327
montanum *R. Br* XIV 328 (*bis*)
α Brownii *Meisn.* - -
β Sieberi - - -
montanum Endl. XIV. 327
montanum Sieber XIV. 328
paludosum *R. Br.* XIV. 327
Symphysodaphne *A. Rich.* XV. 1. 7 157
cubensis *A. Rich.* XV. 1. 176
Synadenium *Boiss.* XV. 2. 4 187
arborescens *Boiss.* XV 2. 187 1269
carinatum *Boiss.* XV 2. 187 1269
Synaedrys (*Synedrys* XVI. 2. 90) *Lindl* XVI. 2. 2
ossea Lindl. XVI 2 90
Synandrodaphne *Meisn.* XV 1. 7 176
antillana *Meisn.* XV 1. 176
laxa *Meisn.* XV. 1 176
Synaphea *R Br* XIV. 314
acutiloba *Meisn.* XIV. 315
brachystachya *R. Br* XIV. 316
decorticans *Lindl.* XIV 314
decorticans var. Meisn. XIV. 315
dilatata *R Br.* XIV. 314
Drummondii *Meisn.* XIV. 315
favosa *R Br.* XIV 314
β lanceolata *Meisn.* - -
favosa Meisn XIV. 314
gracillima *Lindl.* XIV. 315
petiolaris *R. Br.* XIV. 315
pinnata *Lindl.* XIV. 316
polymorpha *R. Br.* XIV. 315

Synaphea
Preissii *Meisn.* X[illegible] 315
β attenuata - - -
Synapisma Simaruba Ess 2 [illegible]
peltatum Baill. XV. 2 [illegible]
Synapisma *Müll. Arg.* XV 2 [illegible]
Syndok-[illegible] Hamilt. XV. 1 [illegible]
Synedrys vide Synaedrys
Synexemia Raf XV. 2 [illegible]
carolineana Raf. XV 2 [illegible]
humilis Raf. XV. 2 [illegible]
obovata Raf. XV 2 [illegible]
Synostemon F Müll XV 2 [illegible]
glaucus F. Müll. XV 2 [illegible]
hirtellus F Müll. XV 2 [illegible]
ramosissimus F Müll. XV 2 [illegible]
rigens F. Müll XV 2 [illegible]
Synostemon *Müll Arg* XV. 2 [illegible]
Synzyganthera R & Pav. XV [illegible]
purpurea R. & Pav. XV 2 [illegible]
Sypora vel Sheora XVI [illegible]
Systrepha *Burch.* XVII [illegible]

T.

Tabayba dulce XV. 2. [illegible]
Tabayba Majorera XV 2 [illegible]
Tabayba salvage [illegible]
Tabernaemontana [illegible]
Table-mountain Pine XVI [illegible]
Tacamahaca Spach XVI 2 [illegible]
Tachibota *Aubl* XVI 2[illegible]
Taeda *Parl* XVI. 2. [illegible]
Taeda Spach XVI 2. [illegible]
Taenosapium *Müll Arg* [illegible]
Goudotianum [illegible]
Tafalla R & Pav X[illegible]
angustifolia R & P [illegible]
glauca [illegible]
glauca R. & Pav X[illegible]
laciniata R & Pav X[illegible]
racemosa R & Pav X[illegible]
scabra R & Pav. XVI. 1

I. 1. 480 (Hedy-
osmum)
XV. 2. 938 (Tragia)
. 2. 351
410
VI. 2. 658
116
Flacourt XVI. 2.
658 659
erat XVI. 2. 641 658
fil. XVI. 2. 660
fil. XVI. 2. 659
. XVI. 2. 659
. XVI. 2. 660
XVI. 2. 659
fil. XVI. 2. 658
. XVI. 2. 659
XVI. 2. 660
. XVI. 2. 659
. XVI. 2. 658
. XVI. 2. 659
XVI. 2. 660
il. XVI. 2. 659
XVI. 2. 660
Dc. fil. XVI. 2.
641 658
528
II. 298
XV. 2. 998
XV. 2. 728
. XV. 2. 728
2. 498
2. 429
2. 351
1
XV. 2. 728
. XV. 2. 728
II. 298
. 84
6
0
VII. 230
8 231
14
XVI. 2. 493
ab. XVI. 2. 332
XVI. 2. 493
XVI. 2. 367 493
HLORANTHAE
Bartl. XVI. 2. 347
EDREAE Spach
XVI. 2. 347
PRESSINEAE &
E Rich., Spach XVI.
2. 361

TAXODIEAE *Parl.* XVI. 2. 365 432
Taxodium *Rich.* XVI. 2. 366 439, *Lamb.* XVI. 2. 435, *Brongn.* XVI. 2. 437 438
adscendens Brongn. XVI. 2. 441
capense hort. XVI. 2. 441 442
distichum H. B. & Kth XVI. 2. 441
distichum *Rich.* XVI. 2. 440
β microphyllum *Parl.* - - 441
distichum mexicanum Gord. XVI. 2. 441
distichum pinnatum hort. XVI. 2. 441
heterophyllum Brongn. XVI. 2. 439 441
Horsfieldii Knight XVI. 2. 439 441
japonicum Brongn. XVI. 2. 438 439 441
japonicum β heterophyllum Brongn. XVI. 2. 439
juniperoides hort. XVI. 2. 441 442
mexicanum Carr. XVI. 2. 441
microphyllum Brongn. XVI. 2. 441
Montezumae Dcne XVI. 2. 441
mucronatum *Ten.* XVI. 2. 441
nutkaense Lamb. XVI. 2. 436 441
pinnatum hort. XVI. 2. 441
sempervirens Hook. XVI. 2. 441
sempervirens Lamb. XVI. 2. 436 441
sinense Gord. XVI. 2. 441
sinense pendulum Forbes XVI. 2. 441
virens hort. XVI. 2. 441
Washingtonianum Winsl. XVI. 2. 437 441
Taxotrophis *Bl.* XVII. 212 216 217, *Thwait.* XVII. 215, *F. Müll.* XVII. 235
javanica *Bl.* XVII. 217
microphylla F. Müll. XVII. 217, 236
rectinervis F. Müll. XVII. 208 (*Toxotrophis*) 217
Roxburghii Bl. XVII. 218
zeylanica Thwait. XVII. 216 217
Taxus *Tourn.* XVI. 2. 368 499, *Thbg* XVI. 2. 435 502
adpressa hort. XVI. 2. 502
baccata Hook. XVI. 2. 501 (*bis*)
baccata *L.* XVI. 2. 500
baccata Rich. XVI. 2. 500
baccata Thbg XVI. 2. 502 504

Taxus
baccata adpressa Ber. hort. XVI 2. 502
baccata Dovastonii hort XVI 2 501
baccata fastigiata hort XVI. 2 501
baccata horizontalis hort XVI. 2. 500
baccata Jacksoni hort. XVI 2. 501
baccata macrophylla Jacques XVI 2 502
baccata minor Mx XVI. 2 501
baccata pendula hort. XVI. 2. 501
baccata pyramidalis hort XVI. 2. 501
baccata recurvata hort XVI. 2. 501
baccata subpyramidalis hort. XVI. 2. 501
baccata variegata alba hort. XVI. 2 500
baccata variegata argentea hort XVI. 2. 500
baccata variegata aurea hort. XVI. 2 500
Boursieri Carr. XVI. 2. 501
brevifolia hort. XVI. 2. 502
brevifolia *Nutt.* XVI. 2. 501
canadensis *W.* XVI. 2. 501
capensis Lam. XVI 2. 512
chinensis Roxb. XVI. 2 516
cupula lutea hort. XVI. 2. 501
cuspidata *Sieb. & Zucc* XVI 2. 502
elegantissima hort. XVI 2 500
elongata Soland. XVI. 2. 512
falcata Thbg XVI 2 502 511
globosa *Schlecht* XVI 2 501
Harringtonia Knight XVI. 2 502 503
hybernica Mackay XVI 2. 501
Inukaja Knight XVI. 2 502 503
Lambertiana Wall XVI 2. 425
latifolia Thbg XVI 2. 502 511
Lindleyana Murr XVI. 2 501
macrophylla Banks XVI 2 502 511
macrophylla Thbg XVI. 2 517
monstruosa hort. XVI. 2. 501
montana *Nutt.* XVI 2 502
montana W. XVI. 2. 519
nana hort. XVI 2 501
nepalensis Jacquem. XVI. 2. 500
nucifera hort. XVI. 2. 439 502

Taxus
nucifera Kaempf. XVI 2 5
nucifera L XVI. 2 502 56
nucifera Wall. XVI 2. 50
parvifolia Wender XVI. 2
procumbens Lodd XVI. 2 5
spicata Domb XVI. 2 52
spinulosa Sm. XVI 2. 51
tardiva *Laws* XVI 2. 5
tenuifolia Wickst. XVI 2
tomentosa Thbg XVI 2 5
verticillata Thbg XVI 2. 5
virgata Wall XVI. 2. 5
Wallichiana Zucc. XVI 2
Tchou XVII. 224
Tchouma XVI 1. 2
Tea XVI 2 5
Teadong XVI. 2. 5
Tecanthes C. A. Mey. X
Tekrouri XVI. 1 5
Teleiandra Nees XV. 1. 1
glauca Nees XV. 1. 1
Telephioides Tourn XV. 2
Telephioides *Endl.* XV. 2
Telis *L.* XVII. 2
Telogyne Baill XV 2 11
indica Baill XV 2. 11
Telogyne *Muell Arg.* XV 2
Telopea *R Br* XIV. 4
speciosissima *R. Br* X
truncata *R. Br* XIV 4
Temerea Gaspar. XVI 2
Tenjotje XV. 2.
Teoente XVI. 2.
Tepea arvate XV 1 1
Tephis *Adans.* XIV
Tephis *Meisn.* XIV
TEREBINTACTIS AFFI
TEREBINTHACEAE JU DEAE Meisn.
Tereianthes (Tereianthes 2
alba Raf. XVI. 2.
fruticosa Raf. XVI 2
glauca Raf. XVI 2.
undata Raf. XVI. 2
Terme *Gaertn.* XVII 2
Terniola *Tul.* XVII 4
foliosa *Wedd.* XVII 4
Lawii *Wedd.* XVII. 47

XVII. 47
Wedd. XVII. 47
XVII. 46
Wedd. XVII. 47
XVII. 46
ntata Sw. XVII. 298
526
2. 411
Hassk. XV. 2. 469
XV. 2. 475
assk. XV. 2. 472
XV. 1. 220
s XV. 1. 226
es XV. 1. 223
XV. 1. 222
es XV. 1. 222
es XV. 1. 221
XV. 1. 219
XV. 1. 223
IEAE, COILOCAR-
ESEDEAE Reichenb.
XVI. 2. 548
ertn. XV. 2. 953
XV. 2. 953
XV. 2. 1254
q. XV. 2. 1254
Br. XV. 1. 411
Wight XV. 1. 412
Dc. fil. - - -
Br. XV. 1. 411
Br. XV. 1. 411
ait. XV. 1. 412
. XV. 1. 411
q. XV. 1. 8 177, *Wall.*
210 232 243, *Auctor.*
XV. 1. 200 228
XV. 1. 199 206
. XV. 1. 190
r. XV. 1. 181
XV. 1. 171 199
XV. 1. 189
XV. 1. 190 513
ns Meisn. - - -
- - - -
- - - -
- - - -
entosa - - - -
olata Miq. XV. 1.
184
. XV. 1. 190
aesia Bl. XV. 1. 190
diversa - - - -
elongata - - - -
fusca - - - -
glabriuscula - - - -

Tetranthera
amara var. glaucina Bl. XV. 1.
190
- - *luxurians* - - - -
- - *ovalifolia* - - - -
- - *rotundata* - - - -
- - *rufa* - - - -
- - *velutina* - - - -
ambigua *Bl.* XV. 1. 195
angulata *Nees* XV. 1. 197
angusta Wall. XV. 1. 190
angustifolia *Wall. list n.* 2537
XV. 1. 183
angustifolia Wall. list n. 2559
XV. 1. 199 214
angustifolia Zolling. XV. 1. 182
apetala R. Br. XV. 1. 179
apetala Roxb. XV. 1. 179
areolata *Bl.* XV. 1. 184
attenuata Nees XV. 1. 185
attenuata Wall. XV. 1. 185
bancana *Miq.* XV. 1. 198
Bandongana *Miq.* XV. 1. 197
202
Bandongana Zolling. XV. 1. 199
Baula Hamilt. XV. 1. 199 203
Berterii *Spr.* XV. 1. 194
bifaria Wall. XV. 1. 199 231
Blumii Nees XV. 1. 199 207
borneensis *Meisn.* XV. 1. 184
brachystachya *Bl.* XV. 1. 196
Brawas *Bl.* XV. 1. 199
caduca Hamilt. XV. 1. 199 214
californica *Hook. & Arn.* XV. 1.
192
caloneura *Miq.* XV. 1. 194
calophylla Miq. XV. 1. 199 202
calycaris Hook. fil. XV. 1. 191
camphoracea Wall. XV. 1. 25
capitata Roxb. XV. 1. 180
capitulata Miq. XV. 1. 190
caudata Wall. XV. 1. 199 230
celastroides Miq. XV. 1. 180
Cervantesii Nees XV. 1. 193
chartacea *Wall.* XV. 1. 186
β nervosa *Meisn.* - - -
chrysantha Bl. XV. 1. 194
chrysophoena *Bl.* XV. 1. 194
chrysopleura *Bl.* XV. 1. 198
citrata Nees XV. 1. 182
citrifolia Spr. XV. 1. 179
cordata *Jack* XV. 1. 196
cordifolia *Meisn.* XV. 1. 196
coriacea *Wall.* XV. 1. 186
crassifolia *Bl.* XV. 1. 199
Cubeba *Meisn.* XV. 1. 199 514

Tetranthera
Cuipala Don XV. 1. 199 221
cuneata *Bl.* XV. 1. 178
cuspidata *Bl.* XV. 1. 198
dealbata R. Br. XV. 1. 199 224
Diepenhorstii *Miq.* XV. 1. 514
Diglotia Hamilt. XV. 1. 185
discolor Bl. XV. 1. 199 204
diversifolia Hassk. XV. 1. 199 208
diversifolia Zolling. XV. 1. 199 206
Doshia Don XV. 1. 199 205
elliptica *Nees* XV. 1. 188
β sanguinea *Hassk.* - - 513
elongata Hook. fil. & Thoms. XV. 1. 181
elongata Wall. XV. 1. 199 231
fagifolia Wall. XV. 1. 64 199
faginea Miq. XV. 1. 190
ferruginea *R. Br.* XV. 1. 192
β lanceolata *Meisn.* - - -
ferruginea F. Müll. XV. 1. 73 199
firma *Bl.* XV. 1. 190
flexuosa *Bl.* XV. 1. 191
floribunda Champ. XV. 1. 182
floridana Shuttlew. XV. 1. 181
foliosa herb. Hamilt. XV. 1. 223
foliosa Wall. XV. 1. 199 222
Forstenii *Bl.* XV. 1. 184
fruticosa herb. Hamilt. XV. 1. 189
fruticosa Nees XV. 1. 190
fulva *Bl.* XV. 1. 195
β rigida - - - -
furfuracea Wall. XV. 1. 199 222
Gardneri Thwait. XV. 1. 199 201 *(bis)*
gemelliflora *Miq.* XV. 1. 182
geminata Nees XV. 1. 179
geniculata *Nees* XV. 1. 181
β coaetanea *Meisn.* - - 182
glaberrima Thwait. XV. 1. 187
glabraria Nees XV. 1. 179
glabrata *Wall.* XV. 1. 197
glauca *Wall.* XV. 1. 185 *(bis)*
α ellipsoidea *Meisn.* - - -
β elongata - - - -
γ attenuata - - - -
δ laevigata *Nees* - - -
glauca var. Hook. fil. & Thoms. XV. 1. 185
glaucescens Nees XV. 1. 193
glaucescens *Spr.* XV. 1. 193

Tetranthera
α subsolitaria *Meisn.* XV.
β subcorymbosa - -
γ racemosa - -
δ major - -
glaucescens Wall. XV. 1.
grandiflora Wall. XV. 1.
grandis *Wall.* XV. 1.
β javanica *Meisn.* - -
grandis Wall. XV. 1.
Griffithii *Meisn.* XV. 1.
hexantha Sieber XV. 1.
Hirana herb. Hamilt. XV.
Hookeriana *Meisn.* XV. 1.
hypoglauca Miq. XV. 1.
japonica *Spr.* XV. 1.
japonica fem. herb. Wight
impressa *Bl.* XV. 1.
insignis *Bl.* XV. 1.
intermedia *Bl.* XV. 1.
iteodaphne Nees XV. 1.
Khasyana *Meisn.* XV. 1.
lacta *Wall.* XV. 1.
β major *Meisn.* - -
γ glauca - - - -
lancifolia *Roxb.* XV. 1.
β glaucophylla *Bl.* - -
γ pusilla *Meisn.* - - -
δ borneensis - - - -
ε alternifolia - - - -
lanuginosa Wall. XV. 1.
laurifolia *Jacq.* XV. 1.
α Jacquini *Meisn.* - - -
β multiflora *Bl.* - -
γ Roxburghii - - - -
δ citrifolia - - - -
ε platyphylla - - - -
ζ attenuata - - - -
η longifolia - - -
ϑ racemosa umbellata - - -
ι saligna - - - -
laurifolia Wall. XV. 1.
laurifolia Zolling. XV. 1.
laurifolia var. Jacq. XV. 1.
laurifolia var. tertia Bl. XV.
ligustrina *Nees* XV. 1.
β celastroides *Meisn.* - -
ligustrina Thwait. XV. 1.
litoralis *Bl.* XV. 1.
β glabrescens *Meisn.* - -
longifolia *Nees* XV. 1.
β nitida *Meisn.* - - -
longifolia Thwait. XV. 1.
longifolia γ Thwait. XV. 1.
lucida *Hassk.* XV. 1.

ɛra
s *Nees* XV. 1. 200 (*errore pro bifaria* XV. 1. 231
ica *Bl.* XV. 1. 195
ntha *Wall.* XV. 1. 200 202
carpa *Nees* XV. 1. 58 200
phylla *Sieber* XV. 1. 189
phylla *Wall.* XV. 1. 189
acea *Bl.* XV. 1. 191
tomacea *Wall.* XV. 1. 200 228
vas *Miq.* XV. 1. 514
ntha *Meisn.* XV. 1. 183
Bl. XV. 1. 199
Bl. XV. 1. 178
petala *Roxb.* XV. 1. 189
ubglomerata *Meisn.* - - -
ilnor *Bl.* - - -
labriuscula - - - -
lnifolia - - - -
rolifera - - - -
randiflora *Nees* - - -
ctius *grandifolia* XVII. 320)
petala *var. zeylonica Bl.* XV. 1, 189
lora *Nees* XV. 1. 179
lora *Zolling.* XV. 1. 189
ticaefolia *Wall.* XV. 1. 186 200 209
ana *Schauer* XV. 1. 193
orymbifera *Meisn.* - - -
illosa - - - -
na *Wall.* XV. 1. 200 241
sa *Meisn.* XV. 1. 187
oriacea - - - -
hartacea - - - -
ans *Meisn.* XV. 1. 190
Bl. XV. 1. 180
Roxb. XV. 1. 200 203
ga *Wall.* XV. 1. 200 205
ta *Hamilt.* XV. 1. 200 219
ra *Bl.* XV. 1. 198
Nees XV. 1. 200 208
scens *Miq.* XV. 1. 514
les *Meisn.* XV. 1. 195
itifolia *Miq.* XV. 1. 195
olia *Thwait.* XV. 1. 200 208
ylla *Wall.* XV. 1. 200 240
s *Don* XV. 1. 200 223
a *Bl.* XV. 1. 194
tinervia *Meisn.* XV. 1. 191
nania *Nees* XV. 1. 197
nonja *herb. Hamilt.* XV. 1. 197
ngiracemosa *Meisn.* - - -
ra *Bl.* XV. 1. 183

Tetranthera
Perrottetii *Bl.* XV. 1. 196
β Cumingii *Meisn.* - - -
γ subcordata - - - -
platyphylla Nees XV. 1. 179
polyantha *Wall.* XV. 1. 182
β citrata *Meisn.* - - -
polycephala Wall. XV. 1. 179
propinqua *Bl.* XV. 1. 182
prunifolia Wall. XV. 1. 200 241
pseudo-angulata Bl. XV. 1. 197
pulcherrima Wall. XV. 1. 200 223 229
pusilla Bl. XV. 1. 194
racemosa Spr. XV. 1. 101 200
rangoonensis *Meisn.* XV. 1. 187
β assamica - - - 188
resinosa *Nees* XV. 1. 184
β rotundata *Bl.* - - -
reticulata Hamilt. XV. 1. 200 232
reticulata *Meisn.* XV. 1. 192
β parvifolia - - - -
riparia *Bl.* XV. 1. 195
robusta Nees XV. 1. 200 202
rotundifolia Nees XV. 1. 200
rotundifolia Wall. XV. 1. 200 211
Roxburghii Hassk. XV. 1. 200 202
Roxburghii Nees XV. 1. 179
Roxburghii β Nees XV. 1. 180
rubra Bl. XV. 1. 200
rubra Miq. XV. 1. 202
rubra Nees XV. 1. 200 203
Rumphii *Bl.* XV. 1. 185
salicifolia Nees XV. 1. 185
salicifolia Roxb. XV. 1. 185
salicifolia Zolling. XV. 1. 179
saligna Hook. fil. & Thoms. XV. 1. 185
saligna Nees XV. 1. 183
sebifera Spr. XV. 1. 179
Seemanni *Meisn.* XV. 1. 192 513
semecarpifolia *Wall.* XV. 1. 198
sericea *Wall.* XV. 1. 181
sikkimensis *Meisn.* XV. 1. 181
subovata *Miq.* XV. 1. 514
Tangao *R. Cunn.* XV. 1. 191
tersa Spr. XV. 1. 179
Thomsonii *Meisn.* XV. 1. 183
tomentosa *Roxb.* XV. 1. 177 258
β birmanica *Meisn.* - - 178
γ glabrescens - - - -
umbrosa Wall. XV. 1. 200 223
utilis *Meisn.* XV. 1. 183
varians *Bl.* XV. 1. 194
β gracilis - - - 195

Tetranthera
velutina *Bl.* XV. 1. 181
venulosa *Meisn.* XV. 1. 187
verticillata herb. *Hamilt.* XV. 1. 189
verticillata *Wall.* XV. 1. 200 214
vestita *Nees* XV. 1. 178
villosa *Mart. & Gal.* XV. 1. 194
villosa *Zipp.* XV. 1. 200 221
viscosa *Nees* XV. 1. 184
viticosa *Meisn.* XV. 1. 514
Waitziana *Bl.* XV. 1. 196
Wightiana *Wall.* XV. 1. 200 201
Wightii *Nees* XV. 1. 187
xanthophylla *Bl.* XV. 1. 184
Zollingeriana *Miq.* XV. 1. 186
sp. 217 *Hook fil. & Thoms.* XV. 1. 188
Tetranthera sect. *Anisanthera Bl.* XV. 1. 513
Comodaphne *Bl.* XV. 1. 182
Glaberaria *Bl.* XV. 1. 177
Omphalodaphne Bl. XV. 1. 513
Tomingodaphne *Bl.* XV. 1. 181
TETRANTHEREAE *Nees* XV. 1. 8 177
TETRANTHEREAE Nees XV. 1. 228
Tetraphila *De. fil.* XV. 1. 517 (Begonia)
Tetraplandra *Baill.* XV. 2. 1230
Leandri *Baill.* XV. 2. 1230
Tetraraphis Miers XIV. 23
apiculata Miers XIV. 23
Tetratome Poepp. & Endl. XVI. 2. 662
cinerea Gardn. XVI. 2. 666
elliptica Gardn. XVI. 2. 664
latifolia Poepp. & Endl. XVI. 2. 669
lepidota Poepp. & Endl. XVI. 2. 653
racemosa Schlecht. XVI. 2. 666
tomentosa Benth. XVI. 2. 667
triflora Poepp. & Endl. XVI. 2. 666
Tetrorchidion *Poepp. & Endl.* XV. 2. 1132
andinum *Müll. Arg.* XV. 2. 1133
macrophyllum *Müll. Arg.* XV. 2. 1133
rubrinervium α trigynum Baill. XV. 2. 1133 (*anne rubrivenium α trigynum?*)
Tetrorchidium
rubrivenium *Wall. Arg.* V
α trigynum - - - -
β genuinum - - - -
γ integrifolium - - - -
δ Vendlei - - - -
rubrivenium Poepp. & End
trigynum Baill. XV. 2 (13
Thalamia *Spr.* XVI. 2. 49
asplenifolia Spr. XVI. 2
expressina Spr. XVI. 2
Thaxa XVI. 2. 391
Thaumuria Gaudich. XVI. 1.
cretica Gaudich. XVI. 1 2
Thecacoris *Müll. Arg.* XV. 2
A. Juss. XV.
madagascariensis *A. Juss.*
Manniana *Müll. Arg.* XV. 2
stenopetala *Müll. Arg.* XV.
trichogyne *Müll. Arg.* XV.
Thecacoris sect. Antipetalon *Müll. Arg.*
Euthecacoris *Müll. Arg.*
Thecanthes Wickst. XIV. 4
Cornucopiae Wickst. XIV.
punicea Wickst. XIV. 4
Thecanthes *Meisn.* XIV. 4
THELIGONACEAE Gillet & Magne
THELIGONEAE Dumort. XVII.
Theligonum L. XVII. 33
Cynocrambe L. XVII. 33
Dioscoridis C. Bauh. XVII
Thesidium *Soud.* XIV. 673
exocarpaeoides Soud. XIV.
fragile *Soud.* XIV. 674
globosum *De. fil.* XIV. 67
hirtulum fem. Soud. XIV.
hirtulum mas. Soud. XIV.
hirtum fem. Soud. XIV. 6
hirtum mas. Soud. XIV. 6
leptostachyum *De. fil.* XIV.
microcarpum *De. fil.* XIV.
podocarpum *De. fil.* XIV.
strigulosum *De. fil.* XIV.
Thunbergii Soud. XIV. 67
THESIREAE *De. fil.* XIV. 62
Thesiosyris Reichenb. XIV.
629 (

L. XIV. 637, *R. Br.* XIV.
, Thbg XIV. 673, *Auct.* XIV. 635
simum Dc. fil. XIV. 659 656 662
ssifolium Sond. XIV. 668
icum Kar. & Kir. XIV. 646
um Desf. XIV. 651
um Kth XIV. 643
um L. XIV. 641
enuifolium Dc. fil. - -
arnosum - - -
um Pall. & Georg. XIV. 641
guum Ten. XIV. 671
stachyum Dc. fil. XIV. 668
xicaule L. XIV. 660
osum Dc. fil. XIV. 653
lum Mart. XIV. 671
latum Sond. XIV. 659
ulum Boiss. XIV. 644
ile Sond. XIV. 663
m Jaub. & Spach XIV. 639
ile R. Br. XIV. 653
ile A. Cunn. XIV. 672 676
ile Hook. & Arn. XIV. 653
nianum Turcz. XIV. 646
um Schrank XIV. 645
ri Zuccar. XIV. 651
cteatum Turcz. XIV. 672
rdieri Boiss. XIV. 650
ieranum Dc. fil. XIV. 663
ycephalum Sond. XIV. 664
yphyllum Boiss. XIV. 647
iense Dc. fil. XIV. 671
colle Presl XIV. 642
folium Dc. fil. XIV. 658
folium Sond. XIV. 658
tinum Dc. fil. XIV. 644
atum Banks XIV. 664
tum L. XIV. 663
atum Thbg XIV. 663
atum W. herb. XIV. 663
atum α Thbg XIV. 664
atum β Thbg XIV. 663
atum γ Thbg XIV. 663
atum var. interruptum Krauss XIV. 656
llatum Dc. fil. XIV. 664
liflorum Sond. XIV. 665
tum Dc. fil. XIV. 663
sum Wolfner XIV. 641
nse Turcz. XIV. 649
um R. Br. XIV. 672
on Thbg XIV. 672
utatum Sond. XIV. 659
rum Roth XIV. 640

Thesium
compressum *Boiss. & Heldr.* XIV. 652
confertum W. herb. XIV. 659
confine *Sond.* XIV. 665
corniculatum Krauss XIV. 659
corniculatum *E. Mey. & Drege* XIV. 662
corymbiflorum Sond. XIV. 655
corymbuligerum *Sond.* XIV. 660
corymbulosum Mx XIV. 636 672
crassifolium *R. Br.* XIV. 672
crassifolium *Sond.* XIV. 660
cucullatum Dc. fil. XIV. 656
debile *R. Br.* XIV. 667
β Ecklonis *Dc. fil.* - -
γ humile - - -
debile Zeyh. XIV. 667
decumbens Döll XIV. 644
decumbens Gmel. XIV. 642
decurrens *Bl.* XIV. 652
β longibracteatum *Dc. fil.* - 653
densiflorum *Dc. fil.* XIV. 664
β Linkii - - -
diffusum *Andr.* XIV. 644
divaricatum *Dc. fil.* XIV. 642
α divaricatum - - -
β humifusum *Duby* - 643
γ gracile *Dc. fil.* - -
δ gallicum - - -
ε anglicum - - -
divaricatum Grah. XIV. 658
divaricatum Jan XIV. 642
divaricatum Vis. XIV. 642
diversifolium Sond. XIV. 668
Dregeanum *Dc. fil.* XIV. 657
Dregei Sond. XIV. 662
drupaceum Labill. XIV. 672 677
ebracteatum *Hayne* XIV. 639
Ecklonianum *Sond.* XIV. 670
eifalense *Steud.* XIV. 672
elatius *Sond.* XIV. 670
elegans Rochel XIV. 636 672
erectiramosum *Dc. fil.* XIV. 655
ericaefolium *Dc. fil.* XIV. 658
β confertum - - -
ericoides *R. Br.* XIV. 672
euphorbioides Jacq. herb. XIV. 655
euphorbioides *L.* XIV. 660
euphrasioides *Dc. fil.* XIV. 665
exul *Dc. fil.* XIV. 647
flexuosum *Dc. fil.* XIV. 669
florib. sparsis Sauvage XIV. 642
foliosum *Dc. fil.* XIV. 656
fragile Lk herb. XIV. 660

Thesium
fragile L. XIV. 672 674
fragile Spr. XIV. 656
fragile α Thbg XIV. 672 674
fragile β herb. Thbg XIV. 674
Frisea *L.* XIV. 667
β Thunbergii *Dc. fil.* - -
Frisea Sond. XIV. 667
Frisea Thbg XIV. 667
fulvipes Griesselich XIV. 645
funale *L.* XIV. 668
β caledonicum *Sond.* - -
funale herb. rindob. XIV. 667
galioides *Dc. fil.* XIV. 661
gallicum Schultz XIV. 643
globosum Dc. fil. XIV. 672 673
glomeruliflorum *Sond.* XIV. 671
gnidiaceum *Dc. fil.* XIV. 662
β Zeyheri *Sond.* - -
graecum *Boiss. & Sprun.* XIV. 652
graecum Boiss. XIV. 651
graecum Zuccar. XIV. 651
griseum *Sond.* XIV. 670
heterophyllum *Boiss.* XIV. 651
himalense *Royl.* XIV. 645
hirtulum Sond. XIV. 664
hispidulum *Lam.* XIV. 671
hispidulum Zeyh. XIV. 659
Hockeanum *Opiz* XIV. 672
hottentottum Sond. XIV. 665
humifusum Bab. XIV. 643
humifusum Boiss. XIV. 643
humifusum Dc. XIV 643
humifusum Schultz XIV. 643
humile Koch XIV. 651
humile *Vahl* XIV. 651
β subreticulatum *Dc. fil.* - -
Hussenoti Hussen. XIV. 643
Hutterianum *Opiz* XIV. 672
imbricatum Dreve XIV. 662
imbricatum Thbg XIV. 672
impressum *Stend.* XIV 649
intermedium Bertol. XIV 644
intermedium *Schrad.* XIV. 645
β fulvipes *Dc. fil.* - -
italicum *Dc. fil.* XIV. 644
junceum *Bernh.* XIV. 669
junceum Sond. XIV. 669
juncifolium *Dc. fil.* XIV. 656
Kotschyanum *Boiss.* XIV. 649
Krebsii *Dc. fil.* XIV 656
laevigatum hort. kew. XIV. 663
leptocaule *Sond.* XIV. 657
β glabriusculum *Dc. fil.* - 658
leptostachyum Dc. fil. XIV. 672 674

Thesium
libanoticum *Ehrenb.* XIV. 6
lineare Spr. XIV. 665 672
lineatum *L.* XIV. 654
lineatum W. herb. XIV 67
linophyllum Bertol XIV. 6
linophyllum Dc. XIV. 642
linophyllum Desf. XIV 642
linophyllum Dicks. XIV
linophyllum Hayn. XIV. 64
linophyllum L. XIV. 641
linophyllum Pall XIV. 644
linophyllum Patrin XIV
linophyllum Poll. XIV. 645
linophyllum var intermed Wallr X
linophyllum var Vis XIV
lobelioides *Dc. fil* XIV
longifolium *Turcz* XIV. 64
β Vlassonianum *Dc. fil*
macranthum *Fenzl* XIV
macranthum Presl XIV
macrocarpon Vis XIV. 64
macrocarpum F. Mey. & XIV
macrostachyum *Dc. fil.* XIV
madagascarense *Dc. fil.* X
maritimum *C. A. Mey.* XIV
megalismontanum *Sond* X
microcarpum Dc. fil XIV
Micromeria *Dc.* XIV
micropogon *Dc. fil.* XIV
monophyllum Gris XIV
montanum *Ehrh.* XIV. 643
monticolum Sond XIV.
multicaule Fisch. & Mey.
multicaule Hook. fil. & X
X
multicaule Kar. & Kir. XI
multicaule *Ledeb* XIV 64
β Karelini *Dc. fil.* - -
multiflorum Dc fil XIV
nanum Patrin XIV.
natalense Sond. XIV
nigromontanum *Sond.* XIV
nilagiricum Miq XIV 647
pachyrhizum *Dc. fil.* XIV.
palatinum Roth XIV 644
pallidum *Dc fil* XIV 644
paniculatum *L.* XIV
β apertum *Dc. fil* - -
paniculatum L. & Thes XIV
paniculatum Portenschl. ker

ulatum Thbg XIV. 666 671
ulatum W. herb. XIV. 656
ssi Dc. fil. XIV. 643
ychioides Sond. XIV. 669
olium Dc. fil. XIV. 657
tiflorum Sond. XIV. 669
coides E. Mey. XIV. 672
ostachyum Sond. XIV. 670
lium Dc. fil. XIV. 655
folium Dc. fil. XIV. 661
arpum Dc. fil. XIV. 672 674
nse Ehrh. XIV. 641 642
randiflorum Dc. fil. - -
ulgare - - 642
yrenaicum - - -
ontractum - - -
nse fl. danic. XIV. 640
nse Kse XIV. 641
nse Turcz. XIV. 640
mbens C. A. Mey. XIV. 671
ccns Dc. fil. XIV. 664
um Patrin XIV. 648
aicum Pourr. XIV. 642
ueflorum Sond. XIV. 655
iosum Bernh. XIV. 659 653
ans Hohenack. XIV. 647
losum Sond. XIV. 658
ium Bess. XIV. 644
sum Hayne XIV. 643
sperulum Dc. fil. - 644
ium Ledeb. XIV. 646
rum Sond. XIV. 670
ifolium Sond. XIV. 666
etum Kar. & Kir. XIV. 644
etum Ledeb. XIV. 640
tum C. A. Mey. XIV. 645
s Ledeb. XIV. 648
m Sond. XIV. 654
tum Bernh. XIV. 655
tum Mert. & Koch XIV. 639
osum Bung. XIV. 649
tre Ledeb. XIV. 648
howii Fisch. XIV. 646
ile Turcz. XIV. 640
um Dreye XIV. 663
um L. XIV. 663
racile Dc. fil. - 664
lenudatum Sond. - -
um b Dreye XIV. 664
lens E. Mey. XIV. 661
uperianum Hochst. XIV. 635 672
olium Dc. fil. XIV. 660
ineum Dc. fil. XIV. 658
tum Kit. XIV. 671

Thesium
sparteum *R. Br.* XIV. 672
sparteum Sond. XIV. 670
spathulatum Bl. XIV. 630 672
spathulatum Korth. XIV. 631
spicatum Dreye XIV. 668 669
spicatum *L.* XIV. 668
spicatum a Dreye XIV. 670
spinosum Jacq. XIV. 660
spinosum *L.* XIV. 654
spinosum Portenschl. XIV. 647
spinulosum *Dc. fil.* XIV. 647
squarrosum *L.* XIV. 659
stelleroides *Jaub. & Spach* XIV. 638
strictum *Berg.* XIV. 654
β pingue *Dc. fil.* - 655
strictum Dumort. XIV. 672
strictum Krauss XIV. 656
strictum δ & γ Thbg XIV. 656
strictum γ Thbg XIV. 672
strictum δ Thbg XIV. 665
strictum ε Thbg XIV. 659
strigulosum Dc. fil. XIV. 672 673
subnudum Sond. XIV. 668
Szowitsii *Dc. fil.* XIV. 649
tenue *Bernh.* XIV. 666
tenuifolium Sauter XIV. 641
tercti folium *R. Br.* XIV. 672
Thunbergianum *Dc. fil.* XIV. 666 656
transgapinum Sond. XIV. 666
trifl orum *Thbg* XIV. 661
Turczaninowii *Sond.* XIV. 672
umbellatum L. XIV. 636 672
umbrosum *Opiz* XIV. 672
virens *E. Mey.* XIV. 653
virgatum *Lam.* XIV. 672
virgatum Sond. XIV. 657
Vlassovianum Fisch. XIV. 646
Weickerianum Opiz XIV. 641
Wightianum *Wall.* XIV. 647
β radicans *Dc. fil.* - -
Zeyheri *Dc. fil.* XIV. 666
nr. 3790 *Zeyh.* XIV. 672
nr. 3792 *Zeyh.* XIV. 655
nr. 3801 *Eckl. & Zeyh.* XIV. 662
nr. 3804 *Zeyh.* XIV. 659
nr. 3811 *Zeyh.* XIV. 665
Thesium *sect.* Aetheothesium *Dc. fil.* XIV. 660
Chrysothesium *Jaub. & Spach* XIV. 638
Discothesium *Dc. fil.* XIV. 661

Thesium *sect.* Euthesium *Dc*

Frisea *Dc. fi*

Hagnothesium

Psilothesium

Thesiosyris R
XIV.

Thoa XVI. 2. 350 351
Thoa Aubl. XVI. 2. 348
edulis W. XVI. 2. 351
urens Aubl. XVI. 2. 351
urens Poepp. XVI. 2. 351
Thonningia *Vahl* XVII. 121
janeirensis Liebm. XVII.
mexicana Liebm. XVII. 1
sanguinea *Vahl* XVII. 14
Thottea *Kl.* XV. 1. 428, *R*

dependens *Kl.* XV. 1. 428
grandiflora *Rottb.* XV. 1.
Thottea *sect.* Lobbia *Duch*

Thottea *Duch*

Thottea *Duchart.* XV. 1.

Thuraria *Molin.* XVII. 298
Thurnheyssera Mart. XIV.
Tragopyrum Mart. XIV.
Thuya (*Thuja*) *Tourn.* XVI
456, *L.* XVI. 2. 442 4
Vahl XVI. 2. 452, *Poi*
438, *Rich.* XVI. 2. 46
XVI. 2. 453, *Gord.* XV
acuta Moench XVI. 2. 45
andina Poepp. XVI. 2. 4
antarctica hort. XVI. 2.
aphylla Burm. XVI. 2. 4
aphylla L. XVI. 2. 459
argentea hort. XVI. 2. 45
articulata Desf. XVI. 2.
articulata Vahl XVI. 2. 4
asplenifolia hort. XVI. 2.
aurea hort. XVI. 2. 459 4
australis hort. XVI. 2. 45
australis Poir. XVI. 2. 44
chilensis Don XVI. 2. 455
chinensis hort. XVI. 2. 45
compacta hort. XVI. 2. 4
coraeana hort. XVI. 2. 45
Craigana Murr. XVI. 2. 4
cuneata Domb. XVI. 2. 45
cupressoides hort. XVI. 2.

hrasti Bauh. XVI. 2. 458
ata hort. XVI. 2. 459 462
haffelti hort. XVI. 2. 462
ana Booth XVI. 2. 458
ana hort. XVI. 2. 458
is (Thujopsis) Sieb. & Zucc. XVI. 2. 367 460
is Carr. XVI. 2. 465
is hort. XVI. 2. 461
rata Sieb. & Zucc. XVI. 2. 460
ata nana Gord. XVI. 2. 460
ata variegata Gord. XVI. 2. 460
irens hort. XVI. 2. 460
ishii Gord. XVI. 2. 457 461
atskoy hort. XVI. 2. 461 465
LACEAE Lindl. XIV. 493
ea Tourn. XIV. 551 530,
m. XIV. 568 569 570 573
) 577 586, *Benth.* XIV. 521
pica Passerinae foliis &c. Breyn. XIV. 588
All. XIV. 532
Moench XIV. 558
tea Endl. XIV. 556
sis Lam. XIV. 551
ubescens Ten. - 552
ri Meisn. XIV. 552
ni Endl. XIV. 553
na Meisn. XIV. 555
da Scop. XIV. 532
cens Endl. XIV. 556
a Meisn. XIV. 552
um All. XIV. 538 558
um Reichenb. XIV. 553
um Scop. XIV. 533
folia Endl. XIV. 553
All. XIV. 554
ca Endl. XIV. 553
um All. XIV. 538 558
a Endl. XIV. 557
ulgaris Meisn. - -
olygalaefolia Endl. - -
otundifolia Meisn. - -
ngustifolia - - -
is fruticosa &c. Juss. herb. XIV. 553
ola Scop. XIV. 539 558
cum All. XIV. 558
cum Scop. XIV. 531
phylla Meisn. XIV. 556
Endl. XIV. 554

Thymelaea
nivalis *Meisn.* XIV. 555
orientalis *Meisn.* XIV. 557
praecox Gilib. XIV. 531 558
pubescens *Meisn.* XIV. 558
Sanamunda *All.* XIV. 553
β pubescens *Meisn.* - -
sericea Burm. XIV. 583
Tartonraira *All.* XIV. 556
β angustifolia *d'Urv.* - 556 557
γ calvescens *Gren. & Godr.* - -
Tartonraira β Thomasii Reichenb. XIV. 556
thesioides *Endl.* XIV. 553
β elliptica *Meisn.* - -
Thomasii Endl. XIV. 556
tinctoria *Endl.* XIV. 555
tomentosa *Endl.* XIV. 557
velutina *Meisn.* XIV. 555
villosa *Endl.* XIV. 554
virescens *Meisn.* XIV. 554
virgata *Endl.* XIV. 552
Thymelaea *sect.* Chlamydanthus *C. A. Mey.* XIV. 552
Lygia *Fasano* XIV. 551
Piptochlamys *C. A. Mey.* XIV. 557
THYMELAEACEAE Dene XIV. 601
THYMELAEACEAE *Meisn.* XIV. 493
THYMELAEAE Adans. XIV. 209 493
THYMELAEAE *Juss.* XIV. 495 496
Thymelina Hoffmannsg. XIV. 580
sericea Hoffmannsg. XIV. 583
simplex Hoffmannsg. XIV. 589
THYMELINEAE Dumort. XIV. 493
Thyrsine Gleditsch XVII. 107
Thysanella *A. Gray* XIV. 82
fimbriata *A. Gray* XIV. 82
Tiglium Kl. XV. 2. 513 600
Klotzschianum R. Wight XV. 2. 599
officinale Kl. XV. 2. 601
Tiglium Baill. XV. 2. 600 (Croton)
Til XV. 1. 118
Tildenia Miq. XVI. 1. 392
peruviana Miq. XVI. 1. 394
Tillecyaguirum XVI. 2. 611
TILIACEAE Spr. XVI. 2. 604
Tiliacora *Colebr.* XVII. 298
Timandra Kl. XV. 2. 513 596 647
dichotoma Kl. XV. 2. 647
erythroxyloides Kl. XV. 2. 596
serrata Kl. XV. 2. 647

Timandra Baill. XV. 2. 596 647 (Croton)
Timber sweet wood XV. 1. 165
Tinda parua Rheed. XVII. 219 243
Tiniaria *Meisn.* XIV. 84 135 (Polygonum)
Tjoebang dari aetan XVII. 23
Tirucalli XV. 2. 96
Tirucalli *Boiss.* XV. 2. 10 94 (Euphorbia)
TITHYMALEAE Kl. & Gke XV. 2. 70
TITHYMALI Adans. XV. 1. 413 XV. 2. 1 XVI. 1. 7
Tithymalioides Tourn. XV. 2. 4
TITHYMALOIDEAE Vent. XV. 2. 1 XVI. 1. 7
Tithymaloides laurocerasi folio Dill. XV. 2. 5
myrtifolius curassavicus Commel. XV. 2. 5
Tithymalopsis Kl. & Gke XV. 2. 7 66
angustifolia Kl. & Gke XV. 2. 67
corollata Kl. & Gke XV. 2. 66
sphaerorrhiza Kl. & Gke XV. 2. 68
Tithymalopsis *Boiss.* XV. 2. 9 66 (Euphorbia)
Tithymalus Tourn. XV. 2. 7, *Neck.* XV. 2. 7, *Scop.* XV. 2. 99, *Kl. & Gke* XV. 2. 7
acenocarpus Kl. & Gke XV. 2. 119
acutifolius Lam. XV. 2. 148
Adrianus Kl. & Gke XV. 2. 105
aizoides arborescens &c. Commel. XV. 2. 79 80 86 88 89
aizoides triangularis &c. Commel. XV. 2. 82
apiculatus Kl. & Gke XV. 2. 168
atrosanguineus Kl. & Gke XV. 2. 103
attenuatus Kl. & Gke XV. 2. 93
auriculatus Lam. XV. 2. 28
azoricus Kl. & Gke XV. 2. 146
Bergii Kl. & Gke XV. 2. 93
brachypus Kl. & Gke XV. 2. 95
Braunii Schweinf. XV. 2. 1264
Bridgesii Kl. & Gke XV. 2. 103
calyculatus Kl. & Gke XV. 2. 106
cebrinus (cerebrinus?) Kl. & Gke XV. 2. 146
Chesneyi Kl. & Gke XV. 2. 152
chilensis Kl. & Gke XV. 2. 103
chrysophyllus Kl. & Gke XV. 2. 104

Tithymalus
chrysophyllus β angustifo… & Gke XV
cinerascens Moench XV. 2
cognatus Kl. & Gke XV.
confertus Kl. & Gke XV.
crispus Haw. XV. 2. 93
declinatus Moench XV. 2.
denticulatus Moench XV. 2
Ecklonii Kl. & Gke XV. 2.
Elliottii Kl. & Gke XV. 2.
ellipticus Kl. & Gke XV. 2.
epicyparissias Kl. & Gke
erectus floribus &c. Sm…
erythrorrhizus Kl. & Gke X…
foliosus Kl. & Gke XV. 2. 6…
glaucus Moench XV. 2. 177
Hochstetterianus Kl. & Gke 2
huanchacanus Kl. & Gke XV
indicus Comm. XV. 2. 86
Ipecacuanhae Kl. & Gke XV.
laurocerasi folio &c. Dill. XV. 2.
longipetiolatus Kl. & Gke XV.
maritimus Lam. XV. 2. 167
Meyeri Kl. & Gke XV. 2. 116
multicaulis Kl. & Gke XV. 2.
Myrsinites &c. Pluk. XV. 409
myrtifolius curassavicus Com… XV.
nummularius Lam. XV. 2. 6…
orientalis latissimo folio … Tourn. XV. 2.
ovatus Kl. & Gke XV. 2. 167
pendulus Haw. XV. 2. 78
Philippianus Kl. & Gke XV.
plathyphyllos Clus. XV. 2. 6…
purpureus Lam. XV. 2. 172
repandus Haw. XV. 2. 178
revolutus Kl. & Gke XV. 2.
rupestris Lam. XV. 2. 10…
Seltoi Kl. & Gke XV. 2. 6…
silenifolius Haw. XV. 2. 6…
stenophyllus Kl. & Gke X…
suberenatus Kl. & Gke
Thwaitesii Kl. & Gke XV.
truncatus Kl. & Gke XV.

Haw. XV. 2. 93
aphyllus &c. Burm. XV. 2. 74
I. & Gke XV. 2. 95
Boiss. XV. 2. 10 99 (Euphorbia)
Kl. XV. 1. 278 291
Hassk. XV. 1. 399
Kl. XV. 1. 291
ana Regel XV. 1. 295
I. XV. 1. 291
Dc. fil. XV. 1. 291 (Begonia)
I. 2. 341
lernand. XVII. 37
I. 2. 498
a Rheed. XVI. 2. 525 526
Tokpray XV. 2. 956
. 96
VII. 298, *Thbg* XV. 1. *et.* XV. 1. 228, *Forsk.* XVII. 30
l. XV. 1. 229
amilt. XV. 1. 205
rsk. XVII. 31
Thbg XV. 1. 181
Tornem. XV. 1. 229
W. herb. XV. 1. 189
V. XV. 1. 178 179
ra W. XV. 1. 178
L. XVII. 298
hne *Bl.* XV. 1. 181 (Tetranthera)
is. XVII. 298
243
243
Nomi XVI. 2. 417
i. XVI. 2. 368 504
Torr. XVI. 2. 506
ortune XVI. 2. 505
ii Knight XVI. 2. 506 519
hort. XVI. 2. 506
Hook. XVI. 2. 506
Sieb. & Zucc. XVI. 2. 505
Arn. XVI. 2. 505
o v. Tora XIV. 331
. 2. 514
170
Gaudich. XVI. 1. 235[13]
ma Bl. XVI. 1. 235[26]
Gaudich. XVI. 1. 235[12]
I. 2. 360

Tournesolia Scop. XV. 2. 746
Touroulia Aubl. XVII. 298
Tovara Adans. XIV. 83 101 112
Tovaria *R. & Pav.* XVII. 298
pendula *R. & Pav.* XVII. 298
Towai XVII. 236
Toxicodendron Thbg XV. 2. 479
capense Thbg XV. 2. 480
Toxotrophis rectinervis F. Müll. XVII. 208 (*errore pro Taxotrophis*)
Trachelanthus Kl. XV. 1. 278 388
attenuatus Kl. XV. 1. 388
rhizocarpus Kl. XV. 1. 388
Trachelocarpus C. Müll. XV. 1. 278 388
Trachelocarpus *Dc. fil.* XV. 1. 388 (Begonia)
Trachycaryon Kl. XV. 2. 889 892
Cunninghamii F. Müll. XV. 2. 890
β tomentosum - - - -
β glabrum - - - 891
Hookeri F. Müll. XV. 2. 891
β tomentosum - - - -
γ glabriusculum - - - -
Klotzschii F. Müll. XV. 2. 892
Labillardieri Kl. XV. 2. 892
Trachycaryon Baill. XV. 2. 892 (Adriana)
Trachytheca Nutt. XIV. 7
Traganthus Kl. XV. 2. 915 924
sidoides Kl. XV. 2. 924
Traganthus *Müll. Arg.* XV. 2. 924 (Bernardia)
Tragatraphaxis *Jaub. & Spach* XIV. 76 (Atraphaxis)
Tragia *Müll. Arg.* XV. 2. 927, *Plum.* XV. 2. 927 932, *Thbg* XV. 2. 925, *Vahl* XV. 2. 1164 1166, *Wall.* XV. 2. 926 988, *W.* XV. 2. 913, *Jacq.* XV. 2. 913, *Kl.* XV. 2. 915 918, *Schlecht.* XV. 2. 745, *Hochst.* XV. 2. 1201 1213, *Auct.* XV. 2. 938
adenanthera *Baill.* XV. 2. 938
angolensis *Müll. Arg.* XV. 2. 940
angustifolia Benth. XV. 2. 939
angustifolia *Müll. Arg.* XV. 2. 939
α furialis - - - -
β genuina - - - -
γ hastata - - - -
angustifolia Nutt. XV. 2. 934
arabica Baill. XV. 2. 942
arborea Commers. XV. 2. 852 948

Tragia
babiensis *Müll. Arg.* XV. 2. 935
Baillouiana *Müll. Arg.* XV. 2. 927
betonicaefolia *Müll. Arg.* XV. 2. 930
bicolor Mig. XV. 2. 943
bicornis Vahl, A. Juss. XV. 2. 948 1173
Boiviniana *Müll. Arg.* XV. 2. 946
cannabina L. XV. 2. 944
cannabina Thwait. XV. 2. 944
capensis E. Mey. XV. 2. 938
capensis Thbg XV. 2. 926 948
castaneaefolia Baill. XV. 2. 850
castaneaefolia Juss. XV. 2. 948
Chamaelea L. XV. 2. 948 1175
chlorocaulon *Baill.* XV. 2. 932
colorata Commers. XV. 2. 948
colorata Poir. XV. 2. 850
cordata Mx XV. 2. 934
cordata A. Rich. XV. 2. 942
cordata Vahl XV. 2. 941
cordata Wall. XV. 2. 943
cordifolia *Benth.* XV. 2. 944
corniculata Vahl XV. 2. 948 1173
cuneata *Müll. Arg.* XV. 2. 929
diffusa Vell. XV. 2. 936
dioica Sond. XV. 2. 941
discolor *Müll. Arg.* XV. 2. 946
α subovalis – – – –
β cuneata – – – –
a latifolia – – – –
b lanceolata – – – –
γ linearis – – – 947
elliptica Hochst. XV. 2. 948 1216
erosa Hochst. XV. 2. 948
fallax *Müll. Arg.* XV. 2. 929
Fendleri *Müll. Arg.* XV. 2. 928
filiformis Poir. XV. 2. 867 948
fruticosa Commers. XV. 2. 849 948
furialis Boj. XV. 2. 939
Gayana Baill. XV. 2. 936
geraniifolia *Baill.* XV. 2. 933
gracilis *Griseb.* XV. 2. 935
grandifolia Kl. XV. 2. 918 948
haguensis Goud. XV. 2. 936 *(est T. ibaguensis Goud.)*
hastata Reinw. XV. 2. 926 948
hexandra Jacq. XV. 2. 914 948
hirsuta *Bl.* XV. 2. 937
hispida W. XV. 2. 943
ibaguensis Goud. XV. 2. 936
incana *Baill.* XV. 2. 935
incana Kl. XV. 2. 935

Tragia
infesta *Mart.* XV. 2. 937
innocua Walt. XV. 2. 947
integerrima Hochst. XV. 2.
integrifolia W. XV. 2. 948
interrupta Spr. XV. 2. 943
involucrata Boj. XV. 2. 943
involucrata Jacq. XV. 2. 9
involucrata L. XV. 2. 944
involucrata *Müll. Arg.* XV.
α Rheediana – –
β cordata – –
γ hispida – –
δ genuina – –
ε intermedia – –
ζ cannabina – –
involucrata β mollissima Tho XV.
Kirkiana *Müll. Arg.* XV. 2.
laciniata *Müll. Arg.* XV. 2.
laminularis *Müll. Arg.* XV.
Lessertiana *Müll. Arg.* XV.
linearifolia Ell. XV. 2. 947
lobata Wall. XV. 2. 950 94
macrocarpa W. XV. 2. 954
macrophylla Wall. XV. 2. 955 94
Manniana *Müll. Arg.* XV. 2.
marginata Poir. XV. 2. 868
Mercurialis L. XV. 2. 730
Mercurialis Wall. XV. 2. 9
mexicana *Müll. Arg.* XV. 2.
Meyeriana *Müll. Arg.* XV. 2
α hirsuta – –
β glabrata – –
minor Sond. XV. 2. 940
Miqueliana *Müll. Arg.* XV.
α bicolor – –
β unicolor – –
mitis Hochst. XV. 2. 943
mitis *Müll. Arg.* XV. 2. 94
α Kirkii – – – –
β genuina – – – –
γ oblongifolia – – – –
δ arabica – – – –
muammarensis *Baill.* XV. 2.
monadelpha *Thonning* XV.
monandra Baill. XV. 2. 9
montana *Müll. Arg.* XV. 2.
natalensis Hochst. XV. 2.
natalensis *Sond.* XV. 2. 94
nepetaefolia Cav. XV. 2. 9
nepetaefolia *Müll. Arg.* 1

secta *Müll. Arg.* XV. 2. 933
ifolia - - - 934
blyodonta - - - -
erifolia - - - -
nosa - - - -
nuina - - - -
tellarinaefolia - - - -
gustifolia - - - -
Hollandiae *Müll. Arg.* XV. 2. 929
a Vahl XV. 2. 849 948
t Poir. XV. 2. 948
ulata Pal. Beauv. XV. 2. 936
Vell. XV. 2. 937
Vell. XV. 2. 948 1173
A. Juss. XV. 2. 932
Müll. Arg. XV. 2. 931
s W. XV. 2. 914 948
s Müll. Arg. XV. 2. 941
Torr. XV. 2. 930 934
var. leptophylla Torr. XV. 2. 930
ata Poir. XV. 2. 851 948
Wall. XV. 2. 926 948 (*bis*) 995
is Müll. Arg. XV. 2. 940
nuina - - - -
abrata *Sond.* - - -
nor *Müll. Arg.* - - -
ata - - - 941
is Sond. XV. 2. 940
folia Boj. XV. 2. 889 948
ns Müll. Arg. XV. 2. 931
riaefolia Scheele XV. 2. 934
iana *Müll. Arg.* XV. 2. 928
lensis *Müll. Arg.* XV. 2. 938
Poepp. & Endl. XV. 2. 936
ata *Benth.* XV. 2. 945
Müll. Arg. XV. 2. 930
ifolia - - - -
gustifolia - - - -
tophylla - - - -
ata *Poepp. & Endl.* XV. 2. 937
lia *Benth.* XV. 2. 945
Wall. XV. 2. 870 948
olia Scheele XV. 2. 934
Müll. Arg. XV. 2. 947
mila - - - -
nuina - - - -
laris Vell. XV. 2. 936

Tragia
trifida Wall. XV. 2. 944
urens L. XV. 2. 947
urens Mx XV. 2. 946
urens Walt. XV. 2. 946
urens α subovalis Mx XV. 2. 946 (*bis*)
urens β lanceolata Mx XV. 2. 947
urens γ linearis Mx XV. 2. 947
urticaefolia *Mx* XV. 2. 934 (*bis*)
urticaefolia Torr. XV. 2. 934 (*bis*)
urticaefolia var. laciniata Torr. XV. 2. 933
villosa Thby XV. 2. 864 948
volubilis Lam. XV. 2. 936
volubilis L. XV. 2. 936
volubilis Mx XV. 2. 934
volubilis *Müll. Arg.* XV. 2. 935
α grandifolia - - - 936
β Serra - - - -
γ genuina - - - -
δ lanceolata - - - -
ε triangularis - - - -
Tragia *sect.* Adenotragia *Müll. Arg.* XV. 2. 929
Agirta *Müll. Arg.* XV. 2. 946
Bia *Müll. Arg.* XV. 2. 928
Eutragia *Müll. Arg.* XV. 2. 932
Lassia *Müll. Arg.* XV. 2. 931
Leptobotrys *Müll. Arg.* XV. 2. 946
Leucandra *Müll. Arg.* XV. 2. 929
Ratiga *Müll. Arg.* XV. 2. 931
Seidelia *Müll. Arg.* XV. 2. 947
Tagira *Müll. Arg.* XV. 2. 938
Zückertia *Müll. Arg.* XV. 2. 927
Tragiopsis (non Fragiopsis XVII. 483) *Karst.* XV. 2. 1166
fruticulosa Karst. XV. 2. 1172
Tragopyrum MB. XIV. 74 77, *Spr.* XIV. 79
Billardieri Endl. XIV. 77
buxifolium MB. XIV. 78
buxifolium Kar. & Kir. XIV. 77
buxifolium var. Kar. & Kir. XIV. 78

Tragopyrum
canescens Presl XIV. 76
compactum Presl XIV. 76
glaucum Lessing XIV. 78
glaucum Spr. XIV. 78
grandiflorum MB. XIV. 79
laetevirens Ledeb. XIV. 77
lanceolatum MB. XIV. 78
lanceolatum Turcz. XIV. 78
linearifolium Auct. per XIV. 79
polygamum Spr. XIV. 79
pumilum MB. XIV. 78
pumilum Spr. XIV. 78
rotundifolium Presl XIV. 75
spinosum Presl XIV. 75
Tournefortii Endl. XIV. 77
Tragopyrum *Jaub. & Spach* XIV. 77 (Atraphaxis)
Tragos s. Uva marina major Lobel. XVI. 2. 356
Tragus s. Uva marina major Cupan. XVI. 2. 357
Traro-tsoqui XIV. 7**
Treculia *Dene* XVII. 281 285
Treisia Haw. XV. 2. 7**5 89
clava Haw. XV. 2. 89
hystrix Haw. XV. 2. 90
Trema Lour. XVII. 195
amboinensis Bl. XVII. 199
Burmanni Bl. XVII. 200
cannabina Lour. XVII. 195
carinata Bl. XVII. 202
Commersonii Bl. XVII. 198
imbricata Bl. XVII. 199
melinoxa Bl. XVII. 204
morifolia Bl. XVII. 196
pallida Bl. XVII. 196
punctata Bl. XVII. 197
rigida Bl. XVII. 200
scabrerrima Bl. XVII. 202
velutina β membranacea Bl. XVII. 199
γ suberenulata - - -
δ minor - - -
ε densiflora - - -
ζ rufescens - - -
virgata Bl. XVII. 196
virgata γ microphylla Bl. XVII. 196
Trendelenburgia Kl. XV. 1. 278 374
fruticosa Kl. XV. 1. 374
Trendelenburgia *Dc. fil.* XV. 1. 374 (Begonia)
Trewia *L.* XV. 2. 953, *Bl.* XV. 2. 899, *W.* XV. 2. 956 961, *Spr.* XV. 2. 1116 1120
Trewia
africana Baill. XV. 2. 7**
discolor Rees XV. 2. 9*
hernandiifolia Rees XV. 2. 9*
Incophyllum Spr. XV. 2. 9* 1**
macrophylla B. XV. 2. 9**
macrophylla Roxb. XV. 2. 9*
macrostachya L. XV. 2. 9*
nudiflora L. XV. 2. 9*
pubescens Rees XV. 2. 9*
ruscifolia Roxb. XV. 2. 9*
tricuspidata W. XV. 2. 9** 9**
TREWIACEAE Lindl. XV. 2. 9**
Triadica Lour. XV. 2. 121 1**
1**
cochinchinensis Lour. XV. 2. 1**
japonica Baill. XV. 2. 1**
sinensis Lour. XV. 2. 1**
Triadica Baill. XV. 2. 1** 1**
Triadica *Müll. Arg.* XV. 2. 1** 1**
Triadica Müll. Arg. XV. 2. 1** 1**
Trianthema Spr. XV. 2. 11*
dubium Spr. XV. 2. 11*
TRICARICEAE Fenzl 7*
1**
Tricarium *Tricaryum Lour.* XV. 2. 7**
cochinchinense Lour. XV. 2. 7**
Tricera Sw. XVI. 1. 14. XV. 2. 7** Adans. XV. 2. 7**
acuminata Griseb. XVI. 1. 7*
citrifolia W. XVI. 1. 7*
cordifolia W. XVI. 1. 7*
cubana A. Rich. XVI. 1. 7*
fasciculata Griseb. XVI. 1. 7*
glomerata Griseb. XVI. 1. 7*
gonoclada Wight XVI. 1. 7*
lacvigata Sw. XVI. 1. 7**
laevigata W. XVI. 1. 7*
microphylla Griseb. XVI. 1. 7*
nepalensis Wall. XVI. 1. 7*
retusa Griseb. XVI. 1. 7*
Tricera *Baill.* XVI. 1. 14. 7**
Tricerastes *Presl* XV. 1. 42*
glomerata Presl XV. 1. 42*
Tricercandra A. Gray XV. 1. 7**
Fortunei A. Gray XV. 1. 7**
quadrifolia A. Gray XV. 1. 7**
Tricherostigma Kl. & Gk. XV. 1. 7**
californicum Kl. & Gke XV. 1. 7**

XIII. 1. 322
III. 1. 324
1. 240
XIII. 1. 97
c. XIII. 1. 251
XIII. 1. 56
II. 1. 327
II. 1. 372
I. 1. 58
I. 1. 56
I. 1. 51
III. 1. 56
ns R. & Schult. XIII. 1. 35
II. 1. 310
III. 1. 180
III. 1. 336
XIII. 1. 359
II. 1. 334
III. 1. 310
t XIII. 1. 163
- - 164
XIII. 1. 67
II. 1. 171
- -
- -
XIII. 1. 303
II. 1. 303
XIII. 1. 331
1. 190
Pav. XIII 1. 387 400
XIII. 1. 73
I. 1. 234
ling. XIII. 1. 59
. XIII. 1. 326
ndtn. XIII. 1. 37
. 1. 326
XIII. 1. 373
III. 1. 206
II. 1. 176
1. 220
III. 1. 220
1. 50
. 1. 334
r. XIII. 1. 376
Don XIII. 1. 374
Schult. XIII. 1. 350
III. 1. 268
- - 269
. XIII. 1. 327

Solanum
xanthocarpum *Schrad.* XIII. 1. 302 682
α Schraderi - - -
β Jacquini - - -
xylopinefolium *Dun.* XIII. 1. 179
xylorhagodes *Schrank* XIII. 1. 376
xylostoideum Moric. XIII. 1. 158
zeylanicum Scop. XIII. 1. 368
zeylanicum &c. Pluk. XIII. 1. 200
Zollingeri *Dun.* XIII. 1. 176
β multiflorum - - -
Zuccagnianum *Dun.* XIII. 1. 350
β allogonum - - 351
Spec. Schlecht. XIII. 1. 80
№ 124 *Lhotzki* XIII. 1. 146
„ 200 *Lund* XIII. 1. 458
„ 2419 *Poepp.* XIII. 1. 431
Soldanella *L.* VIII. 58
alpina *L.* VIII. 58
Clusii *Gaud.* VIII. 58
minima *Hopp.* VIII. 58
montana W. VIII. 58
pusilla Baumg. VIII. 58
Solenandra PB. VII. 776 *Pers.* VII. 776
cordifolia Mx. VII. 776
Solenanthis Kth. Dc. fil. VII. 412 (Isotoma)
Solenanthus *Ledeb.* X. 163
angustifolius *Fisch. & Mey.* X. 165
apenninus *Hoken.* X. 164
baicalensis *Dc.* X. 166
Bieberstelnii *Dc.* X. 165
brachystemon *Fisch. & Mey.* X. 164
circinatus *Ledeb.* X. 164
conglobatus *Dc. fil.* X. 166
dubius Hohen. X. 165
lanatus *Dc. fil.* X. 165
mollissimus *Dc.* X. 166
nigricans *Fisch. & Mey.* X. 165
petiolaris *Dc.* X. 164
tenuiflorus *Fisch. & Mey.* X. 165
Tournefortii *Dc.* X. 164
Soleniscia *Dc.* VII. 737
elegans *Dc.* VII. 738
Solenopsis Presl VII. 409
Bivonneana Presl VII. 410
canariensis Presl VII. 410
Dregeana Presl VII. 411
Laurentia Presl VII. 410
minuta Presl VII. 410

Solenopsis
minuta var. *Presl* VII. 410
Selysiana Presl VII. 410
Solenostemma Hayne VIII. 533
Argel Hayne VIII. 533
Solenostemon Bth. XII. 72 (Coleus)
Solenostemon Schum. XII. 70
ocimoides Schum. XII. 74
Solenostigma Klotzsch XII. 605 XIII. 1. 581
Kreutzii Klotzsch XIII. 1. 582
Somninia Reich. VIII. 549
Mentiesii Desv. VIII. 589
Sophronanthe Bth. X. 402 405 (Gratiola)
hispida Bth. X. 405
Sopubia Hamilt. X. 508 521 *G. Don* X. 521
delphinifolia *G. Don* X. 522
β parviflora *Bth.* - -
Dregeana Bth. X. 522
filiformis *G. Don* X. 523
obtusifolia *G. Don* X. 523
ramosa *Hochst.* X. 522
scabra *G. Don* X. 523 521
stricta *G. Don* X. 522
trifida *Hamilt.* X. 522
β Perrottetii *Bth.* - -
γ madagascariensis - -
Soremo Lindl. XIII. 1. 11
acuminata Miers XIII. 1. 121
atriplicifolia Lindl. XIII. 1. 11
cordata Remy XIII. 1. 13
lanceolata Miers XIII. 1. 12
linearis Miers XIII. 1. 13
littoralis Miers XIII. 1. 12
longifolia Miers XIII. 1. 12
paradoxa Lindl. XIII. 1. 11
Soremo Miers XIII. 1. 11 (Nolana)
Soumbe XIII. 1. 300
Sparattosperma Mart. IX. 203
lithontripticum *Mart.* IX. 203
psammophilum *Mart.* IX. 203
Sparthothamnus A. Cunn. XI. 702 705
juncens *A. Cunn.* XI. 705
Spathodea RBr. IX. 203 *Cham.* IX. 203 *Spr. Don* IX. 210
adenantha *Don* IX. 207
adenophylla *Dc.* IX. 206 204
alternifolia *RBr.* IX. 209
amoena *Dc. fil.* IX. 208
atrovirens *Spr.* IX. 206
bracteosa *Dc.* IX. 208
campanulata *PB.* IX. 208
campanulata *Hamilt.* IX. 206
Spathodea
Candollenna *Mart.* IX. 20
β lanceolata *Dc.* - 2
Coito *Dc.* IX. 204
comosa *G. Don* IX. 209
corymbosa *Vent.* IX. 204
crispa *Wall.* IX. 206
β petiolulosa *Dc.* - -
Dolichandra *Dc.* IX. 205
falcata *Wall.* IX. 206
filiformis *Dc.* IX. 209
fraxinifolia *H. B. & Kth.*
gigantea *Blum.* IX. 207
glandulosa *Blum.* IX. 227
heterophylla *RBr.* IX. 207
hispida *Dc.* IX. 205
indica Pers. IX. 209 177
laeta Wall. IX. 171
laevis *PB.* IX. 208
laurifolia *H. B. & Kth.* I
longiflora Pers. IX. 206
longiflora Vent. IX. 206
Loureiriana *Dc.* IX. 209
magnolioides *Cham.* IX. 2
Mansoana Dc. IX. 209
montana Spr. IX. 209 212
obovata *H. B. & Kth.* IX.
obtusifolia *Cham.* IX. 209
orinocensis *H. B. & Kth.* I
Pisoniana *Dc.* IX. 209
platypoda *Dc.* IX. 204
podopogon *Dc.* IX. 205
Rheedii Spr. IX. 206
Rheedii *Wall.* IX. 206 204
Roxburghii Spr. IX. 209 2
Schomburgkii *Dc.* IX. 207
serrulata *Dc.* IX. 206
speciosa *Bronn.* IX. 563
stipulata *Wall.* IX. 206 20
tenuifolia Boj. IX. 208
tulipifera *G. Don* IX. 207
unguata *Spr.* IX. 205
unciuata Spr. IX. 209 1
vernicosa *Cham.* IX. 205
zanzibarica *Boj* IX. 1
Spathostigma Bth. X. 380
Specularia *Heist.* VII. 489
ron *Dc. fil.* VII. 490
falcata *Dc. fil.* VII. 4
β scabra - - 490
ghilanensis *Dc. fil.* VII. 4
hybrida *Dc. fil.* VII. 490
pentagonia *Dc. fil.* VII. 4
β pubescens - -
perfoliata *Dc. fil.* VII. 490

um *Dc. fil.* VII. 490
ycina - -
bescens - -
motica - -
veneris *Ger. h.* VII. 489
veneris &c. *Guss.* VII. 490
veneris *fol. ampl. Rai* VII. 489
veneris *majus &c. Sloan.* XI. 143
veneris *perfoliatum Rai* VII. 491
a Vahl VIII. 634
Bth. XII. 151 254
Bth. XII. 257
Bth. XII. 255
ulata *Bth.* XII. 255
a *Bth.* XII. 256
lia *Bth.* XII. 257
oda *Bth.* XII. 254
lia *Bth.* XII. 254
i *Bth.* XII. 255
i bot. mag. XII. 255
na *S. Schauer* XII. 257
Bth. XII. 256
ata *Bth.* XII. 256
ra *Bth.* XII. 256
Bth. XII. 257
folia *Bth.* XII. 256
a *St. Hil.* XII. 254
tata *Bth.* XII. 255
ra *Bth.* XII. 257
osa *Bth.* XII. 256
esma *Jack* XI. 621 622
Schauer XI. 623
a *Schauer* XI. 622
dra Jack XI. 622
ulata *Schauer* XI. 623
iana *Schauer* XI. 622
tachys Boiss. XII. 664 (Statice)
eca Bth. X. 390 (Conobea)
eca Cham.&Schlecht. X. 390
ides Cham.&Schlecht. X. 391
ra *Bth.* X. 341 353
Bth. X. 353
a Gaertn. VII. 548
um *Dc.* VII. 548
a Gaertn. VII. 548
LEACEAE *Mart.* VII. 548
na *Sweet* VII. 770 *RBr.* VII. 770
um *Lindl.* VII. 771
Sweet VII. 771
sum *Don* VII. 771

Sphondylia Duby VIII. 34 (Primula)
Sphondylococcum Mitch. XI. 640 643
Sphyrospermum *Poepp. & Endl.* VII. 794
buxifolium *Poepp. & Endl.* VII. 794
Spica Bth. XII. 145 (Lavandula)
Spicaria Bth. XII. 87 (Hyptis)
Spicaria Griseb. IX. 60 (Erythraea)
Spielmannia *Medik.* XI. 525
africana W. XI. 526
decurrens Moench XI. 526
desertorum Eckl. & Zeyh. XI. 526
Jasminum *Medik.* XI. 526
β nitida - -
revoluta *E. Mey.* XI. 526
SPIELMANNIEAE *Schauer* XI. 524 525
Spigelia *L.* IX. 3
anthelmia *L.* IX. 7
β peruviana *Dc.* -
γ obliquinervia - - -
anthelmia R. & Pav. IX. 7
Beyrichiana *Cham. & Schlecht.* IX. 6
Blanchetiana *Dc.* IX. 4
Flemmingiana *Cham. & Schlecht.* IX. 7
fruticulosa *Lam.* IX. 8
gentianoides *Chap. ms.* IX. 5
glabrata Mart. IX. 4
gracilis *Dc.* IX. 6
hamelioides *H. B. & Kth.* IX. 4
hedyotidea *Dc.* IX. 7
Humboldtiana *Cham. & Schlecht.* IX. 5
humilis *Bth.* IX. 8
laurina *Cham. & Schlecht.* IX. 4
linarioides *Dc.* IX. 6
loganioides *Dc.* IX. 4
Lundiana *Dc.* IX. 3
macrophylla *Dc.* IX. 8
Martiana *Cham.* IX. 6
marylandica *L.* IX. 5
mexicana *Dc.* IX. 7
multispica *Steud.* IX. 560
nervosa *Steud.* IX. 560
Olfersiana *Cham. & Schlecht.* IX. 3
pauciflora *Dc.* IX. 7
pedunculata *R. & Schult.* IX. 5
pulchella *Mart.* IX. 6
pulverulenta Mart. IX. 3
pusilla *Mart.* IX. 7
rubiaefolia *Dc.* IX. 8
scabra *Cham. & Schlecht.* IX. 6
scabrella *Bth.* IX. 5

Spigelia
Schlechtendaliana *Mart.* IX. 6
Schomburgkiana *Bth.* IX. 8
Selloi Spr. IX. 3
Sellowiana *Cham. & Schlecht.* IX. 3
spartioides *Cham. & Schlecht.* IX. 4
speciosa *H. B. & Kth.* IX. 4
texana *Dc.* IX. 5
SPIGELIACEAE Mart. IX. 2
SPIGELIEAE *Meisn.* IX. 2.
Spinachia Decouv. XIII. 2. 117
Spinacia *Tourn.* XIII. 2. 44 117
divaricata *Turtsch.* XIII. 2. 118
fera L. XIII. 2. 117 107
glabra *Mill.* XIII. 2. 118
β latifolia - - -
inermis Moench XIII. 2. 118
minor *C. Koch* XIII. 2. 118
oleracea L. XIII. 2. 118
oleracea *Mill.* XIII. 2. 118
γ farinosa - - -
β Roxburghiana - - 461
oleracea β L. XIII. 2. 118
spinosa Moench XIII. 2. 118
spinosa β farinosa C. Koch XIII. 2. 118
tetrandra Roxb. XIII. 2. 461
tetrandra *Stev.* XIII. 2. 118
SPINACIEAE *Dumort* XIII. 2. 44 88
Spinacina Moq. XIII. 2. 114
Spiragyne Neck. IX. 101
Spiranthera Boj. IX. 348
peltata Boj. IX. 359
pentaphylla Boj. IX. 339
Turpethum Boj. IX. 360
SPIROLOBEAE *C. A. Mey.* XIII. 2. 46 152
Spironema Hochst. XI. 675
myricoides Hochst. XI. 675
Spirostigma *Nees* XI. 303 308
hirsutissimum *Nees* XI. 308
Sporledera *Bernh.* IX. 252
Kraussiana *Bernh.* IX. 253
triloba *Bernh.* IX. 252
Sprengelia *Sm.* VII. 768 *Schult.* VII. 768
incarnata *Sm.* VII. 768
β longifolia *Dc.* - -
montana *RBr.* VII. 768
propinqua *A. Cunn.* VII. 768
Springalia Andr. VII. 768
Squamaria Hall. XI. 40
Orobanche Scop. XI. 41
Stachyacanthus *Nees* XI. 100 168
Riedelianus *Nees* XI. 169

STACHYDEAE Bth. XII. 29
Stachymacris A. Hamilt. XI (Scrib
Stachyobotrys Bth. XII. 381 (
Stachyotypus Dumort. XII. 49
Stachys *L.* XII. 462 *Bth.* XI *Hoffm. & Link* XI
acerosa *Boiss.* XII. 487
acutifolia Bory & Chaub.
aegyptiaca *Pers.* XII. 491
aethiopica *L.* XII. 476
affinis Bunge XII. 470
affinis *Fresen* XII. 490
agraria *Cham. & Schlecht.*
β glabrior XII. 479
ajugoides *Bth.* XII. 474
alba Mill. XII. 464
albicaulis Bert. XII. 473
albicaulis *Lindl.* XII. 473
Aleurites *Boiss. & Bal.*
Alopecurus Bth. XII. 496
alpina *L.* XII. 465
β intermedia - -
ambigua Sm. XII. 470
angustifolia *MB.* XII. 486
angustifolia Pall. XII. 470
annua *L.* XII. 481
annua Sm. XII. 484
arabica *Horn.* XII. 482
arenaria *Vahl* XII. 485
argentea Tausch XII. 464
argolica *Boiss.* XII. 488
Artemisiae Lour. XII. 496
arvensis *L.* XII. 477
arvensis Walt. XII. 471
arvensis γ purpurea Per
aspera *Mx.* XII. 471
β glabrata - -
aspera Nutt. XII. 471
Aucheri *Bth.* XII. 487
aurea *Bth.* XII. 492
baicalensis *Fisch.* XII. 47
Balbisii Link XII. 484
barbata Lapeyr. XII. 463
barbigera *Vis.* XII. 496
betaefolia *Pers.* XII. 496
Betonica Bth. XII. 496 4
Betonica Crantz XII. 481
betonicaefolia Desf. XII. 5
betonicaefolia Pers. XII. 4

is hort. Haen. XII. 464
is Roth XII. 464
a Hook. & Arn. XII. 496
nica *Boiss.* XII. 462
tensis *H. B. & Kth.* XII. 490
ginoides Bth. XII. 467
ginoides *Cham. & Schl.* XII. 468
iata *Boj.* XII. 476
ii *Bth.* XII. 463
iensis hort. XII. 478
gesii *Bth.* XII. 474
sia *Thuill.* XII. 484
ta *Bth.* XII. 474
hellii *Bth.* XII. 493
i *E. Mey.* XII. 495
braica *Bth.* XII. 469
riensis Jacq. XII. 470
ida Bth. XII. 475 (*bis*)
ida *Bory & Chaub.* XII. 475
chrysantha – –
scens *Bory & Chaub.* XII. 495
nsis *Presl* XII. 496
nalis Kze XII. 467
issonis *Bth.* XII. 468
nsis *Bunge* XII. 471
otica *Hook. fil.* XII. 469
tantha Boiss. & Heldr. XII. 475
a *Dougl.* XII. 467
ea hort. XII. 465
nnata *L'Herit.* XII. 474
a *Boiss. & Heldr.* XII. 490
nea Hook. & Arn. XII. 474
nea *Jacq.* XII. 467
nea Kze XII. 467
ilea *Burch.* XII. 495
sta Durv. XII. 485
ca *Pers.* XII. 477
ca *Forsk.* XII 463
ca *L.* XII. 464 465
ca latifolia &c. Tourn. XII. 495
sta *Banks h.* XII. 493
flora Tausch XII. 465
antha Raf. XII 464
is *H. B. & Kth.* XII. 490
ndentata Forsk. XII. 496 526
nbens Reich. XII. 484
nbens W. XII. 463
flora Bth. XII. 497 460
culata *Burch.* XII. 493

Stachys
deserti *Bth.* XII. 494
discolor Bth. XII. 497
distans *Bth.* XII. 472
divaricata Viv. XII. 482
Dregeana *Bth.* XII. 494
Drummondii *Bth.* XII. 478
elliptica *H. B. & Kth* XII. 472
elliptica Poepp. XII. 473
elongata hortul. XII. 465
eriantha *Bth.* XII. 479
excelsa hortul. XII. 465
excelsa Mart. & Gal. XII. 480
flavescens *Bth.* XII. 493
floccosa *Bth.* XII. 465
floribunda *Montbr. & Auch.* XII. 490
floridana *Shuttlew.* XII. 478
fluminensis Vell. XII. 533
Foeniculum Pursh XII. 497 369
foetida *Vitm* XII. 496
foliosa *Bth.* XII. 493
fragilis Vis. XII. 484
fruticulosa *MB.* XII. 486
Galeottii *Martens* XII. 479
garipina *Bth.* XII. 493
germanica *L.* XII. 464
Gilliesii *Bth.* XII. 473
glaucescens Mussin XII. 470
glutinosa *L.* XII. 487
glutinosa Sm. XII. 484
graciliflora *Presl* XII. 496
Grahami Bth. XII. 479
grandidentata *Lindl.* XII. 473
grandiflora Bth. XII. 497 461
grandiflora Host XII. 483
grandifolia *E. Mey.* XII. 475
heraclea *All.* XII. 463
β lutea – –
heterophylla Moench XII. 464
hirsuta *H. B. & Kth.* XII. 468
hirta *L.* XII. 481
hispida Pursh XII. 471
humifusa *Burch.* XII. 476
hypoleuca Hochst. XII 491
hyssopifolia *Mx.* XII. 471
hyssopifolia Vahl h. XII. 494
hyssopoides *Burch* XII. 495
iberica MB. XII. 485
inflata *Bth.* XII. 491
inscripta Reich. XII. 482
integrifolia *Vahl h.* XII. 492
intermedia Ait. XII. 465
intermedia hortul. XII. 465
intermedia Ten. XII. 463

Stachys
italica *Mill.* XII. 464
β pungens – –
jugalis Burch. XII. 494
Iva *Griseb.* XII. 489
Keerlii *Bth.* XII. 480
Kotschyi *Boiss.* XII. 491
kurdica *Boiss.* XII. 485
Lamarckii *Bth.* XII. 492
lamioides *Bth.* XII. 468
lanata *Jacq.* XII. 463
lanata Moench XII. 491
lasiantha Guss. XII. 497
latifolia Ait. XII. 474
lavandulaefolia *Vahl* XII. 489
leucoglossa *Griseb.* XII. 484
libanotica *Bth.* XII. 462
Lindenii *Bth.* XII. 467
linearis *Burch.* XII. 494
longifolia Bth. XII. 497 461
lusitanica Stend. XII. 464
Lyallii *Bth.* XII. 477
macilenta *E. Mey.* XII. 495
Macraei *Bth.* XII. 473
macrocheilos *Boiss.* XII. 486
maritima Jacq. XII. 483
maritima *L.* XII. 483
marrubiifolia *Viv.* XII. 479
mauritanica Sieb. XII. 456
mauritiana Pers. XII. 497
mediterranea Vell. XII. 535
melissaefolia *Bth.* XII. 466
menthaefolia *Vis.* XII. 482
messeniaca *Boiss.* XII. 475
mexicana *Bth.* XII. 469
Meyeni *Walp.* XII. 479
mollis *W. k.* XII. 475
mollissima *W.* XII. 463
Montbretii *Bth.* XII. 462
mucronata *Sieb.* XII. 487
multicaulis *Bth.* XII. 486
multiflora *Bth.* XII. 492
nepetaefolia *Desf.* XII. 471
nervosa Gut. XII. 481
nigricans *Bth.* XII. 471
nivea Bth. XII. 461
nivea *Labill.* XII. 491
nutans *Bth.* XII. 492
Nuttallii *Shuttlew.* XII. 469
β occidentalis – –
obliqua W. & Kit. XII. 463
oblongifolia *Bth.* XII. 474
obtusicrena *Boiss* XII. 492
olympica Poir. XII. 464
orientalis Forsk. XII. 490
orientalis hortul. XII. 465

Stachys
orientalis L. XII. 465
orientalis Vahl XII. 463
palaestina *L.* XII. 491
β hypoleuca – –
palaestina Vahl XII. 491
palustris *L.* XII. 470
β angustifolia – –
γ hybrida – –
palustris Walt. XII. 471
paniculata *Bth.* XII. 485
pannonica Lang XII. 464
Parolinii *Vis.* XII. 485
parviflora *Bth.* XII. 490
parvifolia *Mart. & G*

patens Sw. XII. 497 129
patula *Griseb.* XII. 469
pauciflora Bth. XII. 491
pauciflora *Vis.* XII. 486
persepolitana *Boiss.* XII.
persica *Gmel.* XII. 483
peruviana *Domb.* XII. 48
phlomoides W. XII. 463
pilifera *Bth.* XII. 487
pilosa *Nutt.* XII. 496
pilosissima *Mart. & G*

Pinardi *Boiss.* XII. 472
plumosa Bth. XII. 492
plumosa *Griseb* XII. 492
Poiretii Ten. XII 478
polystachya Ten. XII. 46
procumbens Lam. XII. 4
procumbens Poepp XII
prostrata Lag. XII. 465
pubescens *Ten.* XII. 483
pumila *Russ.* XII. 490
pungens Russ. XII. 464
purpurea Poir. XII. 485
quadridentata Bert XII.
ramosissima *Montbr & A*

recta Durv. XII. 486
recta *L.* XII. 484
recta β Bertol. XII. 484
repens *Mart. & Gal.* XII.
Riederi *Cham.* XII. 488
rigida *Nutt.* XII. 472
rosmarinifolia *Bth.* XII 4
β Burkei –
rotundifolia *Moç. & Ses*

rubra Donn. XII. 485
rugosa *Ait.* XII. 493
β longiflora – 494

Lam. XII. 492
Montbr. & Auch. XII. 489
Baj. XII. 477
Lindl. XII. 497 255
dia Ten. XII. 464
dia Un. itin. XII. 464
ides Montbr. & Auch. XII. 481
derfloides - -
ma Schlecht. XII. 468
ia W. XII. 485
des Desf. XII. 475
des Poir. XII. 497
a Boiss. XII. 488
Hagen XII. 470
Wall XII. 465
Burch. XII. 477
ta E. Mey. XII. 476
C. A. Mey. XII. 466
hortul. XII. 465
Link XII. 465
oides Gill. XII. 473
Vill. XII. 484
a Burch. XII. 494
Hook. XII 497 235
is Chois. XII. 464
L. XII. 487
Sibth. & Sm. XII. 482
s Wall. XII 466
Boiss. XII. 488
lla Spr. XII. 484
ta Vis. XII. 484
is -
Montbr. & Auch. XII. 485
is Burch. XII 476
ii Bth. XII. 488
ica Boiss - -
L .II. 469
Nutt XII. 469
Forsk. XII. 484
Pall. XII. 496
W. XII. 471
ii Bth. XII. 467
loides XII. 463
a Bth. XII. 489
a Gaer XII. 464
rtii Bory & Chaub. XII. 475
rtii Poir. XII. 495
Kze XII. 479
lia Tausch XII. 465
Lag. XII. 496
W. XII. 474

Stachys
venosa Pers. XII. 496
verbascifolia hortul. XII. 465
vestita Bth. XII. 466
virgata Bory & Chaub. XII. 488
viscosa Montbr. & Auch. XII. 483
β Kotschyi - - -
Zuccarinii Bth. XII. 489
Stachytarpha (Stachytarpheta) Vahl XI. 530 561
acuminata Dc. XI. 570
ajugaefolia Schauer XI. 570
albiflora Dc. XI. 567
angustifolia Vahl XI. 563
aristata Vahl XI. 566
bifurca Bth. XI. 572 558
cajanensis Cham. XI. 562
canescens H. B. & Kth XI. 565
cayennensis Vahl XI. 562
Chamissonis Walp. XI. 566
ciliata Kze XI. 564
coccinea Schauer XI. 567
commutata Schauer XI. 570
crassifolia Schrad. XI. 566
dichotoma Vahl XI. 561
discolor Cham. XI. 571
elatior Schrad. XI. 563
gesnerioides Cham. XI. 566
gibberosa Reich. XI 561
glabra Cham. XI. 568
α latifolia - -
β angustifolia - -
glauca Schauer XI. 569
α serratifolia - -
β subintegrifolia - -
glauca Walp. XI. 569
hirsuta Jacq. fil. XI. 565
hirsutissima Link XI. 565
hirta H B. & Kth. XI. 562
hispida Nees & Mart. XI. 569
jamaicensis Gaerdn. XI. 561
jamaicensis Vahl XI. 564
indica Vahl XI. 564
integrifolia Walp. XI. 569
lactea Schauer XI. 562
lacunosa Mart. XI. 571
lanata Schauer XI. 571
Lychnitis Mart. XI. 571
lythrophylla Schauer XI. 563
marginata Vahl XI. 561
Martiana Schauer XI. 569
Maximiliani Schauer XI. 565
β glabrata - -
microphylla Walp. XI. 565
mutabilis Vahl XI. 566

Stachytarpha
orubica *Vahl* XI. 566
pachystachya *Mart.* XI. 569
palustris Schott XI. 563
pilosiuscula H. B. & Kth. XI. 564
Poblinna *Schauer* XI. 568
polyura *Schauer* XI. 562
prismatica Vahl XI. 572 558
pseudo-chaseanum Walp. XI. 572 555
quadrangula *Nees & Mart.* XI. 567
reticulata *Mart.* XI. 566
rhomboidalis *Schauer* XI. 569
rhomboidalis Walp. XI. 569
sanguinea *Mart.* XI. 564
scaberrima *Cham.* XI. 567
Schottiana *Schauer* XI. 563
Sellowiana *Schauer* XI. 571
speciosa *Pohl* XI. 568
squamosa Vahl XI. 572 64
strigosa *Vahl* XI. 564
triphylla Walp. XI. 569
trispicata *Nees & Mart.* XI. 568
umbrosa H. B. & Kth. XI. 562
urticifolia Sims XI. 561
veronicaefolia Cham. XI. 562
villosa Cham. XI. 570
villosa *Schauer* XI. 570
viscidula *Schauer* XI. 570
Zuccagni R. & Schult. XI. 565
Stachytarpheta Endl. XI. 561
Stapelia *L.* VIII. 652 *Mass.* VIII. 650 *Don* VIII. 664
acuminata *Mass.* VIII. 654
adscendens Roxb. VIII. 647
ambigua *Mass.* VIII. 652
anguina *Jacq.* VIII. 660
aperta *Mass.* VIII. 658
arida Mass. VIII. 664 650
articulata *Mass.* VIII. 663
Asterias *Mass.* VIII. 653
atropurpurea *Salm-Dyck* VIII. 659
barbata W. VIII. 664 651
bisulca *Don* VIII. 659
bufonia *Jacq.* VIII. 660
bufonis bot. mag. VIII. 660
caespitosa *Mass.* VIII. 662
campanulata bot. mag. VIII. 651
campanulata Pav. VIII. 605
campanulata W. VIII. 664 651
canescens Haw. VIII. 663
caudata *Thbg* VIII. 663
Stapelia
chinensis Lour. VIII. 654
ciliata *Thbg* VIII. 655
clavata Jacq. VIII. 664
clavigera Jacq. VIII. 664
clypeata *Jacq.* VIII. 660
cochinchinensis Lour. VIII.
comata *Jacq.* VIII. 653
compacta *Haw.* VIII. 662
concinna *Mass.* VIII. 654
concolor *Salm-Dyck* VIII.
conspurcata *W.* VIII. 660
cordata *Haw.* VIII. 663
crassa *Don.* VIII. 663
crispa hortul VIII. 664 65
Curtisii *R. & Schult.* VIII.
decora *Mass.* VIII. 661
deflexa *Jacq.* VIII. 654 65
dejecta *Salm-Dyck* VIII. 65
dentata Forsk. VIII. 664 6
depressa *Jaq.* VIII. 657
Desmidorchis Stend. VIII.
divaricata *Mass.* VIII. 656
duodecimfida Jacq. VIII. 6
elegans *Mass.* VIII. 662
europaea Guss. VIII. 664
fasciculata Thbg VIII. 654
fasciculata Thbg prod. VIII
fissirostris *Jacq.* VIII. 654
flavicomata *Haw.* VIII. 663
fuscata *Jacq* VIII. 657
geminata *Mass.* VIII. 664
gemmiflora *Mass.* VIII. 656
glandulifera Don VIII. 654
glandulifera Don VIII. 654
glandulifera *Mass.* VIII. 65
glauca *Jacq.* VIII. 657
glauca β Haw. VIII. 657
glomerata *Haw.* VIII 664
Gordoni Mass. VIII 665
grandiflora bot. mag VIII
grandiflora Haw. VIII. 652
grandiflora *Mass.* VIII. 652
guttata Mass. VIII. 664
guttata W. VIII. 651
hamata *Jacq.* VIII. 653
hircosa *Jacq.* VIII 656
hirsuta *L* VIII 653
hirsuta W. VIII. 653
hirtella *Haw.* VIII. 663
hirtella *Jacq.* VIII 662
hispidula *Horn* VIII 663
humilis Mass VIII 664
humilis *W.* VIII. 651
Jacquiniana *R. & Schult.* VI
incarnata *L. fil.* VIII. 650

ta *Mass.* VIII. 664
Haw. VIII. 661
Mass. VIII. 655
la *Jacq.* VIII. 653
a *Haw.* VIII. 664
)cne VIII. 658
Haw. VIII. 663
osa *Sims* VIII. 664
Jacq. VIII. 661
Dc. VIII. 652
a *Jacq.* VIII. 658
laris *L.* VIII. 663
ata *W.* VIII. 659
ata *Jacq.* VIII. 660
Haw. VIII. 663
a *Jacq.* VIII. 663
a *Blanco* VIII. 664
Mass. VIII. 658
gulata *Forsk.* VIII. 664 649
ra *Dc.* VIII. 653
is *Jacq.* VIII. 661
s *Jacq.* VIII. 660
W. VIII. 657
a *Jacq.* VIII. 664 651
ula *Haw.* VIII. 663
aris *Andr.* VIII. 660
Wendl. VIII. 655
ata *W.* VIII. 657
ora *Mass.* VIII. 664 650
W. VIII. 652
ulata *Mass.* VIII. 658
ulata *Sims* VIII. 658
ot. *mag.* VIII. 659
)on VIII. 661
L. fil. VIII. 655
ra *Jacq.* VIII. 659
a *Mass.* VIII. 657
la *Mass.* VIII. 655
Haw. VIII. 656
ne. – –
Mass. VIII. 664 650
ta *Doun.* VIII. 663
ata *Mass.* VIII. 654
ta *Mass.* VIII. 664 650
ngula *Blanco* VIII. 664
ngula *Forsk.* VIII. 664 648
ngula *ramosa Forsk.* VIII. 649
enervis *R. & Schult.* VIII. 658
a *Jacq.* VIII. 662
Sims VIII. 663
Mass. VIII. 658 664
ta *Mass.* VIII. 662
Haw. VIII. 652
ta *Jacq.* VIII. 662
m.

Stapelia
reticulata Ait. VIII. 651
reticulata Mass. VIII. 664
retusa *Haw.* VIII. 660
revoluta *Mass.* VIII. 657
revoluta Sims VIII. 657
roriflua *Jacq.* VIII. 656 664
rufa *Mass.* VIII. 653 661
rufescens *Salm-Dyck* VIII. 654
rugosa *Jacq.* VIII. 656
rugosa Wendl. VIII. 659
sarmentosa Steud. VIII. 664
serrulata *Jacq.* VIII. 658
Simsii *R. & Schult.* VIII. 656
sororia *Mass.* VIII. 652
sororia var. Jacq. VIII. 652
spectabilis *Haw.* VIII. 652
stelleris *Haw.* VIII. 663
stricta *Sims* VIII. 655
stygia *Haw.* VIII. 657
subulata Forsk. VIII. 664
tigridia *Dcne* VIII. 657
trisulca Jacq. VIII. 659
tubata Jacq. VIII. 664 651
tuberculata *Haw.* VIII. 663
tuberosa Meerb. VIII. 664 646
umbellata Roxb. VIII. 664 648
varia *Jacq.* VIII. 661
variegata bot. mag. VIII. 659
variegata Forsk. VIII. 642
variegata Jacq. VIII. 659 661
variegata *L.* VIII. 659
venusta Mass. VIII. 664
venusta W. VIII. 651
verrucosa bot. mag. VIII. 656
verrucosa hortul. VIII. 656
verrucosa *Mass.* VIII. 655
vetula *Mass.* VIII. 656
vetula Sims VIII. 656
Wendlandiana *R. & Schult.* VIII. 659
Woodfordiana *Haw.* VIII. 661
STAPELIEAE *Dcne* VIII. 606
Staphylodendron Herm. VIII. 210
africanum &c. Herm. VIII. 211
Stapletonia Dcne VIII. 652 (Stapelia)
Starbia Pet. Thouars X. 338
Statice *W.* XII. 620 634 *L. Auct.* XII. 632 634 *L.* XII. 674 689 *Dc.* XII. 674 *Tourn.* XII. 674 *Griseb.* XII. 632 *Jaub. & Spach* XII. 622
acerosa MB. XII. 671 630
acerosa W. XII. 671 631

Statice
aciphylla Jaub. & Spach XII. 671 639
acutifolia Hornem. XII. 634
acutifolia Reich. XII. 655
alexana Boiss. XII. 670
aegyptiaca Pers. XII. 636
airoides Tausch XII. 661
alata W. XII. 636
albida Guss. XII. 652
alliacea W. XII. 671 683
alliacea Cav. XIII. 671 684
alliacea Sibth. & Sm. VIII. 671 686
alpina Hoppe XII. 671 680
altaica hortul. XII. 670
androsaces Jaub. & Spach XII. 671 627
angustifolia Tausch XII. 645
aphylla Forsk. XII. 662
aphylla Poir. XII. 661
arabica Jaub. & Spach XII. 664
arborea W. XII. 637
arborescens Brouss. XII. 636
armeria Pers. XII. 671 683
artiaefolia Fries XII. 657
argentea Sieb. XII. 671 634
aristata Sibth. & Sm. XII. 666
Armeria Brot. XII. 676 698
Armeria engl. bot. XII. 681
Armeria Hook. XII. 683
Armeria Hook. fil. XII. 683
Armeria L. XII. 681
Armeria γ alpina Dc. fl. fr. XII. 680
Armeria var. pusilla Salsm. XII. 687
Armeria tenuifolia Dc. fl. fr. XII. 678 679
articulata *Lois.* XII. 654
α divergens *Reich.* - 655
β fastigiata - -
articulata β strictissima Salsm. XII. 654
aspera Lam. XII. 666
attenuata *R. & Schult.* XII. 670
Aucheri Girard XII. 651
aurea *L.* XII. 641
auriculaefolia Bth. XII. 647
auriculaefolia Brot. XII. 646
auriculaefolia Dc. XII. 647
auriculaefolia Vahl XII. 648
auriculaeursifolia Pourr. XII. 647
auriculata *A. dorpat.* XII. 670
australis *Spr.* XII. 642

Statice
Avei de Noter. XII. 666
axillaris *Forsk.* XII. 663
bahusiensis *Fries* XII. 644
bayonnensis Gremli XII. 649
Behen Pregr XII. 645
bellidifolia Auct. XII. 648
bellidifolia Bertol. XII. 651
bellidifolia Dc. fl. fr. XII. 651
bellidifolia Dure. XII. 646
bellidifolia Guss. XII. 651
bellidifolia *Sibth. & Sm.* XII. 6
Besseriana Friwald. XII. 638
Besseriana R. & Schult. XII. 6 63
bicolor *Bunge* XII. 642
bicolor var. β Bunge XII. 642
Billardieri *Girard* XII. 6
binervosa engl. bot. XII. 649
Bourgaei *Webb* XII. 638
Bovei Jaub. & Spach XII. 6
bracteata Girard XII. 671 62
bracteosa *Vis.* XII. 670
brasiliensis *Boiss.* XII. 644
β antarctica - - -
brassicaefolia *Webb* XII. 63
Brunneri *Webb* XII. 639
Bubanii Girard XII. 646
Bungeana *Boiss.* XII. 642
cabulica *Boiss.* XII. 666
caesia *Girard* XII. 667
caespitosa Durr. XII. 671 6
caespitosa Ort. XII. 671 67
caespitosa Poir. XII. 671 6 6
californica *Boiss.* XII. 643
calticoma C. A. Mey. XII. 6 6
cancellata *Bernh.* XII. 636
β glabra - -
canescens hortul. XII. 666
capillifolia Poir. XII. 671 6
carnosa *Boiss.* XII. 663
carolinlana *Walt.* XII. 643
caryophyllacea Boiss XII. 6
caryophyllacea Boiss & Bala. XII 6
caspia *W.* XII. 660
β patula - 661
Cephalotes Ait. XII. 671 6
Cephalotes Bertol. XII. 671 6 (hu
Cephalotes Poir. XII. 67
Cephalotes Schousb XII. 671
chrysocomia *Ker. & Bir* 6

ɪ *Poir.* XII. 666
· *Griseb.* XII. 671 633
ɪta *Ledeb.* XII. 610
cua *Sims* XII. 671 633
ɔides *Tausch* XII. 661
a *Desf.* XII. 654
a *Guss.* XII. 656
nulna – –
ɣer – –
a *L.* XII. 656
a *Poir.* XII. 650
a *Savi* XII. 651
ta *Hoffm.* XII. 660
bulosa *Boiss.* XII. 658
ɪsis *Guss.* XII. 656
ɪ *Ten.* XII. 656
ɪuicula – 657
a *h. Taur.* XII. 670 636
rica *Steud.* XII. 664
ɪifolia *Forsk.* XII. 664
tachya *Girard* XII. 670
tica *Presl* XII. 671 633
ens *Ledeb.* XII. 661
beus *Boiss.* XII. 659
ula *Girard* XII. 653
urnefortii – –
ora *Girard* XII. 647
ora *Guss.* XII. 648
ɪ *h. Pesth.* XII. 670
ulata *Bertol.* XII. 671 685
ɔrum *Trauty.* XII. 671 633
ifolia *Jaub.* & *Spach* XII. 671 631
ɔma *Cav.* XII. 661
ɔma *Duby* XII. 661
ɔma *Guss.* XII. 654
ɔma *Mutel* XII. 649
ɔma *Reich.* XII. 648
ulata *Boiss.* XII. 654
iculata – –
bia – –
gnoea – –
phora *Tausch* XII. 656
ɪ *Laterr.* XII. 661
Pourr. XII. 668
tii *Girard* XII. 648
tii *β humilis Girard* XII. 648
ana *Boiss.* XII. 659
ensis *Tineo* XII. 645
Andrz. XII. 654
ri *Girard* XII. 648
i *Girard* XII. 647
cula *Girard* XII. 652
ta *h. Gorenk.* XII. 670

Statice
Echinus MB. XII. 671 629
Echinus L. XII. 671 630 631
Echinus C. A. Mey. XII. 628
Echinus Sibth. & Sm. XII. 627
Echinus var. β L. XII. 671 627
echioides *L.* XII. 665
echioides Sibth. & Sm. XII. 650
effusa *Boiss.* XII. 646
elata Fisch. XII. 671 634
emarginata W. XII. 650
equisetina *Boiss.* XII. 658
β depauperata – –
eriacea Jaub. & Spach XII. 671 624
eximia Schrenk XII. 671 634
fasciculata Vent. XII. 671 676
ferax Jaub. & Spach XII. 671 625
ferulacea *L.* XII. 668
festucacea Jaub. & Spach XII. 671 629
flexuosa Less. XII. 671 634
flexuosa *L.* XII. 640
Fortuni Lindl. XII. 642
frutescens Lemair. XII. 637
fruticans *Webb* XII. 636
furfuracea *Lag.* XII. 657
furfuracea Reich. XII. 656
genistoides Jaub. & Spach XII. 671 629
Girardiana Guss. XII. 647
glauca Less. XII. 663
glauca W. XII. 646
globulariaefolia *Desf.* XII. 651
globulariaefolia Sibth. & Sm. XII. 652
globulariaefolia β glauca Boiss. XII. 653
globulariaefolia var. minor Boiss. XII. 653
globulifera *Boiss. & Heldr.* XII. 665
glomerata Tausch XII. 648
glumacea Jaub. & Spach XII. 671 629
Gmelini Koch XII. 645
Gmelini Un. itin. XII. 645
Gmelini *W.* XII. 645
α genuina – –
β laxiflora – 646
Gmelini W. h. XII. 646
Gougetiana *Girard* XII. 649
gracilis *Fisch. h.* XII. 660
gracilis Tineo XII. 654

Statice
graeca Boiss. XII. 650
α Sieben – –
β marmphylla – –
γ hymenophylla – –
graeca Poir. XII. 650
graminifolia Ait. XII. 671 633
Gussoniana Steud. XII. 652
halocharyse Fisch. XII. 641
hirsuta Presl XII. 636
Hohenackeri Jaub. & Spach XII. 671 628
horrida Girard XII. 671 628
hybrida Montagn. XII. 646
hyssopifolia Girard XII. 650
Hystrix Jaub. & Spach XII. 672 627
japonica Sieb. & Zucc. XII. 642
Jamberti Girard XII. 672 624
iconia Boiss. & Heldr. XII. 661
imbricata Webb XII. 638
incana MB. XII. 672 633
incana Durv. XII. 672
incana β. alt. XII. 672
incana Vahl XII. 633
intermedia Guss. XII. 651
Jovibarba Webb XII. 665
juniperifolia Boiss. XII. 680
juniperifolia Vahl XII. 672 679
juniperina W. A. XII. 672 629
Kotschyi Jaub. & Spach XII. 672 628
Kraussiana Bucking. XII. 657
lanceolata Hoffm. & Link XII. 646
lanceolata Reich. XII. 649
latifolia Sm. XII. 660
leptostachya Boiss. XII. 669
lepturoides Jaub. & Spach XII. 672 630
leucacantha Jaub. & Spach XII. 672 626
leucantha Lois. XII. 672 686
leucantha glabra Salis XII. 687
Limonium β. dan. XII. 644
Limonium L. XII. 614
α genuina – –
β Behen – 645
γ macrocleda – –
Limonium Reich. XII. 644
Limonium Thbg XII. 642
limonoides Bernh. XII. 644
linearifolia Laterr. XII. 672 678
limifolia Drege XII. 658
limifolia Krauss XII. 657

Statice
limifolia L. XII. 657
β arctuefolia – –
γ maritima – –
δ brachyphylla – –
limifolia Thbg XII. 657
limifolia α & αα Drege XII
limifolia β Drege XII. 65
lobata L. fil. XII. 670
longifolia Thbg XII. 667
lusitanica Poir. XII. 672
lusitanica Poir. var. XII
lusitanica capillaree folio XI
lychnidifolia Girard XII
β corymbosa –
lychnidifolia Lloyd XII. 6
lycopodioides Girard. XII
lyrata MB. XII. 669
macrophylla Brouss. XII.
β sinuata –
macroptera Webb XII. 63
macrorrhiza Ledeb. XII. 6
marginata Schott XII. 67
maritima Mill. XII. 672 6
maurocenia L. Paris. XII.
Meyeri Boiss. XII. 645
minuta Desf. XII. 649
minuta L. XII. 655
β pubescens – –
γ microphylla – –
δ acutifolia – –
ε dissitifolia – –
minuta Reich. XII. 654
minuta Ten. XII 652
minutiflora Guss. XII. 652
mongolica Fisch. XII. 670
monopetala L. XII. 672 6
montana Mill XII. 670
montana Rai XII. 683
montana Soleir. XII. 672
mucosa Salsm. XII. 646
mucronata L. fil. XII. 639
β prolifera – –
myriantha Schrenk XII. 6
nana Penny XII. 671
occidentalis Lloyd XII. 6
ochrantha Kar. & Kir.
ocymifolia Poir XII. 6
oleaefolia Scop. XII. 6
oleaefolia W. XII. 6

ia Sibth. & Sm. XII. 654
iana Andrz XII. 650
ri Jaub. & Spach XII. 672
is Schrenk XII. 662
olia Poir. XII. 646
inor - -
is Boiss. XII. 647
irs Sibth. & Sm. XII. 650
ata Webb XII. 640
'olia Tineo XII. 654
s Fisch. h. XII. 661
flora Jaub. & Spach XII. 672 627
ata All. XII. 639
olandri Webb - -
ecompta - - -
ercalum - - -
:liata Wallr. XII. 658
rina Berg XII. 667
iata C. A. Mey. XII. 663
niformis - -
lia Brot. XII. 672 675
iginea All. XII. 672 683
iginea Guss. XII. 672 687
giniflora Jaub. & Spach XII. 669
tegrifolia - -
xii Webb XII. 638
era Durv. XII. 650
osa Cav. XII. 667
osa Lag. XII. 657
osa L. XII. 662
osa Webb & Berth. XII. 640
o-armeria Brot. Jacq. XII. 672
o-armeria Cav. XII. 672 675
o-armeria Desf. XII. 672 677
o-armeria Murr. XII. 684
o-limonium Reich. XII. 645
lada Boiss. XII. 651
enuina - -
racilis - -
ntermedia - -
ibida - -
ula Webb XII. 638
cens Dc. fl. fr. XII. 655
cens Koch XII. 656
cens Reich. XII. 655
cens Salis XII. 672 686
era Desf. XII. 672 678

Statice
pungens Jaub. & Spach XII. 672 624
pungens Link XII. 672 675
purpurata Drege XII. 666
purpurata *L.* XII. 666
α genuina - -
β longifolia - 667
purpurata W. XII. 667
pygmaea Tineo XII. 654
pyramidata Lowe XII. 646
Raddiana *Boiss.* XII. 653
ramosissima Poir. XII. 651
rariflora Drefer XII. 644
rentiformis Girard XII. 663
reticulata Auct. XII. 654
reticulata MB. XII. 661
reticulata L. XII. 656
reticulata Reich. XII. 654
reticulata Sieb. XII. 661
reticulata var. γ W. XII. 654
rorida β. dalm. XII. 656
rorida Sibth. & Sm. XII. 650
rosea Boiss. XII. 624
rosea Pall. XII. 640
rosea *Sm.* XII. 667
rubella Gmel. XII. 672 633
rupicola Badar. XII. 655
rytidophylla Hook. XII. 667
salsuginosa *Boiss.* XII. 653
scabra Drege XII. 666
scabra Krauss XII. 659
scabra Pall. XII. 672 681
scabra *Thbg* XII. 659
scabrida Presl XII. 658
Schrenkiana *Fisch. & Mey.* XII. 641
scoparia Less. XII. 646
scoparia C. A. Mey. XII. 645
scoparia Pall. XII. 646
Scopoliana Bertol. XII. 648
Scorpius Jaub. & Spach XII. 672 626
serotina Reich. XII. 645
sibirica Dum.-Cours XII. 666
Sibthorpiana *Guss.* XII. 652
Sieberi Boiss. XII. 650
sinensis *Girard* XII. 642
sinuata *L.* XII. 635
β - 636
sinuata var. β L. XII. 636
sinuata var. γ L. XII. 636
sisymbriifolia Jaub. & Spach XII. 669
Smithii Ten. XII. 654
Spachii Girard XII. 626 672 (*bis*)

Statice
spathulata *Desf.* XII. 649
β marginata – –
spathulata Hook. XIII. 648 649
spathulata Sieb. XII. 650
spathulata W. XII. 650
spathulata W. h. XII. 651 652
speciosa Forsk. XII. 633
speciosa L XII 672 634
spicata *W.* XII. 669
splendens Lag & Rodrig. XII. 672 680
squamata Poir. XII. 669
Stocksii *Boiss.* XII. 664
suffruticosa L. XII. 663
supina *Girard* XII. 670
tatarica L. XII. 672 633
tatarica β trigonoides Poir. XII. 633
Taxanthema R. & Schult. XII. 643
tenella *Turcz.* XII. 641
tenuicula Guss. XII. 657
tenuifolia Bertol. XII. 655
tenuifolia Jaub. & Spach XII. 672 628
tetragona Drege XII. 659
tetragona *Thbg* XII. 643
Thouini *Viv.* XII. 636
tomentella *Boiss.* XII. 645
Tournefortii Girard XII. 653
Tournefortii Jaub. & Spach XII. 672 627
tragacanthina Jaub. & Spach XII. 672 626
trigona Pall. XII. 672 633
trigonoides h. Paris. XII. 672 633
tripteris h. Paris. XII. 636
tuberculata *Boiss.* XII. 662
tubiflora *Delil.* XII. 668
tubiflora Sieb. XII. 662
ulicina W. h. XII. 672 627
undulata Bory & Chaub. XII. 672 686
venusta Fenzl XII. 672 631
verrucosa W. h. XII. 650
viminea Schrad. XII. 654
virgata *W.* XII. 654
β pumila – –
γ reticulata – –
Willdenowii Lois. XII. 647 648
Willdenowiana Poir. XII. 647
Willdenowiana Reich. XII. 652
STATICEAE *Bartl.* XII. 620 621
Statioeppis Boiss. XII. 624 (Acantholimon)
Stauranthera *Bth.* IX. 278 *RBr.* IX. 278
Stauranthera
ovalearata RBr. IX. 278
grandifolia *Bth.* IX. 278
Staurogyne Wall. XI. 70
angustifolia Wall. XI. 7
argentea Wall. XI. 75 7
Staurophragma *Fisch. &*
natolicum *Fisch. & Mey.*
Steenhammera Reich. I. 8
dahurica Turcz. X. 91
kamtschatica Turcz. X. 91
maritima Reich. X. 88
Pallasii Kar. & Kir. X.
serrulata Turcz. X. 89
sibirica Turcz. X. 89
stylosa Turcz. X. 91
Stegionepeta Bth. XII. 371
Stegnocarpus De. IX. 559 (C
Stegnosperma *Bth.* XIII. 2.
halimifolia *Bth.* XIII. 2. 3
STEGNOSPERMEAE *Meq.*
Steinheilia *Dene* VIII. 510
radians *Dene* VIII. 510
Steiremis Raf. XIII. 2. 362
Stellanthe Bth. VII. 614 669
Stellanthe Salisb. VII. 665
Stellara lathraeoides Fisch.
Stellera *Turcz.* IX. 123
cyanea *Turcz.* IX 123
Stemmatosiphum Pohl VIII.
nitens Pohl VIII. 250
platyphyllum Pohl VIII.
uniflorum Pohl VIII. 251
Stemodia *L.* X. 342 396 Bth
aquatica W. X. 385 390
arenaria H. B. & Kth.
arvensis Steud. X. 381
balsamea Bth. X. 365 3
bartsioides *Bth.* X. 364
Berteroana *Bth.* X. 384
camphorata Bth. X. 365
camphorata Vahl X. 365
capitata Bth. X. 365 38
chilensis *Bth.* X. 384
cimicina Bth. X. 365 3
coerulea *Bth.* X. 381
diffusa Bth. X. 365 38
durantifolia *Sw.* X. 363
Ehrenbergiana *Schlecht.*
foliosa *Bth.* X. 382
glabra Spr. X. 385 40
glauca Klein. h. XI. 74
grandiflora Humb. X. 3
gratioloefolia *St. Hil.* X.

les Bth. X. 385 388
Heyne X. 385 389
olia Bth. X. 385 386
Cham. & Schlecht. X. 384
sis Bth. X. 384
s H. B. & Kth. X. 382
& Pav. X. 383
Bth. X. 384
es Lehm. X. 384
chya Bth. X. 385 377
Heyne X. 381
L. X. 383
rum Bth. X. 385 386
a Bth. X. 385 387
. Don X. 385 414
Spr. X. 385 391
Roxb. X. 385 378
St. Hil. X. 383
Ait. X. 382 594
ris Bth. X. 382
sis Cham. X. 385 377
th. X. 381
th. X. 385 387
Blanco X. 377
Vahl X. 385 377
sis Desf. X. 385
'th. X. 381
tth. X. 385 387
am. & Schlecht. X. 384
a Bth. X. 381
s H. B. & Kth. X. 382
Bth. X. 385 387
G. Don X. 385 375
Reich. X. 382
is Link X. 383
Roxb. X. 381
thus Nees XI. 101 205
Nees XI. 206
hyllus - -
Nees XI. 206
ianus Nees XI. 206
- 207
llus Nees XI. 205
s Nees XI. 206
Nees XI. 207
- -
us Nees XI. 206
s Nees XI. 207
hoides Nees XI. 207
vianus Nees XI. 207
Nees XI. 280 281 290
um Nees XI. 292
am Nees XI. 727
Nees XI. 291

Stenandrium
diphyllum *Nees* XI. 282 727
α longiscapum - -
β exscapum - -
droseroides *Nees* XI. 284
dulce *Nees* XI. 282
elegans *Nees* XI. 283
hirsutum *Nees* XI. 285
Humboldtianum *Nees* XI. 284
igneum Nees XI. 292
Macraganum Nees XI. 282
mandioccanum *Nees* XI. 284 727
β emarginatum - -
ornatum Nees XI. 291
Pohlii *Nees* XI. 283 727
β pusillum - -
γ breviscapum - -
radicosum *Nees* XI. 283
Riedelianum *Nees* XI. 284
rupestre *Nees* XI. 283
scabrosum *Nees* XI. 284
serpens *Nees* XI. 285
speciosum Nees XI. 286
tenellum *Nees* XI. 286
trinerve *Nees* XI. 282
α - -
β - 283
γ exscapum - -
γ subexscapum - -
venatum Nees XI. 291
villosum *Nees* XI. 286
Stenanthera *RBr.* VII. 739
pinifolia *RBr.* VII. 739
Stenarrhena Don XII. 282
lanata Don XII. 286
Stenochila Nees XI. 295 (Aphelandra)
Stenochilus *RBr.* XI. 703 713
albicans *Bartl.* XI. 715
glaber *RBr.* XI. 714
β - -
incanus *Lindl.* XI. 715
longifolius *RBr.* XI. 714
maculatus *Ker* XI. 714
β ochroleucus - -
ochroleucus Cunn. XI. 715
racemosus *Endl.* XI. 715
serrulatus *A. Cunn.* XI. 715
subcanescens *Bartl.* XI. 715
viscosus *Grah.* XI. 715
Stenogyne *Bth.* XII. 550 555
cordata *Bth.* XII. 555
macrantha *Bth.* XII. 555
microphylla *Bth.* XII. 556
Nelsoni *Bth.* XII. 556
rugosa *Bth.* XII. 556

Stenogyne
scrophulorioides *Bth.* XII. 556
sessilis *Bth.* XII. 555
Stenolobium Don IX. 143
castaneifolium D. Don IX. 145
Stenosiphonium *Nees* XI. 99 105
confertum *Nees* XI. 105
diandrum *Nees* XI. 105
Russelianum *Nees* XI. 105
subsericeum *Nees* XI. 105
Stenosolenium *Turcz.* X. 103
perenne Schrenk X. 96
saxatile *Turcz* X. 103
Stenostephanus *Nees* XI. 303 310
lasiostachyus *Nees* XI. 311
lobeliaeformis *Nees* XI. 310
β subsessilis - - 311
Stephanophysum *Pohl* XI. 101 201
angustiflorum *Nees* XI. 204
asperulum Mart. XI. 205
asperulum *Mart.* & *Nees* XI. 204
α majus - 205
β hirsutulum - -
attenuatum Mart. XI. 205 288
brevifolium *Pohl* XI. 202
ciliare *Nees* XI. 204
cordifolium *Nees* XI. 204
flavum *Nees* XI. 203
hirsutulum Mart. XI. 205
hirsutum *Nees* XI. 202
longifolium *Pohl* XI. 203
β microphyllum - -
molle *Nees* XI. 203
quadrifarium *Nees* XI. 202
Ruizianum *Nees* XI. 203
tubulatum *Nees* XI. 202
ventricosum *Nees* XI. 203
Stephanotis *Pet. Thouars* VIII. 620
acuminata *A. Brogn.* VIII. 620
floribunda *A. Brogn.* VIII. 620
grandiflora *Dene* VIII. 620
Isaura *Dene* VIII. 620
Thouarsi *A. Brogn.* VIII. 620
Stereoderma *Blum.* VIII. 290
javanicum *Blum.* VIII. 290
Stereospermum *Cham.* IX. 210
chelonoides *Dc.* IX. 210
euphorioides *Dc.* IX. 211
filiforme Dc. IX. 211 209
fimbriatum *Dc.* IX. 211
Kunthianum *Cham.* IX. 210
nematocarpum *Dc.* IX. 211
serrulatum Dc. IX. 211 206
suaveolens *Dc.* IX. 211
tetragonum *Dc.* IX. 210

Steriphe Gaertn. IX. 451
reniformis Gaertn. IX. 451
Steris L. X. 180
villosa *Pers.* X. 180
Stibas Comm. VII. 336
Stiftia Pohl XI. 70
elegans Pohl XI. 72
STILBACEAE *Dc. fil.* XII.
STILBACEAE Lindl. XII.
Stilbe *Berg* XII. 606 *L.* X
Lam. X
albiflora *E. Mey.* XII. 60
β pilosa - -
albiflora var. Sond. XII.
carnea Thbg XII. 607 60
ericoides *L.* XII. 607
myrtifolia *Lam.* XII. 60
phylicoides *Dc. fil.* XII.
Pinastra *L.* XII. 607
serrulata Hochst. XII.
vestita Berg XII. 607
virgata Lam. XII. 607
STILBINEAE Bth. XII.
Mey. X
Stilesium Andr. VII. 34
Stiptanthus Bth. XII. 92

Stoechas Bth. XII. 144 (*Lam*
Stoechas Tourn. XII. 143
dentata Mill. XII. 145
officinarum Mill. XII. 144
pedunculata Mill. XII. 14
purpurea Tourn. XII. 144
viridis Rai XII. 145
Stoehelina Haller X. 544
Stomandra RBr. IX. 26 (
Stomarrhena *Dc.* VII. 736
serratifolia *Dc.* VII. 736
xerophylla *Dc.* VII. 736
Stomotechium *Lehm.* X. 40
papillosum *Lehm.* X. 41
Stramonia Best. XIII. 1.
XIII
altera &c. J. Bauh.
curassavica &c. Herm.
s. Datura ferox &c. Bo
indica prima &c. Bumph
Tatula Moench XIII. 1.
Stramonioides arborum &
XII
Stramonium Bernh. XIII.

onium Tourn. XIII. 1. 538
Blackw. XIII. 1. 540
rvicaeum minus &c. Tourn. XIII. 1. 541
tuosum Moench XIII. 1. 542
tuosum flore &c. Moench XIII. 1. 542
ox Tourn. XIII. 1. 539
r. violaceo Tourn. XIII. 1. 543
ctidum Scop. XIII. 1. 540
uetu spinoso &c. Tourn. XIII. 1. 543
ese Moench XIII. 1. 539
ngioribus aculeis &c. Barr. XIII. 1. 539
ajus purpureum Rai XIII. 1. 540
ulaharicum &c. Tourn. XIII. 1. 542
eregrinum Lobel. XIII. 1. 543
candens &c. Plum. XIII. 1. 535
pinosum Lam. XIII. 1. 540
ulgatum Gaertn. XIII. 1. 540
Blanthera Steud. X. 171
richodesmoides Steud. X. 173
eptium Roxb. XI. 532
asperum Roxb XI. 533
eptocarpus Lindl. IX. 270
augovensis Dc. IX. 271
Bojeri *RBr.* IX. 270
Halsenbergii *RBr.* IX. 270
paniculata RBr. IX. 271
Sexii *Lindl.* IX. 270
Thompsonii *RBr.* IX. 271
eptocaulon Wight & Arn. VIII. 495
Banmii *Dcne* VIII. 496
calophyllum Wight VIII. 496 498
extensum Wight VIII. 496
Hamiltonii Wight VIII. 495
Kleinii *Wight & Arn.* VIII. 496
sylvestre Wight VIII. 496
tomentosum Wight VIII. 496
Wallichii *Wight & Arn.* VIII. 496
ryptopodium Bth. XII. 573 (Trichostemma)
riga Lour. X. 494 500
aspera Bth. X. 501
β filiformis – –
coccinea Bth. X. 503
curviflora Bth. X. 501
densiflora Bth. X. 502
elegans Bth. X. 502
euphrasioides Bth. X. 503
Forbesii Bth. X. 503
glabrata Bth. X. 503
hermonthica Bth. X. 502
hirsuta Bth. X. 502
β humilis – 503
humifusa Bth. X. 501
humilis Hochst. X. 504
lutea Lour. X. 503
macrantha Bth. X. 503
masuria Bth. X. 503
multiflora Bth. X. 501
– *orchidea Hochst* X. 501
orobanchoides Bth. X. 501
parviflora Bth. X. 501
phoenicea Bth. X. 503
pusilla Hochst. X. 503
senegalensis Bth. X. 502
Thunbergii Bth. X. 502
β grandiflora – –
Strigilia Cav. VIII. 259
cordata Dc. VIII. 268
oblonga Dc. VIII. 261
ovata Dc. VIII. 267
racemosa Cav. VIII. 265
racemosa Dc. VIII. 271
Strobila G. Don X. 94
hispidissima G. Don X. 94
Strobilanthes *Blum.* XI. 101 177
Boj. XI. 368
adenophorus *Nees* XI. 182
alata Blum. XI. 196 175
alatus *Nees* XI. 194
amplectens *Nees* XI. 191
anceps *Nees* XI. 189 724
anisostachys Boj. XI. 369
argutus *Nees* XI. 188
Arnottianus *Nees* XI. 179 724
aspera Dcne XI. 196 147
asperrimus *Nees* XI. 183
atropurpureus *Nees* XI. 195
attenuatus *Jaquem.* XI. 193
β – –
auriculatus *Nees* XI. 191
barbatus *Nees* XI. 179
bibracteata Blum. XI. 196 178
Brunonianus *Nees* XI. 186
callosus *Nees* XI. 185
α glaber – –
β hirtus – –
calycinus *Nees* XI. 186
β – –
cerinthoides *Nees* XI. 724
cernuus *Blum.* XI. 182
β laxiflorus – –
γ multiflorus – –
ciliatus *Nees* XI. 183

Strobilanthes
collinus *Nees* XI. 192
coloratus *Nees* XI. 186
crenulata Boj. XI. 369
crenulata Hassk. XI. 183
crispus *Blum.* XI. 178
decurrens *Nees* XI. 189
echinatus *Nees* XI. 181
Edgeworthianus *Nees* XI. 190
erosus *Nees* XI. 180
extensus *Nees* XI. 195
filiformis Blum. XI. 176
fimbriatus *Nees* XI. 180
flaccidifolius *Nees* XI. 194
glabratus *Nees* XI. 183 724
glandulosus *Blum.* XI. 195
glaucescens *Nees* XI. 178
glutinosus *Nees* XI. 194
Heyneanus *Nees* XI. 184
hirsuta Dene XI. 196 150
hirsutissimus *Nees* XI. 187
hirta Blum. XI. 183
hirtus *Blum.* XI. 183
α β – –
homotropus *Nees* XI. 187
Hookeri *Nees* XI. 185
α hirtus – 186
β glaber – –
imbricatus *Nees* XI. 186
involucratus *Blum.* XI. 184
β – –
lanatus *Nees* XI. 191
lanceolatus *Hook.* XI. 181
lupulinus *Nees* XI. 184
maculatus *Nees* XI. 190
monadelphus *Nees* XI. 188
moschiferus *Blum.* XI. 195
mysurensis *Nees* XI. 192
parabolicus *Nees* XI. 180
Perrottetianus *Nees* XI. 179
petiolaris *Nees* XI. 189
plumulosus *Nees* XI. 191
punctatus *Nees* XI. 182
purpurea Hook. h. XI. 183
reflexus *Nees* XI. 194
reptans Boj. XI. 368
roseus *Nees* XI. 177
Sabinianus *Nees* XI. 190
β argenteus – – –
scaber *Nees* XI. 177
α β – 178
scaber var. β Nees XI. 198 147
sessilis *Nees* XI. 177
sexennis *Nees* XI. 187 724
speciosus *Blum.* XI. 195
tener *Nees* XI. 184

Strobilanthes
timorensis *Nees* XI. 178
trifidus Hook. h. XI. 186
trifidus *Nees* XI. 185
urophyllus *Nees* XI. 192
verruculosus *Nees* XI. 191
vestitus *Nees* XI. 180
virgata *Blum.* XI. 196
Walkeri *Arn.* h. XI. 181
Wallichii *Nees* XI. 193
α β – –
γ microphylla – –
Wightianus *Wight* XI. 18
Spec. Boj. XI. 369
Spec. Wight XI. 147
Mi 1272 *Moritzi* XI. 196
Strobilorhachis *Link Klotzsch* XI.
Blanchetiana *Nees* XI. 29
glabra Link Klotzsch & Otto
hirta Klotzsch XI. 300
prismatica *Nees* XI. 294
Strophanthus *Dc.* VIII. 417
alterniflorus Spr. VIII. 41
capensis *Dc. fil.* VIII. 41
chinensis G. Don VIII. 4
Cumingii *Dc. fil.* VIII. 41
dichotomus *Dc.* VIII. 417
β Morchii – –
γ Loureiri – –
dichotomus Wall. VIII. 4
dichotomus β chinensis
dichotomus γ coromandeli
divaricatus Hook. & *Arn.*
divaricatus Wall. VIII.
divergens *Grah.* VIII. 41
hirta Poir. VIII. 419
hispidus *Dc.* VIII. 419
Jackianus *Wall.* VIII. 4
laurifolius *Dc.* VIII. 418
pendulus *Kummer & Hook*
sarmentosus *De.* VIII. 4
scandens R. & Schult.
Senegambiae *Dc. fil.* V
terminalis Blum. VIII. 4
Wallichii *Dc. fil.* VIII. 4
Wightianus *Wall.* VIII.
Strophiostoma Endl. X. 1
Strophiostoma Turcz. X.
propinquum Turcz. X. 1
sparsiflorum Turcz. X.
Strophipomoea Chois. IX.

caulos *Don* IX. 406 (Convolvulus)
INEACEAE *Blum.* IX. 1
INEAE *Dc.* IX. 12
INEAE *Don* IX. 1 *Dc.* IX. 1
INEAE *Endl.* IX. 12
s *L.* IX. 12 *Endl.* IX. 12
17 *Berg Lam.* IX. 18
isica *Hochst.* IX. 17 VIII. 675
ata *Wall.* IX. 14
s *Colebr.* IX. 13
osa *Leschen.* IX. 16
ta *R. & Pav.* IX. 15
nsis *Mart.* IX. 15
ra *Dc.* IX. 15
a *Auct.* IX. 15
a *L.* IX. 14
a *van Roy h.* IX. 14
a *Wight* IX. 15
Bth. IX. 16
Blum. IX. 16
Dc. fl. IX. 14
Wall. IX. 17
Berg IX. 17 19
Dehl. IX. 17
Wall. IX. 13
Blum. IX. 15
Br. IX. 16
all. IX. 13
ariensis *Pet. Thouars* IX. 16
m. IX. 14
Kostel. IX. 15
a *L.* IX. 15
ia *Hochst.* IX. 561
Wall. IX. 13
Dc. IX. 16
L. fl. IX. 15
ina *St. Hil.* IX. 14
Dc. IX. 16
chum. IX. 13
m. IX. 17 16 18
Retz IX. 15
hen. IX. 13
. IX. 16
Mart. IX. 14
. *Thours* IX. 17
. IX. 17 18
Steud. IX. 13
all. IX. 17
f. VIII. 521
. VIII. 521
rdium) *Andr.* VII. 332
n *Andr.* VII. 333
RBr. VII. 331
IE *Lindl.* VII. 331

STYLIDIEAE *Juss.* VII. 331
Stylidium *Sw.* VII. 332 *RBr.* VII. 332 335
adnatum *RBr.* VII. 337
alsinoides *RBr.* VII. 337
amoenum *RBr.* VII. 334
androsaceum *Dc.* VII. 783
Armeria *Labill.* VII. 333
articulatum *RBr.* VII. 334
assimile *RBr.* VII. 333
breviscapum *RBr.* VII. 337
Brunonianum *Bth.* VII. 334
bulbiferum *Bth.* VII. 336
buxifolium *h. Belved.* VII. 337
caespitosum *RBr.* VII. 333
calcaratum *RBr.* VII. 335
capillare *RBr.* VII. 335
carnosum *Bth.* VII. 332
caulescens *Dc.* VII. 782
corymbosum *RBr.* VII. 335
crassifolium *RBr.* VII. 335
despectum *RBr.* VII. 336
dichotomum *Dc.* VII. 783
diffusum *RBr.* VII. 336
diversifolium *RBr.* VII. 334
eriopodum *Dc.* VII. 784
eriorhizum *RBr* VII. 334
falcatum *RBr.* VII. 337
fasciculatum *RBr.* VII. 337
floribundum *RBr.* VII. 334
fruticosum *RBr.* VII. 335
glandulosum Salisb. VII. 335
glaucum RBr. VII. 334
glaucum *Labill.* VII. 334
β Brownei *Dc.* – –
γ subverticillatum – –
graminifolium *Sw.* VII. 333 782
guttatum *RBr.* VII. 336
hebegynum *Dc.* VII. 782
hirsutum *RBr.* VII. 332
imbricatum *Bth.* VII. 337
inundatum *RBr.* VII. 336
junceum *RBr.* VII. 334
Kunthii *Wall.* VII. 335
laricifolium Juss. VII. 335
laricifolium *Rich.* VII. 335
laxiflorum *Dc.* VII. 782
leptobotrys *Dc.* VII. 783
leptophyllum *Dc.* VII. 783
Lessoni *Dc.* VII. 337
linearе Sieb. VII. 333
lineare *Sw.* VII. 333
longifolium Rich. VII. 332
longitubum *Bth.* VII. 336
luteum *RBr.* VII. 334
melastachys *RBr.* VII. 333

Stylidium
pedunculatum *RBr.* VII.
piliferum *RBr.* VII. 333
pilosum *Labill.* VII. 332
polystachyum Rich. VII.
proliferum *Dc.* VII. 783
propinquum *RBr.* VII.
pygmaeum *RBr.* VII. 3
reduplicatum *RBr.* VII.
repens *RBr.* VII. 336
rotundifolium *RBr.* VII.
scandens *RBr.* VII. 334
scariosum *Dc.* VII. 783
schoenoides *Dc.* VII. 7
serrulatum Pers. VII.
setaceum *Labill.* VII. 3
setigerum *Dc.* VII. 782
spathulatum *RBr.* VII.
β Urvillei *Dc.* –
spathulatum Rich. & *Le*
spinulosum *RBr.* VII.
squamellosum *Dc.* VII.
stipitatum *Bth.* VII. 3
sulcatum Steud. VII. 3
tenellum RBr. VII. 335
tenellum *Ste.* VII. 336
tenerum *Spr.* VII. 335
tenuifolium RBr. VII.
thesioides *Dc.* VII. 78
thyrsiforme *Dc.* VII. 7
uliginosum *Ser.* VII. 33
umbellatum *Labill* VII
utricularioides *Bth.* VI
violaceum *RBr.* VII. 3
Wightianum *Wall.* VII.
№ 172 *Sieb. Nov.*

Stylisma *Raf.* IX. 450

evolvuloides *Chois.* IX.
β sagittifolia –
Stylogyne *Dc. fil.* VIII.
Martiana *Dc. fil.* VIII.
Stylotheca Dc. fil. VIII.

Styphelia *RBr.* VII. 735
VII. 735 *Labill.* VII.
VII. 738 739 740 74
VII. 742 *Labill. Spr.*
754 *Sm. Labill.* VII.

abietina *Labill.* VII. 73
acerosa *Soland.* VII. 7
acuminata *Spr.* VII 73
adscendens *RBr.* VII. 7
aggregata *Spr.* VII. 736

a
s Spr. VII. 737
lora Andr. VII. 737 745
i Spr. VII. 757
flora Spr. VII. 752
la Spr. VII. 737 751
lia Spr. VII. 737 739
achys Spr. VII. 737 746
mbens Pers. VII. 737 740
nqua Spr. VII. 737 748
ata Spr. VII. 737 738
a Spr. VII. 737 759
'ora Spr. VII. 757
i Rudg. VII 736
i Spr. VII. 737 749
ta Spr. VII. 737 747
Labill. VII. 737 744
lifolia Spr. VII. 737 753
aulis Spr. VII. 737 746
olia Spr. VII. 737 752
ria Sm. VII. 737 756
ra Spr. VII. 737 751
ata Labill. VII. 737 757
i Poir. VII. 737 747
linea Spr. VII. 737 741
i var. Spr. VII. 737 750
ia Sm. VII. 737 742
iscina Spr. VII. 737 749
Spr. VII. 739
arpa Labill. VII. 737 747
arpa var. Spr. VII. 737 747
Andr. VII. 735
i Sieb. VII. 735
a Sm. VII. 735
Spr. VII. 737 746
i Labill. VII. 737 748
ora RBr. VII. 735
Andr. VII. 735
LIACEAE Reich. VII. 734
LEAE Bartl. VII. 734
ACEAE Dc. fil. VIII. 244
EAE Dc. & Duby VIII. 259
EAE Rich. VIII. 244
INAE G. Don VIII. 244
INEAE D. Don VIII. 259
INEAE Dumort. VIII. 259
INEAE Kth. VIII. 244
urn. VIII. 259 Mart. VIII. 271
itum Pohl VIII. 262
G. Don VIII. 268
Spr. VIII. 263
oum Lam. VIII. 266
im Presl VIII. 264
Mart. VIII. 264

Styrax
Benzoin Dryand. VIII. 260
camporum Pohl VIII. 262
chrysasterum Pohl VIII. 264
β Sellowianum Dc. fil. – –
cordatum Dc. fil. VIII. 267
erymophyllus Pohl VIII. 266
ferrugineum Nees & Mart. VIII. 265 263
ferrugineum Pohl VIII. 264
Finlaysonianum Wall. VIII. 261
floridum Pohl VIII. 263
β commune Dc. fil. – –
folio Mali &c. Bauh. VIII. 260
fulvum Klotzsch VIII. 264
Gardnerianum Dc. fil. VIII. 263
glabratum Spr. VIII. 266
glabrescens Bth. VIII. 265
glabrum Cav. VIII. 266
glabrum Sw. VIII. 266
grandiflorum Mx. VIII. 260
grandifolium Ait. VIII. 260
guineense G. Don VIII. 268
guyanense Dc. fil. VIII. 261
japonicum Sieb. & Zucc. VIII. 266
javanicum Blum. VIII. 268
laeve Walt. VIII. 266
laevigatum Ait. VIII. 266
laevigatum Sims VIII. 260
latifolium Pohl VIII. 262
leprosum Hook. & Arn. VIII. 268
longiflorum Dc. fil. VIII. 264
macrophyllum Schott VIII. 268
neryosum Dc. fil. VIII. 263
Obassia Sieb. & Zucc. VIII. 260
obliquinervium Dc. fil. VIII. 263
oblongum Dc. fil. VIII. 261
octandrum L'Herit. VIII. 266
officinale L. VIII. 260
officinale Walt. VIII. 260
ovatum Dc. fil. VIII. 267
pallidum Dc. fil. VIII. 261
parvifolium herb. Berol. VIII. 263
parvifolium Pohl VIII. 262
pauciflorum Dc. fil. VIII. 265
Pavonii Dc. fil. VIII. 266
Pohlii Dc. fil VIII. 264
Porterianum Wall. VIII. 267
psilophyllum Dc. fil. VIII. 266
pulverulentum Mx. VIII. 260
punctatum Dc. fil. VIII. 264
racemosum Dc. fil. VIII. 265
reticulatum Mart. VIII. 263
Rosenmale Reinw. VIII. 268

Styrax
serrulatum *Roxb.* VIII. 267
subcordatum *Morie* VIII. 262
suberifolium *Hook. & Arn.* VIII. 261
tinifolium *G. Don* VIII. 268
tomentosum *H. & Bonpl.* VIII. 265
tomentosus *Spr.* VIII. 268
villosum *Blum.* VIII. 268
virgatum *Wall.* VIII. 267
Suaeda *Moq.* XIII. 2. 47 155 169
Pall. XIII. 2. 130 134 *Forsk.*
Pad. XIII. 2. 153 159 *Forsk.*
XIII. 2. 155 *Reich.* XIII. 2. 134
acuminata Moq. XIII. 2. 158 162
africana hort. XIII. 2. 158
albida Pall. XIII. 2. 158 137
altissima *Pall.* XIII. 2. 157
β Tournefortiana *Moq.* - - 158
γ filiformis - -
δ sessiliflora - -
ε Delilliana - -
anonyma Gmel. XIII. 2. 158 164
australis Moq. XIII. 2. 158 163
baccata Forsk. XIII. 2. 158 154
baccata Un. itin. XIII. 2. 158 154
baccifera Pall. XIII. 2. 158 160
Biebersteiniana C. Koch XIII. 2. 158 163
calceoliformis Moq. XIII. 2. 158 166
californica Nutt. XIII. 2. 158 161
chenopodioides Pall. XIII. 2. 158 161
crassifolia Pall. XIII. 2. 158 137
dendroides Moq. XIII. 2. 158 164
divaricata *Moq.* XIII. 2. 156
filiformis Dumort. XIII. 2. 158 165
foetida *Moq.* XIII. 2. 158
foliosa *Moq.* XIII. 2. 156
fruticosa *Forsk.* XIII. 2. 156 461
β purpurascens *Moq.* - - 157
γ crassifolia - - -
δ brevifolia - - -
fruticulosa Moq. XIII. 2. 158 165
gracilis *Moq.* XIII. 2. 157
Helenae *Moq.* XIII. 2. 158
Suaeda
hirsuta Reich. XIII. 2. 156
hortensis Forsk. XIII. 2
hyssopifolia Pall. XIII. 2
indica *Moq.* XIII. 2. 156
leiosperma Moq. XIII. 2. 1
linearis Moq. XIII. 1 159
linifolia Pall. XIII. 2. 159
macrocarpa Moq. XIII. 2
maritima Dumort. XIII. 2
α vulgaris *Moq.* - -
β salsa - - -
γ scabra - - -
δ macrocarpa - - -
maxima C. Koch XIII. 2
microphylla Moq. XIII. 2
microphylla Pall. XIII. 2
mollis Delil. XIII. 2. 155
monantha *C. Koch* XIII. 2.
monoica *Forsk.* XIII. 2. 156
muricata Pall. XIII. 2. 159
nudiflora *Moq.* XIII. 2. 155
parviflora Moq. XIII. 2.
physophora Pall. XIII. 2.
pinnatifida Delil. XIII. 2. 15
plattensis Nutt. XIII. 2
prostrata Pall. XIII. 2. 15
puberula *Moq.* XIII. 2. 15
pygmaea Moq. XIII. 2. 159
salsa Pall. XIII. 2. 159 16
sedifolia Pall. XIII. 2. 159
setigera Moq. XIII. 2. 159
β mutica *Moq.* - - -
Sieversiana Pall. XIII. 2
spicata Moq. XIII. 2 159
Stauntoni Moq. XIII. 2. 15
tamariscina *Lindl.* XIII. 2.
tomentosa Loure XIII. 2 15
tortuosa Moq. XIII. 2. 159
triandra Donnersm. XIII. 2
vera *Forsk.* XIII. 2. 159 163
vermiculata *Forsk.* XIII. 2.
villosa *Loure* XIII. 2. 159 1
Spec. Forsk. XIII. 2. 161

sect. Salsina Moq. XIII. 2. 155
sect. Chenopodina Moq. XIII. 2. 159
EAE *Moq.* XIII. 2. 46 152
umara Dun. XIII. 1. 84 (Solanum)
nia *Kar.* X. 162
pocarpa *Kar.* X. 163
rinthifolia *Dc. fl.* - -
na *Dc. fl.* X. 163
hifolia *Kar.* X. 163
Raf. XIII. 2. 237
R. & Schult. IX. 37
ta R. & Schult. IX. 37
i XI. 676
Domb. XIII. 2. 34
lis Domb. XIII. 2. 35
esculenta Rumph VIII. 636
loth X. 341 362 353
ta Walp. X. 362
Roth X. 363 357
losa *Roth* X. 362
da Walp. X. 363 391
tifolia Roth X. 363 356
Hochst. X. 381
A. Rich. VIII. 92
ta hort. XIII. 1. 528 529
Gmel. XIII. 1. 533
tora Gmel. XIII. 1. 535 536
L. IX. 131 121 122 *L.* IX. 128 *Labill.* IX. 136 IX. 86 *Kth.* IX. 127 *Pall.* IX. 122 123
ica Hochst. IX. 134
oyl. IX. 135 127
is Dougl. IX. 135 131
lia Royl. IX. 133
na Spr. IX. 135 129
folia Hamilt. IX. 135 127
dea H. B. & Kth. IX. 135 129
Boiss. IX. 562
nis H. B. & Kth. IX. 135 128
nis W. IX. 135 129
ica Wulf. IX. 122
emma Wall. IX. 135 129
Wall. IX. 135 127
toyl. IX. 135 124
Royl. IX. 132
Fisch. & Mey. IX. 132
Wall. IX. 135 124
ta L. IX. 135 128

Swertia
corniculata Mx. IX. 135 129
corymbosa Wight IX. 135 125
cuneata *Wall.* IX. 133
decumbens *Vahl* IX. 133
deflexa Sm. IX. 135 129
dichotoma L. IX. 135 123
difformis L. IX. 135 49
elegans Wall. IX. 135 126
fastigiata *Pursh* IX. 134
filiformis *Macf.* IX. 134
florida Wall. IX. 135 125
gracilis H. B. & Kth. IX. 135 130
Hugelii *Griseb.* IX. 133
hypericoides H. B. & Kth. IX. 135 130
javanica *Blum.* IX. 134
kamaonensis *Wall.* IX. 563
longifolia *Boiss.* IX. 562
lurida Royl. IX. 135 124
lutea Vest IX. 135 86
marginata *Fisch. & Mey.* IX. 134
Michauxiana Cham. & Schl. IX. 135 130
Michauxiana R. & Schult. IX. 135 129
multicaulis *Don* IX. 134
nervosa Wall. IX. 135 125
Pallasii G. Don IX. 123
paniculata Wall. IX. 135 124
parnassifolia Labill. IX. 135 136
parviflora G. Don IX. 128
parviflora H. & Bonpl. IX. 135
pauciflora W. IX. 135 130
perennis *L.* IX. 132 562
β obtusa *Ledeb.* - -
perfoliata Royl. IX. 133
persica *Griseb.* IX. 132
petiolata *Royl.* IX. 133
pinifolia R. & Pav. IX. 135 130
plantaginea H. B. & Kth. IX. 135 130
pulchella Wall. IX. 135 126
pumila *Hochst.* IX. 562
punctata *Baumg.* IX. 132
purpurascens Wall. IX. 135 124
pusilla *Pursh* IX. 134
racemosa Wall. IX. 135 127
recurva Sm. IX. 135 130
rotata L. IX. 135 122
rotata *Thbg* IX. 134
Schimperi *Griseb.* IX. 563
speciosa G. Don IX. 133
speciosa *Wall.* IX. 133

Swertia
sulcata Roth. IX. 135 122
tetrandra *Hochst.* IX. 563
tetrapetala Pall. IX. 135 123
trichotoma *Wall.* IX. 134
turfosa *Baumg.* IX. 563
umbellata Matthews IX. 135 130
umbellata R. & Pav. IX. 135 129
zeylanica Walk. IX. 135 125
SWERTIEAE *Griseb.* IX. 86
Swingera Hofer XIII. 1. 9 10
Syama Jones XIII. 2. 325
Sykesia *Arn.* IX. 35
Koenigii *Arn.* IX. 35
thyrsiflora *Arn.* IX. 35
Walkeri *Arn.* IX. 35
Symbolanthus *Don* IX. 79
calygonus *Griseb.* IX. 80
Kunthii Don IX. 80 79
Symphoremа *Roxb.* XI. 621
involucratum *Roxb.* XI. 621
paniculatum Heyne h. XI. 621 623
polyandrum *Wight* XI. 621
SYMPHOREMEAE *Meisn.* XI. 525 620
Symphyandra *Dc. fil.* VII. 494
armena *Dc. fil.* VII. 495
cretica *Dc. fil.* VII. 494
ossetica *Dc. fil.* VII. 495
pendula *Dc. fil.* VII. 494
stylosa *Royl.* VII. 494
Symphysia *Presl* VII. 794
martinicensis *Presl* VII. 794
Symphytum *Tourn.* X. 36
anatolicum *Boiss.* X. 39
armenum Gundelsh. X. 40 66
asperrimum *Sims* X. 38
asperrimum d'Urv. X. 39
asperum Lepech. X. 38
bohemicum Schmidt X. 37
brachycalyx *Boiss.* X. 39
brochum Bory & Chaub. X. 38 39
bulbosum *Schimp.* X. 38
bullatum Horn. X. 39
carmosinum *hort. Angl.* X. 40
caucasicum *MB.* X. 38
β glabriusculum *Dc.* - -
caucasicum D. Don X. 37
Clusii Gmel. X. 38
coeruleum hort. Angl. X. 40
cordatum MB. X. 40
cordatum *W.* X. 40
cordifolium Baumg. X. 40
Symphytum
Donii *Dc.* X. 37
echinatum *Ledeb.* X. 40
filipendulum Bisch. X. 38
fruticosum Moç. X. 121
grandiflorum *Dc.* X. 40
intermedium *h. Gorenk.* X. 4
laeve *Bess.* X. 40
macrolepis Gay X. 36
mediterraneum *Koch* X. 37
officinale *L.* X. 37
α ochroleucum *Dc.* - -
β purpureum *Pers.* - -
γ tuberculatum *Weism.* - -
officinale bohemicum krit. β
officinale var. Bess. X. 37
orientale *L.* X. 39
β angustius *Dc.* - -
orientale Pall. X. 39
orientale Pinard X. 40
orientale Sims X. 39
ottomanum *Friwald.* X. 39
pannonicum Pe s. X. 40
patens Sibth. X. 37
peregrinum *Ledeb.* X. 37
punctatum Gaud. X. 38
racemosum *Stepk.* X. 40
regium Gmel. X. 40 66
secundum Gmel. X. 40 24
tauricum *W.* X. 39
tuberosum *L.* X. 38
tuberosum Uoria X. 36
tuberosum β exsertum Lam. Zeyheri Schimp. X. 38
Sympieza *Lichtenst.* VII. 705
brachyphylla *Bth.* VII. 706
capitellata *Licht.* VII. 706
Ecklioniana *Klotzsch* VII. 70
Kunthii *Klotzsch* VII. 706
β hispida *Bth.* - -
γ brachyphylla - -
tenuiflora *Bth.* VII. 706
SYMPLOCEAE *Dc. fil.* VII
SYMPLOCEAE Dumort. VII
SYMPLOCINAE G. Don VII
SYMPLOCINAE G. Don VII
Symplocos *Jacq.* VIII. 2
L'Herit. VIII. 247 *G. Don* VI
Bth. VIII. 2
adenophylla *Wall.* VIII. 25
Alstonia *L'Herit.* VIII. 24
arbutifolia *Casar.* VIII. 2
Arechea *L'Herit.* VIII. 25
attenuata *Wall.* VIII. 256
atroviridis Wall. VIII. 254

os
sis *Dc. fil.* VIII. 250
n *Wall.* VIII. 256
olia *Wall.* VIII. 257
Bth. VIII. 252
H. & Bonpl. VIII. 248
xicana *Dc. fil.* – –
β Bth. VIII. 248
Bth. VIII. 249
ma *L'Herit.* VIII. 250
enii *Dc. fil.* VIII. 251
ea *H. & Bonpl.* VIII. 249
ea *Dc. fil.* VIII. 248
goides *G. Don* VIII. 258
ensis *Casar.* VIII. 673
data *Roxb.* VIII. 259
nea *Roxb.* VIII. 257
nda *Wall.* VIII. 255
flora *Wall.* VIII. 257
oniana *Wall.* VIII. 254
egi *Dc. fil.* VIII. 252
Dc. fil. VIII. 253
ea *Dc. fil.* VIII. 255
lata *Dc. fil.* VIII. 253
Wall. VIII. 254
ta *Bth.* VIII. 252
cillo *H. & Bonpl.* VIII. 258
D. Don VIII. 255
Hamilt. VIII. 255
Sieb. & Zucc. VIII. 255
Wall. VIII. 255
Dc. fil. VIII. 251
phylla *Wall.* VIII. 257
Mart. VIII. 252
icensis *Jacq.* VIII. 249
terii *Dc. fil.* – 250
wsii *Dc. fil.* VIII. 250
Wall. VIII. 257
nata *H. & Bonpl.* VIII. 258
a *Dc. fil.* VIII. 256
Bth. VIII. 250
H. & Bonpl. VIII. 248
rifolia *Casar.* VIII. 673
a *Dc. fil.* VIII. 251
Wall. VIII. 255
tala *Sw.* VIII. 249
dla *Wall.* VIII. 256
dota *Wall.* VIII. 258
ora *Bth.* VIII. 252
yna *Spr.* VIII. 259
clados *Dc. fil.* VIII. 253
hylla *Bth.* VIII. 251
ssicuspis *Dc. fil.* – –
rpa *Wall.* VIII. 255
achya *Wall.* VIII. 254
ens *Klotzsch* VIII. 252
ui.

Symplocos
pyrifolia *Wall.* VIII. 256
racemosa *Roxb.* VIII. 255
racemosa c. Wall. VIII. 256
ramosissima *Wall.* VIII. 257
reflexa *Dc. fil.* VIII. 248
revoluta *Casar.* VIII. 673
revoluta *Dc. fil.* VIII. 253
rhamnifolia *Dc. fil.* VIII. 253
rigida Wall. VIII. 255
rubiginosa *Wall.* VIII. 257
rufescens *H. & Bonpl.* VIII. 248
Schiedeana *Schlecht.* VIII. 258
serrulata *H. & Bonpl.* VIII. 248
sinica *Ker* VIII. 258
spicata *Roxb.* VIII. 254
β zeylanica *Dc. fil.* – –
γ oligostachya – – –
δ atrovirens – – –
spicata β G. Don VIII. 254
spicata var. atroviridis Dc. fil. VIII. 255
subspinosa Hamilt. VIII. 255
Sumuntia *D. Don* VIII. 255
β floribunda *Dc. fil.* – –
Sumuntia G. Don VIII. 255
theaefolia D. Don VIII. 256
tinctoria *L'Herit.* VIII. 254
tomentosa *H. & Bonpl.* VIII. 249
uniflora *Bth.* VIII. 251
Synandra *Nutt.* XII. 407 435 *Schrad* XI. 292 295.
grandiflora *Nutt.* XII. 435
Synanthera G. Don VII. 525
Synarrhena Fisch. & Mey. VIII. 201 206
floribunda Fisch. & Mey. VIII. 206
subsericea Fisch. & Mey. VIII. 206
Synchlaena Dc. fil. VII. 423 (Codonopsis)
Syncolostemon *E. Mey.* XII. 31 53
densiflorus *Bth.* XII. 54
dissitiflorus *Bth* XII. 54
parviflorus *E Mey.* XII. 54
parriflorus β Bth. XII. 54
ramulosus *E. Mey.* XII. 54
rotundifolius *E Mey.* XII. 53
Syndesmanthus *Bth.* VII. 706 *Klotzsch* VII. 706
articulatus *Klotzsch* VII. 706
β hirtus *Bth.* – –
capitellatus Klotzsch VII. 707 705
ciliatus *Bth.* VII. 707
fasciculatus *Klotzsch* VII. 707
glaucus *Klotzsch* VII. 707
paucifolius *Bth.* VII. 707

Syndesmanthus
scaber Klotzsch VII. 706
β gracilis Bth. - -
squarrosus Bth. VII. 707
Synlobus Dc. X. 15 (Echium)
Synnema Bth. X. 527 538
avanum Bth. X. 538
Synotoma G. Don Dc. fil. VII. 450 (Phyteuma)
Synphyllium Griff. X. 408
toremioides Griff. X. 409
Synsepalum Dc. fil. VIII. 183 (Sideroxylon)
Synthyris Bth. X. 448 454
Houghtoniana Bth. X. 451
plantaginea Bth. X. 455
reniformis Bth. X. 454
rubra Bth. X. 455
Syringa L. VIII. 282 Thbg VIII. 281
babylonica Pluk. VIII. 283
capitata Gmel. VIII. 283
chinensis W. VIII. 282
chinensis Turcz. VIII. 283
dubia Pers. VIII. 282
Emodi Wall. VIII. 283
Josikaea Jacq. fil. VIII. 283
laurifolia &c. Pluk. XIII. 1. 624 631
persica L. VIII. 283
α integrifolia Vahl VIII. 283
β laciniata - - -
persica rothomagensis Mirb. VIII. 282
pubescens Turcz. VIII. 283
rothomagensis A. Rich. VIII. 282
speciosa hortul. VIII. 282
suspensa Thbg VIII. 283 281
villosa Vahl VIII. 283
β ovalifolia Dc. - -
vulgaris L. VIII. 282
α violacea Dietr. - -
β coerulea - - -
γ purpurea - - -
δ alba - - -
Spec. Moench VIII. 283
SYRINGEAE Don VIII. 280
Syringodea Bth. VII. 614 623 (Erica)
Syringodea D. & G. Don VII. 613 624 625 628 636
ambigua G. Don VII. 638
Archeriana G. Don VII. 627
argentiflora G. Don VII. 628
aurea G. Don VII. 628
Bedfordiana G. Don VII. 632 639
Boweiana G. Don VII. 624
brachiatis G. Don VII. 635
Broadleiana G. Don VII. 637
buccinaeformis G. Don VII. 634
Syringodea
carinata G. Don VII. 639
cephalotes G. Don VII. 635
cerviciflora G. Don VII. 634
clavaeflora G. Don VII. 625
clavata G. Don VII. 623
coccinea G. Don VII. 627
colorans G. Don VII. 634
cuprina G. Don VII. 636
conspicua G. Don VII. 633
costata G. Don VII. 631
curviflora G. Don VII. 634
cuspidigera G. Don VII. 633
cyrillaeflora G. Don VII. 635
densa G. Don VII. 642
densifolia G. Don VII. 625
diaphana G. Don VII. 632
dichroa G. Don VII. 631
Dickensoni G. Don VII. 635
discolor G. Don VII. 629
dolliformis G. Don VII. 630
echiiflora G. Don VII. 627
elongata G. Don VII. 637
epistomia G. Don VII. 631
erubescens G. Don VII. 637
Everana G. Don VII. 629
exposita G. Don VII. 632
exsurgens G. Don VII. 627
fascicularis G. Don VII. 637
filamentosa G. Don VII. 634
flammea G. Don VII. 633
flava G. Don VII. 634
foliacea G. Don VII. 630
gemmifera G. Don VII. 638
gilva G. Don VII. 624
grandiflora G. Don VII. 628
Hibbertiana G. Don VII. 625
hirsuta G. Don VII. 634
hirta G. Don VII. 630
hybrida G. Don VII. 638
ignescens G. Don VII. 633
insulsa G. Don VII. 632
lanata G. Don VII. 643
Leeana G. Don VII. 625
Linnaeana G. Don VII. 634
linnaeoides G. Don VII. 634
lituiflora G. Don VII. 634
longifolia G. Don VII. 625
mammosa G. Don VII. 624
Massoni G. Don VII. 638
mutabilis G. Don VII. 629
nana G. Don VII. 631
nitens G. Don VII. 643
obpyramidalis G. Don VII. 642
onosmaeflora G. Don VII. 626
ostrina G. Don VII. 627
pallens G. Don VII. 635

Syringodea
Pattersoni G. Don VII. 630
pellucida G. Don VII. 632
perspicua G. Don VII. 639
pinea G. Don VII. 626
pinifolia G. Don VII. 625
procera G. Don VII. 633
pulviniformis G. Don VII. 627
pura G. Don VII. 626
purpurea G. Don VII. 628
radiata G. Don VII. 638
refulgens G. Don VII. 631
Rothnsonia G. Don VII. 627
rosea G. Don VII. 626
rubida G. Don VII. 638
rugosa G. Don VII. 640
sacciflora G Don VII. 631
Salisburia G. Don VII. 628
sanguinea G. Don VII. 627
sceptriformis G. Don VII. 675
serratifolia G. Don VII. 631
sordida G. Don VII. 633
speciosa G. Don VII. 630
spicata D.&G. Don VII. 625
splendens G. Don VII. 633
spuria G. Don VII. 639
stagnalis G. Don VII. 634
sulphurea G. Don VII. 634
transparens G. Don VII. 637
triphylla G. Don VII. 670
tubiflora G. Don VII. 634
tumida G. Don VII. 636
velitaris G. Don VII. 678
versicolar G. Don VII. 631
verticillata G. Don VII. 624
vestita G. Don VII. 626
vestita var. G. Don VII. 626
virescens G. Don VII. 630
viridiflora G. Don VII. 623
viridis G. Don VII. 626
Syringosma *Mart.* VIII. 318

T.

Tabacina Reich. XIII. 1. 556
Tabacum Dun. XIII. 1. 557 (Nicotiana)
Tabacum Reich. XIII. 1. 556 *G. Don* XIII. 1. 557
latissimum Opiz & Bercht. XIII. 1. 557
nicotianum Opiz & Bercht. XIII. 1. 557
Tabacus Moench XIII. 1. 556
viridis Moench XIII. 1. 560
Tabebuja *Gomez* IX. 212
cassinoides *Dc.* IX. 213
citrifolia *Dc.* IX. 213
fluviatilis *Dc.* IX. 215
haemantha *Dc.* IX. 214
japurensis *Dc.* IX. 214
ilicifolia *Dc.* IX. 213
lanceolata *Dc.* IX. 213
latifolia *Dc.* IX. 213
leucoxyla *Dc.* IX. 212
Mansoana *Dc.* IX. 214
pyramidata *Dc.* IX. 214
rosea *Dc.* IX. 215
rufinervis *Dc.* IX. 213
sanguinea Dc. IX. 215 176
triphylla *Dc.* IX. 214
uliginosa *Dc.* IX. 212 209
xanthophylla *Dc.* IX. 214
Tabebuya IX. 212
Taberna Dc. fil. VIII. 364 (Tabernaemontana)
Tabernaemontana *Plum.* VIII. 361
Auct. VIII. 360 378 *L.* VIII. 384 *Spr.* VIII. 327
africana *Hook.* VIII. 367
alba *Mill.* VIII. 362
alternifolia L. VIII. 371
Amsonia Ait. VIII. 377 385
amygdalifolia Bert. h. VIII. 367
amygdalifolia *Jacq.* VIII. 367
β obtusiloba *Dc. fil.* – –
amygdalifolia Sieb. VIII. 369
angustifolia Ait. VIII. 377 385
arcuata *R. & Pav.* VIII. 363
aurantiaca *Gaudich.* VIII. 374
Berterii *Dc. fil.* VIII. 367
β parviflora – – 368
bovina *Lour.* VIII. 375
bufalina *Lour.* VIII. 372
calycina *Wall.* VIII. 372
catharinensis *Dc. fil.* VIII. 365
cestroides Mart. VIII. 377
cestroides Nees VIII. 444
cirrhosa *Blanco* VIII. 377
citrifolia *L.* VIII. 363
coffeoides *Boj.* VIII. 370
collina G. Don VIII. 676
coriacea *R. & Schult.* VIII. 364
coronaria *RBr.* VIII. 373
corymbosa *Roxb.* VIII. 376
crispa *Roxb.* VIII. 371
Cumingiana *Dc. fil.* VIII. 373
cylindracea *Wall.* VIII. 377
cymosa *Jacq.* VIII. 364

Tabernaemontana
Decaisnii *De. fil.* VIII. 369
β petiolata – –
densiflora *Wall.* VIII. 373
dichotoma *Roxb.* VIII. 366
β brevifolia *De. fil.* – –
discolor *Sw.* VIII. 375
disticha *De. fil.* VIII. 362
divaricata *Blum.* VIII. 373
divaricata *G. Don* VIII. 377 421
ebracteata *RBr.* VIII. 376
echinata *Aubl.* VIII. 377 360
echinata *Vell.* VIII. 377 360
elastica *Spr.* VIII. 377 358
elliptica *Blanco* VIII. 376
elliptica *Thbg* VIII. 377 385
fasciculata *Poir.* VIII. 375
Finlaysoniana *Wall.* VIII. 377
flavescens *R. & Schult.* VIII. 375
flavicans *R. & Schult.* VIII. 375
floribunda *Blum.* VIII. 375
foliis oppositis &c. *Jacq.* VIII. 362
frutescens &c. *Sloan.* VIII. 363
fuchsiaefolia *De. fil.* VIII. 365 676
Gaudichaudii *De. fil.* VIII. 365
globosa *Blanco* VIII. 374
graciliflora *Wall.* VIII. 372
gracilis *Bth.* VIII. 377 360
grandiflora *Hook.* VIII. 367
grandiflora *Jacq.* VIII. 368
gratissima *Lindl.* VIII. 371
heterophylla *Vahl* VIII. 361
Heyneana *Wall.* VIII. 376
hystrix *Steud.* VIII. 377 360
indica *W. h.* VIII. 377
Kamassi *Eckl.* VIII. 377 388
lactescens citrifoliis &c. *Plum.* VIII. 363
lactescens lauri folio &c. *Houst.* VIII. 362
laeta *Mart.* VIII. 364
laevis *Vell.* VIII. 375
laurifolia *Blanco* VIII. 372
laurifolia *Ker* VIII. 366
laurifolia *L* VIII. 363
laxa *Bth.* VIII. 377 326
Linkii *De. fil.* VIII. 364
littoralis *H B. & Kth.* VIII. 363
longifolia *Bth.* VIII. 368
lucida *H. B. & Kth.* VIII. 377
Lundii *De. fil.* VIII. 365
macrocarpa *Jack* VIII. 374
macrophylla *Poir.* VIII. 374
mauritiana *Poir.* VIII. 369
mauritiana *Sieb.* VIII. 370
membranacea *De. fil.* VIII. 370

Tabernaemontana
Meyeri *G. Don* VIII. 369
micrantha *De. fil.* VIII. 370
microcarpa *Wall.* VIII. 372
mollis *Hook. & Arn.* VIII. 3
monocarpa *Jack* VIII. 377
multiflora *R. & Schult.* VIII
multiflora *Sm.* VIII. 376
muricata *Link* VIII. 377
muricata *R. & Schult.* VIII
neriifolia *Vahl* VIII. 367
nervosa *Desf.* VIII. 369
Noronhiana *Boj.* VIII. 370
oblonga *Wall.* VIII. 376
oblongifolia *De. fil.* VIII. 3
obtusa *Sm.* VIII. 370
obtusifolia *Poir.* VIII. 370
odorata *Vahl* VIII. 377 359
orientalis *RBr.* VIII. 371
orientalis *G. Don* VIII. 377
Pandacaqui *Poir.* VIII. 372
parviflora *Boj.* VIII. 370
parviflora *Don* VIII. 369
parviflora *Heyne* &VIII. 376
parviflora *Poir.* VIII. 374
parviflora *Roxb.* VIII. 371
pauciflora *Blum.* VIII. 375
pauciflora *Wight* VIII. 371
peduncularis *Wall.* VIII. 376
Perrottetii *De. fil.* VIII. 368
persicariaefolia *Jacq.* VIII.
polyantha *Blum.* VIII. 376
populifolia *Poir* VIII. 374
populifolia β *Steud.* VIII. 3
psychotrifolia *H.B.& Kth.* VI
pubescens *RBr.* VIII. 376
Rauwolfiae *De. fil.* VIII. 3
recurva *Roxb.* VIII. 371
repanda *E. Mey* VIII. 377
reticulata *De. fil.* VIII. 365
riparia *H. B. & Kth.* VIII. 37
rostrata *Wall.* VIII. 371
rupicola *Bth.* VIII. 362
salicifolia *Wall.* VIII. 376
Salzmanni *De. fil.* VIII. 36
Sananho *R. & Pav.* VIII. 3
solanifolia *De. fil.* VIII. 36
speciosa *Poir.* VIII. 364
sphaerocarpa *Blum.* VIII. 3
squamosa *Sieb.* VIII. 370
squamosa *Sm.* VIII. 370
squamosa *Spr.* VIII. 377 3
subcapitata *Wall.* VIII. 373
Telfairiana *Wall* VIII. 36
tetrastachya *H. B. & Kth.* VI
tristis *Sm.* VIII. 365
umbrosa *H. B. & Kth.* VIII.

ɜemontana
lata *Mey. esseq.* VIII. 368
'ata *Perrott.* VIII. 362
'ata *Vahl* VIII. 377 359
Arn. VIII. 363
icosa *Hochst.* VIII. 366
cosa *Blum.* VIII. 376
chiana *Steud.* VIII. 371
7 88 96 *Sieb. fl.maur.* VIII. 377
NAEMONTANEAE *Dc. fil.* VIII. 349
ɜa *Dcne* VIII. 492
ɜa *Dcne* VIII. 493
Aubl. IX. 80 *Griseb.* IX. 79
ona *Griseb.* IX. 80
folia *Mart.* IX. 80 83
ensis *Aubl.* IX. 80
'olia *Mart.* IX. 80 82
tzii *Don* IX. 80 83
enus *Griseb.* IX. 81
ɜtus *Griseb.* IX. 81
is *Griseb.* IX. 82
florus *Griseb.* IX. 82
vis *Griseb.* IX. 82
ɜrus *Griseb.* IX. 82
Tagua XIII. 1. 70
'alab *Leschen.* XI. 385
unco X. 586
ta *Blanco* X. 586
li *Rheed.* IX. 354
a *Aubl.* XI. 677
estris *Aubl.* XI. 677
ima *Rheed.* XIII. 2. 452
ɜperma *Dc. fil.* VIII. 378 (Malouctia)
a *Aubl.* XI. 528
savica *Pers.* XI. 528
a *Schauer* XI. 529
lacea *Pers.* XI. 529 534
a *Sw.* XI. 529
a *Cham. & Schl.* XI. 529
inor - -
a *Aubl.* XI. 529
nacea *Sw.* XI. 528
IHAR *Dc.* IX. 240
ɜm *Sw.* IX. 245 *W.* IX. 245
loj. IX. 247 *Salm.* IX. 200
ɜrum *Dc.* IX. 245
a *Sw.* IX. 245
ɜlatum *Sieb.* IX. 245
ticum *Sw.* IX. 245
tum *W.* IX. 245 248
sa *Steud* IX. 248
a *Moq.* XIII. 2. 226
ɜstachys *Moq.* XIII. 2. 227
olia *Moq.* XIII. 2. 228

Tandonia
diffusa *Moq.* XIII. 2. 226
filiformis *Moq.* XIII. 2. 227
marginata *Moq.* XIII. 2. 226
β subramosa - - 227
obovata *Moq.* XIII. 2. 227
ramosa *Moq.* XIII. 2. 227
Tanghinia *Pet. Thouars* VIII. 355
G. Don VIII. 352
dichotoma G. Don VIII. 355 366
lactaria G. Don VIII. 355 353
laurifolia G. Don VIII. 355 354
maculata G. Don VIII. 355 356
Manghas G. Don VIII. 355
Odollam G. Don VIII. 355 353
venenifera *Poir.* VIII. 355
Tapeinanthus *Boiss.* XII. 407 436
persicus *Boiss.* XII. 436
Tapeinotes *Dc.* VII. 544
barbata *Dc.* VII. 544
pusilla *Dc.* VII. 544
Tapina Mart. VII. 544
barbata Mart. VII. 544
pusilla Mart. VII. 544
Tarphostachys Schauer XI. 566 (Stachytarpha)
Tarram Akkar Marsd. VIII. 617
Tassadia *Dcne* VIII. 579
colubrina *Dcne* VIII. 579
floribunda *Dcne* VIII. 580
guianensis *Dcne* VIII. 579
lanceolata *Dcne* VIII. 579
leptobotrys *Dcne* VIII. 579
Martiana *Dcne* VIII. 580
obovata *Dcne* VIII. 579
Poeppigiana *Dcne* VIII. 590
propinqua *Dcne* VIII. 579
Tauschia Preissler VII. 794
hederaefolia Preissler VII. 794
Taxanthema Neck. XII. 634
attenuatum RBr. XII. 670
australis RBr. XII. 643
Tayotum *Blanco* VIII. 489
Tecoma *Juss.* IX. 215
aesculifolia *Dc.* IX. 221
Aesculus *Dc.* IX. 222
africana G. Don IX. 225 166
alata Dc. IX. 225
alba *Cham.* IX. 216
aquatilis Dc. IX. 225 215
araliacea *Dc.* IX. 221
atrovirens *Dc.* IX. 220
aurea *Dc.* IX. 222
australis *RBr.* IX. 225
β mecosantha *Dc.* - -

Tecoma
analeaefolia *H. B. & Kth.* IX 224
analeaefolia Don IX. 224
barbata *Do.* IX. 221
Berterii *Do.* IX. 220
capensis *Lindl.* IX. 223
Caraiba *Mart.* IX. 217
Carlanthera Mart. IX. 225
chrysantha *Dc.* IX. 221
chrysotricha *Mart.* IX. 216
conspicua *Dc.* IX. 221
cyrtantha *Mart.* IX. 218
digitata *H. B. & Kth.* IX. 217
diversifolia *G. Don* IX. 225
elliptica *Dc.* IX. 220
flavescens *Mart.* IX. 216
floribunda *Cunn.* IX. 225
fulgens *Mart.* IX. 222
fulva *Dc.* IX. 224
fulva Don IX. 224
fuscata *Dc.* IX. 218
Gaudichaudi *Dc.* IX. 223
glauca *Dc.* IX. 223
grandiflora *Delaun.* IX. 223
Guarume *Dc.* IX. 224
heptaphylla *Mart.* IX. 218
heteropoda *Dc.* IX. 219
heterotricha *Dc.* IX. 219
hirsuta *Dc.* IX. 222
hirta *Mart.* IX. 222
Hypodictyon *Dc.* IX. 217
jasminoides *Lindl.* IX. 225
impetiginosa *Mart.* IX. 218
incisa Sweet IX. 224
lasianthera Mart. IX. 180
lateriflora Mart. IX. 225 179
lepidota *Dc.* IX. 220
leucophlaeos *Mart.* IX. 217
leucoxylon *Mart.* IX. 219
β Miquelii *Dc.* - -
longiflora Mart. IX. 218
Maximiliani *Mart.* IX. 222
meonantha G. Don IX. 225
mexicana *Mart.* IX. 218
Meyeriana *Dc.* IX. 221
mollis *H. B. & Kth.* IX. 224
myriantha *Cham.* IX. 220
obtusata *Dc.* IX. 217
ochracea *Cham.* IX. 216
ochracea Mart. IX. 217
ochracea β denudata Cham. IX. 216
Oxleyi *A. Cunn.* IX. 225
parviflora Mart. IX. 225 215
Tecoma
Patrisiana *Dc.* IX. 221
pentaphylla *Juss.* IX. 217
radicans *Juss.* IX. 223
β minor *Dc.* - -
radicans major Lam. IX. 2
rosaefolia *H. B. & Kth.* IX
rosea Bertol. IX. 225 215
Salzmanni *Dc.* IX. 219
sambucifolia *H. B. & Kth.*
serratifolia *Don* IX. 216
sorbifolia *H. B. & Kth.* IX.
speciosa *Dc.* IX. 219
splendida Spr. IX. 226 X. 5
squamelluloea *Dc.* IX. 220
stans *Juss.* IX. 224
β capitata *hortul.* - -
γ velutina *Dc.* - -
suaveolens Don IX. 225 211
subvernicosa *Dc.* IX. 219
toxophora *Mart.* IX. 217
trichocalycina *Dc.* IX. 221
triphylla Mart. IX. 215
uliginosa *Mart.* IX. 225 222
undulata *Don* IX. 222
uspallatensis Mart. IX. 225
venusta *Lam.* IX. 156
xylocarpa G. Don IX. 225
Tecomaria Endl. IX. 216 *Don*

TECONEAE Endl. IX. 208
Tectona *L. fil.* XI. 627 629
grandis *L. fil.* XI. 629
Hamiltoniana *Wall.* XI. 629
Teodia *Rudolph.* X. 299 334
lucida *Rudolph.* X. 334
lucida bot. reg. X. 334
pubescens *Burch.* X. 334
Teganium Schmidel XIII. 1. 5
procumbens Schmidel XII
Tegore XIII. 1. 79
Telanthera *Moq.* XIII. 2. 2
RBr. XIII.
albida *Moq.* XIII. 2. 367
andicola *Moq.* XIII. 2. 373
brasiliana *Moq.* XIII. 2. 3
β villosa - - -
canescens *Moq.* XIII. 2. 3
capitulifiora *Moq.* XIII. 2.
caracasana *Moq.* XIII. 2.
cinerascens *Moq.* XIII. 2.
Crucis *Moq.* XIII. 2. 362
densiflora *Moq.* XIII. 2. 3
dentata *Moq.* XIII. 2. 378

Moq. XIII. 2. 382
ephala *Moq.* XIII. 2. 373
a *Moq.* XIII. 2. 372
iceps – – –
Moq. XIII. 2. 363
Moq. XIII. 2. 368
ns *Moq.* XIII. 2. 382
ens *Moq.* XIII. 2. 365
ifolia – – 366
anuleria – – –
ultensis – – –
iceus *Moq.* XIII. 2. 369
ata *Moq.* XIII. 2. 376
enoides *Moq.* XIII. 2. 377
ta – – 378
Moq. XIII. 2. 375
folia *Moq.* XIII. 2. 376
Moq. XIII. 2. 360
lata *Moq.* XIII. 2. 371
es *Moq.* XIII. 2. 370
a *Moq.* XIII. 2. 374
des *Moq.* XIII. 2. 379
na *Moq.* XIII. 2. 364
nnuals – – 365
rvifolia – – –
acutanata – – –
armanni – – –
Moq. XIII. 2. 374
ccensis *Moq.* XIII. 2. 366
ana *Moq.* XIII. 2. 372
cephala *Moq.* XIII. 2. 371
spida – – 372
ni *Webb* XIII. 2. 379
aulis *Moq.* XIII. 2. 360
Moq. XIII. 2. 374
ra *Moq.* XIII. 2. 367
ualis *Moq.* XIII. 2. 369
ta *Moq.* XIII. 2. 370
alata *Moq.* XIII. 2. 377
iana *Moq.* XIII. 2. 366
teroides *Moq.* XIII. 2. 362
biusifolia – – – 363
rutifolia – – – –
ereacea – – – –
onoides *Moq.* XIII. 2. 368
iffusa – – 364
rochlata – – –
recta – – –
ajor – – –
adicans – – –
ompacta – – –
genus *Moq.* XIII. 2. 377
onga *Moq.* XIII. 2. 369
rsuta *Moq.* XIII. 2. 373

Telanthera
pubiflora *Moq.* XIII. 2. 375
α monocephala – – 376
β glomerata – – –
pungens *Moq.* XIII. 2. 371
pycnantha *Moq.* XIII. 2. 376
ramosissima *Moq.* XIII. 2. 381
rufa *Moq.* XIII. 2. 375
serpyllifolia *Moq.* XIII. 2. 373
strigosa *Moq.* XIII. 2. 370
tomentosa *Moq.* XIII. 2. 380
truxillensis *Moq* XIII. 2. 367
villosa *Moq.* XIII. 2. 379
virgata *Moq.* XIII. 2. 382
Telelanthera Endl. XIII. 2. 362
mantillensis Walp. XIII. 2. 366
Teliostachya *Nees* XI. 223 262
alopecuroidea *Nees* XI. 263 727
Cataractae *Nees* XI. 263 728
diffusa *Nees* XI. 263
laguroidea *Nees* XI. 264
lanceolata *Nees* XI. 264
β crispa – – –
microcarpa *Nees* XI. 263
Tella-joovi IX. 507
Telostachya Moq. XIII. 2. 326 (Cretbula)

Teloxys *Moq.* XIII. 2. 43 59
aristata *Moq.* XIII. 2. 59
β nana – – – 40
Temnocydia Mart. IX. 143
aequinoctialis Mart. IX. 155
Carajura Mart. IX. 185
densiflora Mart. IX. 181
elliptica Mart. IX. 156 176
flavida Mart. IX. 168
flavida var. Mart. IX. 169
lanerpitiifolia Mart. IX. 168
lenta α Mart. IX. 159
tenta β angustifolia Mart. IX. 157
spectabilis Mart. IX. 155
splendor sylvae Mart. IX. 154
Tenaris *E. Mey.* VIII. 606
rubella *E. Mey.* VIII. 606
Tenoria Denk. & Giord. XI. 726
undulata Denk. & Giord. XI. 726
Ternaria Dc. fl. VIII. 203 (Mimusops)
Ternstroemia bifaria Hamilt. VIII. 238
Teconaxochitl Hern. XIII. 1. 536
Terong XIII. 1. 360
Tersonia *Moq.* XIII. 2. 5 40
brevipes *Moq.* XIII. 2. 40
TERSONIEAE *Moq.* XIII. 2. 5 40

Tetilla *De.* VII. 775
hydrocotylefolia *De.* VII. 778
Tetradenia *Bth.* XII. 149 159
fruticosa *Bth.* XII. 159
Tetradiclis *Stev.* XIII. 2. 219
Tetradiospyros De. fil. VIII. 222 (Diospyros)
Tetrahit Dill. XII. 497
barbatorum Ger. XII. 481
Ladanum Moench XII. 497
longiflorum Moench XII. 497
nodosum Moench. XII. 498
Tetrahitum Hoffm. & Link XII. 462 481
hirtum Hoffm. & Link XII. 482
Tetralobus *De. fil.* VIII. 667
Preussii *De. fil.* VIII. 667
pusillus *De. fil.* VIII. 667
Tetramerium *Nees* XI. 463 467
hispidum *Nees* XI. 468
nervosum *Nees* XI. 468
β *angustifolium* - - -
polystachyum *Nees* XI. 468
racemulosum *Nees* XI. 468
Tetrandra De. IX. 527 (Tournefortia)
Tetranema *Bth.* X. 299 331
mexicanum *Bth.* X. 331
Tetraphylax G. Don De. VII. 515 (Goodenia)
Tetrapilus *Lour.* VIII. 299
brachiatus *Lour.* VIII. 299
Tetraspis Walt. X. 170
Tetraulacium *Turcz.* X. 342 379
veronicaeforme *Turcz.* X. 379
Tetton Kotta IX. 15
Teucris Ging. XII. 575 (Teucrium)
Teucrium *L.* XII. 572 574 595 *Spenn.* XII. 574
abutiloides *L'Herit.* XII. 580
abyssinicum Hochst. XII. 586
Achaemenis Schreb. XII. 592
aegyptiacum Pers. XII. 592
africanum *Thbg* XII. 577
album Poir. XII. 592
alpestre *Sibth. & Sm.* XII. 591
amplexicaule *Bth.* XII. 593
angustissimum Schreb. XII. 592
Arduini L. XII. 582
arenarium Gmel. XII. 586
argutum *RBr.* XII 584
asiaticum L. XII. 585
aureum Schreb. XII. 592
Bellon Schreb. XII. 592
Betonica bot. mag. XII. 575
betonicaefolium Jacq. XII. 575
Teucrium
betonicum *L'Herit.* XII. 575
bicolor *Sm.* XII. 579
Botrys *L.* XII. 567
bracteatum *Desf.* XII. 582
brevifolium *Schreb.* XII. 581
buxifolium *Schreb.* XII. 584
campanulatum *L.* XII. 579
canadense *L.* XII. 561
canariense Lam. XII. 575
canescens Forst. XII. 575
canum *Fisch. & Mey.* XII.
β *angustifolium* -
γ *latifolium* -
capense *Thbg* XII. 577
capitatum L. XII. 592
Cavanillesii Bert. XII. 579
chamaedrifolium MSS. XII.
Chamaedrys *L.* XII. 587
Chamaepitys L. XII. 594 60
charamonicense Cav. XII. 5
chium Poir. XII. 594 60
cinereum *Boiss.* XII. 590
coeleste Schreb. XII. 592
Commersonii Spr. XII. 594
compactum *Clem.* XII. 566
corymbiferum Desf. XII. 5
corymbosum *RBr.* XII. 5
creticum Lam. XII. 576
creticum *L.* XII. 576
creticum Sibth. & Sm. XII.
cubense *L.* XII. 575
cuneifolium *Sibth. & Sm.* XI
cuneifolium Urv. ittin. XI.
cylindricum Lam. XII. 583
cymosum *Pers.* XII. 594
cyprium *Boiss.* XII. 590
densiflorum *Viv.* XII. 701
divaricatum Sieb XII. 566
diversiflorum Moench XII.
elevatum Bth. XII. 563
euganeum *Vis.* XII. 594
fasciculatum *Poir.* XII. 594
filiforme Poir. XII. 594
flavescens Schreb. XII 592
flaviceans Lam. XII. 592
flavum *L.* XII. 588
β *purpureum* - -
flavum Sibth. & Sm. XII. 5
folhis ovatis &c. Ger. XII. 5
Fortunei *Bth.* XII. 583
fragile *Boiss.* XII. 589
fruticans *L.* XII. 575
fruticans Sibth. & Sm. XII.
genevense Crantz XII 594 5
gnaphalodes Vahl XII. 582

Teucrium
Haenseleri Boiss. XII. 591
heterophyllum Cav. XII. 579
heterophyllum *L'Herit.* XII. 575
heterophyllum Lindl. XII. 579
hircanicum bot. mag. XII. 582
hircanicum *L.* XII. 591
hyssopifolium Schreb. XII. 576
japonicum W. XII. 591
inflatum Sw. XII. 581
Jea L. XII. 594 600
Ketschyanum *Pasch.* XII. 585
laciniatum Torr. XII. 579
laevigatum Russ. XII. 594 601
laevigatum Vahl XII. 579
lanatifolium D'Urv. XII. 582 701
lanceolatum Bth. XII. 576
latigerum Lag. XII. 592
lanuginosum Hoffm. & Link XII. 586
latifolium L. XII. 575
lavandulatum Pourr. XII. 592
Lazmanni Murr. XII. 594 599
laxum *Don* XII. 583
leucocladum *Boiss.* XII. 591
leucophyllum Bth. XII. 598
Libanitis Schreb. XII. 693 701
lucidum *L.* XII. 587
lusitanicum *Lam.* XII. 585
lusitanicum Schreb. XII. 592
macrophyllum Lam. XII. 580
macrostachyum *Wall.* XII. 574
maderense Lam. XII. 575
Majorana *Pers.* XII. 594
maritimum Lam. XII. 589
Marum *L.* XII. 589
massaicense Boiss. XII. 590
massiliense *L.* XII 585
mauritanum L. XII. 580
microphyllum Desf. XII. 589
Montanum *L.* XII. 593
montanum Sibth. & Sm. XII. 593
Montbretii *Bth.* XII. 582
moschatum Lam. XII. 600
moschatum Mill. XII. 595
mucronatum L. XII. 585
multicaule Mantb. & Auch. XII. 579
multiflorum hortul. XII. 587
multiflorum *L.* XII. 588
nepetaefolium *Bth.* XII. 580
Nissolianum L. XII. 580
nudicaule *Hook.* XII. 579
odoratum Lam. XII. 585
officinale Lam. XII. 587
oligranthum Hausk. XII. 580
Olivierianum *Ging.* XII. 578
orchideum *Lindl.* XII. 579
orientale bot. mag. XII. 577
orientale *L.* XII. 577
β villosum – –
palustre H. B. & Kth. XII. 591
palustre Lam. XII. 586
paniculatum h. madr. XII. 582
parviflorum *Schreb.* XII. 576
persicum *Boiss.* XII. 590
Polium *L.* XII. 591 592
α flavescens – 592
β hirsutum – –
γ vulgare – –
δ gnaphalodes – –
ε purpurascens – –
ζ angustifolium – –
pseudo-chamaedrys Wender. XII. 587
pseudo-chamaepitys *L.* XII. 590
β multifidum – –
pseudo-hyssopus Schreb. XII 592
pseudo-scorodonia *Desf.* XII. 594
pumilum *L.* XII. 593
pycnophyllum Schreb. XII. 592
pyramidale Cranz XII. 595 596
pyrenaicum *L.* XII. 590
β granatense *Boiss.* XII. 591
quadratulum *Schreb.* XII. 589
quadratulum Sibth. & Sm. XII. 589
quadrifarium *Hamilt.* XII. 583
β glabrum – – 591
racemosum *RBr.* XII. 576
ramosissimum *Desf.* XII. 589
regium hortul. XII. 588
reptans Pourr. XII. 589
resupinatum *Desf.* XII. 586
rhombifolium W. XII. 595 191
rigidum *Bth.* XII. 578
riparium *Hochst.* XII. 576
rosmarinifolium Lam. XII. 596
rotundifolium Poir. XII. 595
rotundifolium Schreb. XII. 590
Royleanum *Wall.* XII. 583
salicifolium L. XII. 595 600
salviastrum Hoffmans. XII. 585
salviastrum Schreb. XII. 594
saxatile Cav. XII. 591
saxatile Sieb. XII. 591
scordioides *Schreb.* XII. 586
Scordium Brot. XII. 586
Scordium *L.* XII. 586
Scorodonia *L.* XII. 594
Scorodonia β crenatifolium Guss. XII. 594
serratum *Bth.* XII. 586

Teucrium
sessiliflorum *Bth.* XII. 580 700
sessilifolium *Clarke* XII. 594
sibiricum *L.* XII. 595 393
smyrnaeum *Boiss.* XII. 584
speciosum *Hill* XII. 581
spinosum *L.* XII. 585
staloniferum *Hamilt.* XII. 583
subspinosum *Pourr.* XII. 589
subtriphyllum *Lag.* XII. 592
supinum *L.* XII. 593
sylvestre *Lam.* XII. 584
Taylori *Boiss.* XII. 578
Teuthrion *Schreb.* XII. 592
Thea *Lour.* XII. 594
thymifolium *Schreb.* XII. 593
tomentosum *Heyne* XII. 582
tomentosum *Moench* XII. 575
tomentosum *Vill.* XII. 592
trifidum *Retz* XII. 577
trifidum *Schlecht* XII. 700
trifoliatum *Vahl* XII. 592
tripartitum *Meyen* XII. 579
undulatum *Lour.* XII. 594
valentinum *Schreb.* XII. 592
verticillatum *Cav.* XII. 593
vesicarium *Mill.* XII. 581
villosum *Forst* XII. 581
virginicum *L.* XII. 581
virginicum *Thbg* XII. 581
viscidum *Blum.* XII. 583
Wallichianum *Bth.* XII. 580
Webbianum *Boiss.* XII. 589
Teucropsis Ging. XII. 575 (Teucrium)
TeutliopsisDumort. XIII. 1. 92 (Atriplex)
Thamnium Klotzsch Bth. VII. 708 (Coilostigma)
puberulum *Klotzsch* VII. 708
Thamnus Bth. VII. 703 (Simocheilus)
Thamnus Klotzsch VII. 702 703
multiflorus *Klotzsch* VII. 703
Thapsandra Griseb. X. 244
Thapsus Bth. X. 325 (Verbascum)
Theis Salisb. VII. 715
Theka Rheed. XI. 629
ternifolia *Hamilt* XI. 629
Thela Lour. XII. 690
alba *Lour.* XII. 693
coccinea *Lour.* XII. 693
Thelephytum Hook. fil. XIII. 2. 115
Thelephyton Mog. XIII. 2. 44 115
Billardieri *Mog.* XIII. 2. 116
Theligonum L. XIII. 2. 219
Thenardia H. B. & Kth. VIII. *Bth.* VIII.
corymbosa *Bth.* VIII. 425 43
floribunda *H. B. & Kth.* VIII.
laurifolia *Bth.* VIII. 425 43
rosea *Moç. & Sess.* VIII. 4
scabra *Spr.* VIII. 425 40
umbellata *Spr.* VIII. 425 43
Theophrasta Juss. VIII. 145 L
americana *L.* VIII. 146 147
cochinchinensis *Spr.* VIII. 1
glycycarpa *Spr.* VIII. 146
Jussiaei *Lindl.* VIII. 146
latifolia *W. & A.* VIII. 146
longifolia *Jacq.* VIII. 146 14
macrophylla *Link* VIII. 146
madagascariensis *W. & A.* VIII.
pinnata *Jacq.* VIII. 146
pungens *W. & A.* VIII. 146
serrata *Hoffmans.* VIII. 146
tetramera *Mart.* VIII. 670
THEOPHRASTACEAE *De. fil.*
THEOPHRASTEAE *De. fil.*
THEOPHRASTEAE G. Don
Thevetia L. VIII. 343 345
Ahovai *De. fil.* VIII. 345
cuneifolia *De. fil.* VIII. 344
β Andrieuxii
neriifolia *Juss.* VIII. 343
nitida *De. fil.* VIII. 344
ovata *De. fil.* VIII. 344
pinnata *Vell.* VIII. 345
Yccotli *De. fil.* VIII. 343
β glabra
THEVETIEAE *De. fil.* VIII. 34
Thibaudia R. & Pav. VII. 5
428 *Wall. Royl. Blum.* 553 *Humb.* VII.
acuminata *De.* VII. 565
acuminata *Wall.* VII. 565 5
alata *De.* VII. 562
almifolia *De.* VII. 564
ardisiaefolia *H. B. & Kth.*
bicolor *R. & Pav.* VII. 561
bractrata *R. & Pav.* VII. 56
caulialata *R. & Pav.* VII 5
Cerander *De.* VII. 565
coarctata *R. & Pav.* VII. 56
cordifolia *H. B. & Kth.*
coriacea *Blum.* VII. 565 56

Thibaudia
corymbodendron R. & Pav. VII. 569
cuneifolia Blum. VII. 565 555
diphylla De. VII. 562
ellipsica Blum. VII. 565 555
elliptica R. & Pav. VII. 563
emarginata R. & Pav. VII. 561
falcata H. B. & Kth. VII. 562
floribunda Blum. VII. 565 555
floribunda H. B. & Kth. VII. 561
glandulosa Humb. VII. 565 556
grandiflora R. & Pav. VII. 565 553
hirsuta R. & Pav. VII. 565 553
Jussiaei De. VII. 565
laurifolia Blum. VII. 565 555
longifolia H. B. & Kth. VII. 561
loranthiflora Wall. VII. 565 554
macrophylla H. B. & Kth. VII. 562
melastomoides H. B. & Kth. VII. 563
mellifera G. Don VII. 561
melliflora R. & Pav. VII. 561
microphylla R. & Pav. VII. 565 576
Moricandi De. VII. 563
myrtoidea Blum. VII. 565 555
nitida H. B. & Kth. VII. 562
penduliflora De. VII. 562
phyllireaefolia De. VII. 564
pubescens H. B. & Kth. VII. 564
punctata Don. VII. 564
punctatifolia R. & Pav. VII. 564
Quereme H. B. & Kth. VII. 564
rhodoroides Lamb. h. VII. 565 554
rupestris H. B. & Kth. VII. 562
scabriuscula H. B. & Kth. VII. 564
secundiflora Poepp. & Endl. VII. 794
serrata De. VII. 563
serrata Wall. VII. 565 558
setigera Wall. VII. 565 554
Sprengelii Wall. VII. 555
strobilifera H. B. & Kth. VII. 563
variegata Royl. VII. 565 554
varingiaefolia Blum. VII. 555
verticillata Wall. VII. 565 554

Thinogeton Bth. XIII. 1. 686 687
Lobbianum Miers XIII. 1. 690
maritimum Bth. XIII. 1. 689 690
Miersii Miers XIII. 1. 689 690
Thlapata Hern. XIII. 1. 540
Thor X. 49
Thoracosperma Klotzsch VII. 702 703
paniculata Klotzsch VII. 703
Thouinia L. fil. VIII. 296 Sm. IX. 334
flavida Willem. VIII. 298
ligustrina Sw. VIII. 296
nutans L. fil. VIII. 297
nutans Willem. VIII. 297
spectabilis Sm. IX. 334
Threlkeldia RBr. XIII. 2. 45 127
diffusa RBr. XIII. 2. 127
Thunbergia L. fil. XI. 49 54 Wall. XI. 60 Hook. XI. 60 Chois. IX. 462
alata Boj. XI. 58
β aurantiaca – –
γ alba – –
angulata RBr. XI. 59
angulata Hils. & Boj. XI. 59
angustifolia Hamilt. XI. 56
annua Hochst. XI. 55
aspera Nees XI. 56
atriplicifolia E. Mey. XI. 56
aurantiaca Jacq. XI. 59
capensis Drege XI. 55
capensis Mont. XI. 59
capensis Thbg XI. 55
β grandiflora – –
capensis var. Hook. XI. 56
chrysops Hook. XI. 55
coccinea Roxb. Wall. XI. 59 61
coerulea Wight XI. 59 60
cordata Colla XI. 59 57
cordifolia h. Madr. XI. 59 60
cordifolia Nees XI. 55
cyanea Boj. XI. 55
diplocalymna Steud. XI. 59 IX. 462
Dregeana Nees XI. 59
erecta h. Madr. XI. 60
flava Hoffmans. XI. 57
fragrans Drege h. XI. 58 59
fragrans Roxb. XI. 57
α β – –
β* truncata – –
γ – –
γ* glabrescens – –
δ vestita – –
fragrans Schreb. h. XI. 57

Thunbergia
fragrans Wall. XI. 56 57 58 59
grandiflora Dc. h. XI. 55
grandiflora Hamilt. h. XI. 55
grandiflora h. Mudr. XI. 54
grandiflora *Roxb.* XI. 54
β *racemosa* - -
β* *malvifolia* - 55
β** *cuspidata* - -
γ *pulchella* - -
grandiflora Wall. XI. 55
hastata Desv XI. 56
Hawtayneana Wall. XI. 59
Hawtayni Wall. XI. 60
humilis Echl. & Zeyh. XI. 55
javanica *Gaertn. fil.* XI. 56
laevis Wall. XI. 56
leucantha *Steud.* XI. 59
malvifolia Hamilt. h. XI. 55
pendula Hassk. XI. 61
quinquenervis Hamilt. XI. 59 61
repens Pers. XI. 60
reticulata *Hochst.* XI. 58
Roxburghia *Nees* XI. 58
α β - -
Saltiana *Steud.* XI. 59
scandens Pers. XI. 57
stolonifera Blanco XI. 60
subsagittata Blanco XI. 56
tomentosa *Wall.* XI. 58
α β γ - 59
volubilis *Pers.* XI. 59
THUNBERGIEAE Meisn. XI. 49
THUNBERGIEAE *Nees* XI. 48 49
Thuraria *Molin.* VIII. 245
Thylacantha Nees & Mart. X. 251
Bth. X. 251 (Angelonia)
Thylacites Ben. Griseb. IX. 115 (Gentiana)
Thyloglossa Hochst. XI. 389
Thymbra *L.* XII. 150 240
ambigua Clarke XII. 240
caroliniana Walt. XII. 240 435
Cephalotus Desv. XII. 240 205
ciliata Ten. XII. 201
hirsuta Pers. XII. 240 211
spicata *L.* XII. 240
spicata Pall. XII. 367
spicata Sibth. & Sm. XII. 240
verticillata L. XII. 240
THYMBRAE *Bth.* XII. 149
Thymelaea &c. Burm. XII. 23
THYMELAEAE Adans XII. 609
Thymus *L.* XII. 150 197 212 *L. Auct.* XII. 226
acicularis Guss. XII. 203

Thymus
acicularis W. & Kit. XII. 1
acinoides Ten. XII. 216 231
Acinos L. XII. 247 239
adscendens Bernh. XII. 199
aegyptiacus Bernh. XII. 201
affinis Sieb. XII. 200
affinis Vis. XII. 205
alboccens Hoffm. & Link
albidus Opiz XII. 202
alpinus L. XII. 207 232
angustifolius Pers. XII. 200
β *compactus* - - 200
arenarius Bernh. XII. 201
athoicus Bernh. XII. 202
austriacus Bernh. XII. 200
Barrelieri Spr. XII. 207 23
biflorus Hamilt. Don XII.
bisertatus Blanco XII. 20
bonariensis Ten. XII. 207
Bovei *Bth.* XII. 199
bracteosus Vis. XII. 204
Brauneanus Hoppe XII. 20
brevifolius *Wahlenb.* XII.
Broussonetii *Boiss.* XII. 20
Brownei Sw. XII. 207 23
caespititius Hoffm. & Link
Calamintha Scop. XII. 20
calaminthoides Reich. XII
camphoratus *Hoffm. & Lin*
canescens Dumort. XII. 2
canus Stev. XII. 207 231
capitatus *Hoffm. & Link*
capitellatus *Hoffm. & Lin*
cappadocicus *Boiss.* XII.
carolinianus Mx. XII. 20
carnosus *Boiss.* XII. 196
Cephalotus *L.* XII. 205
Chamaedrys Fries XII. 2
Chamissonis Bth. XII. 20
cherlerioides *Vis.* XII. 2
ciliatus *Bth.* XII. 205 (
ciliatus Lam. XII. 202
ciliatus Moench XII. 19
citratus Dumort. XII. 20
citriodorus Schreb. XII. 2
collinus MB. XII. 201
comptus Friwald. XII. 202
coriaceus *Vog.* XII. 206

s Pers. XII. 207 234
s Brot. XII. 208
s Dc. fl. fr. XII. 207 225
us Hampe XII. 207 213
us Pers. XII. 207 221
Bunge Ledeb. XII. 207 232
ens Bernh. XII. 201
tus Bth. XII. 199
s Lejeun. XII. 201
latus Steud. XII. 206
s Boiss. XII. 199
s hortul. XII. 207 228
s Salsm. XII. 199
sii Bth. XII. 207 224
Host XII. 201
us Link XII. 198
olius Roth XII. 207 216
s Sibth. & Sm. XII. 207 231
s Dietr. XII. 202
s Ehrh. XII. 209
is Ait. XII. 207 220
is Sieb. XII. 207 218
losus Bert. XII. 207 217
Mill XII. 201
us Schult. XII. 201
cens Hoffm. & Link XII. 202
losus Req. XII. 207 227
nsis Boiss. XII. 202
florus Scop. XII. 207 209
florus Sims XII 207 229
lens MB. XII. 207 231
lens Sibth. & Sm. XII. 200
arona Lois. XII. 209
phyllus Poir. XII. 207 230
richus Grisch. XII. 199
ssimus Poir. XII. 207 211
s Auct. XII. 202
s MB. XII. 203
Link XII. 217
Russ. XII. 207 214
Sieb. XII. 207 227
Vis. XII. 207 356
W. XII. 198
rmedius Boiss. - -
ifolius - - -
anthos - - -
icus Poir. XII. 207 217
sus Bernh. XII. 201
rtus Forsk. XII. 207 221
s Sibth. & Sm. XII. 207 226
ns Ehrh. XII. 209
Bunge XII. 207 45

Thymus
inodorus Bth. XII. 216
inodorus Desf. XII. 207 217
inodorus Friesebi XII. 207 213
inodorus Lejeun. XII. 202
integer *Griseb.* XII. 203
Kollmannianus Opiz XII. 206
Kotschyanus *Boiss. & Hohen.* XII. 203
laevigatus Vahl XII. 201
lanceolatus *Desf.* XII. 209
β angustifolius - -
lanceolatus Poir. XII. 207 198
lanuginosus Mill. XII. 202
lanuginosus Schkuhr XII. 204
linearis *Bth.* XII. 202
lobatus Boiss. XII. 204
lobatus *Vog.* XII. 204
longicaulis *Presl* XII. 206
longiflorus *Boiss.* XII. 205
lucidus Ehrh. XII. 207 365
lucidus Guss. XII. 200
lusitanicus Boiss. XII. 204
majoranaefolius Desf. XII. 201
marginatus Sm. XII. 207 221
marifolius Pourr. XII. 198
marifolius W. XII. 207 225
Marinosci Ten. XII. 204
Marschallianus W. XII. 202
Mastichina *L.* XII. 197
Mastichina Sibth. & Sm. XII. 208 218
megapotamicus *Spr.* XII. 206
melissoides Bernh. XII. 208
melissoides Fisch. XII. 201
membranaceus *Boiss.* XII. 205
micans Lowe XII. 202
micranthus Brot. XII. 208 214
microphyllus Duro. XII. 208 219
montanus Crantz XII. 208 232
montanus W. & Kit. XII. 201
moschatellu Poll. XII. 206 228
multiflorus *Pers.* XII. 206
Nepeta Scop. Sm. XII. 208 228
nepetoides Don XII. 208 384
nervosus Gay XII. 202
nitidus *Guss.* XII. 200
nubigenus H. B. & Kth. XII. 208 222
numidicus Bth. XII. 198
numidicus *Desf.* XII. 205 198
nummularius MB XII. 204
odoratissimus MB XII. 204
odoratissimus Mill. XII. 202
origanifolius Don XII. 204 234
origanifolius Vis. XII. 208 225
origanoides *Wulf.* XII. 200

Thymus
ovatus Mill. XII. 201
pannonicus All. XII. 202
parviflorus Req XII. 208 175
patavinus Jacq. XII. 208 231
piligerus Opiz XII. 202
Piperella All. XII. 208 221
Piperella *L.* XII. 200
piperitus Don XII. 208 234
p ocerus Opiz XII. 201
pseudo-serpyllum Reich. XII. 201
pulchellus *C. A. Mey.* XII. 206
pulegioides L. XII. 201
pulegioides Reich. XII. 201
punctatus Tin. XII. 208 217
punctatus *Vis.* XII. 206
punctatus W. XII. 208 365
purpurascens Poir. XII. 208 231
repens Don XII. 208 233
repens Hoffm. & Link XII. 201
Richardi *Pers.* XII. 206
rigidus Reich. XII. 201
rotundifolius Poir. XII. 200
scaber Presl XII. 211
serpylloides Bory XII. 202
Serpyllum Dietr. XII. 202
Serpyllum Fries XII. 201
Serpyllum *L.* XII. 200
α vulgaris - - 201
β montanum - -
serratus Opiz XII. 201
serratus Poir. XII. 208
serrulatus *Hochst.* XII. 203
Sibthorpii Bth. XII. 203
sipyleus *Boiss.* XII. 199
spinulosus Ten. XII. 201
striatus Munb. XII. 198
striatus *Vahl* XII. 203 198
β oblongifolius - -
suaveolens Sibth. & Sm XII. 208 231
subcitratus Schreb. XII. 201
subcordatus Vis. XII. 221
subnudus Spr. XII. 208 224
sudeticus Opiz XII. 201
sylvaticus Bernh. XII. 208 233
sylvestris Schreb. XII. 201
syrticus Spr. XII. 208 355
Teneriffae hortul. XII. 208 219
Teneriffae Poir. XII. 220
tenuifolius *Mill.* XII. 198
terebinthinaceus W. XII. 208 220
teucrioides *Boiss.* XII. 199
tomentosus *W.* XII. 198
Tragoriganum L. XII. 208 211
umbrosus Spr. XII. 208 228
variabilis Hoffm. & Link XII. 202

Thymus
veronicaefolius Spr. XII. 202
verticillatus *Poir.* XII. 206
villosissimus *Tausch* XII. 202
villosus *Link* XII. 204
villosus *L.* XII. 204
villosus *Sibth. & Sm.* XII. 1
virgatus *Ten.* XII. 208 219
virginicus *Blanco* XII. 206
virginicus *L.* XII. 206 189
vulgaris *L.* XII. 199
vulgaris *Sibth. & Sm.* XII.
Willdenowii Boiss. XII. 1
xalapensis H. B. & Kth. XII. 2
zygioides *Griseb.* XII. 202
Zygis L. XII. 202
Zygis Pall. XII. 202
Zygis Sibth. & Sm. XII. 2
Zygis Sm. XII. 198
Thyrophora Neck. IX. 143
Thyrsacanthus *Nees* XI. 315 3
amplexicaulis *Nees* XI. 324
barlerioides *Nees* XI. 333 3
bracteolatus *Nees* XI. 325
callistachyus *Nees* XI. 326
β - -
γ simplex - -
cuspidatus *Nees* XI. 323
β micrantha - 324
dissitiflorus *Nees* XI. 324
fuchsioides *Nees* XI. 325
Hookerianus *Nees* XI. 324
indicus *Nees* XI. 325
interruptus *Nees* XI. 326
Lemairianus *Nees* XI. 327 7
α β - -
Lindenianus *Nees* XI. 326
longistamineus *Nees* XI. 324
nitidus *Nees* XI. 326 729
ramosissimus *Moric.* XI. 32
ruber *Nees* XI. 326
Schomburgkianus *Nees* XI.
sessilis *Nees* XI. 324
strictus *Nees* XI. 324
tubaeformis *Nees* XI. 324
variegatus *Nees* XI. 325
Thyrsanthus *Bth.* VIII. 386 *Sch* VII
embelioides *Dc. fl.* VIII. 3
Gardneri *De. fl.* VIII. 3
gracilis *Bth.* VIII. 367
palustris Schrank VIII. 60
pilosus *Dc. fl.* VIII. 3
Schomburgkii *Bth.* VIII. 3
Tjankuda-utan IX. 29
Tjaput-Tahur VIII. 528

um Dc. IX. 556. (Heliophytum)
um Lehm. IX. 551 556 *Cham.* X. 551 556 *G. Don* IX. 551
phyllum G. Don IX. 557
ium Lehm. IX. 555
ropioides G. Don IX. 555
m Lehm. IX. 557
Tachyum G. Don IX. 556
um Lehm. IX. 557
IX. 13
IX. 263
Mart. & Gal. XIII. 2. 457
philoides Chois. XIII. 2. 457
tarum Rheed. XV. 328
VII. 598
is &c. Burm. VIII. 129
entalis L. VII. 599
II. 695
a-areli Rheed. VIII. 420
Dc. IX. 558 (Coldenia)
Pers. IX. 558
toma Pers. IX. 559
iquil IX. 559
Rumph IX. 695
nia Bth. X. 413 (Vandellia)
nia Reich. X. 412 413 *Spr.* X. 415
ides Spr. X. 415
tifolia Bth. X. 417
anni Bth. X. 421
Bth. X. 414
Bth. X. 415
liflora Bth. X. 417
Bth. X. 415
ta Bunge X. 417
Bth. X. 414
Reich. X. 413
a Bth. X. 414
a var. Bth. X. 414
a Spr. X. 413
gera Spr. X. 415
ydifolia Turcz. X. 417
ata Spr. X. 416
a Bth. X. 414
toma Bth. X. 414
a Reich. X. 414
kan VIII. 633 634
a Hook. VII. 795
ntalis Hook. VII. 795
gium Endl. Dc. VII. 382 (Stylidium)
perma Do. fl. VIII. 378 (Malouetia)
elmaron XIII. 1. 24
Tomiophyllum Bth. X. 416 (Scoparia)
Tonella collinsioides Nutt. X. 393
Topiro XIII. 1. 353
Torenia *L.* X. 343 409 *RBr.* X. 412 413 *Blum.* X. 412
alata *Bth.* X. 411
alba Hamilt. X. 413 413
angustifolia Hamilt. X. 412
asiatica Bth. X. 410
asiatica *L.* X. 410
cardiosepala *Bth.* X. 409
ciliata *Sm.* X. 411
cordifolia Bth. X. 410
cordifolia *Roxb.* X. 409
crustacea Cham. & Schlecht. X. 412 413
diffusa *Don* X. 410
diffusa Roxb. X. 412 416
edentula *Griff.* X. 410
fimbriata Grah. X. 412 408
flaccida RBr. X. 412 413
flava *Hamilt.* X. 411
flava var. Bth. X. 411
gracilis Bth. X. 412 421
hians Roxb. X. 410
hirsuta *Lam.* X. 410
hirta Cham. & Schlecht. X. 412 414
lepidota Roth X. 412 525
lucida Hamilt. X. 412 413
minuta *Blum.* X. 412
molluginoides Bth. X. 412 413
mucronulata *Bth.* X. 409
multiflora Roxb. X. 412 414
nana *Bth.* X. 412
obtusa *Blum.* X. 412
obtusifolia Sm. X. 412 371
paniculata *Blanco* X. 411
parviflora *Hamilt.* X. 410
pedunculatis Bth. X. 410
plantaginea *Bth.* X. 411
polygonoides *Bth.* X. 409
pumila *Bth.* X. 411
racemosa Bth. X. 411
rubens *Bth.* X. 410
scabra RBr. X. 412 413
scabra Roxb. X. 412 409
sessiliflora Bth. X. 413 416
stolonifera *Boj.* X. 410
vagans Roxb. X. 410
varians Roxb. X. 412 413
Torenioides Bth. X. 413 (Vandellia)
Torr X. 49
Torreya Spr. XI. 658

Tarrubia Vell. XIII. 2. 440
opposita Vell. XIII. 2 443
Tartuba Roxb. XI. 532
aspera Roxb. XI. 533
Tarvaria Dun. XIII. 1. 258 (Solanum)
Tasmannana IX. 243
Touretia Lam. IX. 286
Tourimbi VIII. 595
Tournefortia *L.* IX. 513 498 *RBr.* IX. 515 *Chem.* IX. 515 *R. & Schult.* IX. 528
acuminata *Dc.* IX. 520
acutifolia W. IX. 521
angulosa Desf. IX. 531
angustiflora *R. & Pav.* IX. 518
angustifolia R. & Schult. IX. 528
arborea Blanco IX. 531
arborescens *Lam.* IX. 529
argentea *L. fil.* IX. 514
Argusia *R. & Schult.* IX. 514
α latifolia *Dc.* - -
β angustior - - -
astrotricha *De.* IX. 520
bicolor *Sw.* IX. 519
bifida Boj. IX. 516
bifida *Lam.* IX. 529
Blanchetii *De. fil.* IX. 524
Bojeri *De. fil.* IX. 516
brachiata *De fil.* IX. 525
brasiliensis *Poir.* IX. 529
breviflora *Dc.* IX. 520
canescens *H. B. & Kth.* IX. 522
caracasana *H. B. & Kth.* IX. 520
carnosa *Mill.* IX. 529
chamaedrifolia Sm. IX. 531
cornifolia *H. B. & Kth.* IX. 518
corymbosa Sieb. IX. 517
corymbosa W. IX. 518
cuspidata *H. B. & Kth.* IX. 529
cymosa Jacq. IX. 518
cymosa *L.* IX. 519
dichotoma β. mex. IX. 518
Edgeworthii *Dc. fil.* IX. 529
elegans *Chem.* IX. 523
ferruginea *Lam.* IX. 521
floribunda *H. B. & Kth.* IX. 527
foetida Pers. IX. 518
foetidissima *L.* IX. 518
foliis oblongis &c. Plum. IX. 499
fruticosa *Ker* IX. 528
β angustifolia *De.* - -
fuliginosa *H. B. & Kth.* IX. 522
Tournefortia
fuliginosa jamaicensis Spr.
Gardneri *De. fil.* IX. 526
glaberrima *Salzm.* IX. 519
glabra *Spr.* IX. 519
gnaphalodes *RBr.* IX. 515
Hartwegiana *Steud.* IX. 519
heliotropioides *Bonk.* IX. 5
Hernandesii *Dun.* IX. 529
Heyneana *Wall.* IX. 516
hirsutissima Blanco IX. 531
hirsutissima *L.* IX. 517
hispida *H. B. & Kth.* IX. 5
humilis L. IX. 530 531
incana G. Don IX. 530
incana *Lam.* IX. 521
incana Spr IX. 521
laevigata H. B. & Kth.
laevigata *Lam.* IX. 520
β latifolia *De.* - -
laevigata Sm. IX. 523
latifolia W. IX. 519
lauriflora Poepp. IX. 529
laurifolia *Vent.* IX. 521
laxiflora *Dc.* IX. 525
leucophylla *H. B. & Kth.*
linearis E. Mey. IX. 531
longifolia *R. & Pav.* IX. 52
loxensis *H. B. & Kth.* IX. 5
lucida Desf. IX. 523
lucida *Desv.* IX. 530
macroloba *Dc.* IX. 527
macrophylla Lam. IX. 529
maculata *Jacq.* IX. 530
maritima *Salzm.* IX. 525
megapotamica *Spr.* IX. 530
melanochaeta *Dc.* IX. 520
membranacea *Dc. fil.* IX. 5
Messerschmidia Sweet IX. 5
Meyeri *Dc.* IX. 530
micrantha *Dc. fil.* X. 67
microphylla *Desv.* IX. 523
microphylla Spr. IX. 523
microstachya R. & Schult. 531
mimita *Bert.* IX. 527
monostachya W. IX. 531 5
montana *Lour.* IX. 529
mutabilis *Vent.* IX. 515
nitida *H. B. & Kth.* IX. 529
obscura *Dc. fil.* IX. 517
octostachya *De.* IX. 529
orientalis *RBr.* IX. 516

Tournefortia
ovata *Wall.* IX. 516
paniculata *Cham.* IX. 521
peruviana Poir. IX. 522
petiolaris *Dc.* IX. 520
polyochros *Spr.* IX. 521
polystachya Poepp. IX. 531 492
polystachya *R. & Pav.* IX. 517
psilostachya Cham. IX. 525
α guajequilensis *Dc.* - -
β caribaea - -
psilostachya H.B. & Kth. IX. 525
punctata Spr. IX. 526
Royleana *Dc.* IX. 527
rubicanda *Salzm.* IX. 526
rufescens *W.* IX. 530
rugosa W. IX. 522
Sagraeana *Dc.* IX. 522
salicifolia *Dc.* IX. 530
Salzmanni *Dc.* IX. 524
sarmentosa *Lam.* IX. 516 565
scabra *Lam.* IX. 516
scabrida *H. B. & Kth.* IX. 518
scandens Mill. IX. 521
scandens *W.* IX. 522
Schiedeana *G. Don* IX. 530
Schomburgkii *Dc.* IX. 517
sericea *Vahl* IX. 524 565
serrata L. IX. 531 499
serrata β L. IX. 531 499
sessilifolia *Poir.* IX. 530
spigeliaeflora *Dc. fl.* IX. 525
suaveolens *H. B. & Kth.* IX. 518
subsessilis *Cham.* IX. 521
subalata *Hochst.* IX. 528
suffruticosa L. IX. 521
suffruticosa Spr. IX. 521
surinamensis *Dc. fl.* IX. 526
synsystachya R. & Schult. IX. 531 550
syringaefolia Spr. IX. 519
syringaefolia *Vahl* IX. 526 519
syringaefolia Wikst. IX. 519
tenuiflora W. IX. 531
tenuifolia Stend. IX. 531
ternata Wall. IX. 531
ternifolia *H. B. & Kth.* IX. 531
tetrandra *Blan.* IX. 527
β glabra *Hassk.* - 528
tetrandra Wall. IX. 527
tomentosa *Mill.* IX. 524
trichocalycina *Dc.* IX. 517
tristachya W. IX. 525
tuberculosa *Cham.* IX. 528
umbellata *H. B. & Kth.* IX. 524
undulata Bth. IX. 515
undulata *R. & Pav.* IX. 522
Urvilleana *Cham.* IX. 515
Vauthieri *Dc.* IX. 526
velutina *H. B. & Kth.* IX. 524
velutina Sm. IX. 514
villosa *Salzm.* IX. 524
virgata *R. & Pav.* IX. 520
viridiflora *Wall.* IX. 516
volubilis Gaertn. IX. 523
volubilis *L.* IX. 523
β oblongifolia *Dc.* - -
γ microphylla - - -
δ hirta - - -
ε glabrata - - -
volubilis R. & Pav. IX. 522
vulgaris Salzm. IX. 524
Wallichii *Dc.* IX. 527
Spec. Cham. IX. 530
Tournonia *Moq.* XIII. 2. 221 225
Hookeriana *Moq.* XIII. 2. 225
leptostachys Moq. XIII. 2. 225
Tourrettia *Domb.* IX. 236 *Juss.* IX. 236
lappacea *W.* IX. 236
scabra Domb. IX. 236 239
Toxicophlaea *Harv.* VIII. 336
cestroides *Dc. fl.* VIII. 336
Toxocarpus *Wight & Arn.* VIII. 504
auriculatus *Dene* VIII. 505
Blumei *Dene* VIII. 506
crassifolius *Wight* VIII. 506
glaucus *Dene* VIII. 505
gracilis *Dene* VIII. 506
Griffithsii *Dene* VIII. 505
Kleinii *Wight & Arn.* VIII. 505
laurifolius *Wight* VIII. 506
macrophyllus *Dene* VIII. 505
oblongifolius *Dene* VIII. 505
Roxburghii *Dene* VIII. 505
villosus *Dene* VIII. 506
Wightianus *Hook. & Arn.* VIII. 506
Tozzia *L.* X. 528 584
alpina *L.* X. 584
Trachelanthera Griseb. IX. 43
Trachelium *Ponae* VII. 491 *Thbg* VII. 496 *Lob.* VII. 457 *Bauh.* VII. 457
angustifolium *Schousb.* VII. 491
capitatum &c. Bocc VII. 449
coeruleum *L.* VII. 491
diffusum L. fl. VII. 443
diffusum Thbg VII. 491
minus &c. Barr. VII. 449

Trachelium
petraeum minus Ponae VII. 450
tenuifolium &c. Bocc. VII. 461
tenuifolium Thbg VII. 491 496
Tragopogi folio &c. Column. VII. 448
Trachycaryum Dc. fil. X. 173 (Trichodesma)
Trachystemon G. Don X. 35
creticum D. & G. Don X. 36
Tragonum *Delil.* XIII. 2. 47 171
Moquini *Webb* XIII. 2. 171
nudatum *Delil.* XIII. 2. 171 461
nudatum Moq. XIII. 2. 172
nudatum Sieb. XIII. 2. 172 218
Tragoriganum Bth. XII. 211 (Satureia)
Tragularia Koen. XIII. 2. 440
horrida Koen. XIII. 2. 440
Trechonaetes *Miers* XIII. 1. 5 467
Bridgesii *Dun.* XIII. 1. 468
laciniata *Miers* XIII. 1. 467
sativa *Miers* XIII. 1. 468
Tremanthus Pers. VIII. 259
cordata Pers. VIII. 268
ferrugineus Pers. VIII. 271
oblonga Pers. VIII. 261
ovata Pers. VIII. 267
Tretorrhiza Ren. Griseb. IX. 117 (Gentiana)
Treviranа W. (*Trevirania Mart. Traverania G. Don*) VII. 535
coccinea W. VII. 536
grandiflora Schied. VII. 536
heterophylla Mart. VII. 536
pulchella Mart. VII. 536
Trichenanthus *Nees* XI. 100 169
Griffithianus *Nees* XI. 169
Trichanthera *H. B. & Kth.* XI. 102 218
gigantea *H. B. & Kth.* XI. 218
Trichiniopsis Moq. XIII. 2. 295 (Trichinium)
Trichinium *RBr.* XIII. 2. 233 283
alopecuroideum *Lindl.* XIII. 2. 296
angustifolium *Moq.* XIII. 2. 293
atriplicifolium *A. Cunn.* XIII. 2. 286
auriculaefolium *A. Cunn.* XIII. 2. 287
candicans *Nees* XIII. 2. 296
carneum *Moq.* XIII. 2. 291
carneum *Moq.* XIII. 2. 298 136

Trichinium
Chrysurus Meisn. XIII. 2. 297 307
conicum *Lindl.* XIII. 2. 462
conicum Spr. XIII. 2. 297 282
corymbosum *Gaudich.* XIII. 2. 291
β ramosum - - 292
corymbosum Spr. XIII. 2. 297 282
declinatum *Moq.* XIII. 2. 293
densum *A. Cunn.* XIII. 2. 289
distans *RBr.* XIII. 2. 297
divaricatum *Gaudich.* XIII. 2. 291
Drummondi *Moq.* XIII. 2. 292
α minus - - -
β decoloratum - - -
γ majus - - -
eriocephalum *Moq.* XIII. 2. 292
erubescens *Moq.* XIII. 2. 293
floribundum *Moq.* XIII. 2. 293
Fraseri *A. Cunn.* XIII. 2. 295
fusiforme *RBr.* XIII. 2. 294
fusiforme A. Cunn. XIII. 2. 294
fusiforme Nees XIII. 2. 292
fusiforme α minus Nees XIII. 2. 292
fusiforme β majus Nees XIII. 2. 291
Gaudichaudii Steud. XIII. 2. 29[illegible]
giganteum *A. Cunn.* XIII. 2. 29[illegible]
gnaphalodes *A. Cunn.* XIII. 2. 28[illegible]
gomphrenoides *Moq.* XIII. 2. 29[illegible]
gracile *RBr.* XIII. 2. 294
holosericeum *Moq.* XIII. 2. 29[illegible]
humile *Nees* XIII. 2. 288
incanum *RBr.* XIII. 2. 295
lanatum *Lindl.* XIII. 2. 295
latifolium E. Mey. XIII. 2. 29[illegible] 32
leucocoma *Moq.* XIII. 2. 292
linifolium *A. Cunn.* XIII. 2. 29[illegible]
macrocephalum *RBr.* XIII. 2. 29[illegible]
macrocephalum Nees XIII. 2. 29[illegible]
Manglesii Field XIII. 2. 289
Manglesii *Lindl.* XIII. 2. 289
β angustifolium - - -
mucronatum *Nees* XIII. 2. 29[illegible]
nitidum Moq. XIII. 2. 289
nobile *Lindl.* XIII. 2. 286
obovatum *Gaudich.* XIII. 2. 29[illegible]

Trichiatum
pachocephalum *Moq.* XIII. 2. 294
pallidum *Moq.* XIII. 2. 295
parviflorum *Lindl.* XIII. 2. 284
polystachyum *Gaudich.* XIII. 2. 283
Preissii *Nees* XIII. 2. 295
pulchellum *A. Cunn.* XIII. 2. 290
pyramidatum *Moq.* XIII. 2. 288
remotiflorum *Hook.* XIII. 2. 298 333
roseum *Moq.* XIII. 2. 284
semilanatum *Lindl.* XIII. 2. 462
sericostachyum *Nees* XIII. 2. 284
sessilifolium *Lindl.* XIII. 2. 284
setigerum *A. Cunn.* XIII. 2. 290
spathulatum *RBr.* XIII. 2. 287
spectabile *Field* XIII. 2. 289
striatum *Moq.* XIII. 2. 291
Stirlingii *Lindl.* XIII. 2. 297
subfuscum *Maq.* XIII. 2. 298 332
villosum *Nees* XIII. 2. 285
virgatum *A. Cunn.* XIII. 2. 286
Zeyheri *Moq.* XIII. 2. 296
Trichobasis *Dc.* X. 13 (Echium)
Trichocladus *Eckl. & Zeyh.* VIII. 416
verticillatus *Eckl. & Zeyh.* VIII. 416
Trichodesma *RBr.* X. 1. 171
africanum *RBr.* X. 173
β latifolium *Dc.* – –
amplexicaule *Roth* X. 172
Aucheri *Dc.* X. 174
calathiforme *Hochst.* X. 173
incanum *Dc. fil.* X. 174
indicum *RBr.* X. 172
Kotschyanum *Fenzl* X. 172
lithospermoides *R. & Schult.* X. 173
molle *Dc.* V. 174
perfoliatum *Wall.* X. 172
physaloides *Dc. fil.* X. 173
subsessile *Wall.* X. 174
zeylanicum *RBr.* X. 172
Trichodesma sect. Borraginoides *Endl.* X. 172
Trichodesma sect. Cynoglossoides *Endl.* X. 172
Tricholoma *Bth.* X. 424 426
elatinoides *Bth.* X. 426
Trichosandra *Dcne* VIII. 625
borbonica *Dcne* VIII. 626
Trichosphaeria *Bth.* XII. 97 (Hypotis)
TRICHOSPOREAE *Blum.* IX. 259 260
Trichosporum *Don* IX. 260 *Blum.* IX. 260 262
albidum *Nees* IX. 262
angustifolium *Nees* IX. 262
grandiflorum *Don* IX. 261
parviflorum *Don* IX. 261
pulchrum *Blum.* IX. 262
radicans *Nees* IX. 262
volubile *Nees* IX. 262
Trichostemma *L.* XII. 572 573 (*rectius* Trichostema *Gron.* XII. 700)
brachiatum *Lam.* XII. 573
brachiatum *L.* XII. 574 572
dichotomum *L.* XII. 573
dichotomum *Roth* XII. 573
lanatum *Bth.* XII. 574
lanceolatum *Bth.* XII. 573
lineare *Nutt.* XII. 573
oblongum *Bth.* XII. 573
pilosum *Roth* XII. 573
spirale *Lour.* XII. 574
Trichostylus *Griseb.* IX. 59 (Erythraea)
Tricratus *L'Herit.* XIII. 2. 435
admirabilis *L'Herit.* XIII. 2. 435
arenarius *Spr.* XIII. 2. 436
parviflorus *Spr.* XIII. 2. 439
Tricycla *Cav.* XIII. 2. 436
peruviana *Poir.* XIII. 2. 436 438
spectabilis *Poir.* XIII. 2. 437
spinosa *Cav.* XIII. 2. 436
Tridens *Bth.* X. 409 (Torenia)
Tridentea *Dcne* VIII. 656 (Stapelia)
Trideutea *Haw.* VIII. 656
gemmiflora *Haw.* VIII. 656
moschata *Haw.* VIII. 656
Simsii *Don* VIII. 656
stygia *Haw.* VIII. 657
vetula *Haw.* VIII. 656
Trientalis *L.* VIII. 59
americana *Pursh* VIII. 59
arctica *Fisch.* VIII. 59
europaea *Cham,* VIII. 60
europaea *L.* VIII. 59
latifolia *Hook.* VIII. 60
Trigemma *Salish. Bth.* VII. 655
Trigonocarpus *Wall.* IX. 143
Triguera *Cav.* XIII. 1. 21
ambrosiaca *Cav.* XIII. 1. 22
ambrosiaca *var. Steud.* XIII. 1. 22

ɪiana *Dc. fil.* VII. 393
ı *G. Don* VII. 393
osa *Dc. fil.* VII. 393
ɜsii *Dc. fil.* VII. 394
illesiana *G. Don* VII. 392
olia *Dc. fil.* VII. 395
ɔbata *Dc. fil.* VII. 395
ntior - - -
lia *Dc. fil.* VII. 396
ɜi *G. Don* VII. 391
ɜens *Dc. fil.* VII. 395
ɔifolia *Dc. fil.* VII. 392
nata *Dc. fil.* VII. 392
ɔokeri - - -
ta *G. Don* VII. 392
G. Don VII. 392
aefolia *Dc. fil.* VII. 395
ɪyllia *G. Don* VII. 393
gustifolia *Hook. & Arn.* - -
ɪifolia *Dc. fil.* - - -
ɜea *G. Don* VII. 393
osa *Dc. fil.* VII. 394
a *Dc. fil.* VII. 394
olia *G. Don* VII. 392
la *G. Don* VII. 392
Dc. fil. VII. 395
ɪtata *Dc. fil.* VII. 393
ɜia *Bth.* XII. 130 (Hyptis)
herbacea Poir. X. 194
Poir. IX. 236
ɜis *Gmel.* IX. 236
a *Dcne* VIII. 590
ɜpicua *Dcne* VIII. 590
Reich. VII. 546 *Lindl.* *Reich.* VII. 537
lla *Reich.* VII. 539
Dcne VIII. 585 (Oxypetalum)
nis *Hook. & Arn.* VIII. 587
ɜa *Don* VIII. 585
nda *hort.* VIII. 586
lepis *Hook. & Arn.* VIII. 585
olor *bot. mag.* VIII. 585
ɜa *Hochst.* XI. 384
nata *Hochst.* XI. 401
ɪtachya *Nees* XI. 408
trichoma *Nees* XI. 408
Nees XI. 396
sa *Nees* XI. 395
formis Nees XI. 394
losa *Nees* XI. 405
ɪyi *Hochst.* XI. 397
Hochst. XI. 398
ris *Hochst.* XI. 402
ta *Hochst.* XI. 397

Tyloglossa Nees XI.399 (Acanthoid)
Tylomium Dc. fil. VII. 394 (Tupa)
Tylomium Presl VII. 391 394
assurgens Presl VII. 394
conglobatum Presl VII. 395
flavescens Presl VII. 395
robustum Presl VII. 394
Tylophora *RBr.* VIII. 606
albida Zippel VIII. 622
asthmatica *Wight & Arn.* VIII. 611
α pubescens *Dene* - -
β glabra - - -
barbata *RBr.* VIII. 609
Bojeriana *Dene* VIII. 607
caffra *Meisn.* VIII. 612
capparidifolia *Wight & Arn.* VIII. 610
carnosa *Wall.* VIII. 607
cissioides *Blum.* VIII. 609
congesta *Dene* VIII. 609
crassifolia *Zippel* VIII. 612
cuspidata *Zippel* VIII. 609
exilis *Colebr.* VIII. 608
fasciculata Hamilt. VIII. 608
fasciculata *Wight & Arn.* VIII. 608
α parviflora *Dene* - -
β macrantha - -
flexuosa *RBr.* VIII. 612
Govanii *Dene* VIII. 610
grandiflora *RBr.* VIII. 612
hirsuta *Wight* VIII. 607
hispida *Dene* VIII. 610
Jacquemontii *Dene* VIII. 607
Iphisia *Dene* VIII. 610
laevigata *Dene* VIII. 612
laevis *Dene* VIII. 611
longifolia *Wight* VIII. 608
lutescens *Dene* VIII. 611
lycioides *Dene* VIII. 608
micrantha Dene VIII. 612 501
mollissima *Wall.* VIII. 607
paniculata *RBr.* VIII. 612
pauciflora *Wight & Arn.* VIII. 607
Perrottetiana *Dene* VIII. 609
purpurea *Wall.* VIII. 611
rotundifolia *Hamilt.* VIII. 608
rupestris *Blum.* VIII. 612
sylvatica *Dene* VIII. 610
syringaefolia *E. Mey.* VIII. 611
tenerrima *Wight* VIII. 610
tenuis *Blum.* VIII. 608
tenuissima *Wight & Arn.* VIII. 607

a
Dc. fil. VIII. 17
Br. VIII. 18
Blum. VIII. 25
Vahl VIII. 24
mei *Dc. fil.* – –
capillaceis &c. *P. Browne* VIII. 10
L. VIII. 6
Salsm. VIII. 26
St. Hil. VIII. 12
Lecont. VIII. 11
Pers. VIII. 17
Dc. fil. VIII. 9
Ell. VIII. 11
L. VIII. 11
Dc. fil. VIII. 13
H. B. & Kth. VIII. 10
ifolia *Vahl* VIII. 16
lora *Pers.* VIII. 24
nsis *Dc. fil.* VIII. 11
Dc. fil. VIII. 25
lein VIII. 25
St. Hil. VIII. 18
Lam. VIII. 18
ldtii *Schousb.* VIII. 25 667
Vahl VIII. 22
arpa *Vahl* VIII. 5
alis *Dc. fil.* VIII. 666
Walt. VIII. 4
Forsk. VIII. 4
Lecont. VIII. 11
dia *Hayne* VIII. 7
Vahl VIII. 23
a *St. Hil.* VIII. 13
ra *RBr.* VIII. 15
Bth. VIII. 18
Hil. VIII. 17
dichaudii *Dc. fil.* – –
RBr. VIII. 24
E. *Mey.* VIII. 20
liata *Dc. fil.* VIII. 23
lia *Gardn.* VIII. 666
stris *Ell.* VIII. 8
Dc. fil. VIII. 14
arpa *Wall.* VIII. 24
eras *Dc. fil.* VIII. 666
hisa *Lecont.* VIII. 6
scariensis *Dc. fil.* VIII. 20
Salsm. VIII. 16
Schum. VIII. 7
ii *RBr.* VIII. 15
rpa *Dietr.* VIII. 17
tala *Sm.* VIII. 19
L. VIII. 7
Pursh VIII. 11
sima Baj. VIII. 25

Utricularia
minutissima *Vahl* VIII. 16
modesta *Dc. fil.* VIII. 17
montana *Jacq.* VIII. 23
multifida Bth. VIII. 18
multifida *RBr.* VIII. 18
β Huegeliana *Dc. fil.* – –
myriocista *St. Hil.* VIII. 5
nana *St. Hil.* VIII. 18
natans Salsm. VIII. 9
natans var. Salsm. VIII. 9
nectario subulato Gron. VIII. 16
neglecta *Lehm.* VIII. 6
nelumbifolia *Gardn.* VIII. 666
neottioides *St. Hil.* VIII. 8
nivea *Vahl* VIII. 21
β Wallichiana *Dc. fil.* VIII. 21
nivea Wall. VIII. 21
obtusa *Sw.* VIII. 10
obtusata Sw. VIII. 10
oligosperma *St. Hil.* VIII. 8
β *Dc. fil.* – –
oppositiflora *RBr.* VIII. 14
oppositifolia Spr. VIII. 14
orbiculata *Wall.* VIII. 18
pallens *St. Hil.* VIII. 9
β natans *Dc. fil.* – –
Parkeriana *Dc. fil.* VIII. 9
parviflora *RBr.* VIII. 15
pauciflora *Blum.* VIII. 10
perpusilla *Dc. fil.* VIII. 25
personata *Lecont.* VIII. 22
praelonga *St. Hil.* VIII. 23
prehensilis *E. Mey.* VIII. 20
Preissii *Dc. fil.* VIII. 666
pubescens *Sm.* VIII. 19
pumila Walt. VIII. 18
punctata *Wall.* VIII. 5
purpurea *Walt.* VIII. 5
purpureo-coerulea *St. Hil.* VIII. 13
pusilla *Vahl* VIII. 16
pygmaea *RBr.* VIII. 16
racemosa *Wall.* VIII. 21
radicibus natantibus &c. Loefl. VIII. 6
ramosa *Vahl* VIII. 25
recurva *Lour.* VIII. 24
reniformis *St. Hil.* VIII. 12
resupinata *Green* VIII. 11
reticulata *Sm.* VIII. 19
Roxburghii Spr. VIII. 21
saccata Ell. VIII. 5
Salzmannii *St. Hil.* VIII. 5
setacea St. Hil. VIII. 16
setacea Mx. VIII. 16
setacea *Wall.* VIII. 24
simplex *RBr.* VIII. 15
speciosa RBr. VIII. 14

Utricularia
spuria Sm. VIII. 14
stellaris L. fil. VIII. 3
β [illegible] De. fil. VIII. 4
stellaris Bruch. VIII. 4
stellaris W. VIII. 4
striata Leconte VIII. 8
β [illegible] De. fil. - -
striata Purr. VIII. 8
striatula Sm. VIII. 19
stricta Hayn. essay. VIII. 22
subulata L. VIII. 16
β [illegible] De. fil. - -
tenella RBr. VIII. 16
tenuis Cav. VIII. 10
β [illegible] De. fil. - -
tortuosa Salzm. VIII. 17
Thonningii Schum. VIII. 4
tremula Salzm. VIII. 16
tricolor St. Hil. VIII. 13
uliginosa Vahl VIII. 15
undosa RBr. VIII. 14
unifolia R. & Pav. VIII. 24
verticillata Salzm. VIII. 5
violacea RBr. VIII. 15
volubilis RBr. VIII. 14 668
vulgaris Hewitt. VIII. 8
vulgaris L. VIII. 6
vulgaris Vall. VIII. 8
vulgaris minor L. VIII. 7
UTRICULARIEAE Endl. VIII. 2
UTRICULARINAE Link VIII. 2
Uva ursi Tourn. VII. 584
buxifolia Sal. VII. 584
procumbens Moench VII. 584
Uvedalia RBr. X. 368
linearis RBr. X. 369
nana E. Mey. X. 412
Uvularia Trag. VII. 467
Uwarowia Bunge XI. 535 550
sulphurea Bunge XI. 551

V.

VACCINACEAE Lindl. VII. 552
VACCINIA Adans. VIII. 154 209 244
VACCINIEAE De. VII. 252
Vaccinium L. VII. 565 576 577 Wikst. VII. 560 Hnds. VII. 713
Acosta Rëusch. VII. 576 556
acuminatum H. B. & Kth. VII. 576
alaternoides H. B. & Kth. VII. 575
alatum Bonpl. h. VII. 576
albiflorum Hook. VII. 572
album Lam. VII. 571
album L. VII. 576
album Pursh VII. 567
amoenum Ait. VII. 571
angustifolium h. Kew. VII.
arboreum Leschen. VII. 58
arboreum Mx. VII. 567
Arctostaphylos L. VII. 56
Arctostaphylos W. VII. 56
attenuatum Dun. VII. 571
brachycerum Mx. VII. 569
bracteatum Thbg VII. 573
brasiliense Spr. VII. 576 5
buxifolium Salisb. VII. 569
caespitosum Mx. VII. 574
β Dun. - -
calycinum Sm. VII. 571
canadense Rich. VII. 573
cantabricum Huds. VII. 57
caracasanum H. B. & Kth.
carnosum Pers. VII. 566
cereum Cham. VII. 575
cereum Forst. VII. 575
α β γ δ Dun. - -
Chamissonis Bong. VII. 573
ciliatum Thbg VII. 573
confertum H. B. & Kth. VI
corymbodendron Dun. VII.
corymbosum Frank VII. 566
corymbosum Hook. VII. 572
corymbosum L. VII. 571
α β Dun - -
corymbosum Wats. VII. 57
corymbosum var. G. Don
crassifolium Andr. VII. 56
crenulatum Dun. VII. 570
cylindraceum Sm. VII. 571
decamerocarpon Dun. VII.
α β -
dentatum Sm. VII. 575
dependens R. & Pav. VII.
dichotomum Baj. VII. 570
didymanthum Dun. VII. 575
diffusum Ait. VII. 567
dismorphum Mx. VII. 571
dumosum Andr. VII. 569
β humile Wats. - -
elevatum Banks & Sol. VII.
α β Dun. VII. 567 569
elongatum Wats. VII. 572
emirnense Hook. VII. 580

ium
rifolium *H. B. & Kth.* VII. 576
adum *Dun.* VII. 571
·ocarpum *Mx.* VII. 576 577
ulatum *Boj.* VII. 570 571
ndum *H. B. & Kth.* VII. 569
sum *Andr.* VII. 572
sum *Green* VII. 566
sum *Mx.* VII. 566
sum *W.* VII. 566
Dun. - -
um *Ait.* VII. 572
'um *angustifolium Pursh* VII. 572
ns *Mx.* VII. 573
iflorum *H. B. & Kth.* VII. 573
m *Wats.* VII. 567
m *Mx.* VII. 566
iflorum h. mus. Paris. VII. 553
iflorum hortul. VII. 576
florum *Wats.* VII. 572
lupense Sw. Wikst. VII. 576 560
roides Bigel. VII. 574
um *Ait.* VII. 566
Thbg VII. 574
ulum L. VII. 576 577
ulum Wangenh. VII. 576 577
sum *Grah.* VII. 576
W. VII. 572
edium *Ruthe* VII. 574
atum *Boj.* VII. 571
latum *Dc. h.* VII. 570
ium *Pohl* VII. 572
thum *Cham.* VII. 568
inum L. VII. 576 599
inum *Mx.* VII. 572
orum *Wikst.* VII. 573
carpum Ait. VII. 576 577
phyllum Domb. h. VII. 576 564
ense *Link* VII. 567
natum *Dun.* VII. 570
ium *Wats.* VII. 572
anaceum Dougl. VII. 574
onale *Sw.* VII. 569
thum *Dun.* VII. 568
phyllum *Reinw.* VII. 576
num *Pohl* VII. 568
natum *L.* VII. 574
orum *Wats.* VII. 572

Vaccinium
Myrsinites *Mx.* VII. 570
β lanceolatum *Dun.* - -
γ obtusum - - -
myrtifolium *Mx.* VII. 568
α β - -
myrtilloides *Mx.* VII. 574
α angustifolium *Dun.* - -
β macrophyllum - - -
γ rigidum - - -
Myrtillus ? Cham. & Schlecht. VII. 573
Myrtillus *L.* VII. 573
α β γ Dun. - -
Myrtillus var. Sm. VII. 574
nitidum *Andr.* VII. 569
α β Dun. - -
oblongifolium hortul. VII. 576
obtusum *Pursh* VII. 575
orientale Sw. VII. 576 556
ovalifolium *Sw.* VII. 573
ovatum *Pursh* VII. 570
Oxycoccos L. VII. 576 577
Oxycoccos α ovalifolium Mx. VII. 577
Oxycoccos β oblongifolium Mx. VII. 577
padifolium Sm. VII. 567
pallidum *Ait.* VII. 567
parviflorum Andr. VII. 566
parvifolium *Sm.* VII. 574
penduliflorum *Gaudich.* VII. 575
penaeoides *H. B. & Kth.* VII. 575
pensylvanicum *Lam.* VII. 572
praestans *Lamb.* VII. 574
pubescens Wormsk. VII. 574
punctatum Lam. VII. 568
ramosissimum *Dun.* VII. 571
ramulosum W. VII. 572
resinosum *Ait.* VII. 566
α β γ Dun. - -
reticulatum Sm. VII. 575
salicinum *Cham. & Schlecht.* VII. 574
scabrum *Pohl* VII. 568
Schlechtendalii *G. Don* VII. 568
secundiflorum *Hook.* VII. 570
sedenense Pers. VII. 574
spicatum Poir. VII. 576 556
stamineum Andr. VII. 567
stamineum H. B. & Kth. VII. 568
stamineum *L.* VII. 567
suaveolens Boj. VII. 570
sumatranum *Jack* VII. 569
tenellum *Ait.* VII. 573
tenellum Pursh VII. 572

Vaccinium
ternifiorum *Dun.* VII. 575
trinerve Domb. h. VII. 563
uliginosum *L.* VII. 574
venustum Ait. VII. 568
villosum *Sm.* VII. 569
virgatum *Ait.* VII. 571 572
α latifolium *Wats.* VII. 572
β angustifolium - -
Vitis idaea *L.* VII. 568
Vada kodi Rheed. XI. 410
Vahea *Lam.* VIII. 327
comorensis *Boj.* VIII. 328
gummifera Poir. VIII. 358
gummifera *Lam.* VIII. 327
madagascariensis *Boj.* VIII. 327 (*bis*)
senegalensis *Dc. fil.* VIII. 328
Valdia Plum. XI. 658
Valerandia Neck. IX. 43
Valeriana Cup. VII. 491
chinensis L. XIII. 2. 455
coerulea Urticae folio Barr. VII. 491
curassavica &c. Pluk. XIII. 2. 451
scandens Forsk. XIII. 2. 455
Valerianella &c. h. Amstel. XII. 4
Valerianella &c. Sloan. XIII. 2. 454
Valerianoides Pluk. XII. 10
Vallaris *Burm.* VIII. 399
anceps *Wall.* VIII. 400
clavata G. Don VIII. 400 477
controversa Spr. VIII. 400 IX. 348
dichotoma *Wall.* VIII. 400
divaricata G. Don VIII. 400
Heynii *Spr.* VIII. 400
laxiflora *Blum.* VIII. 400
Pergulana *Burm.* VIII. 399
Pergularia Hook. VIII. 399
sinensis G. Don VIII. 400
Vallesia *R. & Pav.* VIII. 348
chiococcoides *H. B. & Kth.* VIII. 349
cymbaefolia Ort. VIII. 349
dichotoma *R. & Pav.* VIII. 349
glabra *Cav.* VIII. 349
punctata *Spr.* VIII. 349
Valli upa Dall Rheed. XI. 165
Valoradia *Hochst.* XII. 621 694
abyssinica *Hochst.* XII. 695
patula *Hochst.* XII. 695
plumbaginoides *Boiss.* XII. 695
Vandellia *L.* X. 343 412 [illegible]
alba Bth. X. 413
alsinoides *Bth.* X. 415
angustifolia *Bth.* X. 417
Brownii *Bth.* X. 413
caespitosa *Bth.* X. 415
cordifolia G. Don X. 417
crustacea *Bth.* X. 413
diffusa *L.* X. 416
β pedunculata *Bth.* - -
elata *Bth.* X. 414
Ellobum *Bth.* X. 417
erecta *Bth.* X. 415
glandulifera *Bth.* X. 415
hirsuta *Hamilt.* X. 414
latifolia *Bth.* X. 415
laxa *Bth.* X. 414
limosa *Walp.* X. 417
minima Bth. X. 416
mollis *Bth.* X. 414
molluginoides *Bth.* X. 413
montana *Bth.* X. 415
multiflora Blanco X. 414
multiflora *G. Don* X. 414
nervosa *Bth.* X. 417
numularifolia *Don* X. 416
oblonga *Bth.* X. 413
obovata *Walp.* X. 417
palustris Vahl X. 417
pedunculata *Bth.* X. 416
β parviflora - 417
pratensis Vahl X. 378 382
pubescens *Bth.* X. 415
Roxburghii G. Don X. 417
scabra *Bth.* X. 414 595
scapigera *Bth.* X. 415
senegalensis *Bth.* X. 416
sessiliflora *Bth.* X. 416
Soriana *Blanco* X. 415
sphaerocarpa *Bth.* X. 417
stachydifolia *Walp.* X. 417
subulata *Bth.* X. 415
varians G. Don X. 413
Varronia *Dc.* IX. 468 *L.* IX *Neck.* IX. 471 *Jacq.* IX. 498 *R. & Pav.* IX. 471 IX
abyssinica *Dc.* IX. 469
alba Desv. IX. 469
alba Jacq. IX. 469
alnifolia Horn. IX. 470 495
angustifolia Vest IX. 470 4
Bomplandiana jamaicensis IX
Bomplandii Desv. IX. 470 4

rronia
calycibrata *Dc.* IX. 469
β Hartwegi - - -
corymbosa *Desf.* IX. 470
corymbosa *Desv.* IX. 470 495
crenata *R. & Pav.* IX. 470 494
crenulata *Pav. h.* IX. 492
curassavica *Bert.* IX. 470 496
curassavica *Jacq.* IX. 470 493
curassavica *Lam.* IX. 470
curassavica *Mayc.* IX. 470 492
curassavica *Poir.* IX. 470 493
curassavica *Vell.* IX. 470 492
cylindristachya *R. & Pav.* IX. 470 490
dasycephala *Desv.* IX. 470 497
dasycephala *Spr.* IX. 470 496
dichotoma *R. & Pav.* IX. 470 484
floribunda *Desv.* IX. 470 490
ferruginea *Lam.* IX. 470 489
geniculata *Pers.* IX. 470 499
globosa *Desv.* IX. 470 495
globosa *Lam.* IX. 470
globosa *L.* IX. 470 497
globosa *Vell.* IX. 470
grandiflora *Desv.* IX. 470 497
guasumaefolia *Desv.* IX. 470 494
guianensis *Desv.* IX. 470 490 491
humilis *Jacq.* IX. 470 495
integrifolia *Desv.* IX. 470 493
integrifolia *Poir.* IX. 493
lanceolata *Desv.* IX. 470 495
lanceolata *W. h.* IX. 470 495
lantanoides *W. h.* IX. 470 497
Lima *Desv.* IX. 470 498
linearis *Pav. h.* IX. 493
linearis *L.* IX. 470 495
macrocephala *Desv.* IX. 470 497
macrocephala *Nees & Mart.* IX. 470 498
macrostachya *Desv.* IX. 470
macrostachya *Jacq.* IX. 493
macrostachya *R. & Pav.* IX. 470 490
martinicensis *Aubl.* IX. 470 490
martinicensis *Bert.* IX. 470 483
martinicensis *h. Paris.* IX. 489
martinicensis *Jacq.* IX. 470 490
martinicensis *Lam.* IX. 470
microphylla *Desv.* IX. 470 500
mirabiloides *Jacq.* IX. 470 499
mollis *Vest* IX. 470 491
monosperma *Jacq.* IX. 471 495
obliqua *R. & Pav.* IX. 471 491

Varronia
paniculata *Wikst.* IX. 471 483 495
parviflora *Ort.* IX. 471 494
polycephala *Lam.* IX. 471 495
rotundifolia *Dc. fil.* IX. 469
salvifolia *Balb.* IX. 471 493
scaberrima *Bert.* IX. 471 498
sinensis *Lour.* IX. 471 500
spicata *Salsm.* IX. 471 499
tomentosa *Lam.* IX. 471 489
ulmifolia *Dum.* IX. 471
Varroniae spicatae H. B. & Kth. IX. 488
Varroniae spicis globosis H. B. & Kth. IX. 493
Vasconcellia Mart. IX. 183
acutifolia *Mart.* IX. 185
desertorum *Mart.* IX. 185
desertorum *var. Mart.* IX. 185
fasciculata *Mart.* IX. 185
florida *Mart.* IX. 184
Sego *Mart.* IX. 183
subincana *Mart.* IX. 184
tuberculata *Mart.* IX. 184
Vaynilla IX. 538
Valeno XIII. 1. 549
Velleia Labill. VII. 517 *Sm.* VII. 517
trinervis *Labill.* VII. 517
Velleja Lindl. VII. 517
Velleya *R. & Schult.* VII. 517 *RBr.* VII. 517 518
arguta *RBr.* VII. 518
dichotoma *Auct.* VII. 518
lyrata *RBr.* VII. 518
paradoxa *RBr.* VII. 518
β humilis *Dc.* - -
paradoxa *Lindl.* VII. 518
perfoliata *RBr.* VII. 518
pubescens *RBr.* VII. 518
spathulata *RBr.* VII. 518
spathulata *Juss.* VII. 518
Venilia G. Don X. 302 (Scrophularia)
Ventenatia Sm. VII. 332 *D. Don* VII. 332
major *Sm.* VII. 333
minor *Sm.* VII. 333

VERBASCEAE *Bth.* X. 188 224

VERBASCEAE Koch X. 186
Verbascum *L.* X. 225 224 *L. Auct* X. 243 IX. 272
adenophorum *Boiss.* X. 242
adulterinum *Koch* X. 236

Verbascum
alatum Lam. X. 225
album Mill. X. 237
alepense *Bth.* X. 241
Alopecuros Thuill. X. 238
alpinum Turr. X. 238
alyssifolium *Boiss.* X. 240
ambiguum Lejeun. X. 226
angustifolium *Ten.* X. 231
Arcturus L. X. 243 245
argyrostachyon Ten. X. 227
asperulum *Boiss.* X. 236
auriculatum Sibth. & Sm. X. 233
australe Schrad. X. 227
austriacum Schott X. 238
banaticum Schrad. X. 238
Barnadesii Vahl X. 243 244
Bastardi R. & Schult. X. 230
betonicaefolium Desf. X. 228
bicolor *Badarr.* X. 231
Biebersteinii Besser X. 237
bipinnatifidum Sims X. 234
biscutellaefolium *Bth.* X. 241
bithynicum *Boiss.* X. 238
Blattaria *L.* X. 230 591
Blattaria Vell. X. 591
blattarioides Lam. X. 229
Boerhaavii *L.* X. 231
bombyciferum *Boiss.* X. 228
bracteatum Presl X. 237
brevidens *Bth.* X. 235
bugulifolium Lam. X. 243
calyculatum Chaub. X. 226
candelabrum *Kar. & Kir.* X. 241
candidissimum Dc. fl. fr. X. 233
Celsiae Boiss. X. 229
celsioides *Bth.* X. 229
ceratophyllum *Schrad.* X. 234
Chaixii Vill. X. 238
cheiranthifolium *Boiss.* X. 236
chryserium *Schrad.* X. 236
chrysorrhacos *Boiss.* X. 235
cisalpinum Birol. X. 242
Claytoni Mx. X. 230
collinum Schrad. X. 226
compactum MB. X. 228
condensatum Schrad. X. 227
conocarpum *Moris* X. 231
cordatum *Desf.* X. 242
crassifolium Dc. fl. fr. X. 226
crassifolium *Hoffm. & Link* X. 226
crenatifolium *Boiss.* X. 227
crystallostemon Weinm. X. 229

Verbascum
cupreum Sims X. 228 242
cuspidatum Schrad. X. 226
cylindrocarpum *Griseb.* X. 2
densiflorum *Bertol.* X. 227
densiflorum Poll. X. 225
dentatum Lapeyr. X. 238
dentifolium *Delil.* X. 243
denudatum Pfund X. 226
diversifolium *Hochst.* X. 243
dubium R. & Schult. X. 226
elongatum W. X. 226
erianthum *Bth.* X. 235
eriostachyum *Griseb.* X. 238
euphraticum *Bth.* X. 241
ferrugineum Andr. X. 242 24
ferrugineum Mill. X. 241
flagriforme Pfund X. 226
floccosum W. & Kit. X. 237
formosum Fisch. X. 228
formosum Schrank X. 229
gallicum W. X. 238
garganicum Ten. X. 233
geminiflorum *Hochst.* X. 243
georgicum *Bth.* X. 228
glabratum *Friv.* X. 242
glabrum Delarb. X. 591
glabrum W. X. 229
glomeratum *Boiss.* X. 233
gnaphalodes *MB.* X. 233
gossypinum *MB.* X. 233
granatense *Boiss.* X. 237 23
grandiflorum *Schrad.* X. 22
Gussonii *Tineo* X. 591
haemorrhoidale Ait. X. 237
Haenseleri *Boiss.* X. 239 59
heterophyllum Morett. X. 23
Hinkei *Friv.* X. 243
Hohenackeri *Fisch. & Me*
Hornemanni Bess. X. 591
hybridum Brot. X. 234
hyoscrifolium *Schrad.* X. 23
Jernacha Hochst. X. 227 (
dum Ter
indicum Wall. X. 226
interjectum Pfund X. 226
Kiexianum Dumort. X. 226
Kotschyi *Boiss. & Hohen.* X.
Lagurus *Fisch. & Mey.* X. 2
lanatum Schrad. X. 238
lasianthum *Boiss.* X. 234 243
laxiflorum Presl X. 237
leianthum *Bth.* X. 239
leptostachyum Dc. fl. fr. X.
leucophyllum *Griseb.* X. 240

um
olium *Dc. fl. fr.* X. 236
olium *Ten.* X. 228
acemosum *Chaub.* X. 234
lti-phoeniceum *Wiegm.* X. 238
lti-pulverulentum *Noull.* X. 238
itis *L.* X. 237
n *Boiss.* X. 231
olium *Koch* X. 242
m *Lam.* X. 243 244
nthum *Hoffm. & Link* X. 227
rum *Ten.* X. 226
e *Dc. fl. fr.* X. 231
nthum *Moretti.* X. 237
carpum *Bth.* X. 230
m *Ram.* X. 238
C. Koch X. 232
essulanum *Pers.* X. 238
num *Schrad.* X. 226
natum *Lam.* X. 233
i *L.* X. 243 IX. 273
lium *Boiss.* X. 239
tum *Guss.* X. 225
osum *Schrad.* X. 227
ense *Boiss.* X. 239 591
-austriacum *Reich.* X. 238
-lychnitis *Schied.* X. 238
n *L.* X. 238 591
n *Ten.* X. 230 228
n *Koch* X. 226
tum *Hochst.* X. 243
icum *Boiss.* X. 237
ale *MB.* X. 238
kii *L.* X. 243 XIII. 1. 22
olium *Donn.* X. 228
n *Schrad.* X. 238
um *Nees* X. 226
ense *Thuill.* X. 238
orum *Lam.* X. 240
oides *Auct.* X. 237
oides *L.* X. 227 591
oides *Russ.* X. 233
oides *Sibth. & Sm.* X. 227
oides *D'Urv.* X. 235
iceum *L.* X. 242 591
preum *Sims* - -
i *Boiss.* X. 239
ifidum *Vahl* X. 234
ginoeum *Moris* X. 226
m *Sibth. & Sm.* X. 233
achyum *Kar. & Kir.* X. 235
nigrum *Bogeschand.* X. 258
ulentum *MB.* X. 237

Verbascum
pulverulentum *Vill.* X. 237
pulvinatum Thuill. X. 237
puniceum Schrad. X. 242
pyramidatum *MB.* X. 235
ramigerum Schrad. X. 226
ramosissimum Dc. fl. fr. X. 230
ramosissimum Poir. X. 230 237
repandum Griseb. X. 230
repandum *W.* X. 230
rotundifolium Ten. X. 231
rubiginosum *W. & Kit.* X. 241
β tauricum *Hook.* - -
β ferrugineum *Mill.* - -
ruderale Pfeiff. X. 591
rugulosum W. X. 227
saccatum *C. Koch* X. 232
salvinefolium *Boiss.* X. 232
samniticum Ten. X. 227
scabrum Presl. X. 234
Schottianum Schrad. X. 238
Schraderi Mey. X. 225
sclavonicum Kit. X. 591
semialbum Chaub. X. 226
seminigrum Fries X. 226
simplex Hoffm. & Link X. 226
simplex *Labill.* X. 232
sinaiticum *Bth.* X. 236
sinuato-pulverulentum Noull. X. 234
sinuato-thapsus Noull. X. 234
sinuatum *L.* X. 234
smyrnaeum *Boiss.* X. 239
soongaricum *Schrenk* X. 235
speciosum *Schrad.* X. 236
spectabile *MB.* X. 229
spinosum *L.* X. 240
splendidum *Boiss.* X. 232
spurium Koch X. 226 591
Stevenii Trev. X. 591
strictum *Clark.* X. 242
sulcatum *Desf.* X. 243
syriacum Schrad. X. 232
taraxacifolium Boiss. X. 240
tauricum Hook. X. 241
Ternacha Hochst. X. 227
thapsiforme *Schrad.* X. 226
β macrurum *Bth.* - -
thapsiformi-lychnitis Schied. X. 226
thapsiformi-nigrum Schied. X. 226
thapsoides L. X. 226
thapsoides Vill. X. 227
Thapso-lychnitis Mert. & Koch X. 226

Verbascum
Thapso-nigrum Schlcht. X. 226
Thapso-sinuatum Noull. X. 226
Thapsus *L.* X. 225
Thapsus Mey. X. 226
thyrsoideum Host X. 238
tristo Sm. X. 242
undulatum *Lam.* X. 232
urticaefolium Lam. X. 238
versicolor Wender. X. 591
versiflorum Schrad. X. 239
viminale *Guss.* X. 227
virens Host X. 238
virgatum *With.* X. 229 591
viscidulum Pers. X. 229
Wallichianum *Bth.* X. 231
Weldenii Morett. X. 537
Wiedmannianum *Fisch. & Mey.* X. 229
xanthophoenicoeum Griseb. X. 242
Verbena *L.* XI. 530 535 539 *Auct.* XI. 68 *Endl.* XI. 535 561 *L. L'Herit.* X. 572 *Jacq.* XI. 557
affinis Mart. & Gal. XI. 542
alata *Cham.* XI. 543
alopecuroides hort. XI. 547
alpigena Walp. XI. 556 573
alternifolia hort. XI. 544
Andrieuxii *Schauer* XI. 553
angustifolia *Mx.* XI. 545
angustifolia Mill. XI. 556 564
aphylla *Gill. & Hook.* XI. 545
aristata Vahl XI. 556 566
Arraniana hort. XI. 538
asparagoides *Gill. & Hook.* XI. 536
aspera *Gill. & Hook.* XI. 544
aspera Kze XI. 540
Aubletia *L.* XI. 554
Aubletia var. Drummondi Lindl. XI. 554
barbata *Grah.* XI. 555
Berterii *Schauer* XI. 551
bipinnatifida *Schauer* XI. 553
biserrata H. B. & Kth. XI. 546
bonariensis *L.* XI. 541
bonariensis β litteralis Hook. XI. 542
bracteata Lag. XI. 549
bracteosa *Mx.* XI. 549
brasiliensis Vell. XI. 542
Buchnera Vell. XI. 540
caespitosa *Gill. & Hook.* XI. 536
calcicola Walp. XI. 550
canescens *H. B. & Kth.* XI. 548
capensis Thbg XI. 556 542 563
capitata Blanco XI. 556 586
capitata Forsk. XI. 556 585

Verbena
carnea *Med.* XI. 546
carolinians hort. XI. 545
caroliniana *L.* XII. 546
caroliniana Spr. XI. 546
carolinensis &c. Dill. XI.
cayennensis Rich. XI. 556
chamaedrifolia *Juss.* XI. 5
α Melinderes -
β melindroides -
Chamissonis Walp. XI. 54
ciliata *Bth.* XI. 553
cinerascens *Schauer* XI. 5
clavata *R. & Pav.* XI. 550
corymbosa Cham. XI. 549
corymbosa *R. & Pav.* XI.
crithmifolia *Gill. & Hook*
β minor -
cunea Vell. XI. 538
cuneifolia *R. & Pav.* XI. 5
curassavica L. XI. 556 5
delicatula *Mart. & Gal*
dentata Vis. XI. 556 574
dieeras Bert. XI. 551
dichotoma R. & Pav. XI
diffusa Lam. XI. 546
dissecta Poepp. XI. 551
dissecta *W. k.* XI. 552
Doniana Steud. XI. 541
Ehrenbergiana *Schauer* XI
elegans *H. B. & Kth.* XI.
ephedroides *Cham.* XI. 54
erinacea *Gill. & Hook.* XI.
erinoides *Lam.* XI. 552
β contracta - 553
erinoides Poepp. XI. 551
exilis *Schauer* XI. 553
filicaulis *Schauer* XI. 549
flava *Gill. & Hook.* XI. 55
fluminensis Vell. XI. 556 5
Forskalii Vahl XI. 556 534
glabrata H. B. & Kth. XI.
glandulosa Moris XI. 543
glauca *Gill. & Hook.* XI. 5
globiflora L'Herit. XI. 556
gracilis Cham. XI. 541
gracilis Desf. XI. 549
grandiflora Mx. XI. 554
gratissima Gill. & Hook. XI

a
ita *L.* XI. 546
ophylla *W. h.* XI. 550
ta *Mart. & Gal.* XI. 547
Spr. XI. 540
la *R. & Pav.* XI. 542
fusa *Cham.* XI. 538
robadensis *Rottl.* XI. 556 559
icensis *L.* XI. 556
icensis *St. Hil.* XI. 556 561
icensis *Vell.* XI. 561
nica *Burm.* XI. 556 593
a *Hook.* XI. 538
a *Jacq.* XI. 556 564
a *L.* XI. 556 564
a *H. B. & Kth.* XI. 550
media *Gill. & Hook.* XI. 541
a *Gill. & Hook.* XI. 556 573
erina *Lag.* XI. 544
erti *Ker* XI. 554
olata *W. h.* XI. 542
noides *W. h.* XI. 556 593
dacea *L.* XI. 556 534
stachys *Link* XI. 547
trina *Lag.* XI. 556 574
ygioides *Walp.* XI. 551
alis *H. B. & Kth.* XI. 542 (*bis*)
pycnostachya - -
leptostachya - -
a *Vell.* XI. 540
loides *hort.* XI. 556 533
flora *Lam.* XI. 554
lfolia *Mart. & Gal.* XI. 555
ana *Walp.* XI. 547
ubioides *Cham.* XI. 538
potamica *Spr.* XI. 555 538
drea *Gill.* XI. 537
droides *Cham.* XI. 537
soides *Sweet* XI. 537
haefolia *Bth.* XI. 556
cana *L.* XI. 556 534
cana *trachelii fol. &c. Dill.* XI. 534
ophylla *H. B. & Kth.* XI. 551
na *Meyen* XI. 536
ma *chamaedryos fol. Sloan.* XII. 296
a *Mart. & Gal.* XI. 547
evidensis *Spr.* XI. 540
mensis *H. B. & Kth.* XI. 554
lfida *R. & Pav.* XI. 553

Verbena
multifida β contracta bot. reg. XI. 553
mutabilis Jacq. XI. 556 565
nervosa Scheele XI. 556
nodiflora Bauh. XI. 586
nodiflora L. XI. 556 585
Obletia Retz XI. 554
odorata Meyen XI. 553
officinalis *L.* XI. 547
orchioides Walp. XI. 556 533
orubica L. XI. 556 566
ovata *Cham.* XI. 541
paniculata *Lam.* XI. 545
β pinnatifida - 546
paucifolia Mart. & Gal. XI. 546
phlogiflora *Cham.* XI. 537
α vulgaris - -
β macilenta - 538
phlogiflora var. α Cham. XI. 538
phlogiflora var. β Cham. XI. 537
pinnatifida Lam. XI. 546
pinnatisecta *Schauer* XI. 549 556
platensis Spr. XI. 538
pogonostoma *Klotzsch* XI. 550
polycnemoides Lag. XI. 536
polystachya H. B. & Kth. XI. 546
prismatica L. XI. 556 558
procumbens Forsk. XI. 548
prostrata *RBr.* XI. 547
Pseudo-gervao St. Hil. XI. 556 557
pulchella Sweet XI. 552
quadrangularis Vell. XI. 541
radicans *Gill. & Hook.* XI. 552
recta H. B. & Kth. XI. 546
remota Bth. XI. 549
repens Bertol. XI. 556
repens Savi XI. 586
rhinanthifolia *Mart. & Gal.* XI. 555
ribifolia *Walp.* XI. 539
rigens Mx. XI. 547
rigida Spr. XI. 541
rubra Rumph XIII. 2. 300
rugosa G. Don XI. 541
rugosa Mühlenb. XI. 545
Sabini Sweet XI. 553
sagittalis *Cham.* XI. 543
salviaefolia Hook. & Arn. XI. 556 573
scaberrima Cham. XI. 541
scabra Vahl XI. 546

Verbena
scoparia *Gill. & Hook.* XI. 544
scoparia *Tausch* XI. 555
scordioides Cham. XI. 538
selaginoides *H. B. & Kth.* XI. 544
Selloi Spr. XI. 553
seriphioides *Gill. & Hook.* XI. 536
setosa Mart. & Gal. XI. 548
simplex Lehm. XI. 545
sororia D. Don XI. 548
spathulata *Gill. & Hook.* XI. 543 544
α grandiflora – –
β parviflora – 544
spuria L. XI. 548
squamosa Jacq. XI. 557 64
squarrosa Roth XI. 549
stellarioides *Cham.* XI. 540
α decurrens – 541
β sessilis – –
stenophylla Schaele XI. 557
stoechadifolia L. XI. 557 584
stricta *Vent.* XI. 547 555
strigosa *Cham.* XI. 540
strigosa Hook. XI. 547
suffruticosa Aubl. XI. 557 584
sulphurea *Sweet* XI. 551
supina *L.* XI. 548
tenera *Spr.* XI. 552
tenuis Steud. XI. 541
teucriifolia *Mart. & Gal.* XI. 555
teucrioides *Gill. & Hook.* XI. 538
thymifolia *Lag.* XI. 554
thymoides *Cham.* XI. 544
tridactylites *Lag.* XI. 554
tridens *Lag.* XI. 555
trifida *H. B. & Kth.* XI. 539
triphylla L'Herit. XI. 557 574
tuberosa Grah. XI. 557 533
Tweediana Niven XI. 537
urticifolia *L.* XI. 546
valerianoides *H. B. & Kth.* XI. 542
venosa *Gill. & Hook.* XI. 541
veronicaefolia H. B. & Kth XI. 546
veronicaefolia Sm. XI. 537
virgata R. & Pav. XI. 557 573
xutha *Lehm.* XI. 555 548
Verbena a Stachytarpheta Endl. XI. 561
Verbena b Bouchea Endl. XI. 557
Verbenaca Schauer XI. 536 (Verbena)

VERBENACEAE Auct. XI
VERBENACEAE *Juss.* XI. 5
VERBENEAE Reich. XI. 52
VERBENEAE *Schauer* XI. 5

Veronica *L.* X. 457 458 *Gm*

abyssinica *Fresen* X. 490
acinacifolia W. X. 483
acinifolia *L.* X. 484
acuta Mart. X. 466
acutiflora *Bth.* X. 460
acutiflora Lapeyr. X. 472
agrestis *L.* X. 467
agrestis var. byzantina S Sm.
Allionii *Vill.* X. 472
alpina *L.* X. 482
altaica Fisch. X. 465
alternifolia Lejeun. X. 466
ambigua *Mart.* X. 466
americana *Schreb.* X. 46
amethystina W. X. 465
amoena *Stev.* X. 484
Anagallis Auct. X. 468
Anagallis *L.* X. 467
β pubescens *Bth.* X. 468
anagalloides *Guss.* X. 468
angustifolia A. Cunn. X. 4
angustifolia Fisch. X. 465
angustifolia A. Rich. X. 4
angustifolia Steud. X. 464
anisophylla *C. Koch* X. 46
apennina *Tausch* X. 596
aphylla *L.* X. 476
β nudicaulis *Bth.* X. 476
γ grandiflora – – –
arbusculosa Reich. X. 460
arenaria *A. Cunn.* X. 463
arguta *RBr.* X. 478
arguta Morett. X. 466
arguta Schrad. X. 466
arvensis *L.* X. 483
Aucheri *Boiss.* X. 488
australis Schrad. X. 466
austriaca *L.* X. 470 469
β angustifolia *Bth.* X. 470
austriaca Wilmsen X. 474
Bachofenii Wierzb. X. 466
Barrelieri Schott X. 466
Baumgartenii *R. & Schult*

Beccabunga *L.* X. 469
Bellardi All. X. 483
bellidioides *L.* X. 482
Benthami *Hook. fil.* X. 461

Veronica
Billardieri Kotschy X. 480
Billardieri *Vahl* X. 473
biloba *L.* X. 485
β glandulosa *Bth.* – 486
brachyphylla R. & Schult. X. 466
brevifolia MB. X. 465
brevifolia Link X. 466
brevistyla Moris X. 483
Brownei R. & Schult. X. 478
Brunoniana Wall. X. 491 456
Buxbaumii *Ten.* X. 462
buxifolia *Bth.* X. 462
caespitosa *Boiss.* X. 480
calycina *RBr.* X. 477
β parviflora *Bth.* – –
calycina A. Cunn. X. 478
campylopoda *Boiss.* X. 486
cana *Wall.* X. 475
canescens Schrad. X. 466
capensis *Fenzl* X. 489
capitata *Royle* X. 481
cardiocarpa *Walp.* X. 485
cariensis Boiss. X. 473
carnea Dc X. 466
carnosula Lam X. 483
caroliniana Walt. X. 483
cartilaginea Ledeb. X. 465
Cataractae *Forst.* X 462
caucasica *MB.* X. 474
ceratocarpa *C. A Mey.* X. 485
Chaixi Lapeyr. X. 470
chamaedryoides Bory & Chaub. X. 475
Chamaedrys *L.* X. 474
β pilosa *Bth.* – 475
chamaepithyoides Lam. X. 483
Chamaepithys Griseb. X. 483
Chamaepithys Pers. X. 483
chilensis H. B. & Kth. X. 483
ciliata *Fisch.* X. 467
Clusii Schott X. 466
complicata Hoffm. X. 466
confusa R. & Schult. X. 466
Crantzii Schmidt X. 466
crassifolia Kit. X. 466
crassifolia Wiersb. X. 466
crenulata Hoffm. X. 465
cretica *Pall.* X. 481
crinita Kit. X. 470
Crista-galli *Stev.* X. 487
cuneifolia *G. Don* X. 472
β pilosa *Bth.* – 473
cycnorum *Miq.* X. 490
Cymbalaria *Bertol.* X. 488
cymbalariaefolia Vahl X. 488
Dabneyi *Hochst.* X. 472
decussata Soland. X. 461
deltigera *Wall.* X. 475
deltoidea Spr. X. 478
densiflora *Ledeb.* X. 480
dentata Schmidt X. 470
dentata Schrad. X. 470
depauperata W. & Kit. X. 476
depressa *Kit.* X. 489
Derwentii Andr. X. 463
didyma Ten. X. 457 488
Dieffenbachii *Bth.* X. 459
diffusa *Hook. fil.* X. 462
digitata Lam. X. 486
digitata *Vahl* X. 483
Dillenii Crantz X. 483
diosmaefolia *A. Cunn.* X. 460
diosmaefolia Kn. & Westc. X. 462
distans *RBr.* X. 478
divaricata Tausch X. 475
Drummondi *Bth.* X. 478
elatior Desf. X. 466
elegans Dc X. 465
elliptica *Forst.* X. 461
elongata *Bth.* X. 478
erinoides *Boiss.* X. 479
euphrasiaefolia *Link* X. 476
excelsa Desf. X. 466
filiformis Dc. fl. fr. X. 487
filiformis *Sm.* X. 487
finaustrina Hombr. & Jacq. X. 461
florida Schmidt X. 475
fluminensis Vell. X. 491 XI. 457
foliosa W. & Kit. X. 465
fontana Link X. 482
formosa *RBr.* X. 462
Froelichiana Reich. X. 475
frutescens Scop. X. 480
fruticulosa *L.* X. 480
Gebhardiana Vest X. 482
gentianoides *Vahl* X. 481
glabra Ehrh. X. 466
glandulosa *Hochst.* X. 482
glauca Heldr. X. 485
glauca *Sibth. & Sm.* X. 484
Gouani Moretti. X. 481
gracilis *RBr.* X. 478
graeca Sprun. X. 484
grandiflora *D. Don* X. 484
grandiflora Gaerth. X. 477
grandiflora Wall. X. 467
grandifolia Vest X. 482

Veronica
grandis *Fisch.* X. 465
Griffithii *Bth.* X. 456
grossa *Mert.* X. 466
Gunnii *Bth.* X. 477
hederaefolia *L.* X. 488
hederaefolia β *L.* X. 488
herniarioides *Pourr.* X. 482
himalensis *Don* X. 467
hirsuta *Hopk.* X. 472
Hookeriana *Walp.* X. 477
hospita *Mert. & Koch* X. 487
Hostii *Moretti* X. 465
humifusa *Dicks* X. 482
hybrida *MB.* X. 466
hybrida *L.* X. 466
Jacquini *Schott* X. 470
javanica *Blum.* X. 489
imperfoliata *Bth* X. 463
incana *L.* X. 466
incana *W. & Kit.* X. 466
incisa *Soland.* X. 465
integrifolia *W.* X. 482
irregularis *Lapeyr.* X. 479
kamtschatica *L. fil.* X. 477
Kotschyana *Bth.* X. 490
kurdica *Bth.* X. 473
β brevifolia *Boiss.* - 596
labiata *RBr.* X. 463
laciniata *Soland.* X. 465
lacta *Kar. & Kir.* X. 464
laevis *Bth.* X. 461
laevis *Lam.* X. 483
lamifolia *Hayne* X. 475
lanceolata *Bth.* X. 462
β angustifolia - 463
lanosa *Bth.* X. 481
latifolia *Lam.* X. 474
latifolia *L.* X. 469 470
laxa *Bth.* X. 474
leucantha *Helm.* X. 465
ligustrifolia *A. Cunn.* X. 460
limosa *Lejeun.* X. 468
linariaefolia *Poit.* X. 465
Lindleyana *Wall.* X. 491 454
littoralis *Vell.* X. 491 XI. 729
longibracteata *Link* X. 466
longiflora *R. & Schult.* X. 466
longifolia *L.* X. 465
β paberula *Bth.* - 466
lutetiana *R. & Schult.* X. 470
luxurians *Ledeb.* X. 465
macrocarpa *Turcz.* X. 467
macrocarpa *Vahl* X. 460
macropoda *Boiss.* X. 495
macrostachya *Vahl* X. 472
Veronica
macrostemon *Bunge* X. 479
macroura *Hook. fil.* X. 459
maritima *L.* X. 466
maritima hybrida *L.* X. 4
marylandica *L.* X. 483
maxima *Stev.* X. 472
media *Lejeun.* X. 466
media *Schrad.* X. 466
melissaefolia *Desf.* X. 472
β maxima *Bth.* - -
menthaefolia *Schott* X. 466
Menziesii *Bth.* X. 461
Michauxii *Lam.* X. 467
micrantha *Hoffm. & Link* X
microcarpa *Boiss.* X. 473
microphylla *Kit.* X. 482
minuta *C. A. Mey.* X. 476
mollis *Link* X. 465
montana *L. fil.* X. 475
montioides *Boiss.* X. 490
Mülleriana *Vest* X. 472
multifida *Jacq.* X. 470
multifida *L.* X. 471 469
myrtifolia *Banks & Sol.* X.
neglecta *Schmidt* X. 482
neglecta *Vahl* X. 467
nemorum *Pall.* X. 474
nigricans *C. Koch* X. 489
nitens *Host* X. 466
nitida *Ehrh.* X. 466
nitida *Link* X. 466
nitida *Poir.* X. 470
nivalis *Hook. fil.* X. 477
nivea *Lindl.* X. 471
Novae Hollandiae *Poir.* X.
nudicaulis *Kar. & Kir.* X.
nudicaulis *Lam.* X. 476
nummularia *Gouan* X. 479
nutans *Bong.* X. 482
ocymifolia *Thuill.* X. 486
odora *Hook. fil.* X. 461
officinalis *L.* X. 472
β minor *Bth.* - -
olympica *Pall.* X. 484
opaca *Fries* X. 497 496
orchidea *Crantz* X. 486
orientalis *Mill.* X. 469
Orsiniana *Ten.* X. 470
ossetica *Stev.* X. 474
oxycarpa *Boiss* X. 490
oxyphylla *Stev.* X. 466
Paederotae *Boiss.* X. 479
pallens *Host* X. 466
pallescens *Gat.* X. 483
pallida *Horn.* X. 484

Lejeun. X. 466
a *L.* X. 465
ifolia *Bth.* – –
s – – –
a *W.* X. 470
ana *Tineo* X. 466
ria *Poit. & Turp.* X. 475
Vahl X. 460
Vahl X. 471
x *Kit.* X. 476
L. X. 471
lifolia *Bth* – 472
var. *pinnatifida Boiss.* X. 474
aris *MB.* X. 473
aris *Bory & Chaub.* X. 484
ata *Labill.* X. 484
L. X. 482
RBr. X. 463
Boiss. X. 490
Poir. X. 487
ia *Link* X. 466
Baumg. X. 476
Tev. X 476
Link X. 470
. X. 475
. X. 464
Lam. X. 483
Br. X. 478
hl X. 475
Bth. X. 473
s X. 487
Thuill. X. 483
es *Lam.* X. 483
Link X. 466
an X. 481
. X. 486
Morett. X. 466
. X. 469 470
amaedrys *Jacq.* X. 470
Banks & Sol. X. 460
ust. X. 487 466
X. 482
ke X. 484
milt. X. 468
Bth. – –
eud. X. 464
Don X. 469
X. 468
. & *Hohen.* X. 490
Trank X 482
l. X. 472

Veronica
ramosa Pall. X. 465
recta Bth. X. 474
reniformis Pursh X. 469
reniformis Ref. X. 469
rigens Mart. X. 466
romana All. X. 484
romana L. X. 483
romana Schmidt X. 283
rosea Desf. X. 469
rotundifolia R. & Pav. X. 491 498
rotundifolia Schrank X. 482
ruderalis Vahl X. 482
Rudolphiana Hayne X. 475
ruthenica R. & Schult. X. 466
salicifolia *Forst.* X. 459 596
saturejaefolia Poit. & Turp. X. 470
saxatilis L. fil. X. 480
scardica *Griseb.* X. 468
Schmidtii R. & Schult. X. 470
scutellata *L.* X. 475
β pilosa Vahl – –
secundiflora *C. Koch* X. 489
segetalis Pers. X. 486
semperviren *Lam.* X. 481
serpyllifolia *L.* X. 482
serrulata Pall. X. 465
sessiliflora *Bunge* X. 464
setigera D. Don X. 472
sibirica *L.* X. 464
simensis Fresen X. 498
spadana Lejeun. X. 472
spathulata *Bth.* X. 477
speciosa *R. Cunn.* X. 459
spicata *L.* X. 466
spuria L. X. 465
squamosa Presl X. 466
Stelleri *Pall.* X. 481
stenophylla Steud. X. 460
Stephaniana R. & Schult. X. 465
stolonifera *Lehm.* X. 477
stolonifera *Lehm.* X. 490
stricta *Banks & Sol.* X. 459
strictiflora Lapeyr. X. 479
subacaulis Lam. X. 476
sublaciniata G. Don X. 465
succulenta Schmidt X. 483
syriaca *R. & Schult.* X. 484
β pusilla Bth. – –
taurica Stev. X. 469
telephifolia *Vahl* X. 477
tenella All. X. 482
tenerrima Schmidt X. 467
tenuifolia Asso X. 471
tenuifolia Stev. X. 471 (bis)
tenuis *Ledeb.* X. 468

Veronica
tetragona *Hook.* X. 482
Teucrium *L.* X. 469
β angustifolia *Bth.* X. 470
Teucrium L. h. X. 470
thessalica *Bth.* X. 480
thymifolia *Sibth. & Sm.* X. 480 481
thyrsiflora Wall. X. 491 304
ticinensis Poll. X. 465
Tournefortii Gmel. X. 486
trichocarpa R. & Schult. X. 470
triphyllos *L.* X. 486
tubiflora *Fisch. & Mey.* X. 484
tymphrestea *Boiss.* X. 472
umbrosa *MB.* X. 474
undulata Wall. X. 467
urticifolia *L. fil.* X. 474
verna *L.* X. 483
versicolor Fries X. 487
Vestiana R. & Schult. X. 472
villosa Schrad. X. 466
violaefolia *Hochst.* X. 488
virgata Link X. 465
virginica *L.* X. 463
vitifolia Sm. X. 478
Wormskioldii R. & Schult. X. 482
xalapensis H. B. & Kth. X. 483
Veronicastrum Bth. X. 479 (Veronica)
Veronicastrum Koch X. 479 485
VERONICEAE *Bth.* X. 459 456
Verticillatae Bth. X. 460 (Pedicularis)
VERTICILLATAE L. XII. 27
Vestia *W.* XIII. 1. 7 579
lycioides *W.* XIII. 1. 579
Viburnum americanum &c. Comm. XI. 600
Vigieria hispida Vell. VII. 512
laevis Vell. VII. 512
Villamilla Moq. XIII. 2. 10 (Rivina)
Villamilla R. & Pav. XIII. 2. 10
tinctoria R. & Pav. XIII. 2. 10
Villarsia *Vent.* IX. 136 138
aquatica Gmel. IX. 137 141
chilensis Lodd. IX. 136
communis St. Hil. IX. 137 140
crista galli *Griseb.* IX. 136
cristata Spr. IX. 137 139
geminata RBr. IX. 137 140
Humboldtiana H. B. & Kth. IX. 137 140
Humboldtiana St. Hil. IX. 137 140

Villarsia
hydrophylloides R. & Schult. IX. 138
indica Ait. IX. 137 138
indica Vent. IX. 137 138
indica Wall. IX. 139
lacunosa Vent. IX. 137 141
megaphylla R. & Schult. IX. 138
microphylla St. Hil. IX. 138
minor Don IX. 563
nymphaeifolia Fraser IX. 138
nymphoides Vent. IX. 137
orbiculata Lam. IX. 137 138
ovata Vent. IX. 136
β lanceolata *E. Mey.* - - -
parnassifolia *RBr.* IX. 136
β reniformis *Griseb.* - - -
parvifolia Wall. IX. 137 138
peltata R. & Schult. IX. 138
platyphylla St. Hil. IX. 138
pumila *Griseb.* IX. 136
reniformis RBr. IX. 136
rotundifolia A. Paris. IX. 138
sarmentosa Sims IX. 137
senegalensis G. Don IX. 138
Simsii Don IX. 563
Swartzii Don IX. 563
Villemetia RBr. XIII. 2. 130 (Wikstroemia)
Villemetia Moq. XIII. 2. 134
eriophora Moq. XIII. 2. 136
hirsuta Moq. XIII. 2. 136
muricata Moq. XIII. 2. 135
sedoides Moq. XIII. 2. 136
Villocuspis Dc. fil. VIII. 162 (Vinca)

Vinca *L.* VIII. 384
acutiflora Bertol. VIII. 386
herbacea Rent. & Hay.
herbacea *W. & Kit.* VIII.
β pusilla *Dc. fil.* - -
γ glaberrima - - -
δ grandiflora - - -
intermedia Tausch VIII. 386
lancea *Baj.* VIII. 382
libanotica *Zucc.* VIII. 383
lutea L. VIII. 384 450
major Brot. VIII. 384
major *L.* VIII. 384
media *Hoffm. & Link* VIII.
minor *L.* VIII. 383
minor Sm. VIII. 383

Vinca
parviflora Reis VIII. 393
pubescens *d'Urv.* VIII. 393
pumila *Clarke* VIII. 394
pusilla *Murr.* VIII. 392
rosea *L.* VIII. 392
Schottii *Mikan* VIII. 394
sessilifolia *Dc. fl.* VIII. 393
Vincetoxicum *Moench* VIII. 523 *Dod.* VIII. 524
acanthocarpum Wall. VIII. 526 595
acuminatum *Dene* VIII. 524
Arnottianum *Wight* VIII. 523
atratum *Morr. & Dene* VIII. 523
canescens *Dene* VIII. 523
fruticosum &c. Rupp. VIII. 616
fruticulosum *Dene* VIII. 525 665
gonocarpos Wall. VIII. 526 596
Guilleminianum *Dene* VIII. 526
japonicum *Morr. & Dene* VIII. 524
kenoariense *Wight* VIII. 525
leptocladum *Dene* VIII. 526
luteum Hoffmans. & Link VIII. 524
luteum Sieb. VIII. 523
medium *Dene* VIII. 523
melanthum *Dene* VIII. 526
microphyllum *Dene* VIII. 525
montanum *Dene* VIII. 525
nigrum *Moench* VIII. 524
officinale *Moench* VIII. 524
α β *Dene* - -
parviflorum *Dene* VIII. 525
pumilum *Dene* VIII 525
purpurascens *Morr. & Dene* VIII. 524
sepium *Dene* VIII. 526
sibiricum *Dene* VIII. 525
versicolor *Dene* VIII. 524
vulgare *R. & Schult.* VIII. 524
Vindoricum sylvestre Rumph VIII. 199
Vintenatia Cav. VII. 738 740
humifusa *Cav.* VII. 738
procumbens *Cav.* VII. 740
Viola algida W. h. VII. 350
mariana Auct. VII. 458
mariana Matth. VII. 460
marina Auct. VII. 458
Viraya Gaudich. VII. 719
Vireya Blum. VII. 719 *Raf.* VII. 719
alba *Blum.* VII. 724
celebica *Blum.* VII. 725
Vireya
javanica Blum. VII. 721
retusa Blum. VII. 724
sanguinolenta Raf. VII. 840
tubiflora Blum. VII. 725
Virgularia Mart. X. 514 *R. & Pav.* X. 514
alpestris Mart. X. 515
campestris Mart. X. 514
lanceolata R. & Pav. X. 516
montana Mart. X. 514
revoluta R. & Pav. X. 516
splendida Mart. X. 514
Viscaria Griseb. IX. 40
Viscum terrestre L. VIII. 64
Visianis *Dc.* VIII. 289
grandiflora *Dc.* VIII. 289
paniculata *Dc.* VIII. 289
robusta *Dc.* VIII. 289
Vitellaria Gaertn. fl. VIII. 165 *Mich.* VIII. 170
paradoxa Gaertn. VIII. 173
Vitex *L.* XI. 629 682
acuminata *RBr.* XI. 685
Agnus castus *L.* XI. 684
alata *Heyne* XI. 685
alata Roxb. XI. 687
altissima *L. fl.* XI. 685
arborea Desf. XI. 685
arborea Roxb. XI. 686
bahiensis *Schauer* XI. 687
Balbisii *Spr.* XI. 695
bicolor *W.* XI. 683
bignonioides *H. B. & Kth.* XI 689 (bis)
Bojeri *Schauer* XI. 694
bombacifolia Wall. XI. 692
brasiliensis Mart. XI. 689
californica *Bth.* XI. 696
capitata *Vahl* XI. 689
capitata var. Bth. XI. 690
caribaea Hook. & Arn. XI. 686
chrysoclada *Boj.* XI. 694
Chrysomallum *Steud.* XI. 694
cuneata *Schum. & Thonn.* XI. 694
Cunninghami *Schauer* XI. 691
cymosa *Berter.* XI. 688
divaricata *Sw.* XI. 691
ferruginea Boj. XI. 694
ferruginea *Schum. & Thonn.* XI. 695
flavens *H. B. & Kth.* XI. 689
Gardneriana *Schauer* XI. 687
geniculata *Blanco* XI. 686
gigantea *H. B. & Kth.* XI. 688

Vitex
glabrata *RBr.* XI. 695
heptaphyl'a *Juss.* XI. 695
heterophylla *Roxb.* XI. 696
hypoleuca *Schauer* XI. 690
incisa *Lam.* XI. 684
integerrima *Mill.* XI. 693
involucrata *Presl* XI. 696 623
laciniata *hort.* XI. 684
lanigera *Schauer* XI. 695
latifolia *Mill.* XI. 684
Leucoxylon *L. fil.* XI. 692
Leucoxylon Roxb. XI. 692
Leucoxylon Wall. XI. 692
lignum vitae *A Cunn.* XI. 692
limonifolia Wall. XI. 685
littoralis *A Cunn.* XI. 691
littoralis Dene XI. 696
Loureirii *Hook. & Arn.* XI. 686
macrophylla *RBr.* XI. 695
mollis *H. B & Kth.* XI. 691
moluccana *Blum.* XI. 695
montevidensis *Cham.* XI. 689
β parviflora – –
montevidensis multinervis Cham. XI. 668
multiflora *Miq.* XI. 690
multinervis *Schauer* XI. 688
Negundo *L* XI. 684
Negundo Roxb. XI. 684
obovata *E. Mey.* XI. 693
orinocensis *H. B. & Kth.* XI. 688
ovata Thbg XI. 683
pallida Wall. XI. 692
paniculata Lam. XI. 685
parviflora *Juss.* XI. 695
peduncularis *Wall* XI. 687
pinnata Lour. XI. 696
polygama *Cham.* XI. 693
pubescens Heyne b. XI. 685
pubescens *Vahl* XI. 695
punctata *Schauer* XI. 687
repens Blanco XI. 693
rufescens Juss. XI. 693
saligna *Roxb.* XI. 692
scabra *Wall.* XI. 695
Schomburgkiana *Schauer* XI. 690
Sellowiana *Cham.* XI. 689
β parviflora – 690
sexdentata *Wall.* XI. 696
spicata *Lour.* XI. 696
Taruma Mart XI. 689
timoriensis *Walp.* XI. 686
triflora *Vahl* XI. 693

Vitex
trifolia *L.* XI. 683
α trifoliata – –
β unifoliata – –
trifolia &c. Pluk. XI. 683
umbrosa *Sw.* XI 687
undulata Wall. XI 696
Vanthieri *Dc* XI. 690
verticillata Lam. XI. 684
vestita *Wall.* XI. 692
Zeyheri *Sonder* XI. 693
Viticastrum Presl XI. 622
ramosum Presl XI. 623
VITICEAE *Schauer* XI. 525 6
VITICEAE *Schauer* XI. 627
Viticella Mitch. VII. 776
VITICES Juss. XI. 522 Anm.

Vitis idaea Tourn. VII. 565
Vitis idaea aethiopica Comm. 93 *Pluk.* VIII
Vitsnu Clandi Rheed. IX. 417
Vittmannia Cav. & Ort. XI

viscosa Turr. XIII. 2. 430
Vleckia Raf. XII. 699
Voacanga *Pet. Thouars* VIII.
Dregei E. Mey. VIII. 357
Thouarsii *Dc. fil.* VIII. 357
Vocca Vountaca IX. 18
Vogelia *Lam.* XII. 621 695
africana *Lam.* XII. 696
arabica *Boiss.* XII. 696
indica *Wight & Gibs.* XII.
Vohiria Juss. IX. 83
Volkameria *L.* XI. 627 65
P. Browne VII. 5
Acerbiana *Vis.* XI. 656
aculeata *L.* XI. 656
alternifolia Burm. XI 617
angulata Lour. XI. 657 6
angustifolia Andr. XI. 657
Buchananii Roxb. XI. 657
buxifolia W. A. XI. 6 7 6
capitata W. XI. 657 673
coccinea herb. de l'amat. X

Commersonii Poir. XI. 657
cordifolia *Hochst.* XI. 657
dentata Roxb. XI. 657 674
farinosa Roxb. XI. 657 6
foetida Hamilt. XI. 657 67
grandiflora *Blanco* XI. 65
herbacea Roxb. XI. 657 675
heterophylla Poir. XI. 657

Thbg XI. 656 657
L. fil. XI. 657 660
β Ait. XI. 657 660
ata Roxb. XI. 657 667
ri Jacq. XI. 657 669
a Jacq. XI. 657 660
a Burm. XI. 657 663
Roxb. XI. 657 660
Roxb. XI. 657 674
Hamilt. XI. 657 625
s Lour. XI. 657
Lour. XI. 657 674
Lour. XI. 657 674
L. fil. XI. 657
L. XI. 657 664
n Vent. XI. 657 663
lia Roxb. XI. 657 669
ata R. & Pav. XI. 657 610
Jacq. XI. 658
Jacq. XI. 666
dans. XII. 8
-keli XI. 112
bl. IX. 83 562
ta Bch. IX. 84
olia Steud. IX. 562
Pers. IX. 86
ca Spltg. IX. 84
a Lam. IX. 84
Spltg. IX. 562
Spltg. IX. 85
Aubl. IX. 84
osa Spltg. IX. 86
ns Griseb. IX. 85
a Griseb. IX. 84
pltg. IX. 84
ubl. IX. 84
ea Lam. IX. 84 562
Guilding IX. 85
a Griseb. IX. 86
Lam. IX. 85
assk. X. 412
Hassk. X. 417
carpa Hassk. X. 417
Spr. X. 201
ides Spr. X. 201
VIII. 535

W.

Moq. XIII. 2. 391 (Gomphrena)
Raf. XIII. 2. 391
Wahlenbergia *Schrad.* VII. 424 421 422 426 440 *De. fil.* VII. 448 *Lepr. & Perrot.* VII. 420
acaulis *E. Mey.* VII. 430
β De. fil. – –
agrestis *De. fil.* VII. 434
androsacea *De. fil.* VII. 437 789
angustifolia *De. fil.* VII. 438
annularis *De. fil.* VII. 437
arenaria *De fil.* VII. 436
Banksiana *De. fil.* VII. 430
Berteroi *Hook. & Arn.* VII. 438
bilocularis *De. fil.* VII. 439
Bojeri *De. fil.* VII. 435
brasiliensis *Cham.* VII. 434
Burchellii *De. fil.* VII. 438
caffra *De. fil.* VII. 432
capensis *De. fil.* VII. 426
capillacea *De. fil.* VII. 434
capillacea E Mey. VII. 434
cernua *De. fil.* VII. 435
cernua E. Mey VII. 439
Cervicina *De. fil.* VII. 440
Chamissoniana *G. Don* VII. 439
α micrantha *Cham.* – –
β macrantha – – –
chondrophylla *Buek* VII 789
ciliolata *De. fil.* VII. 436
clavicularis E. Mey. VII. 432
cilvosa De. fil. VII. 439
corymbosa E. Mey. VII. 432
costata *De. fil.* VII. 427
dalmatica De. fil. VII. 441 449
debilis *Buek* VII. 788
decipiens *De. fil.* VII. 427
delnsceas *De. fil* VII. 434
denticulata *De. fil.* VII. 431 789
denudata *De. fil.* VII. 435
dichotoma *De. fil.* VII. 437
diffusa *De. fil.* VII. 426
divaricata *E. Mey.* VII. 432
divaricata b. E Mey. VII. 432
divergens *De. fil.* VII. 427
diversifolia *De. fil.* VII. 429
Dregeana *De. fil.* VII. 428
Dunantii *De. fil.* VII. 431 789
Ecklonii *Buek* VII. 789
elongata Schrad. VII. 426
emirnensis *De. fil* VII. 432
ensifolia De. fil. VII. 441 442
exilis *De. fil.* VII. 432
Fernandeziana *De. fil.* VII. 438
flaccida *De fil* VII. 428
flaccida Presl. VII. 441 475
foliosa *De. fil.* VII. 436

Wahlenbergia
gracilis *Dc. fil.* VII. 433 (bis)
β stricta – – –
γ littoralis – – –
δ capillaris – – –
ε polymorpha – – –
gracilis E. Mey. VII. 435
graminifolia Dc. fil. VII. 441 449
grandiflora Schrad. VII. 441 422
hederacea *Reich.* VII. 428
Hilsenbergii *Dc. fil.* VII. 429
hispidula *Dc. fil.* VII. 430 788
hispidula Schrad. VII. 441 421
homallanthina *Dc. fil.* VII. 426
β angustifolia – – 426
humilis *Dc. fil.* VII. 434
inconspicua *Dc. fil.* VII. 430
indica *Dc. fil.* VII 434
ingrata *Dc. fil.* VII. 432
integrifolia *Dc. fil.* VII. 428
Kitaibelii Dc. fil. VII. 441 449
Krebsii *Cham.* VII. 430
Krukeiana Fisch VII. 426
lavendulaefolia *Dc. fil* VII. 433
Larrainii Colla VII. 438
linarioides *Dc. fil.* VII. 440
β filiformis – – 441
γ erida – – –
δ latifolia – – –
linearia *Dc. fil.* VII. 426 (*delenda* VII. 788
linifolia *Dc. fil.* VII. 438
lobelioides *Dc. fil.* VII. 440
madagascariensis *Dc. fil.* VII. 429
marginata *Dc fil.* VII. 433
Massonii *Dc. fil.* VII. 431 789
Meyeri *Dc fil.* VII. 439
micrantha Drege VII. 441 411
montana *Dc fil.* VII. 430
multicaulis *Bth.* VII. 433
nudicaulis *Dc. fil.* VII. 436 789
β – – –
nutabunda *Dc. fil.* VII. 435
oppositifolia *Dc. fil.* VII. 429
β crispa – – –
oxyphylla *Dc. fil.* VII. 427
β – – –
paniculata *Dc. fil.* VII. 431 789
parviflora *Dc. fil.* VII. 437
patula *Dc. fil.* VII. 436
pauciflora *Dc. fil.* VII. 437
pendula Schrad. VII. 440
pentamera *Dc. fil.* VII. 428
perotifolia *Wight & Arn.* VII. 434
pilosa *Buek* VII. 788

Wahlenbergia
pilosa *Dc. fil.* VII. 4
polyclada *Dc. fil.* VII.
procumbens *Dc. fil.* V
β foliosa – –
procumbens Drege VII
prostrata *Dc. fil.* VII.
prostrata E. Mey. VII
Pumilio Dc. fil. VII.
purpurea *Dc. fil.* VII.
quadrifida *Dc. fil.* VII.
ramulosa *E. Mey.* VII.
riparia *Dc. fil.* VII.
rotundifolia *Bc. fil.* VI
Roxburghii *Dc. fil.* VII
Roylei *Dc. fil.* VII.
radis *E. Mey.* VII.
saxicola *Dc. fil.* VII.
saxifraga *Dc. fil.* VII.
semiglabra *Dc. fil.* VII
Sieberi *Dc. fil.* VII.
sphaerocarpa *Dc. fil.* V
spicata *E. Mey.* VII.
spinulosa *Dc. fil.* VII.
stellarioides *Cham.* VI
striata *Dc. fil.* VII.
swellendamensis *Buek*
thalictrifolia *Dc fil.* V
tenuifolia Dc. fil. VII.
tenuis *Dc. fil.* VII.
turbinata *Dc. fil.* VII.
undulata *Dc. fil.* VII.
variabilis *E. Mey.* VII.
β Krebsiana *Dc. fil.* –
variabilis var. *pumil*
Verreauxii *Dc. fil.* VII
viridis *Dc. fil.* VII.
Zeyheri *Buek* VII.
№ 6291 *Drege* VII.
„ 6299 *Drege* VII.
„ 6304 *Drege* VII.
WAHLENBERGIEAE
Walafrida *E. Mey.* XII.
nitida *E. Mey.* XII.
trimera Hochst. XII.
Walafridia Walp. XII.
Waldschmidtia Grisel (Linn
Waldschmidtia Wigg.
nymphoides Wigg IX
Walldda Dc. fil. VIII.
Walleria Ehret. XIII.

Mart. VIII. 113
118
III. 118 120
118
I. 114
VIII. 118 115
III. 118
2. 46 143
XIII. 2. 143
I. 682
XI. 696
XI. 692
VIII. 639 (Hoya)
II. 2. 434
VIII. 114
I. VIII. 115
VIII. 115
VIII. 115
fil. VIII. 114
III. 115
IX. 310
II. 151
dl. XII. 152
II. 558 570
XII. 571
II. 570
XII. 571 568
I. 570
II. 570
nn. XII. 571
571
II. 571
XII. 571
570
–
Labill. XII. 570
Sm. XII. 570
XII. 571
l. XII. 571
XI. 102 220
I. 221
285
I. 285
IX. 285
II. 1. 552 555
eet XIII. 1. 555
& *Mey.* XII. 408 503
XII. 503
I. 503
& *Mey.* XII. 503
Kth. X. 184
& *Arn.* X. 183

Wigandia
californica Hook. & *Arn.* X. 185 183
caracasana *H. B.* & *Kth.* X. 184
crispa *H. B.* & *Kth.* X. 184
herbacea *Chois.* X. 184
Kunthii *Chois.* X. 184
β macrophylla – – –
macrophylla Cham. & *Schl.* X. 184
pruritica Spr. X. 184
scorpioides *Chois.* X. 184
urens *Chois.* X. 184
urens H. B. & *Kth.* X. 184
Wightia *Wall.* X. 399 300 IX. 143
gigantea *Wall.* X. 301
madagascariensis Boj. VIII. 500
Wild olive &c. Hughes XI. 716
Willemetia Koch XIII. 2. 130
Willemetia Märkl. XIII. 2. 134 *RBr.* XIII. 2. 130
arenaria Märkl. XIII. 2. 133
lanata Märkl. XIII. 2. 135
Willen arvy VIII. 497
Willichia Spr. X. 425 *L.* X. 427
callitrichoides Spr. X. 425
repens L. X. 428
Willughbeia *Roxb.* VIII. 321 *W.* VIII. 322 *Schreb.* VIII. 328
acida W. VIII. 328
auriculata Spr. VIII. 321
celebica *Blum.* VIII. 321
coriacea *Blum.* VIII. 321
drupacea Blanco VIII. 321
edulis *Roxb.* VIII. 321
elliptica Spr. VIII. 321
fragrans Spr. VIII. 321
guianensis Räusch. VIII. 321 323
javanica *Blum.* VIII. 321
martabanica *Wall.* VIII. 321
multilocularis Blanco VIII. 321
obovata Spr. VIII. 322
racemosa Jack VIII. 322
scandens W. VIII. 323
volubilis Spr. VIII. 322
zeylanica Spr. VIII. 322
WILLUGHBEJAE *Dc. fil.* VIII. 318
WILLUGHBEJAE *Dc. fil.* VIII. 319
Wilsonia *RBr.* IX. 450 *Gill.* & *Hook.* IX. 450
humilis *RBr.* IX. 450
rotundifolia *Hook.* IX. 450
Winchia *Dc. fil.* VIII. 326
calophylla *Dc. fil.* VIII. 326

Wrightia
tomentosa *R. & Schult.* VIII. 404
β Roxburghii *Dc. fil.* - 405
tomentosa Wall. VIII. 405
tomentosa Wight VIII. 405
Wallichii *Dc. fil.* VIII. 405
zeylanica *RBr.* VIII. 407
WRIGHTIEAE *G. Don* VIII. 404
Wulfenia *Jacq.* X. 448 455 *Walt.* IX. 274 *Auct.* X. 454
Ageria Sm. X. 456 457
Amherstiana *Bth.* X. 455
chamaedrifolia Host X. 457
Bonarota Sm. X. 456 457
carinthiaca *Jacq.* X. 455
intermedia Wall. X. 456 IX. 274
lutea Host X. 456 457
Notoniana Wall. X. 456 IX. 276
obliqua Wall. X. 456 IX. 274
orientalis *Boiss.* X. 455
reniformis Bth. X. 456 454

X.

Xanthanthus Griseb. IX. 69
Xanthaea Reich. IX. 60. (Erythraea)
Xanthiophoea Mart. XII 96 (Hyptis)
Xanthomeria Presl VII. 354
Xenopoma Bth. XII. 222 (Micromeria)
obovatum W. XII. 222
Xerandra Raf. XIII. 2. 339
Xerocarpaea G. Don Dc. VII. 508 (Scaevola)
Xeroderma Dc. IX. 509 (Ehretia)
Xerosiphon Moq. XIII. 2. 416 (Gomphrena)
Xerosiphon Turcz. XIII. 2. 416
gracilis Turcz. XIII. 2. 417
Ximenia *Plum.* VIII. 210
Xuaresia R. & Pav. X. 429
biflora R. & Pav. X. 430
Xysmalobium *RBr.* VIII. 519
gomphocarpoides *Dcne* VIII. 519
grandiflorum *RBr.* VIII. 519
Heudelotianum *Dcne* VIII. 520
involucratum *Dcne* VIII. 520
lapathifolium *Dcne* VIII. 519
orbiculare *Dcne* VIII. 519
sessile *Dcne* VIII. 519
undulatum *Dcne* VIII. 519
undulatum E. Mey. VIII. 519

Y.

Yccottli Hern. VIII. 343
Yermoloffia hispida Belang. XII. 515
insignis Belang. XII. 515
Yoothika purnee XI. 443
Yeruk XIII. 2. 299
Ype IX. 218

Z.

Zacintha Vell. VIII. 670
Zahan IX. 243 244
Zahlbrucknera achyranthoides Pohl XI. 263
conferta Pohl XI. 85
fruticosa Pohl XI. 71
lutea Pohl XI. 210
Maranhonis Pohl XI. 108
micrantha Pohl XI. 88
oblongifolia Pohl XI. 86
pilosa Pohl XI. 113
repens Pohl XI. 66
salicifolia Pohl XI. 214
Zaluzianskia Bth. X. 348 (Nyctcrinia)
Zaluzianskya J. W. Schmidt X. 348
villosa Schmidt X. 350
Zapania Schauer XI. 580 (Lippia)
Zapania Scop. XI. 572 *Juss.* XI. 580
arabica Poir. XI. 534
bracteosa Poir. XI. 549
citriodora Lam. XI. 574
corymbosa Poir. XI. 540
Echinus Nees & Mart. XI. 594 XII. 96
globiflora Poir. XI. 583
hispida Zuccagn. XI. 534
javanica Lam. XI. 593
lanceolata Beck XI. 584
lantanoides Lam. XI. 583
lappulacea Lam. XI. 534
mexicana Lam. XI. 534
mutabilis Lam. XI. 565
nodiflora Lam. XI. 585
nodiflora var. rosea D. Don XI. 585
odorata Pers. XI. 583
odoratissima Scop. XI. 583
prismatica Poir. XI. 558
reclinata Lam. XI. 584

Zapania
repens Bertol. XI. 586
stoechadifolia Pers. XI. 584
virgata Poir. XI. 573
Zataria *Boiss.* XII. 183 149
humilis *Bth.* XII. 183
multiflora *Boiss.* XII. 183
Zenobia *D. Don* VII. 597
floribunda *Dc.* VII. 598
racemosa *Dc.* VII. 598
speciosa *D. & G. Don* VII. 598
α viridis *Duham.* - -
β pulverulenta *Don* - -
Zeyhera *Mart.* IX. 211
barbata Miq. IX. 212 221
digitata Miq. IX. 212 221
fluviatilis Miq. IX. 212 215
montana *Mart.* IX. 212
Zietenia Bth. XII. 486 (Stachys)
Zietenia Gled. Pers. XII. 462 486
orientalis Gled. XII. 489
Zitas XI. 609
Zizyphora *L.* XII. 260 364 *R. & Schult.* XII. 180 244
acinoides *L.* XII. 366
acutifolia *Montbr. & Auch.* XII. 366
bracteolata R. & Schult. XII. 367 223
Brantii *C. Koch* XII. 365
canescens *Bth.* XII. 365
β persica - - 366
capitata *L.* XII. 366
β acuminata - -
capitata Rudolphi XII. 366
cleonioides *Boiss.* XII. 367
clinopodioides *MB.* XII. 364
α canescens - - 365
β media - - -
clinopodioides Rudolphi XII. 365
clinopodioides α cunila Rudolphi XII. 365
Zizyphora
clinopodioides β acinoides R XII.
compacta Friv. XII. 366
dasyantha *MB.* XII. 365
glabella R. & Schult. XII. 367
Gundelsheimeri *C. Koch* XII.
hispanica *L.* XII. 366
hispida R. & Schult. XII. 245
hispida Steud. XII. 367
javanica *Blum.* XII. 367
Mariana R. & Schult XII.
media Link XII. 365
Mussini Adam XII. 365
pulegioides Desf. XII. 367
pulegioides R. & Schult. XII.
pungens Bunge XII. 394
pungens Ledeb. XII. 367
Puschkini Adam XII 365
serpyllacea MB. XII. 365
serpyllacea Ten. XII 367
siliquosa Lour. XII. 367
spicata Cervant. XII. 367
taurica *MB.* XII. 367
tenuior Falk XII. 365
tenuior *L.* XII. 366
thymoides R. & Schult. XII.
verticillata Steud. XII. 183
Zornia Moench XII. 396
canescens Moench XII. 405
linearifolia Moench XII. 405
nutans Moench XII. 404
partita Moench XII. 403
parviflora Moench XII. 404
peltata Moench XII. 404
Zucchelia *Dcne* VIII. 492
angolensis *Dcne* VIII. 492
Zygis aromatica Desr. XII. 222
Zygostigma *Griseb.* IX. 51
australe *Griseb.* IX. 51
uniflorum *Griseb.* IX. 52

Typis L. J. Nobilingi.